

Soil FACTSHEET



BRITISH
COLUMBIA

Ministry of Agriculture and Food

Order No. 610.000-4
Agdex 510
May 1991

MATERIALS FOR IMPROVING GARDEN SOIL STRUCTURE

INTRODUCTION

There are a variety of materials gardeners can use to improve the structure, rooting depth and water infiltration and holding capacities of their soils.

Fresh Western red cedar sawdust and hemlock bark are often toxic to flowers and vegetables grown in containers or restricted areas, but may be tolerated by hardier shrubs when applied at low rates.

ORGANIC MATERIALS

Peat – (Sphagnum Moss)

Partially decomposed, low in plant nutrients and a very acid pH, high water holding capacity (15-30 times its own weight). Sphagnum peat is lightweight, porous, light brown to tan colour when dry. Sphagnum decomposes at a moderate rate because of high cellulose content. Often used for potting soil or container soil mixtures.

Composts

Composts are decomposed plant residues, often from a variety of materials. Usually have good nutrient holding capacities and high biological activity.

Spent mushroom compost usually consists of straw, manure, peat or wood, plus a number of other organic materials and agricultural minerals.

Composts provide moderate nutrient and humus contributions.

Fibrous Peat (Reeds – sedges)

Further decomposed than sphagnum moss, higher in plant nutrients, lower water holding capacities and generally less acid. Reddish to dark brown and almost black when wet or rotted, somewhat resistant to further decay. Some sources of sedge peats may have high calcium and other elements that make it less desirable for container or potting soil mixes. These peats are suitable for lawns and landscaping.

Manures

Manures are best used when rotted and composed to reduce salt content and weed seed contamination. Manures vary in nutrient status according to amount and type of bedding used, type of animal source and degree of rot. Water and nutrient holding capacities of rotted manure are fair.

Sawdust

Very resistant to decay. Used with other materials to provide porosity and aeration of soils, but have only fair to poor water and nutrient holding capacities. Nitrogen needs to be added to compensate plants when sawdust is added to soil, otherwise nitrogen starvation may occur.

Digested and Composted Sewage Sludges

Sewage sludges undergo anaerobic and aerobic digestion and are then dried and often composted with other materials. Some sludges may have elevated levels of heavy metals resulting from industrial sources. Only high quality sewage having low heavy metal contents should be used.

High quality composed sludges can be used as a base for other amendments or applied directly to soils to improve structure characteristics.

INORGANIC MATERIALS

Vermiculite

Heated micaceous mineral ore which expands to a lightweight product that can hold water to several times its own weight. There is sufficient air for plant root growth when vermiculite is very wet.

Vermiculite is used for greenhouse container and potting soil mixes.

Perlite

Perlite is a glassy volcanic rock that is heat treated, becoming a white coloured bead like particle of low density. It is used in soil mixes to provide good aeration and drainage. Perlite is often combined with peat for commercial and home use in potting soils. It is inert, water-insoluble and has a pH of 6 to 7.

Pumice

Spongy, light, porous volcanic rock which promotes good water infiltration and aeration. Water and nutrient capacities are fair to poor. Some sources of pumice have very fine pores which results in poor water-releasing properties.

Sand

Sand is low in water and nutrient holding capacities, but is valuable when mixed or composted with other materials. Fine sand (0.1 – 0.25 mm particle size) will pack and cause poor aeration. Medium to coarse sand (0.5 – 2.0 mm) will provide a stable mix where it is not subject to heavy rainfalls or watering. Coarse sand (greater than 2.0 mm) is preferred when amended soils are to be exposed to rain or watering frequently. High volumes of sand are often required when amending soils, and is not recommended as the main component to improve fine textured clay soils.

FOR FURTHER INFORMATION, CONTACT:

Geoff Hughes-Games, Provincial Soil Specialist (Written by R.Kline, Prince George)
Phone: (604) 556-3102
Email: Geoff.HughesGames@gems7.gov.bc.ca

RESOURCE MANAGEMENT BRANCH

Ministry of Agriculture and Food
1767 Angus Campbell Road
Abbotsford, BC CANADA V3G 2M3