




Copyright (c) 1996 Regents of the University of California and California Department of Toxic Substances Control

<b>Inputs:</b>		<b>Chemical name==&gt;</b>	Naphtalène	<b>Outputs:</b>									
	<b>Site name =&gt;</b>		Common - After - < 0.5 ans (Local)		<b>Target Soil Concentrations (in ppm)</b>								
	<b>Toxicity Data ==&gt;</b>		Cancer potencies 1/(mg/kg-d)	Non-cancer ADIs (mg/kg-d)	<table border="1"> <tr> <td>Root soil</td> <td>0,0 E+0</td> <td>not avlbl.</td> </tr> <tr> <td>Vadose soil</td> <td>0,0 E+0</td> <td>not avlbl.</td> </tr> </table>		Root soil	0,0 E+0	not avlbl.	Vadose soil	0,0 E+0	not avlbl.	
	Root soil	0,0 E+0	not avlbl.										
	Vadose soil	0,0 E+0	not avlbl.										
	Inhalation	0,0E+00	0,0E+00	<table border="1"> <tr> <td>Root Soil</td> <td>n/a</td> </tr> <tr> <td>Vadose soil</td> <td>n/a</td> </tr> </table>		Root Soil	n/a	Vadose soil	n/a				
	Root Soil	n/a											
	Vadose soil	n/a											
	Ingestion	0,0E+00	2,0E-02										
	Dermal	0,0E+00	0,0E+00	<table border="1"> <tr> <td>Root soil</td> <td>0,0 E+0</td> <td>not avlbl.</td> </tr> <tr> <td>Vadose soil</td> <td>0,0 E+0</td> <td>not avlbl.</td> </tr> </table>		Root soil	0,0 E+0	not avlbl.	Vadose soil	0,0 E+0	not avlbl.		
	Root soil	0,0 E+0	not avlbl.										
Vadose soil	0,0 E+0	not avlbl.											
Total dose	0,0E+00		<table border="1"> <tr> <td>Risk</td> <td>1,0 E-05</td> <td>1,00</td> </tr> <tr> <td>Hazard quotient</td> <td>current value</td> <td>should be &gt;</td> </tr> </table>		Risk	1,0 E-05	1,00	Hazard quotient	current value	should be >			
Risk	1,0 E-05	1,00											
Hazard quotient	current value	should be >											
Target Risk/Hazard =	1,0 E-05	1,00	<table border="1"> <tr> <td>Risk</td> <td>0,0 E+0</td> <td></td> </tr> <tr> <td>Hazard ratio</td> <td>0,0 E+0</td> <td></td> </tr> </table>		Risk	0,0 E+0		Hazard ratio	0,0 E+0				
Risk	0,0 E+0												
Hazard ratio	0,0 E+0												
Root-soil thickness ==>	0,30	OK	<table border="1"> <tr> <td>Risk</td> <td>0,0 E+0</td> <td></td> </tr> <tr> <td>Hazard ratio</td> <td>0,0 E+0</td> <td></td> </tr> </table>		Risk	0,0 E+0		Hazard ratio	0,0 E+0				
Risk	0,0 E+0												
Hazard ratio	0,0 E+0												
Alter root soil thickness to?	n/a		<table border="1"> <tr> <td>Risk</td> <td>0,0 E+0</td> <td></td> </tr> <tr> <td>Hazard ratio</td> <td>0,0 E+0</td> <td></td> </tr> </table>		Risk	0,0 E+0		Hazard ratio	0,0 E+0				
Risk	0,0 E+0												
Hazard ratio	0,0 E+0												
Distance off-site for air exposure=	0	meters	<table border="1"> <tr> <td>Risk</td> <td>0,0 E+0</td> <td></td> </tr> <tr> <td>Hazard ratio</td> <td>0,0 E+0</td> <td></td> </tr> </table>		Risk	0,0 E+0		Hazard ratio	0,0 E+0				
Risk	0,0 E+0												
Hazard ratio	0,0 E+0												
Time after initial concentrations when exposure begins =	365	days	<table border="1"> <tr> <td>Risk</td> <td>0,0 E+0</td> <td></td> </tr> <tr> <td>Hazard ratio</td> <td>0,0 E+0</td> <td></td> </tr> </table>		Risk	0,0 E+0		Hazard ratio	0,0 E+0				
Risk	0,0 E+0												
Hazard ratio	0,0 E+0												
<b>Measured Concentrations (at time = 0)</b>				<b>Un-mitigated risk and/or hazard ratio</b>									
Root-zone soil	0,09	ppm (mg/kg)	<table border="1"> <tr> <td>Risk</td> <td>0,0 E+0</td> <td></td> </tr> <tr> <td>Hazard ratio</td> <td>0,0 E+0</td> <td></td> </tr> </table>		Risk	0,0 E+0		Hazard ratio	0,0 E+0				
Risk	0,0 E+0												
Hazard ratio	0,0 E+0												
Vadose-zone soil	6,95	ppm (mg/kg)	<table border="1"> <tr> <td>Risk</td> <td>0,0 E+0</td> <td></td> </tr> <tr> <td>Hazard ratio</td> <td>0,0 E+0</td> <td></td> </tr> </table>		Risk	0,0 E+0		Hazard ratio	0,0 E+0				
Risk	0,0 E+0												
Hazard ratio	0,0 E+0												
Ground water	0	ppm (mg/L)	<table border="1"> <tr> <td>Risk</td> <td>0,0 E+0</td> <td></td> </tr> <tr> <td>Hazard ratio</td> <td>0,0 E+0</td> <td></td> </tr> </table>		Risk	0,0 E+0		Hazard ratio	0,0 E+0				
Risk	0,0 E+0												
Hazard ratio	0,0 E+0												
<b>Continuous inputs</b>				<b>Concentration limits without NAPL</b>									
Source term to air (mol/d)	0,0 E+00	Sa	<table border="1"> <tr> <td>Root soil</td> <td>7,4 E+02</td> <td>mg/kg solid</td> </tr> <tr> <td>Vadose soil</td> <td>8,8 E+02</td> <td>mg/kg solid</td> </tr> <tr> <td></td> <td>3,4 E+01</td> <td>mg/L water</td> </tr> </table>		Root soil	7,4 E+02	mg/kg solid	Vadose soil	8,8 E+02	mg/kg solid		3,4 E+01	mg/L water
Root soil	7,4 E+02	mg/kg solid											
Vadose soil	8,8 E+02	mg/kg solid											
	3,4 E+01	mg/L water											
Source term to ground-surface soil (mol/d)	0,0 E+00	Sg	<table border="1"> <tr> <td>Air</td> <td>4,6 E-07</td> <td>mg/m3</td> </tr> <tr> <td>Plants</td> <td>8,8 E-07</td> <td>mg/kg(FM)</td> </tr> </table>		Air	4,6 E-07	mg/m3	Plants	8,8 E-07	mg/kg(FM)			
Air	4,6 E-07	mg/m3											
Plants	8,8 E-07	mg/kg(FM)											
Source term to root-zone soil (mol/d)	0,0 E+00	Ss	<table border="1"> <tr> <td>Grnd-surface soil</td> <td>7,4 E-04</td> <td>mg/kg(total)</td> </tr> <tr> <td>Root-zone soil</td> <td>1,8 E-02</td> <td>mg/kg(total)</td> </tr> <tr> <td>Vadose-zone soil</td> <td>1,3 E+00</td> <td>mg/kg(total)</td> </tr> </table>		Grnd-surface soil	7,4 E-04	mg/kg(total)	Root-zone soil	1,8 E-02	mg/kg(total)	Vadose-zone soil	1,3 E+00	mg/kg(total)
Grnd-surface soil	7,4 E-04	mg/kg(total)											
Root-zone soil	1,8 E-02	mg/kg(total)											
Vadose-zone soil	1,3 E+00	mg/kg(total)											
Source term to surface water(mol/d)	0,0 E+00	Sw	<table border="1"> <tr> <td>Ground water</td> <td>2,5 E-05</td> <td>mg/L(water)</td> </tr> <tr> <td>Surface water</td> <td>4,5 E-05</td> <td>mg/L</td> </tr> <tr> <td>Sediment</td> <td>1,6 E-03</td> <td>mg/kg</td> </tr> </table>		Ground water	2,5 E-05	mg/L(water)	Surface water	4,5 E-05	mg/L	Sediment	1,6 E-03	mg/kg
Ground water	2,5 E-05	mg/L(water)											
Surface water	4,5 E-05	mg/L											
Sediment	1,6 E-03	mg/kg											
<b>Time avrg. Conc. in on-site environmental media</b>													
Air	4,6 E-07	mg/m3											
Plants	8,8 E-07	mg/kg(FM)											
Grnd-surface soil	7,4 E-04	mg/kg(total)											
Root-zone soil	1,8 E-02	mg/kg(total)											
Vadose-zone soil	1,3 E+00	mg/kg(total)											
Ground water	2,5 E-05	mg/L(water)											
Surface water	4,5 E-05	mg/L											
Sediment	1,6 E-03	mg/kg											

<b>PATHWAYS</b>	<b>Air (gases &amp; particles)</b>	<b>Surface soil</b>	<b>Root-zone soil</b>	<b>Ground water</b>	<b>Surface water</b>	<b>Totals</b>	<b>%</b>
<b>INHALATION</b>	6,96E-08	1,77E-12	2,16E-07	0,00E+00	0,00E+00	<b>2,86E-07</b>	100,00
<b>INGESTION:</b>							
Water				0,00E+00	0,00E+00	0,00E+00	0,00
Exposed produce	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Unexposed produce			0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Meat	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Milk	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Eggs	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Fish					0,00E+00	0,00E+00	0,00
Soil		0,00E+00	0,00E+00			0,00E+00	0,00
<b>Total ingestion</b>	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	<b>0,00 E+00</b>	0,00
<b>DERMAL UPTAKE</b>		0,00E+00	0,00E+00	0,00E+00	0,00E+00	<b>0,00 E+00</b>	0,00
<b>Dose SUM</b>	<b>6,96E-08</b>	<b>1,77E-12</b>	<b>2,16E-07</b>	<b>0,00E+00</b>	<b>0,00E+00</b>	<b>2,86E-07</b>	100,0

<b>Breast milk concentration</b>	<b>Air (gases &amp; particles)</b>	<b>Surface soil</b>	<b>Root-zone soil</b>	<b>Ground water</b>	<b>Surface water</b>	<b>total</b>
	1,96 E-09	4,99 E-14	6,09 E-09	0,00 E+00	0,00 E+00	8,05 E-09
<b>Infant dose</b>	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	<b>dose_bm 0,00 E+00</b>

<b>Ingestion dose used =&gt;</b>	0,00 E+00
<b>Total dose used =&gt;</b>	2,86 E-07

<b>ENVIRONMENTAL Media CONCENTRATIONS</b>	<b>Air (gases) mg/m^3</b>	<b>Air (dust) mg/m^3</b>	<b>Ground soil mg/kg</b>	<b>Root soil mg/kg</b>	<b>Ground water mg/L</b>	<b>Surface water mg/L</b>
	4,64 E-07	3,29 E-13	8,00 E-04	1,94 E-02	2,45 E-05	4,48 E-05

**EXPOSURE MEDIA CONCENTRATIONS (averaged over the exposure duration)**

<b>EXPOSURE</b>	<b>Air (gases)</b>	<b>Air (dust)</b>	<b>Ground soil</b>	<b>Root soil</b>	<b>Ground water</b>	<b>Surface water</b>
Indoor air (mg/m <sup>3</sup> )	4,64 E-07	1,93 E-13	1,41 E-11	1,72 E-06	0,00 E+00	0,00 E+00
Bathroom air (mg/m <sup>3</sup> )					0,00 E+00	0,00 E+00
Outdoor air (mg/m <sup>3</sup> )	4,64 E-07	3,29 E-13				
Tap water (mg/L)					0,00 E+00	0,00 E+00
Exposed produce (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Unexposed produce (mg/kg)				0,00 E+00	0,00 E+00	0,00 E+00
Meat (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Milk (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Eggs (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Fish and seafood (mg/kg)						4,63 E-03
Household soil (mg/kg)			4,00 E-04	9,68 E-03		
Swimming water (mg/L)						4,48 E-05

**PATHWAY CONTACT FACTORS (CR/BW\*FI)**

<b>EXPOSURE Media</b>	<b>Units</b>	<b>Inhalation</b>	<b>Ingestion</b>	<b>Dermal</b>
Indoor air (active)		9,64 E-02		
Indoor air (resting)		2,97 E-02		
Indoor air (shower/bath)		0,00 E+00		
Outdoor air (active)		2,41 E-02		
Tap water			0,00 E+00	0,00 E+00
Exposed produce			0,00 E+00	
Unexposed produce			0,00 E+00	
Meat			0,00 E+00	
Milk			0,00 E+00	
Eggs			0,00 E+00	
Fish and seafood			0,00 E+00	
Household soil			0,00 E+00	0,00 E+00
Swimming wtr			0,00 E+00	0,00 E+00

Dose ratios	inh-dose/Ns	ing-dose/Ns	drml-dose/Ns	inh-dose/Nq	ing-dose/Nq	drml-dose/Nq
	1,0 E-07	0,0 E+00	0,0 E+00	0,0 E+00	0,0 E+00	0,0 E+00


Time (y)	Total inhalation dose	Total ingestion dose	Total dermal dose	Total dose	Total dose from root soil	Total dose from ground water
1	1,2 E-06	0,0 E+00	0,0 E+00	1,2 E-06	1,2 E-06	0,0 E+00
4	8,0 E-07	0,0 E+00	0,0 E+00	8,0 E-07	8,0 E-07	0,0 E+00
7	5,2 E-07	0,0 E+00	0,0 E+00	5,2 E-07	5,2 E-07	0,0 E+00
10	3,4 E-07	0,0 E+00	0,0 E+00	3,4 E-07	3,4 E-07	0,0 E+00
13	2,2 E-07	0,0 E+00	0,0 E+00	2,2 E-07	2,2 E-07	0,0 E+00
16	1,4 E-07	0,0 E+00	0,0 E+00	1,4 E-07	1,4 E-07	0,0 E+00
19	9,2 E-08	0,0 E+00	0,0 E+00	9,2 E-08	9,2 E-08	0,0 E+00
22	5,9 E-08	0,0 E+00	0,0 E+00	5,9 E-08	5,9 E-08	0,0 E+00
25	3,9 E-08	0,0 E+00	0,0 E+00	3,9 E-08	3,9 E-08	0,0 E+00
28	2,5 E-08	0,0 E+00	0,0 E+00	2,5 E-08	2,5 E-08	0,0 E+00
31	1,6 E-08	0,0 E+00	0,0 E+00	1,6 E-08	1,6 E-08	0,0 E+00
<b>Cumulative doses</b>				0,003129894		
over ED by route, mg/kg fraction	3,1 E-03	0,0 E+00	0,0 E+00	3,1 E-03	3,1 E-03	0,0 E+00
	1,0000	0,0000	0,0000	1,0000	1,000	0,000
<b>Average doses</b>						
over ED by route, mg/kg-d	2,9 E-07	0,0 E+00	0,0 E+00	2,9 E-07	2,9 E-07	0,0 E+00
<b>Maximum doses</b>						
over ED by route, mg/kg-d fraction	1,2 E-06	0,0 E+00	0,0 E+00	1,2 E-06	1,2 E-06	0,0 E+00
	1,0000	0,0000	0,0000	1,0000	1,000	0,000

Max breast-milk dose      0,0 E+00    mg/kg-d      

Max ing	0,0 E+00
---------	----------



Copyright (c) 1996 Regents of the University of California and California Department of Toxic Substances Control

<b>Inputs:</b>		<b>Chemical name==&gt;</b> Naphtalène		<b>Outputs:</b>					
		<b>Site name =&gt;</b> Common - After - 0.5-4 ans (Local)		<b>Target Soil Concentrations (in ppm)</b>					
		<b>Toxicity Data ==&gt;</b>		<b>Based on cancer risk:</b>					
			Cancer potencies 1/(mg/kg-d)	Non-cancer ADIs (mg/kg-d)	Root soil	0,0 E+0	not avlbl.		
		Inhalation	0,0E+00	0,0E+00	Vadose soil	0,0 E+0	not avlbl.		
		Ingestion	0,0E+00	2,0E-02			Root Soil	n/a	
		Dermal	0,0E+00	0,0E+00			Vadose soil	n/a	
		Total dose		0,0E+00			Root soil	0,0 E+0	not avlbl.
			Risk	Hazard quotient			Vadose soil	0,0 E+0	not avlbl.
		Target Risk/Hazard =	1,0 E-05	1,00					
			current value	should be >					
Root-soil thickness ==>	0,30	OK	<b>Un-mitigated risk and/or hazard ratio</b>						
Alter root soil thickness to?	n/a		<b>Risk</b>	0,0 E+0					
Distance off-site for air exposure=	0	meters	<b>Hazard ratio</b>	0,0 E+0					
Time after initial concentrations when exposure begins =	365	days	<b>Concentration limits without NAPL</b>						
<b>Measured Concentrations (at time = 0)</b>			Root soil	7,4 E+02	mg/kg solid				
Root-zone soil	0,09	ppm (mg/kg)	Vadose soil	8,8 E+02	mg/kg solid				
Vadose-zone soil	6,95	ppm (mg/kg)		3,4 E+01	mg/L water				
Ground water	0	ppm (mg/L)	<b>Time avrg. Conc. in on-site environmental media</b>						
<b>Continuous inputs</b>			Air	4,6 E-07	mg/m3				
Source term to air (mol/d)	0,0 E+00	Sa	Plants	8,8 E-07	mg/kg(FM)				
Source term to ground-surface soil (mol/d)	0,0 E+00	Sg	Grnd-surface soil	7,4 E-04	mg/kg(total)				
Source term to root-zone soil (mol/d)	0,0 E+00	Ss	Root-zone soil	1,8 E-02	mg/kg(total)				
Source term to surface water(mol/d)	0,0 E+00	Sw	Vadose-zone soil	1,3 E+00	mg/kg(total)				
			Ground water	2,5 E-05	mg/L(water)				
			Surface water	4,5 E-05	mg/L				
			Sediment	1,6 E-03	mg/kg				

<b>PATHWAYS</b>	<b>Air (gases &amp; particles)</b>	<b>Surface soil</b>	<b>Root-zone soil</b>	<b>Ground water</b>	<b>Surface water</b>	<b>Totals</b>	<b>%</b>
<b>INHALATION</b>	1,53E-07	3,91E-12	4,77E-07	0,00E+00	0,00E+00	<b>6,30E-07</b>	100,00
<b>INGESTION:</b>							
Water				0,00E+00	0,00E+00	0,00E+00	0,00
Exposed produce	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Unexposed produce			0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Meat	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Milk	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Eggs	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Fish					0,00E+00	0,00E+00	0,00
Soil		0,00E+00	0,00E+00			0,00E+00	0,00
<b>Total ingestion</b>	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	<b>0,00 E+00</b>	0,00
<b>DERMAL UPTAKE</b>		0,00E+00	0,00E+00	0,00E+00	0,00E+00	<b>0,00 E+00</b>	0,00
<b>Dose SUM</b>	<b>1,53E-07</b>	<b>3,91E-12</b>	<b>4,77E-07</b>	<b>0,00E+00</b>	<b>0,00E+00</b>	<b>6,30E-07</b>	100,0

<b>Breast milk concentration</b>	<b>Air (gases &amp; particles)</b>	<b>Surface soil</b>	<b>Root-zone soil</b>	<b>Ground water</b>	<b>Surface water</b>	<b>total</b>
	4,32 E-09	1,10 E-13	1,34 E-08	0,00 E+00	0,00 E+00	1,77 E-08
<b>Infant dose</b>	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	<b>dose_bm 0,00 E+00</b>

<b>Ingestion dose used =&gt;</b>	0,00 E+00
<b>Total dose used =&gt;</b>	6,30 E-07

<b>ENVIRONMENTAL Media CONCENTRATIONS</b>	<b>Air (gases) mg/m^3</b>	<b>Air (dust) mg/m^3</b>	<b>Ground soil mg/kg</b>	<b>Root soil mg/kg</b>	<b>Ground water mg/L</b>	<b>Surface water mg/L</b>
	4,64 E-07	3,29 E-13	8,00 E-04	1,94 E-02	2,45 E-05	4,48 E-05

**EXPOSURE MEDIA CONCENTRATIONS (averaged over the exposure duration)**

<b>EXPOSURE</b>	<b>Air (gases)</b>	<b>Air (dust)</b>	<b>Ground soil</b>	<b>Root soil</b>	<b>Ground water</b>	<b>Surface water</b>
Indoor air (mg/m <sup>3</sup> )	4,64 E-07	1,93 E-13	1,41 E-11	1,72 E-06	0,00 E+00	0,00 E+00
Bathroom air (mg/m <sup>3</sup> )					0,00 E+00	0,00 E+00
Outdoor air (mg/m <sup>3</sup> )	4,64 E-07	3,29 E-13				
Tap water (mg/L)					0,00 E+00	0,00 E+00
Exposed produce (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Unexposed produce (mg/kg)				0,00 E+00	0,00 E+00	0,00 E+00
Meat (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Milk (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Eggs (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Fish and seafood (mg/kg)						4,63 E-03
Household soil (mg/kg)			4,00 E-04	9,68 E-03		
Swimming water (mg/L)						4,48 E-05

**PATHWAY CONTACT FACTORS (CR/BW\*FI)**

<b>EXPOSURE Media</b>	<b>Units</b>	<b>Inhalation</b>	<b>Ingestion</b>	<b>Dermal</b>
Indoor air (active)		2,10 E-01		
Indoor air (resting)		6,75 E-02		
Indoor air (shower/bath)		0,00 E+00		
Outdoor air (active)		5,26 E-02		
Tap water			0,00 E+00	0,00 E+00
Exposed produce			0,00 E+00	
Unexposed produce			0,00 E+00	
Meat			0,00 E+00	
Milk			0,00 E+00	
Eggs			0,00 E+00	
Fish and seafood			0,00 E+00	
Household soil			0,00 E+00	0,00 E+00
Swimming wtr			0,00 E+00	0,00 E+00

Dose ratios	inh-dose/Ns	ing-dose/Ns	drml-dose/Ns	inh-dose/Nq	ing-dose/Nq	drml-dose/Nq
	2,2 E-07	0,0 E+00	0,0 E+00	0,0 E+00	0,0 E+00	0,0 E+00

Time (y)	Total inhalation dose	Total ingestion dose	Total dermal dose	Total dose	Total dose from root soil	Total dose from ground water
1	2,7 E-06	0,0 E+00	0,0 E+00	2,7 E-06	2,7 E-06	0,0 E+00
4	1,8 E-06	0,0 E+00	0,0 E+00	1,8 E-06	1,8 E-06	0,0 E+00
7	1,1 E-06	0,0 E+00	0,0 E+00	1,1 E-06	1,1 E-06	0,0 E+00
10	7,4 E-07	0,0 E+00	0,0 E+00	7,4 E-07	7,4 E-07	0,0 E+00
13	4,8 E-07	0,0 E+00	0,0 E+00	4,8 E-07	4,8 E-07	0,0 E+00
16	3,1 E-07	0,0 E+00	0,0 E+00	3,1 E-07	3,1 E-07	0,0 E+00
19	2,0 E-07	0,0 E+00	0,0 E+00	2,0 E-07	2,0 E-07	0,0 E+00
22	1,3 E-07	0,0 E+00	0,0 E+00	1,3 E-07	1,3 E-07	0,0 E+00
25	8,5 E-08	0,0 E+00	0,0 E+00	8,5 E-08	8,5 E-08	0,0 E+00
28	5,5 E-08	0,0 E+00	0,0 E+00	5,5 E-08	5,5 E-08	0,0 E+00
31	3,6 E-08	0,0 E+00	0,0 E+00	3,6 E-08	3,6 E-08	0,0 E+00
<b>Cumulative doses</b>				0,00689677		
over ED by route, mg/kg fraction	6,9 E-03	0,0 E+00	0,0 E+00	6,9 E-03	6,9 E-03	0,0 E+00
	1,0000	0,0000	0,0000	1,0000	1,000	0,000
<b>Average doses</b>						
over ED by route, mg/kg-d	6,3 E-07	0,0 E+00	0,0 E+00	6,3 E-07	6,3 E-07	0,0 E+00
<b>Maximum doses</b>						
over ED by route, mg/kg-d fraction	2,7 E-06	0,0 E+00	0,0 E+00	2,7 E-06	2,7 E-06	0,0 E+00
	1,0000	0,0000	0,0000	1,0000	1,000	0,000


Max breast-milk dose      0,0 E+00    mg/kg-d      

Max ing	0,0 E+00
---------	----------





Copyright (c) 1996 Regents of the University of California and California Department of Toxic Substances Control

<b>Inputs:</b>		<b>Chemical name==&gt;</b> Naphtalène		<b>Outputs:</b>				
		<b>Site name =&gt;</b> Common - After - 5-11 ans (Local)		<b>Target Soil Concentrations (in ppm)</b>				
		<b>Toxicity Data ==&gt;</b>		<b>Based on cancer risk:</b>				
			Cancer potencies 1/(mg/kg-d)	Non-cancer ADIs (mg/kg-d)	Root soil	0,0 E+0	not avlbl.	
		Inhalation	0,0E+00	0,0E+00	Vadose soil	0,0 E+0	not avlbl.	
		Ingestion	0,0E+00	2,0E-02			Root Soil	n/a
		Dermal	0,0E+00	0,0E+00			Vadose soil	n/a
		Total dose		0,0E+00			Root soil	0,0 E+0
			Risk	Hazard quotient			Vadose soil	0,0 E+0
		Target Risk/Hazard =	1,0 E-05	1,00				
			current value	should be >				
Root-soil thickness ==>	0,30	OK	<b>Un-mitigated risk and/or hazard ratio</b>					
Alter root soil thickness to?	n/a		Risk	0,0 E+0				
Distance off-site for air exposure=	0	meters	Hazard ratio	0,0 E+0				
Time after initial concentrations when exposure begins =	365	days	<b>Concentration limits without NAPL</b>					
<b>Measured Concentrations (at time = 0)</b>			Root soil	7,4 E+02	mg/kg solid			
Root-zone soil	0,09	ppm (mg/kg)	Vadose soil	8,8 E+02	mg/kg solid			
Vadose-zone soil	6,95	ppm (mg/kg)		3,4 E+01	mg/L water			
Ground water	0	ppm (mg/L)	<b>Time avrg. Conc. in on-site environmental media</b>					
<b>Continuous inputs</b>			Air	4,6 E-07	mg/m3			
Source term to air (mol/d)	0,0 E+00	Sa	Plants	8,8 E-07	mg/kg(FM)			
Source term to ground-surface soil (mol/d)	0,0 E+00	Sg	Grnd-surface soil	7,4 E-04	mg/kg(total)			
Source term to root-zone soil (mol/d)	0,0 E+00	Ss	Root-zone soil	1,8 E-02	mg/kg(total)			
Source term to surface water(mol/d)	0,0 E+00	Sw	Vadose-zone soil	1,3 E+00	mg/kg(total)			
			Ground water	2,5 E-05	mg/L(water)			
			Surface water	4,5 E-05	mg/L			
			Sediment	1,6 E-03	mg/kg			

<b>PATHWAYS</b>	<b>Air (gases &amp; particles)</b>	<b>Surface soil</b>	<b>Root-zone soil</b>	<b>Ground water</b>	<b>Surface water</b>	<b>Totals</b>	<b>%</b>
<b>INHALATION</b>	1,20E-07	3,05E-12	3,72E-07	0,00E+00	0,00E+00	<b>4,92E-07</b>	100,00
<b>INGESTION:</b>							
Water				0,00E+00	0,00E+00	0,00E+00	0,00
Exposed produce	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Unexposed produce			0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Meat	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Milk	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Eggs	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Fish					0,00E+00	0,00E+00	0,00
Soil		0,00E+00	0,00E+00			0,00E+00	0,00
<b>Total ingestion</b>	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	<b>0,00 E+00</b>	0,00
<b>DERMAL UPTAKE</b>		0,00E+00	0,00E+00	0,00E+00	0,00E+00	<b>0,00 E+00</b>	0,00
<b>Dose SUM</b>	<b>1,20E-07</b>	<b>3,05E-12</b>	<b>3,72E-07</b>	<b>0,00E+00</b>	<b>0,00E+00</b>	<b>4,92E-07</b>	100,0

<b>Breast milk concentration</b>	<b>Air (gases &amp; particles)</b>	<b>Surface soil</b>	<b>Root-zone soil</b>	<b>Ground water</b>	<b>Surface water</b>	<b>total</b>
	3,37 E-09	8,60 E-14	1,05 E-08	0,00 E+00	0,00 E+00	1,39 E-08
<b>Infant dose</b>	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	<b>dose_bm 0,00 E+00</b>

<b>Ingestion dose used =&gt;</b>	0,00 E+00
<b>Total dose used =&gt;</b>	4,92 E-07

<b>ENVIRONMENTAL Media CONCENTRATIONS</b>	<b>Air (gases) mg/m^3</b>	<b>Air (dust) mg/m^3</b>	<b>Ground soil mg/kg</b>	<b>Root soil mg/kg</b>	<b>Ground water mg/L</b>	<b>Surface water mg/L</b>
	4,64 E-07	3,29 E-13	8,00 E-04	1,94 E-02	2,45 E-05	4,48 E-05

**EXPOSURE MEDIA CONCENTRATIONS (averaged over the exposure duration)**

<b>EXPOSURE</b>	<b>Air (gases)</b>	<b>Air (dust)</b>	<b>Ground soil</b>	<b>Root soil</b>	<b>Ground water</b>	<b>Surface water</b>
Indoor air (mg/m <sup>3</sup> )	4,64 E-07	1,93 E-13	1,41 E-11	1,72 E-06	0,00 E+00	0,00 E+00
Bathroom air (mg/m <sup>3</sup> )					0,00 E+00	0,00 E+00
Outdoor air (mg/m <sup>3</sup> )	4,64 E-07	3,29 E-13				
Tap water (mg/L)					0,00 E+00	0,00 E+00
Exposed produce (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Unexposed produce (mg/kg)				0,00 E+00	0,00 E+00	0,00 E+00
Meat (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Milk (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Eggs (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Fish and seafood (mg/kg)						4,63 E-03
Household soil (mg/kg)			4,00 E-04	9,68 E-03		
Swimming water (mg/L)						4,48 E-05

**PATHWAY CONTACT FACTORS (CR/BW\*FI)**

<b>EXPOSURE Media</b>	<b>Units</b>	<b>Inhalation</b>	<b>Ingestion</b>	<b>Dermal</b>
Indoor air (active)		1,65 E-01		
Indoor air (resting)		5,17 E-02		
Indoor air (shower/bath)		0,00 E+00		
Outdoor air (active)		4,13 E-02		
Tap water			0,00 E+00	0,00 E+00
Exposed produce			0,00 E+00	
Unexposed produce			0,00 E+00	
Meat			0,00 E+00	
Milk			0,00 E+00	
Eggs			0,00 E+00	
Fish and seafood			0,00 E+00	
Household soil			0,00 E+00	0,00 E+00
Swimming wtr			0,00 E+00	0,00 E+00

Dose ratios	inh-dose/Ns	ing-dose/Ns	drml-dose/Ns	inh-dose/Nq	ing-dose/Nq	drml-dose/Nq
	1,7 E-07	0,0 E+00	0,0 E+00	0,0 E+00	0,0 E+00	0,0 E+00

Time (y)	Total inhalation dose	Total ingestion dose	Total dermal dose	Total dose	Total dose from root soil	Total dose from ground water
1	2,1 E-06	0,0 E+00	0,0 E+00	2,1 E-06	2,1 E-06	0,0 E+00
4	1,4 E-06	0,0 E+00	0,0 E+00	1,4 E-06	1,4 E-06	0,0 E+00
7	8,9 E-07	0,0 E+00	0,0 E+00	8,9 E-07	8,9 E-07	0,0 E+00
10	5,8 E-07	0,0 E+00	0,0 E+00	5,8 E-07	5,8 E-07	0,0 E+00
13	3,8 E-07	0,0 E+00	0,0 E+00	3,8 E-07	3,8 E-07	0,0 E+00
16	2,4 E-07	0,0 E+00	0,0 E+00	2,4 E-07	2,4 E-07	0,0 E+00
19	1,6 E-07	0,0 E+00	0,0 E+00	1,6 E-07	1,6 E-07	0,0 E+00
22	1,0 E-07	0,0 E+00	0,0 E+00	1,0 E-07	1,0 E-07	0,0 E+00
25	6,6 E-08	0,0 E+00	0,0 E+00	6,6 E-08	6,6 E-08	0,0 E+00
28	4,3 E-08	0,0 E+00	0,0 E+00	4,3 E-08	4,3 E-08	0,0 E+00
31	2,8 E-08	0,0 E+00	0,0 E+00	2,8 E-08	2,8 E-08	0,0 E+00
<b>Cumulative doses</b>				0,005388682		
over ED by route, mg/kg fraction	5,4 E-03	0,0 E+00	0,0 E+00	5,4 E-03	5,4 E-03	0,0 E+00
	1,0000	0,0000	0,0000	1,0000	1,000	0,000
<b>Average doses</b>						
over ED by route, mg/kg-d	4,9 E-07	0,0 E+00	0,0 E+00	4,9 E-07	4,9 E-07	0,0 E+00
<b>Maximum doses</b>						
over ED by route, mg/kg-d fraction	2,1 E-06	0,0 E+00	0,0 E+00	2,1 E-06	2,1 E-06	0,0 E+00
	1,0000	0,0000	0,0000	1,0000	1,000	0,000

Max breast-milk dose      0,0 E+00    mg/kg-d      

Max ing	0,0 E+00
---------	----------



<b>PATHWAYS</b>	<b>Air (gases &amp; particles)</b>	<b>Surface soil</b>	<b>Root-zone soil</b>	<b>Ground water</b>	<b>Surface water</b>	<b>Totals</b>	<b>%</b>
<b>INHALATION</b>	7,20E-08	2,01E-12	2,45E-07	0,00E+00	0,00E+00	<b>3,17E-07</b>	100,00
<b>INGESTION:</b>							
Water				0,00E+00	0,00E+00	0,00E+00	0,00
Exposed produce	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Unexposed produce			0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Meat	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Milk	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Eggs	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Fish					0,00E+00	0,00E+00	0,00
Soil		0,00E+00	0,00E+00			0,00E+00	0,00
<b>Total ingestion</b>	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	<b>0,00 E+00</b>	0,00
<b>DERMAL UPTAKE</b>		0,00E+00	0,00E+00	0,00E+00	0,00E+00	<b>0,00 E+00</b>	0,00
<b>Dose SUM</b>	<b>7,20E-08</b>	<b>2,01E-12</b>	<b>2,45E-07</b>	<b>0,00E+00</b>	<b>0,00E+00</b>	<b>3,17E-07</b>	100,0

<b>Breast milk concentration</b>	<b>Air (gases &amp; particles)</b>	<b>Surface soil</b>	<b>Root-zone soil</b>	<b>Ground water</b>	<b>Surface water</b>	<b>total</b>
	2,03 E-09	5,66 E-14	6,89 E-09	0,00 E+00	0,00 E+00	8,92 E-09
<b>Infant dose</b>	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	<b>dose_bm 0,00 E+00</b>

<b>Ingestion dose used =&gt;</b>	0,00 E+00
<b>Total dose used =&gt;</b>	3,17 E-07

<b>ENVIRONMENTAL Media CONCENTRATIONS</b>	<b>Air (gases) mg/m^3</b>	<b>Air (dust) mg/m^3</b>	<b>Ground soil mg/kg</b>	<b>Root soil mg/kg</b>	<b>Ground water mg/L</b>	<b>Surface water mg/L</b>
	4,64 E-07	3,29 E-13	8,00 E-04	1,94 E-02	2,45 E-05	4,48 E-05

**EXPOSURE MEDIA CONCENTRATIONS (averaged over the exposure duration)**

<b>EXPOSURE</b>	<b>Air (gases)</b>	<b>Air (dust)</b>	<b>Ground soil</b>	<b>Root soil</b>	<b>Ground water</b>	<b>Surface water</b>
Indoor air (mg/m <sup>3</sup> )	4,64 E-07	1,93 E-13	1,41 E-11	1,72 E-06	0,00 E+00	0,00 E+00
Bathroom air (mg/m <sup>3</sup> )					0,00 E+00	0,00 E+00
Outdoor air (mg/m <sup>3</sup> )	4,64 E-07	3,29 E-13				
Tap water (mg/L)					0,00 E+00	0,00 E+00
Exposed produce (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Unexposed produce (mg/kg)				0,00 E+00	0,00 E+00	0,00 E+00
Meat (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Milk (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Eggs (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Fish and seafood (mg/kg)						4,63 E-03
Household soil (mg/kg)			4,00 E-04	9,68 E-03		
Swimming water (mg/L)						4,48 E-05

**PATHWAY CONTACT FACTORS (CR/BW\*FI)**

<b>EXPOSURE Media</b>	<b>Units</b>	<b>Inhalation</b>	<b>Ingestion</b>	<b>Dermal</b>
Indoor air (active)		1,12 E-01		
Indoor air (resting)		3,10 E-02		
Indoor air (shower/bath)		0,00 E+00		
Outdoor air (active)		1,24 E-02		
Tap water			0,00 E+00	0,00 E+00
Exposed produce			0,00 E+00	
Unexposed produce			0,00 E+00	
Meat			0,00 E+00	
Milk			0,00 E+00	
Eggs			0,00 E+00	
Fish and seafood			0,00 E+00	
Household soil			0,00 E+00	0,00 E+00
Swimming wtr			0,00 E+00	0,00 E+00

Dose ratios	inh-dose/Ns	ing-dose/Ns	drml-dose/Ns	inh-dose/Nq	ing-dose/Nq	drml-dose/Nq
	1,1 E-07	0,0 E+00	0,0 E+00	0,0 E+00	0,0 E+00	0,0 E+00

Time (y)	Total inhalation dose	Total ingestion dose	Total dermal dose	Total dose	Total dose from root soil	Total dose from ground water
1	1,4 E-06	0,0 E+00	0,0 E+00	1,4 E-06	1,4 E-06	0,0 E+00
4	8,9 E-07	0,0 E+00	0,0 E+00	8,9 E-07	8,9 E-07	0,0 E+00
7	5,8 E-07	0,0 E+00	0,0 E+00	5,8 E-07	5,8 E-07	0,0 E+00
10	3,7 E-07	0,0 E+00	0,0 E+00	3,7 E-07	3,7 E-07	0,0 E+00
13	2,4 E-07	0,0 E+00	0,0 E+00	2,4 E-07	2,4 E-07	0,0 E+00
16	1,6 E-07	0,0 E+00	0,0 E+00	1,6 E-07	1,6 E-07	0,0 E+00
19	1,0 E-07	0,0 E+00	0,0 E+00	1,0 E-07	1,0 E-07	0,0 E+00
22	6,6 E-08	0,0 E+00	0,0 E+00	6,6 E-08	6,6 E-08	0,0 E+00
25	4,3 E-08	0,0 E+00	0,0 E+00	4,3 E-08	4,3 E-08	0,0 E+00
28	2,8 E-08	0,0 E+00	0,0 E+00	2,8 E-08	2,8 E-08	0,0 E+00
31	1,8 E-08	0,0 E+00	0,0 E+00	1,8 E-08	1,8 E-08	0,0 E+00
<b>Cumulative doses</b>				0,003469018		
over ED by route, mg/kg fraction	3,5 E-03	0,0 E+00	0,0 E+00	3,5 E-03	3,5 E-03	0,0 E+00
	1,0000	0,0000	0,0000	1,0000	1,000	0,000
<b>Average doses</b>						
over ED by route, mg/kg-d	3,2 E-07	0,0 E+00	0,0 E+00	3,2 E-07	3,2 E-07	0,0 E+00
<b>Maximum doses</b>						
over ED by route, mg/kg-d fraction	1,4 E-06	0,0 E+00	0,0 E+00	1,4 E-06	1,4 E-06	0,0 E+00
	1,0000	0,0000	0,0000	1,0000	1,000	0,000


Max breast-milk dose      0,0 E+00    mg/kg-d      

Max ing	0,0 E+00
---------	----------





Copyright (c) 1996 Regents of the University of California and California Department of Toxic Substances Control

<b>Inputs:</b>		<b>Chemical name==&gt;</b>	Naphtalène	<b>Outputs:</b>			
	<b>Site name =&gt;</b>		Common - After - > 20 ans (Local)	<b>Target Soil Concentrations (in ppm)</b>			
	<b>Toxicity Data ==&gt;</b>			Cancer potencies 1/(mg/kg-d)	Non-cancer ADIs (mg/kg-d)		
	Inhalation	0,0E+00	0,0E+00				
	Ingestion	0,0E+00	2,0E-02				
	Dermal	0,0E+00	0,0E+00				
	Total dose		0,0E+00				
	Target Risk/Hazard =	Risk	Hazard quotient	1,0 E-05	1,00		
		current value	should be >				
	Root-soil thickness ==>	0,30	OK				
	Alter root soil thickness to?	n/a					
Distance off-site for air exposure=	0	meters					
Time after initial concentrations when exposure begins =	365	days					
<b>Measured Concentrations (at time = 0)</b>							
Root-zone soil	0,09	ppm (mg/kg)					
Vadose-zone soil	6,95	ppm (mg/kg)					
Ground water	0	ppm (mg/L)					
<b>Continuous inputs</b>							
Source term to air (mol/d)	0,0 E+00	Sa					
Source term to ground-surface soil (mol/d)	0,0 E+00	Sg					
Source term to root-zone soil (mol/d)	0,0 E+00	Ss					
Source term to surface water(mol/d)	0,0 E+00	Sw					
			<b>Based on cancer risk:</b>				
			Root soil	0,0 E+0	not avlbl.		
			Vadose soil	0,0 E+0	not avlbl.		
			<b>Based on hazard:</b>				
			Root soil	0,0 E+0	not avlbl.		
			Vadose soil	0,0 E+0	not avlbl.		
			<b>Un-mitigated risk and/or hazard ratio</b>				
			<b>Risk</b>	0,0 E+0			
			<b>Hazard ratio</b>	0,0 E+0			
			<b>Concentration limits without NAPL</b>				
			Root soil	7,4 E+02	mg/kg solid		
			Vadose soil	8,8 E+02	mg/kg solid		
				3,4 E+01	mg/L water		
			<b>Time avrg. Conc. in on-site environmental media</b>				
			Air	4,6 E-07	mg/m3		
			Plants	8,8 E-07	mg/kg(FM)		
			Grnd-surface soil	7,4 E-04	mg/kg(total)		
			Root-zone soil	1,8 E-02	mg/kg(total)		
			Vadose-zone soil	1,3 E+00	mg/kg(total)		
			Ground water	2,5 E-05	mg/L(water)		
			Surface water	4,5 E-05	mg/L		
			Sediment	1,6 E-03	mg/kg		

<b>PATHWAYS</b>	<b>Air (gases &amp; particles)</b>	<b>Surface soil</b>	<b>Root-zone soil</b>	<b>Ground water</b>	<b>Surface water</b>	<b>Totals</b>	<b>%</b>
<b>INHALATION</b>	6,08E-08	1,70E-12	2,07E-07	0,00E+00	0,00E+00	<b>2,68E-07</b>	100,00
<b>INGESTION:</b>							
Water				0,00E+00	0,00E+00	0,00E+00	0,00
Exposed produce	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Unexposed produce			0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Meat	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Milk	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Eggs	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00
Fish					0,00E+00	0,00E+00	0,00
Soil		0,00E+00	0,00E+00			0,00E+00	0,00
<b>Total ingestion</b>	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	<b>0,00 E+00</b>	0,00
<b>DERMAL UPTAKE</b>		0,00E+00	0,00E+00	0,00E+00	0,00E+00	<b>0,00 E+00</b>	0,00
<b>Dose SUM</b>	<b>6,08E-08</b>	<b>1,70E-12</b>	<b>2,07E-07</b>	<b>0,00E+00</b>	<b>0,00E+00</b>	<b>2,68E-07</b>	100,0

<b>Breast milk concentration</b>	<b>Air (gases &amp; particles)</b>	<b>Surface soil</b>	<b>Root-zone soil</b>	<b>Ground water</b>	<b>Surface water</b>	<b>total</b>
	1,71 E-09	4,78 E-14	5,82 E-09	0,00 E+00	0,00 E+00	7,53 E-09
<b>Infant dose</b>	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	<b>dose_bm 0,00 E+00</b>

<b>Ingestion dose used =&gt;</b>	0,00 E+00
<b>Total dose used =&gt;</b>	2,68 E-07

<b>ENVIRONMENTAL Media CONCENTRATIONS</b>	<b>Air (gases) mg/m^3</b>	<b>Air (dust) mg/m^3</b>	<b>Ground soil mg/kg</b>	<b>Root soil mg/kg</b>	<b>Ground water mg/L</b>	<b>Surface water mg/L</b>
	4,64 E-07	3,29 E-13	8,00 E-04	1,94 E-02	2,45 E-05	4,48 E-05

**EXPOSURE MEDIA CONCENTRATIONS (averaged over the exposure duration)**

<b>EXPOSURE</b>	<b>Air (gases)</b>	<b>Air (dust)</b>	<b>Ground soil</b>	<b>Root soil</b>	<b>Ground water</b>	<b>Surface water</b>
Indoor air (mg/m <sup>3</sup> )	4,64 E-07	1,93 E-13	1,41 E-11	1,72 E-06	0,00 E+00	0,00 E+00
Bathroom air (mg/m <sup>3</sup> )					0,00 E+00	0,00 E+00
Outdoor air (mg/m <sup>3</sup> )	4,64 E-07	3,29 E-13				
Tap water (mg/L)					0,00 E+00	0,00 E+00
Exposed produce (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Unexposed produce (mg/kg)				0,00 E+00	0,00 E+00	0,00 E+00
Meat (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Milk (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Eggs (mg/kg)	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00	0,00 E+00
Fish and seafood (mg/kg)						4,63 E-03
Household soil (mg/kg)			4,00 E-04	9,68 E-03		
Swimming water (mg/L)						4,48 E-05

**PATHWAY CONTACT FACTORS (CR/BW\*FI)**

<b>EXPOSURE Media</b>	<b>Units</b>	<b>Inhalation</b>	<b>Ingestion</b>	<b>Dermal</b>
Indoor air (active)		9,43 E-02		
Indoor air (resting)		2,62 E-02		
Indoor air (shower/bath)		0,00 E+00		
Outdoor air (active)		1,05 E-02		
Tap water			0,00 E+00	0,00 E+00
Exposed produce			0,00 E+00	
Unexposed produce			0,00 E+00	
Meat			0,00 E+00	
Milk			0,00 E+00	
Eggs			0,00 E+00	
Fish and seafood			0,00 E+00	
Household soil			0,00 E+00	0,00 E+00
Swimming wtr			0,00 E+00	0,00 E+00

Dose ratios	inh-dose/Ns	ing-dose/Ns	drml-dose/Ns	inh-dose/Nq	ing-dose/Nq	drml-dose/Nq
	9,4 E-08	0,0 E+00	0,0 E+00	0,0 E+00	0,0 E+00	0,0 E+00

Time (y)	Total inhalation dose	Total ingestion dose	Total dermal dose	Total dose	Total dose from root soil	Total dose from ground water
1	1,2 E-06	0,0 E+00	0,0 E+00	1,2 E-06	1,2 E-06	0,0 E+00
4	7,5 E-07	0,0 E+00	0,0 E+00	7,5 E-07	7,5 E-07	0,0 E+00
7	4,9 E-07	0,0 E+00	0,0 E+00	4,9 E-07	4,9 E-07	0,0 E+00
10	3,2 E-07	0,0 E+00	0,0 E+00	3,2 E-07	3,2 E-07	0,0 E+00
13	2,0 E-07	0,0 E+00	0,0 E+00	2,0 E-07	2,0 E-07	0,0 E+00
16	1,3 E-07	0,0 E+00	0,0 E+00	1,3 E-07	1,3 E-07	0,0 E+00
19	8,6 E-08	0,0 E+00	0,0 E+00	8,6 E-08	8,6 E-08	0,0 E+00
22	5,6 E-08	0,0 E+00	0,0 E+00	5,6 E-08	5,6 E-08	0,0 E+00
25	3,6 E-08	0,0 E+00	0,0 E+00	3,6 E-08	3,6 E-08	0,0 E+00
28	2,3 E-08	0,0 E+00	0,0 E+00	2,3 E-08	2,3 E-08	0,0 E+00
31	1,5 E-08	0,0 E+00	0,0 E+00	1,5 E-08	1,5 E-08	0,0 E+00
<b>Cumulative doses</b>				0,002929284		
over ED by route, mg/kg fraction	2,9 E-03	0,0 E+00	0,0 E+00	2,9 E-03	2,9 E-03	0,0 E+00
	1,0000	0,0000	0,0000	1,0000	1,000	0,000
<b>Average doses</b>						
over ED by route, mg/kg-d	2,7 E-07	0,0 E+00	0,0 E+00	2,7 E-07	2,7 E-07	0,0 E+00
<b>Maximum doses</b>						
over ED by route, mg/kg-d fraction	1,2 E-06	0,0 E+00	0,0 E+00	1,2 E-06	1,2 E-06	0,0 E+00
	1,0000	0,0000	0,0000	1,0000	1,000	0,000

Max breast-milk dose      0,0 E+00    mg/kg-d      

Max ing	0,0 E+00
---------	----------