



MANUAL OF STANDARD PROCEDURES FOR OBSERVING AND REPORTING ICE CONDITIONS

Canada

MANICE

Manual of Standard Procedures for Observing and Reporting Ice Conditions

Issuing authority:

Assistant Deputy Minister Meteorological Service of Canada

Originating authority:

Director, Canadian Ice Service Meteorological Service of Canada

Ninth Edition, April 2002

Crown copyrights reserved

Limited quantities available by mail from:

Canadian Ice Service – Environment Canada 373 Sussex Drive LaSalle Academy, Block "E" Ottawa, Ontario K1A 0H3 Attention: Client Services

Email: cis-scg.client@ec.gc.ca

ISBN 0-660-61977-6 CATALOGUE NO. En56-175/2002

Acknowledgements

The production of this MANICE manual was accomplished with the assistance of many people from the Canadian Ice Service (CIS), as well as independent contractors and the International Ice Patrol (IIP). The following contributors should be noted for their direct involvement in the review and editing of the manual:

Project management and editing Dan Fequet – CIS

Review and Writing Ben Simard, Don Isaacs, Gilles Langis,

Darlene Langlois, Laurie Weir – CIS

Proofreading Claire Piché – CIS
Technical editing and Translation Louis Rondeau, Ottawa

Graphics and Layout Griffe Design Inc.

TABLE OF CONTENTS

| List o | f Tables | | í |
|--------|----------|---|---|
| | | S | |
| | • | · · · · · · · · · · · · · · · · · · · | |
| | | ix | |
| | | nendments | |
| | | Xi | |
| | | nces | |
| LISCO | ricicic | nees | |
| | | | |
| APTE | | TERMINOLOGY | |
| J.I | | | |
| 1.1 | | g Ice | |
| 1.2 | 1.2.1 | of Development of Sea Ice | |
| | | New Ice | |
| | 1.2.2 | Nilas | |
| | 1.2.3 | Young Ice | |
| | 1.2.4 | First-year Ice | |
| | 1.2.5 | Old Ice | |
| 1.3 | _ | of Development of Lake Ice | |
| 1.4 | | ce | |
| 1.5 | | _and Origin | |
| | 1.5.1 | Terminology | |
| | 1.5.2 | Shapes of Calved Ice of Land Origin 1-5 | 1 |
| | 1.5.3 | Sizes of Calved Ice of Land Origin 1-5 | 1 |
| 1.6 | Forms | of Ice | , |
| | 1.6.1 | Pancake Ice I-6 | , |
| | 1.6.2 | Ice Cake | , |
| | 1.6.3 | Floe | , |
| | 1.6.4 | Floeberg | |
| | 1.6.5 | Ice Breccia | |
| | 1.6.6 | Batture Floes | |

MANICE

| | 1.6.7 | Brash Ice |
|------|-----------|--|
| | 1.6.8 | Fast Ice |
| | 1.6.9 | Icefoot |
| | 1.6.10 | Anchor Ice |
| | 1.6.11 | Grounded Ice |
| 1.7 | 7 Arrange | ment of the Ice |
| | 1.7.1 | Drift Ice/Pack Ice |
| | 1.7.2 | lce Cover |
| | 1.7.3 | Concentration |
| | 1.7.4 | Ice Distribution |
| | 1.7.5 | Openings in the Ice |
| | 1.7.6 | lce Edge |
| | 1.7.7 | Ice Boundary |
| | 1.7.8 | Iceberg Limit |
| 1.8 | Ice Surfa | ace Features |
| | 1.8.1 | Level Ice |
| | 1.8.2 | Deformed Ice |
| | 1.8.3 | Other Surface Feature Definitions |
| | 1.8.4 | Ice Deformation Processes |
| | 1.8.5 | Ice Motion Processes |
| 1.9 | Stages o | of MeltingI-14 |
| 1.1 | 0 Terms R | Related to Navigation |
| | 1.10.1 | Sky and Air Indications |
| | 1.10.2 | Terms related to Surface Shipping |
| | 1.10.3 | Terms related to Submarine Navigation I-15 |
| CHAP | TER 2: | |
| | | VATIONS |
| 2.1 | | ce Observations |
| | 2.1.1 | Use of Electronic Aids |
| | 2.1.2 | Ice Type Identification |
| | 2.1.3 | Boundary Placement |
| | 2.1.4 | Estimating Ice Concentration |
| | 2.1.5 | Chart Production |
| | 2.1.6 | Helicopter Observations |
| | | |

ii MANICE

2.2 2.2.1 2.2.2 2.2.3 Estimating Ice Concentration 2-10 2.2.4 2.2.5 2.3 2.4 2.5 **CHAPTER 3: OBSERVED ICE CHARTS** 3.1 3.1.1 3.1.2 3.2 3.3 3.4 3.4.1 3.4.2 3.4.3 Coding and Symbology for Strips and Patches 3-10 3.4.4 3.4.5 3.5 3.5.I 3.5.2 3.5.3 Symbols for Topographical Features 3-13 3.5.4 3.5.5 3.5.6 Coding and Symbology for Snow Cover.......3-14 3.5.7 Coding and Symbology for Ice of Land Origin 3-15 3.5.8 3.5.9 Supplementary Coding for Radar Observations 3-16 Supplementary Procedures for Indicating Total Concentration . . 3-17 3.6 3.7 Colour Coding Ice Charts......3-18

MANICE iii

| | 3.7. l | Introduction | . 3-18 |
|-------------|---------|--|--------|
| | 3.7.2 | The Colour Code | . 3-18 |
| | 3.7.3 | How to Interpret the Code | . 3-18 |
| 3.8 | Exampl | les of the Use of the Egg Code | . 3-20 |
| | 3.8.1 | Various Ice Type and Concentration Combinations. | . 3-20 |
| | 3.8.2 | Strips and Patches | . 3-23 |
| | 3.8.3 | Brash | . 3-24 |
| СНАРТ | | | |
| CA | NADIA | N ICEBERG MESSAGES | |
| 4. I | | Coding and Message Preparation | |
| | 4.1.1 | Iceberg Message Header | |
| | 4.1.2 | Track Information | 4-4 |
| | 4.1.3 | Individual Observations | |
| | 4.1.4 | Cluster Observations | 4-6 |
| | 4.1.5 | Grid Observations | |
| | 4.1.6 | Zone Observations | |
| | 4.1.7 | Ship Locations | |
| | 4.1.8 | Plain Language Remarks | |
| 4.2 | _ | Coding Tables | |
| 43 | | on Iceberg Coding Procedures | |
| 4.4 | Exampl | es of Iceberg Coded Report | . 4-17 |
| СНАРТ | | | |
| ICE | | SIS CHARTS | |
| 5.1 | | ce Analysis Charts | |
| | | Description | |
| | | Method of Production | |
| | | Dissemination of Charts | |
| | | Symbols Used | |
| | | Colour Coding Ice Charts | |
| 5.2 | _ | al Ice Charts | |
| | | Description | |
| | | Method of Production | |
| | | Dissemination of Charts | |
| | 5.2.4 S | Symbols Used | . 5-23 |

iv MANICE

5.3 5.4 Examples of the Use of the Egg Code..........................5-34 **CHAPTER 6:** SHORE STATION OBSERVATIONS AND REPORTS 6.1 Shore Ice Report Format6-I 6.2 6.3 **CHAPTER 7: ICE THICKNESS MEASUREMENTS AND REPORTS** 7.1 Ice Thickness Monthly Report......7-4 7.2 7.3

MANICE



LIST OF TABLES

| Table 3.1: | Coding for Sea Ice Stages of Development | . 3-7 |
|-------------------|---|-------|
| Table 3.2: | Coding for Lake Ice Stages of Development | . 3-7 |
| Table 3.3: | Coding for Form of Ice | . 3-9 |
| Table 3.4: | Thickness Categories for Brash | 3-11 |
| Table 3.5: | Coding for Stage of Melting | 3-14 |
| Table 3.6: | Coding for Snow Depth | 3-14 |
| Table 3.7: | Number of Bergy Bits/Growlers or Icebergs | 3-15 |
| Table 3.8: | Symbology for Ice of Land Origin | 3-16 |
| Table 3.9: | WMO Symbols For the Hatching of | |
| | Total Concentration of Ice | 3-17 |
| Table 4.1: | Iceberg Message Header | . 4-3 |
| Table 4.2: | Track Information | . 4-4 |
| Table 4.3: | Individual Observations | . 4-5 |
| Table 4.4: | Cluster Observations | . 4-6 |
| Table 4.5: | Grid Observations | . 4-7 |
| Table 4.6: | Zone Observations | . 4-8 |
| Table 4.7: | Ship Locations | . 4-9 |
| Table 4.8: | Size of Iceberg | 4-10 |
| Table 4.9: | Shape of Iceberg | 4-10 |
| Table 4.10: | Concentration of Sea Ice | 4-11 |
| Table 4.11: | Quadrant of the Globe | 4-11 |
| | Distribution of Sea Ice | |
| | Confidence Level/Method of Observation | |
| | Platform Type | |
| | Iceberg Distribution | |
| Table 4.16: | Source of Iceberg Message | |
| Table 5.1: | Coding for Sea-Ice Stages of Development | |
| Table 5.2: | Coding for Lake Ice Stages of Development | |
| Table 5.3: | Coding for Form of Ice | |
| Table 6.1: | Shore Ice Report Header | |
| Table 6.2: | Shore Ice Report Body | |
| Table 7.1: | Weekly Ice Thickness Message Heading | |
| Table 7.2: | Weekly Ice Thickness Message Body | |
| Table 7.3: | Surface Topography | |
| Table 7.4: | Cracks and Leads | |
| Table 7.5: | Measurement Method Used | |
| Table 7.6: | Ice Thickness Monthly Report | . 7-5 |
| | | |

vi MANICE

LIST OF FIGURES

| Figure | 2.1: | Diagram of Ice Concentrations From an Aerial Perspective | 2-14 |
|--------|--------------|--|-------|
| Figure | 3.1: | The Egg Code | . 3-4 |
| Figure | 3.2: | Ice Chart From a Sea-Ice Reconnaissance Flight | 3-26 |
| Figure | 3.3: | Ice Chart From a Lake-Ice Reconnaissance Flight | 3-27 |
| Figure | 3.4: | Daily Shipboard Ice Chart | 3-28 |
| Figure | 3.5: | St. Lawrence River Chart | 3-29 |
| Figure | 4.1 : | Chart Produced from an Iceberg Flight | 4-18 |
| Figure | 4.2: | Computer Generated Chart Produced from an Iceberg Flight | 4-18 |
| Figure | 5.1: | Elements of the Egg Code Used for Daily Ice Analysis Charts. $\ .$ | . 5-3 |
| Figure | 5.2: | Concentration | . 5-3 |
| Figure | 5.3: | Stage of Development | . 5-4 |
| Figure | 5.4: | Form of Ice | . 5-6 |
| _ | | Example of Chart Legend | |
| Figure | 5.6: | Standard CIS Colour Code | 5-14 |
| Figure | 5.7: | Q/A Colour Code | 5-15 |
| _ | | Black and White Daily Ice Chart | |
| Figure | 5.9: | ISS Colour-Coded Daily Ice Chart | 5-18 |
| Figure | 5.10: | Example of Corrected/Amended Chart | 5-19 |
| Figure | 5.11: | Eastern Arctic Regional Chart | 5-24 |
| Figure | 5.12: | Eastern Arctic Regional Chart with Q/A colour code | 5-25 |
| Figure | 5.13: | The Egg Code | 5-28 |
| Figure | 5.14: | RADARSAT Image Analysis Chart | 5-3 I |
| Figure | 5.15: | RADARSAT Image | 5-32 |
| _ | | Data Sources | |
| Figure | 7.1: | Ice Thickness Form 0063-2317 | . 7-7 |

MANICE



LIST OF PHOTOS

| | Fast ice forming in harbour | |
|--|---|--------------------------|
| Photo 1.2: | Very close pack light nilas and new ice | l-2 |
| Photo 1.3: | | |
| | of thin first-year ice | I -3 |
| Photo 1.4: | | |
| | irrigation and puddling | l -3 |
| Photo 1.5: | G G G G G G G G G G G G G G G G G G G | |
| Photo 1.6: | | |
| | View of the Québec City bridge | l-7 |
| Photo 1.8: | Coast Guard buoy tender/icebreaker escorts | |
| | small freighter through rafted new and grey ice I- | 12 |
| | Embedded floes of snow-covered old ice I- | 13 |
| Photo 1.10 | : Vast pan of first-year ice, with extensive | |
| | puddling and thaw holes | 14 |
| Photo 2.1: | Bifurcated grey-white and thin first-year ice, medium floes, | |
| | moving under the Confederation Bridge | 2- I |
| Photo 2.2: | | |
| | in the background | |
| Photo 2.3: | 0 1 | |
| Photo 2.4: | | |
| Photo 2.5: | 1 0 1 | |
| Photo 2.6: | · / / 1 0 / | 2-6 |
| Photo 2.7: | | _ |
| | Confederation Bridge | |
| | A shipboard perspective | 2-8 |
| Photo 2.9: | Ship moving through very close pack grey-white ice | |
| DI 0.10 | and patches of nilas | 2-9 |
| Photo 2.10 | : Airborne view of close pack concentration of | |
| DI . 0.11 | vast floes of old ice | 10 |
| | : Large pans of grey-white ice devoid of snow cover 2- | |
| | : Bergy water | 12 |
| Photo 3.1: | Escorting an oil tanker though very close pack, heavily rafted grey ice | |
| | neavily ratted grey ice | <_ < |
| DI | An incharation are senting a facility or all and the | ,-, |
| Photo 3.2: | An icebreaker escorting a freighter above the | |
| | An icebreaker escorting a freighter above the Québec City bridges | |
| | An icebreaker escorting a freighter above the Québec City bridges | П |
| Photo 4.1: | An icebreaker escorting a freighter above the Québec City bridges | П |
| Photo 4.1: | An icebreaker escorting a freighter above the Québec City bridges | - - |
| Photo 4.1: Photo 4.2: | An icebreaker escorting a freighter above the Québec City bridges | -11 1 -1 |
| Photo 4.1: Photo 4.2: Photo 6.1: | An icebreaker escorting a freighter above the Québec City bridges | -11 4-1 -10 5-1 |

viii MANICE

FORWARD

MANICE is the authoritative document for observing all forms of Sea, Lake and River Ice, as well as Ice of Land Origin. It describes the standard procedures of the Canadian Ice Service for observing, recording and reporting ice conditions.

MANICE has been prepared in accordance with internationally recommended terminology and symbology established by the World Meteorological Organization (WMO). It describes procedures that are completely compatible with WMO nomenclature (cf. 1), coding and observing practices, along with additional procedures, coding and symbology adapted for Canadian use or, in the case of icebergs, used in conjunction with the International Ice Patrol (IIP).

This manual has been reviewed, revised and updated by the Operations and Field Services divisions of the Canadian Ice Service. Although the standard procedures for observing and recording ice conditions are basically unchanged, this ninth edition contains many corrections and amendments.

Amendments and Corrections

Amendments and corrections will be issued when warranted. All holders of the manual are responsible for keeping their copies current. When amendments have been received, they should be recorded on page **x** ("**Record of Amendments**").

Inquiries

Please direct any inquiries on the content of this manual to the Canadian Ice Service, through appropriate channels. Local changes or deviations from these instructions are not permitted unless authorized by the Assistant Deputy Minister, Meteorological Service of Canada.

MANICE ix



RECORD OF AMENDMENTS

| AMENDMENT NO./DATE | INITIALS | DETAILS |
|-----------------------|----------|---------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

x MANICE

INTRODUCTION

The information from ice observations is very important and serves many purposes and needs. Ice observations and carefully prepared records have long-range, as well as immediate value.

- ☐ Some people require up-to-the-minute information; for example, an icebreaker captain needs current ice reports and forecasts.
- □ Others require data having daily, monthly or long-term climatological significance; for instance, marine engineers require climatological and/or monthly data. The decision to construct a dock in a certain locality or the strengthening a vessel structure should have in order to withstand ice stress will depend on ice data obtained over a long period.

Ice observations may be made from:

- fixed-wing aircraft,
- the deck of a ship,
- · a helicopter, or
- a shore base.

In each case, the perspective of the observer differs and adjustments need to be made to the observing procedures.

Since ice is a global phenomena, ice information must be freely exchanged between countries throughout the world. This requires coordination and standardization of practices and procedures and the efficient exchange of ice data. The WMO has undertaken these tasks, including promotion of further application of ice information services to shipping, marine resource activities and other human safety activities. The results have been international codes and standardized nomenclature and symbology.

To carry out resolutions and to discuss and coordinate ice activities within certain geographical areas, WMO Members are grouped in six Regional Associations, among which Region IV comprises Canada, the United States, Mexico and the Central American countries.

To meet special requirements, a Member or group of Members within a region may develop a special reporting procedure. For instance, the Great Lakes Ice Nomenclature was developed through bilateral agreement between Canada and the United States to meet the local requirements of shipping and other uses. Such codes or code changes are called "national practices".

Although international and national codes may both be used in ice reporting, ice messages for interregional broadcast must use the International Code.

This manual has been prepared with due consideration to the recommended practices and procedures set down by the World Meteorological Organization (cf. 1) and the Meteorological Service of Canada. All statements throughout this manual shall be regarded as authoritative and shall be considered by the observer to be instructions.

MANICE xi



The word "shall" is used in this manual to indicate that instructions are mandatory and must be followed. The word "should" is used to denote a recommended practice.

An "Ice Services Specialist" (ISS) is a member of the Meteorological Service of Canada who is trained and qualified to make ice observations and reports, or a person authorized or qualified to do so by the Assistant Deputy Minister.

It is the duty of the observer to report ice conditions as they actually exist at the time of observation. He/she is responsible for keeping a close and continuous watch on the ice while on duty, and his/her records and reports shall be as complete and accurate as possible. Prompt and accurate reports are necessary for the provision of forecasts and ice-warning services, and may be the means of preventing property damage and loss of life. Delayed reports are of less value for forecasting and for operational decision-making. However, if communication or other difficulties delay or prevent distribution of reports, the observer shall continue to observe the ice and record the observations for later transmission. Before finally being transferred to the Canadian Ice Service archives, observed ice data is subjected to an analysis or review, which may reveal errors.

The observer must be competent and trained to make observations accurately and to code and chart the resulting reports for transmission as quickly as possible. He/she should realize, however, that it is neither possible nor desirable to prepare detailed instructions to cover reporting and coding of ice in all of its forms. Therefore, initiative and resourcefulness in dealing with unusual conditions are most important in observing ice.

Data held at the Canadian Ice Service in Ottawa is used in the preparation of official publications, and by both government and industry in the preparation of statistical analyses for decision-making purposes. The accuracy of the archived data determines, to a large degree, the quality of the publication or analysis; it is therefore extremely important to take suitable measures to ensure that observed data is of the highest quality consistent with reasonable cost.

This manual deals principally with procedures for the visual observation of ice from various platforms. Where appropriate, electronic aids such as airborne or satellite radar for ice data collection are referred to; however, for a much more detailed description of SLAR (Side Looking Airborne Radar) and SAR (Synthetic Aperture Radar) technical operation and image interpretation, please refer to the following documents:

| SLAR Users Manual (cf. 5), and |
|---|
| SAR Ice Interpretation Guide (cf. 4) . |

These guides are also available from the Canadian Ice Service.

The terminology has been prepared with the needs of the international marine community in mind; it is therefore highly oriented toward terms relating to sea ice and ice of land origin found at sea. Nevertheless, many of the terms apply equally to lake ice and/or river ice, particularly those relating to floe sizes and ice-dynamic processes. A section on lake ice nomenclature has been added, and this manual is now the authoritative guide for observing all types of floating ice, including ice of land origin.

xii MANICE