
CANADIAN SPECIES AT RISK MAY 2001



Aussi disponible en français

COSEWIC
COMMITTEE ON THE STATUS
OF ENDANGERED WILDLIFE
IN CANADA



COSEPAC COMITÉ SUR LA SITUATION DES ESPÈCES EN PÉRIL AU CANADA

For additional copies contact:

COSEWIC SECRETARIAT Chief, Colleen Hyslop c/o Canadian Wildlife Service Environment Canada Ottawa, ON K1A 0H3

Tel: 819-997-4991/994-2407/953-3215 Fax: 819-994-3684 E-mail: cosewic-cosepac@ec.gc.ca

Web site: http://www.cosewic.gc.ca

Courier address: 4th Floor, Place Vincent Massey, 351 St. Joseph Blvd. Hull, QC.

Cover Illustration

Fowler's Toad - A. Jenks, Owen Sound, Ontario

This list can be cited as follows:

COSEWIC, 2001. Canadian Species at Risk, May 2001. Committee on the Status of Endangered Wildlife in Canada. 31 pp.

TABLE OF CONTENTS

| ABOUT COSEWIC | 1 |
|--|----|
| COSEWIC Mandate | 1 |
| COSEWIC Membership | 1 |
| Definitions | 1 |
| SUMMARY TABLES | 2 |
| COSEWIC Species at risk, not at risk and data deficient | 2 |
| Results of May 2001 COSEWIC meeting | 3 |
| COSEWIC LISTS | 4 |
| Explanation of symbols | 4 |
| Geographical occurrence abbreviations | 4 |
| List 1. Species designated in the five "risk" categories | 5 |
| List 2. Species examined and designated in the NOT AT RISK category | 15 |
| List 3. Species examined and designated in the DATA DEFICIENT category | 19 |
| RECORD OF STATUS RE-EXAMINATIONS | 21 |
| LIST OF NAME CHANGES | 31 |

ABOUT COSEWIC

COSEWIC Mandate

The Committee on the Status of Endangered Wildlife in Canada (COSEWIC) determines the national status of wild species, subspecies, varieties, and nationally significant populations that are considered to be at risk in Canada. Designations are made on all native species for the following taxonomic groups: mammals, birds, reptiles, amphibians, fish, lepidopterans, molluscs, vascular plants, mosses, and lichens.

COSEWIC Membership

COSEWIC comprises representatives from each provincial and territorial government wildlife agency, four federal agencies (Canadian Wildlife Service, Parks Canada Agency, Department of Fisheries and Oceans. Canadian Museum of Nature), three noniurisdictional members, and cochairs of species specialist groups. The committee meets at least once per year to consider status reports on candidate species.

Definitions

| Species | Any indigenous species | , subspecies, v | variety, or geographically |
|---------|------------------------|-----------------|----------------------------|
| | | | |

defined population of wild fauna and flora.

A species that no longer exists. Extinct (X)

Extirpated (XT) A species no longer existing in the wild in Canada, but occurring

elsewhere.

Endangered (E) A species facing imminent extirpation or extinction.

Threatened (T) A species likely to become endangered if limiting factors are not

reversed.

Special Concern (SC)* A species of special concern because of characteristics that make

it particularly sensitive to human activities or natural events.

Not At Risk (NAR)** A species that has been evaluated and found to be not at risk. Data Deficient (DD)**

A species for which there is insufficient scientific information to

support status designation.

Formerly described as "Vulnerable" from 1990 to 1999, or "Rare" prior to 1990.

Formerly described as "Not In Any Category", or "No Designation Required."

Formerly described as "Indeterminate" from 1994 to 1999 or "ISIBD" (insufficient scientific information on which to base a designation) prior to 1994.

SUMMARY TABLES

COSEWIC Species at risk, not at risk and data deficient

Summary of List 1. COSEWIC list of species at risk, including results from May 2001 meeting.

| CATEGORY / STATUS | EXTINCT | EXTIRPATED | ENDANGERED | THREATENED | SPECIAL CONCERN | TOTALS |
|----------------------|---------|------------|------------|------------|-----------------|--------|
| Mammals | 2 | 4 | 15 | 13 | 25 | 59 |
| Birds | 3 | 2 | 20 | 6 | 23 | 54 |
| Reptiles | | 2 | 5 | 6 | 8 | 21 |
| Amphibians | | | 4 | 3 | 9 | 16 |
| Fishes | 6 | 2 | 10 | 18 | 40 | 76 |
| Lepidopterans | | 3 | 3 | 2 | 2 | 10 |
| Molluscs | 1 | 1 | 7 | 1 | 1 | 11 |
| Vascular Plants | | 2 | 49 | 33 | 44 | 128 |
| Mosses | | | 1 | | | 1 |
| Lichens | | | 1 | | 3 | 4 |
| TOTALS | 12 | 16 | 115 | 82 | 155 | 380 |

Summary of List 2. COSEWIC list of species not at risk, including results from May 2001 meeting.

| CATEGORY / STATUS | NOT AT RISK |
|----------------------|-------------|
| Mammals | 47 |
| Birds | 35 |
| Reptiles | 1 |
| Amphibians | 10 |
| Fishes | 31 |
| Lepidopterans | |
| Molluscs | |
| Vascular Plants | 16 |
| Mosses | |
| Lichens | |
| TOTALS | 140 |

Summary of List 3. COSEWIC list of data deficient species including results from May 2001 meeting.

| CATEGORY / STATUS | DATA DEFICIENT |
|----------------------|-------------------|
| Mammals | 8 |
| Birds | 3 |
| Reptiles | |
| Amphibians | |
| Fishes | 7 |
| Lepidopterans | |
| Molluscs | 1 |
| Vascular Plants | 4 |
| Mosses | |
| Lichens | |
| TOTALS | 23 |

Results of May 2001 COSEWIC meeting

May 2001 species by status and taxon

| CATEGORY / STATUS | EXTINCT | EXTIRPATED | ENDANGERED | THREATENED | SPECIAL CONCERN | NOT AT RISK | DATA DEFICIENT | TOTALS |
|----------------------|---------|------------|------------|------------|-----------------|----------------|-------------------|--------|
| Mammals | | | | 1 | 1 | 1 | | 3 |
| Birds | | | 2 | | 1 | | | 3 |
| Reptiles | | 1 | 2 | | | | | 3 |
| Amphibians | | | 1 | | | 1 | | 2 |
| Fishes | | | 1 | 3 | 2 | 1 | | 7 |
| Lepidopterans | | | | | | | | 0 |
| Molluscs | | | 2 | | | | | 2 |
| Vascular | | | 10 | 5 | 2 | | | 17 |
| Plants | | | | | | | | |
| Mosses | | | | | | | | 0 |
| Lichens | | | | | | | | 0 |
| TOTALS | 0 | 1 | 18 | 9 | 6 | 3 | 0 | 37 |

May 2001 species by status and type of change in status

| CATEGORY / STATUS CHANGE* | EXTINCT | EXTIRPATED | ENDANGERED | THREATENED | SPECIAL CONCERN | NOT AT RISK | DATA DEFICIENT | TOTALS |
|---------------------------------|---------|------------|------------|------------|--------------------|----------------|-------------------|--------|
| New | | 1 | 10 | 5 | 1 | 1 | | 18 |
| Uplisted (↑) | | | | 2 | | | | 2 |
| Downlisted (↓) | | | | | 2 | | | 2 |
| No Change (↔) | | | 8 | 2 | 2 | 1 | | 13 |
| Changed (♣) | | | | | 1 | | | 1 |
| De-listed (✓) | | | | | | 1 | | 1 |
| TOTALS | 0 | 1 | 18 | 9 | 6 | 3 | 0 | 37 |

-

^{*} Explanation of terms on following page.

COSEWIC LISTS

The lists that follow are organized by status category and then by taxonomic group. Explanation of symbols and abbreviations is provided below. For each species, the information provided includes the common name, scientific name, population name, and range of occurrence (by province/ territory/ ocean). The most recent date of examination by COSEWIC is shown, and symbols provide information the outcome of status reexaminations (e.g., uplisting, downlisting) and basis of re-examination for species evaluated against the new quantitative criteria. For birds, geographical occurrence includes the Canadian breeding and wintering distribution.

The first COSEWIC "Endangered Species List" was issued in 1978. In 1990, it was decided that all species considered by COSEWIC should be listed even if the species were "not at risk" or "data deficient." Therefore, this document is divided into three separate lists. List 1 includes Species designated as Extinct, Extirpated, Endangered, Threatened or Special Concern. List 2 includes species examined and designated in the Not at Risk category. List 3 includes species examined and designated in the Data Deficient category because of insufficient scientific information, with geographical occurrence and most recent date of examination.

Explanation of symbols

Re-assessments and new species

- Species placed in a higher risk category (uplisted) after re-examination on the date shown.
- ↓ Species placed in a lower risk category (downlisted) after re-examination on the date shown.
- ⇔ Species stays in the same risk category (no change) after re-examination on the date shown.
- ✓ Species moved to the Not at Risk category from a risk category (de-listed) on the date shown.
- Species moved to the Data Deficient Category from a risk category, or to a risk category from the Data Deficient Category (changed), on the date shown.

(no arrow) New species examined on the date shown.

Evaluation with COSEWIC's new quantitative criteria

COSEWIC has recently begun using quantitative criteria to assess species' risk of extinction. These criteria were adapted from the criteria used by the World Conservation Union (IUCN) and have been used by COSEWIC since October 1999.

- \triangle or \triangle + Species has been assessed with new quantitative criteria based on a **new** status report or an update status report. A plus sign (+) indicates the report has an addendum.
- \triangle or \triangle + Species re-assessed with new quantitative criteria using an **existing** status report. A plus sign (+) indicates the report has an addendum.

Geographical occurrence abbreviations

| AB | Alberta | NS | Nova Scotia | QC | Québec |
|----|------------------|----|-----------------------|----|-----------------|
| BC | British Columbia | NT | Northwest Territories | SK | Saskatchewan |
| MB | Manitoba | NU | Nunavut | YT | Yukon Territory |
| NB | New Brunswick | ON | Ontario | | |
| NF | Newfoundland | PE | Prince Edward Island | | |

List 1. Species designated in the five "risk" categories, with geographical occurrence (by province / territory / ocean) and year of designation. For extinct and extirpated species, the approximate date of disappearance is indicated and geographical occurrence is based on historical distribution records.

EXTINCT CATEGORY (12)

| | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | | Exinction | Examination |
|--|---------------------------------------|-------------------------|-----------|-------------|
| Mammals (2) | | | Date | Date |
| | Rangifer tarandus dawsoni | BC | 1920s | May 2000 |
| ⇔ Mink, Sea | Mustela macrodon | Atlantic coastal waters | 1894 | May 2000 |
| Birds (3) | | | | |
| | Pinguinus impennis | QC NB NS NF | 1844 | May 2000 |
| | Camptorhynchus labradorius | QC NB NS NF | 1875 | May 2000 |
| ⇔ Pigeon, Passenger | Ectopistes migratorius | SK MB ON QC NB NS PE | 1914 | May 2000 |
| Reptiles (0) | | | | |
| Amphibians (0) | | | | |
| Fishes (6) | | | | |
| | Coregonus johannae | ON | 1952 | May 2000 |
| ⇔ Cisco, Longjaw | Coregonus alpenae | ON | 1975 | May 2000 |
| | Rhinichthys cataractae smithi | AB | 1986 | May 2000 |
| ⇔ Stickleback, Benthic Hadley Lake | Gasterosteus sp. | BC | 1999 | May 2000 |
| | Gasterosteus sp. | ВС | 1999 | May 2000 |
| ⇔ Walleye, Blue | Stizostedion vitreum glaucum | ON | 1965 | May 2000 |
| Lepidopterans (0) | | | | |
| Molluscs (1) | | | | |
| | Lottia alveus alveus | QC NS NF | 1929 | May 2000 |
| Plants (0) | | | | |
| Mosses (0) | | | | |
| Lichens (0) | | | | |

EXTIRPATED CATEGORY (16)

| Mammals (4) | | | • | Extirpation Date | Examination Date |
|--|-------------------------------------|-------------------------------|----------------|--|------------------|
| A ↔ Bear, Grizzly | Ursus arctos | Prairie population | AB SK MB | 1880s | May 2000 |
| | Mustela nigripes | | AB SK MB | 1974 | May 2000 |
| ⇔ Walrus, Atlantic | Odobenus rosmarus rosmarus | Northwest Atlantic population | Atlantic Ocean | mid 19th century | May 2000 |
| ⇔ Whale, Grey | Eschrichtius robustus | Atlantic population | Atlantic Ocean | before end of 1800s | May 2000 |
| Birds (2) | | | | | |
| | Centrocercus urophasianus phaios | British Columbia population | ВС | not observed since 1960s | May 2000 |
| ⇔ Prairie-Chicken, Greater | Tympanuchus cupido | | AB SK MB ON | last reported in 1987 in Saskatchewa | May 2000 n |
| Reptiles (2) | | | | | |
| - ⇔ Lizard, Pygmy Short-horned | Phrynosoma douglassii douglassii | British Columbia population | BC | last reported in 1898, near Osoyoos, BC | |
| △ Rattlesnake, Timber | Crotalus horridus | | ON | 1941 | May 2001 |
| Amphibians (0) | | | | | |
| Fishes (2) | | | | | |
| - ⇔ Chub, Gravel | Erimystax x-punctatus | | ON | last reported in 1958, Thames Rive drainage | May 2000 r |
| ⇔ Paddlefish | Polyodon spathula | | ON | 1917 | May 2000 |
| Lepidopterans (3) | | | | | |
| A ↔ Blue, Karner | Lycaeides melissa samuelis | | ON | 1991 | May 2000 |
| | Callophrys [Incisalia] irus | | ON | 1988 | May 2000 |
| $\triangle \leftrightarrow$ Marble, Island | Euchloe ausonides | | ВС | before 1910 | May 2000 |
| Molluscs (1) | | | | | |
| △ ↔ Wedgemussel, Dwarf | Alasmidonta heterodon | | NB | 1968 | May 2000 |
| Plants (2) | | | | | |
| A ↔ Blue-eyed Mary | Collinsia verna | | ON | not observed since 1954 | May 2000 |
| $\triangle \leftrightarrow$ Tick-trefoil, Illinois | Desmodium illinoense | | ON | not observed since 1888 | May 2000 |
| Mosses (0) | | | | | |

Lichens (0)

ENDANGERED CATEGORY (115)

| Mammals (15) △ Badger jacksoni subspecies, American Taxidea taxus jacksoni △ Badger jeffersonii subspecies, Taxidea taxus jeffersonii | ON BC | May 2000 |
|---|--|----------------------|
| American | | • |
| △ Badger jeffersonii subspecies, Taxidea taxus jeffersonii | BC | |
| American | | May 2000 |
| Caribou, Peary Rangifer tarandus pearyi Banks Island population | NT | Apr 1991 |
| Caribou, Peary Rangifer tarandus pearyi High Arctic population | NT NU | Apr 1991 |
| △ ↑ Caribou, Woodland Rangifer tarandus caribou Atlantic-Gaspésie population | QC | May 2000 |
| $\triangle \leftrightarrow Fox$, Swift Vulpes velox | AB SK | May 2000 |
| $\triangle^+ \leftrightarrow \text{Marmot}$, Vancouver Island <i>Marmota vancouverensis</i> | BC | May 2000 |
| △ ↔ Marten, American Martes americana atrata Newfoundland population | NF | May 2000 |
| Whale, Beluga Delphinapterus leucas Southeast Baffin Island-Cumberland Sound | NU NF Arctic Ocean | Apr 1990 |
| Whale, Beluga Delphinapterus leucas Ungava Bay population | NU QC Arctic Ocean Atlantic Ocean | Apr 1988 |
| | QC | Apr 1997 |
| Whale, Bowhead Balaena mysticetus Eastern Arctic population | NU Arctic Ocean | Apr 1980 |
| Whale, Bowhead Balaena mysticetus Western Arctic population | YT NT NU Arctic Ocea | n Apr 1986 |
| | Atlantic Ocean Pacific Ocean | Apr 1990 |
| Wolverine Gulo gulo Eastern population | QC NF | Apr 1989 |
| Birds (20) | | |
| Bobwhite, Northern Colinus virginianus | ON | Apr 1994 |
| △ ↑ Chat, Western Yellow-breasted Icteria virens auricollis British Columbia population | BC | Nov 2000 |
| △ ← Crane, Whooping Grus americana | NT AB | Nov 2000 |
| $\triangle \leftrightarrow$ Curlew, Eskimo Numenius borealis | YT NT NU BC AB SK MB ON QC NB NS PE NF | May 2000 |
| $\triangle \leftrightarrow \text{Flycatcher}$, Acadian Empidonax virescens | ON | Nov 2000 |
| ← Grouse, Sage Centrocercus urophasianus Prairie population urophasianus | AB SK | May 2000 |
| $\triangle \leftrightarrow \text{Owl}$, Barn Tyto alba Eastern population | ON QC | May 2000 |
| | BC AB SK MB | May 2000 |
| △ ↔ Owl, Northern Spotted Strix occidentalis caurina | BC | May 2000 |
| △ Plover <i>circumcinctus</i> subspecies, <i>Charadrius melodus circumcinctus</i> Piping | AB SK MB ON | May 2001 |
| △ Plover <i>melodus</i> subspecies, <i>Charadrius melodus</i> Piping | QC NB NS PE NF | May 2001 |
| $\triangle \leftrightarrow \text{Plover}$, Mountain Charadrius montanus | AB SK | Nov 2000 |
| $\triangle \leftrightarrow \text{Rail}$, King Rallus elegans | ON | Nov 2000 |
| $\triangle \leftrightarrow$ Shrike, Eastern Loggerhead Lanius Iudovicianus migrans | MB ON QC | Nov 2000 |
| $\triangle \leftrightarrow \text{Sparrow}$, Henslow's Ammodramus henslowii | ON | Nov 2000 |
| △ ↔ Tern, Roseate Sterna dougallii | QC NB NS | Oct 1999 |
| $\triangle \leftrightarrow \text{Thrasher}$, Sage Oreoscoptes montanus | BC AB SK | Nov 2000 |
| △ ↔ Warbler, Kirtland's Dendroica kirtlandii | ON | May 2000 |
| △ → Warbler, Prothonotary Protonotaria citrea | ON | May 2000 |
| △ ↑ Woodpecker, White-headed Picoides albolarvatus | BC | Nov 2000 |
| Reptiles (5) | 0.11 | |
| Racer, Blue Coluber constrictor foxii | ON | Apr 1991 |
| Snake, Lake Erie Water Nerodia sipedon insularum A Snake Night Hypsiglena torquata | ON BC | Apr 1991 |
| △ Snake, Night Hypsiglena torquata → Snake, Sharp-tailed Contia tenuis | BC BC | May 2001 Oct 1999 |
| △ ← Turtle, Leatherback Contra teritis Dermochelys coriacea | Pacific Ocean Atlantic Ocean | May 2001 |
| Amphibians (4) | | |
| $\triangle \leftrightarrow \text{Frog}$, Northern Cricket Acris crepitans | ON | May 2001 |
| △ → Frog, Northern Leopard Rana pipiens Southern Mountain population | BC | May 2000 |
| △ ↔ Frog, Oregon Spotted Rana pretiosa | BC | May 2000 |

ENDANGERED CATEGORY (continued)

| Amphibians (cont.) | | | | |
|---|--|----------------------------------|---|--|
| △ Frog, Rocky Mountain Tailed | Ascaphus montanus | | ВС | May 2000 |
| | • | | | • |
| Fishes (10) | Rhinichthys sp. | | ВС | May 2000 |
| △ ↑ Lamprey, Morrison Creek | Lampetra richardsoni | | BC | May 2000 |
| △ Salmon, Atlantic | Salmo salar | Inner Bay of Fundy populations | NB NS (rarely NF) | May 2000 |
| a Gainion, Atlantic | Gairrio Salar | initer bay or rainay populations | Atlantic Ocean | Way 2001 |
| | Gasterosteus sp. | | BC | May 2000 |
| | Gasterosteus sp. | | BC | May 2000 |
| Creek | Casicrosicas sp. | | ВО | Way 2000 |
| | Gasterosteus sn | | ВС | May 2000 |
| △ ↑ Stickleback, Limnetic Vananda | Gasterosteus sp. | | BC | May 2000 |
| Creek | Casicrosicas sp. | | ВО | Way 2000 |
| Sucker, Salish | Catostomus sp. | | ВС | Apr 1986 |
| | Salvelinus fontinalis timagamiensis | | ON | May 2000 |
| $\triangle \leftrightarrow \text{Whitefish, Atlantic}$ | Coregonus huntsmani | | NS | Nov 2000 |
| Lanidantarana (2) | • | | | |
| Lepidopterans (3) | Plahaiya aganialya inaylanya | | DC. | Nov. 2000 |
| △ Blue, Island △ Checkerspot, Taylor's | Plebejus saepiolus insulanus | | BC BC | Nov 2000 Nov 2000 |
| △ Checkerspot, Taylor's △ → Ringlet, Maritime | Euphydryas editha taylori Coenonympha tullia nipisiquit | | QC NB | May 2000 |
| A V Kinglet, Mantime | Coenonympha tulia hipisiquit | | QC ND | iviay 2000 |
| Molluscs (7) | | | | |
| ⇔ Bean, Rayed | Villosa fabalis | | ON | May 2000 |
| | Lampsilis fasciola | | ON | Oct 1999 |
| △ Mussel, Mudpuppy | Simpsonais ambigua | | ON | May 2001 |
| → Physa, Hotwater → This is a second s | Physella wrighti | | BC | May 2000 |
| △ + ↔ Riffleshell, Northern | Epioblasma torulosa rangiana | | ON | May 2000 |
| | Physella johnsoni | | AB | May 2000 |
| △ Snuffbox | Epioblasma triquetra | | ON | May 2001 |
| Plants (49) | | | | |
| △ + ⇔ Agalinis, Gattinger's | Agalinis gattingeri | | ON | May 2001 |
| | Agalinis skinneriana | | ON | May 2000 |
| | Ammannia robusta | | BC ON | May 2001 |
| A ↔ Avens, Eastern Mountain | Geum peckii | | NS | May 2000 |
| | Balsamorhiza deltoidea | | BC | May 2000 |
| | Buchnera americana | | ON NF | May 2000 |
| Δ ⁺ ↔ Braya, Long's Δ Bugbane, Tall | Braya longii Cimicifuga elata | | BC | May 2000 May 2001 |
| △ ↑ Bulrush, Bashful | Trichophorum planifolium | | ON | May 2001 |
| | Lespedeza virginica | | | May 2000 |
| | | | | |
| • | , | | ON BC | |
| △ ↔ Buttercup, Water-plantain | Ranunculus alismaefolius var. | | BC | May 2000 |
| ⇔ Buttercup, Water-plantain | , | | | May 2000 |
| • | Ranunculus alismaefolius var. alismaefolius | | ВС | |
| ⇔ Buttercup, Water-plantain ⇔ Cactus, Eastern Prickly Pear | Ranunculus alismaefolius var. alismaefolius Opuntia humifusa | | BC ON | May 2000 May 2000 |
| ⇔ Buttercup, Water-plantain ⇔ Cactus, Eastern Prickly Pear ⇔ Coreopsis, Pink | Ranunculus alismaefolius var. alismaefolius Opuntia humifusa Coreopsis rosea | | BC ON NS | May 2000 May 2000 May 2000 |
| ⇔ Buttercup, Water-plantain ⇔ Cactus, Eastern Prickly Pear ⇔ Coreopsis, Pink ⇔ Cryptanthe, Tiny | Ranunculus alismaefolius var. alismaefolius Opuntia humifusa Coreopsis rosea Cryptantha minima | | BC ON NS AB SK | May 2000 May 2000 May 2000 May 2000 |
| ⇔ Buttercup, Water-plantain ⇔ Cactus, Eastern Prickly Pear ⇔ Coreopsis, Pink ⇔ Cryptanthe, Tiny ⇔ Fern, Southern Maidenhair | Ranunculus alismaefolius var. alismaefolius Opuntia humifusa Coreopsis rosea Cryptantha minima Adiantum capillus-veneris | | BC ON NS AB SK BC | May 2000 May 2000 May 2000 May 2000 May 2000 |
| $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $ | Ranunculus alismaefolius var. alismaefolius Opuntia humifusa Coreopsis rosea Cryptantha minima Adiantum capillus-veneris Gentiana alba | | ON NS AB SK BC ON | May 2000 May 2000 May 2000 May 2000 May 2000 May 2001 |
| $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $ | Ranunculus alismaefolius var. alismaefolius Opuntia humifusa Coreopsis rosea Cryptantha minima Adiantum capillus-veneris Gentiana alba Panax quinquefolium Tephrosia virginiana Solidago speciosa var. rigidiuscula | | BC ON NS AB SK BC ON ON QC ON ON | May 2000 May 2000 May 2000 May 2000 May 2000 May 2001 May 2000 May 2000 May 2000 May 2000 May 2000 |
| ⇔ Buttercup, Water-plantain ⇔ Cactus, Eastern Prickly Pear ⇔ ⇔ Coreopsis, Pink ⇔ ⇔ Cryptanthe, Tiny ⇔ Fern, Southern Maidenhair △ ⇔ Gentian, White Prairie ⇔ ⇔ Ginseng, American ⇔ † ↑ Goat's-rue, Virginia ⇔ ⇔ Goldenrod, Showy ⇔ ⇔ Lady's-slipper, Small White | Ranunculus alismaefolius var. alismaefolius Opuntia humifusa Coreopsis rosea Cryptantha minima Adiantum capillus-veneris Gentiana alba Panax quinquefolium Tephrosia virginiana Solidago speciosa var. rigidiuscula Cypripedium candidum | | BC ON NS AB SK BC ON ON QC ON ON MB ON | May 2000 May 2000 May 2000 May 2000 May 2000 May 2001 May 2000 May 2000 May 2000 May 2000 May 2000 May 2000 |
| ⇔ Buttercup, Water-plantain ⇔ Cactus, Eastern Prickly Pear ⇔ ⇔ Coreopsis, Pink ⇔ ⇔ Cryptanthe, Tiny ⇔ Fern, Southern Maidenhair △ ⇔ Gentian, White Prairie ⇔ ⇔ Ginseng, American ♣ † Goat's-rue, Virginia ⇔ ⇔ Goldenrod, Showy ⇔ ⇔ Lady's-slipper, Small White ⇔ ⇔ Lotus, Seaside Birds-foot | Ranunculus alismaefolius var. alismaefolius Opuntia humifusa Coreopsis rosea Cryptantha minima Adiantum capillus-veneris Gentiana alba Panax quinquefolium Tephrosia virginiana Solidago speciosa var. rigidiuscula Cypripedium candidum Lotus formosissimus | | BC ON NS AB SK BC ON ON QC ON ON ON MB ON BC | May 2000 |
| ⇔ Buttercup, Water-plantain ⇔ Cactus, Eastern Prickly Pear ⇔ Coreopsis, Pink ⇔ Cryptanthe, Tiny ⇔ Fern, Southern Maidenhair △ ⇔ Gentian, White Prairie ⇔ ⇔ Ginseng, American △ † ↑ Goat's-rue, Virginia ⇔ ⇔ Goldenrod, Showy ⇔ Lady's-slipper, Small White ⇔ ⇔ Lotus, Seaside Birds-foot ⇔ ⇔ Lousewort, Furbish's | Ranunculus alismaefolius var. alismaefolius Opuntia humifusa Coreopsis rosea Cryptantha minima Adiantum capillus-veneris Gentiana alba Panax quinquefolium Tephrosia virginiana Solidago speciosa var. rigidiuscula Cypripedium candidum Lotus formosissimus Pedicularis furbishiae | | BC ON NS AB SK BC ON ON QC ON ON ON MB ON BC NB | May 2000 |
| ⇔ Buttercup, Water-plantain ⇔ Cactus, Eastern Prickly Pear ⇔ Coreopsis, Pink ⇔ Cryptanthe, Tiny ⇔ Fern, Southern Maidenhair △ ⇔ Gentian, White Prairie ⇔ ⇔ Ginseng, American △ † ↑ Goat's-rue, Virginia ⇔ ⇔ Goldenrod, Showy ⇔ Lady's-slipper, Small White ⇔ ⇔ Lotus, Seaside Birds-foot ⇔ ⇔ Lousewort, Furbish's ⇔ ⇔ Lupine, Prairie | Ranunculus alismaefolius var. alismaefolius Opuntia humifusa Coreopsis rosea Cryptantha minima Adiantum capillus-veneris Gentiana alba Panax quinquefolium Tephrosia virginiana Solidago speciosa var. rigidiuscula Cypripedium candidum Lotus formosissimus Pedicularis furbishiae Lupinus lepidus var. lepidus | | BC ON NS AB SK BC ON ON QC ON ON ON MB ON BC NB BC | May 2000 |
| ⇔ Buttercup, Water-plantain ⇔ Cactus, Eastern Prickly Pear ⇔ Coreopsis, Pink ⇔ Cryptanthe, Tiny ⇔ Fern, Southern Maidenhair △ ⇔ Gentian, White Prairie ⇔ Ginseng, American ♠ † ↑ Goat's-rue, Virginia ⇔ Goldenrod, Showy ⇔ Lady's-slipper, Small White ⇔ Lotus, Seaside Birds-foot ⇔ Hupine, Prairie ⇔ Milkwort, Pink | Ranunculus alismaefolius var. alismaefolius Opuntia humifusa Coreopsis rosea Cryptantha minima Adiantum capillus-veneris Gentiana alba Panax quinquefolium Tephrosia virginiana Solidago speciosa var. rigidiuscula Cypripedium candidum Lotus formosissimus Pedicularis furbishiae Lupinus lepidus var. lepidus Polygala incarnata | | BC ON NS AB SK BC ON ON QC ON ON ON MB ON BC NB BC ON | May 2000 |
| ⇔ Buttercup, Water-plantain ⇔ Cactus, Eastern Prickly Pear ⇔ Coreopsis, Pink ⇔ Cryptanthe, Tiny ⇔ Fern, Southern Maidenhair △ ⇔ Gentian, White Prairie ⇔ Ginseng, American ♣ † Goat's-rue, Virginia ⇔ Goldenrod, Showy ⇔ Lady's-slipper, Small White ⇔ Lotus, Seaside Birds-foot ⇔ Housewort, Furbish's ⇔ Lupine, Prairie ⇔ Milkwort, Pink ⇔ Mountain-mint, Hoary | Ranunculus alismaefolius var. alismaefolius Opuntia humifusa Coreopsis rosea Cryptantha minima Adiantum capillus-veneris Gentiana alba Panax quinquefolium Tephrosia virginiana Solidago speciosa var. rigidiuscula Cypripedium candidum Lotus formosissimus Pedicularis furbishiae Lupinus lepidus var. lepidus Polygala incarnata Pycnanthemum incanum | | BC ON NS AB SK BC ON ON QC ON ON MB ON BC NB BC ON ON | May 2000 |
| ⇔ Buttercup, Water-plantain ⇔ Cactus, Eastern Prickly Pear ⇔ Coreopsis, Pink ⇔ Cryptanthe, Tiny ⇔ Fern, Southern Maidenhair △ ⇔ Gentian, White Prairie ⇔ Ginseng, American ♠ † ↑ Goat's-rue, Virginia ⇔ Goldenrod, Showy ⇔ Lady's-slipper, Small White ⇔ Lotus, Seaside Birds-foot ⇔ Hupine, Prairie ⇔ Milkwort, Pink | Ranunculus alismaefolius var. alismaefolius Opuntia humifusa Coreopsis rosea Cryptantha minima Adiantum capillus-veneris Gentiana alba Panax quinquefolium Tephrosia virginiana Solidago speciosa var. rigidiuscula Cypripedium candidum Lotus formosissimus Pedicularis furbishiae Lupinus lepidus var. lepidus Polygala incarnata | | BC ON NS AB SK BC ON ON QC ON ON ON MB ON BC NB BC ON | May 2000 |

ENDANGERED CATEGORY (continued)

| | ENDY INCENTED OF THE | SOTT (SOTILITIASA) | | |
|--|---|-------------------------------|------------------------|----------------------|
| Plants (cont.) | | | | |
| A → Owl-clover, Bearded | Triphysaria versicolor ssp. versicolor | • | ВС | May 2000 |
| △⁺ ↑ Paintbrush, Golden | Castilleja levisecta | | BC | May 2000 |
| | Plantago cordata | | ON | May 2000 |
| | Isotria verticillata | | ON | May 2000 |
| | Triphora trianthophora | | ON | May 2000 |
| | Isotria medeoloides | | ON | May 2000 |
| △ ← Quillwort, Englemann's | Isoëtes engelmannii | | ON | May 2000 May 2001 |
| Δ Sanicle, Bear's-foot | Sanicula arctopoides | | BC | May 2001 |
| | · | | ON QC | • |
| | Carex lupuliformis | | | May 2000 |
| | Carex juniperorum | | ON | May 2000 Nov 2000 |
| △ Spike-rush, Horsetail | Eleocharis equisetoides | | ON | |
| | Drosera filiformis | | NS ON | May 2001 |
| | Cirsium pitcheri | | | May 2000 |
| | Rotala ramosior | | BC ON | May 2000 |
| | Magnolia acuminata | | ON | May 2000 |
| | Trillium flexipes | | ON | May 2000 |
| | Liparis liliifolia | | ON | May 2001 |
| △ Willow, Barrens | Salix jejuna | | NF | May 2001 |
| ⇔ Wintergreen, Spotted A | Chimaphila maculata | | ON | May 2000 |
| $\triangle^+ \leftrightarrow Wood\text{-poppy}$ | Stylophorum diphyllum | | ON | May 2000 |
| | Woodsia obtusa | | ON QC | May 2000 |
| △ Woolly-heads, Tall | Psilocarphus elatior | Pacific population | BC | May 2001 |
| Mosses (1) | | | | |
| ⇔ ⁺ ↑ Moss, Apple | Bartramia stricta | | ВС | May 2000 |
| • | Dartianna Stricta | | ьс | Way 2000 |
| Lichens (1) | | | | |
| | Heterodermia sitchensis | | BC | May 2000 |
| | | | | |
| | | | | |
| | THREATENED CA | TEGORY (82) | | |
| Mammals (13) | | | | |
| △ ↑ Bat, Pallid | Antrozous pallidus | | ВС | May 2000 |
| $\triangle \leftrightarrow \text{Bison, Wood}$ | Bison bison athabascae | | YT NT BC AB | May 2000 |
| Caribou, Peary | Rangifer tarandus pearyi | Low Arctic population | NT NU | Apr 1991 |
| △ Caribou, Woodland | Rangifer tarandus caribou | Southern Mountain population | BC AB | May 2000 |
| △ Caribou, Woodland | Rangifer tarandus caribou | Boreal population | NT BC AB SK MB ON | May 2000 |
| Sanbou, Woodiand | rangiici tarandus canbod | Borcar population | QC NF | Way 2000 |
| △ ↑ Ermine <i>haidarum</i> subspecies | Mustela erminea haidarum | | BC | May 2001 |
| Mole, Townsend's | Scapanus townsendii | | BC | Apr 1996 |
| ⇔ Otter, Sea | Enhydra lutris | | Pacific coastal waters | May 2000 |
| → Porpoise, Harbour | Phocoena phocoena | Northwest Atlantic population | Atlantic Ocean | Apr 1991 |
| | Sorex bendirii | Northwest Atlantic population | BC | May 2000 |
| Whale, Beluga | Delphinapterus leucas | Eastern Hudson Bay population | QC Atlantic Ocean | Apr 1988 |
| Whale, Humpback | Megaptera novaeangliae | North Pacific population | Pacific Ocean | Apr 1985 |
| • | · · · · · · · · · · · · · · · · · · · | | | • |
| Whale, Killer | Orcinus orca | North Pacific "resident" | Pacific Ocean | Apr 1999 |
| | | populations | | |
| Birds (6) | | | | |
| | Falco peregrinus anatum | | YT NT NU BC AB SK | May 2000 |
| | | | MB ON QC NB NS NF | , _000 |
| △ ↑ Goshawk, Queen Charlotte | Accipiter gentilis laingi | | BC | Nov 2000 |
| △ → Murrelet, Marbled | Brachyramphus marmoratus | | BC | Nov 2000 |
| △ ↔ Pipit, Sprague's | Anthus spragueii | | AB SK MB | May 2000 |
| Shrike, Prairie Loggerhead | Lanius spragueii Lanius ludovicianus excubitorides | | AB SK MB | Apr 1986 |
| Siffike, Prairie Loggerfiead Δ↔ Warbler, Hooded | Wilsonia citrina | | ON | Nov 2000 |
| - waibiei, i idducu | vviisoilia ciullia | | OIN. | 1404 2000 |

THREATENED CATEGORY (continued)

| Reptiles (6) | | | | |
|---|---|-------------------------|------------------------|----------|
| Rattlesnake, Eastern Massasauga | Sistrurus catenatus catenatus | | ON | Apr 1991 |
| A ↔ Snake, Black Rat | Elaphe obsoleta obsoleta | | ON | May 2000 |
| | Elaphe vulpina gloydi | | ON | May 2000 |
| | Regina septemvittata | | ON | May 2000 |
| Turtle, Blanding's | Emydoidea blandingi | Nova Scotia population | NS | Apr 1993 |
| Turtle, Spiny Softshell | Apalone spinifera | riora cocia population | ON QC | Apr 1991 |
| • • | , p. 1. 2. 1. 2. 2. 2. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. | | | |
| Amphibians (3) | | | | |
| △ Salamander, Jefferson | Ambystoma jeffersonianum | | ON | Nov 2000 |
| △ ↑ Salamander, Pacific Giant | Dicamptodon tenebrosus | | BC | Nov 2000 |
| $\triangle^+ \leftrightarrow Toad$, Fowler's | Bufo fowleri | | ON | Nov 2000 |
| Fishes (18) | | | | |
| Cisco, Blackfin | Coregonus nigripinnis | | ON | Apr 1988 |
| Cisco, Shortjaw | Coregonus zenithicus | | NT AB SK MB ON | Apr 1987 |
| Cisco, Shortnose | Coregonus reighardi | | ON | Apr 1987 |
| Darter, Channel | Percina copelandi | | ON QC | Apr 1993 |
| → Darter, Eastern Sand | Ammocrypta pellucida | | ON QC | Nov 2000 |
| | Lepisosteus oculatus | | ON | Nov 2000 |
| | Lampetra macrostoma | | BC | Nov 2000 |
| Madtom, Margined | Noturus insignis | | ON QC | Apr 1989 |
| Redhorse, Black | Moxostoma duquesnei | | ON | Apr 1988 |
| Redhorse, Copper | Moxostoma hubbsi | | QC | Apr 1987 |
| | Cottus sp. | | BC | Nov 2000 |
| Sculpin, Deepwater | Myoxocephalus thompsoni | Great Lakes populations | ON | Apr 1987 |
| | Cottus confusus | | BC | May 2001 |
| | Osmerus sp. | | NB | May 2000 |
| Sticklebacks, Enos Lake | Gasterosteus spp. | | BC | Apr 1988 |
| Whitefish, Lake | Coregonus clupeaformis | Lake Simcoe population | ON | Apr 1987 |
| △ Wolffish, Northern | Anarhichas denticulatus | | Arctic Ocean Atlantic | May 2001 |
| | | | Ocean | • |
| △ Wolffish, Spotted | Anarhichas minor | | Arctic Ocean Atlantic | May 2001 |
| · | | | Ocean | • |
| Lepidopterans (2) | | | | |
| △ Hairstreak, Behr's (Columbia) | Satyrium behrii columbia | | ВС | Nov 2000 |
| △ Skipper, Dun | Euphyes vestris | Western population | BC | Nov 2000 |
| 11 / | | rroctorri population | 20 | |
| Molluscs (1) | | | 5 15 | |
| | Haliotis kamtschatkana | | Pacific coastal waters | May 2000 |
| Plants (33) | | | | |
| | Symphyotrichum anticostense | | QC NB | May 2000 |
| △ ↑ Aster, Western Silver-leaved | Symphyotrichum sericeum | | MB ON | May 2000 |
| Aster, White Wood | Eurybia divaricata | | ON QC | Apr 1995 |
| △ ⁺ ↔ Aster, White-top | Sericocarpus rigidus | | ВС | May 2000 |
| △ ↑ Blazing Star, Dense | Liatris spicata | | ON | May 2001 |
| | Iris missouriensis | | AB | May 2000 |
| △⁺ ↔ Braya, Fernald's | Braya fernaldii | | NF | May 2000 |
| Chestnut, American | Castanea dentata | | ON | Apr 1987 |
| | Gymnocladus dioicus | | ON | Nov 2000 |
| $\triangle \leftrightarrow Colicroot$ | Aletris farinosa | | ON | Nov 2000 |
| △ Corydalis, Scouler's | Corydalis scouleri | | BC | May 2001 |
| | Vaccinium stamineum | | ON | Nov 2000 |
| | Azolla mexicana | | BC | May 2000 |
| ⇔ Gentian, Plymouth | Sabatia kennedyana | | NS | May 2000 |
| | Lophiola aurea | | NS | May 2000 |
| | | | | |

THREATENED CATEGORY (continued)

| Plants (cont.) | | | | | | |
|--|---|-------------------------------|--|---|--|--|
| $\triangle \leftrightarrow Goldenseal$ | Hydrastis canadensis | | ON | May 2000 | | |
| △ Greenbrier, Round-leaved Jacob's Ladder, van Brunt's △ Lily, Lyall's Mariposa Lipocarpha, Small-flowered △ ↑ △ † Mouse-ear-cress, Slender △ △ ↑ Orchid, Phantom △ △ † Redroot △ △ Sanicle, Purple △ ↑ Soapweed Spiderwort, Western △ Spike-rush, Tubercled Verbena, Sand Violet, Bird's-foot △ → ✓ Violet, Yellow Montane △ → ✓ Water-pennywort △ Water-willow, American | Smilax rotundifolia Polemonium van-bruntiae Calochortus lyallii Lipocarpha micrantha Halimolobos virgata Cephalanthera austiniae Dalea villosa var. villosa Lachnanthes caroliana Sanicula bipinnatifida Yucca glauca Tradescantia occidentalis Eleocharis tuberculosa Abronia micrantha Viola pedata Viola praemorsa ssp. praemorsa Hydrocotyle umbellata Justicia americana | Great Lakes Plains population | ON QC BC BC ON AB SK BC SK MB NS BC AB AB MB NS AB SK ON BC NS ON QC | May 2001 Apr 1994 May 2001 Apr 1992 May 2000 May 2000 May 2000 May 2000 May 2001 May 2000 Apr 1992 May 2000 Apr 1992 Apr 1990 May 2000 | | |

Mosses (0)

Lichens (0)

SPECIAL CONCERN CATEGORY (155)

| Ma | mn | nals (25) | | | | |
|-------------|-------------------|---|--|---|----------------------------------|----------------------|
| | | Bat, Fringed | Myotis thysanodes | | BC | Apr 1988 |
| | | Bat, Keen's Long-eared | Myotis keenii | | BC | Apr 1988 |
| | | Bat, Spotted | Euderma maculatum | | BC | Apr 1988 |
| | | Bear, Grizzly | Ursus arctos | | YT NT NU BC AB | Apr 1991 |
| | \leftrightarrow | Bear, Polar | Ursus maritimus | | YT NT NU MB ON QC NF | Apr 1999 |
| | \uparrow | Beaver, Mountain | Aplodontia rufa | | BC | Apr 1999 |
| | | Cottontail, Nuttall's | Sylvilagus nuttallii nuttallii | British Columbia population | BC | Apr 1994 |
| | | Fox, Grey | Urocyon cinereoargenteus | | MB ON QC | Apr 1979 |
| \triangle | \leftrightarrow | Mole, Eastern | Scalopus aquaticus | | ON | Nov 2000 |
| | | Mouse, Western Harvest | Reithrodontomys megalotis megalotis | British Columbia population | BC | Apr 1994 |
| \triangle | \leftrightarrow | Prairie Dog, Black-tailed | Cynomys Iudovicianus | | SK | Nov 2000 |
| | | Rat, Ord's Kangaroo | Dipodomys ordii | | AB SK | Apr 1995 |
| | | Seal, Harbour | Phoca vitulina mellonae | Lac des Loups Marins landlocked population | QC | Apr 1996 |
| | | Shrew, Gaspé | Sorex gaspensis | | QC NB NS | Apr 1988 |
| | | Squirrel, Southern Flying | Glaucomys volans | | ON QC NB NS | Apr 1988 |
| | | Vole, Woodland | Microtus pinetorum | | ON QC | Apr 1998 |
| | | Whale, Beluga | Delphinapterus leucas | Eastern High Arctic / Baffin Bay population | NU Arctic Ocean | Apr 1992 |
| | | Whale, Blue | Balaenoptera musculus | | Atlantic Ocean Pacific Ocean | Apr 1983 |
| | | Whale, Fin | Balaenoptera physalus | | Atlantic Ocean Pacific Ocean | Apr 1987 |
| | | Whale, Humpback | Megaptera novaeangliae | Western North Atlantic population | Atlantic Ocean | Apr 1985 |
| | | Whale, Killer | Orcinus orca | North Pacific "transient" population | Pacific Ocean | Apr 1999 |
| | | Whale, Northern Bottlenose Whale, Sowerby's Beaked | Hyperoodon ampullatus Mesoplodon bidens | Gully population | Atlantic Ocean Atlantic Ocean | Apr 1996 Apr 1989 |
| Δ | ٥ | Wolf, Eastern | Canis lupus lycaon | | ON QC | May 2001 |
| _ | | Wolverine | Gulo gulo | Western population | YT NT NU BC AB SK MB ON | Apr 1989 |

SPECIAL CONCERN CATEGORY (continued)

| Pirdo (22) | | | | |
|---|--|--------------------|-------------------------|----------------------|
| Birds (23) | Ixobrychus exilis | | MB ON QC NB | Apr 1999 |
| | Icteria virens virens | | ON | Nov 2000 |
| Curlew, Long-billed | Numenius americanus | | BC AB SK | Apr 1992 |
| △ ↓ Duck, Harlequin | Histrionicus histrionicus | Eastern population | NU QC NB NS NF | May 2001 |
| → Falcon, Peale's Peregrine | Falco peregrinus pealei | | ВС | Apr 1999 |
| ↓ Falcon, Tundra Peregrine | Falco peregrinus tundrius | | YT NT NU QC NF | Apr 1992 |
| △ Goldeneye, Barrow's | Bucephala islandica | Eastern population | QC NB NS PE NF | Nov 2000 |
| → Gull, Ivory | Pagophila eburnea | | NT NU BC MB ON QC | • |
| Gull, Ross' | Rhodostethia rosea | | NU MB | Apr 1996 |
| ↓ Hawk, Ferruginous | Buteo regalis | | AB SK MB | Apr 1995 |
| | Buteo lineatus | | ON QC | Apr 1996 |
| Heron, Pacific Great Blue Murrelet, Ancient | Ardea herodias fannini | | BC BC | Apr 1997 Apr 1993 |
| Owl, Barn | Synthliboramphus antiquus Tyto alba | Western population | BC | Apr 1993 Apr 1999 |
| ↔ Owl, Flammulated | Otus flammeolus | Western population | BC | Apr 1999 |
| Owl, Short-eared | Asio flammeus | | YT NT NU BC AB SK | Apr 1994 |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | MB ON QC NB NS PE NF | r |
| Rail, Yellow | Coturnicops noveboracensis | | NT AB SK MB ON QC | Apr 1999 |
| A Charrey "Inquish" Cayannah | Daggeraulus gandwichangia | | NB NS PE | May 2000 |
| $\triangle \leftrightarrow$ Sparrow, "Ipswich" Savannah | Passerculus sandwichensis princeps | | NS | May 2000 |
| Thrush, Bicknell's | Catharus bicknelli | | QC NB NS | Apr 1999 |
| Warbler, Cerulean | Dendroica cerulea | | ON QC | Apr 1993 |
| | Seiurus motacilla | | ON QC | Apr 1996 |
| Woodpecker, Lewis' | Melanerpes lewis | | BC | Apr 1999 |
| Woodpecker, Red-headed | Melanerpes erythrocephalus | | SK MB ON QC | Apr 1996 |
| Reptiles (8) | | | | |
| Lizard, Eastern Short-horned | Phrynosoma douglassii brevirostre | | AB SK | Apr 1992 |
| Racer, Eastern Yellow-bellied | Coluber constrictor flaviventris | | SK | Apr 1991 |
| Skink, Five-lined | Eumeces fasciatus | | ON | Apr 1998 |
| Skink, Northern Prairie | Eumeces septentrionalis | | MB | Apr 1989 |
| Snake, Butler's Garter | septentrionalis Thamnophis butleri | | ON | Apr 1999 |
| Snake, Eastern Hognose | Heterodon platirhinos | | ON | Apr 1997 |
| Turtle, Spotted | Clemmys guttata | | ON QC | Apr 1991 |
| Turtle, Wood | Clemmys insculpta | | ON QC NB NS | Apr 1996 |
| Amphibians (9) | | | | |
| △ Frog, Coast Tailed | Ascaphus truei | | ВС | May 2000 |
| Frog, Northern Leopard | Rana pipiens | Prairie population | AB SK MB | Apr 1998 |
| Frog, Northern Red-legged | Rana aurora | | BC | Apr 1999 |
| Salamander, Coeur d'Alène | Plethodon idahoensis | | BC | Apr 1998 |
| Salamander, Mountain Dusky | Desmognathus ochrophaeus | | QC | Apr 1998 |
| Salamander, Smallmouth | Ambystoma texanum | | ON | Apr 1991 |
| Salamander, Spring | Gyrinophilus porphyriticus | | QC | Apr 1999 |
| Toad, Great Blains | Spea intermontana | | BC AB SK MB | Apr 1998 |
| Toad, Great Plains | Bufo cognatus | | AB SK IVIB | Apr 1999 |
| Fishes (40) | | | | |
| Buffalo, Bigmouth | Ictiobus cyprinellus | | SK MB ON | Apr 1989 |
| Buffalo, Black | Ictiobus niger | | ON MB ON | Apr 1989 |
| | Macrhybopsis storeriana Erimyzon sucetta | | ON | May 2001 Apr 1994 |
| Cisco, Spring | Coregonus sp. | | QC | Apr 1994 Apr 1992 |
| Cod, Atlantic | Gadus morhua | | Atlantic Ocean | Apr 1998 |
| Dace, Redside | Clinostomus elongatus | | ON | Apr 1987 |
| Dace, Speckled | Rhinichthys osculus | | BC | Apr 1980 |
| | | | | |

SPECIAL CONCERN CATEGORY (continued)

| | | OI EOIAE OONOERIN OAT | Lociti (continuca) | | |
|---------------------------------|---|--|--|----------------------|----------------------|
| Fishe | es (cont.) | | | | |
| | Dace, Umatilla | Rhinichthys umatilla | | BC | Apr 1988 |
| | Darter, Greenside | Etheostoma blennioides | | ON | Apr 1990 |
| | Killifish, Banded | Fundulus diaphanus | Newfoundland population | NF | Apr 1989 |
| | Kiyi | Coregonus kiyi | The state of the s | ON | Apr 1988 |
| | Lamprey, Chestnut | Ichthyomyzon castaneus | | SK MB | Apr 1991 |
| | Lamprey, Northern Brook | Ichthyomyzon fossor | | MB ON QC | Apr 1991 |
| Φ | Madtom, Northern | Noturus stigmosus | | ON | Apr 1998 |
| $\triangle \longleftrightarrow$ | Minnow, Pugnose | Opsopoeodus emiliae | | ON | May 2000 |
| | Minnow, Western Silvery | Hybognathus argyritis | | AB | Apr 1997 |
| | Prickleback, Blackline | Acantholumpenus mackayi | | Arctic Ocean | Apr 1989 |
| \leftrightarrow | Redhorse, River | Moxostoma carinatum | | ON QC | Apr 1987 |
| ^ | Sardine, Pacific | Sardinops sagax | | Pacific Ocean BC | Apr 1987 |
| Δ | Sculpin, Columbia Mottled Sculpin, Fourhorn | Cottus bairdi hubbsi Myoxocephalus quadricornis | Freshwater form | NT NU Arctic Islands | May 2000 Apr 1989 |
| | Shiner, Bigmouth | Notropis dorsalis | Freshwater form | MB | Apr 1985 |
| | Shiner, Bridle | Notropis dorsalis Notropis bifrenatus | | ON | Apr 1999 |
| | Shiner, Pugnose | Notropis anogenus | | ON | Apr 1985 |
| | Shiner, Rosyface | Notropis rubellus | Manitoba population | MB | Apr 1994 |
| \leftrightarrow | Shiner, Silver | Notropis photogenis | r in paper | ON | Apr 1987 |
| | Stickleback, Charlotte | Gasterosteus aculeatus | | BC | Apr 1983 |
| | Unarmoured | | | | • |
| | Stickleback, Giant | Gasterosteus sp. | | BC | Apr 1980 |
| | Sturgeon, Green | Acipenser medirostris | | BC | Apr 1987 |
| | Sturgeon, Shortnose | Acipenser brevirostrum | | NB | Apr 1980 |
| | Sturgeon, White | Acipenser transmontanus | | BC | Apr 1990 |
| ← | Sucker, Spotted | Minytrema melanops | | ON | Apr 1994 |
| | Sunfish, Orangespotted | Lepomis humilis | | ON | Apr 1989 |
| | Sunfish, Redbreast | Lepomis auritus | | NB | Apr 1989 |
| ∧ ↔ | Topminnow, Blackstripe | Fundulus notatus | | ON | May 2001 |
| ۵ ۲ | Warmouth | | | ON | Apr 1994 |
| | | Lepomis gulosus | | YT | • |
| ^ | Whitefish, Squanga | Coregonus sp. | | | Apr 1987 |
| Δ | Wolffish, Atlantic | Anarhichas lupus | | North Atlantic Ocean | Nov 2000 |
| | Wolffish, Bering | Anarhichas orientalis | | Arctic Ocean | Apr 1989 |
| Lepid | lopterans (2) | | | | |
| • | Monarch | Danaus plexippus | | BC AB SK MB ON QC | Apr 1997 |
| | | , | | NB NS PE NF | • |
| Δ | Weidemeyer's Admiral | Limenitis weidemeyerii | | AB | May 2000 |
| | • | | | | , |
| Mollu | ISCS (1) | | | | |
| Δ | Oyster, Olympia | Ostrea conchaphila | | BC | Nov 2000 |
| Dlant | s (44) | | | | |
| | • • | Forestone and done and the | | 011 | N 0000 |
| \triangle \downarrow | Ash, Blue | Fraxinus quadrangulata | Dath. and a constation | ON | Nov 2000 |
| | Aster, Bathurst | Symphyotrichum subulatum | Bathurst population | NB | Apr 1992 |
| | Aster, Crooked-stem | Symphyotrichum prenanthoides | | ON | Apr 1999 |
| | Aster, Gulf of St. Lawrence | Symphyotrichum laurentianum | | QC NB PE | Apr 1989 |
| | Aster, Willow | Symphyotrichum praealtum | | ON | Apr 1999 |
| | Bartonia, Branched | Bartonia paniculata ssp. paniculata | | ON | Apr 1992 |
| | Buffalograss | Buchloë dacyloides | | SK MB | Apr 1998 |
| | Bulrush, Long's | Scirpus longii | | NS | Apr 1994 |
| | Columbo, American | Frasera caroliniensis | | ON | Apr 1993 |
| \triangle | Fern, American Hart's-tongue | Asplenium scolopendrium var. | | ON | Nov 2000 |
| | | americanum | | | |
| | Fern, Broad Beech | Phegopteris hexagonoptera | | ON QC | Apr 1983 |
| | Fern, Coastal Wood | Dryopteris arguta | | BC | Apr 1998 |
| | Fleabane, Provancher's | Erigeron philadelphicus ssp. | | QC | Apr 1992 |
| | | provancheri | | · · | |
| | Gentian, Victorin's | Gentianopsis victorinii | | QC | Apr 1987 |
| Δ | Goldenrod, Riddell's | Solidago riddellii | | MB ON | Nov 2000 |
| _ | Goosefoot, Smooth | Chenopodium subglabrum | | AB SK MB | Apr 1992 |
| | | zzpod odogiaoi aiii | | | |
| | | | | | |

SPECIAL CONCERN CATEGORY (continued)

| Plants (cont.) | | | | |
|------------------------------------|-------------------------------------|--------------------|----------|----------------------|
| Green Dragon | Arisaema dracontium | | ON QC | Apr 1984 |
| Hackberry, Dwarf | Celtis tenuifolia | | ON | Apr 1985 |
| Hairgrass, Mackenzie | Deschampsia mackenzieana | | SK | Apr 1999 |
| ↓ Helleborine, Giant | Epipactis gigantea | | BC | Apr 1998 |
| Hop-tree, Common | Ptelea trifoliata | | ON QC | Apr 1984 |
| Hyacinth, Wild | Camassia scilloides | | ON | Apr 1990 |
| | Arnoglossum plantagineum | | ON | Apr 1999 |
| Lilaeopsis | Lilaeopsis chinensis | | NS | Apr 1987 |
| Locoweed, Hare-footed | Oxytropis lagopus | | AB | Apr 1995 |
| Meadowfoam, Macoun's | Limnanthes macounii | | BC | Apr 1988 |
| Milk-vetch, Fernald's | Astragalus robbinsii var. fernaldii | | QC NF | Apr 1997 |
| → Oak, Shumard | Quercus shumardii | | ON | Apr 1999 |
| Orchid, Eastern Prairie Fringed | Platanthera leucophaea | | ON | Apr 1986 |
| △ ⁺ ↓ Pepperbush, Sweet | Clethra alnifolia | | NS | May 2001 |
| Pondweed, Hill's | Potamogeton hillii | | ON | Apr 1986 |
| Quillwort, Bolander's | Isoëtes bolanderi | | AB | Apr 1995 |
| Rose, Climbing Prairie | Rosa setigera | | ON | Apr 1986 |
| Rose-mallow, Swamp | Hibiscus moscheutos | | ON | Apr 1987 |
| Rue-anemone, False | Enemion biternatum | | ON | Apr 1990 |
| Rush, New Jersey | Juncus caesariensis | | NS | Apr 1992 |
| △ Tansy, Floccose | Tanacetum huronense var. | | SK | May 2000 |
| · | floccosum | | | · |
| ↓ Thrift, Athabasca | Armeria maritima ssp. interior | | SK | Apr 1999 |
| Water-hemlock, Victorin's | Cicuta maculata var. victorinii | | QC | Apr 1987 |
| △ Willow, Felt-leaf | Salix silicicola | | NU SK | May 2000 |
| △ Willow, Sand-dune | Salix brachycarpa var. | | SK | May 2000 |
| Short-capsuled | psammophila | | | |
| △ Willow, Turnor's | Salix turnorii | | SK | May 2000 |
| △ Woolly-heads, Tall | Psilocarphus elatior | Prairie population | AB SK | May 2001 |
| △ Yarrow, Large-headed Woolly | Achillea millefolium var. | | SK | May 2000 |
| - | megacephalum | | | |
| Mosses (0) | | | | |
| Lichens (3) | | | | |
| Cryptic Paw | Nephroma occultum | | ВС | Apr 1995 |
| Oldgrowth Specklebelly | Pseudocyphellaria rainierensis | | BC | Apr 1995 Apr 1996 |
| Seaside Bone | Hypogymnia heterophylla | | BC BC | Apr 1996 Apr 1996 |
| Seaside Dulle | r iypogyiiiila ilelelopiiyila | | ьс | Whi 1990 |

List 2. Species examined and designated in the NOT AT RISK category with geographical occurrence and date of last examination (140 species).

| Ma | mr | mals (47) | | | | |
|-------------|-------------------|--|------------------------------|--|--|----------|
| | | Badger <i>taxus</i> subspecies, American | Taxidae taxus taxus | | AB SK MB | May 2000 |
| | \leftrightarrow | Bear, American Black | Ursus americanus | | YT NT NU BC AB SK MB ON QC NB NS NF | Apr 1999 |
| Δ | \leftrightarrow | Caribou, Woodland | Rangifer tarandus caribou | Newfoundland population | NF | May 2000 |
| \triangle | | Caribou, Woodland | Rangifer tarandus caribou | Northern Mountain population | YT NT BC | May 2000 |
| | \leftrightarrow | Cottontail, Nuttall's | Sylvilagus nuttallii pinetis | Prairie population | AB SK | Apr 1994 |
| | | Dolphin, Atlantic White-sided | Lagenorhynchus acutus | | Atlantic Ocean | Apr 1991 |
| | | Dolphin, Bottlenose | Tursiops truncatus | | Atlantic Ocean | Apr 1993 |
| | | Dolphin, Common | Delphinus delphis | | Atlantic Ocean Pacific Ocean | Apr 1991 |
| | | Dolphin, Northern Right Whale | Lissodelphis borealis | | Pacific Ocean | Apr 1990 |
| | | Dolphin, Pacific White-sided | Lagenorhynchus obliquidens | | Pacific Ocean | Apr 1990 |
| | | Dolphin, Risso's | Grampus griseus | | Atlantic Ocean Pacific Ocean | Apr 1990 |
| | | Dolphin, Striped | Stenella coeruleoalba | | Atlantic Ocean Pacific Ocean | Apr 1993 |
| | | Dolphin, White-beaked | Lagenorhynchus albirostris | | North Atlantic Ocean | Apr 1998 |
| | ✓ | Gopher, Plains Pocket | Geomys bursarius | | MB | Apr 1998 |
| Δ | \leftrightarrow | Lynx, Canada | Lynx canadensis | | YT NT NU BC AB SK MB ON QC NB NS NF | May 2001 |
| | \leftrightarrow | Narwhal | Monodon monceros | | Arctic Ocean | Apr 1987 |
| | | Porpoise, Dall's | Phocoenoides dalli | | Pacific Ocean | Apr 1989 |
| | | Sea Lion, California | Zalophus californianus | | Pacific coastal waters | Apr 1987 |
| | | Sea Lion, Steller | Eumetopias jubatus | | Pacific coastal waters | Apr 1987 |
| | | Seal, Bearded | Erignathus barbatus | | Arctic and Atlantic coastal waters | Apr 1994 |
| | | Seal, Grey | Halichoerus grypus | | Atlantic coastal waters | Apr 1999 |
| | | Seal, Harbour | Phoca vitulina richardsi | | Pacific coastal waters | Apr 1999 |
| | | Seal, Hooded | Cystophora cristata | | Atlantic coastal waters | Apr 1986 |
| | | Seal, Northern Elephant | Mirounga angustirostris | | Pacific coastal waters | Apr 1986 |
| | | Seal, Northern Fur | Callorhinus ursinus | | Pacific coastal waters | Apr 1996 |
| | | Seal, Ringed | Phoca hispida | | Arctic and Atlantic coastal waters | Apr 1989 |
| | | Squirrel, Cascade Mantled Ground | Spermophilus saturatus | | BC | Apr 1992 |
| | | Squirrel, Fox | Sciurus niger | | MB ON | Apr 1979 |
| | | Walrus, Atlantic | Odobenus rosmarus rosmarus | Eastern Arctic population | Arctic Ocean | Apr 1987 |
| | ✓ | Weasel, Long-tailed | Mustela frenata longicauda | Prairie population | AB SK MB | Apr 1993 |
| | | Whale, Baird's Beaked | Berardius bairdii | | Pacific Ocean | Apr 1992 |
| | | Whale, Beluga | Delphinapterus leucas | Beaufort Sea / Arctic Ocean population | Arctic Ocean | Apr 1985 |
| | | Whale, Beluga | Delphinapterus leucas | Western Hudson Bay population | Arctic Ocean | Apr 1993 |
| | | Whale, Blainville's Beaked | Mesoplodon densirostris | | Atlantic Ocean | Apr 1989 |
| | | Whale, Cuvier's Beaked | Ziphius cavirostris | | Atlantic Ocean Pacific Ocean | Apr 1990 |
| | | Whale, False Killer | Pseudorca crassidens | | Pacific Ocean | Apr 1990 |
| | | Whale, Grey | Eschrichtius robustus | Northeast Pacific population | Pacific Ocean | Apr 1987 |
| | | Whale, Hubb's Beaked | Mesoplodon carlhubbsi | | Pacific Ocean | Apr 1989 |
| | | Whale, Long-finned Pilot | Globicephala melas | | Atlantic Ocean | Apr 1994 |
| | | Whale, Northern Bottlenose | Hyperoodon ampullatus | | Atlantic Ocean | Apr 1993 |
| | | Whale, Pygmy Sperm | Kogia breviceps | | Atlantic Ocean Pacific Ocean | Apr 1994 |
| | | Whale, Short-finned Pilot | Globicephala macrorhynchus | | Pacific Ocean | Apr 1993 |

NOT AT RISK CATEGORY (continued)

| NOT AT RISK CATEGORY (continued) | | | | | |
|----------------------------------|--|---|--------------------|--|--|
| Mamr | nals (cont.) Whale, Sperm Whale, Stejneger's Beaked Whale, True's Beaked Wolf, Northern Grey | Physeter macrocephalus Mesoplodon stejneri Mesoplodon mirus Canis lupus occidentalis | | Atlantic Ocean Pacific Ocean Pacific Ocean Atlantic Ocean YT NT NU BC AB SK | Apr 1996 Apr 1989 Apr 1989 Apr 1999 |
| | Wolf, Southern Grey | Canis lupus nubilus | | MB ON QC NF BC | Apr 1999 |
| Birds | (35) | | | | |
| _ | Bluebird, Eastern | Sialia sialis | | AB SK MB ON QC NB NS PE | Apr 1006 |
| | Chat, Western Yellow-breasted | Icteria virens auricollis | Prairie population | AB SK | Nov 2000 |
| ۵۰۰ | Coot, American | Fulica americana | i raine population | YT NT NU BC AB SK | Apr 1991 |
| | Coot, American | r unca arrierrearia | | MB ON QC NB NS | Apr 1551 |
| | Cormorant, Double-crested | Phalocrocorax auritus | | YT NT BC AB SK MB ON QC NB NS PE NF | Apr 1978 |
| | Crane, Greater Sandhill | Grus canadensis tabida | | BC MB ON | Apr 1979 |
| | Eagle, Bald | Haliaeetus leucocephalus | | YT NT NU BC AB SK | Apr 1984 |
| \leftrightarrow | Eagle, Golden | Aquila chrysaetos | | MB ON QC NB NS PE NF YT NT NU BC AB SK MB ON QC NF | Apr 1996 |
| \leftrightarrow | Falcon, Prairie | Falco mexicanus | | BC AB SK | Apr 1996 |
| | Flycatcher, Grey | Empidonax wrightii | | BC | Apr 1992 |
| | Goshawk, Northern | Accipiter gentilis atricapillus | | YT NT NU BC AB SK | Apr 1995 |
| | | , , , | | MB ON QC NB NS PE NF | · |
| | Grebe, Red-necked | Podiceps grisegena | | YT NT NU BC AB SK | Apr 1982 |
| | | | | MB ON QC NS NF | |
| \leftrightarrow | Gyrfalcon | Falco rusticolus | | YT NT NU BC AB SK | Apr 1987 |
| | Harrier, Northern | Circus cyaneus | | ON QC NS PE NF YT NT NU BC AB SK | Apr 1993 |
| ✓ | Hawk, Cooper's | Accipiter cooperii | | MB ON QC NB NS PE NF BC AB SK MB ON QC NB NS | Apr 1996 |
| | Hawk, Red-tailed | Buteo jamaicensis | | YT NT NU BC AB SK MB ON QC NB NS PE NF | Apr 1995 |
| | Hawk, Rough-legged | Buteo lagopus | | YT NT NU BC MB ON QC NF | Apr 1995 |
| \leftrightarrow | Hawk, Sharp-shinned | Accipiter striatus | | YT NT NU BC AB SK | Apr 1997 |
| | Loon, Common | Gavia immer | | MB ON QC NB NS PE NF YT NT NU BC AB SK MB ON QC NB NS PE NF | Apr 1997 |
| | Loon, Yellow-billed | Gavia adamsii | | YT NT NU BC AB MB QC | Apr 1997 |
| | Merlin | Falco columbarius | | YT NT NU BC AB SK | Apr 1985 |
| | Owl, Boreal | Aegolius funereus | | MB ON QC NB NS PE NF YT NT NU BC AB SK MB ON QC NB NS PE NF | Apr 1995 |
| ./ | Owl, Great Grey | Strix nebulosa | | YT NT BC AB SK MB ON QC | Anr 1996 |
| • | Owl, Northern Hawk | Surnia ulula | | YT NT BC AB SK MB | Apr 1992 |
| | Swi, Northern Flawk | Garriia aiaia | | ON QC NB NF | 71pi 1002 |
| | Owl, Snowy | Nyctea scandiaca | | YT NT NU MB QC NF | Apr 1995 |
| ✓ | Pelican, American White | Pelecanus erythrorhynchos | | BC AB SK MB ON | Apr 1987 |
| | Screech-Owl, Eastern | Otus asio | | SK MB ON QC NB | Apr 1986 |
| ✓ | Sparrow, Baird's | Ammodramus bairdii | | AB SK MB | Apr 1996 |
| | Sparrow, Nelson's Sharp-tailed | Ammodramus nelsoni | | BC AB SK MB ON QC NB NS PE | Apr 1998 |
| | Swan, Trumpeter | Cygnus buccinator | | YT NT BC AB SK ON | Apr 1996 |
| \leftrightarrow | Tern, Black | Chlidonias niger | | NT BC AB SK MB ON | Apr 1996 |
| , | T 0 : | | | QC NB NS | A 4000 |
| ✓ | Tern, Caspian Tern, Common | Sterna caspia Sterna hirundo | | NT AB SK MB ON QC | Apr 1999 Apr 1998 |
| | | | | NB NS PE NF | |

NOT AT RISK CATEGORY (continued)

| Rirds (cont) | |
|---|----------------------|
| Birds (cont.) | Ann 1000 |
| ✓ Warbler, Prairie Dendroica discolor ON | Apr 1999 |
| Wren, Canyon Catherpes mexicanus BC | Apr 1992 |
| Wren, Sedge Cistothorus platensis AB SK MB ON QC NB | Apr 1993 |
| Reptiles (1) Racer, Western Yellow-bellied Coluber constrictor mormon BC | Apr 1991 |
| | 7 pr 100 r |
| Amphibians (10) | A == 4000 |
| Ensatina Ensatina eschscholtzii BC | Apr 1999 |
| △ Frog, Columbia Spotted Rana luteiventris YT BC AB | May 2000 |
| Frog, Northern Leopard Rana pipiens Eastern population ON QC NB NS NF | Apr 1999 |
| Frog, Pickerel Rana palustris ON QC NB NS △ Frog. Western Chorus Pseudacris triseriata ON QC ON QC | Apr 1999 |
| △ Frog, Western Chorus | May 2001 May 2000 |
| Salamander, Four-toed Hemidactylium scutatum ON QC NB NS | Apr 1999 |
| Salamander, Northern Dusky Desmognathus fuscus ON QC NB NS ON QC NB | Apr 1999 Apr 1999 |
| Salamander, Northwestern Ambystoma gracile BC | Apr 1999 Apr 1999 |
| Treefrog, Cope's Grey Hyla chrysoscelis MB | Apr 1999 Apr 1999 |
| | Арі 1999 |
| Fishes (31) | 4 4000 |
| Bloater Coregonus hoyi ON | Apr 1988 |
| Chub, Hornyhead Nocomis biguttatus MB ON | Apr 1988 |
| Chub, River Nocomis micropogon ON | Apr 1988 |
| Dace, Leopard Rhinichthys falcatus BC | Apr 1990 |
| Darter, Least Etheostoma microperca ON Darter. River Percina shumardi MB ON | Apr 1989 |
| | Apr 1989 |
| Darter, Tessellated Ethoestoma olmstedi ON QC Herring, Blueback Alosa aestivalis NB NS | Apr 1993 |
| Herring, Blueback Alosa aestivalis NB NS Killifish, Banded Fundulus diaphanus Mainland population MB ON QC NB NS PE | Apr 1980 Apr 1989 |
| NF | Apr 1909 |
| △ ✓ Madtom, Brindled Noturus miurus ON | May 2001 |
| Minnow, Bluntnose Pimephales notatus MB ON QC | Apr 1998 |
| Minnow, Cutlips Exoglossum maxillingua ON QC | Apr 1994 |
| Minnow, Eastern Silvery Hybognathus regius ON QC | Apr 1997 |
| Pickerel, Chain Esox niger QC NB NS | Apr 1997 |
| Pickerel, Redfin Esox americanus americanus QC | Apr 1998 |
| Redhorse, Golden Moxostoma erythrurum MB ON | Apr 1989 |
| Sculpin, Fourhorn Myoxocephalus quadricornis Salt water form Arctic Ocean Atlantic Ocean Pacific Ocean | Apr 1989 |
| Sculpin, Spoonhead Cottus ricei YT NT BC AB SK MB | Apr 1989 |
| ON QC | P |
| Shiner, Blackchin Notropis heterodon MB ON QC | Apr 1994 |
| Shiner, Ghost Notropis buchanani ON | Apr 1993 |
| Shiner, Redfin Lythrurus umbratilis ON | Apr 1988 |
| Shiner, Rosyface Notropis rubellus ON QC | Apr 1994 |
| Shiner, Striped Luxilus chrysocephalus ON | Apr 1993 |
| Shiner, Weed Notropis texanus MB | Apr 1999 |
| Silverside, Brook Labidesthes sicculus ON QC | Apr 1989 |
| √ Stoneroller, Central Campostoma anomalum ON | Apr 1998 |
| Sturgeon, Lake Acipenser fulvescens AB SK MB ON QC | Apr 1986 |
| Sucker, Mountain Catostomus platyrhynchus BC AB SK | Apr 1991 |
| Sunfish, Green Lepomis cyanellus ON | Apr 1987 |
| Sunfish, Longear Lepomis megalotis ON QC | Apr 1987 |
| Y-Prickleback Allolumpenus hypochromus BC | Apr 1991 |

NOT AT RISK CATEGORY (continued)

Lepidopterans (0)

Molluscs (0)

| P | lants | (16) | |
|---|-------|------|--|
| Г | เฉมเจ | (10) | |

| nt | S (16) | | | |
|----|----------------------------|-------------------------------------|----------|----------|
| | Aster, Short's | Symphyotrichum shortii | ON | Apr 1999 |
| | Aster, Yukon | Symphyotrichum yukonense | YT NT | Apr 1996 |
| | Brickellia, Large-flowered | Brickellia grandiflora | BC AB | Apr 1996 |
| | Fameflower | Talinum sediforme | BC | Apr 1990 |
| | Fleabane, Dwarf | Erigeron radicatus | AB SK | Apr 1996 |
| | Goldenweed, Northern Mock | Stenotus borealis | YT | Apr 1997 |
| | Mermaid, False | Floerkea proserpinacoides | ON QC NS | Apr 1984 |
| | Phlox, Blue | Phlox alyssifolia | AB SK | Apr 1996 |
| | Rhododendron, Pacific | Rhododendron macrophyllum | BC | Apr 1997 |
| | Rush, Pink | Stephanomeria runcinata | AB SK | Apr 1996 |
| | Sagebrush, Wood's | Artemisia rupestris ssp. woodii | YT | Apr 1997 |
| | Sedge, Nebraska | Carex nebrascensis | AB | Apr 1995 |
| | Stitchwort, Sand | Stellaria arenicola | AB SK | Apr 1992 |
| | Wallflower, Narrow-leaved | Erysimum angustatum | YT | Apr 1993 |
| / | Willow, Tyrrell's | Salix tyrrellii | SK | Apr 1999 |
| | Wooly-heads, Slender | Psilocarphus tenellus var. tenellus | BC | Apr 1996 |
| | | | | |

Mosses (0)

Lichens (0)

List 3. Species examined and designated in the DATA DEFICIENT category because of insufficient scientific information, with geographic occurrence and date of last examination (23 species).

| Mamr | mals (8) | | | | | |
|--------------|--|---|--|---|--|--|
| ٥ | Cougar Mouse, Western Harvest Porpoise, Harbour Seal, Harbour | Puma concolor couguar Reithrodontomys megalotis dychei Phocoena phocoena Phoca vitulina concolor | Eastern population Prairie population Pacific Ocean population | ON QC NB NS AB Pacific Ocean Atlantic and Arctic coastal waters | Apr 1998 Apr 1994 Apr 1991 Apr 1999 | |
| | Vole, Sagebrush Whale, Dwarf Sperm Whale, Killer | Lemmiscus curtatus Kogia simus Orcinus orca | North Atlantic and Arctic populations | AB SK Pacific Ocean Arctic Ocean Atlantic Ocean | Apr 1996 Apr 1997 Apr 1999 | |
| Birds | Wolf, Arctic Grey (3) Poorwill, Common | Canis lupus arctos Phalaenoptilus nuttallii | | NT NU BC AB SK | Apr 1999 Apr 1993 | |
| D | Screech-Owl, Western Tern, Forster's | Otus kennicottii Sterna forsteri | | BC BC AB SK MB ON | Apr 1995 Apr 1996 | |
| Reptiles (0) | | | | | | |
| Fishe △ ↔ | \$ (7) Catfish, Flathead Chiselmouth Cisco, Bering Lamprey, Darktail Poacher, Pixie Sculpin, Spinynose Whitefish, Lake | Pylodictis olivaris Acrocheilus alutaceus Coregonus laurettae Lethenteron alaskense Occella impi Asemichthys taylori Coregonus clupeaformis | Mira River population | ON BC YT NT BC Pacific coast NS | Apr 1993 Apr 1997 Apr 1990 Apr 1990 Apr 1991 Apr 1997 Nov 2000 | |
| Lepid | opterans (0) | | | | | |
| Mollu | scs (1) Snail, Gatineau Tadpole | Physella parkeri latchfordi | | QC | Apr 1997 | |
| Plants | s (4) Barley, Little Goldenweed, Rabbit-brush Pinweed, Impoverished Whitlow-grass, Kananaskis | Hordeum pusillum Ericameria bloomeri Lechea intermedia var. depauperata Draba kananaskis | | AB BC SK AB | Apr 1993 Apr 1997 Apr 1997 Apr 1992 | |

Mosses (0)

Lichens (0)

RECORD OF STATUS RE-EXAMINATIONS

Acadian Flycatcher

Designated Endangered in April 1994. Status re-examined and confirmed in November 2000.

American Badger

Designated Not at Risk in April 1979. Original Canada-wide listing de-activated in May 2000 when the American Badger was split according to subspecies.

American Black Bear

Designated Not at Risk in April 1998. Status re-examined and confirmed in April 1999.

American Ginseng

Designated Threatened in April 1988. Status re-examined and uplisted to Endangered in April 1999. Status re-examined and confirmed Endangered in May 2000.

American Marten (Newfoundland population)

Designated Not at Risk in April 1979. Status re-examined and uplisted to Threatened in April 1986. Status re-examined and uplisted to Endangered in April 1996. Status re-examined and confirmed Endangered in May 2000.

American Water-willow

Designated Threatened in April 1984. Status re-examined and confirmed in May 2000.

American White Pelican

Designated Threatened in April 1978. Status re-examined and de-listed (Not at Risk) in April 1987.

Anatum Peregrine Falcon

Designated Endangered in April 1978. Status re-examined and downlisted to Threatened in April 1999. Status re-assessed and confirmed Threatened in May 2000.

Anticosti Aster

Designated Threatened in April 1990. Status re-examined and confirmed in May 2000.

Apple Moss

Designated Threatened in April 1997. Status re-examined and uplisted to Endangered in May 2000.

Athabasca Thrift

Designated Threatened in April 1981. Status re-examined and downlisted to Special Concern in April 1999.

Atlantic Walrus (Northwest Atlantic population)

Extirpated around 1850. Designated Extirpated in April 1987. Status confirmed in May 2000.

Atlantic Whitefish

Designated Endangered in April 1984. Status re-examined and confirmed in November 2000.

Aurora Trout

Designated Endangered in April 1987. Status re-examined and confirmed in May 2000.

Baird's Sparrow

Designated Threatened in April 1989. Status re-examined and de-listed (Not at Risk) in April 1996.

Banff Longnose Dace

Extinct since 1986. Designated Extinct in April 1987. Status confirmed in May 2000.

Banff Springs Snail

Designated Threatened in April 1997. Status re-examined and uplisted to Endangered in May 2000.

Barn Owl

Canadian range was considered as a whole when the Barn Owl was designated as Special Concern in April 1984. In April 1999, COSEWIC assessed the Western and Eastern populations of this species separately. The original listing for the Canadian range of the Barn Owl was de-activated.

Barn Owl (Eastern population)

Canadian range was considered as a whole when the Barn Owl was designated as Special Concern in April 1984. In April 1999, COSEWIC assessed the Western and Eastern populations of this species separately. The Eastern population was designated Endangered. Status re-examined and confirmed in May 2000.

Bashful Bulrush

Designated Special Concern in April 1986. Status re-examined and uplisted to Endangered in May 2000.

Bearded Owl-clover

Designated Endangered in April 1998. Status re-examined and confirmed in May 2000.

Beluga Whale (St. Lawrence River population)

Designated Endangered in April 1983. Status re-examined and confirmed in April 1997.

Benthic Hadley Lake Stickleback

Extinct in 1999. Designated Extinct in April 1999. Status confirmed in May 2000.

Benthic Paxton Lake Stickleback

Designated Threatened in April 1998. Status re-examined and confirmed in April 1999. Status re-examined and uplisted to Endangered in May 2000.

Benthic Vananda Creek Stickleback

Designated Threatened in April 1999. Status re-examined and uplisted to Endangered in May 2000.

Black Rat Snake

Designated Threatened in April 1998. Status re-examined and confirmed in May 2000.

Black Tern

Designated Not at Risk in April 1988. Status re-examined and confirmed in April 1996.

Black-footed Ferret

Extirpated by 1974. Designated Extirpated in April 1978. Status confirmed in May 2000.

Black-tailed Prairie Dog

Designated Special Concern in April 1978. Status re-examined and confirmed Special Concern in April 1988, April 1999 and in November 2000.

Blackstripe Topminnow

Designated Special Concern in April 1985. Status re-examined and confirmed in May 2001.

Blue Ash

Designated Threatened in April 1983. Status re-examined and downlisted to Special Concern in November 2000.

Blue Walleye

Extinct since 1965. Designated Extinct in April 1985. Status confirmed in May 2000.

Blue-eyed Mary

No site records since 1954. Designated Extirpated in April 1987. Extirpated status confirmed in May 2000.

Bluehearts

Designated Threatened in April 1985. Status re-examined and uplisted to Endangered in April 1998. Status re-examined and confirmed in May 2000.

Blunt-lobed Woodsia

Designated Threatened in April 1994. Status re-examined and uplisted to Endangered in May 2000.

Bowhead Whale (Eastern and Western Arctic Populations)

Designated Endangered in April 1980. Split into two populations (Eastern Arctic and Western Arctic) to allow a separate designation for the Western Arctic population in April 1986. Original listing was de-activated.

Brindled Madtom

Designated Special Concern in April 1985. Status re-examined and de-listed (Not at Risk) in May 2001.

Burrowing Owl

Designated Threatened in April 1979. Status re-examined and confirmed in April 1991. Status re-examined and uplisted to Endangered in April 1995. Status re-examined and confirmed Endangered in May 2000.

Canada Lynx

Designated Not at Risk in April 1989. Status re-examined and confirmed in May 2001.

Caspian Tern

Designated Special Concern in April 1978. Status re-examined and de-listed (Not at Risk) in April 1999.

Central Stoneroller

Designated Special Concern in 1985. Status re-examined and de-listed (Not at Risk) in 1998.

Colicroot

Designated Threatened in April 1988. Status re-examined and confirmed in November 2000.

Cooper's Hawk

Designated Special Concern in April 1983. Status re-examined and de-listed (Not at Risk) in April 1996.

Cougar (Eastern population)

Designated Endangered in April 1978. Status re-examined in April 1998 and designated Data Deficient.

Cowichan Lake Lamprey

Designated Special Concern in April 1986. Status re-examined and confirmed in April 1998. Status re-examined and uplisted to Threatened in November 2000.

Cucumber Tree

Designated Endangered in April 1984. Status re-examined and confirmed Endangered in April 1999 and in May 2000.

Cultus Pygmy Sculpin

Designated Special Concern in April 1997. Status re-examined and uplisted to Threatened in November 2000.

Deepwater Cisco

Extinct since 1952. Designated Extinct in April 1988. Status confirmed in May 2000.

Deerberry

Designated Threatened in April 1994. Status re-examined and confirmed in November 2000.

Deltoid Balsamroot

Designated in April 1996 Endangered. Status re-examined and confirmed Endangered in May 2000.

Dense Blazing Star

Designated Special Concern in April 1988. Status re-examined and uplisted to Threatened in May 2001.

Drooping Trillium

Designated Endangered in April 1996. Status re-assessed and confirmed in May 2000.

Dwarf Wedgemussel

Extirpated by 1968. Designated Extirpated in April 1999. Status confirmed in May 2000.

Eastern Bluebird

Designated Special Concern in April 1984. Status re-examined and de-listed (Not at Risk) in April 1996.

Eastern Fox Snake

Designated Threatened in April 1999. Status re-examined and confirmed in May 2000.

Eastern Loggerhead Shrike

Entire Canadian range designated as Threatened in April 1986. Split according to subspecies in April 1991. The *migrans* subspecies was uplisted to Endangered in April 1991. Status re-examined and confirmed in November 2000.

Eastern Mole

Designated Special Concern in April 1980. Status re-examined and confirmed Special Concern in April 1998 and in November 2000.

Eastern Mountain Avens

Designated Endangered in April 1986. Status re-examined and confirmed Endangered in April 1999 and May 2000.

Eastern Prickly Pear Cactus

Designated Endangered in April 1985. Status re-examined and confirmed Endangered in April 1998 and in May 2000.

Eastern Sand Darter

Designated Threatened in April 1994. Status re-examined and confirmed in November 2000.

Eastern Wolf

Designated Data Deficient in April 1999. Status re-examined in May 2001 and designated Special Concern.

Eastern Yellow-breasted Chat

Designated Special Concern in April 1994. Status re-examined and confirmed in November 2000.

Eelgrass Limpet

Extinct since 1929. Designated Extinct in April 1996. Status re-examined and confirmed in May 2000.

Engelmann's Quillwort

Designated Endangered in April 1992. Status re-examined and confirmed in May 2001.

Ermine haidarum subspecies

Designated Special Concern in April 1984. Status re-examined and uplisted to Threatened in May 2001.

Eskimo Curlew

Designated Endangered in April 1978. Status re-examined and confirmed Endangered in May 2000.

False Hop Sedge

Designated Threatened in April 1997. Status re-examined and uplisted to Endangered in May 2000.

Fernald's Braya

Designated Threatened in April 1997. Status re-examined and confirmed in May 2000.

Ferruginous Hawk

Designated Threatened in April 1980. Status re-examined and downlisted to Special Concern in April 1995.

Flammulated Owl

Designated Special Concern in April 1988. Status re-examined and confirmed Special Concern in April 1999.

Fowler's Toad

Designated Special Concern in April 1986. Status re-examined and uplisted to Threatened in April 1999. Status re-examined and confirmed in November 2000.

Frosted Elfin

Extirpated by 1988. Designated Extirpated in April 1999. Status confirmed in May 2000.

Furbish's Lousewort

Designated Endangered in April 1980. Status re-examined and confirmed Endangered in April 1998 and in May 2000.

Gattinger's Agalinis

Designated Endangered in April 1988. Status re-examined and confirmed in April 1999 and in May 2001.

Giant Helleborine

Designated Threatened in April 1984. Status re-examined and downlisted to Special Concern in April 1998.

Golden Crest

Designated Threatened in April 1987. Status re-examined and confirmed Threatened in April 1999 and in May 2000.

Golden Eagle

Designated Not at Risk in April 1987. Status re-examined and confirmed in April 1996.

Golden Paintbrush

Designated Threatened in April 1995. Status re-examined and uplisted to Endangered in May 2000.

Goldenseal

Designated Threatened in April 1991. Status re-examined and confirmed in May 2000.

Gravel Chub

Last recorded in Thames River drainage, ON in 1958. Designated Endangered in April 1985. Status re-examined and uplisted to Extirpated in April 1987. Extirpated status confirmed in May 2000.

Great Auk

Believed to be Extinct since 1844. Designated in April 1985 based on historic records only. Status report prepared and approved by COSEWIC in 1994. Status confirmed in May 2000.

Great Grey Owl

Designated Special Concern in April 1979. Status re-examined and confirmed in April 1990. Status re-examined and de-listed (Not at Risk) in April 1996.

Greater Prairie-Chicken

Last reported in 1987. Designated Endangered in April 1978. Status re-examined and uplisted to Extirpated in April 1990. Status re-confirmed in May 2000.

Grey Whale (Atlantic population)

Extirpated before the end of the 1800's. Designated Extirpated in April 1987. Status confirmed in May 2000.

Grizzly Bear (Prairie population)

Canadian range considered as one population and designated Not at Risk in April 1979. Split into two populations in April 1991 (Prairie population and [non-prairie population]). Prairie population designated Extirpated in April 1991. The species disappeared from the prairies in the 1880s. Status confirmed in May 2000.

Grizzly Bear

Canadian range considered as one population and designated Not at Risk in April 1979. Split into two populations in April 1991 (Prairie population and [non-prairie population]). Original listing for "Grizzly Bear" across Canada de-activated.

Gyrfalcon

Designated Not at Risk in April 1978. Status re-examined and confirmed in April 1987.

Hairy Prairie-clover

Designated Threatened in April 1998. Status re-examined and confirmed in May 2000.

Harbour Porpoise (Northwest Atlantic population)

Designated Threatened in April 1990. Status re-examined and confirmed in April 1991.

Harlequin Duck (Eastern population)

The Eastern population was designated Endangered in April 1990. Status reexamined and downlisted to Special Concern in May 2001.

Heart-leaved Plantain

Designated Endangered in April 1985. Status re-examined and confirmed Endangered in April 1998 and in May 2000.

Henslow's Sparrow

Designated Threatened in April 1984. Status re-examined and uplisted to Endangered in April 1993. Status re-examined and confirmed in November 2000.

Hoary Mountain-mint

Designated Endangered in April 1986. Status re-examined and confirmed Endangered in April 1998 and in May 2000.

Hooded Warbler

Designated Threatened in April 1994. Status re-examined and confirmed in November 2000.

Hotwater Physa

Designated Endangered in April 1998. Status re-examined and confirmed in May 2000.

Humpback Whale (Western North Atlantic and North Pacific populations)

The "Western North Atlantic and North Pacific populations" were given a single designation of Threatened in April 1982. Split into two populations in April 1985 (Western North Atlantic population and North Pacific population). Original listing was de-activated.

Illinois Tick-trefoil

No site records since 1888. Designated Extirpated in April 1991. Extirpated status confirmed in May 2000.

"Ipswich" Savannah Sparrow

Designated Special Concern in April 1979. Status re-examined and confirmed Special Concern in May 2000.

Island Marble

Extirpated by 1910. Designated Extirpated in April 1999. Status confirmed in May 2000.

Ivory Gull

Designated Special Concern in April 1979. Status re-examined and confirmed in April 1996.

Juniper Sedge

Designated Endangered in April 1999. Status re-examined and confirmed in May 2000.

Karner Blue

Has not been observed since 1991. Designated Extirpated in April 1997. Extirpated status confirmed in May 2000.

Kentucky Coffee-tree

Designated Threatened in April 1983. Status re-examined and confirmed in November 2000.

King Rail

Designated Special Concern in April 1985. Status re-examined and uplisted to Endangered in April 1994. Status re-examined and confirmed in November 2000.

Kirtland's Warbler

Designated Endangered in April 1979. Status re-examined and confirmed in April 1999 and in May 2000.

Labrador Duck

Believed to be Extinct since 1875. Designated in April 1985 based on historic records only. Status report prepared and approved by COSEWIC in 1994. Status confirmed in May 2000.

Lake Utopia Dwarf Smelt

Designated Threatened in April 1998. Status re-examined and confirmed in May 2000.

Lake Whitefish (Mira River population)

Designated Data Deficient in April 1999 and in November 2000.

Large Whorled Pogonia

Designated Endangered in April 1986. Status re-examined and confirmed Endangered in April 1998 and in May 2000.

Least Bittern

Designated Special Concern in April 1988. Status re-examined and confirmed in April 1999.

Leatherback Turtle

Designated Endangered in April 1981. Status re-examined and confirmed in May 2001.

Limnetic Hadley Lake Stickleback

Extinct in 1999. Designated Extinct in April 1999. Status confirmed in May 2000.

Limnetic Paxton Lake Stickleback

Designated Threatened in April 1998. Status re-examined and confirmed in April 1999. Status re-examined and uplisted to Endangered in May 2000.

Limnetic Vananda Creek Stickleback

Designated Threatened in April 1999. Status re-examined and uplisted to Endangered in May 2000.

Loggerhead Shrike

Entire Canadian range was designated as Threatened in April 1986. The *excubitorides* and the *migrans* subspecies were designated separately in April 1991, and the original listing was de-activated.

Long's Braya

Designated Endangered in April 1997. Status re-examined and confirmed in May 2000.

Long-tailed Weasel (Prairie population)

Designated Threatened in April 1982. Status re-examined and de-listed (Not at Risk) in April 1993.

Longjaw Cisco

Extinct since 1975. Designated Extinct in April 1985. Status confirmed in May 2000.

Louisiana Waterthrush

Designated Special Concern in April 1991. Status re-examined and confirmed in April 1996.

Marbled Murrelet

Designated Threatened in April 1990. Status re-examined and confirmed in November 2000.

Maritime Ringlet

Designated Endangered in April 1997. Status re-examined and confirmed in May 2000.

Mexican Mosquito Fern

Designated Threatened in April 1984. Status re-examined and confirmed in April 1998 and in May 2000.

Morrison Creek Lamprey

Designated Threatened in April 1999. Status re-examined and uplisted to Endangered in May 2000.

Mountain Beaver

Designated Not at Risk in April 1984. Status re-examined and uplisted to Special Concern in April 1999.

Mountain Plover

Designated Endangered in April 1987. Status re-examined and confirmed November 2000.

Narwhal

Designated Not at Risk in April 1986. Status re-examined and confirmed in April 1987.

Nodding Pogonia

Designated Threatened in April 1988. Status re-examined and uplisted to Endangered in April 1999. Status re-examined and confirmed Endangered in May 2000.

Nooksack Dace

Designated Endangered in April 1996. Status re-examined and confirmed in May 2000.

Northern Abalone

Designated Threatened in April 1999. Status re-examined and confirmed in May 2000.

Northern Cricket Frog

Designated Endangered in April 1990. Status re-examined and confirmed in May 2001.

Northern Leopard Frog (Southern Mountain population)

Designated Endangered in April 1998. Status re-examined and confirmed in May 2000.

Northern Madtom

Examined in April 1993 and placed in the Data Deficient category. Re-examined in April 1998 and designated Special Concern.

Northern Riffleshell

Designated Endangered in April 1999. Status re-examined and confirmed in May 2000.

Northern Spotted Owl

Designated Endangered in April 1986. Status re-examined and confirmed in April 1999 and in May 2000.

Nuttall's Cottontail (Prairie population)

Designated Not at Risk in 1994. Status re-examined and confirmed in April 1994.

Oregon Spotted Frog

Designated Endangered in an emergency listing in November 1999. Status reexamined and confirmed in May 2000.

Pacific Giant Salamander

Designated Special Concern in April 1989. Status re-examined and uplisted to Threatened in November 2000.

Pacific Water Shrew

Designated Threatened in April 1994. Status re-examined and confirmed Threatened in May 2000.

Paddlefish

Disappeared from Canada in approximately 1917. Designated Extirpated in April 1987. Status confirmed in May 2000.

Pallid Bat

Designated Special Concern in April 1988. Status re-examined and uplisted to Threatened in May 2000.

Passenger Pigeon

Believed to be Extinct since 1914. Designated in April 1985 based on historic records only. Status report prepared and approved by COSEWIC in 1994. Status confirmed in May 2000.

Peale's Peregrine Falcon

Designated Special Concern in April 1978. Status re-examined and confirmed in April 1999.

Peary Caribou

The Canadian range of the Peary Caribou was considered as a whole in April 1979 and designated Threatened. In April 1991, the population was split to allow designation of three separate populations (Banks Island, High Arctic and Low Arctic populations). The original listing was de-activated.

Phantom Orchid

Designated Special Concern in April 1992. Status re-examined and uplisted to Threatened in May 2000.

Pink Coreopsis

Designated Endangered in April 1984. Status re-examined and confirmed Endangered in April 1999 and in May 2000.

Pink Milkwort

Designated Endangered in April 1984. Status re-examined and confirmed Endangered in April 1998 and in May 2000.

Piping Plover

Entire Canadian population designated Threatened in April 1978. Status re-examined and uplisted to Endangered in April 1985. In May 2001, the species was re-examined and split into two groups according to subspecies. The *melodus* subspecies and *circumcinctus* subspecies were each was designated Endangered in May 2001. The original listing for the entire Canadian population was de-activated.

Pitcher's Thistle

Designated Threatened in April 1988. Status re-examined and uplisted to Endangered in April 1999. Status re-examined and confirmed Endangered in May 2000.

Plains Pocket Gopher

Designated Special Concern in April 1979. Status re-examined and de-listed (Not at Risk) in April 1998.

Plymouth Gentian

Designated Threatened in April 1984. Status re-examined and confirmed in April 1999 and in May 2000.

Polar Bear

Designated Not at Risk in April 1986. Status re-examined and uplisted to Special Concern in April 1991. Status re-examined and confirmed as Special Concern in April 1999.

Prairie Falcon

Designated Not at Risk in April 1978. Status re-examined and confirmed in April 1982 and in April 1996.

Prairie Lupine

Designated Endangered in April 1996. Status re-examined and confirmed in May 2000.

Prairie Warbler

Designated Special Concern in April 1985. Status re-examined and de-listed (Not at Risk) in April 1999.

Prothonotary Warbler

Designated Special Concern in April 1984. Status re-examined and uplisted to Endangered in April 1996. Status re-examined and confirmed in May 2000.

Pugnose Minnow

Designated Special Concern in April 1985. Status re-examined and confirmed in May 2000.

Purple Twayblade

Designated Threatened in April 1989. Status re-examined and uplisted to Endangered in April 1999. Status re-examined and confirmed as Endangered in May 2001.

Pygmy Short-horned Lizard (British Columbia population)

Last reported in 1898. Designated Extirpated in April 1992. Status confirmed in May 2000.

Queen Charlotte Goshawk

Designated Special Concern in April 1995. Status re-examined and uplisted to Threatened in November 2000.

Queen Snake

Designated Threatened in April 1999. Status re-examined and confirmed in May 2000.

Raved Bean

Designated Endangered in April 1999. Status re-examined and confirmed in May 2000.

Red Mulberry

Designated Threatened in April 1987. Status re-examined and uplisted to Endangered in April 1999. Status re-examined and confirmed Endangered in May 2000.

Red-shouldered Hawk

Designated Special Concern in April 1983. Status re-examined and confirmed in April 1996.

Redroot

Designated Threatened in April 1994. Status re-examined and confirmed in May 2000.

Right Whale

Designated Endangered in 1980. Status re-examined and confirmed Endangered in April 1985 and in April 1990.

River Redhorse

Designated Special Concern in April 1983. Status re-examined and confirmed in April 1987.

Roseate Tern

Designated Threatened in April 1986. Status re-examined and uplisted to Endangered in April 1999. Endangered status re-examined and confirmed in October 1999.

Ross' Gull

Designated Special Concern in April 1981. Status re-examined and confirmed in April 1996.

Round-leaved Greenbrier (Great Lakes Plains population)

Designated Threatened in April 1994. Status re-examined and confirmed in May 2001.

Sage Grouse (British Columbia population)

Has not been reported since the 1960's. Designated Extirpated in April 1997. Extirpated status confirmed in May 2000.

Sage Grouse (Prairie population)

Given conditional designation of Threatened in April 1997. Status re-examined and uplisted to Endangered in April 1998 based on a revised status report. Status re-examined confirmed Endangered in May 2000.

Sage Thrasher

Designated Endangered in April 1992. Status re-examined and confirmed in November 2000.

Scarlet Ammannia

Designated Endangered in April 1999. Status re-examined and confirmed in May 2001.

Sea Mink

Believed Extinct since 1894. Designated Extinct in April 1986. Status confirmed in May 2000.

Sea Otter

Designated Endangered in April 1978. Status re-examined and confirmed Endangered in April 1986. Status re-examined and downlisted to Threatened in April 1996. Status re-examined and confirmed Threatened in May 2000.

Seaside Birds-foot Lotus

Designated Endangered in April 1996. Status re-examined and confirmed in May 2000.

Seaside Centipede

Designated Endangered in April 1996. Status re-examined and confirmed in May 2000.

Sharp-shinned Hawk

Designated Not at Risk in April 1986. Status re-examined and confirmed in April 1997.

Sharp-tailed Snake

Designated Endangered in April 1999. Status re-examined and confirmed in October 1999.

Shorthead Sculpin

Designated Threatened in April 1984. Status re-examined and confirmed Threatened in May 2001.

Showy Goldenrod

Designated Endangered in April 1999. Status re-examined and confirmed in May 2000.

Shumard Oak

Designated Special Concern in April 1984. Status re-examined and confirmed in April 1999.

Silver Chub

Designated Special Concern in April 1985. Status re-examined and confirmed in May 2001.

Silver Shiner

Designated Special Concern in April 1983. Status re-examined and confirmed in April 1987.

Skinner's Agalinis

Designated Endangered in April 1988. Status re-examined and confirmed Endangered in April 1999 and in May 2000.

Slender Bush-clover

Designated Endangered in April 1986. Status re-examined and confirmed Endangered in April 1999 and in May 2000.

Slender Mouse-ear-cress

Designated Endangered in April 1992. Status re-examined and downlisted to Threatened in May 2000.

Small White Lady's-slipper

Designated Endangered in April 1981. Status re-examined and confirmed in April 1999 and in May 2000.

Small Whorled Pogonia

Designated Endangered in April 1982. Status re-examined and confirmed in April 1998 and in May 2000.

Soapweed

Designated Special Concern in April 1985. Status re-examined and uplisted to Threatened in May 2000.

Southern Maidenhair Fern

Designated Endangered in April 1984. Status re-examined and confirmed in April 1998 and in May 2000.

Spotted Gar

Designated Special Concern in April 1983. Status re-examined and confirmed Special Concern in April 1994. Status re-examined and uplisted to Threatened in November 2000.

Spotted Sucker

Designated Special Concern in April 1983. Status re-examined and confirmed in April 1994.

Spotted Wintergreen

Designated Endangered in April 1987. Status re-examined and confirmed Endangered in April 1998 and in May 2000.

Sprague's Pipit

Designated Threatened in April 1999. Status re-examined and confirmed in May 2000.

Sweet Pepperbush

Designated Threatened in April 1986. Status re-examined and confirmed in April 1998. Status re-examined and downlisted to Special Concern in May 2001.

Swift Fox

Last seen in Saskatchewan in 1928. Designated Extirpated in April 1978. Status reexamined and downlisted to Endangered in April 1998 after successful reintroductions. Status re-examined and confirmed Endangered in May 2000.

Thread-leaved Sundew

Designated Endangered in April 1991. Status re-examined and confirmed in May 2001.

Tiny Cryptanthe

Designated Endangered in April 1998. Status re-examined and confirmed in May 2000.

Toothcup

Designated Endangered in April 1999. Status re-examined and confirmed in May 2000

Trumpeter Swan

Designated Special Concern in April 1978. Status re-examined and de-listed (Not at Risk) in April 1996.

Tuberous Indian-plantain

Designated Special Concern in April 1988. Status re-examined and confirmed in April 1999.

Tundra Peregrine Falcon

Designated Threatened in April 1978. Status re-examined and downlisted to Special Concern in April 1992.

Tyrrell's Willow

Designated Threatened in April 1981. Status re-examined and de-listed (Not at Risk) in April 1999.

Vancouver Island Marmot

Designated Endangered in April 1978. Status re-examined and confirmed Endangered in April 1997 and in May 2000.

Virginia Goat's-rue

Designated Threatened in April 1996. Status re-examined and uplisted to Endangered in May 2000.

Water-pennywort

Designated Endangered in April 1985. Status re-examined and downlisted to Threatened in April 1999. Status re-examined and confirmed Threatened in May 2000.

Water-plantain Buttercup

Designated Endangered in April 1996. Status re-examined and confirmed in May 2000.

Wavy-rayed Lampmussel

Designated Endangered in April 1999. Status re-examined and confirmed in October 1999.

Western Blue-flag

Designated Threatened in April 1990. Status re-examined and confirmed in May 2000.

Western Prairie Fringed Orchid

Designated Endangered in April 1993. Status re-examined and confirmed in May 2000.

Western Silver-leaved Aster

Designated Special Concern in 1988. Status re-examined and uplisted to Threatened in May 2000.

Western Yellow-breasted Chat (Prairie population)

The Prairie population of the auricollis subspecies was designated Not at Risk in April 1994. Status re-examined and confirmed in November 2000.

Western Yellow-breasted Chat (British Columbia population)

The British Columbia population of the *auricollis* subspecies was designated Threatened in April 1994. Status re-examined and uplisted to Endangered in November 2000.

White Prairie Gentian

Designated Endangered in April 1991. Status re-examined and confirmed in May 2001.

White-headed Woodpecker

Designated Threatened in April 1992. Status re-examined and uplisted to Endangered in November 2000.

White-top Aster

Designated Threatened in April 1996. Status re-examined and confirmed in May 2000.

Whooping Crane

Designated Endangered in April 1978. Status re-examined and confirmed in November 2000.

Wolverine

Canadian range considered as one population in April 1982 and designated Special Concern. Split into two populations in April 1989 (Western and Eastern populations). Original listing was de-activated.

Wood Bison

Designated Endangered in April 1978. Status re-examined and downlisted to Threatened in April 1988. Status re-examined and confirmed Threatened in May 2000.

Wood-poppy

Designated Endangered in April 1993. Status re-examined and confirmed in May 2000.

Woodland Caribou (Atlantic-Gaspésie population)

Atlantic-Gaspésie population designated as Threatened in April 1984. Status reexamined and uplisted to Endangered in May 2000.

Woodland Caribou (Labrador-Ungava population)

Labrador-Ungava population designated Not at Risk in April 1984. Labrador-Ungava population de-activated in May 2000.

Woodland Caribou (Western population)

Western population designated Special Concern in April 1984. Western population deactivated in May 2000. Former Western population is contained within the following newly designated populations: Northern Mountain, Southern Mountain, Boreal.

Woodland Caribou (Newfoundland population)

Newfoundland population designated Not at Risk in April 1984. Status re-examined and confirmed in May 2000.

Woodland Caribou Dawson's subspecies

Extinct by the 1920's. Designated Extinct in April 1984. Status confirmed in May 2000.

Yellow Montane Violet

Designated Threatened in April 1995. Status re-examined and confirmed in May 2000.

LIST OF NAME CHANGES

Cross-reference of common and scientific names (including population names, where applicable) for COSEWIC-listed species. Most of the names in this list have been used by COSEWIC in the past but are no longer in use. Some common synonyms also are included.

| Current Common Name or Scientific Name (population) | Previous Name(s) or Synonym | | |
|---|---|--|--|
| Acris crepitans | Acris crepitans blanchardi | | |
| Arctic Grey Wolf | Grey Wolf | | |
| Arnoglossum plantagineum | Cacalia plantaginea | | |
| Ascaphus montanus | Ascaphus truei (Southern Mountain population) | | |
| Ascaphus truei | Ascaphus truei (Pacific Coast population); Ascaphus truei (Southern Mountain population)* Acadian Whitefish | | |
| Atlantic Whitefish Bashful Bulrush | Few-flowered Club-rush | | |
| | Benthic Texada Island Stickleback | | |
| Benthic Paxton Lake Stickleback | | | |
| Bufo fowleri | Bufo woodhousii fowleri | | |
| Canada Lynx | Lynx Tailed From (Pacific Coast population) | | |
| Coast Tailed Frog | Tailed Frog (Pacific Coast population) | | |
| Coregonus clupeaformis (Lake Simcoe population) | Coregonus clupeaformis | | |
| Coregonus clupeaformis (Mira River population) | Coregonus clupeaformis | | |
| Coregonus huntsmani | Coregonus canadensis | | |
| Cowichan Lake Lamprey | Lake Lamprey | | |
| Eastern Wolf | Eastern Grey Wolf; Grey Wolf | | |
| Eastern Loggerhead Shrike | Loggerhead Shrike (Eastern population) | | |
| Eastern Yellow-breasted Chat | Yellow-breasted Chat (Eastern population) | | |
| Eelgrass Limpet | Bowl Limpet | | |
| Enemion biternatum | Isopyrum biternatum | | |
| Ermine haidarum subspecies | Ermine (Queen Charlotte Islands population) | | |
| Eurybia divaricata | Aster divaricatus | | |
| Gentianopsis victorinii | Gentiana victorinii | | |
| Gymnocladus dioicus | Gymnocladus dioica | | |
| Icteria virens virens | Icteria virens virens (Eastern population) | | |
| Lake Whitefish (Lake Simcoe population) | Lake Simcoe Whitefish | | |
| Lake Whitefish (Mira River population) | Mira River Whitefish | | |
| Limnetic Paxton Lake Stickleback | Limnetic Texada Island Stickleback | | |
| Lanius ludovicianus excubitorides | Lanius ludovicianus excubitorides (Prairie population) | | |
| Lanius Iudovicianus migrans | Lanius Iudovicianus migrans (Eastern population) | | |
| Lottia alveus alveus | Lottia alveus | | |
| Mudpuppy Mussel | Salamander Mussel | | |
| Mustela erminea haidarum | Mustela erminea haidarum (Queen Charlotte Islands population) | | |
| Northern Cricket Frog | Blanchard's Cricket Frog | | |

Current Common Name or Scientific Name (population)

Previous Name(s) or Synonym

Northern Spotted Owl Spotted Owl

Prairie Loggerhead Shrike (Prairie population)

Rangifer tarandus dawsoni (Queen Charlotte Islands

population)

Rocky Mountain Tailed Frog (Southern Mountain population)

Sericocarpus rigidus Aster curtus
Southern Grey Wolf Grey Wolf

Sowerby's Beaked Whale

Stenotus borealis

North Sea Beaked Whale

Haplopappus macleanii

Strix occidentalis caurina
Symphyotrichum anticostense
Symphyotrichum laurentianum
Symphyotrichum praealtum
Symphyotrichum prenanthoides
Symphyotrichum prenanthoides
Symphyotrichum sericeum
Symphyotrichum shortii
Strix occidentalis
Aster anticostensis
Aster laurentianus
Aster praealtus
Aster prenanthoides
Virgulus sericeus
Symphyotrichum shortii
Aster shortii

Symphyotrichum subulatum (Bathurst population)

Aster subulatus var. obtusifolius

Symphyotrichum yukonense Aster yukonensis
Trichophorum planifolium Scirpus verecundus

Western Yellow-breasted Chat (British Columbia population) Yellow-breasted Chat (British Columbia population)

Western Yellow-breasted Chat (Prairie population) Yellow-breasted Chat (Prairie population)

Woodland Caribou Dawson's subspecies Woodland Caribou (Queen Charlotte Islands

population)

^{*}now known as Ascaphus montanus.

COSEWIC Species Specialist Groups and Secretariat Contacts (2001-2002)

Chair, COSEWIC

Dr. David M. Green Redpath Museum, McGill University 859 Sherbrooke Street, West Montreal, QC, H3A 2K6

SPECIES SPECIALIST GROUPS

Amphibians & Reptiles

Co-chair
Dr. David M. Green
Redpath Museum, McGill University
859 Sherbrooke Street, West
Montreal, QC H3A 2K6

Co-chair
Dr. Ronald J. Brooks
Department of Zoology
College of Biological Science
University of Guelph
Guelph, ON, N1G 2W1

Lepidopterans & Molluscs

Co-chair
Dr. Theresa Fowler (Lepidoptera)
Canadian Wildlife Service
Environment Canada
Ottawa, ON, K1A 0H3

Co-chair
Dr. Gerald L. Mackie (Mollusca)
College of Biological Sciences
University of Guelph
Guelph, ON, N1G 2W1

Terrestrial Mammals

Chair Dr. Marco Festa-Bianchet Departement de biologie Université de Sherbrooke Sherbrooke, QC, J1K 2R1

Marine Mammals
Chair
Dr. Andrew Trites
Marine Mammal Research Unit
Fisheries Centre
University of British Columbia
2205 Main Mall, Vancouver B.C. V6T 1Z4

Birds

Co-chair Gilles Seutin Parcs Canada 25, rue Eddy, 4^e étage Hull, QC K1A 0M5

Co-chair Richard (Dick) Cannings 1330 East Debeck Road Site 11, Comp. 96, RR # 1 Naramata, BC, V0H 1N0

Plants & Lichens

Co-chair
Dr. Erich Haber (Vascular Plants &
Lichens)
National Botanical Services
604 Wavell Avenue
Ottawa, ON, K2A 3A8

Co-chair Dr. René Belland (Mosses) Devonian Botanic Garden University of Alberta Edmonton, AB, T6G 2E1

Marine Fishes

Co-chair (Atlantic)
Dr. Richard L. Haedrich
Department of Biology
Memorial University of Newfoundland
St. John's, NF, A1B 5S7

Co-chair (Pacific)
Dr. Mart R. Gross
Department of Zoology
University of Toronto
Suite 503
25 Harbord St.
Toronto, ON, M5S 3G5

Freshwater Fishes

Co-chair Dr. Robert Campbell 131 Dahlia Avenue Ottawa, ON, K1A 6G1

Co-chair Dr. Claude Renaud Canadian Museum of Nature P.O. Box 3443, Station D Ottawa, ON, K1P 6P4



The Committee on the Status of Endangered Wildlife in Canada (COSEWIC) was created in 1977 as a result of a recommendation at the Federal-Provincial Wildlife Conference held in 1976. It arose from the need for a single, official, scientifically sound, national listing of wildlife species at risk. In 1978, COSEWIC designated its first species and produced its first list of Canadian species at risk. Species designated at meetings of the full committee are added to the list.



Environment Canada Canadian Wildlife Service Environnement Canada Service canadien de la faune

The Canadian Wildlife Service, Environment Canada, provides full administrative and financial support to the COSEWIC Secretariat.