



JNCC Report No. 343
**Checklist of birds
listed in the CITES appendices
and in EC Regulation No. 338/97**

**7th edition
2003**

**compiled by
UNEP-WCMC**



The Joint Nature Conservation Committee is the body constituted by the Environmental Protection Act 1990 to be responsible for research and advice on nature conservation at both UK and international levels. It is a committee of the Countryside Council for Wales, English Nature and Scottish Natural Heritage, together with independent members and representatives from the Countryside Commission and Northern Ireland. It is supported by specialist staff.

Published by: Joint Nature Conservation Committee

Copyright: 2003 Joint Nature Conservation Committee

ISBN: 1st edition published 1986 ISBN 0-86139-356-2
2nd edition published 1990 ISBN 0-86139-601-4
3rd edition published 1993 ISBN 1-873701-45-4
4th edition published 1995 ISSN 0963-8091
5th edition published 1999 ISSN 0963-8091
6th edition published 2001 ISSN 0963-8091
7th edition published 2003 ISSN 0963-8091

Citation: UNEP-WCMC. (2003). Checklist of birds listed in the CITES appendices and in EC Regulation 338/97. 7th edition. JNCC Report No. 343.

Further copies of this report available from:

CITES Unit
Joint Nature Conservation Committee
Monkstone House
City Road
Peterborough PE1 1JY
United Kingdom
Tel: +44 1733 562626
Fax: +44 1733 555948

This document can also be downloaded from:

<http://www.ukcites.gov.uk>

Prepared under contract from the Joint Nature Conservation Committee by **UNEP-WCMC**. The UNEP World Conservation Monitoring Centre was established in 2000 as the world biodiversity information and assessment centre of the United Nations Environment Programme. The roots of the organization go back to 1979, when it was founded as the IUCN Conservation Monitoring Centre. In 1988 the World Conservation Monitoring Centre was created jointly by IUCN, WWF International and UNEP. The financial support and guidance of these organizations¹ in the Centre's formative years is gratefully acknowledged.

The designations of geographical entities in this report, and the presentation of the material, do not imply the expression of any opinion whatsoever on the part of JNCC or UNEP-WCMC concerning the legal status of any country, territory, or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Contents

Acknowledgements	1
Introduction	ii
Explanatory Notes	iii
Introductory References	vi
CHORDATA	1
AVES.....	1
STRUTHIONIFORMES	1
STRUTHIONIDAE	1
RHEIFORMES.....	1
RHEIDAE	1
CASUARIIFORMES.....	2
CASUARIIDAE	2
TINAMIIFORMES	2
TINAMIDAE	2
SPHENISCIFORMES	2
SPHENISCIDAE.....	2
PODICIPEDIFORMES	2
PODICIPEDIDAE	2
PROCELLARIIFORMES	3
DIOMEDEIDAE.....	3
PELECANIFORMES	3
PELECANIDAE	3
SULIDAE.....	4
FREGATIDAE	4
CICONIIFORMES	4
ARDEIDAE	4
BALAENICIPITIDAE	8
CICONIIDAE.....	8
THRESKIORNITHIDAE.....	10
PHOENICOPTERIDAE	12
ANSERIFORMES	14
ANATIDAE	14
FALCONIFORMES.....	26
CATHARTIDAE	26
PANDIONIDAE.....	27
ACCIPITRIDAE.....	28
SAGITTARIIDAE.....	79
FALCONIDAE	79
GALLIFORMES	95
MEGAPODIIDAE	95
CRACIDAE	95
PHASIANIDAE	98
GRUIFORMES	105
GRUIDAE	105
RALLIDAE	108
RHYNOCHECIDAE.....	109
OTIDIDAE	109
CHARADRIIFORMES	114
BURHINIDAE	114
SCOLOPACIDAE	114
LARIDAE.....	115
COLUMBIIFORMES	115
COLUMBIDAE	115
PSITTACIFORMES	123
PSITTACIDAE	123
CUCULIFORMES.....	165
MUSOPHAGIDAE	165
STRIGIFORMES	167
TYTONIDAE.....	167
STRIGIDAE	170
APODIFORMES	199
TROCHILIDAE.....	199
TROGONIFORMES.....	235
TROGONIDAE	235
CORACIFORMES	235
BUKEROTIDAE.....	235
PICIFORMES	239
CAPITONIDAE.....	239
RAMPHASTIDAE	240
PICIDAE	241
PASSERIFORMES	241
COTINGIDAE	241
PITTIDAE	242
ATRICHORNITHIDAE	244
HIRUNDINIDAE.....	244
PYCNONOTIDAE	244
BOMBYCILLIDAE	244
MUSCICAPIDAE	244
SITTIDAE.....	248
NECTARINIIDAE	248

ZOSTEROPIDAE	248
MELIPHAGIDAE.....	249
EMBERIZIDAE	249
ICTERIDAE.....	250
FRINGILLIDAE	250
ESTRILDIDAE	252
PLOCEIDAE	259
STURNIDAE	268
PARADISAEIDAE	269
CORVIDAE	274
 References	275
Index.....	339

Acknowledgements

This checklist was compiled by UNEP-WCMC under contract F90-01-580 from the Joint Nature Conservation Committee.

The volume builds on earlier editions produced by the International Council for Bird Preservation (now BirdLife International), and the Nature Conservation Bureau. The numerous contributors to those editions are acknowledged. UNEP-WCMC staff involved in the production of this volume include Tim Inskipp, Harriet Gillett, James O'Carroll, Gillian Warltier, Sarah Ferriss and Amelie Knapp. The project was supervised by Gerardo Fragoso.

Vin Fleming and Alison Littlewood of the JNCC CITES Unit are thanked for providing advice and guidance throughout.

Introduction

In April 1991, the Nature Conservancy Council for England (English Nature), Countryside Council for Wales and Scottish Natural Heritage acting together through the Joint Nature Conservation Committee were appointed by the Secretary of State for the Environment as the United Kingdom's Scientific Authority for Animals under the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES). CITES regulates international trade in wild animals, plants and products derived from them, to help to ensure their conservation on a global scale.

The intention of this publication is to provide a list of the species and subspecies of birds included in the CITES appendices, together with their conservation status category in the 2002 *IUCN Red List of threatened species* and the appropriate annex in EC Regulation 338/97 (and subsequent updates).

This revised edition incorporates additions and amendments to the CITES appendices up to and including those made at the 12th Conference of the Parties in Chile in November 2002 (effective from 13 February 2003).

For background material on the rationale of the IUCN threat categories, readers

are referred to IUCN (2002); for background on the workings of CITES, recommended works are Favre (1989) and Wijnstekers (1995). For information by country on the diversity and status of birds and other taxonomic groups, and for a general review of biodiversity, readers are referred to WCMC (1992) and WCMC (1994).

In a publication of this nature, it is inevitable that users will discover entries that need correcting or updating. The publishers and UNEP-WCMC would be grateful to receive details of those entries so that the necessary changes can be made in the database from which this document is produced.

The database is continually updated and the downloaded version of this document may contain more recent information than the original printed publication.

Explanatory Notes

Each species is typically represented by a block of text including scientific name (with alternatives), common names in the three official CITES languages (where available), geographic range, CITES Appendix, EC Regulation 338/97 Annex, and Red List category. Where a species has component populations or formal subspecies which are treated differently by CITES, the species entry is subdivided appropriately.

Scientific name

For each taxon, the scientific name is given first (as listed in the CITES appendices), with the most frequently used synonyms listed beneath the scientific name.

Following CITES practice, nomenclature of genera and species follows Sibley and Monroe (1990 and 1993) with genera and species arranged alphabetically within families. The nomenclature and sequence of families and higher taxa follows Morony, Bock and Farrand (1975). Scientific names of species in Morony *et al.* which differ from those in Sibley and Monroe (1990 and 1993) have been inserted as synonyms.

Common names

Common names (in English, French and Spanish where available) appear on the line immediately following the scientific name and synonyms.

English common names are primarily taken from Sibley and Monroe (1990 and 1993). Well-defined subspecies treated by some authors as separate species, are given in parentheses following the species name in this list. Corresponding English names are also given in parentheses to denote that the name refers only to a particular form of the species. Secondary English common names have been included wherever this was considered useful, including non-English names commonly used by English speakers.

Spanish names are taken from del Hoyo *et al.* (1992-2002). French names are primarily taken from Commission internationale des noms français des oiseaux (1993).

Other information

The three columns headed CITES, EC Reg. and RL list the following information for each taxon.

CITES

I, II or III in this column refers to the appendix in which the taxon is listed under the Convention on International Trade in Endangered Species of Wild Fauna and Flora. NC = non-CITES.

The two-letter abbreviations following Appendix III entries denote the countries whose governments have placed the taxon in this appendix, as follows:

AR	Argentina
CO	Colombia
GH	Ghana
GT	Guatemala
HN	Honduras
MU	Mauritius
MY	Malaysia
NP	Nepal

EC Reg.

The letters in this column refer to the annex of EC Regulation 338/97 in which the taxon is listed. NR = non Regulation.

RL

Threat categories follow those given in the *2002 IUCN Red List of threatened species* and BirdLife International (2000), and are as follows:

EX	Extinct
EW	Extinct in the Wild
CR	Critically Endangered
EN	Endangered
VU	Vulnerable
LR	Lower Risk
LR/cd	Lower Risk/Conservation dependent
LR/nt	Lower Risk/Near threatened

LR/Ic	Lower Risk/Least concern
DD	Data Deficient
NE	Not Evaluated

Each country may be followed by a status category in parentheses:

Br = Breeding

Countries in which a species is known or presumed to breed. Much of the information on tropical species is based on sight evidence only, but such species are presumed to be breeding by virtue of their sedentary nature.

V = Vagrant

Countries in which a species has been recorded, but only as a rare or irregular visitor.

Where no status category is included this indicates a non-breeding species in the country concerned.

References

The numbers in the right-hand column refer to entries in the reference list at the end of this document. Many of these are general works relevant to more than one geographical range or concerned with particular groups of species. Single country faunas and more specific references have generally been inserted in brackets after the appropriate country in the listings for geographical range.

It should be noted that, when a species is listed as occurring within a given area or range state, it may not occur throughout that country or area, and may be confined to only one or a few localities. This is particularly true for migratory species.

Without surveying the range of each taxon in the field, it is necessary to rely on published records. Many taxonomic works give the range of a taxon in terms of broad geographical areas, rather than of political units. While some countries have a relatively well-known and well-reported avian fauna, some others do not. These factors may occasionally have resulted in some of the geographical ranges given here being incomplete or inaccurate, although every effort has been made to prevent this.

Distribution notes

A question mark '?' preceding a geographical range has been used to indicate that there is some uncertainty in the occurrence of the species in that range.

A country where the species is known to be extinct is denoted by '(ex)'; a country where there is still a possibility that the species survives (for instance because recent searches have been unsuccessful) is denoted by '(ex?)'.

Range states where the species has been introduced are denoted by '[int]'. Range states where the species has been re-introduced are denoted by '[re-int]'.

Dependent territories

In the text, parent countries of island groups or dependent territories are omitted. These are listed below:

American Samoa, USA	Johnston Atoll, USA
Anguilla, United Kingdom	Macao, Portugal
Aruba, Netherlands	Macquarie Island, Australia
Ascension Islands, United Kingdom	Madeira, Portugal
Azores, Portugal	Marshall Islands, USA
Bermuda, United Kingdom	Martinique, France
Bouvet Island, Norway	Mayotte, France
British Antarctic Territory, United Kingdom	Montserrat, United Kingdom
British Indian Ocean Territory, United Kingdom	Netherlands Antilles, Netherlands
British Virgin Islands, United Kingdom	New Caledonia, France
Canary Islands, Spain	Niue, New Zealand
Canton and Enderbury Islands, Kiribati	Norfolk Island, Australia
Cayman Islands, United Kingdom	Northern Marianas, USA
Channel Islands, United Kingdom	Palau, USA
Christmas Island, Australia	Panama Canal Zone, USA
Clipperton Atoll, France	Pitcairn Islands, United Kingdom
Cocos (Keeling) Islands, Australia	Puerto Rico, USA
Cook Islands, New Zealand	Queen Maud Land, Norway
Falkland Islands, United Kingdom	Réunion, France
Faeroe Islands, Denmark	Saint Helena, United Kingdom
Federated States of Micronesia, USA	Saint Pierre and Miquelon, France
French Guiana, France	Saint Vincent, United Kingdom
French Polynesia, France	South Orkney Islands, United Kingdom
French Southern and Antarctic Territories, France	South Sandwich Islands, United Kingdom
Gibraltar, United Kingdom	South Georgia, United Kingdom
Greenland, Denmark	South Shetland Islands, United Kingdom
Guadeloupe, France	Svalbard and Jan Mayen Islands, Norway
Guam, USA	Tokelau, New Zealand
Guernsey, United Kingdom	Tristan da Cunha Islands, United Kingdom
Hawaiian Islands, USA	Turks and Caicos Islands, United Kingdom
Heard and Macdonald Islands, Australia	Virgin Islands of the United States, USA
Isle of Man, United Kingdom	Wallis and Futuna, France
Jersey, United Kingdom	

Introductory References

- BirdLife International. 2000. *Threatened birds of the world*. BirdLife International, Cambridge, U.K.
- Commission internationale des noms français des oiseaux. 1993. *Noms français des oiseaux du monde*. Éditions MultiMondes inc. Quebec, Canada.
- Favre, D. S. 1989. *International trade in endangered species: a guide to CITES*. Martinus Nijhoff, Dordrecht.
- del Hoyo, J., Elliot, A. and Sargatal, J. (eds). 1992-2003. *Handbook of the birds of the world*. Volumes 1-8. Lynx Edicions, Barcelona.
- IUCN. 2002. *2002 IUCN red list of threatened species*. IUCN, Gland, Switzerland.
- Morony, J. J., Bock, W. J. and Farrand, J. 1975. *Reference list of the birds of the world*. American Museum of Natural History (Department of Ornithology).
- Sibley, C. G. and Monroe, B. L. Jr. 1990. *Distribution and taxonomy of birds of the world*. Yale University Press, New Haven.
- Sibley, C. G. and Monroe, B. L. Jr. 1993. *A supplement to distribution and taxonomy of birds of the world*. Yale University Press, New Haven.
- The Times Atlas of the World* 1990. Comprehensive (eighth) edition. Times Books, London U.K.
- United Nations, 1993. *Terminology Bulletin No. 345*. United Nations, New York.
- Wijnstekers, W. 1995. *The evolution of CITES. A reference to the Convention on International Trade in Endangered Species of Wild Fauna and Flora*. Third revised edition. CITES Secretariat, Lausanne, Switzerland.
- World Conservation Monitoring Centre (Comp.), Groombridge, B. (Ed). 1994. *Biodiversity Data Sourcebook*. World Conservation Press, Cambridge, U.K. 155 pp.
- World Conservation Monitoring Centre, 1992. *Global Biodiversity. Status of the Earth's living Resources*. Chapman & Hall, London, U.K.

Phylum: **CHORDATA**
Class: **AVES**
Order: **STRUTHIONIFORMES**
Family: **STRUTHIONIDAE**

Struthio camelus Linnaeus, 1758 I/NC A/NR 511, 524, 573, 613,
636, 841, 1256,
1292

Synonym: *Struthio molybdophanes* Reichenow, 1883

E: Ostrich, F: Autruche d'Afrique, S: Avestruz

CITES Identification Manual Reference: A-201.001.001.001

Non-CITES populations I A
Angola [5267]; Australia (int, br) [477]; Bahrain (**ex**) [1105]; Botswana [659, 1102]; Djibouti [427]; Egypt [756]; Eritrea [659]; Ethiopia [659]; Iraq (**ex**, br); Israel (**ex**, br); Jordan (**ex**, br) [395]; Kenya [5253]; Kuwait (**ex**, br); Libyan Arab Jamahiriya (**ex**) [536]; Mozambique [659]; Namibia; Oman (**ex**); Saudi Arabia (**ex**) [881]; Somalia [5252]; South Africa [659]; Swaziland (int) [1139]; Tanzania, United Republic of [659]; Tunisia (**ex**); Uganda [659]; Western Sahara (ex?); Zambia; Zimbabwe [659]

Order: **RHEIFORMES**

Family: RHEIDAE

Rhea americana (Linnaeus, 1758) II B LR/nt 476, 595, 636,
1045, 1068

E: Common Rhea, Greater Rhea, F: Nandou américain, Nandou commun, Nandou d'Amérique, Nandou gris, S: Avestruz, Ñandú, Ñandú común

Argentina (br) [465, 531, 5291, 10249]; Bolivia (br) [1186, 5116]; Brazil (br) [559, 6186]; Paraguay (br) [5295]; Uruguay (br) [5287]

CITES Identification Manual Reference: A-202.001.002.001

***Rhea pennata* d'Orbigny, 1834**

Synonym: *Pterocnemia pennata* (d'Orbigny, 1834)

E: Darwin's Rhea, Lesser Rhea, Puna Rhea, F: Nandou de Darwin, S: Avestruz de Magallanes. Ñandú cordillerano. Ñandú de Darwin. Ñandú petizo

Argentina (br) [465, 551, 5291, 10249]; **Bolivia** (br) [1186, 5116]; **Chile** (br) [747, 5292]; **Peru** (br) [1136]

CITES Identification Manual Reference: A-202 001 001 001

CITES Appendix I populations
Argentina·Bolivia·Peru

T A

CITES Appendix II populations Argentina: Chile

II B

Rhea pennata pennata d'Orbigny, 1834
Argentina: Chile

Order: **CASUARIIFORMES**
 Family: **CASUARIIDAE**

Casuarius bennetti Gould, 1857 D LR/nt

E: Dwarf Cassowary, F: Casoar de Bennett, S: Casuario menor
 Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6951]

Casuarius casuarius (Linnaeus, 1758) D VU

Synonym: *Casuarius bicarunculatus*

E: Southern Cassowary, F: Casoar à casque, S: Casuario común
 Australia (br) [477]; Indonesia (br) [393]: Irian Jaya, Moluccas; Papua New Guinea (br) [6951]

Order: **TINAMIFORMES**
 Family: **TINAMIDAE**

Tinamus solitarius (Vieillot, 1819) I A LR/nt 483, 595, 636,
 931, 1045, 1068

E: Solitary Tinamou, F: Tinamou solitaire, S: Macuco, Tinamu grande, Tinamu macuco, Tinamú solitario
 Argentina (br) [465, 5291, 10249]; Brazil (br) [1272, 6186]; Paraguay (br) [5295]

Order: **SPHENISCIFORMES**
 Family: **SPHENISCIDAE**

Spheniscus demersus (Linnaeus, 1758) II B VU 513, 524, 573,
 595, 597, 605,
 636, 662, 802,
 922, 949, 950,
 1091, 1180, 1430,
 1431

E: African Penguin, Black-footed Penguin, Jackass Penguin, F: Manchot du Cap,
 S: Pingüino del Cabo
 Angola [5267]; ?Argentina [10249]; Congo (v) [659]; Gabon (v) [659]; Mozambique [659];
 Namibia (br) [659]; South Africa (br) [616, 659]
 CITES Identification Manual Reference: A-206.001.006.002

Spheniscus humboldti Meyen, 1834 I A VU 595, 636, 802,
 1045, 1068

E: Humboldt Penguin, Peruvian Penguin, F: Manchot de Humboldt, S: Pingüino de Humboldt
 Chile (br) [416, 747, 5292]; ?Colombia (v) [837, 1179]; Ecuador (v) [5294, 10018]; Peru (br) [817, 818, 1136]
 CITES Identification Manual Reference: A-206.001.006.003

Order: **PODICIPEDIFORMES**
 Family: **PODICIPEDIDAE**

Podilymbus gigas Griscom, 1929 I A EX 595, 636, 802,
 856, 931, 951,
 952, 1378

E: Atitlan Grebe, Giant Grebe, Giant Pied-billed Grebe, F: Grèbe de l'Atitlan, Grèbe du lac Atitlan, Grèbe géant, S: Poc de Atitlán, Somormujo de Atitlán, Somormujo del lago Atitlán, Zambullidor de Atitlán, Zampullín del Atitlán
 Guatemala (ex, br) [5241]

Order: **PROCELLARIIFORMES**
 Family: **DIOMEDEIDAE**

Diomedea albatrus Pallas, 1769

I A VU 553, 595, 636,
 802, 805, 806,
 807, 931

Synonym: *Phoebastria albatrus* (Pallas, 1769)

E: Short-tailed Albatross, Steller's Albatross, F: Albatros à queue courte, Albatros de Steller, S: Albatros, Albatros colicorto, Albatros rabón
 China (ex) [5293]; Japan (br) [503]; Korea, Republic of (v) [1436]; Russian Federation [710, 938]; Taiwan; United States (v) [387]

Order: **PELECANIFORMES**
 Family: **PELECANIDAE**

Pelecanus crispus Bruch, 1832

I A LR/cd 381, 523, 595,
 613, 617, 618,
 619, 620, 636,
 802, 841, 929,
 931, 6193, 6229,
 6230

E: Dalmatian Pelican, F: Pélican dalmate, Pélican frisé, Pélican frisé, S: Pelícano ceñudo, Pelícano Ceñudo, Pelícano rizado

Afghanistan [694]; Albania (br); Algeria (v); Armenia (br) [5240]; Austria (ex) [1215]; Azerbaijan [710]; Bangladesh [804]; Bosnia and Herzegovina (ex, br) [1038]; Bulgaria (br) [5280]; China (br) [5293]; Croatia (ex, br); Cyprus (v) [709]; ?Czech Republic (v) [5258]; Egypt [756]; Georgia [710, 1253, 5257]; Germany (ex) [374, 5269, 5274]; Greece (br) [710, 938, 5281]; Hong Kong [5284]; Hungary (ex, br, v); India [971, 1197]; Iran (Islamic Republic of) (br); Iraq [385, 10170]; Israel (v); Italy (v) [537, 1038, 5289]; Kazakhstan (br) [6347]; Korea, Republic of (v); Kuwait (v); Latvia (v) [5278]; Lebanon; Macedonia, former Yugoslav Republic of (ex, br); Moldova, Republic of [710]; Mongolia (br) [1306]; Norway (v) [5275]; Pakistan; Poland (v) [1348]; Romania (br) [558]; Russian Federation (br); Serbia and Montenegro (br) [1038]; Slovakia (v) [5279]; Syrian Arab Republic [5283]; Taiwan (v); Tajikistan (v); Turkey (br) [5282]; Turkmenistan (br) [710]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; Uzbekistan (br) [710, 1241]; Western Sahara (v)

CITES Identification Manual Reference: A-210.002.001.003

Pelecanus philippensis Gmelin, 1789

D VU

E: Grey Pelican, Spot-billed Pelican, F: Pélican à bec tacheté, Pélican gris, S: Pelícano oriental

Bangladesh [804]; Cambodia [5243]; China (ex, br) [5293]; India (br) [1197]; Indonesia [393]; Jawa, Sumatera; Korea, Republic of (v) [1436]; Lao People's Democratic Republic [6187]; Malaysia (br); Peninsular Malaysia; Myanmar (ex, br) [1290]; Nepal [865]; Philippines (ex, br, v) [5270]; Sri Lanka (br) [5271]; Thailand [487]; Viet Nam [5264]

Family: **SULIDAE**

<i>Papasula abbotti</i> Ridgway, 1893	I	A	CR	494, 595, 636, 802, 931, 1098, 1099, 1315
---------------------------------------	---	---	----	---

Synonym: *Sula abbotti*

E: Abbott's Booby, F: Fou d'Abbott, S: Alcatraz de Abbott, Piquero de Abbott
 Australia (v) [9327]; Christmas Island (br) [1188, 1189]; Cocos (Keeling) Islands (br) [1316]; Costa Rica [1311]; Indonesia [393, 449, 1284]; Irian Jaya, Jawa, Moluccas, Sumatera; Mauritius (ex, br) [659]; Rodrigues (ex, br) [7810]; Seychelles (ex, br) [659]; Aldabra [1313]

Family: **FREGATIDAE**

<i>Fregata andrewsi</i> Mathews, 1914	I	A	CR	595, 636, 802, 931, 1023, 1046, 1315, 1410
---------------------------------------	---	---	----	--

E: Andrews' Frigatebird, Christmas Frigatebird, Christmas Island Frigatebird, F: Frégate d'Andrews, Frégate de l'île Christmas, S: Fragata de las islas Christmas, Rabihorcado de la Christmas, Rabihorcado ventriblanco
 Australia (br, v) [477]; Brunei Darussalam (v); China [5293]; Christmas Island (br); Cocos (Keeling) Islands (v) [1316]; Hong Kong; India (v) [1197]; Andaman Is; Indonesia [393, 686, 1046]; Bali, Jawa, Kalimantan, Lesser Sunda Is, Sumatera; Japan (v) [503]; Kenya (v) [1017, 5253]; Malaysia [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Singapore (v) [791]; Sri Lanka (v) [5271]; Thailand [487, 854]; Viet Nam (v) [5264]

Order: **CICONIIFORMES**Family: **ARDEIDAE**

<i>Ardea goliath</i> Cretzschmar, 1827	III GH	C	511, 524, 573, 636, 795, 841, 1045, 1256, 1292
--	--------	---	--

E: Goliath Heron, F: Héron goliath, S: Garza goliat
 Angola (br) [5267]; Bangladesh (v) [804]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br); Burundi (br?); Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Djibouti (br) [427]; Egypt (v) [756]; Eritrea (br) [659]; Ethiopia (br); Gabon (br?) [659]; Gambia (br) [760]; Ghana (br?); Guinea (br); Guinea-Bissau (br) [659, 715, 1293]; India (v); Iran (Islamic Republic of) (br) [1253]; Iraq (br); Jordan (v) [6454]; Kenya (br) [5253]; Lesotho (v) [486, 659, 894, 1345]; Liberia (v) [659, 5246]; Malawi (br) [659, 894, 1103]; Mali [659, 782]; Mauritania [385, 659]; Mozambique (br?) [659, 881]; Namibia (br) [659]; Niger (br?) [659, 5297]; Nigeria (br?) [6276]; Oman (v) [1197]; Pakistan (v) [5245]; Rwanda (br) [659]; Saudi Arabia (br?); Senegal (br) [659, 1293]; Sierra Leone (br?); Somalia (br) [5252]; South Africa (br) [659]; Sri Lanka (v) [5271]; Sudan (br) [659]; Swaziland (br) [1139]; Syrian Arab Republic (v) [5283]; Tanzania, United Republic of (br) [659]; Togo (br?) [570, 5254]; Uganda (br) [659]; Yemen (br?); Zambia (br) [659]; Zimbabwe (br) [659]

<i>Bubulcus ibis</i> (Linnaeus, 1758)	III GH	A	381, 387, 485, 511, 524, 573, 613, 636, 795, 841, 929, 1171, 1256, 1292
---------------------------------------	--------	---	---

Synonyms: *Ardeola ibis* (Linnaeus, 1758), *Ardea ibis*

E: Buff-backed Heron, Cattle Egret, F: Héron garde-bœufs, Héron garde-boeufs,
S: Espulgabueyes, Garcilla bueyera, Garcilla Bueyera, Garcita resnera, Garza
ganadera

Albania (v); Algeria (br) [971]; Angola (br) [5267]; Anguilla (br?) [5242]; Antigua and Barbuda (br) [5242]; Argentina (br) [5291, 10249]; Armenia (br) [5240]; Aruba (br) [1380]; Australia (int, br) [477]; Austria (v) [1215]; Azerbaijan (br) [710]; Bahamas [5242]; Bahrain [1105]; Bangladesh (br) [804]; Barbados (br) [5242]; Belarus (v); Belgium (v) [5272]; Belize (br) [5241]; Benin [659, 845]; Bermuda [389]; Bhutan (br) [5261]; Bolivia (br) [1186, 6385, 7072]; Bosnia and Herzegovina (v) [1038]; Botswana (br) [1102]; Brazil (br) [6186, 6413]; British Indian Ocean Territory (int, br); Brunei Darussalam; Bulgaria (ex, br, v) [5280]; Burkina Faso (br?) [659]; Burundi (br?) [659]; Cambodia (br) [5243]; Cameroon (br) [659]; Canada (br) [748]; Cape Verde [820]; Cayman Islands (br); Central African Republic (br) [659]; Chad (br) [659]; Chile (br) [5292]; China (br) [5293]; Christmas Island (v); Cocos (Keeling) Islands [1316]; Colombia (br) [837]; Comoros (br) [659]; Congo (br) [659]; Costa Rica (br) [1311]; Côte d'Ivoire [1334]; Croatia (v) [5290]; Cuba (br) [5259]; Cyprus [709]; Czech Republic (v) [5258]; Democratic Republic of the Congo (br); Denmark (v) [666]; Djibouti (br) [427]; Dominica (br) [5242]; Dominican Republic (br) [1312]; Ecuador (br) [5294]: Ecuador, Galapagos; Egypt (br) [756]; El Salvador (br) [5241]; Equatorial Guinea [659, 1183]: Equatorial Guinea, Bioko; Eritrea (br) [659]; Ethiopia (br) [659]; Falkland Islands (Malvinas) [1439]; France (br) [7041]; French Guiana (br) [1349]; Gabon [659]; Gambia (br) [760]; Germany (v) [5274]; Ghana (br) [782]; Gibraltar; Greece (br) [5281]; Grenada (br) [5242]; Guadeloupe (br) [5242]; Guam (v) [503]; Guatemala (br) [5241]; Guinea; Guinea-Bissau (br) [659, 715]; Guyana (br) [1295]; Haiti (br) [1408]; Honduras (br) [1076]; Hong Kong (br); Hungary (v) [5257]; Iceland (v) [507]; India (br) [1197]; Indonesia (br) [393]: Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Jamaica (br) [657]; Japan (br) [503]; Jordan [395, 1386, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Korea, DPR (br) [7680]; Korea, Republic of (br) [1436]; Kuwait [537]; Lao People's Democratic Republic (br) [6187]; Latvia (v) [5278]; Lebanon [5284]; Lesotho (br) [486]; Liberia [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein (v); Lithuania (v) [5247]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (v) [1038]; Madagascar (br) [633, 961, 5249]; Malawi (br) [1103]; Malaysia [1289]: Peninsular Malaysia, Sabah, Sarawak; ?Maldives (br) [431]; Mali (br) [659, 1281]; Malta (v); Marshall Islands (v) [1171]; Martinique (br) [5242]; Mauritania (br) [659]; Mauritius (br?) [659]; Mayotte (br); Mexico (br) [5241]; Micronesia (Federated States of) [1171];Montserrat (br) [5242]; Morocco (br) [461]; Mozambique (br) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (v) [5273]; Netherlands Antilles (br); New Caledonia (v) [10250]; New Zealand [821, 1351]; Nicaragua (br) [1195]; Niger (br) [659]; Nigeria (br); Norfolk Island (v); Northern Mariana Islands; Norway (v) [5275]; Oman; Pakistan (br); Palau [1171]; Panama (br) [1195]; Papua New Guinea [6951]; Paraguay (br) [1317, 5295]; Peru (br) [1136]; Philippines (br) [5270]; Poland (v) [7862]; Portugal (br) [1332]: Portugal (br), Azores (v), Madeira; Puerto Rico (br) [1176]; Qatar (v) [1393]; ?Réunion (br) [1303]; Romania (v) [558]; Russian Federation (br) [710, 938]; Rwanda (br?) [659]; Saint Helena [5250]: St Helena, Tristan da Cunha; Saint Kitts and Nevis (br) [5242]; Saint Lucia (br) [5251]; Saint Pierre and Miquelon (v) [683]; Saint Vincent and the Grenadines (br) [5242]; São Tomé and Príncipe (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Serbia and Montenegro (br) [1038]; Seychelles (br) [659]: Seychelles (br) [7815], Aldabra (br) [7814]; Sierra Leone (br?) [659]; Singapore [791]; Slovenia (v) [1038]; Somalia (br) [5252]; South Africa (br) [659]; South Georgia and the South Sandwich Islands [6875]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Suriname (br) [5296]; Swaziland (br) [1139]; Sweden (v) [400, 1199];

Switzerland (v) [5288]; Syrian Arab Republic [5283]; Taiwan (br); Tajikistan (v); Tanzania, United Republic of (br?) [659]; Thailand (br) [487]; Togo [5254]; Trinidad and Tobago (br) [703]; Tunisia (br?) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710, 8159]; Turks and Caicos Islands (br?); Uganda (br) [659]; United Arab Emirates [1192]; United Kingdom (v) [6188]; United States (br) [387]; New Hampshire [1049], New Jersey [759], New Mexico [393]; United States Minor Outlying Islands (v); Uruguay (br) [5287]; Uzbekistan (v) [710]; Venezuela (br) [1070]; Viet Nam (br) [5264]; Virgin Islands (British) (br); Virgin Islands (U.S.) (br); Western Sahara; Yemen (br) [5297]; Zambia [659]; Zimbabwe (br) [659]

<i>Casmerodus albus</i> (Linnaeus, 1758)	III GH	A	381, 387, 485, 511, 524, 573, 613, 636, 795, 841, 929, 1023, 1068, 1256, 1292
--	--------	---	---

Synonyms: *Egretta alba*, *Ardea alba*

E: Great Egret, Great White Egret, F: Grande aigrette, S: Garceta grande, Garcilla grande, Garza blanca real, Garzetta grande

Afghanistan; Albania (br?); Algeria; Angola (br); Anguilla; Antigua and Barbuda (br); Argentina (br) [10249]; Armenia; Aruba; Australia (br); Austria (br); Azerbaijan (br); Bahamas (br); Bahrain; Bangladesh (br); Barbados; Belarus (br); Belgium (v); Belize (br); Benin; Bermuda; Bhutan (br?); Bolivia (br) [1186, 6346, 7072]; Bosnia and Herzegovina (br?); Botswana (br?); Brazil (br); British Indian Ocean Territory (v); Brunei Darussalam; Bulgaria (br); Burkina Faso (br?); Burundi (br?); Cambodia (br); Cameroon (br?); Canada (br); Cayman Islands; Central African Republic (br?); Chad (br); Chile (br); China (br); Christmas Island; Colombia (br); Comoros (br); Congo (br?); Costa Rica (br); Côte d'Ivoire (br); Croatia (br); Cuba (br); Cyprus; Czech Republic (br) [5258]; Democratic Republic of the Congo (br?); Denmark (v); Dominica; Dominican Republic (br); Ecuador (br); Ecuador, Galapagos; Egypt; El Salvador (br); ?Equatorial Guinea (v); Eritrea (br?); Ethiopia (br?); Falkland Islands (Malvinas) (v) [1439]; Fiji (v) [6197]; Finland (v); France (br); French Guiana (br); Gabon (br?); Gambia (br); Georgia (br); Germany; Ghana (br); Greece (br); Grenada; Guadeloupe (br); Guatemala (br) [6397]; Guinea (br); Guinea-Bissau (br) [659, 715]; Guyana (br); Haiti (br); Honduras (br); Hong Kong (br); Hungary (br); India (br); Indonesia (br?); Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of); Iraq; Ireland (v); Israel; Italy (br); Jamaica (br); Japan (br); Jordan [395, 6454]; Kazakhstan (br); Kenya (br); Korea, DPR (br) [7680]; Korea, Republic of (br); Kuwait; Lao People's Democratic Republic (br); Latvia (br?); Lebanon; Lesotho; Liberia; Libyan Arab Jamahiriya (v); Liechtenstein (v); Luxembourg (v); Macedonia, former Yugoslav Republic of (br); Madagascar (br); Malawi (br); Malaysia (br); Peninsular Malaysia, Sabah, Sarawak; Maldives [7264]; Mali (br); Malta (v); Martinique; Mauritania (br); Mayotte; Mexico (br); Mongolia (br); Montserrat [5242]; Morocco (v); Mozambique (br?); Myanmar (ex?, br); Namibia (br?); Nepal (br); Netherlands (br); Netherlands Antilles; New Caledonia (v) [10250]; New Zealand (br); Nicaragua (br); Nicaragua [393]; Niger (br?); Niger [759]; Nigeria (br) [6276]; Nigeria [1049]; Norway (v); Oman; Pakistan (br); Panama (br); Papua New Guinea (br) [6951]; Paraguay (br); Peru (br); Philippines [6639]; Poland (br); Portugal (v); Portugal, Azores (v); Puerto Rico (br); Qatar; Romania (br); Russian Federation (br); Rwanda (br); Saint Helena (v); Tristan da Cunha; Saint Kitts and Nevis; Saint Lucia; Saint Pierre and Miquelon (v) [683]; Saint Vincent and the Grenadines; São Tomé and Príncipe (v) [659]; Saudi Arabia; Senegal (br); Serbia and Montenegro (br); Seychelles (v) [6253]; Seychelles (v) [7815], Aldabra (v) [7814]; Sierra Leone; Singapore; Slovakia (br) [5279]; Slovenia; Solomon Islands (br); Somalia (br); South Africa (br); South Georgia and the South Sandwich Islands (v) [6875]; Spain (v); Sri Lanka (br); Sudan; Suriname (br); Swaziland (br); Sweden (v); Switzerland; Syrian Arab Republic; Taiwan; Tajikistan (br); Tanzania, United Republic of (br); Thailand (br); Togo (br?); Trinidad and Tobago (br); Tunisia; Turkey (br); Turkmenistan (br) [8159]; Turks and Caicos Islands; Uganda (br?); Ukraine (br); United Arab Emirates; United

Kingdom (v); United States (br); Uruguay (br); Uzbekistan (br); Venezuela (br) [1070, 6810]; Viet Nam (br); Virgin Islands (British); Virgin Islands (U.S.) (br); Yemen; Zambia (br); Zimbabwe (br)

<i>Egretta garzetta</i> (Linnaeus, 1766)	III GH	A	381, 387, 511, 524, 573, 613, 636, 795, 841, 929, 1023, 1068, 1256, 1292
E: Little Egret, F: Aigrette garzette, Aigrette garzette, S: Garceta Común, Garceta común			
Afghanistan [694]; Albania; Algeria (br) [971]; Angola (br) [5267]; Armenia (br) [5240]; Australia (br) [477]; New South Wales [1049], Northern Territory [759]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh (br) [804]; Barbados (br) [485, 5242]; Belgium (v) [5272]; Benin [659, 845]; Bhutan (br?) [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (br) [1102]; Brunei Darussalam (br); Bulgaria (br) [5280]; Burkina Faso (br?) [659]; Burundi [659]; Cambodia (br) [5243]; Cameroon (br) [659]; Canada (v) [748]; Cape Verde (br) [820]; Central African Republic (br?) [659]; Chad (br) [659]; China (br) [5293]; Christmas Island; Cocos (Keeling) Islands (v) [1316]; Congo (br?) [659]; Côte d'Ivoire (br?) [1334]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (br?); Denmark (v) [666]; Djibouti [427]; Egypt (br) [756]; Equatorial Guinea (br?) [659]; Equatorial Guinea, Bioko; Eritrea [659]; Ethiopia (br?) [659]; Finland (v) [1300]; France (br) [7041]; Gabon (br) [659]; Gambia (br) [760]; Georgia (br) [710]; Germany [5274]; Ghana (br) [782]; Gibraltar; Greece (br) [5281]; Guadeloupe (v) [5242]; Guinea; Guinea-Bissau [659, 715]; Guyana (v) [6828]; Hong Kong (br); Hungary (br) [5257]; India (br) [1197]; Indonesia (br) [393]; Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Korea, DPR (br) [7680]; Korea, Republic of (br) [1436]; Kuwait [537]; Lao People's Democratic Republic (br) [6187]; Latvia (v) [5278]; Lebanon [5284]; Lesotho [486]; Liberia [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein (v); Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi (br?) [1103]; Malaysia [1289]; Peninsular Malaysia, Sabah, Sarawak [393]; Maldives (v) [431, 7264]; Mali (br) [659]; Malta; Martinique (v) [5242]; Mauritania (br) [659]; Micronesia (Federated States of) [1171]; Mongolia (v) [1306]; Morocco (br) [461]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (br) [5273]; New Zealand; Niger (br?) [659]; Nigeria (br) [6276]; Northern Mariana Islands; Norway (v) [5275]; Oman; Pakistan (br); Palau [1171]; Papua New Guinea (br?) [6951]; Philippines [5270]; Poland (v) [1348]; Portugal (br) [1332]; Portugal (br), Azores (br), Madeira (br); Puerto Rico (v) [1176]; Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda (br) [659]; Saint Lucia [485, 5251]; ?São Tomé and Príncipe (v) [659]; Saudi Arabia [881]; Senegal (br) [659]; Serbia and Montenegro (br) [1038]; Seychelles [659, 699, 6253]; Sierra Leone (br?) [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia [1038]; Somalia [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Suriname (v) [812, 5296]; Swaziland (br) [1139]; Sweden (v) [1199]; Switzerland [5288]; Syrian Arab Republic (br) [5283]; Taiwan (br); Tanzania, United Republic of (br) [659]; Thailand (br) [487]; Togo (br?) [5254]; Trinidad and Tobago (v) [485, 703]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br?) [710]; Viet Nam (br) [5264]; Western Sahara; Yemen [5297]; Zambia (br) [659]; Zimbabwe (br) [659]			

Family: **BALAENICIPITIDAE**

<i>Balaeniceps rex</i> Gould, 1850	II	B	LR/nt	420, 511, 524, 573, 595, 597, 636, 796, 1292
------------------------------------	----	---	-------	--

E: Shoebill, Whale-headed Stork, F: Baléniceps roi, Bec-en-sabot, Bec-en-sabot du Nil, S: Picozapato
 Burundi [659]; Central African Republic [659]; Democratic Republic of the Congo (br) [6294]; Ethiopia (br?) [659, 661]; Kenya (v) [5253]; ?Malawi [798, 1103, 1218, 6910]; Rwanda (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Uganda (br) [659]; Zambia (br) [659]

CITES Identification Manual Reference: A-211.002.001.001

Family: **CICONIIDAE**

<i>Ciconia boyciana</i> Swinhoe, 1873	I	A	EN	595, 608, 609, 636, 796, 931, 1001
---------------------------------------	---	---	----	--

Synonym: *Ciconia ciconia boyciana* Swinhoe, 1873

E: Japanese White Stork, Oriental Stork, Oriental White Stork, F: Cigogne à bec noir, Cigogne blanche de Corée, Cigogne blanche du Japon, Cigogne blanche orientale, Cigogne orientale, S: Cigüeña blanca coreana, Cigüeña del Japón, Cigüeña oriental Bangladesh (v) [804]; China (br) [701, 1427, 5293]; Hong Kong (v); India (v) [1197]; Japan (ex, br) [503]; Korea, DPR [1301, 7680, 7684]; Korea, Republic of (ex, br) [1436]; Mongolia (v) [1306]; Russian Federation (br) [710, 938]; Taiwan (v)

<i>Ciconia nigra</i> (Linnaeus, 1758)	II	A	381, 511, 524, 573, 608, 613, 636, 796, 841, 1011, 1292
---------------------------------------	----	---	--

E: Black Stork, F: Cigogne noire, Cigogne noire, S: Cigüeña Negra, Cigüeña negra
 Afghanistan (br?) [694]; Albania (br); Algeria [971]; Angola (br?) [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (br) [5272, 6201]; Benin (v) [659, 6371]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (br?) [1102]; Bulgaria (br) [5280]; Burkina Faso (v) [659, 6371]; Cameroon (v) [659]; Central African Republic [659]; Chad (v) [659]; China (br) [5293]; Côte d'Ivoire [1334, 6371, 6909]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (v); Denmark [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Finland (v) [1300]; France (br) [7041]; Gambia (v) [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (v) [782, 6371]; Gibraltar; Greece (br) [5281]; Guinea; Guinea-Bissau [659]; Hong Kong; Hungary (br) [5257]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (v) [858, 895]; Israel [5245]; Italy [5289]; Japan (v) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, DPR [7681]; Korea, Republic of [1436]; Kuwait (v) [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (v) [6187]; Latvia (br) [5278]; Lebanon [5284]; Lesotho (br) [486]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein (v); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi (br) [1103]; Mali (v) [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco [461]; Mozambique (br) [659]; Myanmar [1290]; Namibia (br) [659, 1347]; Nepal [443, 865]; Netherlands [5273]; Niger (v) [659, 6371]; Nigeria; Norway (v) [5275]; Oman (v); Pakistan; Poland (br) [974, 1348]; Portugal (br) [1332]; Portugal (br), Madeira (v); Romania (br) [558]; Russian Federation (br) [710, 938]; Rwanda (v) [659]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Slovenia (br) [1038]; Somalia (v) [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka (v) [5271]; Sudan [659]; Swaziland (br) [1139]; Sweden [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Taiwan (v); Tajikistan (br) [374]; Tanzania, United Republic of [659]; Thailand (v) [487, 854]; Togo [5254, 6371]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates (v) [1192];

United Kingdom (v) [6188, 6201]; Uzbekistan (br) [710]; Viet Nam [5264]; Yemen [5297]; Zambia (br) [659]; Zimbabwe (br) [659, 687]

<i>Ciconia stormi</i> (Blasius, 1896)	A	EN	
Synonym: <i>Ciconia episcopus stormi</i>			
E: Storm's Stork, F: Cigogne de Storm, S: Cigüeña de Storm			
Brunei Darussalam; Indonesia (br) [393]; Kalimantan, Sumatera; Malaysia: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Thailand (br) [487]			
<i>Ephippiorhynchus senegalensis</i> (Shaw, 1800) III GH	C		511, 524, 573, 608, 636, 796, 1256, 1292
E: Saddle-billed Stork, Saddlebill Stork, F: Jabiru, Jabiru africain, Jabiru d'Afrique, Jabiru du Sénégal, S: Cigüeña ensillada, Jabirú, Jabirú Africano			
Angola (br) [5267]; Benin (br) [659]; Botswana (br) [418, 1102]; Burkina Faso (br) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334, 1388]; Democratic Republic of the Congo (br); Eritrea [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br?) [760]; Ghana (br) [782]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (v) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br?); Rwanda (br) [659]; Senegal (br) [659]; Somalia [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659, 687]			
<i>Jabiru mycteria</i> (Lichtenstein, 1819)	I	A	387, 608, 636, 796, 1068, 1195, 1311
E: Jabiru, F: Jabiru américain, Jabiru d'Amérique, S: Garzón soldado, Jabirú, Jabirú Americano			
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [1268, 6186, 7118]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Grenada (v) [5242]; Guatemala (br) [448, 968, 5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (v) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (v) [703, 1217, 10294]; Uruguay (br) [5287]; Venezuela (br) [1070]			
<i>Leptoptilos crumeniferus</i> (Lesson, 1831)	III GH	C	511, 524, 573, 608, 636, 679, 796, 1256, 1292
E: Marabou Stork, F: Marabout, Marabout africain, Marabout d'Afrique, S: Marabú, Marabú Africano			
Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br); Guinea-Bissau (br) [659]; Israel (v) [5245]; Kenya (br) [5253]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [516, 659, 916]; ?Spain (v) [702]; Sudan (br) [659]; Swaziland (br) [1138, 1139]; Tanzania, United Republic of (br) [659, 1075]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659, 687]			

Leptoptilos dubius (Gmelin, 1789) A EN
 E: Greater Adjutant, Greater adjutant stork, F: Marabout argala, S: Marabú argala
 Bangladesh (**ex**, br) [804]; Cambodia (ex?, br) [5243]; India (br) [1197]; Lao People's Democratic Republic (ex?, br) [6187]; Myanmar (ex?, br) [1290]; Nepal [865]; Pakistan (**ex**, br); Thailand (**ex**, br) [487]; Viet Nam (ex?, br) [5264]

Mycteria cinerea (Raffles, 1822) I A VU 595, 608, 636,
 796, 929, 931,
 1368

E: Milky Stork, F: Tantale blanc, S: Tántalo Malayo
 Cambodia (br) [5243]; Indonesia (br) [393, 1278, 1279, 1280, 1369, 1449]; Bali, Jawa, Lesser Sunda Is, Sulawesi, Sumatera; Malaysia (br): Peninsular Malaysia; Thailand (**ex**) [487]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-211.004.006.003

Mycteria leucocephala (Pennant, 1769) D LR/nt
 E: Painted Stork, F: Tantale indien, Tantale italien, S: Tántalo Indio
 Bangladesh (**ex**, br) [804]; Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Malaysia (v): Peninsular Malaysia; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Sri Lanka (br) [5271]; Thailand (br) [487]; Viet Nam (br) [5264]

Family: THRESKIORNITHIDAE

Bostrychia hagedash (Latham, 1790) III GH C 511, 524, 573,
 636, 796, 1256,
 1292

Synonym: *Hagedashia hagedash*

E: Hadada Ibis, F: Ibis hagedash, S: Ibis hadada, Ibis hagedash
 Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Equatorial Guinea (br?) [659, 1183]; Equatorial Guinea, Bioko; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br?); Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Lesotho (br?) [486, 1183]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali [659]; Mauritania [659]; Mozambique (br) [659]; Namibia (br?) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659, 7816]; Sierra Leone (br?) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659, 687]

Bostrychia rara III GH C
 (Rothschild, Hartert & Kleinschmidt, 1897)

Synonym: *Lampribis rara*

E: Spot-breasted Ibis, F: Ibis vermiculé, S: Ibis moteado, Ibis rara
 Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [6294]; Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br); Liberia (br?) [5246]; Nigeria (br?); Sierra Leone (br?) [659]; Uganda (br?) [659]

CITES EC Reg. RL References

<i>Eudocimus ruber</i> (Linnaeus, 1758)	II	B	636, 717, 796, 999, 1002
E: Scarlet Ibis, F: Ibis rouge, S: Corocoro colorado, Corocoro rojo, Ibis escarlata ?Argentina [10249]; Belize [8632]; Brazil (br) [1024, 6186, 7122]; Colombia (br?) [837]; Cuba (v) [5259]; Dominica (v) [5242]; Ecuador (v) [5294]; French Guiana [663, 1349]; Grenada (v) [5242]; Guyana [1295]; Jamaica (v) [657]; Suriname (br) [5296]; Trinidad and Tobago [396, 471, 703]; United States (v) [387]; Venezuela (br) [1070, 8231]			
<i>Geronticus calvus</i> (Boddaert, 1783)	II	A	VU 516, 524, 573, 595, 597, 636, 796, 1020, 1021
E: Bald Ibis, Southern Bald Ibis, F: Ibis chauve de l'Afrique du Sud, Ibis du Cap, Ibis noir, S: Ibis calvo, Ibis calvo de África del Sur Lesotho (br) [486]; South Africa (br) [383, 659]; Swaziland (br) [1139]			
CITES Identification Manual Reference: A-211.005.005.002			
<i>Geronticus eremita</i> (Linnaeus, 1758)	I	A	CR 524, 595, 597, 613, 636, 796, 947, 1228
E: Bald Ibis, Hermit Ibis, Northern Bald Ibis, Waldrapp, F: Ibis chauve, S: Ibis eremita Algeria (ex, br) [971]; Austria (v) [1215]; Cape Verde (v) [820]; Egypt (ex, v) [756, 948]; Eritrea [659]; Ethiopia [659]; Germany (v) [5274]; Greece (ex, br) [643, 5281]; Iraq (v) [385]; Israel (v) [5245]; ?Jordan (v) [395]; Mali (v) [659]; Mauritania [659]; Morocco (br) [411, 461, 1147]; Portugal (v) [1332]; Azores (v); Saudi Arabia (v) [881]; Senegal (ex, v) [659]; Serbia and Montenegro (v) [1038]; Somalia (v) [5252]; Spain (v) [702]; Sudan [659]; Syrian Arab Republic (br) [5283]; Turkey (ex, br) [378, 379, 5282]; Western Sahara (v); Yemen [468, 517, 5297]			
CITES Identification Manual Reference: A-211.005.005.003			
<i>Nipponia nippon</i> (Temminck, 1835)	I	A	EN 595, 636, 691, 692, 796, 931, 1000, 1001, 1264, 1457
E: Crested Ibis, Japanese Crested Ibis, F: Ibis à crête du Japon, Ibis blanc, Ibis blanc du Japon, Ibis nippon, S: Ibis blanco japonés, Ibis moñudo japonés, Ibis nipón China (br) [5293]; Japan (ex, br) [503]; Korea, DPR (ex, br) [7684]; Korea, Republic of [1436]; Russian Federation (ex, br) [710, 938]; Taiwan (v)			
CITES Identification Manual Reference: A-211.005.011.001			
<i>Platalea leucorodia</i> Linnaeus, 1758	II	A	381, 524, 613, 636, 796, 841
E: Eurasian Spoonbill, Spoonbill, White Spoonbill, F: Spatule blanche, Spatule blanche, S: Espátula, Espátula, Espátula blanca, Espátula común, Espátula Común Afghanistan [694]; Albania (br); Algeria [971]; Armenia [5240]; Austria (ex?, br) [1215]; Azerbaijan (br) [710]; Bahrain (v) [1105]; Bangladesh (br) [804]; Belgium [5272]; Bosnia and Herzegovina (br) [1038]; Brazil (v); Bulgaria (br) [5280]; Burkina Faso (v) [659]; Cameroon (v) [6295]; Cape Verde [820]; Chad [659]; China (br) [5293]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (v) [6403]; Denmark [666]; Djibouti (br) [427]; Egypt (br) [756]; Eritrea (br) [659]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (v) [1300]; France (br) [1026, 7041]; Gambia [760]; Germany [5274]; Greece (br) [5281]; Hong Kong; Hungary (br) [5257]; Iceland (v) [507]; India (br) [872, 1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385, 10169]; Ireland [858]; Israel [5245]; Italy (br) [5289]; Japan [503]; Jordan (v) [395, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Republic of [1436]; Kuwait [537]; Latvia (v) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Maldives (v) [431]; Mali [659]; Malta; Mauritania (br) [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco [461]; Myanmar [1290]; Nepal [443, 865]; Netherlands (br) [5273]; Niger (v) [659];			

Nigeria (v); Norway (v) [5275]; Oman; Pakistan (br); Poland (v) [1348]; Portugal (br) [1332]; Portugal (br), Azores, Madeira (v); Romania (br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (br) [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Slovenia [1038]; Somalia (br) [5252]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Sweden (v) [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Taiwan; Tajikistan [374]; Thailand (v) [487]; Trinidad and Tobago (v) [6735]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (v) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom [6188]; Uzbekistan (br) [710]; Western Sahara; Yemen (br) [5297]

CITES Identification Manual Reference: A-211.005.019.003

***Pseudibis gigantea* (Oustalet, 1877)**

A CR

Synonym: *Thaumatibis gigantea* Oustalet, 1877

E: Giant Ibis, F: Ibis géant, S: Ibis gigante

Cambodia (ex?, br) [5243]; ?Lao People's Democratic Republic (br) [6187]; Thailand (ex, br) [487]; Viet Nam (ex, br) [5264]

***Threskiornis aethiopicus* (Latham, 1790)**

III GH C

511, 524, 573,
613, 636, 796,
841, 931, 1256,
1292

E: Sacred Ibis, F: Ibis sacré, S: Ibis sagrado

Angola (br) [5267]; Azerbaijan (v) [710]; Bahrain (v) [1105]; Benin [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Comoros (br) [6276]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo; Djibouti (br) [427]; Egypt (ex, br) [756]; Equatorial Guinea [659]; Eritrea (br?) [659]; Ethiopia (br) [659]; France (int, br) [6198]; Gabon [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br); Guinea-Bissau (br) [659, 715]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385, 10170]; Kazakhstan (v) [5269]; Kenya (br) [5253]; Kuwait (v) [537]; Lesotho (br?) [486]; Madagascar (br) [5249]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Oman (v); Rwanda (br) [659]; Saudi Arabia (v) [881]; Senegal (br) [659]; Seychelles (br) [659]; Aldabra (br) [7814]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br) [659]; Togo [5254]; Uganda (br) [659]; Yemen (v) [5297]; Zambia (br) [659]; Zimbabwe (br) [659, 687]

CITES Identification Manual Reference: A-211.005.000.001

Family: PHOENICOPTERIDAE

***Phoenicopterus andinus* Philippi, 1854**

II B

476, 595, 636,
1045, 1068, 1110

Synonym: *Phoenicoparrus andinus* (Philippi, 1854)

E: Andean Flamingo, F: Flamant des Andes, S: Flamenco andino, Parina grande

Argentina (br) [465, 5291, 7726, 10249]; Bolivia (br) [1186, 5116, 6415, 7726]; Brazil (v) [453, 6186]; Chile (br) [5292, 7726]; Peru (br) [1136, 7726]

CITES Identification Manual Reference: A-211.006.002.002

CITES EC Reg. RL References

<i>Phoenicopterus chilensis</i> Molina, 1782	II	B	LR/nt	636, 1045, 1068, 1110
E: Chilean Flamingo, F: Flamant du Chili, S: Flamenco Chileno, Flamenco común de Chile, Parihuana, Pariona				
Argentina (br) [5291, 7726, 10249]; Bolivia (br) [1186, 7726]; Brazil (br) [6186]; Chile (br) [5292, 7726]; Ecuador (v) [5294]; Falkland Islands (Malvinas) (v) [1439]; Paraguay (br) [5295]; Peru (br) [1136, 7726]; Uruguay (br) [5287]				
CITES Identification Manual Reference:				A-211.006.003.002
<i>Phoenicopterus jamesi</i> Sclater, 1886	II	B		476, 595, 604, 636, 1045, 1068, 1110
Synonym: <i>Phoenicoparrus jamesi</i> (Sclater, 1886)				
E: James' Flamingo, James's Flamingo, Puna Flamingo, F: Flamant de James, S: Flamenco andino chico, Flamenco de James, Parina chica				
Argentina (br) [465, 5291, 7726, 10249]; Bolivia (br) [1186, 5116, 7726]; Chile (br) [5292, 7726]; Peru (br) [1136, 7726]				
CITES Identification Manual Reference:				A-211.006.002.003
<i>Phoenicopterus minor</i>	II	B	LR/nt	381, 511, 524, 573, 595, 636, 841, 7721, 7723
Geoffroy Saint-Hilaire, 1798				
Synonym: <i>Phoeniconaias minor</i> Geoffrey, 1798				
E: Lesser Flamingo, F: Flamant nain, Petit flamant, S: Flamenco enano				
Afghanistan (v) [694]; Angola [5267]; Botswana (br) [1102]; Burundi [659]; Cameroon [659]; Chad (v) [659]; Comoros (v) [659, 1356]; Democratic Republic of the Congo (br) [6294]; ?Djibouti (br) [427]; ?Egypt (v) [756, 969]; Eritrea [659]; Ethiopia [659]; Gabon [659]; Gambia [760]; Guinea; Guinea-Bissau [659, 715]; India (br) [1197]; Iran (Islamic Republic of) (v) [1253]; Kenya (br) [5253, 7722]; Lesotho (v?) [486]; Madagascar [5249, 6516]; Malawi [1103]; Mauritania (br) [659]; Mauritius (v) [659]; Mauritius (v), Rodrigues (v) [7810]; Morocco (v) [461]; Mozambique [659]; Namibia (br) [659]; Niger (v) [659]; Nigeria (v); Oman (v); Pakistan; Réunion (v) [1303]; Rwanda (v) [659]; São Tomé and Príncipe (v) [659]; Senegal [659]; Sierra Leone [659]; Somalia (v) [5252]; South Africa (br) [659]; Spain (v) [702]; Sudan [659]; Swaziland (v) [1139]; Tanzania, United Republic of (br) [659]; Uganda [659]; Yemen [5297]; Zambia (br) [659]; Zimbabwe [659]				
CITES Identification Manual Reference:				A-211.006.001.001
<i>Phoenicopterus ruber</i> Linnaeus, 1758	II	A		381, 387, 485, 511, 524, 573, 613, 636, 841, 1045, 1068, 1110
Synonym: <i>Phoenicopterus roseus</i> Pallas, 1811				
E: American Flamingo, Greater Flamingo, F: Flamant de Cuba, Flamant rose, Flamant rose, Flamant rouge, S: Flamenco, Flamenco, Flamenco Común, Flamenco común, Flamenco de Cuba, Flamenco rojo, Tococo				
Afghanistan (br) [694]; Algeria [971]; Angola [5267]; Antigua and Barbuda (ex, v) [5242]; Armenia [5240]; Aruba [1380]; Austria (v) [1215]; Azerbaijan (br); Bahamas (br) [5242]; Bahrain [1105]; Bangladesh (v) [804]; ?Belgium (v) [5272]; Belize (v) [5241]; Bermuda (v) [389]; Botswana (br) [1102]; Brazil [6186, 7122]; Bulgaria (v) [1365, 5280]; Burundi [659]; Cambodia (v) [5243]; Cameroon (v) [6295]; Canada (v) [748]; Cape Verde [820]; Cayman Islands (v); China (v) [6483]; Cocos (Keeling) Islands (v) [1316]; Colombia [837]; Comoros [659, 1356]; Congo (v) [659]; Croatia (v) [5290]; Cuba (br) [5259]; Cyprus [709]; Czech Republic (v) [5258]; Democratic Republic of the Congo (v); Denmark (v) [666]; Djibouti (br?) [427]; Dominican Republic (br) [1312]; Ecuador (br) [5294]; Galapagos; Egypt (br?) [756]; Equatorial Guinea (v) [659]; Eritrea [659]; Ethiopia (br?) [659, 913]; ?Finland (v) [1300]; France (br) [892, 7041]; French Guiana [1349]; Gambia [760];				

?Germany (v) [5274]; Gibraltar; Greece [5281]; Guadeloupe (v) [5242]; Guinea; Guinea-Bissau [659, 7834, 7850, 7851, 7852, 7857]; Guyana [1295]; Haiti (br) [1127, 1128, 1408]; Hungary (v) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Israel [5245]; Italy (br) [5289]; Jamaica [657]; Jordan [395, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253, 7722]; Kuwait [537]; ?Latvia (v) [5278]; Lebanon [5284]; Lesotho (v) [486]; Libyan Arab Jamahiriya [536]; Madagascar (br) [5249]; Malawi [1103]; Maldives [431]; Malta (v); Mauritania (br) [659]; Mauritius (v) [659]; Mexico (br) [682, 5241, 7724]; Mongolia (v) [1306]; Morocco (br) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Nepal (v) [865]; Netherlands Antilles (br); Niger (v) [659]; Norway (v) [5275]; Oman; Pakistan (br); Poland (v) [1348]; Portugal (br) [1332]; Portugal (br), Azores (v); Puerto Rico (v) [1176]; Qatar [1393]; Réunion (v) [1303]; Romania (v) [558]; Saint Kitts and Nevis (v) [5242]; Saint Lucia (v) [5251]; São Tomé and Príncipe [659]; Saudi Arabia [881]; Senegal (br) [659]; Serbia and Montenegro (v) [1038]; Seychelles (br) [659, 699]; Seychelles (v) [7815]; Aldabra (br) [7814]; Sierra Leone [659]; Slovakia (v) [5279]; Slovenia (v) [1038]; Somalia (br?) [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Suriname [5296]; Swaziland (v) [1139]; ?Sweden (v) [1199]; ?Switzerland (v) [5288]; Syrian Arab Republic [5283]; Tajikistan (v); Tanzania, United Republic of (br) [659]; Trinidad and Tobago [6735]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (ex, br) [710, 8159]; Turks and Caicos Islands; Uganda [659]; United Arab Emirates (br) [1192]; United States [387]; Uzbekistan [710]; Venezuela [1070, 7725]; Virgin Islands (British) (reint, br); Virgin Islands (U.S.) (v); Western Sahara; Yemen [5297]; Zambia [659]; Zimbabwe [659]

CITES Identification Manual Reference: A-211.006.003.004

Order: **ANSERIFORMES**

Family: **ANATIDAE**

<i>Alopochen aegyptiacus</i> (Linnaeus, 1766)	III GH	C	509, 511, 524, 573, 613, 636, 841, 1010, 1256, 1292
---	--------	---	--

E: Egyptian Goose, F: Oie d'Égypte, Ovette d'Égypte, Ouette d'Égypte, S: Ganso del Nilo, Ganso del Nilo, Oca del Nilo
 Algeria [971]; Angola (br) [5267]; Belgium (int, br) [5272]; Benin (v) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; China (v) [6425]; Congo (br?) [659]; Côte d'Ivoire (v) [1334]; ?Cyprus [709]; Democratic Republic of the Congo (br); Djibouti (br) [427]; Egypt (br) [756]; Equatorial Guinea (br?) [659]; Ethiopia (br) [659]; France (v) [7041]; Gabon (br?) [659]; Gambia [760]; Ghana (v) [782]; Guinea (br?); Guinea-Bissau (br) [659, 715, 7849]; Hungary (v) [5257]; Israel (ex, br) [5245]; Kenya (br) [5253]; Lesotho (br) [486]; Malawi (br) [1103]; Mali (br) [659]; Malta (v); Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Netherlands (int, br) [5273]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Spain (v) [702]; Sudan (br) [659]; Swaziland (br) [1139]; Syrian Arab Republic (v) [5283]; Tanzania, United Republic of (br) [659]; Togo (v) [5254]; Tunisia [1344]; Uganda (br) [659]; United Arab Emirates (int, br) [1192]; United Kingdom (int, br) [1320, 6188]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-212.002.010.001

<i>Anas acuta</i> Linnaeus, 1758	III GH	C	381, 387, 485, 509, 511, 524, 613, 636, 841, 929, 1010, 1023, 1045, 1256
<p>E: Common Pintail, Northern Pintail, Pintail, F: Canard pilet, Canard pilet, Pilet, S: Anade Rabudo, Anade rabudo, Pato golondrino norteño, Pato rabudo Afghanistan (br) [694]; Albania; Algeria [971]; ?Anguilla (v) [5242]; Antigua and Barbuda (v) [5242]; Armenia [5240]; Austria (br) [1215]; Azerbaijan; Bahamas [5242]; Bahrain [1105]; Bangladesh [804]; Barbados [5242]; Belgium (br) [5272]; Belize [680, 5241]; Bermuda [389]; Bhutan [5261]; Bosnia and Herzegovina [1038]; Botswana (v) [1102]; Brunei Darussalam (v) [1019]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cambodia [5243]; Cameroon [659]; Canada (br) [748]; Cayman Islands (v); Central African Republic [659]; Chad [659]; China (br) [5293]; Colombia (v) [837]; Cook Islands (v); Costa Rica [1311]; Côte d'Ivoire (v) [433, 1334]; Croatia [5290]; Cuba [5259]; Cyprus [709]; Czech Republic [5258]; Democratic Republic of the Congo; Denmark (br) [666]; Djibouti [427]; Dominican Republic [1312]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (br) [480]; Finland (br) [1300]; France (br) [7041]; French Polynesia (v) [1171]; French Southern Territories (br); Gabon (v) [659]; Gambia [760]; Germany (br) [5274]; Ghana [782]; Greece [5281]; Greenland (br); Guadeloupe (v) [5242]; Guatemala [5241]; Guinea [1389]; Guinea-Bissau [7849, 7850, 7851]; Guyana (v) [1295]; Haiti [1408]; Honduras [1076]; Hong Kong; Hungary (br) [5257]; Iceland (br) [507]; India [1197]; Indonesia (v) [393, 1050, 1289]; Jawa, Sumatera [7727]; Iran (Islamic Republic of) [1253]; Iraq [385]; ?Ireland (br) [858]; Israel [5245]; Italy [5289]; Jamaica [657]; Japan [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kiribati [503]; Korea, DPR [7680]; Korea, Republic of [1436]; Kuwait [537]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Liberia (v) [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein; Lithuania (br) [5247]; Luxembourg [5248]; Macedonia, former Yugoslav Republic of [1038]; Malawi [1103]; Malaysia (v); Peninsular Malaysia, Sabah, Sarawak; Maldives (v) [431]; Mali [659]; Malta; Marshall Islands [1171]; Martinique (v) [5242]; Mauritania [659]; Mexico [5241]; Micronesia (Federated States of) [1171]; Mongolia (br) [1306]; ?Montserrat (v) [5242]; Morocco (br) [461]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Netherlands Antilles (v); Nicaragua [1195]; Niger [659]; Nigeria; Northern Mariana Islands; Norway (br) [5275]; Oman; Pakistan; Palau [1171]; Panama [1195]; Papua New Guinea (v) [6951]; Philippines [5270]; Poland (br) [1348]; Portugal [1332]; Portugal, Azores (v), Madeira (v), Selvagens [1049]; Puerto Rico (v) [1176]; Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saint Kitts and Nevis (v) [5242]; Saint Lucia (v) [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines (v) [5242]; Saudi Arabia [881]; Senegal [659]; Senegal [759]; Serbia and Montenegro [1038]; Seychelles (v) [659, 667, 6253]; Seychelles [393]; Sierra Leone [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia [1038]; Somalia [5252]; South Africa [575, 659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Suriname (v) [5296]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Taiwan; Tajikistan [374]; Tanzania, United Republic of [659]; Thailand [487]; Togo [5254]; Tonga (v) [1171]; Trinidad and Tobago (v) [10294]; Tunisia (br) [1344]; Turkey (br) [5282]; Turks and Caicos Islands (v); Uganda [659]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United States (br) [387, 834]; Uzbekistan [710]; Venezuela (v) [1070]; Viet Nam [5264]; Virgin Islands (U.S.) (v); Western Sahara; Yemen [5297]; Zambia [575, 659]; Zimbabwe [575, 659]</p>			

CITES EC Reg. RL References

<i>Anas aucklandica</i> (Gray, 1844)	I	A	CR/EN/ VU	595, 815, 931, 1010, 1073, 1429, 9306
Synonym: <i>Anas chlorotis</i> G. R. Gray, 1845, <i>Anas nesiotis</i> (J. H. Fleming, 1935)				
E: Brown Teal, Flightless Teal, F: Sarcelle aptère, Sarcelle brune, Sarcelle de Nouvelle-Zélande, Sarcelle terrestre des îles Auckland, S: Cerceta alicorta de Auckland, Cerceta Maorí				
New Caledonia (v) [5260]; New Zealand (br) [1351]				
<i>Anas bernieri</i> (Hartlaub, 1860)	II	B	EN	509, 595, 597, 633, 636, 961, 1010, 1446
E: Bernier's Teal, Madagascar Teal, F: Canard de Bernier, Sarcelle de Bernier, Sarcelle de Madagascar, Sarcelle malgache de Bernier, S: Cerceta de Madagascar, Cerceta malgache, Cerceta malgache de Bernier, Pato de Bernier				
Israel (v); Madagascar (br) [5249]				
CITES Identification Manual Reference:	A-212.002.012.006			
<i>Anas capensis</i> Gmelin, 1789	III	GH	C	509, 511, 524, 573, 636, 1010, 1256
E: Cape Teal, Cape Wigeon, F: Canard du Cap, Sarcelle du Cap, S: Cerceta del Cabo Angola (br) [5267]; Botswana (br) [1102]; Cameroon (v) [659]; Chad (br) [659]; Democratic Republic of the Congo (br); Ethiopia (br) [659]; Ghana (v) [782]; Israel (v) [5245]; Kenya (br) [5253]; Lesotho (v) [486]; Libyan Arab Jamahiriya (br?) [536, 841]; Malawi (v) [1103]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br?); South Africa (br) [659]; Sudan (br) [659]; Swaziland (v) [1139]; Tanzania, United Republic of (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]				
<i>Anas clypeata</i> Linnaeus, 1758	III	GH	C	381, 387, 485, 509, 511, 524, 613, 636, 841, 929, 1010, 1023, 1045, 1068, 1152, 1256
Synonym: <i>Spatula clypeata</i>				
E: Northern Shoveler, Shoveler, F: Canard souchet, Canard souchet, Souchet, S: Cuchara Común, Cuchara común, Pato chucara, Pato cuchara, Pato cucharón norteño				
Afghanistan (br) [694]; Albania (br?); Algeria [971]; Antigua and Barbuda [5242]; Armenia [5240]; Aruba (v) [1380]; Australia (v) [477, 498]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahamas [5242]; Bahrain [1105]; Bangladesh [804]; Barbados (v) [5242]; Belarus (br); Belgium (br) [5272]; Belize [5241, 6709]; Bermuda (v) [389]; Bhutan [5261]; Bolivia (v) [6986]; Bosnia and Herzegovina (br) [1038]; ?Botswana (v) [1102]; Brunei Darussalam (v) [1019]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cambodia [5243]; Cameroon (v) [659]; Canada (br) [748]; Cayman Islands; ?Central African Republic [659]; Chad [659]; China (br) [5293]; Colombia [837]; Costa Rica [1311]; Côte d'Ivoire [1334]; Croatia (ex, br) [5290]; Cuba [5259]; Cyprus [709]; Czech Republic [5258]; Democratic Republic of the Congo; Denmark (br) [666]; Djibouti [427]; Dominica [5242]; Dominican Republic [1312]; Egypt [756]; El Salvador [5241]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; French Polynesia (v) [1171]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Greece (br) [5281]; Guadeloupe [5242]; Guam [503]; Guatemala [5241]; Guinea (v); Guinea-Bissau [659, 7852]; Haiti [1408]; Honduras [1076]; Hong Kong; Hungary (br) [5257]; Iceland (br) [507]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq [385]; Ireland (br) [858]; Israel [5245]; Italy (br) [5289]; Sicilia [393]; Jamaica [657]; Japan (br) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kiribati [503]; Korea, DPR [7680]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Latvia (br) [5278];				

Lebanon [5284]; Liberia (v) [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein; Lithuania (br) [5247]; Luxembourg [5248]; Macedonia, former Yugoslav Republic of (br?) [1038]; Malawi [575, 1103]; Malaysia (v) [1289]: Peninsular Malaysia [1049], Sabah, Sarawak; Maldives [431]; Mali [659]; Malta: Malta [759]; Marshall Islands [1171]; Martinique [5242]; Mauritania [659]; Mexico [5241]; Micronesia (Federated States of) [1171]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco [461]; ?Mozambique (v) [659]; Myanmar [1290]; Namibia (v) [659]; Nepal [865]; Netherlands (br) [5273]; Netherlands Antilles (v); New Zealand (v) [1351]; Nicaragua [1195]; Niger [659]; Nigeria; Northern Mariana Islands; Norway (br) [5275]; Oman; Pakistan; Panama [1195]; Philippines [5270]; Poland (br) [1348]; Portugal (br) [1332]: Portugal (br), Azores (v), Madeira (v); Puerto Rico [1176]; Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda (v) [659]; Saint Kitts and Nevis (v); Saint Lucia (v) [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines [5242]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [659, 6253]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia [5252]; ?South Africa (v) [659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Taiwan; Tajikistan [374]; Tanzania, United Republic of [659]; Thailand [487]; Trinidad and Tobago (v) [703]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Turks and Caicos Islands (v); Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [932, 6188]; United States (br) [387]; United States Minor Outlying Islands; Uzbekistan (br) [710]; Venezuela (v) [1070]; Viet Nam [5264]; Virgin Islands (U.S.); Western Sahara; Yemen [5297]; Zambia [575, 659]; Zimbabwe (v) [575, 659]

<i>Anas crecca</i> Linnaeus, 1758	III GH	C	381, 387, 509, 511, 524, 613, 636, 841, 929, 1010, 1045, 1152, 1256
-----------------------------------	--------	---	---

Synonym: *Anas carolinensis* Gmelin, 1789

E: Common Teal, Green-winged Teal, Teal, F: Sarcelle d'hiver, Sarcelle d'hiver, S: Cerceta aliverde, Cerceta común, Cerceta Común
Afghanistan (br) [694]; Albania; Algeria [971]; ?Anguilla (v) [5242]; Antigua and Barbuda [5242]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahamas [5242]; Bahrain [1105]; Bangladesh [804]; Barbados (v) [5242]; Belarus (br); Belgium (br) [5272]; Belize [5241]; Benin [659]; Bermuda [389]; Bhutan [5261]; Bosnia and Herzegovina [1038]; Brunei Darussalam (v) [1019]; Bulgaria (br) [5280]; Burundi (v) [659]; Cambodia [5243]; Cameroon [659]; Canada (br) [748]; Cape Verde (v) [820]; Cayman Islands; Central African Republic [659]; Chad [659]; China (br) [5293]; Colombia (v) [837]; Costa Rica (v) [1311]; Côte d'Ivoire (v) [1334]; Croatia (br) [5290]; Cuba [485, 5259]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (v) [6294]; Denmark (br) [666]; Dominica (v) [5242]; Dominican Republic [1312]; Egypt [756]: Sinai [759]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (br) [480]; Finland (br) [1300]; France (br) [7041]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Greece (br) [5281]; Greenland (br); Grenada (v) [5242]; ?Guadeloupe (v) [5242]; Guatemala [5241]; Guinea-Bissau [7850]; Haiti [1408]; Honduras [1076]; Hong Kong; Hungary (br) [5257]; Iceland (br) [507]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq [385]; Ireland (br) [858]; Israel [5245]; Italy (br) [5289]; Jamaica [657]; Japan (br) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, DPR [7680]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536]; Liechtenstein; Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of [1038]; Malaysia (v): Peninsular Malaysia [1049], Sabah; Maldives [431]; Mali [659]; Malta; Marshall Islands (v) [1171]; ?Martinique (v) [5242]; Mauritania [659]; Mexico [5241]; Moldova, Republic of (br) [710]; Mongolia (br) [1306];Montserrat (v) [5242]; Morocco [461]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Niger [659]; Nigeria; Northern Mariana Islands; Norway (br) [5275]; Oman; Pakistan; Palau (v) [1171]; Philippines [5270]; Poland (br) [1348];

CITES EC Reg. RL References

Portugal [1332]; Portugal, Azores (br?), Madeira; Puerto Rico [1176]; Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda (v) [659]; Saint Kitts and Nevis (v) [5242]; Saint Lucia (v) [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines (v) [5242]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro (br?) [1038]; Seychelles (v?) [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia [5252]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Svalbard and Jan Mayen (br); Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Taiwan; Tajikistan [374]; Tanzania, United Republic of [659]; Thailand [487]; Trinidad and Tobago (v) [703, 10294]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United States (br) [387]; Uzbekistan (br) [710]; Viet Nam [5264]; Virgin Islands (U.S.) (v); Western Sahara; Yemen [5297]

<i>Anas formosa</i> Georgi, 1775	II	B	VU	502, 595, 613, 636, 1010, 1152
E: Baikal Teal, F: Sarcelle élégante, Sarcelle formose, S: Cerceta del Baikal Afghanistan (v) [694]; Bangladesh (v) [804]; China [5293]; ?France (v) [7041]; Hong Kong (v); India (v) [1197]; ?Italy (v) [5289]; Japan [503]; Kazakhstan (v) [5269]; Korea, DPR [7680]; Korea, Republic of [1436]; ?Malta (v); Mongolia [1306]; Myanmar (v); Nepal (v) [865]; ?Netherlands (v) [5273]; Russian Federation (br) [710, 8152]; ?Spain (v) [397, 702]; ?Svalbard and Jan Mayen (v); Taiwan; Thailand; Uzbekistan (v) [710]				

Anas laysanensis Rothschild, 1892 I A VU 387, 595, 636,
931, 1010
Synonym: *Anas platyrhynchos laysanensis* Rothschild, 1892
E: Laysan Duck, Laysan Teal, F: Canard de Laysan, Sarcelle de Laysan, S: Pato de
Laysan, Pato real de Laysan
United States (br) [387]: Hawaiian Is
CITES Identification Manual Reference: A-212.002.012.023d

Anas melleri P. L. Sclater, 1865 D EN
E: Meller's Duck, F: Canard de Meller, S: Anade malgache
Madagascar (br) [5249]; Mauritius (int) [659]; Réunion (int) [1303]

Anas oustaleti Salvadori, 1894 I A
Synonym: *Anas platyrhynchos "oustaleti"* Salvadori, 1894
E: Marianas Island Duck, Marianas Mallard, Oustalet's Grey Duck, F: Canard aberrant,
Canard d'Oustalet, Canard des Mariannes, S: Pato de Oustalet, Pato real marismeno
Guam (ex, br) [503]; ?Northern Mariana Islands (br)
CITES Identification Manual Reference: A-212.002.012.023f

<i>Anas penelope</i> Linnaeus, 1758	III GH	C	381, 387, 509, 511, 524, 613, 636, 841, 871, 929, 942, 1010, 1152, 1256
E: Eurasian Wigeon, Wigeon, F: Canard siffleur, Canard siffleur, S: Anade silbón, Pato silbón, Silbón Europeo, Silbón Europeo			

Finland (br) [1300]; France [7041]; Georgia (br) [710]; Germany (br) [5274]; Ghana (v) [782]; Greece [5281]; Greenland; Guam [503]; Haiti (v) [485, 1408]; Hong Kong; Hungary [5257]; Iceland (br) [507]; India [1197]; Indonesia (v) [393]; Irian Jaya, Sulawesi [1410]; Iran (Islamic Republic of) [1253]; Iraq [385]; Ireland [858]; Israel [5245]; Italy [5289]; Japan [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, DPR [7680]; Korea, Republic of [1436]; Kuwait [537]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536]; Liechtenstein; Luxembourg [5248]; Macedonia, former Yugoslav Republic of [1038]; Malaysia (v) [1289]; Peninsular Malaysia, Sabah, Sarawak; Mali [659]; Malta; Marshall Islands [1171]; Mauritania [659]; Mexico (v) [5241]; Campeche [759], Chiapas [393]; Micronesia (Federated States of) (v) [1171]; Mongolia (br) [1306]; Morocco [461]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Niger [659]; Nigeria; Northern Mariana Islands (v); Norway (br) [5275]; Oman; Pakistan; Palau [1171]; Papua New Guinea (v) [6951]; Philippines [5270]; Poland (br) [1348]; Portugal [1332]; Portugal, Azores (v), Madeira (v); Puerto Rico (v) [485, 1176]; Qatar [1393]; Romania [558]; Russian Federation (br) [710]; Saint Pierre and Miquelon (v) [683]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro [1038]; Singapore (v) [791]; Slovakia (br) [5279]; Slovenia [1038]; Slovenia [1049]; Somalia (v) [5252]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Taiwan; Tajikistan; Tanzania, United Republic of [659]; Thailand [487]; Tunisia [1344]; Turkey (br) [5282]; Uganda (v) [659]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United States [387]; Uzbekistan [710]; Venezuela (v) [10293]; Viet Nam [5264]; Western Sahara; Yemen [5297]

***Anas querquedula* Linnaeus, 1758**

III GH A

381, 387, 509,
511, 524, 613,
636, 841, 929,
1010, 1023, 1045,
1152, 1256

E: Garganey, Garganey Teal, F: Sarcelle d'été, Sarcelle d'été, S: Cerceta Carretona, Cerceta carretona, Cerceta cejiblanca

Afghanistan [694]; Albania (br); Algeria [971]; Armenia (br) [5240]; Australia (v) [477]; South Australia [759]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Barbados (v) [485, 5242]; Belarus (br); Belgium (br) [5272]; Benin [659]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (v) [575, 1102]; Brunei Darussalam (v); Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cambodia [5243]; Cameroon [659]; Canada (v) [748]; Cape Verde (v); Central African Republic [659]; Chad [659]; China (br) [5293]; Christmas Island (v); Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic [5258]; Democratic Republic of the Congo; Denmark (br) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Greece (br) [5281]; Guam (v) [503]; Guinea; Guinea-Bissau [659, 715]; Hong Kong; Hungary (br) [5257]; Iceland (v) [507]; India [1197]; Indonesia (v) [393]; Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (br?) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, DPR [7680]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Liberia [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein; Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi [575, 1103]; Malaysia [1289]; Peninsular Malaysia [1049], Sabah, Sarawak; Maldives [431, 7264]; Mali [659]; Malta; Mauritania [659]; Mauritius (v) [659]; Rodrigues (v) [7810]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco [461]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Niger [659]; Nigeria; Northern Mariana Islands (v); Norway (br) [5275]; Oman; Pakistan; Palau (v) [1171]; Papua New Guinea [6951]; Philippines [5270]; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Azores (v); Puerto Rico (v) [1176]; Qatar [1393]; Réunion (v) [1303]; Romania (br) [558]; Russian Federation (br) [710];

Rwanda [659]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Seychelles [659]; Sierra Leone [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia [5252]; South Africa [575, 659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Taiwan; Tajikistan [374]; Tanzania, United Republic of [659]; Thailand [487]; Togo [5254]; Tunisia [1344]; Turkey (br) [5282]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United States (v) [387]; Uzbekistan (br) [710]; Viet Nam [5264]; Western Sahara; Yemen [5297]; Socotra [393]; Zambia [575, 659]; Zimbabwe [575, 659]

Aythya innotata (Salvadori, 1894) A CR
E: Madagascar Pochard, F: Fuligule de Madagascar, S: Porrón Malgache
Madagascar (br) [5249, 7113]

Aythya nyroca (Güldenstädt, 1770) III GH A LR/nt 381, 524, 613,
841, 1010, 1256

Synonym: *Nyroca nyroca*
E: Ferruginous Duck, Ferruginous Pochard, White-eyed Pochard, F: Fuligule nyroca,
Fuligule nyroca, S: Porrón Pardo, Porrón pardo
Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710, 10114]; Bahrain (v) [1105]; Bangladesh [804]; Belarus; Belgium [5272]; ?Benin (v) [659]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280, 8155, 8165]; Burkina Faso (v) [659]; Cameroon [659]; Cape Verde (v) [820]; Central African Republic [659]; Chad [659, 8156]; China (br) [5293]; Croatia (br) [5290]; Cyprus [709]; Czech Republic [5258]; Denmark (v) [666]; Egypt [756]; Eritrea [659]; Ethiopia [659]; Finland (v) [1300]; France (br) [7041]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (v) [782]; Greece (br) [5281]; Hong Kong (v); Hungary (br) [5257]; India (br) [1197, 8163]; Iran (Islamic Republic of) (br) [1253]; Iraq [385, 10169]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289, 8164]; Japan (v) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait (v); Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536]; Liechtenstein (v); Lithuania (br) [5247]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Maldives (v) [431]; Mali [659, 8156]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1159, 1306]; Morocco (br) [461]; Myanmar [1290]; Nepal [865]; Netherlands [5273]; Niger [659]; Nigeria; Norway (v) [5275]; Oman; Pakistan; Poland (br) [1348]; Portugal [1332]; Qatar (v) [1393]; Romania (br) [558]; Russian Federation (br) [710]; Saudi Arabia (br) [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [6253]; Sierra Leone (v) [659]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sudan [659]; Sweden (v) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (v) [5283]; Tajikistan (br) [374]; Thailand [487]; ?Togo (v) [5254]; Tunisia [1344]; Turkey (br) [5282, 8142]; Turkmenistan (br) [710, 8158, 8159]; Uganda (v) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710, 8168]; Viet Nam [5264]; ?Western Sahara; Yemen [5297]; Socotra

Branta canadensis leucopareia I A 387, 636, 931,
(Brandt, 1836) 1010, 1023

E: Aleutian Canada Goose, Aleutian Goose, F: Bernache des Aléoutiennes, Bernache du Canada aléoute, S: Barnacla de las Aleutianas, Ganso canadiense aleutiana Canada (v) [748]; Japan [503]; Mexico [5241]; Russian Federation (br) [710]; United States (br) [387]

CITES Identification Manual Reference: A-212.002.003.003

Branta ruficollis (Pallas, 1769) II A VU 595, 613, 636,
841, 1010, 1377

Synonym: *Rufibrenta ruficollis* (Pallas, 1769)

E: Red-breasted Goose, F: Bernache à cou roux, Bernache à cou roux, S: Barnacla

cuellirroja

Armenia (v) [5240]; Austria (v) [1215]; Azerbaijan; Belgium (v) [5272]; Bosnia and Herzegovina (v) [1038]; Bulgaria [1282, 5280]; China (v) [5293]; Croatia (v) [5290]; Czech Republic [5258]; Denmark (v) [666]; ?Egypt (v) [756]; Finland (v) [1300]; France (v) [7041]; Germany (v) [5274]; Greece [5281]; Hungary [1307, 5257]; India (v) [1197]; Iran (Islamic Republic of) [1253]; Iraq [385]; Ireland (v) [858]; Israel (v) [5245]; Italy (v) [5289]; Kazakhstan [5269]; Latvia (v) [5278]; Netherlands (v) [5273]; Norway (v) [5275]; Poland (v) [1348]; Romania [558]; Russian Federation (br) [489, 710, 938]; Serbia and Montenegro (v) [1038]; Slovakia (v) [5279]; Spain (v) [702]; Svalbard and Jan Mayen (v); Sweden (v) [1199]; Turkey [446, 912, 5282]; Turkmenistan [710, 8159]; Ukraine [710]; United Kingdom (v) [6188]; Uzbekistan [710, 8168]

CITES Identification Manual Reference: A-212.002.003.005

Branta sandvicensis (Vigors, 1834)

I A VU 387, 475, 595,
636, 839, 847,
931, 1010

Synonym: *Nesochen sandvicensis*

E: Hawaiian Goose, Nene, F: Bernache d'Hawaï, Bernache des Iles Sandwich, Bernache néné, Oie néné, S: Barnacla hawaiana, Barnacla nené, Ganso né, Né United States (br) [387]

CITES Identification Manual Reference: A-212.002.003.006

Cairina moschata (Linnaeus, 1758)

III HN C 636, 1010, 1068

E: Muscovy Duck, F: Canard de Barbarie, Canard musqué, S: Pato criollo, Pato real Argentina (br) [5291, 10249]; Belize (br) [610, 5241]; Bolivia (br) [1186, 5116]; Brazil (br) [6186]; Chile (br) [5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 6712]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (v) [703]; ?United States (v) [387]; Uruguay (br) [5287]; Venezuela (br) [1070]

Cairina scutulata (S. Müller, 1842)

I A EN 381, 595, 636,
775, 854, 929,
931, 1010

E: White-winged Duck, White-winged Wood Duck, F: Canard à ailes blanches, Canard musqué à ailes blanches, S: Pato aliblanco, Pato almizclero aliblanco, Pato de jungla Bangladesh (br) [804, 923]; Cambodia (br?) [5243, 6476]; India (br) [1197, 6377]; Indonesia (br) [393]; Jawa, Sumatera [842, 843, 1094, 8151]; Lao People's Democratic Republic (br) [6187]; Malaysia (v): Peninsular Malaysia; Myanmar (br) [1290]; Thailand (br) [487, 783, 1141, 1220]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-212.002.016.003

Coscoroba coscoroba (Molina, 1782)

II B 636, 1010, 1045,
1068

E: Coscoroba Swan, F: Coscoroba blanc, Cygne coscoroba, S: Cisne coscoroba, Ganso blanco Argentina (br) [5291, 10249]; Brazil (br) [6186]; Chile (br) [5292]; Falkland Islands (Malvinas) (ex, br, v) [1439]; Paraguay (br) [814, 5295]; Uruguay (br) [5287]

CITES Identification Manual Reference: A-212.002.005.001

<i>Cygnus melanocorypha</i> (Molina, 1782)	II	B	636, 1010, 1045, 1068, 7806
E: Black-necked Swan, F: Cygne à cou noir, Cygne chanteur, S: Cisne cuellinegro Antarctica (v); Argentina (br) [5291, 10249]; Brazil (br) [6186]; Chile (br) [5292]; Falkland Islands (Malvinas) (br) [1439]; ?Paraguay [5295]; Uruguay (br) [5287]			
CITES Identification Manual Reference:	A-212.002.006.005		
<i>Dendrocygna arborea</i> (Linnaeus, 1758)	II	B	VU 485, 595, 598, 636, 678, 1010, 1045, 1068
E: Black-billed Wood-Duck, Cuban Tree-Duck, West Indian Tree-Duck, West Indian Whistling-duck, West Indian Whistling-Duck, F: Dendrocygne à bec noir, Dendrocygne des Antilles, S: Gíririri de pico negro, Pato silbón de Cuba, Suirirí yaguaza Antigua and Barbuda (br) [976, 5242]; Bahamas (br) [533, 5242, 7877]; Barbados [5242]; Bermuda (v) [389]; Cayman Islands (br) [978]; Cuba (br) [731, 732, 5259]; Dominica (v) [5242]; Dominican Republic (br) [1312, 7873]; Grenada [5242]; Haiti (br) [1408]; Jamaica (br) [657]; Martinique [5242]; Netherlands Antilles (v); Puerto Rico (br) [1176]; Saint Kitts and Nevis (ex, v) [5242, 10300]; Turks and Caicos Islands (br) [7878]; Virgin Islands (British) (br?); Virgin Islands (U.S.) (br?)			
CITES Identification Manual Reference:	A-212.002.007.002		
<i>Dendrocygna autumnalis</i> (Linnaeus, 1758)	III HN	C	485, 622, 636, 1010, 1068
E: Black-bellied Whistling-Duck, Red-billed Whistling-Duck, F: Dendrocygne à bec rouge, Dendrocygne à ventre noir, S: Guirirí, Pato silbón ventrinegro, Pijiji aliblanco, Suirirí piquirrojo Argentina (br) [5291, 10249]; Aruba (v) [1380]; Bahamas (v) [5242]; Barbados (v) [5242]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Cayman Islands (v); Chile (v) [5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Cuba (v) [5259]; Dominica (v) [5242]; Ecuador (br) [5294]; Ecuador, Galapagos; El Salvador (br) [5241]; French Guiana (br) [1349]; Gambia (v) [760]; Grenada (v) [5242]; Guadeloupe (v) [5242]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Jamaica (v) [657]; Martinique (v) [5242]; Mexico (br) [5241, 6648]; Netherlands Antilles (v); Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Puerto Rico (v) [1176]; Saint Lucia (v) [5251]; Saint Vincent and the Grenadines (v) [5242]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Venezuela (br) [1070]; Virgin Islands (U.S.) (v)			
CITES Identification Manual Reference:	A-212.002.007.004		
<i>Dendrocygna bicolor</i> (Vieillot, 1816)	III HN	C	381, 387, 485, 511, 524, 573, 622, 636, 1010, 1068, 1256, 1292
Synonym: <i>Dendrocygna fulva</i> E: Fulvous Tree-Duck, Fulvous Whistling-Duck, F: Dendrocygne fauve, S: Pato silbón común, Pijiji canelo, Suirirí bicolor, Suirirí leonado, Yaguaso colorado Angola (br?) [5267]; Antigua and Barbuda (br) [5242]; Argentina (br) [5291, 10249]; Aruba (v) [1380]; Bahamas (v) [5242]; Bangladesh (br) [804]; Barbados (v) [5242]; Belize (v) [5241]; Benin [659]; Bermuda (v) [389]; Bhutan (v) [5261]; Bolivia (br) [1186, 6346, 7166]; Botswana (br) [1102]; Brazil (br) [6186]; Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Canada (v) [748]; Cayman Islands; Central African Republic (br?) [659]; Chad (br?) [659]; Chile (v) [5292]; Colombia (br) [837]; Congo (br) [659]; Costa Rica (br) [1311]; Côte d'Ivoire (br?) [1334]; Cuba (br) [5259]; Democratic Republic of the Congo (br); Dominica (v) [5242]; Dominican Republic (br) [1312]; Ecuador (br) [5294]; El Salvador (br) [5241]; Eritrea [659]; Ethiopia [659]; France (v) [7041]; French Guiana (br) [1349]; Gabon [659]; Gambia [760]; Ghana (br) [782]; Grenada (v) [5242]; Guadeloupe [5242]; Guatemala [5241]; Guinea (br); Guinea-Bissau [7850, 7851]; Guyana (br) [1295]; Haiti (br) [1408]; Honduras (br) [1076, 6231]; India (br) [1197]; ?Israel			

(v) [5245]; Jamaica (v) [657]; Kenya (br) [5253]; Lesotho [486]; Madagascar (br) [5249]; Malawi (br) [1103]; Mali (br) [659]; Martinique [5242]; Mauritania (br) [659]; Mexico (br) [5241, 6675]; ?Montserrat (v) [5242]; Morocco (v) [461]; Mozambique (br) [659]; Myanmar (br) [1290]; Namibia [659]; Nepal (v) [865]; Netherlands Antilles (v); Niger [659]; Nigeria (br); Pakistan (br); Panama (v) [1195, 6741]; Paraguay (br) [5295]; Peru (br) [1136]; ?Portugal (v): Portugal (v?), ?Azores (v); Puerto Rico (v) [1176]; Rwanda (br?) [659]; Saint Kitts and Nevis (v) [5242]; Saint Lucia (v) [5251]; Saint Vincent and the Grenadines (v) [5242]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia [5252]; South Africa (br) [659]; Spain (v) [702]; Sri Lanka (v) [5271]; Sudan [659]; Suriname (br) [5296]; Swaziland [1139]; Tanzania, United Republic of (br) [659]; Togo (v) [5254]; Trinidad and Tobago (v) [703, 10294]; Turks and Caicos Islands (v); Uganda (br?) [659]; United States (br) [387, 1352]; Uruguay (br) [5287]; Venezuela (br) [1070]; ?Virgin Islands (British) (v); Virgin Islands (U.S.) (v); Yemen (v) [6432]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-212.002.007.005

<i>Dendrocygna viduata</i> (Linnaeus, 1766)	III GH	C	387, 509, 511, 524, 573, 622, 636, 1010, 1068, 1256, 1292
---	--------	---	--

E: White-faced Tree-Duck, White-faced Whistling-Duck, F: Dendrocygne veuf, S: Pato silbón cariblanco, Suirirí cariblanco, Yagouaso cariblanco
 Angola [5267]; Argentina (br) [5291, 10249]; Aruba (v) [1380]; Barbados (v) [5242]; Benin (br?) [659]; Bolivia (br) [1186]; Botswana (br) [1102]; Brazil (br) [6186]; Burkina Faso (br) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Colombia (br) [837]; Comoros (br?) [659]; Congo (br?) [659]; Costa Rica (br) [1311]; Côte d'Ivoire (br) [1334]; Cuba (v) [5259]; Democratic Republic of the Congo (br); Dominican Republic (v) [1312]; Equatorial Guinea [659]; Eritrea [659]; Ethiopia (br?) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [1389]; Guinea-Bissau (br) [659, 715, 7849]; Guyana (br) [1295]; Haiti [1408]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Madagascar (br) [5249]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mayotte; Mozambique (br) [659]; Namibia (br?) [659]; Netherlands Antilles (v); Niger (br) [659]; Nigeria (br); Panama (ex?, br) [1195]; Paraguay (br) [5295, 6238]; Peru (br) [1136]; Puerto Rico (ex, br) [1176]; Rwanda (br) [659]; Sénegal (br) [659]; Seychelles (v) [659, 6253]; Seychelles (v) [6253]; Aldabra (v) [7814]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Spain (v) [702]; Sudan (br) [659]; Suriname (br) [5296]; Swaziland (br) [1139]; Tanzania, United Republic of (br) [659]; Togo (br) [5254]; Trinidad and Tobago (v) [703]; Uganda (br) [659]; Uruguay (br) [5287]; Venezuela (br) [1070]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-212.002.007.009

<i>Mergus octosetaceus</i> Vieillot, 1817	A	CR
---	---	----

E: Brazilian Merganser, F: Harle huppard, S: Serreta Brasileña
 Argentina (v) [5291, 10249]; Brazil (br) [6186]; Paraguay (ex, br) [5295]

<i>Nettapus auritus</i> (Boddaert, 1783)	III	GH	C	509, 511, 524, 573, 636, 1010, 1256, 1292
E: African Pygmy-goose, F: Anserelle naine, Sarcelle à oreillons, S: Gansito Africano, Patito Africano				
Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ethiopia (br?) [659, 894]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau (br) [659, 715, 7849]; Kenya (br) [5253]; ?Lesotho (v) [486]; Liberia (br?) [5246]; Madagascar (br) [5249]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br?) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br) [6276, 7101]; Rwanda (br) [659]; São Tomé and Príncipe (v) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland [1139]; Tanzania, United Republic of (br) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]				
CITES Identification Manual Reference: A-212.002.032.002				
<i>Oxyura jamaicensis</i> (Gmelin, 1789)	II		B	
E: Ruddy Duck, F: Érismature rousse, S: Malvasía canela				
Antigua and Barbuda (v) [5242]; Bahamas (br) [5242]; Barbados (br) [5242]; Bermuda [389]; Canada (br) [748]; Cayman Islands (v); Colombia (br) [837]; Cuba (br) [5259]; Denmark (int) [666]; Dominican Republic (br) [1312]; El Salvador (br) [5241]; France (int) [7041]; Grenada (v) [5242]; Guadeloupe (v) [5242]; Guatemala [5241]; Haiti (br) [1408]; Honduras [1076]; Ireland (int) [858]; Jamaica (br) [657]; Mexico [5241, 6675]; Netherlands (int) [5273]; Portugal (int, br): <i>Portugal</i> (int, br); Puerto Rico (br) [1176]; Saint Kitts and Nevis (v) [5242]; Saint Lucia (v) [5251]; Saint Pierre and Miquelon (v) [683]; Saint Vincent and the Grenadines (v) [5242]; Sweden (int) [1199]; Switzerland (int) [5288]; Turks and Caicos Islands (br); United Kingdom (int) [6188]; United States (br) [387]; Virgin Islands (U.S.) (br)				
<i>Oxyura leucocephala</i> (Scopoli, 1769)	II	A	EN	381, 489, 509, 524, 595, 613, 636, 772, 841, 1010, 1029, 1035, 1152
E: White-headed Duck, F: Érismature à tête blanche, Érismature à tête blanche, S: Malvasía, Malvasía Cabeciblanca, Malvasía cabeciblanca				
Afghanistan (br) [694]; Albania; Algeria (br) [971, 7865]; Armenia (br) [5240]; Austria (v) [1215]; Azerbaijan [710, 8149]; Belgium (v) [5272]; Bosnia and Herzegovina (v) [1038]; Bulgaria [5280, 8161]; China [5293]; Croatia (v) [5290]; Cyprus [709]; Czech Republic [5258]; ?Denmark (v) [666]; Egypt [756]; France (v) [7041]; Germany (v) [5274]; Greece [5281, 7870]; Hungary (ex, br) [5257]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Israel (v) [5245]; Italy (ex, br) [5289, 8162]; Jordan (v) [6454]; Kazakhstan (br) [5269]; Libyan Arab Jamahiriya (v) [536]; Macedonia, former Yugoslav Republic of (v) [1038]; Malta (v); Mongolia (v) [1306]; Morocco [461, 8154]; Netherlands (v) [5273]; Pakistan; Poland (v) [1348]; Portugal (v) [1332]; Portugal (v); Romania (br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (v) [881]; Serbia and Montenegro (ex, br) [1038]; Slovakia (v) [5279]; Slovenia (v) [1038]; Spain (br) [653, 702]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Tajikistan [374]; Tunisia (br) [1344, 8153]; Turkey (br) [446, 5282]; Turkmenistan (br) [710, 8158, 8159]; Ukraine [710]; Uzbekistan (br) [710, 8150, 8168]				
CITES Identification Manual Reference: A-212.002.033.005				

CITES EC Reg. RL References

<i>Plectropterus gambensis</i> (Linnaeus, 1766)	III GH	C	509, 511, 524, 573, 636, 1010, 1256, 1292
E: Spur-winged Goose, F: Canard armé, Oie-armée de Gambie, S: Ganso de Gambia, Ganso espolonado			
Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire [1334]; Democratic Republic of the Congo (br); Egypt (v) [756]; Ethiopia (br?) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 7834, 7849]; Kenya (br) [5253]; Lesotho [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Morocco (v) [461]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); ?Oman (v); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br) [659]; Togo (br) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			
CITES Identification Manual Reference: A-212.002.034.001			
<i>Pteronetta hartlaubii</i> (Cassin, 1859)	III GH	C	509, 524, 636, 1010, 1256, 1292
Synonym: <i>Cairina hartlaubii</i> (Cassin, 1859)			
E: Hartlaub's Duck, F: Canard de Hartlaub, S: Pato de Hartlaub			
Angola (br) [5267]; Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br?); Liberia (br) [5246]; Mali (br?) [659]; Nigeria (br?); Sierra Leone (br?) [659]; Sudan (br) [659]; Uganda (v) [659]			
CITES Identification Manual Reference: A-212.002.036.001			
<i>Rhodonessa caryophyllacea</i> (Latham, 1790)	I	A	CR 381, 595, 776, 777, 931, 1010
E: Pink-headed Duck, F: Canard à tête rose, Nette à cou rose, S: Pato cabecirrosa, Pato de cabeza rosa			
India (ex, br) [1197]; Myanmar (ex, br) [1290]; Nepal (ex, br) [865]			
CITES Identification Manual Reference: A-212.002.037.001			
<i>Sarkidiornis melanotos</i> (Pennant, 1769)	II	B	381, 509, 511, 524, 573, 636, 929, 1010, 1045, 1068, 1256, 1292
E: Comb Duck, Knob-billed Goose, F: Canard à bosse, Canard à bosse bronzé, Canard coronculé, Sarcidiorne à crête, S: Pato crestado, Pato crestón, Pato crestudo, Pato de moco, Pato de monte			
Angola (br) [5267]; Argentina (br) [465, 5291, 10249]; Bangladesh (br) [804]; Benin (br) [659]; Bolivia (br) [1186, 5116]; Botswana (br) [1102]; Brazil (br) [6186, 6291]; Burkina Faso (br) [659]; Burundi (br?) [659]; Cambodia (br) [5243]; Cameroon [659]; Central African Republic (br) [659]; Chad (br) [659]; China (br?) [5293]; Colombia (br) [837]; Congo [659]; Côte d'Ivoire [1334]; Democratic Republic of the Congo (br); Ecuador (br) [5294]; Eritrea (br) [659]; Ethiopia [659]; French Guiana (br?) [1349]; Gabon [659]; Gambia [760]; Ghana (br?) [782]; Guinea; Guinea-Bissau [659, 715]; Guyana (br) [1295]; India (br) [1197]; ?Japan (v) [503]; Kenya (br) [5253]; Lao People's Democratic Republic (br) [6187]; Lesotho (v) [486]; Liberia [5246]; Madagascar (br) [5249]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mexico (br) [603, 5241]; Mozambique (br) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands Antilles (v); Niger [659]; Nigeria (br); Oman (v); Pakistan (br); Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Rwanda (br) [659]; São Tomé and Príncipe (v) [659]; Senegal [659]; Sierra Leone [659]; Somalia [5252]; South Africa (br) [659]; Sri Lanka (ex?, br) [5271]; Sudan (br) [659]; Swaziland [1139]; Tanzania, United Republic of (br) [659];			

Thailand (br) [487, 854]; Togo [5254]; Trinidad and Tobago [703, 10294]; Uganda (br) [659]; ?Uruguay (br) [376, 5287]; Venezuela (br) [1070]; Viet Nam (br) [5264]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-212.002.038.001

Stictonetta naevosa (Gould, 1841) D

E: Freckled Duck, F: Stictonette tachetée, S: Pato pecoso
Australia (br) [477, 8157]

Tadorna cristata (Kuroda, 1917) A CR

E: Crested Shelduck, F: Tadorne de Corée, S: Tarro crestado
China (br?) [5293]; Japan (v) [503]; Korea, DPR [7682]; Korea, Republic of [1436]; Russian Federation (br?) [710]

Order: **FALCONIFORMES**

Family: **CATHARTIDAE**

Gymnogyps californianus (Shaw, 1898) I A CR 386, 387, 523,
595, 598, 671,
908, 925, 931,
1059

E: California Condor, F: Condor de Californie, S: Cónedor californiano, Cóndor de California
Mexico (ex, br) [1413, 5241]; United States (reint, br) [387]: Arizona, California (reint, br?) [6491]

CITES Identification Manual Reference: A-213.001.003.001

Sarcoramphus papa (Linnaeus, 1758) III HN C 386, 523, 1068

E: King Vulture, F: Carcoramphe roi, Roi des vautours, Sarcoramphe roi, Vautour page, Vautour royal, S: Gallinazo rey, Jote real, Rey zamuro, Zopilote rey
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [462, 5241, 7068]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Suriname (br) [5296]; Trinidad and Tobago [703, 6735]; ?Uruguay (br) [5287]; Venezuela (br) [1070]

Vultur gryphus Linnaeus, 1758 I A LR/nt 386, 523, 708,
1068, 1329

E: Andean Condor, F: Condor des Andes, S: Cónedor, Cónedor andino, Cónedor de los Andes
Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [1268, 6186]; Chile (br) [873, 5292]; Colombia (br) [837]; Ecuador (br) [5294, 6389]; Paraguay [5295]; Peru (br) [1136]; Venezuela (br) [1070, 1453]

CITES Identification Manual Reference: A-213.001.005.001

Family: PANDIONIDAE

<i>Pandion haliaetus</i> (Linnaeus, 1758)	II	A	381, 386, 387, 485, 511, 523, 524, 573, 841, 929, 1068, 1167, 1256, 1292
---	----	---	---

E: Osprey, F: Aigle pêcheur, Balbugard fluviatile, Balbuzard pêcheur, Balbuzard pêcheur, S: Aguila Pescadora, Aguila sanguinal, Gavilán pescador, Guincho

Afghanistan [694]; Albania; Algeria (br) [971]; Angola [5267]; ?Anguilla [5242]; Antigua and Barbuda [5242]; Argentina [5291, 10249]; Armenia (br) [5240]; Aruba [1380]; Australia (br) [477]; Austria [1215]; Azerbaijan (br) [710]; Bahamas (br) [5242]; Bahrain (br) [1105]; Bangladesh [804]; Barbados [5242]; Belarus (br); Belgium [5272]; Belize (br) [5241]; Benin [659]; Bermuda [389]; Bhutan [5261]; Bolivia [1186]; Bosnia and Herzegovina [1038]; Bosnia & Herzegovina [759]; Botswana [1102]; Brazil [6186, 6291]; Brunei Darussalam; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cambodia [5243]; Cameroon [659]; Canada (br) [748]; Cape Verde (br) [820]; Cayman Islands; Central African Republic [659]; Chad [659]; Chile (br?) [873, 5292]; China (br) [5293]; Colombia [837]; Congo [659]; Costa Rica [1311]; Côte d'Ivoire [1334]; Croatia [5290]; Croatia [393]; Cuba (br) [5259]; Cyprus [709]; Czech Republic (ex) [5258]; Democratic Republic of the Congo; Denmark (br) [666]; Djibouti (br) [427]; Dominica [5242]; Dominican Republic [1312]; Ecuador [5294]; Ecuador, Galapagos; Egypt (br) [756]; El Salvador [5241]; Eritrea (br) [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France [7041]; French Guiana [1349]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Gibraltar; Greece [5281]; Grenada [5242]; Guadeloupe [5242]; Guam (v) [503]; Guatemala (br) [448, 5241]; Guinea [1389]; Guinea-Bissau [7849, 7850, 7851, 7852, 7853, 7857]; Guyana [1295]; Haiti [1408]; Honduras [1076]; Hong Kong; Hungary [5257]; Iceland (v) [507]; India (br) [1197]; Indonesia (br) [393]; Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland [858]; Israel [5245]; Italy (ex, br) [5289]; Jamaica [657]; Japan (br) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, DPR [7680]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon (v) [5284]; Lesotho [486]; Liberia [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein; Lithuania (br) [5247]; Luxembourg [5248]; Macedonia, former Yugoslav Republic of (ex, br) [1038]; Malawi [1103]; Malaysia [1289]; Peninsular Malaysia, Sabah, Sarawak; Maldives (v) [431]; Mali [659]; Malta; Martinique [5242]; Mauritania (br?) [659]; Mexico (br) [5241, 6648]; Moldova, Republic of (br) [710]; ?Monaco; Mongolia (br) [1306]; ?Montserrat [5242]; Morocco (br) [461]; Mozambique [659]; Myanmar [1290]; Namibia [659]; Nepal (br?) [865]; Netherlands [5273]; Netherlands Antilles; New Caledonia (br) [5260]; Nicaragua [1195, 6604]; Niger [659]; Nigeria; Norway (br) [5275]; Oman (br); Pakistan; Palau (v) [1171]; Panama [1195]; Papua New Guinea (br) [6951]; Paraguay [5295]; Peru [1136, 6410]; Philippines [5270]; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Azores (v), Madeira (v); Puerto Rico [1176]; Qatar (br) [1393]; Romania (br) [558]; Russian Federation (br) [710, 938]; Rwanda [659]; Saint Kitts and Nevis [5242]; Saint Lucia (br) [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines [5242]; São Tomé and Príncipe [659]; Saudi Arabia (br) [881]; Senegal [659]; Serbia and Montenegro [1038]; Seychelles (v) [6253]; Sierra Leone [659]; Singapore [791]; Slovakia [5279]; Slovenia [1038]; Solomon Islands (br) [5260]; Somalia (br) [5252]; South Africa (br) [574, 630, 659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Suriname [5296]; Swaziland [1139]; Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic (v) [5283]; Taiwan; Tajikistan (br?) [374]; Tanzania, United Republic of [659]; Thailand [487]; Togo [5254]; Trinidad and Tobago [703]; Tunisia (br?) [1344]; Turkey (br) [5282]; Turkmenistan [710]; Turks and Caicos Islands (br?); Uganda [659]; Ukraine (br) [710]; United Arab Emirates (br) [1192]; United Kingdom (br) [6188]; United States (br) [387, 671, 1296]; Uruguay [5287]; Uzbekistan [710]; Venezuela [1070]; Viet Nam [5264];

Virgin Islands (British); Virgin Islands (U.S.) (br); Western Sahara; Yemen (br) [5297]; South Yemen [1049]; Zambia [659]; Zimbabwe [659]

CITES Identification Manual Reference: A-213.002.001.001

Family: ACCIPITRIDAE

***Accipiter albogularis* Gray, 1870** II B 386, 523, 1045, 1242

E: Pied Goshawk, Pied Sparrowhawk, F: Autour pie, S: Gavilán pío
Papua New Guinea (br); Solomon Islands (br) [1398, 5260]

***Accipiter badius* (Gmelin, 1788)** II B 381, 386, 511, 523, 524, 573, 614, 841, 929, 1092, 1256, 1292

E: Little Banded Sparrowhawk, Shikra, F: Épervier shikra, S: Gavilán chikra
Afghanistan (br) [694]; Angola (br) [5267]; ?Armenia (v) [5240]; Azerbaijan (ex?, br) [710]; Bangladesh (br) [804]; Benin [659, 845]; Bhutan (br) [5261]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345, 7154]; Burundi (br?) [659]; Cambodia (br) [5243]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; China (br) [5293]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Djibouti (br?) [427]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gambia (br) [760, 6255]; Ghana (br) [782]; Guinea (br) [1389]; Guinea-Bissau (br) [659, 715]; India (br) [1197]; Indonesia (v) [393]; Sumatera; Iran (Islamic Republic of) (br) [1253]; Israel (v) [953, 5245]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Kuwait (v) [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (br) [6187]; Lesotho (v) [486]; Liberia [5246]; Malawi (br) [1103]; Malaysia (v); Mali [659]; Mauritania [659]; Mongolia (v) [1306]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Niger (br) [659]; Nigeria (br); Oman (v); Pakistan (br); Rwanda (br?) [659]; Saudi Arabia (br) [579, 881]; Senegal (br?) [659]; Sierra Leone (br) [659]; Singapore [791]; Somalia (br) [5252]; South Africa (br) [659]; Sri Lanka (br) [5271]; Sudan (br) [659]; Swaziland (br) [1139]; Tajikistan (br) [374]; Tanzania, United Republic of (br?) [659]; Thailand (br) [487]; Togo (br) [5254]; Turkmenistan (br) [710]; Uganda (br) [659]; Uzbekistan (br) [710]; Viet Nam (br) [5264]; Yemen (br?) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

***Accipiter bicolor* (Vieillot, 1817)** II B 386, 387, 523, 1068

Synonym: *Accipiter chilensis* Philippi & Landbeck, 1864

E: Bicolored Hawk, Bicolored Sparrowhawk, F: Épervier bicolore, S: Azor bicolor, Esparvero bicolor, Gavilán bicolor, Gavilán pantalón
Argentina (br) [5291, 10249, 10289]; Belize (br) [5241, 6320]; Bolivia (br) [1186]; Brazil (br) [6186]; Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Uruguay (v) [5287]; Venezuela (br) [1070]

***Accipiter brachyurus* (Ramsay, 1879)** II B VU 386, 523, 595, 1045, 1242

E: New Britain Sparrowhawk, Red-collared Sparrowhawk, F: Épervier de Nouvelle-Bretagne, S: Gavilancito de Nueva Bretaña
Papua New Guinea (br) [6951]: Bismarck Archipelago

<i>Accipiter brevipes</i> (Severtsov, 1850)	II	A	386, 523, 524, 614, 841	
E: Levant Sparrowhawk, F: Épervier à pieds courts, Épervier à pieds courts, S: Gavilán Griego, Gavilán griego				
Albania (br); Armenia (br) [5240]; Azerbaijan (br) [710]; Bahrain (v) [1105]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Cameroon (v) [659]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (v) [5258]; Democratic Republic of the Congo (v) [6412]; Djibouti [427]; Egypt [756]; Ethiopia [659]; Georgia (ex, br) [710]; Greece (br) [5281]; Hungary (br) [5257]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [10173]; Israel [5245]; Italy (v) [5289]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya (v) [5253]; Kuwait (v) [537, 1161]; Lebanon (ex, br) [5284]; Macedonia, former Yugoslav Republic of (br) [1038]; Moldova, Republic of (br) [710]; Niger (v) [659]; Poland (v) [1348]; Romania (br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (v) [881]; Serbia and Montenegro (br) [1038]; Slovenia (v); Sudan [659]; Syrian Arab Republic [5283]; Tanzania, United Republic of (v) [659]; Tunisia (v) [1344]; Turkey (br) [5282]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; Uzbekistan (v) [710]; Yemen [5297]				
<i>Accipiter butleri</i> (Gurney, 1898)	II	B	VU	381, 386, 523, 595
E: Nicobar Shikra, Nicobar Sparrowhawk, F: Épervier des Nicobar, S: Gavilán de Nicobar				
India (br) [1197]: Nicobar Is				
<i>Accipiter castanilius</i> Bonaparte, 1853	II	B	386, 511, 523, 988, 1256, 1292	
E: Chestnut-bellied Sparrowhawk, Chestnut-flanked Sparrowhawk, F: Autour à flancs roux, S: Gavilán flanquirrojo, Gavilán pechirrojo				
Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Democratic Republic of the Congo (br?); Equatorial Guinea (br?) [659, 1183]; Gabon (br?) [659]; Nigeria (br?); Uganda (br?) [659]				
<i>Accipiter chionogaster</i> (Kaup, 1852)	II	B		
Synonym: <i>Accipiter striatus chionogaster</i> (Kaup, 1852)				
E: White-breasted Hawk, F: Épervier à poitrine blanche, S: Gavilán pechiblanco, Gavilán ventriblanco				
El Salvador (br) [5241]; Guatemala (br) [448, 5241]; Honduras (br) [1076, 1195]; Mexico (br) [5241]; Nicaragua (br) [1195]				
<i>Accipiter cirrocephalus</i> (Vieillot, 1817)	II	B	386, 523, 1045	
E: Collared Sparrowhawk, F: Épervier à collier roux, S: Gavilán acollarado				
Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6951]				
<i>Accipiter collaris</i> Sclater, 1860	II	B	LR/nt	386, 476, 523, 595, 1068
E: Semi-collared Hawk, Semi-collared Sparrowhawk, F: Épervier à collier interrompu, S: Azer semicollarejo, Gavilán acollarado, Gavilancito torcáz				
Colombia (br) [837]; Ecuador (br) [5294]; Peru (v) [1136]; ?Venezuela (v) [1070]				
<i>Accipiter cooperii</i> (Bonaparte, 1828)	II	B	386, 387, 523	
E: Cooper's Hawk, F: Épervier de Cooper, S: Gavilán de Cooper				
Belize [5241]; Bermuda (v) [389]; Canada (br) [748]; Colombia (v) [837]; Costa Rica [1311]; Guatemala [448, 5241]; Honduras (v) [1076]; Mexico (br) [5241, 8663]; United States (br) [387]				

<i>Accipiter erythrauchen</i> Gray, 1861	II	B	386, 393, 523, 1410
E: Moluccan Sparrowhawk, Rufous-necked Sparrowhawk, F: Épervier à gorge grise, S: Gavilancito moluqueño Indonesia (br) [393]: Moluccas			
<i>Accipiter erythroneurus</i> (Kaup, 1850)	II	B	476
Synonym: <i>Accipiter striatus erythroneurus</i> (Kaup, 1850)			
E: Red-thighed Hawk, Rufous-thighed Hawk, F: Épervier à cuisses rouges, Épervier à cuisses rousses Argentina (br) [1150, 5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186, 7079]; Falkland Islands (Malvinas) (v) [1439]; Paraguay (br) [5295, 6927]; Uruguay (br) [5287]			
<i>Accipiter erythropus</i> (Hartlaub, 1855)	II	B	386, 511, 523, 524, 1080, 1256, 1292
E: Red-thighed Sparrowhawk, F: Autour minulle, Épervier de Hartlaub, S: Gavilancito de Hartlaub, Gavilancito muslirrojo Angola (br?) [5267]; Benin (br) [659, 10078]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [555, 659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Gabon (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea-Bissau (br) [659, 715]; Liberia (br) [5246]; Nigeria (br?); Senegal (br) [659]; Sierra Leone (br) [659]; Togo (br?) [570, 5254]; Uganda (br?) [659]			
<i>Accipiter fasciatus</i> (Vigors & Horsfield)	II	B	386, 523, 931, 1045
E: Australasian Goshawk, Brown Goshawk, F: Autour australien, S: Azor australiano Australia (br) [477, 1117]; Christmas Island (br); Indonesia (br) [393]: Irian Jaya, Lesser Sunda Is, Moluccas, Sulawesi; New Caledonia (br) [1338, 5260]; Norfolk Island (br); Papua New Guinea (br) [6951]; Solomon Islands (br) [5260]; Vanuatu (br) [5260]			
<i>Accipiter francesii</i> Smith, 1834	II	B	386, 523, 931, 1292
E: Frances's Goshawk, Frances's Sparrowhawk, F: Épervier de Frances, S: Gavilán de Frances Comoros (br) [659]; Madagascar (br) [633, 962, 5249]; Mayotte (br)			
<i>Accipiter gentilis</i> (Linnaeus, 1758)	II	A	381, 386, 387, 523, 524, 614, 841, 929
E: Goshawk, Northern Goshawk, F: Autour des palombes, Autour des palombes, S: Azor, Azor común, Azor Común, Gavilán azor Afghanistan [694]; Albania (br); Algeria (v) [971]; Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bangladesh (v) [804]; Belarus (br); Belgium (br) [5272]; Bermuda (v) [389]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [1204, 5280]; Canada (br) [748]; China (br) [5293]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Denmark (br) [666]; Egypt (v) [756]; Estonia (br) [5277]; Finland (br) [1300]; France (br) [7041]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar; Greece (br) [5281]; Hong Kong; Hungary (br) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Ireland (v) [858]; Israel [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan [395, 6454]; Kazakhstan (br) [5269]; Korea, DPR [7680]; Korea, Republic of [1436]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [1399, 5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Mexico (v) [5241]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Myanmar [1290]; Nepal (br) [865]; Netherlands (br) [5273]; Norway (br) [5275]; Oman (v); Pakistan (v); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br); Romania (br) [558]; Russian Federation			

(br) [710]; Saint Pierre and Miquelon (br) [683]; Saudi Arabia [881]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br?) [5283]; Taiwan (v); Tajikistan; Thailand [487]; Tunisia (v) [1344]; Turkey (br) [5282]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; United Kingdom (br) [1028, 6188]; Great Britain, Channel Is, Isle of Man, Northern Ireland; United States (br) [387]; Uzbekistan [710]; Viet Nam [5264]

Accipiter griseiceps (Schlegel, 1862) II B 386, 393, 523,
1410
E: Celebes Crested Goshawk, Sulawesi Goshawk, F: Autour des Célèbes, S: Gavilán de Célebes
Indonesia (br) [393, 7262]: Sulawesi

Accipiter gularis (Temminck & Schlegel, 1844) II B 386, 523, 929,
1045
Synonym: *Accipiter virgatus gularis* (Temminck & Schlegel, 1844)
E: Japanese Lesser Sparrowhawk, Japanese Sparrowhawk, F: Épervier du Japon, S: Gavilancito japonés
Brunei Darussalam; Cambodia [5243]; China (br) [5293]; Guam (v) [503, 1171]; Hong Kong; India [1053, 1197]; Indonesia [393]; Bali, Jawa, Kalimantan, Lesser Sunda Is, Sulawesi, Sumatera; Japan (br) [503]; Korea, DPR (br) [7684]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic [6187]; Macao; Malaysia [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Mongolia (br) [1306]; Myanmar [1290]; Northern Mariana Islands (v); Philippines [5270]; Russian Federation (br) [710]; Singapore [791]; Taiwan (br); Thailand [487, 1220]; Viet Nam [5264]

Accipiter Gundlachi Lawrence, 1860 II B EN 386, 387, 485,
523, 595, 598,
731, 1440, 1441,
1442
E: Gundlach's Hawk, Gundlach's Sparrowhawk, F: Épervier de Cuba, S: Gavilán cubano
Cuba (br) [5259, 6714]

Accipiter haplochrous Sclater, 1859 II B LR/nt 386, 523, 1045,
1338
E: New Caledonia Goshawk, White-bellied Goshawk, F: Autour à ventre blanc, S: Gavilán de Nueva Caledonia
New Caledonia (br) [5260]

Accipiter henicogrammus (Gray, 1860) II B 386, 393, 523,
1410
E: Gray's Goshawk, Moluccan Barred Sparrowhawk, Moluccan Goshawk, F: Autour des Moluques, S: Azor moluqueño
Indonesia (br) [393]: Moluccas

Accipiter henstii (Schlegel, 1873) II B LR/nt 386, 523, 595,
633, 962
E: Henst's Goshawk, F: Autour de Henst, S: Azor malgache
Madagascar (br) [5249, 6516]

Accipiter imitator Hartert, 1926 II B VU 386, 523, 595,
1045, 1242
E: Imitator Sparrowhawk, F: Autour imitateur, S: Gavilán imitador
Papua New Guinea (br); Solomon Islands (br) [789, 5260]

<i>Accipiter luteoschistaceus</i>	II	B	VU	386, 523, 595
Rothschild & Hartert, 1926				
E: Blue-and-grey Sparrowhawk, Slaty-backed Goshawk, Slaty-mantled Sparrowhawk,				
F: Autour bleu et gris, S: Gavilán de Nueva Bretaña				
Papua New Guinea (br): Bismarck Archipelago				
<i>Accipiter madagascariensis</i> Smith, 1834	II	B	LR/nt	386, 523, 595, 633, 962
E: Madagascar Sparrowhawk, F: Épervier de Madagascar, S: Gavilán malgache				
Madagascar (br) [5249, 6516]				
<i>Accipiter melanochlamys</i> (Salvadori, 1875)	II	B		386, 393, 452, 523, 1045
E: Black-mantled Goshawk, Black-mantled Hawk, F: Autour à manteau noir,				
S: Gavilán rufinegro				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6951]				
<i>Accipiter melanoleucus</i> Smith, 1830	II	B		386, 511, 523, 524, 573, 1256, 1292
E: Black Goshawk, Black Sparrowhawk, Great Sparrowhawk, F: Autour noir, Épervier pie, S: Azor blanquinegro				
Angola (br) [5267]; Benin (br?) [659, 10078]; Botswana (br) [1102]; Burundi (br) [659];				
Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659]; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia (v) [760]; Ghana (br?) [782];				
?Guinea-Bissau (v) [7860]; Kenya (br) [5253]; Lesotho (v) [486]; Liberia (br?) [5246];				
Malawi (br) [1103]; Mali (v) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (v) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659];				
Somalia (v) [5252]; South Africa (br) [659, 1008]; Sudan (br?) [659]; Swaziland (br) [1139];				
Tanzania, United Republic of (br?) [659]; Togo (br?) [568, 5254]; Uganda (br?) [659];				
Zambia (br) [659]; Zimbabwe (br) [659]				
<i>Accipiter meyerianus</i> (Sharpe, 1878)	II	B		386, 523, 1045
E: Meyer's Goshawk, Meyer's Hawk, Papuan Goshawk, F: Autour de Meyer, S: Azor de Meyer				
Indonesia (br) [393, 1410]: Irian Jaya, Moluccas; Papua New Guinea (br) [6951]; Solomon Islands (br) [5260]				
<i>Accipiter minullus</i> (Daudin, 1800)	II	B		386, 511, 523, 524, 573, 1292
E: African Little Sparrowhawk, Little Sparrowhawk, F: Épervier minule, S: Gavilancito chico				
Angola (br?) [5267]; Botswana (br) [1102]; Burundi (br) [659]; Democratic Republic of the Congo (br?); Eritrea (v) [659]; Ethiopia (br) [659, 894]; Kenya (br) [5253]; Lesotho (v) [486]; Malawi (br) [1103]; Mali (br) [659]; Mozambique (br?) [659]; Namibia (br) [659];				
Rwanda (br) [659]; Somalia (br?) [5252]; South Africa (br) [659, 1008]; Sudan (br?) [659];				
Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659];				
Zambia (br) [659]; Zimbabwe (br) [659]				
<i>Accipiter nanus</i> (Blasius, 1897)	II	B	LR/nt	386, 393, 523, 595, 1410
E: Celebes Sparrowhawk, Small Sparrowhawk, F: Épervier des Célèbes, S: Gavilancito de Célebes				
Indonesia (br) [393]: Sulawesi				

Accipiter nisus (Linnaeus, 1758) II A 381, 386, 523,
524, 614

E: Eurasian Sparrowhawk, Sparrowhawk, F: Épervier d'Europe, Épervier d'Europe,
S: Gavilán Común, Gavilán común
Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Armenia
(br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Nagorno-Karabakh [393];
Bahrain [1105]; Bangladesh [804]; Belarus (br); Belgium (br) [5272]; Bhutan (br) [997,
5261]; Bosnia and Herzegovina (br) [1038]; ?Brunei Darussalam (v); Bulgaria (br) [1204,
5280]; Chad (v) [659]; China (br) [5293]; Croatia (br) [5290]; Cyprus (br) [709]; Czech
Republic (br) [5258]; Denmark (br) [666]; Djibouti [427]; Egypt [756]; Estonia (br) [5277];
Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Gambia
(v) [760]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar; Greece (br) [5281]; Hong
Kong; Hungary (br) [5257]; Iceland (v) [507]; India (br) [1053, 1197]; Iran (Islamic
Republic of) (br) [1253]; Iraq (br?) [385]; Ireland (br) [1858]; Israel (br) [722, 5245]; Italy
(br) [5289]; Japan (br) [503]; Jordan (br?) [395, 1386]; Kazakhstan (br) [5269]; Kenya
(v) [5253]; Korea, DPR (br) [7681]; Korea, Republic of (br) [1436]; Kuwait [537];
Kyrgyzstan (br) [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278];
Lebanon [5284]; Libyan Arab Jamahiriya [536]; Liechtenstein (br); Lithuania (br) [5247];
Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malaysia
(v) [1289]; Sarawak; Mali (v) [659]; Malta; Mauritania [659]; Moldova, Republic of
(br) [710]; Monaco (br); Mongolia (br) [1306]; Morocco (br) [461]; Myanmar [1290]; Nepal
(br) [865]; Netherlands (br) [5273]; ?Niger [659]; Norway (br) [5275]; Oman; Pakistan
(br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Madeira (br); Romania
(br) [558]; Russian Federation (br) [710]; San Marino; Saudi Arabia [881]; Serbia and
Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (v) [5252];
South Africa (v) [7863]; Spain (br) [702]; Sudan [659]; Svalbard and Jan Mayen (v);
Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br?) [5283]; Taiwan;
Tajikistan (br) [374]; Tanzania, United Republic of [659]; Thailand [487, 1220]; Tunisia
(br) [1344]; Turkey (br) [5282]; Ukraine (br) [710]; United Arab Emirates [1192]; United
Kingdom (br) [6188]; Great Britain, Channel Is, Isle of Man, Northern Ireland;
Uzbekistan [710]; Viet Nam [5264]; Western Sahara (v); Yemen [5297]

Accipiter novaehollandiae (Gmelin, 1788) II B 386, 523, 1045

Synonyms: *Accipiter griseogularis* (G. R. Gray, 1860), *Accipiter hiogaster* (Müller,
1841)

E: Grey Goshawk, Grey-throated Goshawk, Variable Goshawk, White Goshawk,
F: Autour blanc, S: Azor variable

Australia (br) [477]; Indonesia (br) [393, 1410]; Irian Jaya, Lesser Sunda Is, Moluccas;
Papua New Guinea (br) [6951]; Solomon Islands (br) [5260]

Accipiter ovampensis Gurney, 1875 II B 386, 511, 523,
524, 573, 919,
1256, 1292

E: Ovambo Sparrowhawk, Ovampo Sparrowhawk, F: Épervier de l'Ovampo, S: Gavilán
de Ovampo
Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burundi [659]; Cameroon
(br?) [659, 7161]; Central African Republic (v) [659]; Chad (br?) [659]; Côte d'Ivoire
(br?) [1334]; Democratic Republic of the Congo (br?); Ethiopia [659]; Ghana [782];
Guinea; Kenya (br) [5253]; Malawi (br) [1103]; Mali [659]; Mozambique (br?) [659];
Namibia (br?) [659]; Nigeria; Rwanda [659]; Senegal (v) [659]; South Africa (br) [659];
Swaziland (v) [1139]; Tanzania, United Republic of (br?) [659]; Togo [5254]; Uganda
(br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Accipiter poliocephalus Gray, 1858 II B 386, 523, 1045

E: Grey-headed Goshawk, Grey-headed Sparrowhawk, New Guinea Grey-headed
Goshawk, F: Autour à tête grise, S: Gavilán cabecigrís
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

<i>Accipiter poliogaster</i> (Temminck, 1824)	II	B	386, 523, 595, 1068
E: Grey-bellied Goshawk, Grey-bellied Hawk, F: Autour à ventre gris, S: Azor pechigrís, Azor ventigrís, Esparvero pechigrís, Gavilán vientrigris			
Argentina (br) [1150, 5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br?) [837]; Ecuador (br) [5294, 8617]; French Guiana (br) [1336, 1349]; Guyana (br) [1295, 8615]; Paraguay (br) [5295, 6238, 6321]; Peru (br) [1136]; Suriname (br) [809, 5296]; Venezuela (br) [1070]			
<i>Accipiter princeps</i> Mayr, 1934	II	B	LR/nt 386, 523, 595, 1045, 1242
E: Grey-headed Goshawk, New Britain Goshawk, F: Autour de Mayr, S: Azor de Nueva Bretaña			
Papua New Guinea (br): Bismarck Archipelago			
<i>Accipiter rhodogaster</i> (Schlegel, 1862)	II	B	386, 393, 523, 1410
E: Vinous-breasted Sparrowhawk, F: Épervier à poitrine rousse, S: Gavilán pechirrojo			
Indonesia (br) [393]: Sulawesi			
<i>Accipiter rufitorques</i> (Peale, 1848)	II	B	386, 523, 1045
E: Fiji Goshawk, Fiji Sparrowhawk, F: Autour des Fidji, S: Gavilán de las Fiji			
Fiji (br) [1171]			
<i>Accipiter rufiventris</i> Smith, 1830	II	B	386, 511, 523, 524, 573, 1292
E: Rufous-chested Sparrowhawk, F: Épervier menu, S: Gavilán papirrufo			
Angola (br?) [5267]; Democratic Republic of the Congo (br?); Eritrea (br) [659]; Ethiopia (br?) [659]; Kenya (br) [5253]; Lesotho (br?) [486]; Malawi (br) [1103]; Mozambique (br?) [659]; Rwanda (br) [659]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Zambia (br?) [659]; Zimbabwe (br) [659]			
<i>Accipiter soloensis</i> (Horsfield, 1821)	II	B	381, 386, 523, 929
E: Chinese Goshawk, Chinese Sparrowhawk, Grey Frog Hawk, F: Épervier de Horsfield, S: Gavilán ranero			
Brunei Darussalam (v); Cambodia [5243]; China (br) [5293]; Guam (v) [503]; Hong Kong; India [1197]; Indonesia [393]: Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Japan [503]; Korea, DPR (br) [7680, 7684]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic [6187]; Malaysia [1289]: Peninsular Malaysia, Sabah [759], Sarawak [393]; Micronesia (Federated States of) (v) [1171]; Myanmar [1290]; Northern Mariana Islands (v); Palau (v) [1171]; Papua New Guinea (br); Philippines [5270, 6639]; Russian Federation (br) [710, 938]; Singapore [791]; Taiwan; Thailand [487]: Thailand [1049]; Viet Nam (br) [5264]			
<i>Accipiter striatus</i> Vieillot, 1807	II	B	386, 387, 523, 931, 1068
E: Sharp-shinned Hawk, F: Épervier brun, S: Azor chico, Esparvero chico, Gavilán americano, Gavilán arrastrador, Gavilán pajarero			
Bahamas [5242]; Belize [5241]; Bermuda (v) [389]; Canada (br) [748]; Costa Rica [1311]; Cuba (br) [5259]; Dominican Republic (br) [1312]; El Salvador [5241]; Guatemala [448, 5241, 6397]; Haiti (br) [1408]; Honduras [1076]; Jamaica (v) [657]; Mexico (br) [5241]; Nicaragua [1195]; Panama [1195]; Puerto Rico (br) [1176]; Saint Pierre and Miquelon [683]; Turks and Caicos Islands (v); United States (br) [387]; Virgin Islands (British) (v) [6716]; Virgin Islands (U.S.) (v)			

<i>Accipiter superciliosus</i> (Linnaeus, 1766)	II	B	386, 387, 523, 1068
E: Tiny Hawk, Tiny Sparrowhawk, F: Épervier nain, S: Azor gris, Esparvero gris, Gavilán enano, Gavilancito americano			
<i>Accipiter tachiro</i> (Daudin, 1800)	II	B	386, 511, 523, 524, 573, 1256, 1292
E: African Goshawk, F: Autour tachiro, S: Azor tachiro			
Angola (br) [5267]; Botswana (br?) [1102]; Burundi (br) [659]; Democratic Republic of the Congo (br); Kenya (br) [5253]; Lesotho (v) [486]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br?) [659]; Rwanda (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			
<i>Accipiter toussenelii</i>	II	B	988
(Verreaux & Verreaux, 1855)			
Synonym: <i>Accipiter tachiro toussenelii</i> (Verreaux & Verreaux, 1855)			
E: Red-chested Goshawk, Red-chested Hawk, F: Autour de Toussenel, S: Azor de Toussenel, Gavilán pechirrosoeo			
Benin (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [6276, 6426]; Equatorial Guinea, Bioko; ?Eritrea (br) [659]; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia (br?) [760]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau (br) [659]; Liberia (br) [5246]; Mali (v) [659]; Niger (br?) [659]; Nigeria (br); Senegal (v) [659]; Sierra Leone (br) [659]; Sudan (br?) [659]; Togo (br?) [570, 5254]			
<i>Accipiter trinotatus</i> Bonaparte, 1850	II	B	386, 393, 523, 1410
E: Spot-tailed Goshawk, Spot-tailed Sparrowhawk, F: Épervier à queue tachetée, S: Gavilán colipinto			
Indonesia (br) [393, 7262]: Sulawesi			
<i>Accipiter trivirgatus</i> (Temminck, 1824)	II	B	381, 386, 523, 929
E: Asian Crested Goshawk, Crested Goshawk, F: Autour huppé, S: Azor moñudo			
Bangladesh (v) [804]; Bhutan (br) [998, 5261]; Brunei Darussalam (br); Cambodia (br?) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Philippines (br) [5270]; Sri Lanka (br) [5271]; Taiwan (br); Thailand (br) [487, 1220]; Viet Nam (br) [615, 5264]			
<i>Accipiter ventralis</i> Sclater, 1866	II	B	476
Synonym: <i>Accipiter striatus ventralis</i> P. L. Sclater, 1866			
E: Plain-breasted Hawk, F: Épervier à gorge rayée, S: Azor pechillano, Gavilán andino			
Bolivia (br) [1186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana [10252]; Peru (br) [1136]; Venezuela (br) [1070]			
<i>Accipiter virgatus</i> (Temminck, 1822)	II	B	381, 386, 523, 929
E: Besra, Besra Sparrowhawk, Besra-sperwer, F: Épervier besra, S: Gavilán besra			

Bangladesh [804]; Bhutan (br) [5261]; Cambodia [5243]; China (br) [5293]; India (br) [1053, 1197]; Andaman Is [1053], Nicobar Is [1053]; Indonesia (br) [393, 1086, 1289]; Bali, Jawa, Kalimantan [7727], Lesser Sunda Is, Sumatera; Lao People's Democratic Republic [6187]; Malaysia (br); Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Philippines (br) [5270, 6639]; Singapore (v) [791]; Sri Lanka (br) [5271]; Taiwan (br); Thailand (br) [487]; Viet Nam (br) [5264]

<i>Aegypius monachus</i> (Linnaeus, 1766)	II	A	LR/nt	381, 386, 523, 595, 614, 841, 1065
---	----	---	-------	--

E: Black Vulture, Cinereous Vulture, F: Vautour moine, Vautour moine, S: Buitre Negro, Buitre negro

Afghanistan (br) [694]; Albania (ex, br); Armenia (br) [5240]; Austria (ex, br, v) [1215]; Azerbaijan (br) [710]; Bangladesh (v) [804]; Belarus (v); Bhutan [5261]; Bosnia and Herzegovina (v) [1038]; Bulgaria (br) [5280]; Cambodia (v) [5243, 6269]; China (br) [5293]; Croatia (ex, br, v) [5290]; Cyprus (ex, br) [709]; Czech Republic (ex, br, v) [5258]; Egypt (v) [756]; France (ex, reint, br, v) [7041]; Georgia (br) [710]; Germany (v) [5274]; Gibraltar (v); Greece (br) [5281]; Hong Kong; Hungary (v) [5257]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [385, 10169]; Israel (ex, br) [5245]; Italy (ex, br) [5289]; Japan (v) [503]; Jordan (v) [395, 1387]; Kazakhstan (br) [5269]; Korea, DPR [7680]; Korea, Republic of [1436]; Kuwait (v) [537]; Kyrgyzstan (br) [710]; ?Lao People's Democratic Republic; Latvia (v) [5278]; Lebanon [5284]; Macedonia, former Yugoslav Republic of (ex, br) [1038]; Malaysia (v); Peninsular Malaysia; Moldova, Republic of (ex, br); Mongolia (br) [1306]; Morocco (v) [461]; Myanmar [1290]; Nepal [865]; Netherlands (v) [5273]; Oman; Pakistan (br); Poland (v) [1348]; Portugal (ex, br) [1332]; Portugal (ex, br); Romania (ex, br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia [881]; Serbia and Montenegro (ex, br) [1038]; Slovakia (v) [5279]; Slovenia (ex, br) [1038]; Spain (br) [702, 1330]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Taiwan (v); Tajikistan (br) [374]; Thailand [487]; Tunisia (v); Turkey (br) [5282]; Turkmenistan (br) [710]; Ukraine (br); Uzbekistan (br) [710]; Viet Nam (v) [5264]; ?Yemen (v) [5297]

<i>Aquila adalberti</i> Brehm, 1861	I	A	VU	386, 523, 595, 640, 752, 841, 1062, 1063, 1064
-------------------------------------	---	---	----	--

Synonym: *Aquila heliaca adalberti* Brehm, 1861

E: Adalbert's Eagle, Spanish Imperial Eagle, White-shouldered Eagle, F: Aigle à épaules blanches, Aigle ibérique, Aigle ibérique, Aigle impérial espagnol, Aquila imperiale iberica, S: Aguila Imperial Ibérica, Aguila imperial ibérica
Algeria (ex, br) [971]; France (v) [7041]; Gibraltar (v); Morocco (ex, br) [461]; Portugal (ex, br) [1332]; Portugal (ex, br); Spain (br) [702, 755, 830]

CITES Identification Manual Reference: A-213.003.003.001

<i>Aquila audax</i> (Latham, 1801)	II	B	386, 523, 1045
E: Wedge-tailed Eagle, F: Aigle d'Australie, S: Aguila audaz Australia (br) [477, 1117]; Indonesia (br) [393, 452]; Irian Jaya; Papua New Guinea (br)			

<i>Aquila chrysaetos</i> (Linnaeus, 1758)	II	A	381, 386, 387, 523, 524, 614, 841
E: Golden Eagle, F: Aigle doré, Aigle royal, Aigle royal, S: Aguila Real			
Afghanistan (br?) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (v) [5272]; Bhutan (br) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Canada (br) [748]; China (br) [5293]; Croatia (br) [5290]; Cyprus (v) [709]; Czech Republic (ex, br); Denmark [666]; Egypt (br?) [756]; Estonia (br) [5277]; Ethiopia (br?) [659, 9308]; Finland (br) [1300]; France (br) [6050, 7041]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar (v); Greece (br) [5281]; Hungary (br) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; ?Iraq [385, 10173]; Ireland (ex, br, v) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan (br) [395]; Kazakhstan (br) [5269]; Korea, DPR (br) [7680]; Korea, Republic of (br) [1436]; Kuwait (v) [537, 1161]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon (ex, br) [5284]; Libyan Arab Jamahiriya (br?) [536]; Liechtenstein (br); Lithuania (ex, br) [5247]; Macedonia, former Yugoslav Republic of (br) [1038]; Mali (br) [7825]; Malta (v); Mauritania (br) [659]; Mexico (br) [5241]; Moldova, Republic of (br); Mongolia (br) [1306]; Morocco (br) [461]; Nepal (br) [865]; Netherlands (v) [5273]; Norway (br) [5275]; Oman (br) [727]; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br); Romania (br) [558]; Russian Federation (br) [710, 938]; Saint Pierre and Miquelon (v) [683]; Saudi Arabia (br) [881]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Ukraine (br) [710]; United Arab Emirates (br) [1192]; United Kingdom (br) [6188]; Great Britain, Isle of Man (v), Northern Ireland; United States (br) [387]; Uzbekistan (br) [710]; Western Sahara (br); Yemen (br?) [5297]			
<i>Aquila clanga</i> Pallas, 1811			
II A VU 381, 386, 511, 523, 524, 595, 614, 841, 929			
E: Greater Spotted Eagle, Spotted Eagle, F: Aigle criard, Aigle criard, S: Aguila Moteada			
Afghanistan [694]; Albania; Armenia [5240]; Austria [1215]; Azerbaijan; Bahrain (v) [838, 1105]; Bangladesh [804]; Belarus (br); Belgium (v) [5272]; Bhutan [5261, 6478]; Bosnia and Herzegovina [1038]; Bulgaria (ex, br) [5280]; Cambodia [5243]; Cameroon [659]; Chad (v) [659]; China (br) [5293]; Croatia (v) [5290]; Cyprus (v) [709]; Czech Republic [5258]; Denmark (v) [666]; Djibouti [427]; Egypt [756]; Eritrea [659, 7046]; Estonia (br, v) [5277]; Ethiopia [659]; Finland (ex, br) [1300]; France [7041]; Georgia; Germany [5274]; Gibraltar (v); Greece [5281]; Hong Kong; Hungary (ex, br) [5257]; India (br) [1197]; Indonesia: Sumatera [7728]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (v) [858]; Israel (ex, br) [5245]; Italy [5289]; Japan (v) [503]; Jordan (v) [395, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, DPR (v); Korea, Republic of (v) [1436]; Kuwait [537]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya (v) [536]; Lithuania (ex, br) [5247]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (ex, br) [1038]; Malaysia: Peninsular Malaysia; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (v) [461]; Myanmar [1290]; Nepal [865]; Netherlands (v) [5273]; Oman; Pakistan (br); Poland [1348]; Portugal (v) [1332]; Portugal (v); Romania (br) [558]; Russian Federation (br) [710]; Saudi Arabia [881]; Serbia and Montenegro (br) [1038]; Singapore [791]; Slovakia (ex, br) [5279]; Slovenia (v) [1038]; Spain (v) [702]; Sudan [659]; Sweden [1199]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Taiwan; Tajikistan; Tanzania, United Republic of (v) [659]; Thailand [487]; Tunisia (v) [1344]; Turkey [5282, 8142]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Viet Nam [5264]; Yemen [5297]; Zambia [6301]			

Aquila gurneyi Gray, 1860 II B LR/nt 386, 523, 595, 1045, 1242

E: Gurney's Eagle, F: Aigle de Gurney, S: Aguila moluqueña
Australia (v) [730]; Indonesia (br) [393]; Irian Jaya, Moluccas; Papua New Guinea (br)

Aquila heliaca Savigny, 1809 I A VU 381, 386, 489, 523, 524, 595, 614, 741, 841, 931

E: Eastern Imperial Eagle, Imperial Eagle, F: Aigle impérial, S: Aguila imperial, Aguila Imperial Oriental
Afghanistan [694]; Albania (br?); Armenia (br) [5240]; Austria (ex, br, v) [1215]; Azerbaijan (br) [710]; Bangladesh [804]; Belarus (v); Bhutan (v) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [1155, 5280]; Cameroon (v) [6295]; China (br) [5293]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Denmark (v) [666]; Djibouti [427]; Egypt [756]; Eritrea (v) [659]; Ethiopia [659]; Finland (v) [1300]; France (v) [7041]; Georgia (br) [710]; Germany (v) [5274]; Greece (br) [793, 5281]; Hong Kong; Hungary (br) [5257, 10327]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385, 10169]; Israel [5245]; Italy (v) [5289]; Japan (v) [503]; Jordan [395, 1386, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, DPR (v) [7680]; Korea, Republic of (v) [1436]; Kuwait [537]; Lao People's Democratic Republic [6187]; Lebanon [5284]; Libyan Arab Jamahiriya (v) [536]; Lithuania (v); Macedonia, former Yugoslav Republic of (br) [1038]; Malaysia: Peninsular Malaysia; Moldova, Republic of (br) [710]; Mongolia (v) [1306]; Morocco (v) [461]; Myanmar; Nepal [865]; Nigeria (v) [10580]; Oman; Pakistan; Poland (v) [1348]; Romania (br) [558]; Russian Federation (br) [710, 750, 938]; Saudi Arabia [881]; Serbia and Montenegro (br) [1038]; Singapore (v) [791]; Slovakia (br) [5279]; Slovenia (v) [1038]; Sudan (v) [659]; Sweden (v) [1199]; Syrian Arab Republic [5283]; Taiwan (v); Tajikistan; Tanzania, United Republic of (v) [659]; Thailand; Turkey (br) [447, 5282]; Turkmenistan (br) [710]; Ukraine (br) [710]; United Arab Emirates [1192]; Uzbekistan (br) [710]; Viet Nam [5264]; Yemen [5297]

CITES Identification Manual Reference: A-213.003.003.006

Aquila nipalensis Hodgson, 1833 II B 6366

Synonyms: *Aquila orientalis* Cabanis, 1854, *Aquila rapax nipalensis* Hodgson, 1833, *Aquila rapax orientalis* Cabanis, 1854

E: Steppe Eagle, F: Aigle des steppes, S: Aquila Esteparia
Afghanistan [694]; Albania; Angola (v) [5267]; Armenia (br) [5240]; Azerbaijan; Bhutan [5261]; Botswana [1102]; Bulgaria (ex, br); Burundi (v) [659]; Cameroon (v) [659]; Chad (v) [659]; China (br) [5293]; Croatia (v) [5290]; Czech Republic (v) [5258]; Democratic Republic of the Congo; Denmark (v) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (v); Ethiopia [659]; Finland (v) [1300]; France (v) [7041]; Georgia; Germany (v) [5274]; Greece [5281]; Hungary (v) [5257]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq [385]; Israel [5245]; Italy (v) [5289]; Jordan [395]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, DPR (v); Kuwait [537]; Lebanon [5284]; Malawi [1103]; Malaysia: Peninsular Malaysia [825]; Mali (v) [659]; Moldova, Republic of (ex, br) [710]; Mongolia (br) [1306]; Myanmar [7214]; Namibia [659]; Nepal [865]; Netherlands (v) [5273]; Niger (v) [659]; Nigeria [7047, 7813, 10580]; Norway (v) [5275]; Oman; Pakistan; Poland (v) [1348]; Romania (ex, br) [558]; Russian Federation (br) [710, 936, 938]; Rwanda [659]; Saudi Arabia [881]; Singapore (v) [791]; Slovakia (v) [5279]; Somalia (v) [5252]; South Africa [659]; Spain (v); Sudan [659]; Sweden (v) [1199]; Syrian Arab Republic [5283]; Tajikistan; Tanzania, United Republic of [659]; Thailand; Tunisia (v); Turkey (br) [5282]; Turkmenistan (v) [710]; Uganda [659]; Ukraine (ex, br) [710]; United Arab Emirates [1192]; Uzbekistan; Yemen [5297]; Zambia [659]; Zimbabwe [659]

CITES Identification Manual Reference: A-213.003.003.008a

<i>Aquila pomarina</i> Brehm, 1831	II	A	381, 386, 511, 523, 524, 572, 573, 614, 841, 929, 1069
---	----	---	---

Synonym: *Aquila hastata* (Lesson, 1834)

E: Lesser Spotted Eagle, F: Aigle pomarin, Aigle pomarin, S: Aguila Pomerana
 Albania (br); Algeria (br?) [971]; Armenia (br) [5240]; Austria (ex, br) [1215]; Azerbaijan (br) [710]; Bangladesh (br) [804]; Belarus (br) [7872]; Belgium (v) [5272]; Bosnia and Herzegovina (br) [1038]; Botswana [1102]; Bulgaria (br) [5280]; Burundi [659]; ?Cameroon [659]; ?Chad [659]; Congo (v) [659]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; ?Democratic Republic of the Congo; Denmark (v) [666]; Djibouti [427, 1401]; Egypt [756]; Estonia (br) [5277]; Ethiopia [659]; Finland (v) [1300]; France (v) [7041]; Georgia (br) [710]; Germany (br) [5274]; Greece (br) [5281]; Hungary (br) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Israel [5245]; Italy [5289]; Jordan [395]; Kazakhstan (v) [5269]; Kenya [5253]; Kuwait (v); Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya (v) [536]; Lithuania (br) [5247]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi [1103]; Malta (v); Moldova, Republic of (br) [710]; Morocco (v) [461]; Mozambique [659]; Myanmar [1290]; Namibia [659]; Nepal (br) [865]; Netherlands (v) [5273]; Nigeria (v) [7047, 7813]; Norway (v) [5275]; Oman (v); Pakistan (v); Poland (br) [1213, 1348]; Portugal (v) [1332]; Portugal (v); Romania (br) [558]; Russian Federation (br) [710, 936]; Rwanda [659]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia (br?) [1038]; South Africa [659]; Spain (v) [702]; Sudan [659]; Swaziland (v) [1139]; Sweden [1199]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Tanzania, United Republic of [659]; Tunisia [1344]; Turkey (br) [5282]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; ?Yemen (v) [5297]; Zambia [659]; Zimbabwe [659]

<i>Aquila rapax</i> (Temminck, 1828)	II	B	381, 386, 511, 523, 524, 573, 614, 841, 929
---	----	---	---

Synonym: *Aquila vindhiana* Franklin, 1831

E: Tawny Eagle, F: Aigle ravisseur, S: Aguila Esteparia, Aguila Rapáz
 Algeria (br) [971]; Angola (br) [5267]; Bahrain [1105]; Bangladesh (v) [804]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Egypt (v) [756]; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Gibraltar (v); Guinea (v); Guinea-Bissau [7860]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq; Israel (v) [5245]; Italy (v) [5289]; Sardegna; Kenya (br) [5253]; Lesotho (v) [486]; Liberia (v) [5246]; Malawi [1103, 1293]; Mali (br) [659]; Mauritania (br) [659]; Morocco (br) [461]; Mozambique (br?) [659]; ?Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Niger (br?) [659]; Nigeria (br); Oman; Pakistan (br); Russian Federation (br) [710]; Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia (br) [5252]; South Africa (br) [659, 1008]; Sri Lanka (br) [5271]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Thailand (v) [487]; Togo (br) [5254]; Tunisia (br?) [1344]; Turkmenistan (br) [710]; Uganda (br?) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; Viet Nam [5264]; Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-213.003.003.008

<i>Aquila verreauxii</i> Lesson, 1830	II	B	386, 511, 523, 524, 573, 614, 729, 841, 1256, 1292
E: African Black Eagle, Black Eagle, Verreaux's Eagle, F: Aigle de Verreaux, S: Aguila cafre			
Angola (br) [5267]; Botswana (br) [1102]; Chad (br?) [659]; Democratic Republic of the Congo (v); Djibouti (br?) [427]; Egypt (br) [756]; Eritrea (br?) [659]; Ethiopia (br) [659, 894]; Israel (br?) [5245]; Jordan (br) [395, 6454]; Kenya (br) [5253]; Lebanon (v) [5284]; Lesotho (br) [486]; Malawi (br) [1103]; Mali (v) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659, 1101]; Oman (br); Rwanda (v) [659]; Saudi Arabia (br) [672, 881]; Somalia (br) [5252]; South Africa (br) [659, 1008]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Yemen (br) [5297]; Zambia (br) [585, 659]; Zimbabwe (br) [659]			
<i>Aquila wahlbergi</i> Sundevall, 1851	II	B	386, 511, 523, 524, 573, 1256, 1292
E: Wahlberg's Eagle, F: Aigle de Wahlberg, S: Aguila de Wahlberg			
Angola (br) [5267]; Benin [659]; Botswana (br) [1102]; Burkina Faso (br?) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire [1334]; Democratic Republic of the Congo (br); Ethiopia (br?) [659, 894]; Gabon (v) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal [659]; Sierra Leone [659]; Somalia [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			
<i>Asturina nitida</i> (Latham, 1790)	II	B	386, 387, 523, 1068
Synonym: <i>Buteo nitidus</i> (Latham, 1790)			
E: Grey-lined Hawk, F: Buse cendrée, S: Aguilucho gris, Busardo gris, Gavilán gris			
Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186, 6292, 7118]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]			
CITES Identification Manual Reference:			A-213.003.007.015
<i>Asturina plagiata</i> Schlegel, 1862	II	B	
Synonym: <i>Buteo nitidus plagiatus</i> (Schlegel, 1862)			
E: Grey Hawk, F: Buse grise, S: Aguililla gris			
Belize (br) [5241]; Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076, 6231]; Mexico (br) [5241]; Nicaragua (br) [1195]; United States (br) [387]			
CITES Identification Manual Reference:			A-213.003.007.015a

<i>Aviceda cuculoides</i> Swainson, 1837	II	B	386, 511, 523, 524, 573, 1256, 1292
E: African Baza, African Cuckoo-Falcon, African Cuckoo-Hawk, F: Baza coucou, Faucon-coucou, S: Baza africano			
<i>Angola</i> (br) [5267]; <i>Benin</i> (br?) [659]; <i>Botswana</i> (v) [1102]; <i>Burkina Faso</i> (br) [659]; <i>Cameroon</i> (br?) [659]; <i>Central African Republic</i> (br?) [659]; <i>Chad</i> (br?) [659]; <i>Congo</i> (br?) [659]; <i>Côte d'Ivoire</i> (br) [1334]; <i>Democratic Republic of the Congo</i> (br); <i>Ethiopia</i> (br?) [659]; <i>Gabon</i> (br?) [659]; <i>Gambia</i> [760]; <i>Ghana</i> (br) [782]; <i>Guinea-Bissau</i> (br) [659, 715]; <i>Kenya</i> (br) [5253]; <i>Liberia</i> (br?) [5246]; <i>Malawi</i> (br) [1103]; <i>Mali</i> [659]; <i>Mozambique</i> (br) [659]; <i>Namibia</i> (br?) [659]; <i>Nigeria</i> (br); <i>Rwanda</i> [659]; <i>Senegal</i> (v) [659]; <i>Sierra Leone</i> (br) [659]; <i>Somalia</i> (br?) [5252]; <i>South Africa</i> (br) [659]; <i>Swaziland</i> (br) [1139]; <i>Tanzania, United Republic of</i> [659]; <i>Togo</i> (br?) [5254]; <i>Uganda</i> [659]; <i>Zambia</i> (br) [659]; <i>Zimbabwe</i> (br) [659]			
<i>Aviceda jerdoni</i> (Blyth, 1842)	II	B	381, 386, 523, 595, 929, 1068
E: Asian Baza, Jerdon's Baza, F: Baza de Jerdon, S: Baza oriental			
<i>Bangladesh</i> (br?) [804]; <i>Brunei Darussalam</i> (br); <i>Cambodia</i> (br) [5243]; <i>China</i> (br) [5293]; <i>India</i> (br) [1197]; <i>Indonesia</i> (br) [393]: <i>Kalimantan</i> , <i>Sulawesi</i> , <i>Sumatera</i> ; <i>Lao People's Democratic Republic</i> (br) [6187]; <i>Malaysia</i> (br) [1289]; <i>Peninsular Malaysia</i> [1049], <i>Sabah</i> [759], <i>Sarawak</i> [393]; <i>Myanmar</i> (br) [1290]; <i>Nepal</i> [9329]; <i>Philippines</i> (br) [5270]; <i>Sri Lanka</i> (br) [5271]; <i>Thailand</i> (br) [487, 1220]; <i>Viet Nam</i> (br) [1305, 5264]			
<i>Aviceda leuphotes</i> (Dumont, 1820)	II	B	381, 386, 523, 929, 1068
E: Black Baza, F: Baza huppard, S: Baza negro			
<i>Bangladesh</i> (br) [804]; <i>Bhutan</i> [5261]; <i>Cambodia</i> (br) [5243]; <i>China</i> (br) [5293]; <i>India</i> (br) [1197]; <i>Indonesia</i> (v) [393, 435]: <i>Jawa</i> , <i>Sumatera</i> ; <i>Lao People's Democratic Republic</i> (br) [6187]; <i>Malaysia</i> ; <i>Myanmar</i> (br) [1290]; <i>Nepal</i> (br) [865]; <i>Singapore</i> [791]; <i>Sri Lanka</i> [5271]; <i>Thailand</i> (br) [487, 1220]; <i>Viet Nam</i> (br) [5264]			
<i>Aviceda madagascariensis</i> (Smith, 1834)	II	B	386, 523, 962
E: Madagascar Baza, Madagascar Cuckoo-Falcon, Madagascar Cuckoo-Hawk, F: Baza malgache, S: Baza malgache			
<i>Madagascar</i> (br) [5249]			
<i>Aviceda subcristata</i> (Gould, 1838)	II	B	386, 523, 1045, 1242
E: Crested Baza, Pacific Baza, F: Baza huppé, S: Baza australiano			
<i>Australia</i> (br) [477]; <i>Indonesia</i> (br) [393]: <i>Irian Jaya</i> , <i>Lesser Sunda Is</i> , <i>Moluccas</i> , <i>Sulawesi</i> ; <i>Papua New Guinea</i> (br); <i>Solomon Islands</i> (br) [5260]			
<i>Busarellus nigricollis</i> (Latham, 1790)	II	B	386, 387, 523, 1068
E: Black-collared Hawk, Collared Fishing Hawk, F: Buse à tête blanche, S: Aguilu colorada, Busardo colorado, Gavilán colorado			
<i>Argentina</i> (br) [5291, 10249]; <i>Belize</i> (br) [5241]; <i>Bolivia</i> (br) [1186]; <i>Brazil</i> (br) [6186, 7077, 7118]; <i>Colombia</i> (br) [837]; <i>Costa Rica</i> (br) [1311]; <i>Ecuador</i> (br) [5294]; <i>El Salvador</i> (ex?, br) [5241]; <i>French Guiana</i> (br) [1349]; <i>Guatemala</i> (br) [5241]; <i>Guyana</i> (br) [1295]; <i>Honduras</i> (br) [1076]; <i>Mexico</i> (br) [5241, 6648]; <i>Nicaragua</i> (br) [1195]; <i>Panama</i> (br) [1195]; <i>Paraguay</i> (br) [5295]; <i>Peru</i> (br) [1136]; <i>Suriname</i> (br) [5296]; <i>Trinidad and Tobago</i> (br) [703, 10294]; <i>?Uruguay</i> (br) [376, 5287]; <i>Venezuela</i> (br) [1070]			

<i>Butastur indicus</i> (Gmelin, 1788)	II	B	386, 523, 929
E: Grey-faced Buzzard, Grey-faced Buzzard-Eagle, F: Busautour à joues grises, S: Busardo carigrís			
Brunei Darussalam; Cambodia [5243]; China (br) [5293]; Hong Kong; Indonesia [393]: Irian Jaya, Jawa, Moluccas, Sulawesi [7262], Sumatera; Japan (br) [503]; Korea, DPR (br) [7680]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic [6187]; Malaysia [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Mongolia (v) [1306]; Myanmar [1290, 7214]; Philippines [5270]; Russian Federation (br) [710, 938]; Singapore [791]; Taiwan; Thailand [487]; Viet Nam [5264]			
<i>Butastur liventer</i> (Temminck, 1827)	II	B	386, 523, 595, 929
E: Rufous-winged Buzzard, Rufous-winged Buzzard-Eagle, F: Busautour pâle, S: Busardo alirrufo			
Cambodia [5243, 6475]; China (br) [5293]; Indonesia (br) [393, 1410]; Jawa, Sulawesi; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]			
<i>Butastur rufipennis</i> (Sundevall, 1851)	II	B	386, 511, 523, 524, 1256, 1292
E: Grasshopper Buzzard, Grasshopper Buzzard-Eagle, F: Busautour des sauterelles, S: Aguililla langostera, Busardo langostero			
Benin [659]; Burkina Faso [659, 7154]; Burundi (v) [659]; Cameroon [659]; Central African Republic [659]; Chad [659]; Côte d'Ivoire [1334]; Democratic Republic of the Congo; Eritrea [659]; Ethiopia [659]; Gambia (br) [760]; Ghana [782]; Guinea [1389]; Guinea- Bissau [7849]; Kenya [5253]; Liberia (v) [5246]; Mali (br) [659]; Mauritania [659]; Niger [659]; Nigeria (br); Rwanda (v) [659]; Senegal (br) [659]; Sierra Leone [659]; Somalia [5252]; Sudan (br) [659]; Tanzania, United Republic of [659]; Togo (br?) [5254]; Uganda [659]			
<i>Butastur teesa</i> (Franklin, 1831)	II	B	381, 386, 523, 841, 929
E: White-eyed Buzzard, F: Busautour aux yeux blancs, S: Busardo tisa			
Afghanistan (v) [694]; ?Australia [477]; Bangladesh (br) [804]; China (br) [5293]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br)			
<i>Buteo albicaudatus</i> Vieillot, 1816	II	B	386, 387, 523, 1068
E: White-tailed Hawk, F: Buse à queue blanche, S: Aguililla coliblanca, Aguilucho cabecinegro, Busardo coliblanco, Gavilán tejé			
Argentina (br) [5291, 10249]; Aruba (br) [1380]; Belize (br) [610, 5241]; Bolivia (br) [1186]; Brazil (br) [6186, 7079]; Colombia (br) [837]; Costa Rica (br) [1311]; ?Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Netherlands Antilles (br); Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Saint Vincent and the Grenadines (v) [5242]; Suriname (br) [5296]; Trinidad and Tobago (br) [703, 10294]; United States (br) [387]; Uruguay (br) [5287, 6746]; Venezuela (br) [1070]			
<i>Buteo albigula</i> Philippi, 1899	II	B	
Synonym: <i>Buteo brachyurus albigula</i> Philippi, 1899			
E: White-throated Hawk, F: Buse à gorge blanche, S: Aguilucho chico, Busardo gorgiblanco, Gavilán gargantiblanco			
Argentina (br) [5291, 10249]; Bolivia (br) [6986]; Chile (br) [5292]; Colombia (br) [837, 6297]; Ecuador (br) [5294]; Peru (br) [1136, 8639]; Venezuela (br) [1070]			

CITES EC Reg. RL References

<i>Buteo albonotatus</i> Kaup, 1847	II	B	386, 387, 523, 1068
E: Zone-tailed Hawk, F: Buse à queue barrée, S: Aguililla aura, Busardo aura, Gavilán albonotatus, Gavilán colifajeado			
Argentina (v) [6734, 10249]; Belize [5241]; Bolivia (br) [1186, 6346]; Brazil (br) [6186, 6413]; Colombia (br) [837, 6358]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador [5241]; French Guiana (br) [1349]; Guatemala (br?) [448, 5241, 6397]; Guyana (br) [1295]; Honduras [1076]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (br?) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Venezuela (br) [1070]			
<i>Buteo archeri</i> Sclater, 1918	II	B	
Synonym: <i>Buteo augur archeri</i> Sclater, 1918			
E: Archer's Buzzard, F: Buse d'Archer, S: Busardo augur somali			
Somalia (br) [5252]			
<i>Buteo augur</i> (Rüppell, 1836)	II	B	
E: Augur Buzzard, F: Buse augure, S: Busardo augur oriental			
Angola (br?) [5267]; Burundi (br) [659]; Cameroon (v) [659]; Democratic Republic of the Congo (br); Djibouti (br?) [427]; Eritrea (br?) [659]; Ethiopia (br) [659]; Kenya (br) [5253]; Malawi (br) [1103]; Mozambique (br) [659]; Namibia (br) [659]; Rwanda (br) [659]; South Africa (br?) [659]; Sudan (br) [659]; Tanzania, United Republic of (br) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			
<i>Buteo auguralis</i> Salvadori, 1865	II	B	386, 387, 511, 523, 524, 1256, 1292
E: African Red-tailed Buzzard, Red-necked Buzzard, Red-tailed Buzzard, F: Buse à queue rousse, Buse d'Afrique, S: Busardo cuellirrojo, Ratonero cuellirrojo			
Angola (br) [5267]; Benin (br?) [659, 845]; Burkina Faso (br) [659, 7154]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [7142]; Equatorial Guinea [6426]; Ethiopia (br?) [659]; Gabon [659]; Gambia (v) [760]; Ghana (br) [782]; Guinea (br?); Liberia (br) [5246]; Mali [659]; Mauritania [659]; Niger (br?) [659]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda [659]			
<i>Buteo brachypterus</i> Hartlaub, 1860	II	B	386, 523, 633
E: Madagascar Buzzard, F: Buse de Madagascar, S: Busardo malgache			
Madagascar (br) [5249]			
<i>Buteo brachyurus</i> Vieillot, 1816	II	B	386, 387, 523, 1068
E: Short-tailed Hawk, F: Buse à queue courte, S: Aguililla colicorta, Aguilucho cola corta, Busardo colicorta, Gavilán cola corta			
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186, 7092]; Brazil (br) [6186, 6892]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [448, 5241, 6231]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241, 7068]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; United States (br) [387]; Venezuela (br) [1070, 6290]			

<i>Buteo buteo</i> (Linnaeus, 1758)	II	A	381, 386, 511, 523, 524, 573, 614, 841, 929
--	----	---	---

Synonym: *Buteo bannermani* Swann, 1919

E: Buzzard, Common Buzzard, Eurasian Buzzard, F: Buse variable, Buse variable, S: Busardo Ratonero, Busardo ratonero, Ratonero común
Afghanistan [694]; Albania (br); Algeria (v) [971]; Andorra (br) [5239]; Angola [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belarus (br); Belgium (br) [5272]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Botswana [1102]; Brunei Darussalam (v); Bulgaria (br) [5280]; Burundi [659]; Cambodia [5243]; Cameroon (v) [6295]; Cape Verde (br) [820]; Central African Republic [659]; Chad (v) [659]; China (br) [5293]; Congo (v) [659]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo [6294]; Denmark (br) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia (v) [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (v) [782]; Gibraltar; Greece (br) [5281]; Hong Kong; Hungary (br) [5257]; Iceland (v) [507]; India (br) [1197]; Indonesia (v) [393, 1050]; Bali, Jawa; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (br) [858]; Israel [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan [395, 1386, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, DPR [7680]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Lesotho [486]; Liberia [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi [1103]; Malaysia (v): Peninsular Malaysia; Maldives (v) [431]; Mali (v) [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Monaco (br); Mongolia (br) [1306]; Morocco [461]; Mozambique [659]; Myanmar [1290]; Namibia [659]; Nepal (br?) [865]; Netherlands (br) [5273]; Nigeria (v); Northern Mariana Islands (v); Norway (br) [5275]; Oman; Pakistan (br?); Philippines (v) [5270]; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Azores (br) [985], Madeira (br); Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; San Marino (br); Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Sierra Leone (v) [659]; Singapore (v) [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (v) [5252]; South Africa [659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Swaziland [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Taiwan; Tajikistan; Tanzania, United Republic of [659]; Thailand [487]; Togo (v) [5254]; Tunisia [1344]; Turkey (br) [5282]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; Great Britain, Channel Is, Isle of Man, Northern Ireland; Uzbekistan [710]; Viet Nam [5264]; ?Western Sahara; Yemen (br) [5297]; Zambia [659]; Zimbabwe [659]

<i>Buteo galapagoensis</i> (Gould, 1837)	II	B	VU	386, 523, 595, 598, 688, 689, 931, 1381, 1382
---	----	---	----	---

E: Galapagos Hawk, F: Buse des Galapagos, Buse des îles Galapagos, S: Busardo de Galápagos, Gavilán de Galapagos
Ecuador (br) [5294]: Galapagos

<i>Buteo hemilasius</i> Temminck & Schlegel, 1844	II	B	381, 386, 523
--	----	---	---------------

E: Upland Buzzard, F: Buse de Chine, S: Busardo mongol
Bhutan [5261]; China (br) [5293]; Hong Kong (v); India (br) [1197, 7266]; Iran (Islamic Republic of) (v) [1253]; Japan (v) [503]; Kazakhstan [5269]; Korea, DPR [7680]; Korea, Republic of [1436]; Mongolia (br) [1306]; Nepal (br?) [865]; Russian Federation (br) [710]; Tajikistan; Uzbekistan (v) [710]

<i>Buteo jamaicensis</i> (Gmelin, 1788)	II	B	386, 387, 485, 523
E: Red-tailed Hawk, F: Buse à queue rousse, S: Aguililla colirroja, Busardo colirrojo, Guaraguao			
Bahamas (br) [5242]; Barbados (ex, br) [5242]; Belize (br) [5241]; Bermuda [389]; Canada (br) [748]; Colombia (v) [8623]; Costa Rica (br) [1311]; Cuba (br) [5259]; Dominican Republic (br) [1312]; El Salvador (br) [5241]; Guadeloupe (v) [5242]; Guatemala (br) [5241]; Haiti (br) [1408]; Honduras (br) [1076]; Jamaica (br) [657]; Mexico (br) [5241]; Montserrat [5242]; Netherlands Antilles (br); Nicaragua (br) [1195]; Panama (br) [1195]; Puerto Rico (br) [1176]; Saint Kitts and Nevis (br) [5242]; Saint Lucia (v) [5251]; Turks and Caicos Islands; United States (br) [387]; Venezuela (v) [6290]; Virgin Islands (British) (br); Virgin Islands (U.S.) (br)			
<i>Buteo lagopus</i> (Pontoppidan, 1763)	II	A	386, 387, 523, 614, 841
E: Rough-legged Buzzard, Rough-legged Hawk, F: Buse pattue, Buse pattue, S: Aguililla artica, Busardo calzado, Busardo Calzado, Ratonero calzado			
Afghanistan (v) [694]; Albania; Armenia [5240]; Austria [1215]; Azerbaijan; Belarus; Belgium [5272]; Bermuda (v) [389]; ?Bhutan [5261]; Bosnia and Herzegovina [1038]; Bulgaria [5280]; Canada (br) [748]; China [5293]; Croatia [5290]; Cyprus (v) [709]; Czech Republic [5258]; Denmark [666]; Estonia [5277]; Faroe Islands (v) [480]; Finland (br) [1300]; France [7041]; Georgia; Germany [5274]; Greece (v) [5281]; Hungary [5257]; Iceland (v) [507]; Iran (Islamic Republic of) [1253]; Ireland (v) [858]; Israel (v) [5245]; Italy [5289]; Japan [503]; Jordan (v) [395, 1386]; Kazakhstan [5269]; Korea, DPR [7680]; Korea, Republic of [1436]; Latvia (ex) [5278]; Lebanon (v) [5284]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein (v); Lithuania; Luxembourg [5248]; Macedonia, former Yugoslav Republic of [1038]; Malta (v); Mexico [5241]; Moldova, Republic of; Mongolia [1306]; Netherlands [5273]; Norway (br) [5275]; Poland [1348]; Romania [558]; Russian Federation (br) [710]; Saint Pierre and Miquelon (br) [683]; Serbia and Montenegro [1038]; Slovakia [5279]; Slovenia [1038]; Spain (v) [702]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland [5288]; Taiwan; Tajikistan; Tunisia (v) [1344]; Turkey [5282]; Ukraine [710]; United Kingdom [6188]; Great Britain, Channel Is, Isle of Man, Northern Ireland; United States (br) [387]; Uzbekistan [710]			
<i>Buteo leucorrhous</i> (Quoy & Gaimard, 1824)	II	B	386, 523, 1068
E: Rufous-thighed Hawk, White-rumped Hawk, F: Buse cul-blanc, S: Busardo culiblanco, Gavilán negro, Gavilán rabadilla blanca			
Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Paraguay (br) [5295]; Peru (br) [1136]; Venezuela (br) [1070]			
<i>Buteo lineatus</i> (Gmelin, 1788)	II	B	386, 387, 523
E: Red-shouldered Hawk, F: Buse à épaulettes, S: Aguililla pechirroja, Busardo hombrorrojo			
Canada (br) [748]; Mexico (br) [5241, 6648]; United States (br) [387]			
<i>Buteo magnirostris</i> (Gmelin, 1788)	II	B	386, 387, 523, 1068
E: Roadside Hawk, F: Buse à gros bec, S: Aguililla caminera, Busardo caminero, Gavilán alirrojizo, Gavilán común, Gavilán habado			
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 6317]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; United States (v) [387]; Uruguay (br) [5287]; Venezuela (br) [1070]			

<i>Buteo oreophilus</i> Hartert & Neumann, 1914	II	B	386, 511, 523, 524, 573, 574, 1030, 1292
Synonym: <i>Buteo tachardus</i> Daudin, 1800			
E: Forest Buzzard, Mountain Buzzard, F: Buse montagnarde, S: Busardo montañés Burundi (br) [659]; Democratic Republic of the Congo (br); Ethiopia (br?) [659]; Kenya (br) [5253]; Malawi (br?) [1103]; Rwanda (br) [659]; South Africa (br) [659]; Sudan (br?) [659]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; ?Zambia [6301]			
<i>Buteo platypterus</i> (Vieillot, 1823)	II	B	386, 387, 485, 523, 931, 1068
E: Broad-winged Hawk, F: Petite buse, S: Aguililla aluda, Busardo aliancho, Gavilán bebehumo Antigua and Barbuda (br) [5242]; Argentina (v); Barbados (v) [5242]; Belize (v) [5241]; Bolivia [1186, 6346, 7166]; Brazil [6186]; Canada (br) [748]; Colombia [837]; Costa Rica [1311]; Cuba (br) [5259]; Dominica (br) [5242]; Ecuador [5294]; El Salvador [5241]; French Guiana (v) [1349]; Grenada (br) [5242]; Guatemala [5241]; Guyana; Honduras [1076]; Jamaica (v) [657]; Martinique (br) [5242]; Mexico [5241, 6648]; Nicaragua [1195]; Panama [1195]; Peru (v) [1136, 6410]; Puerto Rico (br) [1176]; Saint Kitts and Nevis [5242]; Saint Lucia (br) [5251]; Saint Vincent and the Grenadines (br) [5242]; Suriname (v) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Venezuela [1070]			
<i>Buteo poecilochrous</i> Gurney, 1879	II	B	386, 523, 1068
E: Gurney's Hawk, Puna Hawk, Variable Hawk, F: Buse du puna, S: Aguilucho puna, Busardo puneño, Gavilán punenno Argentina (br) [6370]; Bolivia (br) [1186, 6370, 7166]; Chile (br?) [873, 5292]; Colombia (br?) [837]; Ecuador (br) [5294]; Peru (br) [1136, 6370]			
<i>Buteo polyosoma</i> (Quoy & Gaimard, 1824)	II	B	386, 523, 1068
E: Red-backed Hawk, F: Buse tricolore, S: Aguilucho común, Aguilucho variado, Busardo dorsirrojo Argentina (br) [5291, 6370, 10249]; Bolivia (br) [1186, 6370, 7166]; ?Brazil (v) [6186]; Chile (br) [873, 5292]; Colombia (br?) [837]; Ecuador (br) [5294]; Falkland Islands (Malvinas) (br) [1439]; Peru (br) [1136, 6370]; Uruguay (v) [5287]			
<i>Buteo regalis</i> (Gray, 1844)	II	B	LR/nt 386, 387, 523
E: Ferruginous Hawk, F: Buse rouilleuse, S: Aguililla real, Busardo herrumbroso Canada (br) [748]; Mexico [5241]; United States (br) [387]			
<i>Buteo ridgwayi</i> (Cory, 1883)	II	B	CR 386, 387, 485, 523, 595, 598, 1419, 1420
E: Hispaniolan Hawk, Ridgway's Hawk, F: Buse de Ridgway, S: Busardo de la española Dominican Republic (br) [1312]; Haiti (br) [1408]; Puerto Rico (v) [1176]			

<i>Buteo rufinus</i> (Cretzschmar, 1827)	II	A	381, 386, 511, 523, 524, 614, 841, 1256
---	----	---	---

E: Long-legged Buzzard, F: Buse féroce, Buse féroce, S: Busardo moro, Busardo Moro, Ratonero moro, Ratonero moro
 Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Armenia (br) [5240]; Austria (v) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belarus (v); Belgium (v?) [5272]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (v) [1102]; Bulgaria (br) [5280]; Burkina Faso [659]; Cameroon (v) [659]; Cape Verde (v) [820]; Chad [659]; China (br) [5293]; Croatia (v) [5290]; Cyprus (br) [709]; Czech Republic [5258]; Denmark (v) [666]; Djibouti [427]; Egypt (br) [756]; Eritrea [659]; Ethiopia [659]; Finland (v); France (v) [7041]; Gambia (v) [760]; Georgia (br) [710]; Germany (v) [5274]; Ghana (v) [782]; Greece (br) [5281]; Hungary (br) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Israel (br) [5245]; Italy [5289]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Lebanon (br) [5284]; Libyan Arab Jamahiriya (br?) [536, 6303]; Macedonia, former Yugoslav Republic of (br) [1038]; ?Malawi [1103]; Mali [659]; Malta (v); Mauritania (br) [659]; Mongolia (br) [1306]; Morocco (br) [461]; Myanmar (v) [1290]; Nepal [865]; Netherlands (v) [5273]; Niger [659]; Nigeria; Norway (v); Oman (br); Pakistan (br); Poland (v) [1348]; Portugal (v) [1332]; Portugal (v), Madeira (v); Romania [558]; Russian Federation (br) [710, 938]; Saudi Arabia (br) [881]; Senegal [659]; Serbia and Montenegro (v) [1038]; Slovakia [5279]; Slovenia (v) [1038]; Somalia (v) [5252]; Spain (v) [702]; Sri Lanka (v) [5271]; Sudan (br?) [659]; Sweden (v) [1199]; Switzerland (v) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Tanzania, United Republic of (v) [659]; Togo (v) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda [659]; Ukraine (br); United Arab Emirates [1192]; Uzbekistan (br) [710]; Western Sahara (br); Yemen (br?) [5297]

<i>Buteo rufofuscus</i> (Forster, 1798)	II	B	386, 511, 523, 524, 573, 1292
--	----	---	----------------------------------

E: Jackal Buzzard, F: Buse rounoir, S: Busardo augur meridional
 Botswana (br?) [1102]; Lesotho (br) [486]; Namibia (br) [659]; South Africa (br) [659]; Swaziland (br) [1139]; Zimbabwe (v) [659]

<i>Buteo solitarius</i> Peale, 1848	II	B	LR/nt 386, 387, 523, 595, 931
--	----	---	----------------------------------

E: Hawaiian Hawk, F: Buse d'Hawaï, S: Busardo hawaiano
 United States (br) [387]

<i>Buteo swainsoni</i> Bonaparte, 1838	II	B	386, 387, 523, 1068
---	----	---	------------------------

E: Swainson's Hawk, F: Buse de Swainson, S: Aguililla de Swainson, Aguilucho langostero, Busardo chapulinero, Gavilán langostero
 Argentina [5291, 10249]; ?Belize [1437, 6769, 8757]; Bolivia [1186]; Brazil [1268, 6186, 6291, 7118]; Canada (br) [748]; Chile (v) [10073]; Colombia [837]; Costa Rica [1311]; Dominican Republic (v) [6324]; Ecuador [5294]; El Salvador [5241]; Guatemala [5241]; Honduras [1076]; Mexico (br) [5241]; Nicaragua [1195]; Norway (v) [5275]; Panama [1195]; Paraguay (v) [5295, 6321]; Peru [1136]; Trinidad and Tobago (v) [391, 703, 8674, 10294]; United States (br) [387]; Uruguay [5287]; Venezuela [1070]

<i>Buteo ventralis</i> Gould, 1837	II	B	386, 523, 578, 595, 1068
---	----	---	-----------------------------

E: Red-tailed Hawk, Rufous-tailed Hawk, F: Buse de Patagonie, S: Aguilucho cola colorada, Busardo patagón
 Argentina (br) [465, 5291, 10249, 10289]; Chile (br) [873, 1459, 5292]

<i>Buteogallus aequinoctialis</i> (Gmelin, 1788)	II	B	386, 523, 1068
E: Rufous Crab-Hawk, F: Buse buson, S: Busardo-negro del atlántico, Gavilán de Manglares			
Brazil (br) [6186]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296]; Trinidad and Tobago (br) [703, 10294]; Venezuela (br) [1070]			
<i>Buteogallus anthracinus</i> (Deppe, 1830)	II	B	386, 387, 485, 523, 1068
E: Common Black-Hawk, Cuban Black Hawk, Lesser Black-Hawk, F: Buse noire, S: Aguililla negra menor, Busardo-negro norteño, Gavilán cangrejero			
Antigua and Barbuda (v); Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1311]; Cuba (br) [5259]; El Salvador (br) [5241]; French Guiana (br) [1349]; Grenada (v) [5242]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Puerto Rico (v) [1176]; Saint Lucia (v) [5251]; Saint Vincent and the Grenadines (br) [5242]; Trinidad and Tobago (br) [703]; United States (br) [387]; Venezuela (br) [1070]			
CITES Identification Manual Reference:	A-213.003.008.002		
<i>Buteogallus meridionalis</i> (Latham, 1790)	II	B	386, 387, 523, 1068
Synonym: <i>Heterospizias meridionalis</i>			
E: Savanna Hawk, F: Buse roussâtre, S: Aguilucho colorada, Aguilucho sabanero, Busardo sabanero, Gavilán pita venado, Gavilán sabanero			
Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Uruguay (br) [5287]; Venezuela (br) [1070]			
CITES Identification Manual Reference:	A-213.003.032.001		
<i>Buteogallus subtilis</i> (Thayer & Bangs, 1905)	II	B	
E: Mangrove Black-Hawk, Pacific Black Hawk, F: Buse des mangroves, S: Busardo-negro del pacifico, Gavilán negro común			
Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Panama (br) [1195]; Peru (br) [1136]			
CITES Identification Manual Reference:	A-213.003.008.003		
<i>Buteogallus urubitinga</i> (Gmelin, 1788)	II	B	386, 387, 523, 1068
E: Great Black-Hawk, F: Buse urubu, S: Aguila negra, Aguililla negra mayor, Busardo-negro urubitinga, Gavilán negro grande			
Argentina (br) [5291, 6734, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837, 9220]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Uruguay (br) [5287]; Venezuela (br) [1070]			

CITES EC Reg. RL References

<i>Cheilictinia riocourii</i> (Vieillot, 1822)	II	B	386, 511, 523, 524, 1256, 1292
Synonym: <i>Elanus riocourii</i>			
E: African Swallow-tailed Kite, Scissor-tailed Kite, F: Élanion naucler, S: Elanio golondrina			
Benin [659]; Burkina Faso [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire [1334]; Djibouti [427]; Eritrea (br) [659]; Ethiopia [659]; Gambia (br) [760]; Ghana [782]; Kenya (br) [5253]; Liberia (v) [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria; Senegal (br) [659, 7219]; Somalia (br?) [5252]; Sudan (br) [659]; Togo (v) [5254]; Uganda [659]; Yemen (v) [841, 5297]			
<i>Chondrohierax uncinatus</i> (Temminck, 1822)	I/II	A/B	386, 387, 523, 931
E: Hook-billed Kite, F: Milan bec-en-croc, S: Gavilán pico ganchudo, Milano picogarfio			
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186, 6667]; Colombia (br) [837]; Costa Rica (br) [1311]; Cuba (br) [5259]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Grenada (br) [5242]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6927, 6932]; Peru (br) [1136, 8616]; Suriname (br) [5296]; Trinidad and Tobago (br) [703, 10294]; United States (br) [387]; Venezuela (br) [1070, 6290]			
CITES Appendix II populations	II	B	
Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Grenada (br) [5242]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Venezuela (br) [1070, 6290]			
<i>Chondrohierax uncinatus wilsonii</i>	I	A	386, 387, 523, 931
(Cassin, 1847)			
Synonym: <i>Chondrohierax wilsonii</i> (Cassin, 1847)			
E: Cuban Hook-billed Kite, F: Busard de Wilson, Milan de Cuba, Milan de Wilson, S: Busardo de Wilson			
Cuba (br) [5259]			
<i>Circaetus cinerascens</i> von Müller, 1851	II	B	386, 511, 523, 524, 573, 1256, 1292
E: Banded Snake-Eagle, Smaller Banded Snake-Eagle, F: Circaète cendré, S: Aguila culebrera culiblanca, Culebrera coliblanca			
Angola (br?) [5267]; Benin (br?) [659]; Botswana (br?) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Ethiopia (br?) [659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 715]; Kenya (br?) [5253]; Malawi (br) [1103]; Mali [659]; Namibia (br) [521, 659]; Niger (br?) [659]; Nigeria (br?); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br?) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			

<i>Circaetus cinereus</i> Vieillot, 1818	II	B	386, 511, 523, 524, 573, 1256, 1292
E: Brown Harrier-Eagle, Brown Snake-Eagle, F: Circaète brun, S: Aguila culebrera de Brown, Culebrera sombría			
Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br?) [1078]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali [659]; Mauritania [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br?); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [568, 5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]	II	B	386, 511, 523, 524, 573, 1256, 1292
<i>Circaetus fasciolatus</i> Kaup, 1850	II	LR/nt	386, 511, 523, 524, 573, 595, 1292
E: Fasciated Snake-Eagle, Southern Banded Snake-eagle, Southern Banded Snake-Eagle, F: Circaète barré			
Kenya (br) [5253]; Mozambique (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Tanzania, United Republic of (br?) [659]; Zimbabwe (br?) [659]	II	A	381, 386, 511, 523, 524, 573, 614, 841, 1256, 1292, 6677
<i>Circaetus gallicus</i> (Gmelin, 1788)	II	A	381, 386, 511, 523, 524, 573, 614, 841, 1256, 1292, 6677
Synonym: <i>Circaetus beaudouini</i> Verreaux & Des Murs, 1862			
E: Beaudouin's Snake-Eagle, Short-toed Eagle, Short-toed Snake-Eagle, F: Circaète Jean-le-Blanc, Circaète Jean-le-Blanc, S: Aguila culebrera, Culebrera barreada, Culebrera europea, Culebrera Europea			
Afghanistan [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Angola (br) [5267]; Armenia (br) [5240]; Austria (ex, br, v) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh (v) [804]; Belarus (br); Belgium (v) [5272]; Benin [659]; Bhutan (v) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Burkina Faso [659, 7154]; Cambodia (v) [5243]; Cameroon [659]; Central African Republic [659]; Chad [659]; China (br) [5293]; ?Congo (v) [659]; Côte d'Ivoire (br) [1334]; Croatia (br) [5290]; Cyprus (v) [709]; Czech Republic; Democratic Republic of the Congo; Denmark (v) [666]; Djibouti [427]; Egypt (br?) [756]; Eritrea [659]; Estonia (br, v) [5277]; Ethiopia [659]; Finland (v) [1300]; France (br) [7041]; Gambia (br?) [760]; Georgia (br) [710]; Germany (ex, br, v) [5274]; Ghana [782]; Gibraltar; Greece (br) [5281]; Guinea (br?) [1078]; Guinea-Bissau (br) [659, 715]; Hungary (br) [5257]; India (br) [1197]; Indonesia (br) [393, 434]; Bali, Jawa, Lesser Sunda Is; Iran (Islamic Republic of) (br) [1253]; Iraq (br?) [385, 10169]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269]; ?Kenya [5253, 8181]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (v) [6187]; Latvia (br) [5278]; Lebanon (br) [5284]; ?Lesotho (v) [486]; Liberia (v) [5246]; Libyan Arab Jamahiriya (ex, br) [536, 9127]; Lithuania (br) [5247]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malaysia (v); Peninsular Malaysia; Mali (br?) [659]; Malta (v); Mauritania (br) [659]; Moldova, Republic of (br) [710]; Mongolia (v) [1306]; Morocco (br) [461]; Myanmar [1290]; Nepal (br?) [865]; Netherlands (v) [5273]; Niger (br?) [659]; Nigeria (br); Norway (v) [5275]; Oman (br?); Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br); Romania (br) [558]; Russian Federation (br) [710, 938]; Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Serbia and Montenegro (br) [1038]; Sierra Leone (v) [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sudan [659]; Sweden (v) [1199]; Switzerland (br?) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Thailand [487]; Togo (br?) [5254]; Tunisia (br) [1344];	II	A	381, 386, 511, 523, 524, 573, 614, 841, 1256, 1292, 6677

Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br?) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; Viet Nam [5264]; Western Sahara (br?); Yemen [5297]

CITES Identification Manual Reference: A-213.003.011.005

Circaetus pectoralis Smith, 1829 II B 6677

E: Black-breasted Harrier-Eagle, Black-breasted Snake-Eagle, Black-chested Snake-Eagle, F: Circaète à poitrine noire, S: Culebrera pechinegra
Angola (br?) [5267]; Botswana (br) [1102]; Burundi (br?) [659]; Congo (br?) [659]; Democratic Republic of the Congo (br?); Djibouti (br?) [427]; Ethiopia (br?) [659]; Kenya (br) [5253]; Lesotho (v) [486]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br) [659]; Rwanda (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-213.003.011.006

Circus aeruginosus (Linnaeus, 1758) II A 381, 386, 511,
523, 524, 573,
614, 841, 929,
1045, 1256

E: Eurasian Marsh-Harrier, Marsh Harrier, Western Marsh-Harrier, F: Busard des roseaux, Busard des roseaux, S: Aguilucho lagunero, Aguilucho lagunero, Aguilucho Lagunero Occidental, Aguilucho lagunero occidental
Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (v); Angola [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belarus (br); Belgium (br) [5272]; Benin [659]; Bhutan (v) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Burkina Faso [659, 7154]; Burundi [659]; Cameroon [659]; Cape Verde [820]; Central African Republic [659]; Chad [659]; China (br) [5293]; Congo (v) [659]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo; Denmark (br) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Gibraltar; Greece (br) [5281]; Guinea [1389]; Guinea-Bissau [659]; Hungary (br) [5257]; Iceland (v) [507]; India [1197]; Indonesia (v) [393]; Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (ex, br) [858]; Israel (ex, br) [5245]; Italy (br) [5289]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon (ex, br?) [5284]; Liberia [5246]; Libyan Arab Jamahiriya [536, 6303]; Liechtenstein (br?); Lithuania (br) [5247]; Luxembourg (ex, br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi [1103]; Malaysia (v) [6228]; Peninsular Malaysia; Maldives [431]; Mali [659]; Malta; Mauritania [659]; Mauritius (v) [659]; Moldova, Republic of (br) [710]; Morocco (br) [461]; Mozambique [659]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Niger [659]; Nigeria; Norway (br, v) [5275]; Oman; Pakistan; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), ?Azores (v), Madeira (v); Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [659, 6253]; Sierra Leone [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia [5252]; South Africa [659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic (br?) [5283]; Tajikistan (br) [374]; Tanzania, United Republic of [659]; ?Thailand (v) [487]; Togo [570, 5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; Great Britain, Channel Is, Isle of Man, Northern Ireland; Uzbekistan (br) [710]; Western Sahara; Yemen [5297]; Zambia [659]; Zimbabwe [659]

CITES Identification Manual Reference: A-213.003.012.002

<i>Circus approximans</i> Peale, 1848	II	B	
Synonym: <i>Circus aeruginosus approximans</i> Peale, 1848			
E: Australasian Harrier, Pacific Marsh-Harrier, Swamp Harrier, F: Busard de Gould, S: Aguilucho lagunero del pacifico, Aguilucho Lanunero del Pacifico Australia (br) [477]; Fiji (br) [1171]; French Polynesia (br) [1171]; Society Is [1171]; Indonesia (br?) [393]; Irian Jaya; New Caledonia (br) [5260]; New Zealand (br) [1351]; ?Papua New Guinea (br); Tonga (br) [1171]; Vanuatu (br) [5260]; Wallis and Futuna Islands (br)			
CITES Identification Manual Reference:	A-213.003.012.002a		
<i>Circus assimilis</i> Jardine & Selby, 1828	II	B	386, 523, 1045
E: Aguilucho moteado, Spotted Harrier, F: Busard tacheté Australia (br) [477]; Indonesia (br) [393]; Lesser Sunda Is, Sulawesi			
<i>Circus buffoni</i> (Gmelin, 1788)	II	B	386, 523, 1068
E: Long-winged Harrier, F: Busard de Buffon, S: Aguilucho de azara, Aguilucho de ciénaga, Gavilán grande Argentina (br) [5291, 10249]; Bolivia (br) [1186, 7092]; Brazil (br) [6186]; Chile (br) [873, 5292]; Colombia (br) [837]; Falkland Islands (Malvinas) (v); French Guiana (br) [1349]; Guyana (br) [1295]; Paraguay (br) [5295]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Uruguay (br) [5287]; Venezuela (br) [1070]			
<i>Circus cinereus</i> Vieillot, 1816	II	B	386, 523, 1068
E: Cinereous Harrier, F: Busard bariolé, S: Aguilucho vari, Gavilán ceniciente Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Chile (br?) [5292, 6393]; Colombia (br) [837]; Ecuador (br) [5294]; Falkland Islands (Malvinas) (ex, br, v) [1439]; Paraguay (br?) [5295, 6321]; Peru (br) [1136]; Uruguay (br) [5287]			
<i>Circus cyaneus</i> (Linnaeus, 1766)	II	A	381, 387, 485, 524, 614, 841, 929, 1045
E: Hen Harrier, Marsh Hawk, Northern Harrier, F: Busard Saint-Martin, Busard Saint-Martin, S: Aguilucho pálido, Aguilucho Páldido, Gavilán rastreiro Afghanistan (v) [694]; Albania; Algeria [971]; Andorra (v); ?Anguilla [5242]; Antigua and Barbuda (v) [5242]; Armenia [5240]; Austria [1215]; Azerbaijan (br) [710]; Bahamas [5242]; Bahrain [1105]; Bangladesh [804]; Barbados [5242]; Belarus (br); Belgium (br) [5272]; Belize [5241]; Bermuda (v) [389]; Bhutan [5261]; Bosnia and Herzegovina [1038]; Bulgaria [5280]; Cambodia [5243]; Canada (br) [748]; Cayman Islands; China (br) [5293]; Colombia (v) [837]; Costa Rica [1311]; Croatia [5290]; Cuba [5259]; Cyprus [709]; Czech Republic (br) [5258]; Denmark (br) [666]; Dominica [5242]; Dominican Republic [1312]; Egypt [756]; El Salvador [5241]; Estonia (br) [5277]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar; Greece [5281]; ?Grenada [5242]; Guadeloupe (v) [5242]; Guatemala [5241]; Haiti [1408]; Honduras [1076]; Hong Kong; Hungary [5257]; Iceland (v) [507]; India [1197]; Iran (Islamic Republic of) (br?) [1253]; Iraq [385]; Ireland (br) [858]; Israel [5245]; Italy [5289]; Jamaica (v) [657]; Japan [503]; Jordan [395, 1386]; Kazakhstan [5269]; Korea, DPR [7680]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan [710]; ?Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536, 6303]; Liechtenstein; Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of [1038]; Malaysia (v) [1289]; Peninsular Malaysia, Sabah, Sarawak [393]; Malta; Martinique (v) [5242]; Mexico (br) [5241]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; ?Montserrat [5242]; Morocco [461]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Netherlands Antilles; Nicaragua [1195, 6604]; Norway (br) [5275]; Oman; Pakistan; Panama [1195]; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br); Puerto Rico [1176]; Qatar (v) [1393]; Romania [558]; Russian Federation (br) [710]; Saint Kitts and Nevis [5242]; Saint Lucia (v) [5251]; Saint Pierre and			

Miquelon [683]; Saint Vincent and the Grenadines [5242]; St Vincent [1049]; Saudi Arabia [881]; Senegal (v) [659]; Serbia and Montenegro [1038]; Singapore (v) [791]; Slovakia [5279]; Slovenia [1038]; Spain (br) [702]; ?Sudan (v) [659]; Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic (v) [5283]; Taiwan; Tajikistan [374]; Thailand [487]; Tunisia [1344]; Turkey (br?) [5282]; Turkmenistan [710]; Turks and Caicos Islands (v); Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; Great Britain, Channel Is, Isle of Man, Northern Ireland; United States (br) [387]; Wisconsin [759]; Uzbekistan [710]; Venezuela (v) [1070]; ?Viet Nam [5264]; ?Virgin Islands (British); Virgin Islands (U.S.); Yemen (v) [5297]

<i>Circus macrourus</i> (Gmelin, 1770)	II	A	LR/nt	381, 386, 511, 523, 524, 573, 595, 614, 841, 929
--	----	---	-------	--

E: Pale Harrier, Pallid Harrier, F: Busard pâle, Busard pâle, S: Aguilucho Papialbo, Aguilucho papialbo
Afghanistan [694]; Albania; Algeria [971]; Angola [5267]; Armenia (br) [5240]; Austria (v) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belarus (br); Belgium (v) [5272]; Benin [659]; Bosnia and Herzegovina [1038]; Botswana [1102]; Bulgaria [5280]; Burkina Faso [659]; Burundi [659]; Cameroon [659]; Central African Republic [659]; Chad [659]; China (br) [5293]; Jiangsu [1049]; Côte d'Ivoire [1334]; Croatia [5290]; Cyprus [709]; Czech Republic [5258]; Democratic Republic of the Congo; Denmark (v) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (v) [5277]; Ethiopia [659]; Finland (v) [1300]; France [7041]; Gambia [760]; Georgia (br) [710]; Germany (v) [5274]; Ghana [782]; Gibraltar (v); Greece [5281]; Guinea (v) [1389]; Guinea-Bissau [659, 715]; Hungary (v) [5257]; Iceland (v) [507]; India [1197]; Iran (Islamic Republic of) (br?) [1253]; Iraq [385]; Israel [5245]; Italy [5289]; Japan (v) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Latvia (ex, br) [5278]; Lebanon [5284]; Lesotho (v) [486]; Liberia (v) [5246]; Libyan Arab Jamahiriya [536, 6303]; Liechtenstein (v); Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of [1038]; Malawi [1103]; Malaysia (v) [6420]; Peninsular Malaysia; Maldives [431]; Mali [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; ?Mongolia [1306]; Morocco [461]; Mozambique [659]; Myanmar [1290]; Namibia [659]; Nepal [865]; Netherlands (v) [5273]; Niger [659, 7218, 10581]; Nigeria; Norway (v) [5275]; Oman; Pakistan; Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro [1038]; Seychelles (v) [10522]; Sierra Leone [659]; Slovakia [5279]; Slovenia [1038]; Somalia [5252]; South Africa [659]; Spain (v) [702]; Sri Lanka [5271]; Sudan [659]; ?Swaziland [1139]; Sweden (v) [1199]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Tajikistan; Tanzania, United Republic of [659]; Togo [5254]; Tunisia [1344]; Turkey [5282]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; Western Sahara; Yemen [5297]; Zambia [659]; Zimbabwe [659]

<i>Circus maillardi</i> Verreaux, 1862	II	B	EN/VU	595, 1293, 9309
--	----	---	-------	-----------------

Synonym: *Circus aeruginosus maillardi* Verreaux, 1862, *Circus macrosceles* Newton, 1863

E: Madagascar Harrier, Madagascar Marsh-Harrier, Malagasy Marsh-Harrier, Réunion Harrier, Réunion Marsh-Harrier, F: Busard de Maillard, S: Aguilucho lagunero malgache

Comoros (br) [659]; Madagascar (br) [5249]; Mayotte (br); Réunion (br) [1303]

CITES Identification Manual Reference: A-213.003.012.002b

<i>Circus maurus</i> (Temminck, 1828)	II	B	VU	386, 523, 524, 573, 595, 1061, 1292
---------------------------------------	----	---	----	---

E: Black Harrier, F: Busard maure, S: Aguilucho negro

Botswana [1102]; Lesotho [486]; ?Namibia (br) [659]; South Africa (br) [659]

<i>Circus melanoleucus</i> (Pennant, 1769)	II	B	381, 386, 523, 929
E: Pied Harrier, F: Busard tchoug, S: Aguilucho pío			
Bangladesh [804]; Bhutan (v) [5261]; Brunei Darussalam (v) [1019]; Cambodia [5243]; China (br) [5293]; Hong Kong; India (br) [1197]; Indonesia [393, 1289]; Kalimantan; Japan (v) [503]; Korea, DPR [7680]; Korea, Republic of [1436]; Lao People's Democratic Republic [6187]; Malaysia [1289]; Peninsular Malaysia, Sabah [759], Sarawak [393]; Mongolia (br) [1306]; Myanmar (br) [1290]; Nepal [865]; Pakistan; Philippines [5270]; Russian Federation (br) [710]; West Siberia [1049]; Singapore (v) [791]; Sri Lanka [5271]; Taiwan; Thailand [487]; Viet Nam [5264]			
<i>Circus pygargus</i> (Linnaeus, 1758)	II	A	381, 386, 511, 523, 524, 573, 614, 841
E: Montagu's Harrier, F: Busard cendré, Busard cendré, Busard de montagne, S: Aguilucho Cenizo			
Afghanistan [694]; Albania; Algeria (br) [971]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh (v) [804]; Belarus (br); Belgium (br) [5272]; Benin [659]; Bosnia and Herzegovina (br) [1038]; Botswana [1102]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cameroon [659]; ?Cape Verde (v) [820]; Central African Republic [659]; Chad [659]; China (br) [5293]; Congo (v) [659]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo; Denmark (br) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Finland (br) [1300]; France (br) [7041]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Gibraltar; Greece (br) [5281]; Guinea [1078]; Guinea-Bissau [7849, 7850, 7851, 7852, 7853]; Hungary (br) [5257]; Iceland (v) [507]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (v) [858]; Israel [5245]; Italy (br) [5289]; Jordan [395, 1386, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon [5284]; ?Lesotho [486]; Liberia [5246]; Libyan Arab Jamahiriya [536, 6303]; Liechtenstein; Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of [1038]; Malawi [1103]; Maldives [431]; Mali [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Morocco (br) [461]; Mozambique [659]; Namibia [659]; Nepal [865]; Netherlands (br) [5273]; Niger [659]; Nigeria; Norway (v) [5275]; Oman; Pakistan; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Madeira (v); Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; ?Sierra Leone [659]; Slovakia [5279]; Slovenia (ex, br) [1038]; Somalia [5252]; South Africa [659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Swaziland [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Tajikistan [374]; Tanzania, United Republic of [659]; Togo [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; Uzbekistan (br) [710]; Western Sahara; Yemen [5297]; Zambia [659]; Zimbabwe [659]			
<i>Circus ranivorus</i> (Daudin, 1800)	II	B	386, 511, 523, 524, 573, 1292
E: African Marsh-Harrier, F: Busard grenouillard, S: Aguilucho lagunero etiópico			
Angola (br?) [5267]; Botswana (br) [1102]; Burundi (br) [659]; Central African Republic (br?) [555, 659]; Congo (br?) [659]; Democratic Republic of the Congo (br?); Ethiopia (v) [659]; Kenya (br) [5253]; Lesotho (br) [486]; Malawi (br) [1103]; Mozambique (br) [659]; Namibia (br?) [659]; Rwanda (br) [659]; Somalia (v) [5252]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			

CITES EC Reg. RL References

Circus spilonotus Kaup, 1847 II B 386, 523, 929,
1045

Synonym: *Circus aeruginosus spilonotus* Kaup, 1847

E: Eastern Marsh-Harrier, Papuan Harrier, Spotted Marsh-Harrier, Spotted-backed Harrier, F: Busard d'Orient, S: Aguilucho lagunero oriental
?Australia (v?); Bangladesh [804]; Brunei Darussalam; Cambodia; China (br) [5293]; Cocos (Keeling) Islands; Hong Kong; Indonesia (br) [393]; Irian Jaya, Kalimantan [727], Sulawesi [727], Sumatera; Japan [503]; Korea, DPR; Lao People's Democratic Republic; Malaysia [1289]; Peninsular Malaysia [1049], Sabah, Sarawak [393]; Mongolia (br) [1306]; Myanmar [1290]; Papua New Guinea (br); Philippines [5270]; Russian Federation (br) [710]; Yakutiya [759]; Singapore; Taiwan; Thailand [487]; Viet Nam [5264]

CITES Identification Manual Reference: A-213.003.012.002c

Dryotriorchis spectabilis (Schlegel, 1863) II B 386, 523, 524,
1256, 1292

E: African Serpent-Eagle, Congo Serpent-Eagle, F: Aigle serpentaire, Serpentaire du Congo, S: Aguila culebrera colilarga, Culebrera congoleña
Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br?) [782]; Liberia (br) [5246]; Nigeria (br?); Sierra Leone (br?) [659]

Elanoides forficatus (Linnaeus, 1758) II B 386, 387, 523,
1068

E: American Swallow-tailed Kite, Swallow-tailed Kite, F: Milan à queue fourchue, S: Elanio tijereta, Gavilán tijereta, Milano tijereta
Antigua and Barbuda (v); Argentina [5291, 10249]; Bahamas (v) [5242]; Belize (br) [5241]; Bermuda (v) [389]; Bolivia (br) [1186]; Brazil (br) [6186]; Canada (v) [748]; Cayman Islands (v); Colombia (br) [837]; Costa Rica (br) [1311]; Cuba [5259]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Jamaica (v) [657]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6238]; Peru (br) [1136]; ?Saint Pierre and Miquelon (v) [683]; Spain (v) [702]; Canary Is [1130]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; ?Uruguay (br) [5287]; Venezuela (br) [1070, 8231]

Elanus axillaris (Latham, 1801) II B 386, 523

Synonym: *Elanus notatus* Gould, 1838

E: Australian Black-shouldered Kite, Black-shouldered Kite, F: Élanion d'Australie, S: Elanio australiano
Australia (br) [477]

Elanus caeruleus (Desfontaines, 1789) II A 381, 386, 511,
523, 524, 573,
614, 841, 929,
1256, 1292

E: Black-shouldered Kite, Black-winged Kite, F: Élançon blanc, Élanion blanc, S: Elanio azul, Elanio Común
Algeria (br) [971]; Angola (br?) [5267]; Austria (v) [1215]; Bangladesh (br) [804]; Belgium (v) [5272]; Benin [659, 845]; Botswana (br) [1102]; Brunei Darussalam (v); Bulgaria (v) [5280]; Burkina Faso (br) [659, 1345, 7154]; Burundi (br) [659]; Cambodia (br) [5243]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; China (br) [5293]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Czech Republic (v) [5258]; Democratic Republic of the Congo (br); Denmark (v) [666]; Djibouti (v) [427]; Egypt (br) [756]; Equatorial Guinea [659]; Eritrea (br?) [659]; Ethiopia (br) [659]; France (br) [7041]; Gabon (br) [659]; Gambia (br) [760]; Germany (v) [5274]; Ghana (br) [782]; Gibraltar (v); Greece (v) [5281]; Guinea (br) [1389]; Guinea-Bissau (br) [659, 715]; Hong

Kong (v); India (br) [1197]; Indonesia (br) [393]: Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Sulawesi, Sumatera; Iran (Islamic Republic of) (v); Israel (v) [5245]; Italy (v) [5289]; Kenya (br) [5253]; Kuwait (v); Lao People's Democratic Republic (br) [6187]; Lebanon (v) [5284]; Lesotho (br) [486]; Liberia [5246]; Libyan Arab Jamahiriya (v) [6303]; Madagascar (v) [5249]; Malawi (br) [1103]; Malaysia (br) [1289]: Peninsular Malaysia, Sabah [759], Sarawak [393]; Mali (br) [659]; Mauritania (br) [659]; Morocco (br) [461]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (v) [5273]; Niger (br?) [659]; Nigeria (br); Oman (v); Pakistan (br); Papua New Guinea (br); Philippines (br) [5270]; Poland (v) [1348]; Portugal (br) [1332]; Portugal (br); Romania (v) [558]; Rwanda (br) [659]; Saudi Arabia (v) [881]; Senegal (br) [659]; Sierra Leone (br) [659]; Singapore (br) [791]; Somalia [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka (br) [5271]: Sri Lanka [1049]; Sudan (br) [659]; Swaziland (br) [1139]; Switzerland (v) [5288]; Tanzania, United Republic of (br) [659]; Thailand (br) [487, 1220]; Togo (br?) [5254]; Tunisia (br) [1344]; Turkey (v) [5282]; Uganda (br) [659]; United Arab Emirates (v) [1192]; Uzbekistan (v) [710]; Viet Nam (br) [5264]; Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

Elanus leucurus (Vieillot, 1818) II B 386, 387, 523,
1068, 1173

Synonym: *Elanus caeruleus leucurus*

E: White-tailed Kite, F: Élanion à queue blanche, S: Elanio blanco, Elanio maromero, Gavilán maromero, Milano coliblanco
Argentina (br) [5291, 10249]; Aruba (v) [1380]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Canada (v) [748, 1286]; Chile (br) [873, 1459, 5292]; Colombia (br) [837, 9220]; Costa Rica (br) [1311]; El Salvador (br) [5241]; French Guiana (v) [1349]; Guatemala (br) [5241, 6397]; Guyana (br) [1295]; Honduras (br) [1076, 6231]; Mexico (br) [5241, 6648, 7068]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Uruguay (br) [5287]; Venezuela (br) [1070]

Elanus scriptus Gould, 1842 II B 386, 523
E: Letter-winged Kite, F: Élanion lettré, S: Elanio escrito
Australia (br) [477]

Erythrotriorchis buergersi (Reichenow, 1914) II B DD 386, 523, 1045,
1242

Synonym: *Accipiter buergersi* (Reichenow, 1814)

E: Bürger's Sparrowhawk, Chestnut-mantled Goshawk, Chestnut-shouldered Goshawk, Chestnut-shouldered Hawk, F: Autour de Bürger, S: Azor de Bürgers
Indonesia (br) [393, 645]: Irian Jaya; Papua New Guinea (br)

CITES Identification Manual Reference: A-213.003.016.002

Erythrotriorchis radiatus (Latham, 1801) II B VU 386, 523, 595

Synonym: *Accipiter radiatus* (Latham, 1801)

E: Red Goshawk, F: Autour rouge, S: Azor rojo
Australia (br) [477]

Eutriorchis astur (Sharpe, 1875) II A CR 386, 403, 523,
595, 597, 633,
669, 1263, 1346

E: Madagascar Serpent-Eagle, Madagascar Serpent-eagle, F: Aigle serpentaire, Serpentaire de Madagascar, S: Culebrera azor
Madagascar (br) [5249]

<i>Gampsonyx swainsonii</i> Vigors, 1825	II	B	386, 523, 1068
E: Pearl Kite, F: Élanion perle, S: Cernícalo, Elanio chico, Elanio enano			
Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837, 6297, 6358]; Ecuador (br) [5294, 8617]; French Guiana (v) [1349]; Guyana (br) [1295]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]			
<i>Geranoaetus melanoleucus</i> (Vieillot, 1819)	II	B	386, 523, 1068
E: Black-chested Buzzard-Eagle, Black-chested Eagle, Grey Buzzard-Eagle, F: Buse aguia, S: Aguila escudada, Aguila mora, Aguila real			
Argentina (br) [5291, 10249]; Bolivia (br) [1186, 6385]; Brazil (br) [1268, 6186, 7170]; Chile (br) [873, 5292]; Colombia (br) [837]; Ecuador (br) [5294]; Paraguay (br) [5295]; Peru (br) [1136]; Uruguay (br) [5287]; Venezuela (br) [1070, 8231]			
<i>Geranospiza caerulescens</i> (Vieillot, 1817)	II	B	386, 387, 523, 1068
E: Crane Hawk, F: Buse échasse, S: Azor zancón, Gavilán patilargo, Gavilán zancón, Gavilán zancudo			
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (ex?, br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Uruguay (br) [5287]; Venezuela (br) [1070]			
<i>Gypaetus barbatus</i> (Linnaeus, 1758)	II	A	381, 386, 511, 523, 524, 573, 614, 841, 1292
E: Bearded Vulture, Lammergeier, F: Gypaète barbu, S: Quebrantahuesos			
Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra [5239]; Armenia (br) [5240]; Austria (v) [1215]; Azerbaijan (br) [710]; Bhutan (br) [5261]; Bosnia and Herzegovina (ex, br) [1038]; Bulgaria (v) [5280]; China (br) [5293]; Croatia (v) [5290]; Cyprus (v) [709]; Czech Republic (v) [5258]; ?Djibouti (v) [427]; Egypt (br) [756]; Eritrea (br?) [659]; Ethiopia (br) [659, 894]; France (br) [7041]; Georgia (br) [710]; Germany (v) [5274]; Greece (br) [5281]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br?) [385]; Israel (br) [5245]; Italy (ex, br) [5289]; Jordan (ex, br, v) [395, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Korea, DPR (v); Kyrgyzstan (br) [710]; Lebanon (v) [5284]; Lesotho (br) [486]; Liechtenstein (ex, br); Macedonia, former Yugoslav Republic of (br) [1038]; Mauritania (v) [659]; Mongolia (br) [1306]; Morocco (br) [461]; Mozambique (v) [659]; ?Namibia (v) [659]; Nepal (br) [865]; Pakistan (br); Portugal (v) [1332]; Portugal (v); Romania (v) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (br) [881]; Serbia and Montenegro (ex, br) [1038]; South Africa (br) [659]; Spain (br) [702]; Sudan (v) [659]; Switzerland (v) [5288]; Syrian Arab Republic (v) [5283]; Tajikistan (br) [374]; Tanzania, United Republic of (br?) [659]; Tunisia (ex?, br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br?) [659]; Uzbekistan (br) [710]; Yemen (br?) [5297]; Zimbabwe (v) [659]			
<i>Gypohierax angolensis</i> (Gmelin, 1788)	II	B	386, 511, 523, 524, 573, 1256, 1292
E: Palm-nut Vulture, Vulturine Fish-Eagle, F: Palmiste africain, S: Buitre palmero			
Angola (br) [5267]; Benin (br?) [659]; Botswana (v) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Lesotho (v) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br?) [659]; Mozambique (br) [659]; Namibia (v) [659]; Niger (v) [659]; Nigeria (br);			

Rwanda (v) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan [659]; Swaziland (br?) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (v) [659]

<i>Gyps africanus</i> Salvadori, 1865	II	B	386, 511, 523, 524, 573, 1256, 1292
E: African White-backed Vulture, White-backed Vulture, F: Vautour africain, S: Buitre dorsiblanco africano			
Angola (br?) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Djibouti (br?) [427]; Equatorial Guinea (br?) [659]; Equatorial Guinea, Bioko; Eritrea (br?) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			

<i>Gyps bengalensis</i> (Gmelin, 1788)	II	B	CR	381, 386, 523, 595, 929
E: Asian White-backed Vulture, Oriental White-backed Vulture, White-backed Vulture, White-rumped Vulture, F: Gyps africain, Vautour chaugoun, S: Buitre dorsiblanco bengalí, Buitre leonado bengalés				
Afghanistan (br) [694]; Bangladesh (br) [804]; Bhutan (br) [5261, 6478]; Brunei Darussalam (v); Cambodia (br) [5243, 6475]; China (br) [5293]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br) [10037]; Russian Federation (v) [710]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]				

<i>Gyps coprotheres</i> (Forster, 1798)	II	B	VU	386, 516, 523, 524, 573, 595, 597, 1206, 1207, 1292
E: Cape Griffon, Cape Vulture, F: Vautour chassefiente, S: Buitre el cabo				
Botswana (br) [1102]; ?Democratic Republic of the Congo (v); Lesotho (br) [486]; Mozambique [659]; Namibia (br) [520, 659]; South Africa (br) [491, 492, 659, 1165, 1205, 1370]; Swaziland [1139]; Zambia [658, 659]; Zimbabwe (ex, br) [659]				

<i>Gyps fulvus</i> (Hablizl, 1783)	II	A	381, 386, 523, 524, 614, 841, 1045
E: Eurasian Griffon, Eurasian Griffon Vulture, Griffon Vulture, F: Vautour fauve, Vautour fauve, S: Buitre común, Buitre Leonado, Buitre leonado común			
Afghanistan (br) [694]; Albania (br?); Algeria (br) [971]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain (v) [1105]; Bangladesh (v) [804]; Belgium (v) [5272]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Croatia (ex?, br) [5290]; Cyprus (br) [709]; Czech Republic [5258]; Denmark (v) [666]; Djibouti (v) [427, 1401]; Egypt (br) [756]; Eritrea [659]; Estonia (v) [5277]; Ethiopia [659]; Finland (v) [1300]; France (br) [7041]; Georgia (br) [710]; Germany (v) [5274]; Gibraltar; Greece (br) [5281]; Hungary (v) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br?) [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269]; Kenya (v) [6250]; Kuwait (v) [537]; Kyrgyzstan (br) [710]; Latvia (v) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya (v); Macedonia, former Yugoslav Republic of (br) [1038]; Mali [659]; Malta (v); Mauritania [659]; Mongolia (br?) [1306];			

Morocco (br) [461]; Nepal (br) [865]; Netherlands (v) [5273]; ?Niger (v) [659]; Oman; Pakistan (br); Poland (v) [1348]; Portugal (br) [1299, 1332]; Portugal (br); Romania (ex, br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (br) [881]; Senegal [659, 665]; Serbia and Montenegro (br) [1038]; Slovakia (v) [5279]; Slovenia [1038]; Spain (br) [702, 1299]; Sudan [659]; Switzerland (v) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Togo (v) [5254]; Tunisia (br?) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; Western Sahara (v); Yemen (br) [5297]

<i>Gyps himalayensis</i> Hume, 1869	II	B	381, 386, 523
E: Himalayan Griffon, Himalayan Griffon Vulture, F: Vautour de l'Himalaya, S: Buitre del Himalaya			
Afghanistan (br) [694]; Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Kazakhstan (br) [5269]; Kyrgyzstan (br) [710]; Malaysia (v): Peninsular Malaysia [1049]; Mongolia (br) [1306]; Nepal (br) [865]; Pakistan (br); Tajikistan (br) [374]; Thailand; Uzbekistan (br?) [710]			

<i>Gyps indicus</i> (Scopoli, 1786)	II	B	381, 386, 523, 595, 929
Synonym: <i>Gyps tenuirostris</i> (Gray, 1844)			
E: Long-billed Griffon, Long-billed Vulture, F: Vautour indien, S: Buitre picofino			

Afghanistan (v) [694]; Bangladesh (br) [804]; Cambodia (br) [5243, 6475]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Malaysia (v): Peninsular Malaysia; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Thailand (ex?, br) [487, 1220]; Viet Nam (br) [5264]

<i>Gyps rueppellii</i> (Brehm, 1852)	II	B	386, 511, 523, 524, 841, 1256, 1292
E: Rueppell's Griffon, Rueppell's Griffon Vulture, Rueppell's Vulture, F: Vautour de Rüppell, S: Buitre moteado			
Benin (br?) [659]; Burkina Faso (br) [659, 1345]; ?Cameroon (br) [659]; ?Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire [1334]; Democratic Republic of the Congo (v) [6294]; Djibouti (br) [427]; Egypt (v) [756]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (v) [782]; Guinea (br?) [1078]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br?) [659]; Nigeria (br); Portugal (v); Rwanda (br?) [659]; Saudi Arabia (v) [881]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia (br) [5252]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo [5254]; Uganda (br?) [659]; Zambia (v) [6911]; Zimbabwe [659]			

<i>Haliaeetus albicilla</i> (Linnaeus, 1758)	I	A	LR/nt	386, 489, 523, 595, 614, 741, 841, 931, 1045
E: Grey Sea Eagle, White-tailed Eagle, F: Pygargue à queue blanche, Pygargue à queue blanche, Pygargue commun, S: Pigargo, Pigargo, Pigargo coliblanco, Pigargo coliblanco de Groenlandia, Pigargo común, Pigargo Europeo, Pigargo europeo				

Afghanistan [694]; Albania (ex?, br); Algeria (ex, br) [971]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (v) [5272]; Bhutan (v) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; China (br) [5293]; Croatia (br) [5290]; Cyprus (v) [709]; Czech Republic (br) [5258]; Denmark (br) [666]; Egypt (v) [756]; Estonia (br) [5277]; Faroe Islands [480]; Finland (br) [1300]; France [7041]; Georgia [710]; Germany (br) [5274]; Greece (br) [5281]; Greenland (br); Hungary (br) [5257]; Iceland (br) [507]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [385]; Ireland (v) [858]; Israel (ex, br) [5245]; Italy (v) [5289]; Japan (br) [503]; Kazakhstan (br) [5269]; Korea, DPR [7680]; Korea, Republic of [1436]; Latvia (br) [5278]; Lebanon (v) [5284]; Lithuania (br) [5247]; Luxembourg (v) [5248]; Macedonia, former

Yugoslav Republic of (br) [1038]; Malta (v); Moldova, Republic of (br) [710]; Mongolia (br) [1160, 1306]; Myanmar (v); Nepal (br) [865]; Netherlands (v) [5273]; Norway (br) [711, 1422, 5275]; Pakistan; Poland (br) [1348]; Portugal (ex, br, v) [1332]; Portugal (ex, br, v); Romania (br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (v) [881]; Serbia and Montenegro (br) [1038]; Slovakia (ex, br) [5279]; Slovenia (br) [1038]; Spain (v) [702]; Svalbard and Jan Mayen (v); Sweden (br) [823, 824, 1199]; Switzerland (v) [5288]; Syrian Arab Republic (v) [5283]; Taiwan; Tajikistan [374]; Thailand (v); Tunisia (v) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710, 8159]; Ukraine (br) [710]; United Kingdom (int, reint, br) [990, 6188]; United States [387]; Uzbekistan [710]

CITES Identification Manual Reference: A-213.003.024.002

Haliaeetus leucocephalus (Linnaeus, 1766) I A 386, 387, 523, 931

E: Bald Eagle, White-headed Eagle, F: Aigle à tête blanche, Pygargue à tête blanche, S: Aguila cabeciblanca, Aguila cabeza blanca, Pigargo americano, Pigargo cabeciblanco, Pigargo cabeciblanco meridional
?Belize (v) [610, 6769, 8757]; Bermuda (v) [389]; Canada (br) [748]; Ireland (v) [858]; Mexico (br) [5241]; Puerto Rico (v) [1176]; Saint Pierre and Miquelon (br) [683]; United States (br) [387]; Virgin Islands (U.S.) (v)

CITES Identification Manual Reference: A-213.003.024.003

Haliaeetus leucogaster (Gmelin, 1788) II A 381, 386, 523, 929, 1045

E: White-bellied Fish-Eagle, White-bellied Sea-Eagle, F: Pygargue à ventre blanc, Pygargue blagre, S: Pigargo de vientre blanco, Pigargo oriental
Australia (br) [477]; Bangladesh (br) [804]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; Christmas Island (v); Hong Kong (br); India (br) [1197]; Indonesia (br) [393, 7262]; Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sabah, Sarawak [393]; Myanmar (br) [1290]; Papua New Guinea (br); Philippines (br) [5270]; Singapore (br) [791]; Sri Lanka (br) [5271]; Taiwan (v); Thailand (br) [487]; Viet Nam (br) [5264]; Vietnam [759]

CITES Identification Manual Reference: A-213.003.024.004

Haliaeetus leucoryphus (Pallas, 1771) II A VU 381, 386, 489, 523, 595, 841, 929, 1045

E: Band-tailed Fish-Eagle, Pallas's Fish-Eagle, Pallas's Sea-Eagle, Pallas's Sea-eagle, F: Pygargue de Pallas, S: Pigargo de Pallas
Afghanistan [694]; Azerbaijan (v); Bangladesh (br) [804, 1237]; Bhutan (br) [5261, 6478]; Cambodia (v) [5243]; China (br) [5293]; Finland (v) [1300]; India (br) [1197]; Iran (Islamic Republic of) (v) [1253]; Iraq (v) [385]; ?Israel (v) [5245]; Kazakhstan (br) [5269]; Mongolia (br) [1040, 1160, 1306]; Myanmar (br) [1290]; Nepal (br) [865]; Netherlands (v) [5273]; Norway (v) [5275]; Oman (v); Pakistan (br); Russian Federation (br?) [710, 938]; Saudi Arabia (v) [881]; Tajikistan (br) [374]; Thailand (v) [487]; Turkmenistan [8159]; Ukraine (v) [710]; United Arab Emirates (v) [1192]; Uzbekistan (br) [710]; Viet Nam (v) [5264]

CITES Identification Manual Reference: A-213.003.024.005

Haliaeetus pelagicus (Pallas, 1811) II A VU 386, 523, 595, 724, 1045, 1458

E: Steller's Sea-eagle, Steller's Sea-Eagle, F: Pygargue de Steller, Pygargue empereur, S: Pigargo de Steller, Pigargo gigante
China [5293]; Japan [501, 503]; Korea, DPR [7680]; Korea, Republic of [1436]; Russian Federation (br) [710, 938, 984]; Taiwan (v); United States (v) [387]

CITES Identification Manual Reference: A-213.003.024.006

CITES EC Reg. RL References

Haliaeetus sanfordi Mayr, 1935 II A VU 386, 523, 595, 1045, 1242

E: Sanford's Fish-eagle, Sanford's Sea-Eagle, Solomon Fish-Eagle, Solomon Sea-Eagle, F: Pygargue de Sanford, S: Pigargo de las Salomón, Pigargo de Sanford
Papua New Guinea (br); Solomon Islands (br) [5260, 7087]

CITES Identification Manual Reference: A-213.003.024.007

Haliaeetus vocifer (Daudin, 1800) II A 386, 511, 523, 524, 573, 1256, 1292

E: African Fish-Eagle, River Eagle, F: Aigle pêcheur africain, Pygargue vocifer,
Pygargue vocifère, S: Pigargo vocinglero
Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345];
Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad
(br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo
(br); Egypt (v) [756, 841]; Equatorial Guinea [6426]; Eritrea (br) [659]; Ethiopia (br) [659,
894]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [1389]; Guinea-
Bissau (br) [659, 715]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Malawi
(br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia
(br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra
Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659];
Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda
(br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-213.003.024.008

Haliaeetus vociferoides Des Murs, 1845 II A CR 386, 523, 595,
597, 963, 9315

E: Madagascar Fish-Eagle, Madagascar Fish-eagle, F: Pygargue de Madagascar,
S: Pigargo de Madagascar, Pigargo malgache
Madagascar (br) [633, 960, 5249]; Mauritius (v) [659]

CITES Identification Manual Reference: A-213.003.024.009

Haliastur indus (Boddaert, 1783) II B 381, 386, 523,
1045

E: Brahminy Kite, Red-backed Kite, Red-backed Sea Eagle, White-headed Sea Eagle,
F: Milan sacré, S: Milano brahmán
Australia (br) [477]; Tasmania [759]; Bangladesh (br) [804]; Bhutan (v) [5261]; Brunei
Darussalam (br); Cambodia (br) [5243, 6485]; China (br) [5293]; Hong Kong (v); India
(br) [1197]; Indonesia (br) [393]; Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is,
Moluccas, Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia
(br) [1289]; Peninsular Malaysia [1049], Sabah, Sarawak [393]; Maldives (v) [7264];
Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Palau (v) [1171]; Papua New
Guinea (br); Philippines (br) [5270]; Singapore (br) [791]; Solomon Islands (br) [5260];
Sri Lanka (br) [5271]; Thailand (br) [487]; United Arab Emirates (v) [1192]; Vanuatu
(v) [5260]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-213.003.025.002

Haliastur sphenurus (Vieillot, 1818) II B 386, 523, 1045

E: Whistling Eagle, Whistling Hawk, Whistling Kite, F: Milan siffleur, S: Milano silbador
Australia (br) [477]; Indonesia (br) [393]; Irian Jaya; New Caledonia (br) [5260]; Papua
New Guinea (br)

CITES Identification Manual Reference: A-213.003.025.003

CITES EC Reg. RL References

Hamirostra melanosternon (Gould, 1841) II B 386, 523
 E: Black-breasted Buzzard, Black-breasted Buzzard-Kite, Black-breasted Kite, Black-breasted Buzzard, F: Milan à plastron, S: Milano pechinegro
 Australia (br) [477]
 CITES Identification Manual Reference: A-213.003.026.001

Harpagus bidentatus (Latham, 1790) II B 386, 387, 523,
 1068
 E: Black-breasted Buzzard-kite, Double-toothed Kite, F: Milan bidenté, S: Elanio bidentado, Gavilán bidente, Milano bidentado
 Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (v) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241, 6231]; Guyana (br) [1295]; Honduras (br) [1076, 6231]; Mexico (br) [5241, 7068]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]
 CITES Identification Manual Reference: A-213.003.027.002

Harpagus diodon (Temminck, 1823) II B 386, 523, 1068
 E: Rufous-thighed Kite, F: Milan diodon, S: Elanio muslirrufo, Milano dentado, Milano muslirrufo
 Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Ecuador (br) [1068, 5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Paraguay (br) [5295]; Suriname (v) [5296]
 CITES Identification Manual Reference: A-213.003.027.003

Harpia harpyja (Linnaeus, 1758) I A LR/nt 386, 387, 523,
 595, 931, 1068
 E: American Harpy Eagle, Harpy Eagle, F: Aigle harpie, Harpie, Harpie féroce,
 S: Aguila arpía, Aguila harpía, Arpía, Arpía mayor, Harpía
 Argentina (br) [465, 5291, 10249]; Belize (br) [5241, 6709]; Bolivia (br) [1186, 5116, 7072];
 Brazil (br) [6186, 7869]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294];
 French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 8615]; Honduras
 (br?) [1076, 6308]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay
 (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

Harpyhaliaetus coronatus (Vieillot, 1817) II B VU 386, 523, 595,
 598, 1068
 E: Crowned Eagle, Crowned Solitary Eagle, F: Buse couronnée, S: Aguila coronada,
 Aguila de Azara
 Argentina (br) [465, 996, 1113, 5291, 10249]; Bolivia (br) [1186, 5116]; Brazil (br) [380, 6186,
 7118]; Paraguay (br) [5295, 6745]; ?Uruguay (br) [5287]

Harpyhaliaetus solitarius (Tschudi, 1844) II B 386, 387, 476,
 523, 595, 1068
 E: Black Solitary Eagle, Solitary Eagle, F: Buse solitaire, S: Aguila solitaria
 Argentina (br) [465, 5291, 6734, 10249]; Belize (br?) [5241, 6709]; Bolivia (br) [1186, 6372];
 Brazil [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 6360]; French
 Guiana (br) [1335, 1349, 10252]; Guatemala (br) [448, 5241]; Honduras (br) [1076]; Mexico
 (br) [5241]; Nicaragua (br?) [1195]; Panama (br?) [1195]; Peru (br) [1136]; Venezuela
 (br) [1070, 8231]

Harpyopsis novaeguineae Salvadori, 1875 II B VU 386, 451, 523,
 595, 1045
 E: New Guinea Eagle, New Guinea Harpy Eagle, F: Aigle de Nouvelle-Guinée, S: Arpía
 papúa
 Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

<i>Henicopernis infuscatus</i> Gurney, 1882	II	B	VU	386, 473, 523, 595, 1045, 1242
E: Black Honey-buzzard, New Britain Honey-buzzard, F: Bondrée noire, S: Abejero negro Papua New Guinea (br): Bismarck Archipelago				
<i>Henicopernis longicauda</i> (Garnot, 1828)	II	B		386, 523, 1045
E: Long-tailed Honey-buzzard, Papuan Honey-buzzard, F: Bondrée à longue queue, S: Abejero colilargo Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Hieraetus ayresii</i> Gurney, 1862	II	B		386, 511, 523, 524, 573, 1256, 1292
Synonym: <i>Hieraetus dubius</i> Smith, 1830 misapplied E: Ayres's Eagle, Ayres's Hawk-Eagle, F: Aigle d'Ayres, S: Aguila-azor de Ayres Angola (br?) [5267]; Botswana (br?) [1102]; Burkina Faso (br?) [659]; Cameroon (br) [6295]; Chad (br?) [659]; Congo [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Equatorial Guinea (br?) [659]; Ethiopia (br?) [425, 659]; Gabon [659]; Ghana (br) [782]; Kenya (br) [5253]; Liberia (br?) [5246]; Malawi (br?) [1103]; Mozambique (br?) [659]; Namibia (br?) [659]; Nigeria; Rwanda [659]; ?Senegal (v) [659]; Sierra Leone (br?) [659]; Somalia (v) [425, 5252]; South Africa [659]; Sudan (v) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]				
CITES Identification Manual Reference:			A-213.003.033.001	
<i>Hieraetus fasciatus</i> (Vieillot, 1822)	II	A		381, 386, 511, 523, 524, 574, 614, 841, 929, 1256, 1292
E: Bonelli's Eagle, F: Aigle de Bonelli, Aigle de Bonelli, S: Aguila de Bonelli, Aguila perdicera, Aguila-azor Perdicera, Aguila-azor perdicera Afghanistan [694]; Albania (br?); Algeria (br) [971]; Armenia (br) [5240]; Austria (v) [1215]; Bangladesh (v) [804]; Belgium (v) [5272]; Bhutan (br) [5261]; Bosnia and Herzegovina (v) [1038]; Bulgaria (v) [5280]; China (br) [5293]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (v) [5258]; Denmark (v) [666]; Djibouti (br) [427]; Egypt (br) [756]; France (br) [7041]; Georgia (br) [710]; Germany (v) [5274]; Gibraltar; Greece (br) [5281]; Hong Kong (br); Hungary (v) [5257]; India (br) [1197]; Indonesia (br) [393]: Lesser Sunda Is; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395, 6454]; Kazakhstan (v) [5269]; Kuwait (v) [537]; Lao People's Democratic Republic (br?) [6187]; Lebanon (br?) [5284]; Libyan Arab Jamahiriya (br) [536, 6303]; Luxembourg (v) [5248]; ?Macedonia, former Yugoslav Republic of (v) [1038]; Mauritania [659]; Mongolia (v) [1306]; Morocco (br) [461]; Myanmar (br) [1290]; Nepal (br) [865]; Netherlands (v) [5273]; Oman (br); Pakistan (br); Portugal (br) [1332]; Portugal (br); Romania (v) [558]; Saudi Arabia (br) [881]; Serbia and Montenegro (v) [1038]; ?Slovakia [5279]; Spain (br) [702]; Sri Lanka (v) [5271]; Sweden (v) [1199]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Thailand (br?) [487, 1220, 6264]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; United Arab Emirates (br) [1192]; Uzbekistan (br?) [710]; Viet Nam (br?) [5264]; Yemen (br?) [5297]				
CITES Identification Manual Reference:			A-213.003.033.003	

<i>Hieraetus kienerii</i>	II	B	381, 386, 523, 929
(Geoffroy Saint-Hilaire, 1835)			
E: Chestnut-bellied Hawk-Eagle, Rufous-bellied Eagle, F: Aigle à ventre roux, S: Aguila-azor ventrirroja			
?Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; ?China (br) [1069, 5293]; Hainan [1069]; India (br) [1197]; Indonesia (br) [393, 529, 1220, 1289]; Bali, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; ?Malaysia (br); Myanmar (br) [1290, 7214]; Nepal (br) [865]; Philippines (br) [5270]; Singapore (v) [791]; Sri Lanka (br) [5271]; Thailand (br) [487]; Viet Nam (br) [5264]			
<i>Hieraetus morphnoides</i> (Gould, 1841)	II	B	386, 523, 1045
E: Little Eagle, F: Aigle nain, S: Aguililla australiana			
Australia (br) [477]; Indonesia (v) [393, 928]; Irian Jaya, Moluccas; Papua New Guinea (br)			
<i>Hieraetus pennatus</i> (Gmelin, 1788)	II	A	381, 386, 511, 523, 524, 573, 614, 841, 929, 1256, 1292
E: Booted Eagle, F: Aigle botté, Aigle botté, S: Aguila calzada, Aguililla Calzada, Aguililla calzada			
Albania (br?); Algeria (br) [971]; Angola (v) [5267]; Armenia (br) [5240]; Austria [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belarus (br); Belgium (v) [5272]; ?Benin [659]; Bhutan (br) [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (br?) [1102]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cameroon [659]; Central African Republic [659]; Chad [659]; China (br) [5293]; Congo (v) [659]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Democratic Republic of the Congo; Djibouti [427]; Egypt [756]; Ethiopia [659]; Finland (v) [1300]; France (br) [7041]; Gambia [760]; Georgia (br) [710]; Germany (v) [5274]; Ghana [782]; Gibraltar; Greece (br) [5281]; Hungary (br) [5257]; India (br) [1197]; Indonesia (v) [393, 426]; Bali, Jawa, Sumatera [7727]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [385, 10170]; Israel [5245]; Italy (v) [5289]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (v) [6187]; Lebanon [5284]; ?Lesotho [486]; Liberia (v) [5246]; Libyan Arab Jamahiriya [536]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi [1103]; Malaysia: Peninsular Malaysia; Mali [659]; Malta (v); Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Mozambique [659]; Myanmar [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (v) [5273]; Niger [659]; Nigeria [10580]; Oman; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Madeira (v); Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [659, 6253]; Sierra Leone [659]; Singapore (v) [791]; Slovakia (br) [5279]; Slovenia [1038]; Somalia [5252]; South Africa [659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Swaziland [1139]; Sweden (v) [1199]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Tajikistan (br) [374]; Tanzania, United Republic of [659]; Thailand; Togo (v) [570, 5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; Uzbekistan (br) [710]; Western Sahara; Yemen [5297]; Zambia [658, 659]; Zimbabwe [659]			
<i>Hieraetus spilogaster</i> (Bonaparte, 1850)	II	B	
Synonym: <i>Hieraetus fasciatus spilogaster</i>			
E: African Eagle, African Hawk-Eagle, F: Aigle fascié, Aigle-autour fascié, S: Aguila perdicera africana, Aguila-azor africana			
Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Eritrea			

(br?) [659]; Ethiopia (br) [659, 894]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Malawi (br) [1103]; Mali [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-213.003.033.007

Ichthyophaga humilis II B LR/nt 381, 386, 523,
(Müller & Schlegel, 1841) 595, 929

Synonym: *Ichthyophaga nana* Blyth, 1842

E: Lesser Fish-eagle, Lesser Fishing Eagle, F: Pygargue nain, S: Pigarguillo menor
Bangladesh (br?) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia [7417];
China (br) [1069, 5293]; India (br) [1197]; Indonesia (br) [393]: Kalimantan, Sulawesi,
Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]:
Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal
(br) [865]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

Ichthyophaga ichthyaetus (Horsfield, 1821) II B LR/nt 381, 386, 523,
595, 929

E: Grey-headed Fish-eagle, Grey-headed Fishing Eagle, F: Pygargue à tête grise,
S: Pigarguillo común
Bangladesh (br) [804]; Brunei Darussalam (br); Cambodia (br) [5243]; India (br) [1197];
Indonesia (br) [393]: Jawa, Kalimantan, Sulawesi, Sumatera; Lao People's Democratic
Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759],
Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Philippines (br) [5270]; Singapore
(v) [791]; Sri Lanka (br) [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

Ictinaetus malayensis (Temminck, 1822) II B 381, 386, 523, 929

E: Asian Black Eagle, Black Eagle, Indian Black Eagle, F: Aigle noir, S: Aguila milana
Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243,
6475]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan,
Moluccas, Sulawesi [7262], Sumatera; Lao People's Democratic Republic (br) [6187];
Malaysia (br) [1220, 1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393];
Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Sri Lanka (br) [5271]; Taiwan (br);
Thailand (br) [487]; Viet Nam (br) [5264]

Ictinia mississippiensis (Wilson, 1811) II B 386, 387, 523,
1068

E: Mississippi Kite, F: Milan du Mississippi, S: Elanio del Mississipi, Milano del Misisipi,
Milano misisipero
Argentina [5291, 10249]; Belize (v) [8632]; Bermuda (v) [10297]; Bolivia [1186, 1262];
Colombia [837]; Costa Rica [1311]; Cuba (v) [6687]; El Salvador (v?) [5241];
Guatemala [5241]; Honduras [1076]; Mexico [5241]; Nicaragua [6604]; Panama [1195];
Paraguay [5295]; Peru [1136]; United States (br) [387]

<i>Ictinia plumbea</i> (Gmelin, 1788)	II	B	386, 387, 523, 1068
E: Plumbeous Kite, F: Milan bleuâtre, S: Elanio plomizo, Gavilán plomizo, Milano plomizo			
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837, 6674]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6238]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]			
<i>Kaupifalco monogrammicus</i> (Temminck, 1824)	II	B	386, 511, 523, 524, 573, 1256, 1292
E: Lizard Buzzard, F: Autour unibande, S: Busardo gavilán			
Angola (br) [5267]; Benin (br?) [659]; Botswana (br?) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659]; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			
<i>Leptodon cayanensis</i> (Latham, 1790)	II	B	386, 387, 523, 1068
E: Cayenne Kite, Grey-headed Kite, F: Milan de Cayenne, S: Gavilán palomero, Milano blanquigrís, Milano cabecigris			
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [448, 5241, 6849]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [814, 5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br?) [703]; Venezuela (br) [1070]			
<i>Leptodon forbesi</i> (Swann, 1922)	II	B	CR
E: White-collared Kite, F: Milan de Forbes, S: Milano acollarado			
Brazil (br) [6186, 6413]			
<i>Leucopternis albicollis</i> (Latham, 1790)	II	B	386, 387, 523, 1068
E: White Hawk, F: Buse blanche, S: Aguilila blanca, Busardo blanco, Gavilán blanco			
Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837, 6674, 9220]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]			
<i>Leucopternis kuhli</i> Bonaparte, 1850	II	B	386, 523, 1068
E: White-browed Hawk, F: Buse à sourcils blancs, S: Busardo cejiblanco			
Bolivia (br) [1135, 1186]; Brazil (br) [6186]; Peru (br) [1136]			

<i>Leucopternis lacernulata</i> (Temminck, 1827)	II	B	VU	380, 386, 523, 595, 598, 1031, 1068, 1270
E: White-necked Hawk, F: Buse lacernulée, S: Busardo cuelliblanco Brazil (br) [6186, 7079]				
<i>Leucopternis melanops</i> (Latham, 1790)	II	B		386, 523, 1068
E: Black-faced Hawk, Masked Hawk, F: Buse à face noire, S: Busardo carinegro, Gavilán carinegro Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]				
<i>Leucopternis occidentalis</i> Salvin, 1876	II	A	EN	386, 523, 595, 598, 1068
E: Grey-backed Hawk, F: Buse à dos gris, S: Busardo dorsi, Busardo dorsigrís, Gavilán dorsigris Ecuador (br) [1202, 5294, 6360, 6827]; Peru (br) [1134, 1136, 1412, 8616]				
<i>Leucopternis plumbea</i> Salvin, 1872	II	B	LR/nt	386, 387, 476, 523, 595, 1068
E: Plumbeous Hawk, F: Buse plombée, S: Busardo plomizo, Gavilán plomizo Colombia (br) [837, 9220]; Ecuador (br) [5294]; Panama (br) [1195]; Peru (br) [1136]				
<i>Leucopternis polionota</i> (Kaup, 1847)	II	B	LR/nt	386, 523, 595, 1068
E: Mantled Hawk, F: Buse mantelée, S: Aguila blanca, Busardo blanquinegro ?Argentina [465, 10249]; Brazil (br) [6186]; Paraguay (br) [5295]				
<i>Leucopternis princeps</i> Sclater, 1865	II	B		386, 387, 523, 1068
E: Barred Hawk, Black-chested Hawk, F: Buse barrée, S: Busardo azoreño, Gavilán principe Colombia (br) [837, 6674]; Costa Rica (br) [1311]; Ecuador (br) [5294]; Panama (br) [1195]; Peru (v) [6854]				
<i>Leucopternis schistacea</i> (Sundevall, 1851)	II	B		386, 523, 1068
E: Slate-colored Hawk, F: Buse ardoisée, S: Busardo pizarroso, Gavilán azul, Gavilán pizarroso Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Peru (br) [1136]; Venezuela (br) [1070, 6304]				
<i>Leucopternis semiplumbea</i> Lawrence, 1861	II	B		386, 387, 523, 595, 1068
E: Semiplumbeous Hawk, F: Buse semiplombée, S: Busardo semiplomizo, Gavilán semiplomizo Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; Honduras (br) [1025, 1076, 6308]; Nicaragua (br) [1195]; Panama (br) [1195]				
<i>Lophaetus occipitalis</i> (Daudin, 1800)	II	B		386, 511, 523, 524, 573, 1256, 1292
Synonym: <i>Spizaetus occipitalis</i>				
E: Long-crested Eagle, F: Aigle huppard, S: Aguila copetuda africana, Aguila crestilarga Angola (br?) [5267]; Benin (br?) [659]; Botswana (br?) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo				

(br?); Equatorial Guinea (br?) [659, 1183]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br?) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia (v) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Lophoictinia isura (Gould, 1838) II B 386, 523, 595

E: Square-tailed Kite, F: Milan à queue carrée, S: Milano colicuadrado
Australia (br) [477]

Macheiramphus alcinus Westermann, 1851 II B 386, 511, 523,
524, 573, 929,
1242, 1256, 1292

Synonym: *Machaerhamphus alcinus*

E: Bat Hawk, Bat Kite, F: Milan des chauves-souris, S: Milano murcielaguero
Angola (br) [5267]; Benin (br?) [659]; Botswana (br?) [1102]; Brunei Darussalam (br); Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Comoros; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Equatorial Guinea (br?) [6426]; Ethiopia (br?) [659]; Gabon (br?) [659]; Gambia (v) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Indonesia (br) [393]; Irian Jaya [7727], Kalimantan [478], Sulawesi [759], Sumatera [393]; Kenya (br?) [5253]; Liberia (br) [5246]; Madagascar (br?) [5249]; Malawi (br) [1103]; Malaysia (br) [1289]; Peninsular Malaysia, Sabah, Sarawak; Mali (br?) [659]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Papua New Guinea (br); Rwanda (br) [659]; São Tomé and Príncipe (v); Senegal [659]; Sierra Leone (br) [659]; Singapore (v) [791]; Somalia [5252]; South Africa (br) [659]; Sudan (br?) [659]; Sudan [1049]; Tanzania, United Republic of (br?) [659]; Thailand (br) [487]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Megatriorchis doriae II B LR/nt 386, 523, 595,
1045, 1242

Salvadori & d'Albertis, 1875

Synonym: *Accipiter doriae* (Salvadori & D'Albertis, 1875)

E: Doria's Goshawk, F: Autour de Doria, S: Azor de Doria
Indonesia (br) [393]; Irian Jaya; Papua New Guinea (br)

Melierax canorus (Rislachi, 1799) II B 386, 523, 524,
573, 1292

E: Pale Chanting-Goshawk, F: Autour chanteur, S: Azor-lagartijero claro
Angola (br?) [5267]; Botswana (br) [1102]; Lesotho (v) [486]; Namibia (br) [659]; South Africa (br) [659]; Zimbabwe (br) [659]

Melierax gabar (Daudin, 1800) II B 386, 511, 523,
524, 573, 841,
1256, 1292, 7174

Synonym: *Micronisus gabar*

E: Gabar Goshawk, F: Autour gabar, S: Gavilán gabar

Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345, 7154]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br) [6388]; Egypt (v); Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br?) [1078]; Guinea-Bissau [7849]; Kenya (br) [5253]; Lesotho (v) [486]; Malawi (br) [1103]; Mali (br) [659];

Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Saudi Arabia (br) [881, 8140]; Senegal (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]; Yemen (br?) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

<i>Melierax metabates</i> Heuglin, 1861	II	B	386, 511, 523, 524, 573, 841, 1256, 1292
--	----	---	--

E: Dark Chanting-Goshawk, F: Autour sombre, S: Azor lagartijero oscuro
 Angola (br) [5267]; Benin [659]; Botswana (br?) [1102]; Burkina Faso (br) [659, 1345, 7154]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Djibouti (br?) [427]; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (v) [659]; Gambia (br) [760]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 715]; Israel (v) [5245]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Morocco (br) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (v) [659]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Sierra Leone (v) [659]; Somalia (v) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (v) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; United Arab Emirates (v) [1192]; Yemen (br?) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

<i>Melierax poliopterus</i> Cabanis, 1869	II	B	386, 511, 523, 524, 1292
--	----	---	-----------------------------

Synonym: *Melierax canorus poliopterus*

E: Eastern Chanting-Goshawk, F: Autour à ailes grises, S: Azor-lagartijero somalí
 Djibouti (br?) [427]; Ethiopia (br) [659]; Kenya (br) [5253]; Somalia (br) [5252]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]

<i>Milvus lineatus</i> (Gray, 1831)	II	B	
--	----	---	--

Synonym: *Milvus migrans lineatus*

E: Black-eared Kite, F: Milan brun

Afghanistan [694]; Bangladesh [804]; Bhutan (br) [5261]; Brunei Darussalam (v); Cambodia [5243]; China (br) [5293]; Hong Kong (br); India (br) [1197]; ?Indonesia (v) [393]; Japan (br) [503]; Korea, DPR (br) [7680]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic [6187]; Malaysia (v) [1289]; Myanmar; Nepal (br) [865]; Pakistan (br); Philippines (v) [5270]; Russian Federation (br) [710]; Taiwan (br); Thailand [487]; Viet Nam [5264]

<i>Milvus migrans</i> (Boddaert, 1783)	II	A	381, 386, 511, 523, 524, 573, 614, 841, 929, 1292
---	----	---	--

E: Black Kite, Pariah Kite, Yellow-billed Kite, F: Milan noir, Milan noir, S: Milano Negro, Milano negro, Milanus nigro
 Albania (br); Algeria (br) [971]; Angola (br) [5267]; Armenia (br) [5240]; Australia (br) [477]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh (br) [804]; Belarus (br); Belgium (br) [786, 5272]; Benin [659]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (br) [1102]; Brunei Darussalam; Bulgaria (br) [5280]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cambodia (br) [5243]; Cameroon [659]; Cape Verde (br) [820, 7821]; Central African Republic [659]; Chad (br) [659]; China (br) [5293]; Comoros (br) [659]; Congo [659]; Côte d'Ivoire (br) [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (br); Denmark (v) [666]; Djibouti (br) [427]; Egypt (br) [756]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Eritrea (br) [659]; Estonia (br) [5277]; Ethiopia (br) [659]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia (br) [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (br) [782]; Gibraltar; Greece (br) [5281]; Guinea

(br) [1389]; Guinea-Bissau (br) [659, 715]; Hungary (br) [5257]; Iceland (v) [507]; India (br) [1197]; Indonesia (br) [393, 1410]; Kalimantan [7727], Sulawesi; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon [5284]; Lesotho (br) [486]; Liberia (br) [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Madagascar (br) [633, 5249]; Malawi (br) [1103]; Malaysia: Peninsular Malaysia, Sabah, Sarawak [393]; Mali (br) [659]; Malta; Mauritania (br) [659]; Mayotte (br); Moldova, Republic of (br) [710]; Morocco (br) [461]; Mozambique (br) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (v) [5273]; Niger (br) [659]; Nigeria (br); Norway (v) [5275]; Oman; Pakistan (br); Papua New Guinea (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Madeira; Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda (br) [659]; São Tomé and Príncipe (br) [659, 1293]; Saudi Arabia (br) [881]; Senegal (br) [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [659, 6253]; Aldabra (v) [7814]; Sierra Leone (br) [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (br) [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Swaziland [1139]; Swaziland [759]; Sweden (br) [1199]; Switzerland (br) [5288]; Switzerland [1049]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Tanzania, United Republic of (br) [659]; Thailand (br) [487]; Togo (br) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; Viet Nam (br) [5264]; Virgin Islands (British) (v) [8649]; Western Sahara (br); Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

Milvus milvus (Linnaeus, 1758)

II A

386, 489, 523,
524, 595, 614,
684, 741, 841

Synonym: *Milvus fasciicauda* Hartert, 1914

E: Red Kite, F: Milan royal, Milan royal, S: Milano Real, Milano real

Albania (v); Algeria (ex, br) [971]; Armenia (v) [5240]; Austria (br) [1215]; Azerbaijan (v); Bangladesh (v) [804]; Belarus (br); Belgium (br) [5272]; Bosnia and Herzegovina (br) [1038]; Bulgaria [5280]; Cape Verde (br) [820, 7821]; Croatia (br) [5290]; Cyprus (v) [709]; Czech Republic (br) [5258]; Denmark (br) [666]; Egypt (v) [756]; Estonia (v) [5277]; Finland (v) [1300]; France (br) [7041]; Gambia (v) [739, 760]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar; Greece [5281]; Hungary (br) [5257]; Iceland (v) [507]; India (v) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [10158, 10172]; Ireland (v) [858]; Israel (v) [5245]; Italy (br) [5289]; Jordan (v) [395, 6454]; Latvia (br?) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein; Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malta (v); Mauritania (v) [659]; Moldova, Republic of (br) [710]; Morocco (br) [461]; Nepal (v) [865]; Netherlands (br) [5273]; Niger (v) [10581]; Norway (v) [5275]; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Madeira (v); Romania (br) [558]; Russian Federation (br) [710]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia [1038]; Spain (br) [702]; Sudan (v) [6417]; Sweden (br) [1199]; Switzerland (br) [1085, 5288]; Syrian Arab Republic (v) [5283]; Tunisia (ex, br) [1344]; Turkey [5282]; Turkmenistan [8159]; Ukraine (br) [710]; United Kingdom (br) [6188]

<i>Morphnus guianensis</i> (Daudin, 1800)	II	B	LR/nt	386, 387, 470, 476, 523, 595, 719, 931, 1068
E: Crested Eagle, Guianan Crested Eagle, F: Harpie huppée, S: Aguila crestada, Aguila monera, Arpía menor				
Argentina (v) [465, 1113, 5291, 10249]; Belize (br) [5241, 6709]; Bolivia (br) [1186, 5116]; Brazil (br) [6186, 7869]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 8617]; French Guiana (br) [1333, 1349]; Guatemala (br) [448, 5241]; Guyana (br) [1295]; Honduras (br) [1076]; ?Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136, 6724]; Suriname (br) [5296]; Venezuela (br) [1070, 1156, 6304]				
<i>Necrosyrtes monachus</i> (Temminck, 1823)	II	B		386, 511, 523, 524, 573, 1256, 1292
E: Hooded Vulture, F: Percnoptère brun, Vautour charognard, S: Alimoche sombrío				
Angola (br?) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345, 7154]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [6412]; Djibouti [427]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [1389]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Morocco (v) [461, 841]; Mozambique (br) [659]; Namibia (br?) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]				
<i>Neophron percnopterus</i> (Linnaeus, 1758)	II	A		381, 386, 511, 523, 524, 573, 614, 841, 1045, 1256, 1292
E: Egyptian Vulture, F: Percnoptère d'Égypte, Vautour percnoptère, S: Alimoche, Alimoche Común				
Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Angola (br?) [5267]; Armenia (br) [5240]; Austria (v) [1215]; Azerbaijan (br) [710]; Bangladesh (v) [804]; Belgium (v) [5272]; Bosnia and Herzegovina (br) [1038]; Botswana (v) [1102, 10140]; Bulgaria (br) [5280]; Burkina Faso (br?) [659]; Cameroon [659]; Cape Verde (br) [820]; Chad (br) [659]; Croatia (ex?, br) [5290]; Cyprus (v) [709]; Czech Republic (v) [5258]; ?Democratic Republic of the Congo (v); Denmark (v) [666]; Djibouti (br) [427]; Egypt (br) [756]; Eritrea (br) [659]; Estonia (v) [5277]; Ethiopia (br) [659]; Finland (v) [1300]; France (br) [7041]; Gambia [760]; Georgia (br) [710]; Ghana (v) [782]; Gibraltar; Greece (br) [5281]; ?Guinea (br); Hungary (v) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Kuwait (br) [537]; Kyrgyzstan (br) [710]; ?Lebanon (br) [5284]; ?Lesotho (v) [486]; Libyan Arab Jamahiriya (br) [536]; Macedonia, former Yugoslav Republic of (br) [1038]; Mali (br) [659]; Malta; Mauritania (br) [659]; Mongolia (v) [1306]; Morocco (br) [461]; Mozambique (v) [659]; Myanmar (v) [1290]; Namibia (br?) [659]; Nepal (br) [865]; Niger (br) [659]; Nigeria (br); ?Norway (v) [5275]; Oman (br); Pakistan (br); Poland (v) [1348]; Portugal (br) [1332]; Portugal (br), Azores (v), Madeira (v); Qatar (v) [1393]; Romania (br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (br) [881]; Senegal (br) [659]; Serbia and Montenegro (br) [1038]; Slovakia (v) [5279]; Slovenia [1038]; Somalia (br) [5252]; South Africa (ex?, br) [659, 972]; Spain (br) [702]; Sri Lanka (v) [5271]; Sudan (br) [659]; Svalbard and Jan Mayen (v); Sweden (v) [1199]; Switzerland (v) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; ?Tanzania, United Republic of (br) [659]; Togo (v) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; ?Uganda (br) [659]; United Arab Emirates (br) [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; Western Sahara (br); ?Yemen (br) [5297]; Zimbabwe (v) [659]				

<i>Oroaetus isidori</i> (Des Murs, 1845)	II	B	386, 523, 595, 1068
--	----	---	------------------------

Synonym: *Spizaetus isidori*

E: Black-and-chestnut Eagle, Isidor's Eagle, F: Aigle d'Isidore, S: Aguila castaña, Aguila de Copete, Aguila poma

Argentina (br) [465, 5291, 10249]; Bolivia (br) [1186, 5116]; Colombia (br) [837, 6683, 6730]; Ecuador (br) [5294, 6334]; Peru (br) [1136]; Venezuela (br) [1070]

<i>Parabuteo unicinctus</i> (Temminck, 1824)	II	B	386, 387, 523, 1068
--	----	---	------------------------

E: Bay-winged Hawk, Harris's Hawk, F: Buse de Harris, S: Aguililla de Harris, Busardo mixto, Gavilán andapié, Gavilán mixto

Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186, 7118]; Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (v) [6308]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (v) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; United States (br) [387]; Uruguay (br) [5287]; Venezuela (br) [1070]

<i>Pernis apivorus</i> (Linnaeus, 1758)	II	A	381, 386, 511, 523, 524, 573, 614, 841, 929, 1256
---	----	---	--

E: European Honey-buzzard, Honey Buzzard, F: Bondrée apivore, Bondrée apivore, S: Abejero europeo, Abejero Europeo, Halcón abejero, Halcón abejero

Afghanistan (v) [694]; Albania; Algeria [971]; Angola [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain (v) [1105]; Belarus (br); Belgium (br) [5272]; Benin [659]; Bosnia and Herzegovina (br?) [1038]; Bulgaria (br) [5280]; Burkina Faso (v) [659, 7154]; Burundi (v) [659]; Cameroon [659]; Central African Republic [659]; Chad [659]; Congo [659]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo; Denmark (br) [666]; Djibouti [427]; Egypt [756]; Equatorial Guinea (v) [659]; Bioko; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Gibraltar; Greece (br) [5281]; Guinea; Hungary (br) [5257]; Iceland (v) [507]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (v) [858]; Israel [5245]; Italy (br) [5289]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Latvia (br) [5278]; Lebanon [5284]; Liberia [5246]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi [1103]; Mali [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Morocco [461]; Mozambique [659]; Namibia [659]; Netherlands (br) [5273]; Niger [659]; Nigeria; Norway (br) [5275]; Oman (v); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Madeira (v); Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal (v) [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [1357, 6253]; Sierra Leone [659]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (v) [5252]; South Africa [659]; Spain (br) [702]; Sudan [659]; ?Swaziland (v) [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Tanzania, United Republic of [659]; Togo [5254]; Tunisia [1344]; Turkey (br) [5282]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; United Kingdom (br) [6188]; Uzbekistan (v) [710]; Western Sahara; Yemen [5297]; Zambia [659]; Zimbabwe [659]

<i>Pernis celebensis</i> Wallace, 1868	II	B	386, 523, 6888
--	----	---	----------------

E: Barred Honey-buzzard, F: Bondrée des Célèbes, S: Abejero de Célebes

Indonesia (br) [393, 1410, 7262]; Sulawesi; Philippines (br) [5270]

<i>Pernis ptilorhyncus</i> (Temminck, 1821)	II	B	
E: Oriental Honey-buzzard, F: Bondrée orientale, S: Abejero oriental			
Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br?); Cambodia (br) [5243]; China (br) [5293]; Egypt (v) [9318]; Hong Kong (v); India (br) [1197]; Indonesia [393, 1410]; Bali, Jawa, Kalimantan, Lesser Sunda Is, Sulawesi, Sumatera; Iran (Islamic Republic of) (v) [6434]; Israel (v) [5245]; Japan (br) [503]; Jordan (v) [6454]; Kazakhstan [5269]; Korea, DPR [7680]; Korea, Republic of [1436]; Kuwait (v); Lao People's Democratic Republic (br) [6187]; Macao (v); Malaysia (br) [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Maldives [431]; Mongolia (v) [1306]; Myanmar (br) [1290]; Nepal (br) [865]; Oman (v) [6466]; Pakistan (br); Philippines (br) [5270, 6639]; Russian Federation (br) [710]; Saudi Arabia (v) [881]; Singapore [791]; Sri Lanka (br) [5271]; Taiwan; Tajikistan; Thailand (br) [487]; Turkey (v) [5282]; United Arab Emirates (v) [1192]; Uzbekistan (v) [710]; Viet Nam (br) [5264]			
<i>Pithecopaga jefferyi</i> Ogilvie-Grant, 1897	I	A	CR 386, 523, 595, 884, 931, 943, 977, 1405, 10153
E: Great Philippine Eagle, Monkey-eating Eagle, Philippine Eagle, F: Aigle des Philippines, Aigle des singes, Aigle mangeur de singes, Pithécophage des Philippines, S: Aguila comemonos, Águila monera			
Philippines (br) [5270]			
<i>Polemaetus bellicosus</i> (Daudin, 1800)	II	B	386, 511, 523, 573, 1256, 1292
Synonym: <i>Hieraetus bellicosus</i>			
E: Martial Eagle, F: Aigle martial, S: Aguila marcial			
Angola (br?) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Eritrea (br?) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?) [1078]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			
CITES Identification Manual Reference:	A-213.003.053.001		
<i>Polyboroides radiatus</i> (Scopoli, 1786)	II	B	386, 523, 633
E: Madagascar Gymnogene, Madagascar Harrier-Hawk, F: Gymnogène de Madagascar, Petit serpentaire, S: Aguilucho-caricalvo malgache, Azor culebrero			
Madagascar (br) [5249]			
<i>Polyboroides typus</i> Smith, 1829	II	B	386, 511, 523, 524, 1256, 1292
E: African Gymnogene, African Harrier-Hawk, Gymnogene, F: Gymnogène d'Afrique, S: Aguilucho-caricalvo común			
Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345, 7154]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [1389]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Lesotho (br?) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br?) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland			

CITES EC Reg. RL References

(br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Rostrhamus hamatus (Temminck, 1821) II B 386, 523, 1068

Synonym: *Helicolestes hamatus*

E: Slender-billed Kite, F: Milan à long bec, S: Caracolero, Caracolero plomizo, Gavilán pico de Hoz
Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana; Panama (v) [1195]; Peru (br) [1136, 6308]; Suriname (br) [5296]; Venezuela (br) [1070, 6239]

CITES Identification Manual Reference: A-213.003.055.002

Rostrhamus sociabilis (Vieillot, 1817) II B 386, 387, 523, 931, 1068

E: Everglade Kite, Snail Kite, F: Milan des marais, S: Caracolero común, Gavilán caracolero, Milano caracolero
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Cuba (br) [5259]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [448, 5241, 6397]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241, 6675, 7068]; Nicaragua (br) [1195]; Panama (br) [1195, 6742]; Paraguay (br) [5295, 6745]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (v) [703, 10294]; United States (br) [387]; Uruguay (br) [5287]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-213.003.055.003

Sarcogyps calvus (Scopoli, 1786) II B LR/nt 381, 386, 523, 595, 929

Synonyms: *Aegypius calvus* (Scopoli, 1786), *Torgos calvus*

E: Asian Black Vulture, Asian King Vulture, Indian Black Vulture, Indian King Vulture, Pondicherry Vulture, Red-headed Vulture, F: Vautour royal, S: Buitre cabecirrojo
Bangladesh (br) [804]; Bhutan [5261]; Cambodia (br) [5243, 6475]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Singapore (v) [791]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-213.003.056.001

Spilornis cheela (Latham, 1790) II B 381, 386, 523, 929, 1045

E: Crested Serpent-Eagle, Mentawai Serpent-Eagle, Natuna Serpent-Eagle, Nias Serpent-Eagle, Ryukyu Serpent-Eagle, Simeulue Serpent-Eagle, F: Serpentaire bache, S: Culebrera chiíla
Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; Hong Kong; India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera; Japan (br) [503]; Korea, Republic of (v) [6883]; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Philippines (br) [5270]; Singapore (v) [791]; Sri Lanka (br) [5271]; Taiwan (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-213.003.057.002

Spilornis elgini (Blyth, 1863) II B LR/nt 386, 523, 595

E: Andaman Dark Serpent-Eagle, Andaman Serpent-Eagle, Dark Serpent-Eagle, F: Serpentaire des Andaman, S: Culebrera de Andamán
India (br) [1197]: Andaman Is

CITES Identification Manual Reference: A-213.003.057.003

<i>Spilornis holospilus</i> (Vigors, 1831)	II	B	523
Synonym: <i>Spilornis cheela holospilus</i>			
E: Philippine Serpent-Eagle, F: Serpentaire des Philippines, S: Culebrera filipina Philippines (br) [5270]			
CITES Identification Manual Reference:	A-213.003.057.004		
<i>Spilornis kinabaluensis</i> Sclater, 1919	II	B	VU 386, 595
Synonym: <i>Spilornis cheela kinabaluensis</i>			
E: Kinabalu Serpent-Eagle, Mountain Serpent-Eagle, Mountain Serpent-eagle, F: Serpentaire des Kinabalu, S: Culebrera del Kinabalu Brunei Darussalam (br); Indonesia (br) [393, 3750, 3751]; Kalimantan [7727]; Malaysia (br) [1289]; Sabah [759], Sarawak [393]			
CITES Identification Manual Reference:	A-213.003.057.005		
<i>Spilornis minimus</i> Hume, 1873	II	B	LR/nt 381, 386, 523, 595
E: Nicobar Serpent-Eagle, Nicobar Serpent-eagle, Small Serpent-Eagle, F: Serpentaire des Nicobar, S: Culebrera de Nicobar India (br) [1197]; Nicobar Is			
CITES Identification Manual Reference:	A-213.003.057.006		
<i>Spilornis rufipectus</i> Gould, 1858	II	B	523, 1410
E: Celebes Serpent-Eagle, Sulawesi Serpent-Eagle, F: Serpentaire des Célèbes, S: Culebrera de Célebes Indonesia (br) [393]: Sulawesi			
CITES Identification Manual Reference:	A-213.003.057.007		
<i>Spizaetus africanus</i> (Cassin, 1865)	II	B	386, 511, 523, 524, 1256, 1292
E: Cassin's Hawk-Eagle, F: Aigle de Cassin, S: Aguila-azor congoleña Angola (br?) [5267]; Burundi (br?) [659]; Cameroon (br) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Equatorial Guinea [6426]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br?); Kenya (v) [7051]; Liberia (br) [5246]; Nigeria (br?); Rwanda (br?) [659]; Sierra Leone (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]			
CITES Identification Manual Reference:	A-213.003.058.002		
<i>Spizaetus alboniger</i> (Blyth, 1845)	II	B	386, 523, 929
E: Black-and-white Hawk-Eagle, Blyth's Hawk-Eagle, F: Aigle de Blyth, S: Aguila-azor Indonesia Brunei Darussalam (br); Indonesia (br) [393, 1421]; Kalimantan, Sumatera; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Singapore (v) [791]; Thailand (br) [487, 1220]			
CITES Identification Manual Reference:	A-213.003.058.003		
<i>Spizaetus bartelsi</i> Stresemann, 1924	II	B	EN 386, 392, 523, 595, 1066, 3749
E: Black-and-white Hawk-Eagle, Javan Hawk-Eagle, F: Aigle de Java, S: Aguila-azor de Java Indonesia (br) [393]: Jawa			
CITES Identification Manual Reference:	A-213.003.058.004		

CITES EC Reg. RL References

<i>Spizaetus cirrhatus</i> (Gmelin, 1788)	II	B	381, 386, 523, 929
E: Changeable Hawk-Eagle, Crested Hawk-Eagle, Sunda Hawk-Eagle, F: Aigle huppé, S: Aguila-azor variable			
Bangladesh (br) [804]; Brunei Darussalam (br); Cambodia (br) [5243]; India (br) [1197]; Indonesia (br) [393, 1086, 1410]; Bali, Jawa, Kalimantan, Lesser Sunda Is, Sumatera; Lao People's Democratic Republic (br?) [6187]; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Philippines (br) [5270]; Singapore (br) [791]; Sri Lanka (br) [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]			
CITES Identification Manual Reference:		A-213.003.058.005	
<i>Spizaetus lanceolatus</i>	II	B	386, 523, 595, 1410
Temminck & Schlegel, 1844			
E: Sulawesi Hawk-Eagle, Sulawesi Hawk-eagle, F: Aigle des Célèbes, S: Aguila-azor de Célebes			
Indonesia (br) [393]: Sulawesi			
CITES Identification Manual Reference:		A-213.003.058.006	
<i>Spizaetus nanus</i> Wallace, 1868	II	B	386, 523, 595, 929, 1403
E: Wallace's Hawk-Eagle, Wallace's Hawk-eagle, F: Aigle de Wallace, S: Aguila-azor de Wallace			
Brunei Darussalam (br); Indonesia (br) [393, 1289]; Kalimantan, Sumatera; Malaysia (br); Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Thailand (br) [487, 1220]			
CITES Identification Manual Reference:		A-213.003.058.007	
<i>Spizaetus nipalensis</i> (Hodgson, 1836)	II	B	381, 386, 523, 929
E: Feather-toed Hawk-Eagle, Hodgson's Hawk-Eagle, Mountain Hawk-Eagle, F: Aigle montagnard, S: Aguila-azor montañesa			
Bhutan (br) [5261]; Cambodia [7417, 7418]; China (br) [5293]; Hong Kong (v); India (br) [1197]; Japan (br) [503]; Korea, Republic of (v) [1436]; Lao People's Democratic Republic (br) [6187]; Mongolia (v) [1306]; Myanmar (br) [1290, 7214]; Nepal (br) [865]; Pakistan (br); Russian Federation (br?) [710, 938]; Sri Lanka (br) [5271]; Taiwan (br); Thailand [487, 1220]; Viet Nam (br) [5264]			
CITES Identification Manual Reference:		A-213.003.058.008	
<i>Spizaetus ornatus</i> (Daudin, 1800)	II	B	386, 387, 523, 1068
E: Ornate Hawk-Eagle, F: Aigle orné, S: Aguila de Penacho, Aguila elegante, Aguila-azor blanca, Aguila-azor galana			
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186, 7118]; Colombia (br) [837, 6297]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6927]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070, 6290, 6304]			
CITES Identification Manual Reference:		A-213.003.058.009	
<i>Spizaetus philippensis</i> Gould, 1863	II	B	386, 523, 595
E: Philippine Hawk-Eagle, F: Aigle des Philippines, S: Aguila-azor filipina			
Philippines (br) [5270]			
CITES Identification Manual Reference:		A-213.003.058.010	

CITES EC Reg. RL References

<i>Spizaetus tyrannus</i> (Wied, 1820)	II	B	386, 387, 523, 1068
E: Black Hawk-Eagle, Tyrant Hawk-Eagle, F: Aigle tyran, S: Aguila tirana, Aguila-azor negra			
Argentina (br) [5291, 10249]; Belize (br) [680, 5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837, 6674]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [5241, 10292]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241, 7068]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [6927]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (v) [703, 10294]; Venezuela (br) [1070, 6290, 6304]			
CITES Identification Manual Reference: A-213.003.058.011			
<i>Spizastur melanoleucus</i> (Vieillot, 1816)	II	B	386, 387, 523, 595, 1068
E: Black-and-white Hawk-Eagle, F: Aigle noir et blanc, S: Aguila blanquinegra, Aguila-azor blanquinegra, Aguila-azor chica			
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186, 7118]; Colombia (br) [837, 9220]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [448, 5241, 6231]; Guyana (br) [1295]; Honduras (br) [1076, 6308]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6927]; Peru (br) [1136, 6724]; Suriname (br) [5296]; Venezuela (br) [1070, 6304]			
CITES Identification Manual Reference: A-213.003.059.001			
<i>Stephanoaetus coronatus</i> (Linnaeus, 1766)	II	B	386, 511, 523, 524, 573, 1256, 1292
Synonym: <i>Spizaetus coronatus</i>			
E: African Crowned Eagle, Crowned Eagle, Crowned Hawk-Eagle, F: Aigle blanchard, Aigle couronné, S: Aguila coronada, Aguila coronada rabuda			
Angola (br) [5267]; Benin (v) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Equatorial Guinea (br?) [659]; Ethiopia (br?) [659]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br?) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			
CITES Identification Manual Reference: A-213.003.060.001			
<i>Terathopius ecaudatus</i> (Daudin, 1800)	II	B	386, 511, 523, 524, 573, 841, 1045, 1256, 1292
E: Bateleur, Bateleur Eagle, F: Bateleur, Bateleur des savanes, S: Aguila volatinera			
Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 7154]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Djibouti [427]; Egypt (v) [756]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gabon [659]; Gambia (br?) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 715]; Iraq (v) [10158]; Israel (v) [5245]; Kenya (br) [5253]; Lesotho (v) [486]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Tunisia (v) [6364]; Uganda (br) [659]; Yemen (br?) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]			

Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Tunisia (v) [6364]; Uganda (br) [659]; Yemen (br?) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-213.003.061.001

<i>Torgos tracheliotus</i> (Forster, 1791)	II	B	VU	386, 511, 523, 524, 573, 614, 841, 1256, 1292
---	----	---	----	---

Synonym: *Aegypius tracheliotus* (Forster, 1791)

E: Lappet-faced Vulture, Nubian Vulture, F: Oricou, Vautour oricou, S: Buitre orejudo Algeria (v) [971]; Angola (br?) [5267]; Benin [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (v) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br); Djibouti (br?) [427]; Egypt (br) [756]; Equatorial Guinea [659]; ?Eritrea (br) [659]; Ethiopia (br) [659]; ?France (v) [7041]; Gambia (v) [760]; Israel (br) [5245]; Jordan (v) [395, 1386, 6454]; Kenya (br) [5253]; Libyan Arab Jamahiriya (v) [536, 6303]; Malawi (br?) [1103]; Mali (br) [659]; Mauritania (br) [659]; Morocco (v) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br) [659, 10581]; Nigeria (br); Oman (br) [726]; Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br) [659]; Togo (v) [5254]; Uganda (br?) [659]; United Arab Emirates (br) [1192]; Western Sahara (br?); Yemen (v) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

<i>Trigonoceps occipitalis</i> (Burchell, 1824)	II	B	386, 511, 523, 524, 573, 1256, 1292
--	----	---	---

Synonym: *Aegypius occipitalis* (Burchell, 1824)

E: White-headed Vulture, F: Vautour à tête blanche, Vautour huppé, S: Buitre cabeciblanco, Buitre piquirrojo

Angola (br?) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; ?Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; ?Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Djibouti (br?) [427]; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br); Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br) [659]; Togo (v) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-213.003.063.001

<i>Urotriorchis macrourus</i> (Hartlaub, 1855)	II	B	386, 511, 523, 524, 1256, 1292
---	----	---	-----------------------------------

E: African Long-tailed Hawk, Long-tailed Hawk, F: Autour à longue queue, S: Azor rabilargo

Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br?) [659]; Ghana (br?) [782]; Liberia (br) [5246]; Nigeria (br?); Sierra Leone (br) [659]; Sudan (br?) [659]; Togo (br?) [570, 5254]; Uganda (br?) [659]

CITES Identification Manual Reference: A-213.003.064.001

Family: **SAGITTARIIDAE**

Sagittarius serpentarius (Miller, 1779) II B 386, 511, 523,
524, 1256, 1292

E: Secretary-bird, Secretarybird, F: Messager sagittaire, Secrétaire des serpents,
Serpentaire, S: Secretario, Serpentario
Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burundi (br?) [659];
Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte
d'Ivoire [1334]; Democratic Republic of the Congo (br?); Eritrea [659]; Ethiopia
(br) [659]; Gambia [760]; Ghana [782]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253];
Lesotho [486]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania [659];
Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br?); Rwanda
(v) [659]; Senegal (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan
(br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br) [659]; Togo [5254];
Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-213.004.001.001

Family: **FALCONIDAE**

Daptrius americanus (Boddaert, 1783) II B 386, 387, 523,
1068

Synonym: *Ibycter americanus*

E: Red-throated Caracara, F: Caracara à gorge rouge, Caracara à ventre rouge,
S: Caracara comecacao, Caracara gorgirrojo, Carancho ventri-blanco, Chupacacao
ventriblanco

Bolivia (br) [1186, 6415]; Brazil (br) [6186, 7118]; Colombia (br) [837]; Costa Rica
(br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [5241];
Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195];
Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-213.005.001.002

Daptrius ater Vieillot, 1816 II B 386, 523, 1068

E: Black Caracara, Yellow-throated Caracara, F: Caracara noir, S: Caracara negro,
Carancho negro, Chupacacao negro

Bolivia (br) [1186, 7072]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294];
French Guiana (br) [1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296];
Venezuela (br) [1070]

CITES Identification Manual Reference: A-213.005.001.003

Falco alopex (Heuglin, 1861) II B 386, 511, 523,
524, 547, 1256,
1292

E: Fox Kestrel, F: Crécerelle renard, Faucon-renard, S: Cernícalo zorruno
Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African
Republic (br?) [659]; Chad (br) [659]; Côte d'Ivoire [1334]; Democratic Republic of the
Congo; Djibouti (v) [427]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (v) [760];
Ghana [782]; Guinea (br?); Kenya (br) [5253]; Liberia (v) [5246]; Mali (br) [659];
Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal [659]; Sierra Leone
(br?) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [565,
5254]; Uganda (br?) [659]

CITES Identification Manual Reference: A-213.005.002.002

Falco amurensis Radde, 1863 II B 386, 511, 523,
524, 547

E: Amur Falcon, Eastern Red-footed Falcon, Manchurian Red-footed Falcon, F: Faucon
de l'Amour, S: Cernícalo del Amur

Afghanistan [694]; Angola [5267]; Bangladesh [804]; Bhutan [5261]; Botswana [1102];

Burundi [659]; China (br) [5293]; Democratic Republic of the Congo (v) [6416]; Ethiopia [659]; Hong Kong (v); India [1197]; Italy (v) [5289]; Japan (v) [503]; Kenya [5253]; Korea, DPR (br) [7680]; Korea, Republic of [1436]; Lao People's Democratic Republic [6187]; Lesotho [486]; Malawi [1103]; Maldives [431]; Mongolia (br) [1306]; Mozambique [659]; Myanmar [1290]; Namibia [659]; Nepal [865]; Northern Mariana Islands (v); Oman; Pakistan; Russian Federation (br) [710]; Rwanda [659]; Saint Helena (v); Seychelles (v) [6253]; Somalia [5252]; South Africa [659]; Sri Lanka (v) [5271]; Swaziland [1139]; Tanzania, United Republic of [659]; Thailand [487]; Uganda (v) [659]; Yemen (v) [5297]; Zambia [659]; Zimbabwe [659]

Falco aeraea (Oberholser, 1917) I A VU 386, 523, 547, 595

E: Seychelles Kestrel, F: Crécerelle des Seychelles, Crécerelle katitie, Emouchel des Seychelles, Faucon crécerelle des Seychelles, S: Cernícalo de las Seychelles Seychelles (br) [659]

CITES Identification Manual Reference: A-213.005.002.003

Falco ardosiaceus Vieillot, 1823

II B 386, 511, 523,
524, 547, 573,
1256, 1292

E: Grey Kestrel, F: Faucon ardoisé, S: Cernícalo gris, Cernícalo pizarroso
Angola (br) [5267]; Benin (br) [659]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (v) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br?) [659, 6388]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br?) [5246]; Malawi (v) [1103]; Mali (br) [659]; Mauritania (br) [659]; Namibia (br) [659, 6876]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br?) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; ?Zambia [659]

CITES Identification Manual Reference: A-213.005.002.004

Falco berigora Vigors & Horsfield, 1827

II B 386, 523, 547,
1045

E: Brown Falcon, F: Faucon bérigora, S: Halcón berigora

Australia (br) [477]; Indonesia (br) [393]; Irian Jaya; Papua New Guinea (br)

CITES Identification Manual Reference: A-213.005.002.005

Falco biarmicus Temminck, 1825

II A 386, 511, 523,
524, 547, 573,
841, 1256

E: Lanner, Lanner Falcon, F: Faucon lanier, Faucon lanier, S: Halcón Borní, Halcón borní

Albania (br?); Algeria (br) [971]; Angola (br) [5267]; Armenia (br) [5240, 8143]; Azerbaijan (br?) [710]; Benin (br) [659]; Botswana (br) [1102]; Bulgaria (v) [5280]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (v) [659]; Côte d'Ivoire (br) [1334]; Cyprus (v) [709]; Czech Republic (v) [5258]; Democratic Republic of the Congo (br?); Djibouti (br?) [427]; Egypt (br) [756]; Eritrea (br?) [659]; Ethiopia (br) [659]; France (v) [7041]; Gabon (v) [659]; Gambia [760]; Ghana (br) [782]; Gibraltar (v); Greece (br) [5281]; Guinea-Bissau (br) [659, 715]; Iraq (br?) [385]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395]; Kenya (br) [5253]; Kuwait (v) [537]; Lebanon (br?) [5284]; Lesotho (br) [486]; Liberia [5246]; Libyan Arab Jamahiriya (br) [536, 6303]; Malawi (br) [1103]; Mali [659]; Malta (v); Mauritania (br) [659]; Morocco (br) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Oman (br?); Portugal (v) [1332]; Portugal (v); Qatar (br?) [1393]; Romania (v) [558]; Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Serbia and Montenegro (br) [1038]; ?Slovakia [5279]; Somalia

CITES EC Reg. RL References

(br) [5252]; South Africa (br) [659]; Spain (v) [702]; Sudan (br) [659]; Swaziland (br) [1139]; Syrian Arab Republic (br?) [5283]; Tanzania, United Republic of (br) [659]; Togo (br) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Uganda (br?) [659]; ?United Arab Emirates (v) [1192]; Western Sahara (br); Yemen (br?) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-213.005.002.006

Falco cenchroides Vigors & Horsfield, 1827 II B 386, 523, 547,
1045, 1242

E: Australian Kestrel, Nankeen Kestrel, F: Crêcerelle australienne, Crêcerelle d'Australie, S: Cernícalo australiano
Australia (br) [477]; Christmas Island (br); Cocos (Keeling) Islands (v); Indonesia (br) [393]; Irian Jaya, Jawa, Lesser Sunda Is, Moluccas; New Zealand [1351]; Norfolk Island (br); Papua New Guinea (br)

CITES Identification Manual Reference: A-213.005.002.007

<i>Falco cherrug</i> Gray, 1834	II	A	381, 386, 511, 523, 524, 547, 614, 841, 1256
---------------------------------	----	---	--

Synonym: *Falco altaicus* (Menzbier, 1891)

E: Saker, Saker Falcon, F: Faucon sacre, Faucon sacre, S: Halcón Sacre, Halcón sacre
Afghanistan (br?) [694]; Albania (v); Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan;
Bahrain [1105]; Bangladesh (v) [804]; Belarus (br); Bulgaria (br) [5280]; ?Burundi
(v) [659]; Cameroon (v) [659]; Chad (v) [659]; China (br) [5293]; Cyprus [709]; Czech
Republic (br) [5258]; Denmark (v) [666]; Djibouti (v) [427]; Egypt [756]; Eritrea (v) [659];
Ethiopia [659]; Finland (v) [1300]; France (v) [7041]; Germany (v) [5274]; Greece
(v) [5281]; Hungary (br) [5257]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq
(br) [385]; Israel [5245]; Italy [5289]; Jordan [395, 6454]; Kazakhstan (br) [5269];
Kenya [5253]; Korea, Republic of (v) [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lebanon
(v) [5284]; Libyan Arab Jamahiriya [536]; Mali (v) [659]; Malta; Mauritania [659]; Moldova,
Republic of (br) [710]; Mongolia (br) [1306]; Morocco (v) [461]; Nepal [865]; Oman;
Pakistan; Poland (v) [1348]; Qatar (v) [1393]; Romania (br) [558]; Russian Federation
(br) [710, 938]; Saudi Arabia [881]; Senegal (v) [659]; Serbia and Montenegro (br) [1038];
Slovakia (v) [5279]; Sudan [659]; Sweden (v) [1199]; Syrian Arab Republic (v) [5283];
Tajikistan (br) [374]; Tanzania, United Republic of (v) [659]; Tunisia [1344]; Turkey
(br) [5282]; Turkmenistan (**ex**, br) [710, 8159]; Ukraine (br) [710]; United Arab
Emirates [1192]; Uzbekistan (br) [710]; Yemen [5297]

CITES Identification Manual Reference: A-213.005.002.008

Falco chicquera Daudin, 1800 II B 386, 511, 523,
524, 547, 573,
595, 841, 1256,
1292

E: Red-headed Falcon, Red-headed Merlin, Red-necked Falcon, F: Faucon à cou roux, Faucon chicquera, S: Alcotán cuellirrojo, Alcotán turumti, Halcón de cabeza roja
 ?Angola (v) [5267]; Bangladesh (br) [804]; Benin (br) [659]; Botswana (br) [1102]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br?); Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?); Guinea-Bissau (br) [659]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Myanmar (v); Namibia (br) [659]; Nepal (br) [865]; Niger (br?) [659]; Nigeria (br); Pakistan (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia (v) [5252]; South Africa (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Turkmenistan (br?) [710]; Uganda (br?) [659]; Zambia (br) [586, 659]; Zimbabwe (br?) [659]

CITES Identification Manual Reference: A-213.005.002.009

<i>Falco columbarius</i> Linnaeus, 1758	II	A	386, 387, 485, 523, 524, 547, 614, 841
--	----	---	--

E: Merlin, Pigeon Hawk, F: Faucon émerillon, Faucon émerillon, S: Esmerejón, Esmerejón, Halcón migratorio, Halcón palomero
Afghanistan [694]; Albania; Algeria [971]; Anguilla (v) [5242, 6791]; Antigua and Barbuda (v) [5242]; Armenia [5240]; Aruba [1380]; Austria [1215]; Azerbaijan; Bahamas [5242]; Bahrain (v) [1105]; Barbados [5242]; Belgium [5272]; Belize [5241]; Bermuda [389]; Bhutan (v) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria [5280]; Canada (br) [748]; Cayman Islands; China (br) [5293]; Colombia [837]; Costa Rica [1311]; Croatia (br) [5290]; Cuba [5259]; Cyprus [709]; Czech Republic [5258]; Denmark [666]; Dominica [5242]; Dominican Republic [1312, 6754]; Ecuador [5294, 6712]; Egypt [756]; Estonia (br) [5277]; Faroe Islands (br) [480]; Finland (br) [1300]; France (br) [7041]; French Guiana (v); Germany [5274]; Gibraltar; Greece [5281]; Grenada [5242]; Guadeloupe [5242]; Guatemala [5241]; Guyana (v); Haiti [1408]; Honduras [1076]; Hungary [5257]; Iceland (br) [507]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq [385]; Ireland (br) [858]; Israel [5245]; Italy (br) [5289]; Jamaica [657]; Japan [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Korea, DPR [7680]; Korea, Republic of [1436]; Kuwait (v) [537]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon (v) [5284]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein (v); Lithuania (br) [5247]; Luxembourg [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malta (v); Martinique [5242]; Mexico [5241]; Mongolia (br) [1306]; ?Montserrat [5242]; Morocco [461]; Nepal [865]; Netherlands Antilles; Nicaragua [1195]; Norway (br) [5275]; Oman (v); Pakistan; Panama [1195]; Peru [1136]; Philippines (v) [5270, 7148]; Poland [1348]; Portugal [1332]; Portugal, Azores (v), Madeira (v); Puerto Rico [1176]; Romania [558]; Russian Federation (br) [710]; Saint Kitts and Nevis (v) [5242]; Saint Lucia [5251]; Saint Pierre and Miquelon (br) [683]; Saint Vincent and the Grenadines [5242]; Saudi Arabia [881]; ?Senegal (v) [659]; Serbia and Montenegro [1038]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain [702]; Sudan (v) [659]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Tajikistan [374]; Thailand (v) [7268]; Trinidad and Tobago [703]; Tunisia [1344]; Turkey [5282]; Turkmenistan [710]; Turks and Caicos Islands; United Kingdom (br) [6188]; United States (br) [387]; Uzbekistan; Venezuela [1070]; Viet Nam [5264]; ?Virgin Islands (British); Virgin Islands (U.S.); ?Yemen (v) [5297]

CITES Identification Manual Reference: A-213.005.002.010

<i>Falco concolor</i> Temminck, 1825	II	B	386, 511, 523, 524, 547, 614, 841, 1256, 1292
---	----	---	---

E: Sooty Falcon, F: Faucon concolore, S: Halcón pardo, Halcón pizarroso
Bahrain (br) [1105]; Chad (br?) [659]; Cyprus (v) [709]; Djibouti [427]; Egypt (br) [756]; Eritrea (br) [659]; Iran (Islamic Republic of) (v) [1253]; Israel (br) [5245]; Kenya [5253]; Kuwait (v); Libyan Arab Jamahiriya (br) [536]; Madagascar [633, 5249]; Malawi [1103]; Mali (v) [659]; Malta (v); Mauritius [659]; Mozambique [659]; Namibia (v) [659]; Oman (br); Pakistan (v); Qatar (v) [1393]; Réunion [1303]; Rwanda [659]; Saudi Arabia (br) [738, 881]; Seychelles (v) [659, 6253]; Seychelles (v) [7815], Aldabra (v) [7814]; Somalia [5252]; South Africa [659]; Sudan (br) [659]; Tanzania, United Republic of [659]; Turkey (v) [5282]; Uganda [659]; United Arab Emirates (br) [1192]; Yemen (br) [5297]; Zambia [659, 1149, 6301]; Zimbabwe (v) [659]

CITES Identification Manual Reference: A-213.005.002.011

CITES EC Reg. RL References

<i>Falco cuvierii</i> Smith, 1830	II	B	386, 511, 523, 524, 547, 573, 1256, 1292
E: African Hobby, F: Faucon de Cuvier, Hobereau africain, S: Alcotán africano, Halcón de Cuvier			
Angola [5267]; Benin (br) [659]; Botswana (v) [1102]; ?Burkina Faso (br) [659]; Burundi (v) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ethiopia (br) [659]; Gabon [659]; Gambia (br) [760, 6255]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau (br) [659]; Kenya (br) [5253]; ?Liberia (br) [5246]; Malawi (v) [1103]; Mali [659]; Mozambique [659]; Namibia [659]; Niger [659, 7218]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia (v) [5252]; South Africa [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			
CITES Identification Manual Reference: A-213.005.002.012			
<i>Falco deiroleucus</i> Temminck, 1825	II	B	386, 387, 523, 547, 595, 882, 883, 1068
E: Orange-breasted Falcon, F: Faucon orangé, S: Halcón pechianaranjado, Halcón pechirrojo, Halcón pechirrufo, Halcón plomizo			
Argentina (br) [465, 1113, 5291, 10249]; Belize (br) [797, 5241]; Bolivia (br) [1185, 1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (ex?, br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (v) [1195]; Paraguay (br) [814, 5295]; Peru (br) [1136, 6724]; Suriname (br) [811, 5296]; Trinidad and Tobago (v) [703]; Venezuela (br) [1070]			
CITES Identification Manual Reference: A-213.005.002.013			
<i>Falco dickinsoni</i> Sclater, 1864	II	B	386, 511, 523, 524, 547, 573, 1292
E: Dickinson's Kestrel, White-rumped Kestrel, F: Faucon de Dickinson, S: Cernícalo de Dickinson, Cernícalo dorsinegro			
Angola (br?) [5267]; Botswana (br) [1102]; Democratic Republic of the Congo (br?) [659, 6388]; Kenya (v) [5253]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br?) [659]; South Africa (br) [659]; Tanzania, United Republic of (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			
CITES Identification Manual Reference: A-213.005.002.014			
<i>Falco eleonorae</i> Géné, 1839	II	A	386, 511, 523, 524, 547, 614, 841, 1392
E: Eleonora's Falcon, F: Faucon d'Éléonore, Faucon d'Éléonore, S: Halcón de Eleonor, Halcón de Eleonor, Halcón de Eleonora, Halcón de Eleonora			
Algeria (br) [971]; Bahrain (v) [1105]; Bulgaria (v) [5280]; Comoros (v) [659]; Côte d'Ivoire (v); Croatia (br) [5290]; Cyprus (br) [709]; Djibouti (v) [427]; Egypt (v) [756]; Eritrea [659]; France (br) [7041]; French Southern Territories (v); Gibraltar; Greece (br) [5281]; Hungary (v) [5257]; Israel [5245]; Italy (br) [5289]; Jordan (v) [395, 6454]; Kenya [5253]; Lebanon (v) [5284]; Libyan Arab Jamahiriya (v) [536]; Madagascar [633, 5249]; Malawi (v?) [1103]; Malta; Mauritania (v) [659]; Mauritius (v) [659]; Morocco (br) [461]; ?Mozambique (v) [659]; Poland (v) [1348]; Portugal [1332]; Portugal, Madeira (v); Réunion (v) [1303]; Rwanda (v) [659]; Serbia and Montenegro (br?) [1038]; Seychelles (v) [659, 721, 6253]; Seychelles (v) [7815], Aldabra (v) [7814]; Somalia (v) [5252]; South Africa (v) [659]; Spain (br) [702, 1043]; ?Sudan [659]; Sweden (v) [1199]; Syrian Arab Republic (v) [5283]; Tanzania, United Republic of [659]; Tunisia (br) [1344]; Turkey (br) [5282]; United Kingdom (v) [6188]			
CITES Identification Manual Reference: A-213.005.002.015			

<i>Falco fasciinucha</i> Reichenow & Neumann, 1895	II	B	LR/nt	386, 511, 523, 524, 547, 573, 595, 1292
E: Taita Falcon, Teita Falcon, F: Faucon taita, S: Halcón taita Botswana (br) [1102]; Ethiopia (br?) [659]; Kenya (br?) [5253]; Malawi (br) [1103]; Mozambique (br?) [659]; South Africa (br) [659]; Sudan (br?) [659]; Tanzania, United Republic of (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]				
CITES Identification Manual Reference:			A-213.005.002.016	
<i>Falco femoralis</i> Temminck, 1822	II	B		386, 387, 523, 547, 1068
E: Aplomado Falcon, F: Faucon aplomado, S: Halcón aleto, Halcón aplomado, Halcón azulado, Halcón perdiguero Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (v) [1311]; Ecuador (br) [5294]; Falkland Islands (Malvinas) (v); French Guiana (br?) [1349]; Guatemala (v) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (v) [387]; Uruguay (br) [5287]; Venezuela (br) [1070]				
CITES Identification Manual Reference:			A-213.005.002.017	
<i>Falco hypoleucus</i> Gould, 1841	II	B	LR/nt	386, 523, 547, 595, 831
E: Grey Falcon, F: Faucon gris, S: Halcón gris, Halcón gris de Australia Australia (br) [477, 1114]; Papua New Guinea (v)				
CITES Identification Manual Reference:			A-213.005.002.018	
<i>Falco jugger</i> Gray, 1834	I	A		381, 386, 523, 547
E: Laggar Falcon, F: Faucon laggar, S: Halcón yággar Afghanistan (br) [694]; Bangladesh (br?) [804]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Kazakhstan (v) [5269]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Turkmenistan (v) [710]; Viet Nam (v) [5264]				
CITES Identification Manual Reference:			A-213.005.002.019	
<i>Falco longipennis</i> Swainson, 1837	II	B		386, 523, 547
E: Australian Hobby, Little Falcon, F: Petit faucon, S: Alcotán australiano, Halconcito australiano Australia (br) [477]; Indonesia (br) [393, 1410]; Irian Jaya, Lesser Sunda Is, Moluccas, Sulawesi; Papua New Guinea				
CITES Identification Manual Reference:			A-213.005.002.021	
<i>Falco mexicanus</i> Schlegel, 1850	II	B		386, 387, 523, 547
E: Prairie Falcon, F: Faucon des prairies, S: Halcón de las praderas, Halcón mejicano, Halcón pradeño Canada (br) [748]; Mexico (br) [5241]; United States (br) [387]				
CITES Identification Manual Reference:			A-213.005.002.022	
<i>Falco moluccensis</i> (Bonaparte, 1850)	II	B		386, 523, 547, 1045
E: Moluccan Kestrel, Spotted Kestrel, F: Crécerelle des Moluques, S: Cernícalo de las Molucas, Cernícalo Moluqueño Indonesia (br) [393]; Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi				
CITES Identification Manual Reference:			A-213.005.002.023	

<i>Falco naumanni</i> Fleischer, 1818	II	A	VU	381, 386, 469, 511, 523, 524, 547, 573, 595, 614, 741, 841, 1256
---------------------------------------	----	---	----	--

E: Lesser Kestrel, F: Faucon crécerellette, Faucon crécerellette, S: Cernícalo Primilla, Cernícalo primilla
 Afghanistan (br) [694]; Albania (br?); Algeria (br) [971]; Angola [5267]; Armenia (br) [5240, 8143]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belgium (v) [5272]; Benin [659]; Bosnia and Herzegovina [1038]; Botswana [1102]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cameroon [659, 6295, 7161]; Central African Republic [659]; Chad [659]; China (br) [5293]; Congo [659]; Côte d'Ivoire [1334]; Croatia (ex, br) [5290]; Cyprus [709]; Czech Republic (ex, br) [5258]; Democratic Republic of the Congo; Denmark (v) [666]; Djibouti [427]; Egypt [756]; Eritrea [659, 7046]; Ethiopia [659]; France (br) [7041]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (v) [5274]; Ghana (v) [782]; Gibraltar (br); Greece (br) [826, 5281]; Guinea; Hungary (br) [5257]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br?) [385, 10174]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (v) [503]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269, 6446]; Kenya [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic [6187]; Lebanon (br?) [5284]; Lesotho [486]; Liberia (v) [5246]; Libyan Arab Jamahiriya (br) [536, 6303]; Liechtenstein (v); Macedonia, former Yugoslav Republic of (br) [1038]; Malawi [1103]; Maldives [431]; Mali [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1160, 1306]; Morocco (br) [461]; Mozambique [659]; Myanmar [1290]; Namibia [659]; Nepal [865]; Niger [659, 10581]; Nigeria; Oman; Pakistan; Poland (br?) [1348]; Portugal (br) [1332]; Portugal (br), Azores (v), Madeira (v); Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia (br) [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [659, 6253]; ?Sierra Leone [659]; Slovakia (ex, br) [5279]; Slovenia (br) [1038]; Somalia [5252]; South Africa [659]; Spain (br) [702]; Sudan [659]; Swaziland (v) [1139]; Sweden (v) [1199]; Switzerland (br?) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Tanzania, United Republic of [659]; Togo [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; ?Western Sahara; Yemen [5297]; Zambia [659]; Zimbabwe [659]

CITES Identification Manual Reference: A-213.005.002.024

<i>Falco newtoni</i> (Gurney, 1863)	I/II	A/B	523, 547, 3746
E: Madagascar Kestrel, Newton's Kestrel, F: Crécerelle d'Aldabra, Crécerelle malgache, Faucon de Newton d'Aldabra, S: Cernícalo de Aldabra, Cernícalo de la isla Aldabra, Cernícalo de Madagascar			

Comoros (v) [659]; Madagascar (br) [5249]; Seychelles (br) [659]: Aldabra (br) [7814]

CITES Identification Manual Reference: A-213.005.002.025

CITES Appendix I populations	I	A
Seychelles (br) [659]		

CITES Appendix II populations	II	B
Comoros; Madagascar (br) [5249]		

<i>Falco novaeseelandiae</i> Gmelin, 1788	II	B	LR/nt	386, 523, 547, 595, 1045
E: New Zealand Falcon, F: Faucon de Nouvelle-Zélande, S: Halcón de Nueva Zelanda, Halcón maori New Zealand (br) [1351]				
CITES Identification Manual Reference:			A-213.005.002.026	
<i>Falco pelegrinoides</i> Temminck, 1829	I	A		381, 386, 523, 524, 547, 614, 841, 1045, 1292
Synonym: <i>Falco peregrinus pelegrinoides</i>				
E: Barbary Falcon, F: Faucon de Barbarie, S: Halcón de Berbería, Halcón peregrino de Babilonia				
Afghanistan (br) [694]; Algeria (br) [971]; Burkina Faso; Cameroon (v) [659]; China (br) [5293]; Djibouti (v) [427]; Egypt (br) [756]; Eritrea (br) [659]; Ethiopia (br) [659]; Greece (v) [5281]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Israel (br) [5245]; Italy (v) [5289]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Kyrgyzstan (br) [710]; ?Lebanon (v) [5284]; Libyan Arab Jamahiriya (br?) [536]; Mali (v) [659]; Malta (v); Morocco (br) [461]; Nepal (v) [865]; Niger (br) [659]; Nigeria [10580]; Oman (br?); Pakistan; Portugal (v) [1332]; Madeira (v); Saudi Arabia (br) [881]; Senegal (v) [659]; Somalia (br?) [5252]; Spain (v) [702]; Sudan [659]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Tunisia (br) [1344]; Turkey (v) [6438]; Turkmenistan (br) [710]; Uzbekistan (br) [710]; Yemen (br) [5297]				
<i>Falco peregrinus</i> Tunstall, 1771	I	A		381, 386, 387, 485, 511, 523, 524, 547, 573, 614, 677, 841, 929, 931, 1045, 1048, 1068, 1256, 1292
Synonyms: <i>Falco kreyenborgi</i> Kleinschmidt, 1929, <i>Falco madens</i> Ripley & Watson, 1963				
E: Duck Hawk, Peregrine, Peregrine Falcon, F: Faucon pèlerin, Faucon pèlerin, S: Halcón blancuzco, Halcón común, Halcón peregrino, Halcón Peregrino, Halcón real, Halcón viajero				
Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Angola (br) [5267]; ?Anguilla [5242]; Antigua and Barbuda [5242]; Argentina (br) [5291, 10249]; Armenia (br) [5240]; Aruba [1380]; Australia (br) [477]; Lacépède Is [393]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahamas [5242]; Bahrain [1105]; Bangladesh [804]; Barbados [5242]; Belarus (br); Belgium (br) [5272]; Belize [5241]; Benin [659]; Bermuda [389]; Bhutan [5261]; Bolivia [1186]; Bosnia and Herzegovina (br) [1038]; Botswana (br?) [1102]; Brazil [6186, 6413]; Brunei Darussalam; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi (v) [659]; Cambodia [5243]; Cameroon (br?) [659]; Canada (br) [748]; Cape Verde (br) [820]; Cayman Islands; Central African Republic [659]; Chad (br) [659]; Chile (br) [873, 5292]; China (br) [5293]; Christmas Island (v); Colombia [837]; Comoros (br) [659]; Congo (br) [659]; Costa Rica [1311]; Côte d'Ivoire (br) [1334]; Croatia (br) [5290]; Cuba (br) [5259, 6686]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (br?); Denmark [666]; Djibouti (br?) [427]; Dominica (br) [5242]; Dominican Republic [1312, 6754]; Ecuador (br) [5294, 6390]; Ecuador, Galapagos; Egypt (br) [756]; El Salvador [5241]; Equatorial Guinea: Bioko; Eritrea [659]; Estonia (br) [5277]; Ethiopia (br?) [659]; Falkland Islands (Malvinas) (br) [1439]; Faroe Islands (v) [480]; Fiji (br) [1171]; Finland (br) [1300]; France (br) [7041]; ?French Guiana [1349]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (br) [782]; Gibraltar (br); Greece (br) [5281]; Greenland (br); Grenada [5242]; ?Guadeloupe [5242]; Guam [503, 1171]; Guatemala [5241]; Guinea; Guinea-Bissau [7852]; Guyana [1295]; Haiti [1408]; Honduras [1076]; Hong Kong (br); Hungary (br?) [5257]; Iceland (v) [507]; India (br) [1197]; Indonesia (br) [393, 1086]; Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda				

CITES EC Reg. RL References

Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq [385, 10169]; Ireland (br) [858]; Israel (br) [5245]; Italy (br) [5289]; Jamaica [657]; Japan (br) [503]; Jordan [395, 1386, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Korea, DPR (br) [7680]; Korea, Republic of (br?) [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon (br?) [5284]; Lesotho (br?) [486]; Liberia [5246]; Libyan Arab Jamahiriya (br?) [536, 9127]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg [5248]; Macao; Macedonia, former Yugoslav Republic of (br) [1038]; Madagascar (br) [633, 5249]; Malawi (br) [1103]; Malaysia (br) [1289]; Peninsular Malaysia, Sabah, Sarawak; Maldives (v) [431]; Mali [659]; Malta (br); ?Martinique [5242]; Mauritania (br) [659]; Mauritius (v) [659]; Mayotte (br); Mexico (br) [5241]; Micronesia (Federated States of) (v) [1171]; Moldova, Republic of (br) [710]; Mongolia (br?) [1306]; Montserrat [5242]; Morocco (br) [461]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (br?) [5273]; Netherlands Antilles; New Caledonia (br) [5260]; Nicaragua [1195, 6604]; Niger (br) [659, 1101]; Nigeria; Norway (br) [5275]; Oman (br); Pakistan (br); Palau [1171]; Panama [1195]; Papua New Guinea (br); ?Paraguay [5295]; Peru (br) [1136, 6410, 6411]; Philippines (br) [5270, 6639, 6929]; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), ?Azores (ex, br?), Madeira (v); Puerto Rico [1176]; Qatar (v) [1393]; Romania (br) [558]; Russian Federation (br) [710, 938]; Rwanda (br) [659]; Saint Kitts and Nevis (v) [5242]; Saint Lucia [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines (v) [5242]; Samoa [1394]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [659, 721, 6253]; Sierra Leone [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Solomon Islands [5260]; Somalia (br?) [5252]; South Africa (br) [659]; South Georgia and the South Sandwich Islands (v) [6875]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Suriname [810, 5296]; Swaziland (br) [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Taiwan; Tajikistan (br) [374]; Tanzania, United Republic of (br) [659]; Thailand (br) [487, 1220]; Togo (br?) [5254]; Trinidad and Tobago [703]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Turks and Caicos Islands; Uganda (br) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United States (br) [387]; Uruguay [5287]; Uzbekistan (br) [710]; Vanuatu (br) [5260]; Venezuela [1070, 6239]; Viet Nam (br?) [5264]; ?Virgin Islands (British); Virgin Islands (U.S.); Western Sahara (br?); Yemen (br?) [5297]; Zambia (br) [659]; Zambia [1049]; Zimbabwe (br) [659]; Zimbabwe [759]

CITES Identification Manual Reference: A-213.005.002.027

Falco punctatus Temminck, 1821

I A VU 386, 523, 547,
 564, 595, 597, 899

E: Mauritius Kestrel, F: Crécerelle de Maurice, Faucon de l'île Maurice, S: Cernícalo de la Mauricio, Cernícalo de Mauricio

Mauritius (br) [659]

CITES Identification Manual Reference: A-213.005.002.028

Falco rufigularis Daudin, 1800

II B 386, 387, 523,
 547, 1068

E: Bat Falcon, F: Faucon des chauves-souris, S: Halcón golondrina, Halcón murcielaguero, Halcón plomizo menor

Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186, 6346, 7072]; Brazil (br) [6186, 6413]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Grenada (v) [5242]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241, 7068]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-213.005.002.029

<i>Falco rupicoloides</i> Smith, 1829	II	B	386, 511, 523, 524, 547, 573, 1292
---------------------------------------	----	---	--

E: Greater Kestrel, White-eyed Kestrel, F: Crécerelle aux yeux blancs, S: Cernícalo ojiblanco, Cernícalo ojiblanco de Africa
 Angola (br) [5267]; Botswana (br) [1102]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Kenya (br) [5253]; ?Lesotho (v) [486]; Mozambique (br?) [659]; Namibia (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]
 CITES Identification Manual Reference: A-213.005.002.030

<i>Falco rusticolus</i> Linnaeus, 1758	I	A	386, 387, 523, 547, 614
--	---	---	----------------------------

E: Gyr Falcon, Gyrfalcon, F: Faucon gerfaut, Faucon gerfaut, Gerfaut, S: Halcón gerifalte, Halcón Gerifalte
 Austria (v) [1215]; Belgium (v) [5272]; Brazil (v) [6186]; Canada (br) [748]; China (v) [5293]; Czech Republic (v) [5258]; Denmark [666]; Estonia (v) [5277]; Finland (br) [1300]; France [7041]; Germany (v) [5274]; Greenland (br); Iceland (br) [507]; Ireland (v) [858]; Japan [503]; Kazakhstan (v) [5269]; ?Latvia (v) [5278]; Netherlands (v) [5273]; Norway (br) [5275]; Pakistan (v); Poland (v) [1348]; Portugal (v) [1332]; Portugal (v); Russian Federation (br) [710, 938]; Saint Pierre and Miquelon (v) [683]; Spain (v) [702]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland (v) [5288]; Ukraine (v) [710]; United Kingdom (v) [6188]; United States (br) [387]
 CITES Identification Manual Reference: A-213.005.002.031

<i>Falco severus</i> Horsfield, 1821	II	B	381, 386, 523, 547, 929
--------------------------------------	----	---	----------------------------

E: Oriental Hobby, F: Faucon aldrovandin, Hobereau à poitrine rousse, S: Alcotán filipino
 Bangladesh (ex, br) [804]; Bhutan (br) [5261, 6478]; Brunei Darussalam (v); Cambodia (br?) [5243, 6475]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]; Bali, Irian Jaya, Jawa, Kalimantan, Moluccas, Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (v): Peninsular Malaysia [1049], Sabah [759]; Myanmar (br) [1290]; Nepal (br) [865]; Papua New Guinea (br); Philippines (br) [5270]; Solomon Islands [5260, 7087]; Sri Lanka (v) [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]
 CITES Identification Manual Reference: A-213.005.002.032

<i>Falco sparverius</i> Linnaeus, 1758	II	B	386, 387, 485, 523, 547, 1068
--	----	---	----------------------------------

E: American Kestrel, F: Crécerelle américaine, Crécerelle d'Amérique, S: Cernícalo americano, Cernícalo primito, Halcón primito, Halconcito, Halconcito común
 Anguilla (br?) [5242]; Antigua and Barbuda [5242]; Argentina (br) [5291, 10249]; Aruba (br) [1380]; Bahamas (br) [5242]; Barbados (v) [5242]; Belize [5241]; Bermuda [389]; Bolivia (br) [1186]; Brazil (br) [6186]; Canada (br) [748]; Cayman Islands (v); Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Cuba (br) [5259]; Denmark (v) [666]; Dominica (br) [5242]; Dominican Republic (br) [1312]; Ecuador (br) [5294]; El Salvador [5241]; ?Estonia (v) [5277]; Falkland Islands (Malvinas) (v) [1439]; French Guiana (br) [1349]; Grenada (br) [5242]; Guadeloupe (br?) [5242]; Guatemala (br) [5241]; Guyana (br) [1295]; Haiti (br) [1408]; Honduras (br) [1076]; Jamaica (br) [657]; Malta (v); Martinique (br) [5242]; Mexico (br) [5241];Montserrat (br?) [5242]; Netherlands Antilles (br); Nicaragua (br) [1195]; Panama [1195, 6832]; Paraguay (br) [5295]; Peru (br) [1136]; Portugal (v) [1332]; Azores (v); Puerto Rico (br) [1176]; Saint Kitts and Nevis (br) [5242]; Saint Lucia (br) [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines (v) [5242]; Trinidad and Tobago [703]; Turks and Caicos Islands (br?); United Kingdom (v) [6188]; United States (br) [387]; Uruguay (br) [5287]; Venezuela (br) [1070]; Virgin Islands (British) (br); Virgin Islands (U.S.) (br)
 CITES Identification Manual Reference: A-213.005.002.033

<i>Falco subbuteo</i> Linnaeus, 1758	II	A	381, 386, 523, 524, 547, 573, 614, 841, 929
---	----	---	---

E: Eurasian Hobby, Hobby, Northern Hobby F: Faucon hobereau S: Alcotán, Alcotán europeo, Alcotán Europeo

Afghanistan (br) [694]; Albania (br); Algeria (br?) [971]; Angola [5267]; Armenia (br) [5240, 8143]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belarus (br); Belgium (br) [5272]; ?Benin [659]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Botswana [1102]; Bulgaria (br) [5280]; ?Burkina Faso [659]; Burundi [659]; Cameroon (v) [659]; Chad (v) [659]; China (br) [5293]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus (ex, br) [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo; Denmark (br) [666]; ?Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (v) [782]; Gibraltar; Greece (br) [5281]; Guinea (v) [1389]; Hong Kong; Hungary (br) [5257]; Iceland (v) [507]; India (br) [1197]; Indonesia (v) [393, 1050]; Jawa, Lesser Sunda Is; Iran (Islamic Republic of) (br) [1253]; Iraq [385, 10169]; Ireland [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, DPR (br) [7680]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic; Latvia (br) [5278]; Lebanon (br) [5284]; Lesotho (v) [486]; Liberia [5246]; Libyan Arab Jamahiriya (ex, br) [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi [1103]; Malaysia (v): Peninsular Malaysia [1049], Sabah; Maldives [431]; Mali [659]; Malta; ?Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Mozambique [659]; Myanmar (br) [1290]; Namibia [659]; Nepal (br) [865]; Netherlands (br) [5273]; Nigeria; Norway (br) [5275]; Oman; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Madeira (v); Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal (v) [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [659, 6253]; Slovakia (br) [5279]; Slovenia [1038]; Somalia [5252]; South Africa [659]; Spain (br) [702]; Sudan [659]; Swaziland [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br?) [5283]; Taiwan (v); Tajikistan (br) [374]; Tanzania, United Republic of [659]; Thailand [487]; Togo [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; Isle of Man [759]; United States (v) [387]; Uzbekistan (br) [710]; Viet Nam (br) [5264]; Yemen [5297]; Zambia [659]; Zimbabwe [659] United Kingdom (br) [6188]; Isle of Man [759]; United States (v) [387]; Uzbekistan (br) [710]; Viet Nam (br) [5264]; Yemen [5297]; Zambia [659]; Zimbabwe [659]

CITES Identification Manual Reference: A-213.005.002.034

<i>Falco subniger</i> Gray, 1843	II	B	386, 523, 547
---	----	---	---------------

E: Black Falcon, F: Faucon noir, S: Halcón negro, Halcón negro de Australia
Australia (br) [477]; New Zealand (v)

CITES Identification Manual Reference: A-213.005.002.035

<i>Falco tinnunculus</i> Linnaeus, 1758	II	A	381, 386, 511, 523, 524, 547, 573, 614, 841, 929, 1256, 1292, 1376
--	----	---	--

Synonyms: *Falco alexanderi* Bourne, 1955, *Falco neglectus* Schlegel, 1873

E: Common Kestrel, Eurasian Kestrel, Kestrel, F: Faucon crécerelle, Faucon crêcerelle, S: Cernícalo común, Cernícalo vulgar, Cernícalo Vulgar
Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Angola (br) [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; ?Bahrain (br) [1105]; Bangladesh [804]; Belarus (br); Belgium (br) [5272]; Benin [659]; Bermuda

(v) [389]; Bhutan (br) [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (br) [1102]; Brunei Darussalam (v); Bulgaria (br) [5280]; Burkina Faso [659, 1345]; Burundi (br) [659]; Cambodia [5243]; Cameroon (br) [659]; Canada (v) [748]; Cape Verde (br) [820, 6676]; Central African Republic [659]; Chad (br) [659]; China (br) [5293]; Congo (br) [659]; Côte d'Ivoire (br?) [1334]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (br) [659, 6388]; Denmark (br) [666]; Djibouti (br?) [427]; Egypt (br) [756]; Eritrea (br?) [659]; Estonia (br) [5277]; Ethiopia (br) [659]; Faroe Islands (br) [480]; Finland (br) [1300]; France (br) [7041]; French Guiana (v) [7874]; Gabon (br?) [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (br?) [782]; Gibraltar (br); Greece (br) [5281]; Greenland (v); Guinea [1389]; Guinea-Bissau [7849, 7850, 7852, 7853]; Hong Kong; Hungary (br) [5257]; Iceland (v) [507]; India (br) [1197]; Indonesia (v) [393, 1027]; Sulawesi [7727], Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (br) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan (br) [395, 1386]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Korea, DPR (br) [7680]; Korea, Republic of (br) [1436]; Kuwait (br) [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (br?) [6187]; Latvia (br) [5278]; Lebanon (br) [5284]; Lesotho (br) [486]; Liberia [5246]; Libyan Arab Jamahiriya (br) [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malawi (br) [1103]; Malaysia [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Maldives [431]; Mali [659]; Malta (br?); Martinique (v) [485, 5242]; Mauritania (br) [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Mozambique (br?) [659]; Myanmar [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (br) [5273]; Niger (br?) [659]; Nigeria (br); Northern Mariana Islands (v); Norway (br) [5275]; Oman (br); Pakistan (br); Philippines [5270]; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Azores, Madeira (br); Qatar (br?) [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Serbia and Montenegro (br) [1038]; Sierra Leone (br?) [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (br) [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Svalbard and Jan Mayen (v); Swaziland (br) [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br) [5283]; Taiwan; Tajikistan (br) [374]; Tanzania, United Republic of (br?) [659]; Thailand [487]; Togo (br?) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br) [659]; Ukraine (br) [710]; United Arab Emirates (br) [1192]; United Kingdom (br) [6188]; United States (v) [387]; Uzbekistan (br) [710]; Viet Nam (br) [5264]; Western Sahara (br); Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-213.005.002.036

<i>Falco vespertinus</i> Linnaeus, 1766	II	A	381, 386, 511, 523, 547, 614, 841, 1256
---	----	---	---

E: Red-footed Falcon, Western Red-footed Falcon, F: Faucon kobezi, Faucon kobezi, S: Cernícalo Patirrojo, Cernícalo patirrojo
 ?Albania; Algeria [971]; Angola [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan [710]; Bahrain (v) [1105]; Belarus (br); Belgium (v) [5272]; Benin (v) [6877]; Bosnia and Herzegovina [1038]; Botswana [1102]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cameroon [659]; Central African Republic (v) [659]; Chad [659]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo; Denmark (v) [666]; Djibouti (v) [427]; Egypt [756]; Eritrea (v); Estonia (br) [5277]; Ethiopia [659]; Finland [1300]; France (br) [7041]; Gabon (v) [659]; Gambia (v) [7217, 7812]; Georgia [710]; Germany [5274]; Ghana (v) [782, 7856]; Gibraltar (v); Greece [5281]; Hungary (br) [5257]; Iran (Islamic Republic of) [1253]; ?Iraq [385]; Ireland (v) [858]; Israel [5245]; Italy [5289]; Jordan [395, 1386, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait (v); Kyrgyzstan [710]; Latvia [5278]; Lebanon (v) [5284]; ?Lesotho [486]; Liberia (v) [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of [1038]; Malawi [1103]; Mali [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Morocco (v) [461];

Namibia [659]; Netherlands (v) [5273]; Niger (v) [659]; Nigeria; Norway (v) [5275]; Oman; Poland (br) [1348]; Portugal (v) [1332]; Portugal (v); Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; São Tomé and Príncipe (v) [659]; Saudi Arabia (v) [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [659, 6253]; Slovakia (br) [5279]; Slovenia [1038]; Somalia (v) [5252]; South Africa [659]; Spain (v) [702]; Sudan [659]; Swaziland (v) [1139]; Sweden [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Tajikistan [374]; Tanzania, United Republic of [659]; Togo (v) [5254]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan [710]; Ukraine (br) [710]; United Kingdom [6188]; Uzbekistan [710]; Yemen (v) [5297]; Zambia [659]; Zimbabwe [659]

CITES Identification Manual Reference: A-213.005.002.037

Falco zoniventris Peters, 1854 II B 386, 523, 547, 633
 E: Banded Kestrel, Barred Kestrel, F: Faucon à ventre rayé, S: Cernícalo malgache
 Madagascar (br) [5249]
 CITES Identification Manual Reference: A-213.005.002.038

Herpetotheres cachinnans (Linnaeus, 1758) II B 386, 387, 523,
 1068
 E: Laughing Falcon, F: Macagua rieur, S: Acuá, Halcón guaco, Halcón guaicurú, Halcón
 macagua, Halcón reidor
 Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Chile
 (br) [5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador
 (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295];
 Honduras (br) [1076]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (br) [1195];
 Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]
 CITES Identification Manual Reference: A-213.005.003.001

Micrastur buckleyi Swann, 1919 II B 386, 476, 523,
 595, 598, 1068
 E: Buckley's Forest-Falcon, Lesser Collared Forest-Falcon, Traylor's Forest-Falcon,
 F: Carnifex de Buckley, Carnifex de Traylor, S: Gavilán de Traylor, Halcón-montés de
 Buckley
 Brazil (br) [7359]; ?Colombia [837]; Ecuador (br) [5294]; Peru (br) [1136]
 CITES Identification Manual Reference: A-213.005.004.001

Micrastur gilvicollis (Vieillot, 1817) II B 386, 523, 1068
 Synonym: *Micrastur ruficollis gilvicollis*
 E: Lined Forest-Falcon, F: Carnifex à gorge cendrée, S: Gavilán de collar, Halcón
 palomero del sur, Halcón-montés cabecigrís
 Bolivia (br) [1186, 7072]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294];
 French Guiana (br) [1336, 1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname
 (br) [5296]; Venezuela (br) [1070]
 CITES Identification Manual Reference: A-213.005.004.002

Micrastur mirandollei (Schlegel, 1862) II B 386, 387, 523,
 1068
 E: Slaty-backed Forest-Falcon, F: Carnifex ardoisé, S: Halcón de lomo pizarreño,
 Halcón-montés dorsigrís
 Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador
 (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Panama (br) [1195]; Peru
 (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070, 6810]
 CITES Identification Manual Reference: A-213.005.004.003

CITES EC Reg. RL References

<i>Micrastur plumbeus</i> Sclater, 1918	II	B	VU	386, 476, 523, 595, 598, 1068
E: Plumbeous Forest-Falcon, Plumbeous Forest-falcon, F: Carnifex plombé, S: Halcón-montés plomizo				
Colombia (br) [837]; Ecuador (br) [5294]				
CITES Identification Manual Reference:			A-213.005.004.004	
<i>Micrastur ruficollis</i> (Vieillot, 1817)	II	B		386, 387, 523, 1068
E: Barred Forest-Falcon, F: Carnifex à cou roux, Carnifex barré, S: Caburé, Gavilán cueallirojo, Halcón cuellirrufo, Halcón palomero, Halcón-montés agavilanado				
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186, 6892]; Colombia (br) [837, 6674, 9220]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1336, 1349]; Guatemala (br) [5241, 10292]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241, 7068]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136, 8616]; Suriname (br) [5296]; Venezuela (br) [1070, 6810]				
CITES Identification Manual Reference:			A-213.005.004.005	
<i>Micrastur semitorquatus</i> (Vieillot, 1817)	II	B		386, 387, 523, 1068
E: Collared Forest-Falcon, F: Carnifex à collier, S: Gavilán-reloj, Halcón semiacollarado, Halcón-montés collarejo, Halcón-selvático collarejo				
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186, 7122]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136, 8616]; Suriname (br) [5296]; United States (v) [387]; Venezuela (br) [1070]				
CITES Identification Manual Reference:			A-213.005.004.006	
<i>Microhierax caerulescens</i> (Linnaeus, 1758)	II	B		386, 523
E: Collared Falconet, Red-legged Falconet, Red-thighed Falconet, F: Fauconnet à collier, S: Falconete acollarado, Halcón enano de la India				
Bangladesh (br?) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Thailand (br) [487]; Viet Nam (br) [5264]				
CITES Identification Manual Reference:			A-213.005.005.002	
<i>Microhierax erythrogenys</i> (Vigors, 1831)	II	B		386, 523, 1166
E: Philippine Falconet, F: Fauconnet des Philippines, S: Falconete filipino, Halconcito de las Filipinas				
Philippines (br) [5270]				
CITES Identification Manual Reference:			A-213.005.005.003	
<i>Microhierax fringillarius</i> (Drapiez, 1824)	II	B		386, 523, 929
E: Black-legged Falconet, Black-sided Falconet, Black-thighed Falconet, F: Fauconnet moineau, S: Falconete indonesio, Halconcito malayo				
Brunei Darussalam (br); Indonesia (br) [393]; Bali, Jawa, Kalimantan, Sumatera; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sarawak [393]; Myanmar (br) [1290]; Singapore (v) [791]; Thailand (br) [487, 1220]				
CITES Identification Manual Reference:			A-213.005.005.004	

CITES EC Reg. RL References

<i>Microhierax latifrons</i> Sharpe, 1879	II	B	LR/nt	386, 523, 595, 1045, 1289
E: Bornean Falconet, White-fronted Falconet, F: Fauconnet de Bornéo, S: Falconete de Borneo, Halconcito de Borneo				
Malaysia (br): Sabah [759]				
CITES Identification Manual Reference: A-213.005.005.005				
<i>Microhierax melanoleucus</i> (Blyth, 1843)	II	B		381, 386, 523, 595, 929
Synonym: <i>Microhierax melanoleucus</i>				
E: Pied Falconet, F: Fauconnet noir-et-blanc, S: Falconete pío				
Bangladesh (ex, br) [804]; Bhutan [5261]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Viet Nam (br) [5264]				
CITES Identification Manual Reference: A-213.005.005.006				
<i>Milvago chimachima</i> (Vieillot, 1816)	II	B		386, 387, 523, 1068
E: Yellow-headed Caracara, F: Caracara à tête jaune, Caracara chimachima, S: Caracara chimachima, Caricare sabanero, Chimachima				
Argentina (br) [5291, 10249]; Bolivia (br) [1186, 7092]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Netherlands Antilles (v); Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (v) [703]; Uruguay (br) [5287]; Venezuela (br) [1070]				
CITES Identification Manual Reference: A-213.005.006.002				
<i>Milvago chimango</i> (Vieillot, 1816)	II	B		386, 523, 1068
E: Chimango Caracara, F: Caracara chimango, S: Caracara chimango, Chimango				
Brazil (br) [6186, 7118]; Chile (br) [873, 5292]; Falkland Islands (Malvinas) (br) [1439]; Paraguay (br) [5295]; Uruguay (br) [5287]				
CITES Identification Manual Reference: A-213.005.006.003				
<i>Phalcoboenus albogularis</i> Gould, 1837	II	B		386, 523, 1068
Synonym: <i>Phalcoboenus megalopterus albogularis</i>				
E: White-throated Caracara, F: Caracara à gorge blanche, S: Caracara araucano, Chinalinda, Guarahuau cordillerano, Matamico blanco				
Argentina (br) [5291, 10249]; Chile (br) [873, 5292]				
CITES Identification Manual Reference: A-213.005.007.002				
<i>Phalcoboenus australis</i> (Gmelin, 1788)	II	B	LR/nt	386, 523, 595, 1068
E: Forster's Caracara, Striated Caracara, F: Caracara austral, Caracara funèbre, S: Caracara austral, Matamico estriado, Matamico grande, Tiue cordillerano austral				
Argentina (br) [5291, 10249]; Chile (br) [5292]; Tierra del Fuego (Chile) [873]; Falkland Islands (Malvinas) (br) [1439]				
CITES Identification Manual Reference: A-213.005.007.003				
<i>Phalcoboenus carunculatus</i> Des Murs, 1853	II	B		386, 523, 1068
E: Carunculated Caracara, F: Caracara caronculé, S: Caracara carunculado				
Colombia (br) [837]; Ecuador (br) [5294]				
CITES Identification Manual Reference: A-213.005.007.004				

CITES EC Reg. RL References

Phalcoboenus megalopterus (Meyen, 1834) II B 386, 523, 1068
 E: Mountain Caracara, F: Caracara montagnard, S: Caracara andino, Carancho andino, Matamico cordillerano
 Argentina (br) [5291, 10249]; Bolivia (br) [1186, 7166]; Chile (br) [873, 5292]; Ecuador; Peru (br) [1136]
 CITES Identification Manual Reference: A-213.005.007.005

Poliherax insignis Walden, 1872 II B LR/nt 381, 386, 523, 595, 929
 E: Fielden's Falconet, White-rumped Falcon, White-rumped Falconet, F: Fauconnet à pattes jaunes, S: Halconcito asiático, Halconcito colilargo de Asia
 Cambodia (br) [5243, 6475]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]
 CITES Identification Manual Reference: A-213.005.008.002

Poliherax semitorquatus (Smith, 1836) II B 386, 511, 523, 524, 573, 1292
 E: African Pygmy Falcon, Pygmy Falcon, F: Fauconnet d'Afrique, S: Halconcito africano
 ?Angola [5267]; Botswana (br?) [1102]; Ethiopia (br) [659]; Kenya (br) [5253]; Namibia (br) [659]; Rwanda (v) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br?) [659]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]
 CITES Identification Manual Reference: A-213.005.008.003

Polyborus lutosus Ridgway, 1876 II B EX 1045
 Synonym: *Caracara lutosus* (Ridgway, 1876)
 E: Guadalupe Caracara, F: Caracara de Guadalupe, S: Carancho de Guadalupe
 Mexico (ex, br) [5241]
 CITES Identification Manual Reference: A-213.005.009.002

Polyborus plancus (Miller, 1777) II B 386, 387, 485, 523, 1068, 6706
 Synonyms: *Caracara cheriway* (Jacquin, 1784), *Caracara plancus* (Miller, 1777)
 E: Common Caracara, Crested Caracara, Southern Caracara, F: Caracara commun, Caracara huppé, S: Caracara carancho, Caracara común, Carancho, Caricare encrestado, Traro
 Argentina (br) [5291, 10249]; Aruba (br) [1380]; Belize (v) [1437, 5241, 6769, 8632]; Bolivia (br) [1186]; Brazil (br) [6186]; Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Cuba (br) [5259]; Ecuador (br) [5294]; El Salvador (br) [5241]; Falkland Islands (Malvinas) (br) [1439]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Jamaica (v) [657]; Mexico (br) [5241]; Netherlands Antilles (br); Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (v) [703, 10294]; United States (br) [387]; Uruguay (br) [5287]; Venezuela (br) [1070]
 CITES Identification Manual Reference: A-213.005.009.003

Spizapteryx circumcinctus (Kaup, 1852) II B 386, 523, 1068
 E: Spot-winged Falcon, Spot-winged Falconet, F: Carnifex à ailes tachetées, Fauconnet d'Amérique, S: Halconcito argentino, Halconcito gris, Halconcito gris americano
 Argentina (br) [5291, 7095, 10249]; Bolivia (br) [1186]; Paraguay (v) [5295]
 CITES Identification Manual Reference: A-213.005.010.001

Order: **GALLIFORMES**
 Family: **MEGAPODIIDAE**

Macrocephalon maleo Müller, 1846 I A VU 419, 595, 634,
 635, 931, 1395,
 1410, 6515

E: Celebes Maleo, Gray's Brush-turkey, Malee Fowl, Maleo, Maleo Fowl, Maleo
 Megapode, F: Maléo, Mégapode maléo, S: Megapodio maleo, Megápodo cabecigrande,
 Talégalo maleo

Indonesia (br) [393, 6328]: Sulawesi

CITES Identification Manual Reference: A-214.001.005.001

Megapodius wallacei Gray, 1860 D VU

Synonym: *Eulipoa wallacei* (G. R. Gray, 1860)

E: Moluccan Scrubfowl, F: Mégapode de Wallace, S: Talégalo de Wallace

Indonesia (br) [393]: Irian Jaya, Moluccas

Family: **CRACIDAE**

Crax alberti Fraser, 1852 III CO A CR 595, 598, 638,
 931, 1068

E: Albert's Curassow, Blue-billed Curassow, Blue-knobbed Curassow, Prince Albert's
 Curassow, F: Hocco à bec bleu, Hocco d'Albert, S: Hocco piquiazul, Paují de pico azul,
 Pavón piquiazul

Colombia (br) [837, 9220]

CITES Identification Manual Reference: A-214.002.003.002

Crax alector Linnaeus, 1766 B

E: Black Curassow, F: Hocco alector, S: Pavón Guayanés

Brazil (br) [6186]; Colombia (br) [837]; French Guiana (br) [1349]; Guyana [10021];
 Suriname (br) [5296]; Venezuela (br) [1070]

Crax blumenbachii Spix, 1825 I A EN 595, 598, 638,
 931, 1068, 1276,
 1328

E: Blumenbach's Curassow, Mutum, Red-billed Curassow, F: Hocco à bec rouge, Hocco
 de Blumenbach, S: Haco piguirojo, Muitú mamaco, Mutum-do-sudeste, Paují
 piquirrojo, Pavón piquirrojo

Brazil (br) [6186]

CITES Identification Manual Reference: A-214.002.003.004

Crax daubentoni Gray, 1867 III CO B LR/nt 638, 1068

E: Daubenton's Curassow, Yellow-knobbed Curassow, F: Hocco de Daubenton,

S: Hoco de Daubenton, Paují de Copete, Pavón poría, Pavón porú

Colombia (br) [837]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-214.002.003.005

Crax globulosa Spix, 1825 III CO B VU 476, 595, 598, 638

E: Wattled Curassow, Yarrell's Curassow, F: Hocco globuleux, Hoco caroncule, S: Hoco
 barbado, Pavón carunculado

Bolivia (br) [1186, 5116]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru
 (br) [1136, 6307]

CITES Identification Manual Reference: A-214.002.003.007

CITES EC Reg. RL References

<i>Crax rubra</i> Linnaeus, 1758	III CO	B	LR/nt	387, 638, 931, 1068
E: Globose Curassow, Great Curassow, Mexican Curassow, F: Grand hocco, S: Hoco grande, Hocofaisan, Pavón grande, Pavón norteño Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241, 6708]; Nicaragua (br) [1195]; Panama (br) [1195, 6641]				
CITES Identification Manual Reference:		A-214.002.003.010		
<i>Mitu mitu</i> (Linnaeus, 1766)	I	A	EW	595, 598, 638, 931, 1068
Synonym: <i>Crax mitu mitu</i>				
E: Alagoas Curassow, Razor-billed Curassow, F: Grand hocco à bec rasoir, Hocco mitou, S: Hoco de pico navaja, Hoco mitu, Mitu, Mutum-do-nordeste, Paují de Alagoas, Paují menor Brazil (br) [6186]				
CITES Identification Manual Reference:		A-214.002.003.008		
<i>Oreophasis derbianus</i> Gray, 1844	I	A	EN	387, 595, 598, 638, 931, 1385
E: Derby's Guan, Horned Guan, Lord Derby's Mountain Pheasant, F: Hocco huppé, Oréophase cornu, Pénélope cornue, Pénélope de Derby, S: Chachalaca cornuda, Faisan de cuerno rojo, Guan cornudo, Paují cornudo, Pava pajuil, Pavón, Pavón cornudo Guatemala (br) [850, 5241]; Mexico (br) [753, 754, 5241]				
CITES Identification Manual Reference:		A-214.002.005.001		
<i>Ortalis vetula</i> (Wagler, 1830)	III HN	B		387, 638, 931
E: Chachalaca, Common Chachalaca, Mexican Chachalaca, Plain Chachalaca, F: Ortalide chacamel, Ortalide commune, Ortalide du Mexique, S: Chachalaca de los Llenos, Chachalaca norteña Belize (br) [5241]; Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; United States (br) [387]				
CITES Identification Manual Reference:		A-214.002.006.010		
<i>Pauxi pauxi</i> (Linnaeus, 1766)	III CO	B	VU	476, 595, 598, 638
Synonym: <i>Crax pauxi</i>				
E: Helmeted Curassow, Northern Helmeted Curassow, F: Hocco à pierre, Pauxi pierre, S: Hoco de casco, Paují copete de Piedra, Paují de yelmo Colombia (br) [837]; Venezuela (br) [1070]				
CITES Identification Manual Reference:		A-214.002.003.009		
<i>Pauxi unicornis</i>		B	VU	
Bond & Meyer de Schauensee, 1939				
Synonym: <i>Crax unicornis</i>				
E: Horned Curassow, Southern Helmeted Curassow, F: Hocco unicorn, S: Paují unicornio Bolivia (br) [1186, 5116, 6784]; Peru (br) [1136]				

CITES EC Reg. RL References

<i>Penelope albipennis</i> Taczanowski, 1878	I	A	CR	387, 595, 598, 638, 646, 675, 931, 1068, 1109, 1119, 6680
E: White-winged Guan, F: Pénélope à ailes blanches, S: Chachalaca de remiges blancas, Guan aliblanco, Pava aliblanca Peru (br) [1136]				
CITES Identification Manual Reference:				A-214.002.007.001
<i>Penelope pileata</i> Wagler, 1830	D		LR/nt	
E: White-crested Guan, F: Pénélope à poitrine rousse, S: Pava crestiblanca Brazil (br) [6186]				
<i>Penelope purpurascens</i> Wagler, 1830	III	HN	C	476, 638, 1068
E: Crested Guan, Purple Guan, Purplish Guan, F: Penelope à Crete, Pénélope à ventre blanc, Pénélope huppée, Pénélope panachée, S: Grenedera, Pava cojolita, Pava culirroja Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241, 6708]; Nicaragua (br) [1195]; Panama (br) [1195, 6641]; Peru [8616]; Venezuela (br) [1070]				
CITES Identification Manual Reference:				A-214.002.007.014
<i>Penelopina nigra</i> (Fraser, 1852)	III	GT	B	LR/nt 387, 476, 595, 638
E: Black Chachalaca, Black Pajuil, Black Penelopina, Highland Guan, Little Guan, F: Pénélope noire, Pénélope pajuil, S: Chachalaca negra, Guan negro, Pava pajuil El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]				
CITES Identification Manual Reference:				A-214.002.008.001
<i>Pipile jacutinga</i> (Spix, 1825)	I	A	VU	595, 598, 638, 931, 1068
Synonym: <i>Aburria jacutinga</i> (Spix, 1825)				
E: Black-fronted Curassow, Black-fronted Piping-Guan, F: Pénélope à front noir, Pénélope à plastron, Pénélope siffleuse, S: Chachalaca manchada, Guan de frente negre, Jacutinga, Pava yacutinga, Yacutingá frentinegra Argentina (br) [465, 5291, 10249]; Brazil (br) [6186]; Paraguay (br) [5295]				
CITES Identification Manual Reference:				A-214.002.002.002
<i>Pipile pipile</i> (Jacquin, 1784)	I	A	CR	595, 598, 638, 931, 1068
Synonym: <i>Aburria pipile pipile</i> (Jacquin, 1784)				
E: Trinidad Piping-Guan, Trinidad White-headed Curassow, Trinidad White-headed Piping Guan, F: Pénélope siffleuse, Pénélope siffleuse a gorge bleue, Siffleuse de la Trinité, S: Chachalaca de la Trinidad, Guan comun de Trinidad, Pava de Trinidad, Pava rajadora, Yacutinga cariazul Trinidad and Tobago (br) [703]				
CITES Identification Manual Reference:				A-214.002.002.004

Family: PHASIANIDAE

<i>Agelastes meleagrides</i> Bonaparte, 1850	III GH	B	VU	595, 597, 1256, 1292, 1360
E: White-breasted Guineafowl, F: Pintade à poitrine blanche, S: Pintada de pechuga blanca, Pintada pechiblanca, Pintado de pecho blanco				
Côte d'Ivoire (br) [404, 1334]; Ghana (ex?, br) [782]; Guinea; Liberia (br) [5246]; Sierra Leone (br) [627, 659]				
CITES Identification Manual Reference:	A-214.003.059.001			
<i>Agriocharis ocellata</i> (Cuvier, 1820)	III GT	C		387, 595, 1304
Synonym: <i>Meleagris ocellata</i> Cuvier, 1820				
E: Ocellated Turkey, F: Dindon ocellé, S: Guajolote ocelado, Pavo ocelado				
Belize (br) [5241]; Guatemala (br) [5241]; Mexico (br) [5241]				
CITES Identification Manual Reference:	A-214.003.001.001			
<i>Arborophila charltonii</i> (Eyton, 1845)	III MY	B	LR/nt	595, 629, 890, 929
Synonym: <i>Tropicoperdix charltonii</i>				
E: Chestnut-breasted Tree-Partridge, Chestnut-necklaced Partridge, F: Torquéole à poitrine châtaine, Torquéole de Merlin, Torquéole des bois, S: Arborófila pechicastaña, Perdiz de bosque de Charlton				
Indonesia (br) [393]: Sumatera; Malaysia (br): Peninsular Malaysia [1049], Sabah [759]; Myanmar (br) [1290]; Thailand (br) [487]; Viet Nam (br) [5264]				
CITES Identification Manual Reference:	A-214.003.057.002			
<i>Arborophila gingica</i> (Gmelin, 1789)	D	VU		
E: Rickett's Hill-Partridge, White-necklaced Partridge, F: Torquéole de Gingi,				
S: Aborófila de Fujián				
China (br) [5293]				
<i>Arborophila orientalis</i> (Horsfield, 1821)	III MY	B	VU	629, 890, 929
E: Bar-backed Partridge, Grey-breasted Partridge, F: Torquéole à poitrine brune, Torquéole de Sumatra, S: Arborófila de Sumatra				
Indonesia (br) [393]: Jawa, Sumatera; Malaysia (br)				
<i>Argusianus argus</i> (Linnaeus, 1766)	II	B	LR/nt	637, 889
E: Argus Pheasant, Great Argus, F: Argus géant, S: Argos gigante, Argos real, Faisán argos				
Brunei Darussalam (br); Indonesia (br) [393, 844]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Singapore (ex); Thailand (br) [487, 1220]				
CITES Identification Manual Reference:	A-214.003.024.001			
<i>Caloperdix oculea</i> (Temminck, 1815)	III MY	C	LR/nt	890, 929
E: Ferruginous Partridge, Ferruginous Wood-Partridge, F: Rouloul ocellé, S: Perdicilla herrumbrosa, Perdiz de bosque ferruginosa				
Indonesia (br) [393, 3750, 3751]: Kalimantan [7728], Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Thailand (br) [487]				
CITES Identification Manual Reference:	A-214.003.026.001			

CITES EC Reg. RL References

<i>Catreus wallichii</i> (Hardwicke, 1827)	I	A	VU	381, 595, 637, 889, 931, 1447, 1448
E: Cheer Pheasant, Chir Pheasant, Wallich's Pheasant, F: Faisan de l'Himalaya, Faisan de Wallich, S: Faisán chir, Faisán de Wallich				
India (br) [734, 735, 736, 1197]; Nepal (br) [865, 973]; Pakistan (br)				
CITES Identification Manual Reference:				A-214.003.027.001
<i>Chrysolophus amherstiae</i> (Leadbeater, 1829)			D	
E: Lady Amherst's Pheasant, F: Faisan de Lady Amherst, S: Faisán de Lady Amherst				
China [5293]; Myanmar [1290]				
<i>Chrysolophus pictus</i> (Linnaeus, 1758)			D	
E: Golden Pheasant, F: Faisan doré, S: Faisán dorado				
China (br) [5293]; United Kingdom (int, br) [6188]				
<i>Colinus virginianus ridgwayi</i> Brewster, 1885	I	A		387, 931
E: Masked Bobwhite, F: Colin de Ridgway, Colin de Virginie masqué, S: Colín virginiano de Ridgway				
Mexico (br) [5241]; United States (ex, br) [387]				
CITES Identification Manual Reference:				A-214.003.005.001
<i>Crossoptilon crossoptilon</i> (Hodgson, 1838)	I	A	LR/nt	381, 595, 637, 889, 931
E: White Eared-pheasant, White Eared-Pheasant, F: Faisan oreillard blanc, Hokki blanc, S: Faisán orejudo blanco, Faisán orejudo tibetano, Hoki blanco				
China (br) [1069, 5293]				
CITES Identification Manual Reference:				A-214.003.030.003
<i>Crossoptilon harmani</i> Elwes, 1881	I	A	LR/nt	595, 637, 889, 931
Synonym: <i>Crossoptilon crossoptilon harmani</i>				
E: Tibetan Eared-Pheasant, Tibetan Eared-pheasant, F: Hokki de Harman, Hokki du Tibet				
China (br) [5293]				
<i>Crossoptilon mantchuricum</i> Swinhoe, 1863	I	A	VU	595, 637, 889, 931, 1069
E: Brown Eared-pheasant, Brown Eared-Pheasant, Manchurian Eared-Pheasant, F: Faisan oreillard brun, Hokki brun, S: Faisán orejudo de Manchuria, Faisán orejudo pardo, Hoki pardo				
China (br) [5293]				
CITES Identification Manual Reference:				A-214.003.030.004
<i>Gallus sonneratii</i> Temminck, 1813	II	B		381, 595, 637, 889
E: Grey Junglefowl, Sonnerat's Junglefowl, F: Coq de Sonnerat, S: Gallo de Sonnerat, Gallo gris				
India (br) [1197]				
CITES Identification Manual Reference:				A-214.003.034.004

CITES EC Reg. RL References

<i>Ithaginis cruentus</i> (Hardwicke, 1821)	II	B	381, 637, 889
E: Blood Pheasant, F: Faisan sanguin, Ithagine ensanglantée, Ithagini, S: Faisán ensangrentado, Faisán sangrante, Faisán sanguineo			
Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Myanmar (br) [1290]; Nepal (br) [865]			
CITES Identification Manual Reference: A-214.003.036.001			
<i>Lophophorus impejanus</i> (Latham, 1790)	I	A	381, 637, 889
E: Himalayan Monal, Impeyan Pheasant, Monal Pheasant, F: Lophophore resplendissant, Monal de l'Himalaya, S: Faisán monal del Himalaya, Lofóforo del Himalaya, Monal colirrojo			
Afghanistan (br) [694]; Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br)			
CITES Identification Manual Reference: A-214.003.038.002			
<i>Lophophorus lhuysii</i>	I	A	VU
Geoffroy Saint-Hilaire, 1866			595, 637, 889, 931, 995, 1069
E: Chinese Impeyan, Chinese Monal, F: Lophophore de Lhuys, Monal chinois, S: Faisán monal chino, Lofóforo chino, Monal coliverde			
China (br) [5293]			
CITES Identification Manual Reference: A-214.003.038.003			
<i>Lophophorus sclateri</i> Jerdon, 1870	I	A	VU
			381, 595, 637, 889, 931
E: Crestless Monal, Sclater's Monal, F: Lophophore de Sclater, Monal birman, S: Faisán monal de Sclater, Lofóforo de Sclater, Monal coliblanco			
China (br) [5293]; India (br) [1197]; Myanmar (br) [1290, 7214]			
CITES Identification Manual Reference: A-214.003.038.004			
<i>Lophura bulweri</i> (Sharpe, 1874)	B	VU	
E: Bulwer's Pheasant, White-tailed Wattled Pheasant, F: Faisan de Bulwer, S: Faisán coliblanco, Faisán de Bulwer			
Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan; Malaysia (br): Sabah [759], Sarawak [393]			
<i>Lophura diardi</i> (Bonaparte, 1856)	B	LR/nt	
E: Diard's Fireback, Siamese Fireback, F: Faisan prélat, S: Faisán Siamés			
Cambodia (br) [5243]; Lao People's Democratic Republic (br) [6187]; Myanmar (br); Thailand (br) [487]; Viet Nam (br) [5264]			
<i>Lophura edwardsi</i> (Oustalet, 1896)	I	A	EN
			595, 637, 889, 929, 931
E: Edwards's Pheasant, F: Faisan d'Edwards, S: Faisán de Edwards			
Viet Nam (br) [5264]			
CITES Identification Manual Reference: A-214.003.039.004			
<i>Lophura erythrophthalma</i> (Raffles, 1822)	III	MY	B
			VU
			595, 637, 889, 929
E: Crestless Fireback, Rufous-tailed Pheasant, F: Faisan à queue rousse, S: Faisán colicanelo, Faisán de carúncula azul			
Brunei Darussalam (br); Indonesia (br) [393, 1289]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sarawak [393]; Singapore (ex)			
CITES Identification Manual Reference: A-214.003.039.005			

Lophura hatinhensis B EN
 Vo Quy & Do Ngoc Quang, 1965
 E: Vietnamese Fireback, Vietnamese Pheasant, Vo Quy's Pheasant, F: Faisan du Vietnam
 Viet Nam (br) [5264]

Lophura hoogerwerfi (Chasen, 1939) B VU
 E: Hoogerwerf's Pheasant, Sumatran Pheasant, F: Faisan de Sumatra
 Indonesia (br) [393]: Sumatera

Lophura ignita (Shaw, 1797) III MY B LR/nt 595, 637, 889, 929
 E: Crested Fireback, Vieillot's Fireback, F: Faisan noble, S: Faisán de carúncula azul crestado, Faisán noble
 Brunei Darussalam (br); Indonesia (br) [393, 1289]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Thailand (br) [487]
 CITES Identification Manual Reference: A-214.003.039.006

Lophura imperialis I A DD 595, 637, 889, 929, 931, 7784
 (Delacour & Jabouille, 1924)
 E: Imperial Pheasant, F: Faisan impérial, S: Faisán imperial
 Viet Nam (br) [5264]
 CITES Identification Manual Reference: A-214.003.039.007

Lophura inornata (Salvadori, 1879) B VU
 E: Salvadori's Pheasant, F: Faisan de Salvadori, S: Faisán sencillo
 Indonesia (br) [393]: Sumatera

Lophura leucomelanos (Latham, 1790) B 7075
 E: Kalij Pheasant, F: Faisan leucomèle, S: Faisán kálij
 Bangladesh (br) [804]; Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Thailand (br) [487]; United States (br) [387]

Lophura swinhoii (Gould, 1863) I A LR/nt 595, 637, 889, 929, 931, 1259, 1260, 1261
 E: Swinhoe's Pheasant, F: Faisan de Formose, Faisan de Swinhoe, S: Faisán de Formosa, Faisán de Swinhoe
 Taiwan (br)
 CITES Identification Manual Reference: A-214.003.039.011

Melanoperdix nigra (Vigors, 1829) III MY C VU 595, 890, 929
 E: Black Partridge, Black Wood-Partridge, F: Perdrix noire, Rouloul noir, S: Perdiz de bosque negra, Perdiz negra
 Indonesia (br) [393, 1289]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sarawak [393]; Singapore (ex)
 CITES Identification Manual Reference: A-214.003.041.001

Odontophorus strophium (Gould, 1844) A CR
 E: Gorgeted Wood-Quail, Gorgeted Wood-quail, F: Tocro à miroir, S: Corcovado gorgiblanco
 Colombia (br) [837]

<i>Ophrysia superciliosa</i> (Gray, 1846)	A	CR	
E: Himalayan Quail, F: Ophrysie de l'Himalaya, S: Perdicilla Himalaya India (ex, br) [1197]			
<i>Pavo muticus</i> Linnaeus, 1766	II	B	VU 381, 595, 637, 835, 889, 929, 931
E: Green Peafowl, Green-necked Peafowl, F: Paon spicifère, Paon vert, S: Pavo mudo, Pavo-real cuelliverde, Pavo-real verde Bangladesh (ex?, br) [804]; Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Jawa; Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia; Myanmar (br) [1290]; Thailand (br) [487]; Viet Nam (br) [5264] CITES Identification Manual Reference: A-214.003.042.003			
<i>Polyplectron bicalcaratum</i> (Linnaeus, 1758)	II	B	381, 637, 889, 929
Synonym: <i>Polyplectron katsumatae</i> Rothschild, 1906 E: Common Peacock-Pheasant, Grey Peacock-Pheasant, Iris Peacock-Pheasant, F: Éperonnier chinquis, Éperonnier gris, S: Espolonero chinquis, Faisán de cola ocelada gris, Faisán de espolones gris, Faisán real gris Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia [7417]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487, 1220]; Viet Nam (br) [5264] CITES Identification Manual Reference: A-214.003.046.002			
<i>Polyplectron emphanum</i> Temminck, 1831	I	A	VU 552, 595, 637, 889, 931
Synonym: <i>Polyplectron napoleonis</i> Lesson, 1831 E: Napoleon's Peacock-Pheasant, Palawan Peacock-Pheasant, Palawan Peacock- pheasant, F: Éperonnier de Palawan, Éperonnier Napoléon, S: Espolonero de Palawan, Faisán de espolones de Palawan, Faisán real de Palaguán Philippines (br) [5270]			
<i>Polyplectron germaini</i> Elliot, 1866	II	B	VU 595, 637, 889, 929
E: Germain's Peacock-pheasant, Germain's Peacock-Pheasant, F: Éperonnier de Germain, S: Espolonero de Germain, Faisán de cola ocelada de Germain, Faisán de espolones de Germain, Faisán real de Germain Viet Nam (br) [5264] CITES Identification Manual Reference: A-214.003.046.005			
<i>Polyplectron inopinatum</i> (Rothschild, 1903)	III MY	C	VU 595, 637, 889, 929
E: Mountain Peacock-Pheasant, Mountain Peacock-pheasant, Rothschild's Peacock- Pheasant, F: Éperonnier de Rothschild, S: Espolonero de Rothschild, Faisán de cola ocelada indómito Malaysia (br): Peninsular Malaysia CITES Identification Manual Reference: A-214.003.046.006			

CITES EC Reg. RL References

<i>Polyplectron malacense</i> (Scopoli, 1786)	II	B	VU	595, 637, 889, 929
E: Crested Peacock-Pheasant, Malayan Peacock-Pheasant, F: Éperonnier de Hardwick, Éperonnier de Malaisie, Éperonnier malais, S: Espolonero Malayo, Faisán de cola ocelada malayo, Faisán de espolones malayo, Faisán real malayo				
Malaysia (br): Peninsular Malaysia; Myanmar; Singapore (ex); Thailand (br) [487, 1220]				
CITES Identification Manual Reference: A-214.003.046.007				
<i>Polyplectron schleiermacheri</i>	II	B	EN	595, 889, 1289
Brüggemann, 1877				
Synonym: <i>Polyplectron malacense schleiermacheri</i>				
E: Bornean Peacock-Pheasant, F: Éperonnier de Bornéo, S: Espolonero de Borneo, Faisán de espolones de Borneo				
Indonesia (br) [393]: Kalimantan [844]; Malaysia (br): Sabah [759], Sarawak [393, 1289]				
<i>Rheinardia ocellata</i> (Elliot, 1871)	I	A	VU	595, 637, 889, 929, 931
Synonym: <i>Rheinardia nigrescens</i> (Rothschild, 1902)				
E: Crested Argus, Ocellated Pheasant, F: Argus ocellé, Rheinarte ocellé, S: Faisán de Rheinard				
Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia; Viet Nam (br) [5264]				
CITES Identification Manual Reference: A-214.003.049.003				
<i>Rhizothera longirostris</i> (Temminck, 1807)	III	MY	C	LR/nt 890, 929
E: Long-billed Partridge, F: Perdrix à long bec, Rouloul à long bec, S: Perdiz de bosque de pico largo, Perdiz piquilarga				
Indonesia (br) [393]: Kalimantan [1289], Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Thailand (br) [487]				
CITES Identification Manual Reference: A-214.003.050.001				
<i>Rollulus rouloul</i> (Scopoli, 1786)	III	MY	C	LR/nt 890, 929
E: Crested Partridge, Roulroul, F: Rouloul à couronne, Rouloul couronné, S: Perdiz de bosque crestada, Perdiz rulrul				
Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan [1289], Sumatera [1289]; Malaysia (br): Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Thailand (br) [487]				
CITES Identification Manual Reference: A-214.003.051.001				
<i>Syrmaticus ellioti</i> (Swinhoe, 1872)	I	A	VU	595, 637, 889, 931, 935, 1069
E: Chinese Barred-backed Pheasant, Elliot's Pheasant, F: Faisan d'Elliot, S: Faisán de Elliot				
China (br) [5293]				
CITES Identification Manual Reference: A-214.003.053.002				
<i>Syrmaticus humiae</i> (Hume, 1881)	I	A	VU	381, 595, 637, 889, 929, 931
E: Hume's Bar-tailed Pheasant, Hume's Pheasant, Mrs Hume's Pheasant, F: Faisan à queue barrée, Faisan de Birmanie, Faisan de Hume, S: Faisán de Hume				
China (br) [5293]; India (br) [1197]; Myanmar (br) [926, 1290]; Thailand (br) [487, 1220]				
CITES Identification Manual Reference: A-214.003.053.003				

CITES EC Reg. RL References

<i>Syrmaticus mikado</i> (Ogilvie-Grant, 1906)	I	A	LR/nt	595, 637, 889, 931, 1259, 1260
E: Mikado Pheasant, F: Faisan mikado, S: Faisán mikado Taiwan (br)				
CITES Identification Manual Reference:			A-214.003.053.004	
<i>Syrmaticus reevesii</i> (Gray, 1829)	D	VU		
E: Reeves's Pheasant, F: Faisan vénéré, S: Faisán venerado China (br) [5293]; Czech Republic (int) [5258]				
<i>Tetraogallus caspius</i> (Gmelin, 1784)	I	A	614	
E: Caspian Snowcock, F: Perdrix des neiges de la Caspienne, Tétraogalle de Perse, Tétraogalle de Perse, Tétrias des neiges de la Caspienne, Tétrogalle de la Caspienne, S: Gallo lira del Caspio, Gallo salvaje del Caspio, Perdigallo caspio, Perdigallo del Caspio, Perdiz real del Caspio Armenia (br) [5240]; Azerbaijan (br) [710]; Georgia (br) [710]; Iran (Islamic Republic of) (br) [1253]; Iraq (br); Turkey (br) [5282]; Turkmenistan (br) [710]				
CITES Identification Manual Reference:			A-214.003.054.003	
<i>Tetraogallus tibetanus</i> Gould, 1854	I	A	381	
E: Tibetan Snowcock, F: Perdrix des neiges du Tibet, Tétraogalle du Tibet, Tétrias des neiges du Tibet, S: Gallo lira del Tíbet, Gallo salvaje del Tibet, Perdigallo Tibetano, Perdiz real del Tibet Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Nepal (br) [865]; Tajikistan (br) [374]				
CITES Identification Manual Reference:			A-214.003.054.006	
<i>Tragopan blythii</i> (Jerdon, 1870)	I	A	VU	381, 595, 637, 889, 931
E: Blyth's Tragopan, Grey-bellied Tragopan, F: Tragopan de Blyth, Tragopan de Molesworth, Tragopan oriental, S: Tragopán de Blyth, Tragopán oriental Bhutan (br) [5261]; China (br) [5293]; India (br) [1197, 7265]; Myanmar (br) [1290, 7214]				
CITES Identification Manual Reference:			A-214.003.056.002	
<i>Tragopan caboti</i> (Gould, 1857)	I	A	VU	595, 637, 889, 927, 931, 1069, 1450, 1451, 1452
E: Cabot's Tragopan, Yellow-billed Tragopan, F: Tragopan arlequin, Tragopan de Cabot, S: Tragopán arlequín, Tragopán Chino, Tragopán de Cabot China (br) [5293]				
CITES Identification Manual Reference:			A-214.003.056.003	
<i>Tragopan melanocephalus</i> (Gray, 1829)	I	A	VU	381, 595, 637, 664, 737, 889, 931
E: Black-headed Tragopan, Western Horned-Pheasant, Western Tragopan, F: Tragopan à tête noire, Tragopan de Hastings, Tragopan occidental, S: Tragopán de cabeza negra, Tragopán dorsigrís, Tragopán occidental China (br) [5293]; India (br) [736, 1093, 1197]; ?Nepal (br) [865]; Pakistan (br) [405, 867, 868]				
CITES Identification Manual Reference:			A-214.003.056.004	

Tragopan satyra (Linnaeus, 1758) III NP C LR/nt 381, 595, 637,
889
 E: Crimson Horned-Pheasant, Indian Tragopan, Satyr Tragopan, F: Tragopan satyre,
 S: Tragopán sátiro
 Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Nepal (br) [865]
 CITES Identification Manual Reference: A-214.003.056.005

Tragopan temminckii (Gray, 1831) D
 E: Temminck's Tragopan, F: Tragopan de Temminck, S: Tragopán cariazul
 China [5293]; India [1197]; Myanmar [1290, 7214]; Viet Nam [5264]

Tympanuchus cupido attwateri Bendire, 1893 I A 387, 931
 E: Attwater's Prairie-chicken, F: Poule de prairie d'Attwater, Tétras cupidon d'Attwater,
 S: Gallito de pradera
 United States (br) [387]

Order: **GRUI FORMES**
 Family: **GRUIDAE**

Balearica pavonina (Linnaeus, 1758) II B LR/nt 523, 524, 886,
1256, 1292, 1360,
1384, 6193
 E: Black Crowned-Crane, West African Crowned Crane, F: Grue couronnée, Grue
 couronnée de l'Afrique de l'Ouest et du Soudan, S: Grulla coronada, Grulla coronada
 cuellinegra, Grulla coronada del Africa Occidental
 Benin (br) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African
 Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the
 Congo [6294]; Eritrea [659]; Ethiopia (br) [659]; Gabon [659]; Gambia (br) [760];
 Ghana [782]; Guinea (br); Guinea-Bissau (br) [659, 715]; Kenya (br) [869, 1129, 5253]; Mali
 (br) [659]; Mauritania (br) [659]; Niger (br) [659, 10581]; Nigeria (br); Senegal (br) [659];
 Sierra Leone [659]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (v) [659, 869]
 CITES Identification Manual Reference: A-215.004.004.002

Balearica regulorum (E. T. Bennett, 1834) II B 511, 573, 886,
1292, 1360, 1384
 E: Grey Crowned-Crane, South African Crowned Crane, F: Grue couronnée de Cap,
 Grue couronnée de l'Afrique du Sud et de l'Est, Grue royale, S: Grulla coronada
 cuelligris, Grulla coronada sudafricana
 Angola (br?) [5267]; Botswana (br) [1102]; Burundi (br) [659]; Democratic Republic of the
 Congo (br); Kenya (br) [1129, 5253]; Lesotho (v) [486]; Malawi (br) [1103]; Mozambique
 (br?) [659]; Namibia (br) [659]; Rwanda (br) [659]; South Africa (br) [659, 7822];
 Swaziland [1139]; Tanzania, United Republic of (br) [659]; Uganda (br) [659, 7823];
 Zambia (br) [659]; Zimbabwe (br) [659]
 CITES Identification Manual Reference: A-215.004.004.003

Grus americana (Linnaeus, 1758) I A EN 387, 417, 595,
598, 656, 671,
886, 931, 1384
 E: Whooping Crane, F: Grue blanche, Grue blanche américaine, Grue blanche
 d'Amérique, S: Grulla americana, Grulla gritona, Grulla trompetera
 Canada (br) [748]; Mexico (ex, v) [5241]; United States (ex, br) [387]
 CITES Identification Manual Reference: A-215.004.003.002

CITES EC Reg. RL References

<i>Grus antigone</i> (Linnaeus, 1758)	II	B	VU	381, 595, 886, 929, 1384
E: Sarus Crane, F: Grue antigone, Grue antigone tropicale, S: Grulla blanco cuello, Grulla sarus				
Australia (br) [477]; Bangladesh (br) [804]; Brunei Darussalam; Cambodia (br) [5243, 6475]; China (br) [5293]; India (br) [1197]; ?Lao People's Democratic Republic (br) [6187]; Malaysia (v): Peninsular Malaysia; ?Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Philippines (ex?, br) [5270]; Thailand (ex, br) [487]; Viet Nam (br) [5264]				
CITES Identification Manual Reference:				A-215.004.003.003
<i>Grus canadensis</i> (Linnaeus, 1758)	I/II	A		387, 886, 931, 1384
E: Sandhill Crane, F: Grue canadienne, Grue du Canada, Grue grise, S: Grulla canadiense, Grulla cenicienta, Grulla de Cuba				
Canada (br) [748]; Cuba [9311]; Faroe Islands (v) [480]; Greenland (v); Ireland (v) [858]; Japan [503]; Korea, Republic of (v) [1436]; Mexico [5241]; Netherlands (v) [5273]; Russian Federation (br) [710]; Saint Pierre and Miquelon (v) [683]; United Kingdom (v) [6188]; United States (br) [387]				
CITES Identification Manual Reference:				A-215.004.003.004
CITES Appendix II populations	II	A		
Canada [748]; Faroe Islands (v) [480]; Greenland (v); Ireland (v) [858]; Japan [503]; Korea, Republic of (v) [1436]; Mexico [5241]; Netherlands (v) [5273]; Russian Federation (br) [710]; Saint Pierre and Miquelon (v) [683]; United Kingdom (v) [6188]; United States (br) [387]				
<i>Grus canadensis nesiotes</i>	I	A		387, 886, 931, 1384
Bangs & Zappey, 1905				
E: Cuban Sandhill Crane, F: Grue canadienne de Cuba, S: Grulla cenicienta de Cuba				
Cuba (br) [5259, 9311]				
<i>Grus canadensis pulla</i> Aldrich, 1972	I	A		387, 886, 931, 1384
E: Mississippi Sandhill Crane, F: Grue canadienne du Mississippi, S: Grulla cenicienta del Misisipí				
United States (br) [387]				
<i>Grus carunculatus</i> (Gmelin, 1789)	II	B	VU	511, 573, 595, 597, 886, 939, 1034, 1292, 1360, 1384
Synonym: <i>Bugeranus carunculatus</i> (Gmelin, 1789)				
E: Wattled Crane, F: Grue caronculée, S: Grulla carunculada, Grulla zarzo				
Angola (br) [5267]; Botswana (br) [1102]; Democratic Republic of the Congo (br); Eritrea [659]; Ethiopia (br) [659]; ?Guinea-Bissau (v) [659, 6316, 6330]; Lesotho (v) [486]; Malawi (br) [1103]; Mozambique (br) [659]; Namibia (br) [659, 1426]; South Africa (br) [659, 1324, 7822]; Swaziland (ex, br) [1139]; Tanzania, United Republic of (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]				
CITES Identification Manual Reference:				A-215.004.002.001
<i>Grus grus</i> (Linnaeus, 1758)	II	A		381, 614, 841, 886, 1360, 1384, 6234
E: Common Crane, Crane, F: Grue cendrée, Grue cendrée, S: Grulla Común, Grulla común				
Afghanistan [694]; Albania; Algeria [971]; Armenia (br) [5240]; Austria (ex, br) [1215]; Azerbaijan (br) [710]; Bangladesh [804]; Belarus (br); Belgium [5272]; Bhutan (v) [5261];				

Bosnia and Herzegovina [1038]; Bulgaria (**ex**, br) [5280]; China (br) [5293]; Croatia [5290]; Cyprus [709]; Czech Republic [5258]; Denmark (br) [666]; Djibouti (v) [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [1077]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar (v); Greece [5281]; Hong Kong (v); Hungary (**ex**, br) [5257]; Iceland (v) [507]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq [385, 10169, 10170]; Ireland (v) [858]; Israel [5245]; Italy (**ex**, br) [5289]; Japan [503]; Jordan [395]; Kazakhstan (br) [5269]; Korea, DPR [7680]; Korea, Republic of [1436]; ?Kuwait (v) [537]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536]; Liechtenstein (v); Lithuania (br) [5247]; Luxembourg [5248]; Macedonia, former Yugoslav Republic of (**ex**, br) [1038]; Malta; Mauritania (v) [659]; Mongolia (br) [1306]; Morocco [461]; Myanmar [1290]; Nepal [865]; Netherlands [5273]; ?Niger (v) [659]; Nigeria (v); Norway (br) [5275]; Oman (v); Pakistan; Poland (br) [1348]; Portugal [1332]; Portugal, Azores (v), Madeira (v); Romania (br) [558]; Russian Federation (br) [710]; Saudi Arabia [881]; Serbia and Montenegro (**ex**, br) [1038]; Slovakia [5279]; Slovenia [1038]; Spain (**ex**, br) [702]; Sudan [659]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Tajikistan; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan [710, 8159]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; United Kingdom (br) [6188]; United States (v) [387]; Uzbekistan; Viet Nam [5264]; Yemen [5297]

CITES Identification Manual Reference: A-215.004.003.005

Grus japonensis (Müller, 1776)

I A EN 595, 886, 931,
1384

E: Japanese Crane, Manchurian Crane, Red-crowned Crane, F: Grue blanche du Japon, Grue de Mandchourie, Grue du Japon, S: Grulla de Manchuria, Grulla manchú China (br) [1428, 5293]; Japan (br) [503]; Korea, DPR [7680, 7684]; Korea, Republic of [1436]; Mongolia (br) [1306]; Russian Federation (br) [710, 938, 1170]; Taiwan (v)

CITES Identification Manual Reference: A-215.004.003.006

Grus leucogeranus Pallas, 1773

I A CR 381, 595, 886,
931, 1033, 1384

E: Siberian Crane, Siberian White Crane, Snow Crane, F: Grue blanche asiatique, Grue blanche d'Asie, Grue de Sibérie, Leucogéranne, S: Grulla blanca asiática, Grulla siberiana, Grulla siberiana blanca
Afghanistan [694]; Azerbaijan (v); China (br) [920, 1069, 1428, 5293]; India [1197]; Iran (Islamic Republic of) [841, 1253]; Japan (v) [503]; Kazakhstan [5269]; Korea, Republic of (v) [1436]; Mongolia (br?) [1306]; Pakistan; Russian Federation (br) [710, 938, 1170]; Turkmenistan [710]; Uzbekistan (v) [10115]

CITES Identification Manual Reference: A-215.004.003.007

Grus monacha Temminck, 1835

I A VU 595, 886, 931,
1384

E: Hooded Crane, F: Grue moine, S: Grulla monje, Grulla monjita
China (br) [5293]; India (v) [1197]; Japan [503]; Kazakhstan (v) [5269]; Korea, DPR [7680]; Korea, Republic of [1301, 1436]; Mongolia (v) [1306]; Russian Federation (br) [710, 938, 1170]; Taiwan (v)

CITES Identification Manual Reference: A-215.004.003.008

Grus nigricollis Przevalski, 1876

I A VU 381, 595, 886,
931, 1384

E: Black-necked Crane, Tibetan Crane, F: Grue à cou noir, S: Grulla cuellinegra
Bhutan [581, 5261]; China (br) [1208, 1251, 5293]; India (br) [1197]; Myanmar; Nepal (v) [865]; Viet Nam [5264]

CITES Identification Manual Reference: A-215.004.003.009

CITES EC Reg. RL References

<i>Grus paradisea</i> (Lichtenstein, 1793)	II	B	VU	573, 595, 886, 1360, 1362, 1384
Synonym: <i>Anthropoides paradisea</i> (Lichtenstein, 1793)				
E: Blue Crane, Stanley Crane, F: Grue bleue, Grue de paradis, S: Grulla azul, Grulla de paraíso				
Botswana (br) [1102]; Lesotho (v) [486]; Namibia (br) [659]; South Africa (br) [659, 7822]; Swaziland (br) [1139]; ?Zimbabwe (v) [659]				
CITES Identification Manual Reference: A-215.004.001.002				
<i>Grus rubicunda</i> (Perry, 1810)	II	B		886, 1384
E: Brolga, F: Grue brolga, Grue d'Australie, S: Grulla australiana, Grulla brolga				
Australia (br) [477]; Indonesia (br) [393]; Irian Jaya; New Zealand (v) [1351]; Papua New Guinea (br); ?Russian Federation (v)				
CITES Identification Manual Reference: A-215.004.003.010				
<i>Grus vipio</i> Pallas, 1811	I	A	VU	595, 886, 931, 1384
E: White-naped Crane, White-necked Crane, F: Grue à cou blanc, S: Grulla cuelliblanca				
China (br) [5293]; Japan (br) [503, 6882]; Kazakhstan (v) [5269]; Korea, DPR [7680, 7684]; Korea, Republic of [1301, 1436]; Mongolia (br) [1306]; Russian Federation (br) [710, 938, 1170]; Taiwan (v)				
CITES Identification Manual Reference: A-215.004.003.011				
<i>Grus virgo</i> (Linnaeus, 1758)	II	B		381, 614, 886, 1256, 1360, 1384
Synonym: <i>Anthropoides virgo</i> (Linnaeus, 1758)				
E: Demoiselle Crane, F: Demoiselle de Numidie, Grue demoiselle, S: Grulla damisela, Grulla moruna				
Afghanistan [694]; Algeria (ex, br) [971]; Armenia [5240]; Azerbaijan [710]; Bangladesh [804]; Bhutan (v) [5261]; Bulgaria (v) [5280]; Chad [659]; China (br) [5293, 6234]; Croatia [5290]; Cyprus [709]; Czech Republic [5258]; Denmark (v) [666]; Egypt [756]; Eritrea (v) [659]; Ethiopia [659]; Finland (v) [1300]; ?Germany (v) [5274]; Greece (v) [5281]; Hungary (v) [5257]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq (v) [385]; Israel (v) [5245]; ?Italy (v) [5289]; Japan (v) [503]; Jordan (v) [6454]; Kazakhstan (br) [5269]; Kenya (v) [5253]; Korea, Republic of (v) [1436]; Kuwait (v) [537, 1161]; Kyrgyzstan (br) [710]; Lebanon (v) [5284]; Malta (v); Moldova, Republic of (br) [710]; Mongolia (br) [1306, 6234]; ?Morocco (ex?, br) [461, 6234]; Myanmar [1290]; Nepal [865]; Nigeria; Norway (v) [5275]; Oman (v); Pakistan; Portugal (v) [1332]; Portugal (v); Romania (ex?, v) [558, 6234]; Russian Federation (br) [710, 938]; Saudi Arabia [881]; Serbia and Montenegro (v) [1038]; Slovakia [5279]; Spain (v) [702]; Sudan [659]; Sweden (v) [1199]; Syrian Arab Republic [5283]; Tajikistan [374]; Tunisia (ex, br) [1344]; Turkey (br) [5282]; Turkmenistan [710, 8159]; Ukraine (br) [710, 6234]; United Arab Emirates (v) [1192]; Uzbekistan (br) [710]; Yemen (v) [5297]				
CITES Identification Manual Reference: A-215.004.001.003				

Family: RALLIDAE

<i>Gallirallus sylvestris</i> (Sclater, 1869)	I	A	EN	595, 725, 931, 1196
Synonyms: <i>Tricholimnas sylvestris</i> , <i>Tricholimnas conditicius</i> Peters & Griscom, 1928				
E: Lord Howe Island Rail, Lord Howe Island Woodhen, Lord Howe Rail, F: Râle de l'île Lord Howe, Râle sylvestre, S: Rascón de la isla de Lord Howe, Rascón de la Lord Howe Australia (br): Lord Howe I (br)				
CITES Identification Manual Reference: A-215.007.049.004				

Family: RHYNOCHETIDAE

Rhynochetos jubatus	I	A	EN	505, 595, 855, 931
Verreaux & Des Murs, 1860				
E: Kagu, F: Kagou, Kagou huppé, S: Kagú				
New Caledonia (br) [5260]				

CITES Identification Manual Reference: A-215.009.001.001

Family: OTIDIDAE

Ardeotis arabs (Linnaeus, 1758)	II	B	614, 841, 891, 1006, 1355, 1360
Synonym: <i>Choriotis arabs</i> (Linnaeus, 1758)			
E: Arabian Bustard, F: Grande outarde arabe, Outarde arabe, S: Avutarda árabe			
Algeria (v) [971]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Chad (br) [659]; Côte d'Ivoire [1334]; Djibouti (br) [427, 1402]; Eritrea (br) [429, 659]; Ethiopia (br) [429, 659]; Gambia (v) [760]; Ghana [782]; Guinea-Bissau [7859]; ?Kenya (v) [1355, 5253]; Mali (br) [659]; Mauritania (br) [659]; Morocco (ex?, br) [461]; Niger [569, 659]; Nigeria (br); Saudi Arabia (br) [881, 1265]; Senegal (br) [659]; Somalia (v) [5252]; Sudan (br) [659]; Yemen (br) [1181, 5297]			
CITES Identification Manual Reference: A-215.012.003.002			

Ardeotis australis (Gray, 1829)	II	B	781, 891, 1411
Synonym: <i>Choriotis australis</i> (J. E. Gray, 1829)			
E: Australian Bustard, F: Outarde australienne, Outarde d'Australie, S: Avutarda australiana			
Australia (br) [477]; Indonesia (br) [393]; Irian Jaya; Papua New Guinea (br)			

CITES Identification Manual Reference: A-215.012.003.003

Ardeotis kori (Burchell, 1822)	II	B	891, 1006, 1007, 1008, 1360
Synonym: <i>Choriotis kori</i> (Burchell, 1822)			
E: Kori Bustard, F: Outarde kori, S: Avutarda kori			
Angola (br?) [5267]; Botswana (br) [1102]; Ethiopia (br) [429, 659]; Kenya (br) [5253]; Mozambique (br?) [659]; Namibia (br) [659]; Somalia (br) [429, 5252]; South Africa (br) [516, 659]; Sudan (br?) [659]; Swaziland (ex?, br) [1139]; Tanzania, United Republic of (br) [432, 659, 1084]; Uganda (br?) [659]; Zambia [6301]; Zimbabwe (br) [659, 1209]			
CITES Identification Manual Reference: A-215.012.003.004			

Ardeotis nigriceps (Vigors, 1831)	I	A	EN	381, 595, 891, 931, 944, 1177, 1178, 1363
Synonym: <i>Choriotis nigriceps</i> (Vigors, 1831)				

E: Great Indian Bustard, Indian Bustard, F: Outarde à tête noire, Outarde de l'Inde,
 S: Avutarda de la India, Avutarda india, Avutarda índica
 India (br) [1197]; ?Nepal (v) [865]; Pakistan (br?)
 CITES Identification Manual Reference: A-215.012.003.006

Chlamydotis undulata (Jacquin, 1784)	I	A	LR/nt	381, 588, 841, 891, 1360
Synonym: <i>Chlamydotis macqueenii</i> (Gray, 1832)				
E: Houbara, Houbara Bustard, F: Houbara ondulé, Outarde houbara, Outarde houbara, S: Avutarda hubara, Hubara, Hubara Afghanistan (br?) [694]; Algeria (br) [971, 1285]; Armenia (ex, br) [5240]; Azerbaijan (v); Bahrain [1105]; Belgium (v) [5272]; China (br) [5293]; Cyprus (v) [709]; Czech Republic				

(v) [5258]; Denmark (v) [666]; Egypt (br) [756, 1229]; Finland (v) [1300]; France (v) [7041]; Germany (v) [5274]; Greece (v) [5281]; India [1197]; Iran (Islamic Republic of) (br) [1022, 1253]; Iraq (br) [385]; Israel (br) [5245]; Italy (v) [5289]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kuwait (ex, br) [537]; Kyrgyzstan (br) [710]; Latvia (v) [5278]; Lebanon (v) [5284]; Libyan Arab Jamahiriya (br) [536]; Malta (v); Mauritania (br) [659]; Mongolia (br) [1306]; Morocco (br) [461, 763]; Netherlands (v) [5273]; Oman (br); Pakistan (br) [1072]; Poland (v) [1348]; Portugal (v) [1332]; Portugal (v); Qatar [1393]; Romania (v) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (br) [881]; Slovakia (v) [9147]; Slovenia (v) [1038]; Spain (br) [702]; Canary Is [557, 596, 1122, 9313]; Sudan (v) [659]; Sweden (v) [1199]; Switzerland (v) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Tunisia (br) [1344, 10251]; Turkmenistan (br) [710]; Ukraine (v) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; Western Sahara (br) [763]; Yemen (br?) [5297]

CITES Identification Manual Reference: A-215.012.002.001

Eupodotis afra (Linnaeus, 1766) II B
 Synonym: *Afrotis atra* (Linnaeus, 1766)
 E: Black Bustard, Black Korhaan, F: Outarde korhaan, Outarde noire, S: Sisón negro, Sisón negro aloscuro
 South Africa (br) [659]
 CITES Identification Manual Reference: A-215.012.001.001

Eupodotis afraoides (Smith, 1831) II B 456, 891, 1007,
 1008, 1360
 Synonym: *Eupodotis afra afraoides*
 E: White-quilled Bustard, F: Outarde à miroir blanc, S: Sisón negro aliclaro
 Angola (br) [5267]; Botswana (br) [1102]; Lesotho [486]; Namibia (br) [659]; South Africa (br) [659]

Eupodotis bengalensis (Gmelin, 1789) I A EN 381, 382, 595,
 863, 864, 891
 Synonym: *Houbaropsis bengalensis* (Gmelin, 1789)
 E: Bengal Bustard, Bengal Florican, F: Outarde du Bengale, S: Avutarda bengalí, Avutarda de Bengala, Sisón bengali
 Bangladesh (ex, br) [804, 909]; ?Cambodia (br) [5243]; India (br) [864, 1197]; Nepal (br) [862, 865]; Viet Nam (br) [5264]
 CITES Identification Manual Reference: A-215.012.005.001

Eupodotis caerulescens (Vieillot, 1820) II B LR/nt 595, 891, 1007,
 1008, 1360
 E: Blue Bustard, Blue Korhaan, F: Outarde plombée, S: Sisón azul, Sisón azulado
 Lesotho (br) [486]; South Africa (br) [659]
 CITES Identification Manual Reference: A-215.012.004.002

Eupodotis gindiana Oustalet, 1881 II B 891, 1006, 1292,
 1360
 Synonym: *Eupodotis ruficrista gindiana*
 E: Buff-crested Bustard, F: Outarde d'Oustalet, S: Sisón moñudo etiope
 Djibouti (br?) [427]; Ethiopia (br) [429, 659]; Kenya (br) [5253]; Somalia (br) [429, 5252];
 Sudan (br) [659]; Tanzania, United Republic of (br?) [432, 659]; Uganda (br?) [659]

<i>Eupodotis hartlaubii</i> (Heuglin, 1863)	II	B	891, 1006, 1360
Synonym: <i>Lissotis hartlaubii</i>			
E: Hartlaub's Bustard, F: Outarde de Hartlaub, S: Sisón de Hartlaub, Sisón ventrinegro de Hartlaub			
Ethiopia (br) [429, 659]; Kenya (br) [5253]; Somalia (br?) [429, 5252]; Sudan (br?) [659]; Tanzania, United Republic of (br?) [432, 659]; Uganda (br?) [659]			
CITES Identification Manual Reference:	A-215.012.006.002		
<i>Eupodotis humilis</i> (Blyth, 1856)	II	B	LR/nt 595, 891, 1006, 1360
E: Little Brown Bustard, F: Outarde somalienne, S: Sisón somalí			
Ethiopia (br?) [424, 429, 659]; Somalia (br) [429, 3747, 3748, 5252]			
CITES Identification Manual Reference:	A-215.012.004.003		
<i>Eupodotis indica</i> (Miller, 1782)	II	A	EN 381, 382, 595, 764, 891, 1234, 1235, 1236
Synonym: <i>Sypheotides indica</i> (Miller, 1782)			
E: Lesser Florican, Likh, F: Outarde naine de l'Inde, Outarde passarage, S: Sisón de penacho, Sisón indio			
Bangladesh [804]; India (br) [1013, 1197, 1238]; Nepal (br?) [865]; Pakistan			
CITES Identification Manual Reference:	A-215.012.010.001		
<i>Eupodotis melanogaster</i> (Rüppell, 1835)	II	B	891, 1006, 1007, 1008, 1360
Synonym: <i>Lissotis melanogaster</i>			
E: Black-bellied Bustard, Black-bellied Korhaan, F: Outarde à ventre noir, S: Sisón ventrinegro, Sisón ventrinegro común			
Angola (br) [5267]; Benin (br) [659]; Botswana (br?) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea (br?) [429, 659]; Ethiopia (br) [429, 659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (v) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br) [569, 659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br?) [429, 5252]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [432, 659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			
CITES Identification Manual Reference:	A-215.012.006.003		
<i>Eupodotis rueppellii</i> (Wahlberg, 1856)	II	B	891, 1007, 1008, 1360
E: Damara Korhaan, Rueppell's Bustard, F: Outarde de Rüppell, S: Sisón de Damaraland, Sisón de Rüppell			
Angola (br?) [5267]; Namibia (br) [659, 1375]			
CITES Identification Manual Reference:	A-215.012.004.004		

<i>Eupodotis ruficrista</i> (Smith, 1836)	II	B	891, 1007, 1008, 1360
Synonym: <i>Lophotis ruficrista</i>			
E: Crested Korhaan, Red-crested Bustard, F: Outarde houppette, Outarde naine, S: Sisón moñirrojo, Sisón moñudo austral			
Angola (br) [5267]; Botswana (br) [1102]; Mozambique (br?) [659]; Namibia (br) [659]; South Africa (br) [659]; Swaziland (br) [1139]; Zambia (br) [659]; Zimbabwe (br) [659]			
CITES Identification Manual Reference: A-215.012.007.002			
<i>Eupodotis savilei</i> (Lynes, 1920)	II	B	891, 1360
Synonym: <i>Lophotis savilei</i>			
E: Savile's Bustard, F: Outarde de Savile, S: Avutarda de Savile, Sisón moñudo de saheliano			
Burkina Faso (br?) [659, 7154]; Cameroon (br) [6295]; Chad (br) [659]; Côte d'Ivoire (br?) [1334]; Gambia [760]; Mali (br) [659]; Mauritania (br) [659]; Niger (br?) [659]; Nigeria (br?); Senegal (br) [659]; Sudan (br) [659]			
CITES Identification Manual Reference: A-215.012.007.003			
<i>Eupodotis senegalensis</i> (Vieillot, 1820)	II	B	891, 1006, 1008, 1360
Synonym: <i>Neotis cafra</i> (Lichtenstein, 1793)			
E: Senegal Bustard, White-bellied Bustard, White-bellied Korhaan, F: Outarde du Sénégal, S: Sisón senegalés			
Angola (br?) [5267]; Benin (br) [659]; Botswana (br?) [1102]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [555, 659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea (br?) [429, 659]; Ethiopia (br) [429, 659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br) [1078]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; ?Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Somalia (br) [429, 5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br) [432, 659]; ?Togo (br) [5254]; ?Uganda (br) [659]; Zambia (br) [659]			
CITES Identification Manual Reference: A-215.012.004.005			
<i>Eupodotis vigorsii</i> (Smith, 1831)	II	B	891, 1007, 1008, 1360
E: Karoo Bustard, Karoo Korhaan, Vigors's Bustard, F: Outarde de Vigors, S: Sisón de Vigors, Sisón del karroo			
Lesotho (br) [486]; Namibia (br) [659, 1375]; South Africa (br) [659]			
CITES Identification Manual Reference: A-215.012.004.006			
<i>Neotis denhami</i> (Children, 1826)	II	B	LR/nt 614, 891, 1006, 1007, 1008, 1360
Synonym: <i>Neotis burchellii</i> (Heuglin, 1867)			
E: Denham's Bustard, Stanley Bustard, F: Outarde de Burchell, Outarde de Denham, S: Avutarda cafre, Avutarda de Burchell, Avutarda de Denham			
Angola (br?) [5267]; Benin (br) [659]; Botswana (v) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br); Eritrea (br?) [429, 659]; Ethiopia (br?) [429, 659]; Gabon (v) [659]; Gambia [760]; Ghana [782]; Guinea (br?) [1078]; Kenya (br) [1358, 5253]; Lesotho (v) [486]; Malawi (br) [1103, 1433]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger [659, 10581]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br?) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [432, 659]; Togo (v) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br?) [659, 851]			
CITES Identification Manual Reference: A-215.012.008.002			

<i>Neotis heuglinii</i> (Hartlaub, 1859)	II	B	891, 1006, 1360, 3747
E: Heuglin's Bustard, F: Outarde de Heuglin, S: Avutarda de Heuglin, Avutarda somalí Djibouti (br?) [427]; Eritrea (v) [659]; Ethiopia (br) [429, 659]; Kenya (br) [5253]; Somalia (br) [429, 5252]			
CITES Identification Manual Reference:	A-215.012.008.004		
<i>Neotis ludwigii</i> (Rüppell, 1837)	II	B	891, 1007, 1008, 1360
E: Ludwig's Bustard, F: Outarde de Ludwig, S: Avutarda de Ludwig, Avutarda de Namibia			
Angola (br?) [5267]; Botswana (v) [1102]; Lesotho (v) [486]; Namibia (br) [659]; South Africa (br?) [516, 659]			
CITES Identification Manual Reference:	A-215.012.008.005		
<i>Neotis nuba</i> (Cretzschmar, 1826)	II	B	LR/nt 595, 614, 891, 1006, 1360
E: Nubian Bustard, F: Outarde de Nubie, Outarde nubienne, S: Avutarda núbica Burkina Faso; Cameroon (br) [6295]; Chad (br?) [659]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659, 1101]; Nigeria (v); Sudan (br?) [659]			
CITES Identification Manual Reference:	A-215.012.008.006		
<i>Otis tarda</i> Linnaeus, 1758	II	A	VU 381, 591, 594, 595, 614, 841, 891, 1360
E: Great Bustard, F: Grande Outarde, Grande Outarde, Outarde barbue, Outarde barbue, S: Avutarda, Avutarda, Avutarda Común, Avutarda común, Avutarda euroasiática			
Afghanistan [694]; Albania (v); Algeria (ex, br) [971]; Austria (br) [1215]; Azerbaijan [710]; Belgium (v) [5272]; Bosnia and Herzegovina [1038]; Bulgaria (ex, br) [5280]; China (br) [937, 5293]; Croatia [5290]; Cyprus (v) [709]; Czech Republic (br) [5258]; Denmark (ex, br) [666]; Egypt (v) [756]; Finland (v) [1300]; France (ex, br) [7041]; Germany (br) [655, 5274]; Gibraltar (v); Greece (ex, br) [5281]; Hungary (br) [695, 696, 5257]; Iran (Islamic Republic of) (br) [1253, 6445]; Iraq (ex, br) [385]; Ireland (v) [858]; Israel (v) [5245]; Italy (v) [5289]; Japan (v) [503]; ?Jordan [6454]; Kazakhstan (br) [5269]; Korea, DPR (v) [7681]; Korea, Republic of (v) [1436]; Kyrgyzstan (br) [710]; Latvia (v) [5278]; Lebanon (v) [5284]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of [1038]; Malta (v); Moldova, Republic of (br) [710]; Mongolia (br) [937, 1306]; Morocco (br) [461, 6523]; Myanmar (v) [1290]; Netherlands (v) [5273]; Pakistan (v); Poland (ex, br) [460, 1348]; Portugal (br) [534, 1332, 10152]; Portugal (br); Romania (br) [558]; Russian Federation (br) [710, 937, 938]; Saudi Arabia (v) [881]; Serbia and Montenegro (ex, br) [1038]; Slovakia (br) [5279]; Slovenia [1038]; Spain (br) [696, 702, 1126, 10152]; Sweden (ex, br) [1199]; Switzerland (ex, br) [5288]; Syrian Arab Republic (br?) [5283]; Tajikistan (br) [374]; Tunisia (v) [1344]; Turkey (br) [765, 911, 5282]; Turkmenistan [710, 8159]; Ukraine (br) [710, 8997]; United Kingdom (ex, br) [6188]; Uzbekistan (br) [710]			
CITES Identification Manual Reference:	A-215.012.009.001		
<i>Tetrax tetrax</i> (Linnaeus, 1758)	II	A	LR/nt 381, 595, 614, 891, 1250, 1360
Synonym: <i>Otis tetrax</i> Linnaeus, 1758			
E: Little Bustard, F: Outarde canepetière, Outarde canepetière, S: Gallo lira, Sisón, Sisón, Sisón Común, Sisón común			
Afghanistan (v) [694]; Albania (br); Algeria (br) [455, 971]; Austria (v) [1215]; Azerbaijan [710]; Belgium (v) [5272]; Bosnia and Herzegovina [1038]; Bulgaria (ex, br) [5280]; China (br) [5293]; Croatia [5290]; Cyprus (v) [709]; Czech Republic (v) [5258];			

Denmark (v) [666]; Egypt [756]; Finland (v) [1300]; France (br) [390, 7041]; Georgia [710]; Germany (v) [5274]; Greece (ex, br) [5281]; Hungary (v) [5257]; India (v) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [385]; Ireland (v) [858]; Israel [5245]; Italy (br) [1154, 1239, 5289]; Japan (v) [503]; Kazakhstan (br) [5269]; Kyrgyzstan (br) [710]; Latvia (v) [5278]; Lebanon (v) [5284]; Libyan Arab Jamahiriya [536]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (ex, br) [1038]; Malta (v); Morocco (br) [461]; Netherlands (v) [5273]; Norway (v) [5275]; Oman (v); Pakistan; Poland (v) [1348]; Portugal (br) [1332, 9312]; Portugal (br), Madeira (v); Romania (ex, br) [558]; Russian Federation (br) [710, 938]; Serbia and Montenegro (ex, br) [1038]; Slovakia [5279]; Slovenia [1038]; Spain (br) [702, 9312]; Sweden (v) [1199]; Switzerland (v) [5288]; Syrian Arab Republic (v) [5283]; Tajikistan [374]; Tunisia (ex, br) [1344]; Turkey (br) [911, 5282]; Turkmenistan [710, 8159]; Ukraine (br) [710]; United Kingdom (v) [6188]; Uzbekistan (br?) [710]

CITES Identification Manual Reference: A-215.012.011.001

Order: **CHARADRIIFORMES**

Family: **BURHNIDAE**

Burhinus bistriatus (Wagler, 1829) III GT C 387, 816, 1068

E: Double-striped Thick-knee, F: Oedicnème américain, Oedicnème bistrié,

S: Alcaraván Americana, Alcaraván Venozolano, Dara

Barbados (v) [5242]; Brazil (br) [6186, 7122]; Colombia (br) [837]; Costa Rica (br) [1311]; Dominican Republic (br) [1312]; El Salvador (br) [5241]; Guatemala (br) [5241]; Guyana (br) [1295]; Haiti (br) [1408]; Honduras (br) [1076]; Mexico (br) [5241]; Netherlands Antilles (v); Nicaragua (br) [1195]; United States (v) [387]; Venezuela (br) [1070]

Family: **SCOLOPACIDAE**

Numenius borealis (Forster, 1772) I A CR 387, 485, 590, 595, 598, 671, 690, 749, 816, 874, 888, 931

E: Eskimo Curlew, F: Courlis esquimau, S: Chorlito esquimal, Chorlo polar, Zarapito boreal, Zarapito esquimal, Zarapito polar

Argentina (v) [465, 5291, 10249]; Barbados (v) [5242]; Bermuda (v) [389]; Bolivia (v) [6986]; Brazil [6186]; Canada (br?) [748]; Chile (v) [5292]; Falkland Islands (Malvinas) (v) [1439]; Greenland (v); Grenada (v) [5242]; Guadeloupe (v) [5242]; Guatemala (v) [5241]; Iceland (v) [507]; Ireland (v) [858]; Mexico (v) [5241]; Netherlands Antilles; Paraguay [5295]; Puerto Rico (v) [1176]; Russian Federation (v) [710]; Saint Vincent and the Grenadines (v) [5242]; Trinidad and Tobago (v) [703]; United Kingdom (v) [6188]; United States (br?, v) [387]; Uruguay (v) [5287]; Virgin Islands (U.S.) (v)

<i>Numenius tenuirostris</i> Vieillot, 1817	I	A	CR	414, 595, 612, 779, 816, 841, 888, 1360
E: Slender-billed Curlew, F: Courlis à bec grêle, Courlis à bec grêle, S: Zarapito Fino, Zarapito fino				
Algeria (v) [971]; Austria (v) [1215]; Azerbaijan (v); Belgium (v) [5272]; Bosnia and Herzegovina [1038]; Bulgaria (v) [5280]; Canada (v) [748]; Croatia [5290]; Cyprus (v) [709]; Czech Republic (v) [5258]; Egypt (v) [756]; France (v) [7041]; Georgia (v); Germany (v) [5274]; Greece [5281]; Hungary [5257]; Iran (Islamic Republic of) (v) [1253]; Iraq (v) [385, 10170]; Israel (v) [5245]; Italy [5289]; ?Japan (v) [503]; Jordan (v) [395]; Kazakhstan [5269]; Kuwait (v) [537]; Latvia (v) [5278]; Libyan Arab Jamahiriya (v) [536]; Malta (v); Morocco [461, 481]; Netherlands (v) [5273]; Oman (v); Poland (v) [1348]; Portugal (v) [1332]; Portugal (v), Azores (v); Romania [558]; Russian Federation (br) [710, 938]; Serbia and Montenegro [1038]; Slovakia (v) [5279]; Slovenia [1038]; Spain (v) [702]; Switzerland (v) [5288]; Tunisia [1344]; Turkey [5282]; Turkmenistan; Ukraine (v) [710]; Uzbekistan; Yemen (v) [5297]				
<i>Tringa guttifer</i> (Nordmann, 1835)	I	A	EN	381, 595, 816, 852, 853, 888, 929, 931
E: Nordmann's Greenshank, Spotted Greenshank, F: Chevalier à gouttelette, Chevalier tacheté, S: Archibebe manchado, Archibebe moteado				
?Australia [477]; Bangladesh [804]; Cambodia [5243, 6476]; China [5293]; Guam (v) [503]; Hong Kong (v) [921]; India (v) [1197]; Indonesia (v) [393]; Sumatera; Japan [503]; Korea, DPR (v) [7681]; Korea, Republic of [1436]; Malaysia [1289]; Peninsular Malaysia, Sabah, Sarawak; Myanmar [1290]; Philippines [5270]; Russian Federation (br) [489, 710, 938]; Singapore (v) [791]; Taiwan (v); Thailand [487]; Viet Nam [5264]				
Family: LARIDAE				
<i>Larus relictus</i> Lönnberg, 1931	I	A	VU	595, 802, 931, 933, 1454
E: Relict Gull, F: Goéland de Mongolie, Goéland relique, Mouette relique, S: Gaviota de Mongolia, Gaviota reicta				
China (br) [5293]; Hong Kong (v); Japan (v) [503]; Kazakhstan (br) [5269]; Korea, Republic of [1436]; Mongolia (br) [704, 1306]; Russian Federation (br) [710, 938]; Viet Nam (v) [5264]				
Order: COLUMBIFORMES				
Family: COLUMBIIDAE				
<i>Caloenas nicobarica</i> (Linnaeus, 1758)	I	A	LR/nt	381, 595, 758, 929, 931
E: Nicobar Dove, Nicobar Pigeon, F: Nicobar à camail, Pigeon à camail, Pigeon à colerette, Pigeon de Nicobar, S: Paloma calva, Paloma de Nicobar				
Brunei Darussalam; Cambodia (br) [5243]; India (br) [1197]; Indonesia (br) [393]; Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Malaysia (br) [1289]; Peninsular Malaysia, Sabah; Myanmar (br) [1290]; Palau (br) [1171]; Papua New Guinea (br); Philippines (br) [5270]; Solomon Islands (br) [5260]; Thailand (br) [487]; Viet Nam (br) [5264]				
CITES Identification Manual Reference:				A-217.003.003.001
<i>Claravis goedefrida</i> (Temminck, 1811)	A		EN	
E: Purple-barred Ground-Dove, Purple-winged Ground-Dove, F: Colombe de Geoffroy, S: Tortolita alipúrpura				
Argentina (br) [5291, 10249]; Brazil (br) [6186, 6292, 7118]; Paraguay (br) [5295, 6321]				

<i>Columba caribaea</i> Jacquin, 1784 E: Ring-tailed Pigeon, F: Pigeon de la Jamaïque, S: Paloma Jamaicana Jamaica (br) [657]	B VU	
<i>Columba guinea</i> Linnaeus, 1758	III GH C	511, 573, 758, 1222, 1256, 1292, 1360
E: Speckled Pigeon, Speckled Rock Pigeon, Triangular-spotted Pigeon, F: Pigeon de Guinée, Pigeon roussard, S: Paloma de Guinea Angola (br?) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Djibouti (br) [427]; Eritrea (br) [659]; Ethiopia (br) [659, 894]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1078]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Lesotho (br) [486]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [565, 5254]; Uganda (br) [659]; Yemen (v) [6456]; Zimbabwe (br) [659]		
<i>Columba iriditorques</i> Cassin, 1856	III GH C	758, 1256, 1292, 1360
Synonym: <i>Turturoena iriditorques</i> E: Western Bronze-naped Pigeon, F: Pigeon à nuque bronzée, S: Paloma nuquibronceada Angola (br?) [5267]; Benin (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659]; Equatorial Guinea; Gabon (br?) [659]; Ghana (br?) [782]; Guinea (br?) [1183, 1389]; Liberia (br) [5246]; Nigeria (br?); Sierra Leone (br?) [659]; Togo (br) [570, 5254]; Uganda (br?) [659]; Zambia (br) [659]		
<i>Columba livia</i> Gmelin, 1789	III GH A	381, 614, 758, 841, 986, 1256, 1292
E: Common Pigeon, Feral Pigeon, Rock Dove, Rock Pigeon, F: Pigeon biset, Pigeon biset, Pigeon domestique, S: Paloma Bravía, Paloma Doméstica Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Angola (int, br) [516, 5267]; Anguilla (int) [5242, 6791]; Antigua and Barbuda (int, br) [5242]; Argentina (int, br) [10249]; Armenia (br) [5240]; Australia (int, br) [477]; Austria (int, br) [1215]; Azerbaijan (br) [710]; Bahamas (int) [5242]; Bangladesh (br) [804]; Barbados (int, br) [5242]; Belarus (br); Bhutan (br) [5261]; Bolivia (int, br); Bosnia and Herzegovina (br) [1038]; Brunei Darussalam (int, br); Bulgaria (br) [5280]; Burkina Faso (br?) [659]; Cambodia (int, br) [5243]; Cape Verde (br) [820]; Cayman Islands (int); Chad (br) [659]; Chile (int, br); China (br) [5293]; Costa Rica (int, br) [1311]; Côte d'Ivoire (br) [1334]; Croatia (br) [5290]; Cuba (int) [5259]; Cyprus (br) [709]; Czech Republic (br) [5258]; Djibouti (int, br) [427]; Dominica (int, br) [5242]; Dominican Republic (int) [1312]; Dominican Republic [515, 574]; Ecuador (int, br) [5294]; Galapagos; Egypt (br) [756]; Eritrea (v) [659]; Estonia (br) [5277]; Ethiopia (br) [659]; Faroe Islands (br) [480]; Fiji (br) [1171]; France (br) [7041]; French Polynesia (int, br) [1171]; Gambia (br) [760]; Georgia (br) [710]; Ghana (br?) [782]; Gibraltar (int, br); Greece (br) [5281]; Grenada (int) [5242]; Guadeloupe (int) [5242]; Guatemala (int, br) [448, 5241]; Guinea (br?); Haiti (int) [1408]; Iceland (br) [507]; India (br) [1197]; Indonesia (int, br) [393, 844, 1032]; Bali, Irian Jaya, Java, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (br) [858]; Israel (br) [5245]; Italy (br) [5289]; Jamaica (int) [657]; Japan [503]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kuwait (br); Kyrgyzstan (br) [710]; Lao People's Democratic Republic (int, br) [6187]; Latvia (br) [5278]; Lebanon (br) [5284]; Lesotho (int, br) [486]; Libyan Arab		

Jamahiriya (br) [536]; Liechtenstein (int, br); Lithuania (br) [5247]; Macedonia, former Yugoslav Republic of (br) [1038]; Malaysia (int, br): Peninsular Malaysia, Sabah, Sarawak; Maldives (int, br) [431]; Mali (br) [659]; Malta (br); Martinique (int) [5242]; Mauritania (br) [659]; Mauritius (int, br): Mauritius (int, br), Rodrigues (int, br) [7810]; Micronesia (Federated States of) (br) [1171]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Montserrat (int) [5242]; Morocco (br) [461]; Mozambique (int, br) [516, 659]; Myanmar (br) [1290]; Namibia (int, br) [659]; Nepal (br) [865]; Netherlands Antilles (int); New Zealand (int, br); Niger (br) [659]; Nigeria (br); Norway (br) [5275]; Oman (br); Pakistan (br); Paraguay (int, br) [5295]; Peru (int, br); Portugal (br) [1332]; Portugal (br), Azores (int, br), Madeira (int, br); Puerto Rico (int) [1176]; Romania (br) [558]; Russian Federation (br) [710]; Saint Helena (int, br); Saint Kitts and Nevis (int) [5242]; Saint Lucia (int, br) [5251]; Saint Pierre and Miquelon (int?, br) [683]; Saint Vincent and the Grenadines (int) [5242]; São Tomé and Príncipe (br) [659]; Sao Tome [668]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Serbia and Montenegro (br) [1038]; Seychelles (int, br) [659, 721]; Singapore (int, br) [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (int, br) [5252]; South Africa (int, br) [659]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Suriname (int, br); Swaziland (int, br) [1139]; Sweden (br) [1199]; Switzerland (int, br) [5288]; Syrian Arab Republic (br) [5283]; Taiwan (br); Tajikistan (br) [374]; Thailand (int, br); Togo (br?) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Turks and Caicos Islands (int); Ukraine (br) [710]; United Arab Emirates (br) [1192]; United Kingdom (br) [6188]; United States (br) [387]; Uruguay (int, br); Uzbekistan (br) [710]; Viet Nam (int, br) [5264]; Virgin Islands (British) (int); Virgin Islands (U.S.) (int, br); Western Sahara (br); Yemen (br) [5297]; Zambia (int, br) [516, 659]; Zimbabwe (int, br) [516, 659]

Columba mayeri Prévost, 1843 III MU C EN 595, 597, 758

Synonym: *Nesoenas mayeri*

E: Pink Pigeon, F: Pigeon rose, S: Paloma de Mauricio

Mauritius (br) [659]

CITES Identification Manual Reference: A-217.003.006.052

Columba oenops Salvin, 1895 D VU

E: Peruvian Pigeon, F: Pigeon du Pérou, S: Paloma Peruana

Ecuador; Peru (br) [1136, 6680, 6681]

Columba unicincta Cassin, 1860 III GH C 511, 758, 1256, 1292, 1360

E: Afep Pigeon, African Wood-Pigeon, Grey Wood-Pigeon, F: Pigeon gris, Pigeon gris écailloux, S: Paloma afep, Paloma del Congo

Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br) [1078]; Liberia (br) [5246]; Rwanda (br) [659]; Sierra Leone (br?) [659]; Sudan (br?) [659]; ?Tanzania, United Republic of (br?) [659]; Uganda (br) [659]; Zambia (br) [659]

Didunculus strigirostris (Jardine, 1845) B EN

E: Tooth-billed Pigeon, F: Diduncule strigirostre, S: Paloma manumea

Samoa (br) [1394]

Ducula mindorensis (Whitehead, 1896) I A VU 595, 758
 E: Mindoro Imperial-pigeon, Mindoro Imperial-Pigeon, Mindoro Zone-tailed Pigeon,
 F: Carpophage de Mindoro, Pigeon de Mindoro, S: Dúcula de Mindoro, Paloma de
 Mindoro
 Philippines (br) [5270]
 CITES Identification Manual Reference: A-217.003.011.021

Ducula pickeringii (Cassin, 1854) D VU
 E: Grey Imperial-Pigeon, Grey Imperial-pigeon, F: Carpophage de Pickering, S: Dúcula
 gris
 Indonesia (br) [393]: Kalimantan, Sulawesi; Malaysia (br): Sabah, Sarawak; Philippines
 (br) [5270, 10364]

Gallicolumba criniger (Pucheran, 1853) D EN 7806
 E: Mindanao Bleeding-heart, F: Gallicolombe de Barlett, Gallicolombe de Bartlett,
 S: Paloma apuñalada de Mindanao
 Philippines (br) [5270]
 CITES Identification Manual Reference: A-217.003.012.004

Gallicolumba luzonica (Scopoli, 1786) II B LR/nt 595, 758, 1166
 E: Bleeding Heart Dove, Bleeding Heart Pigeon, Luzon Bleeding-heart, F: Colombe
 poignardée, Gallicolombe poignardée, S: Paloma apuñalada, Paloma apuñalada de
 Luzón
 Philippines (br) [5270]
 CITES Identification Manual Reference: A-217.003.012.010

Goura cristata (Pallas, 1764) II B VU 595, 758, 1242
 E: Blue Crowned-Pigeon, Common Crowned Pigeon, Great Goura, Western Crowned-
 Pigeon, Western Crowned-pigeon, F: Goura couronné, S: Gura occidental, Paloma
 crestada azul
 Indonesia (br) [393, 1003, 7120]: Irian Jaya, Moluccas (int) [7728]
 CITES Identification Manual Reference: A-217.003.015.002

Goura scheepmakeri Finsch, 1876 II B VU 452, 595, 758,
 1242
 E: Maroon-breasted Crowned-Pigeon, Masked Goura, Scheepmaker's Crowned-Pigeon,
 Southern Crowned-pigeon, Southern Crowned-Pigeon, F: Goura de Scheepmaker,
 Goura de Sclater, S: Gura sureña, Paloma crestada de Scheepmaker
 Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6924]
 CITES Identification Manual Reference: A-217.003.015.003

Goura victoria (Fraser, 1844) II B VU 452, 595, 758,
 1242
 E: Victoria Crowned-Pigeon, Victoria Crowned-pigeon, Victoria Goura, F: Goura de
 Victoria, S: Gura Victoria, Paloma crestada victoria
 Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)
 CITES Identification Manual Reference: A-217.003.015.004

Leptotila wellsi (Lawrence, 1884) A CR
 E: Grenada Dove, F: Colombe de Grenade, S: Paloma montaraz de Granada
 Grenada (br) [5242]

<i>Oena capensis</i> (Linnaeus, 1766)	III GH	C	511, 573, 614, 758, 1222, 1256, 1292, 1360
E: Long-tailed Dove, Masked Dove, Namaqua Dove, F: Tourterelle masquée, Tourterelle à masque de fer, Tourterelle du Cap, Tourterelle masquée, S: Palomita especulada capense, Tortolita rabilarga			
Algeria (br) [971]; Angola (br) [5267]; Bahrain [1105]; Benin [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (v) [659]; Cameroon [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo [659]; Côte d'Ivoire [1334]; Cyprus (v) [6448]; Democratic Republic of the Congo; Djibouti (br) [427]; Egypt (br) [756]; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br) [659]; Gambia [760]; Ghana (br?) [782]; Guinea (br?) [1389]; Guinea-Bissau [659, 715]; Israel (br) [5245]; Jordan [395]; Kenya (br) [5253]; Kuwait (v) [537, 1161]; Lesotho (br) [486]; Madagascar (br) [5249]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Morocco (br) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Oman (br); Qatar (br) [1393, 6470]; Rwanda [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]; United Arab Emirates (v) [1192]; Western Sahara (br); Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]			
<i>Ptilinopus marchei</i> (Oustalet, 1880)	D	VU	
E: Flame-breasted Fruit-dove, F: Ptilope de Marche, S: Tilopo de Marche Philippines (br) [5270]			
<i>Streptopelia decipiens</i> (Hartlaub & Finsch, 1870)	III GH	C	511, 573, 758, 1222, 1256, 1292, 1360
E: African Mourning Dove, Mourning Collared-Dove, F: Tourterelle pleureuse, S: Tórtola engañosa Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br) [659]; Central African Republic (br) [659]; Chad (br) [659]; Democratic Republic of the Congo (br); Djibouti (br?) [427]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea-Bissau [7849]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br) [659]; Togo (br) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			
<i>Streptopelia roseogrisea</i> (Sundevall, 1857)	III GH	C	758, 841, 1256, 1292, 1360
E: African Collared-Dove, Pink-headed Dove, Rose-grey Dove, F: Tourterelle rieuse, S: Tórtola rosigrís Bahrain (v) [1105]; Benin (br) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Chad (br) [659]; Djibouti (br) [427]; Egypt (br) [756]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br?) [760]; Ghana (v) [782]; Israel (v); Jordan (v) [6454]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br?); Saudi Arabia (br) [881]; Senegal (br) [659]; Somalia (br) [5252]; Sudan (br) [659]; Yemen (br) [5297]			
<i>Streptopelia semitorquata</i> (Rüppell, 1837)	III GH	C	511, 573, 758, 841, 1222, 1256, 1292, 1360
E: Red-eyed Dove, F: Tourterelle à collier, S: Tórtola ojirroja, Tórtola rizum Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea			

(br?) [1389]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br) [659]; Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

<i>Streptopelia senegalensis</i> (Linnaeus, 1766)	III GH	C	381, 511, 573, 614, 758, 841, 1222, 1256, 1292, 1360
---	--------	---	---

E: Laughing Dove, Palm Dove, Senegal Dove, F: Tourterelle des palmiers, Tourterelle maillée, Tourterelle maillée, S: Tórtola del Senegal, Tórtola Reidora, Tórtola Reidora, Tórtola Senegalesa

Afghanistan (br) [694]; Algeria (br) [971]; Angola (br) [5267]; Australia (int, br) [477]; Azerbaijan (br); Bahrain (v) [1105]; Bangladesh (br) [804]; Benin (br?) [659]; Bhutan (br) [5261]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; China (br) [5293]; Côte d'Ivoire (br) [1334]; Cyprus (v) [709]; Democratic Republic of the Congo (br); Djibouti (br) [427]; Egypt (br) [756]; Equatorial Guinea (br) [659]; Eritrea (br) [659]; Ethiopia (br) [659]; Finland (v) [1300]; Gabon [659]; Gambia (br) [760]; Ghana (br) [782]; Greece (v) [5281]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 715]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385, 10161]; Israel (br) [5245]; Italy (v) [5289]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Kuwait (v) [537, 1161]; Kyrgyzstan (br) [710]; Lebanon (br) [5284]; Lesotho (br) [486]; Liberia (br?) [5246]; Libyan Arab Jamahiriya (br) [536, 6303, 9127]; Malawi (br) [1103]; Mali (br) [659]; Malta (v); Mauritania (br) [659]; Morocco (v) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Nepal (br) [865]; Niger (br) [659]; Nigeria (br); Oman (br); Pakistan (br); Portugal (v); Portugal (v); Qatar (br) [1393, 6470]; Rwanda (br) [659]; São Tomé and Príncipe (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br) [659]; United Arab Emirates (br) [1192]; Uzbekistan (br) [710]; Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

<i>Streptopelia turtur</i> (Linnaeus, 1758)	III GH	A	511, 614, 758, 841, 1081, 1360
---	--------	---	-----------------------------------

E: European Turtle-Dove, Turtle Dove, Western Turtle-Dove, F: Tourterelle des bois, Tourterelle des bois, S: Tórtola Común, Tórtola común, Tórtola Europea

Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain (br) [1105]; Belarus (br); Belgium (br) [5272]; Bosnia and Herzegovina (br) [1038]; Botswana (v); Bulgaria (br) [5280]; Burkina Faso [659]; Cameroon [659]; Cape Verde [820]; Chad (br) [659]; China (br) [5293]; Comoros (v) [6276]; Côte d'Ivoire (v) [1334]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (v) [6294, 6403]; Denmark (br) [666]; Djibouti (v) [427]; Egypt (br) [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands [480]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782, 6379]; Gibraltar; Greece (br) [5281]; Guinea [1079]; Guinea-Bissau [7849, 7859]; Hungary (br) [5257]; Iceland (v) [507]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (br) [858]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kenya (v) [788, 5253]; Kuwait (br) [537]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon (br) [5284]; Liberia (v) [5246]; Libyan Arab Jamahiriya (br) [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Maldives (v) [431]; Mali [659]; Malta (br); Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Namibia (v) [659, 1434]; Netherlands

(br) [5273]; Niger (br?) [659]; Nigeria; Norway (v) [5275]; Oman (br); Pakistan (v); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Azores (v), Madeira (br); Qatar (br) [1393]; Romania (br) [558]; Russian Federation (br) [710]; Saudi Arabia (br) [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [659, 721]; Sierra Leone [659]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (v) [5252]; South Africa (v) [659]; Spain (br) [702]; Sudan [659]; Svalbard and Jan Mayen (v); Sweden [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Togo [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (v) [659]; Ukraine (br) [710]; ?United Arab Emirates (br) [1192]; United Kingdom (br) [6188]; Uzbekistan (br) [710]; Western Sahara; Yemen [5297]

<i>Streptopelia vinacea</i> (Gmelin, 1789)	III GH C	511, 758, 1256, 1292, 1360
E: Vinaceous Dove, F: Pigeon vert à front nu, Tourterelle vineuse, S: Tórtola vinosa		
Benin (br) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Eritrea (br?) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 715]; Liberia [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]		
<i>Treron calva</i> (Temminck, 1808)	III GH C	511, 573, 758, 1222, 1256, 1292, 1360
Synonym: <i>Treron australis calva</i>		
E: African Green-Pigeon, F: Colombar à front nu, S: Vinago Africano, Vinago obeng		
Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (v) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; São Tomé and Príncipe (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]		

<i>Treron sieboldii</i> (Temminck, 1835)	D
Synonym: <i>Sphenurus sieboldii</i> (Temminck, 1835)	
E: White-bellied Green-pigeon, F: Colombar de Siebold, S: Vinago Japonés	

China [5293]; Japan [503]; Korea, Republic of (v) [1436]; Lao People's Democratic Republic [6187]; Taiwan; Thailand [487]; Viet Nam [5264]

<i>Treron waalia</i> (Meyer, 1793)	III GH C	511, 758, 1256, 1292, 1360
E: Bruce's Green-Pigeon, Yellow-bellied Green-Pigeon, F: Colombar waalia, Pigeon vert à épaulettes violettes, Pigeons à épaulettes violettes, S: Vinago waalia		
Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Djibouti (br) [427]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 715]; Kenya (br?) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Oman (br?); Saudi Arabia (br) [881]; Senegal (br) [659]; Somalia (br) [5252]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Yemen (br) [5297]		

<i>Turacoena modesta</i> (Temminck, 1835)	D	VU
E: Black Cuckoo-dove, F: Phasianelle modeste, S: Paloma de Timor Indonesia (br) [393]: Lesser Sunda Is		
<i>Turtur abyssinicus</i> (Sharpe, 1902)	III GH	C
E: Black-billed Wood-Dove, F: Emerauldine à bec noir, Tourtelette d'Abyssinie, S: Palomita especulada abisinica, Palomita Saheliana Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo [6294]; Djibouti (br) [427]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 715]; Liberia (v) [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]		511, 758, 1256, 1292, 1360
<i>Turtur afer</i> (Linnaeus, 1766)	III GH	C
E: Blue-spotted Wood-Dove, Red-billed Wood-Dove, F: Emerauldine à bec rouge, Tourtelette améthystine, S: Palomita aliazul, Palomita especulada africana Angola (br) [5267]; Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Eritrea (br?) [659]; Ethiopia (br) [659, 894]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br?) [659]; Mozambique (br?) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; South Africa (br?) [659]; Sudan (br?) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]		511, 573, 758, 1256, 1292, 1360, 7070
<i>Turtur brehmeri</i> (Hartlaub, 1865)	III GH	C
E: Blue-headed Dove, Blue-headed Wood-Dove, F: Tourtelette demoiselle, Tourterelle à tête bleue, S: Palomita cabeciazul, Palomita especulada cobrizo Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br); Liberia (br) [5246]; Nigeria (br); Sierra Leone (br) [659]; Togo (br?) [570, 5254]		758, 1256, 1292, 1360
<i>Turtur tympanistria</i> (Temminck, 1809)	III GH	C
Synonym: <i>Tympanistria tympanistria</i> E: Tambourine Dove, F: Tourtelette tambourette, Tourterelle tambourette, S: Palomita tamborilera, Tórtola tamborilera Angola (br) [5267]; Benin (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Comoros (int, br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Ethiopia (br?) [659]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br?); Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (v) [659]; Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [570, 5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]		511, 573, 758, 1222, 1256, 1292, 1360

Order: **PSITTACIFORMES**
 Family: **PSITTACIDAE**

<i>Agapornis canus</i> (Gmelin, 1788)	II	B	713, 1292
E: Grey-headed Lovebird, Madagascar Lovebird, F: Inséparable à tête grise, S: Inseparable malgache			
Comoros (int, br) [659]; Madagascar (br) [633, 5249]; Mauritius (ex , int): Mauritius (ex , int), Rodrigues (ex , int) [7810]; Mayotte (int, br); Seychelles (ex , br) [659]			
<i>Agapornis fischeri</i> Reichenow, 1887	II	B	LR/nt 511, 595, 713, 723, 1254, 1292
E: Fischer's Lovebird, F: Inséparable de Fischer, Perruche de Fischer, S: Inseparable de Fischer			
Burundi (v) [659]; Kenya (int, br) [5253]; Rwanda (v) [659]; Tanzania, United Republic of (br) [659]			
<i>Agapornis lilianae</i> Shelley, 1894	II	B	573, 713, 723, 1254, 1292
E: Lilian's Lovebird, Nyasa Lovebird, F: Inséparable de Lilian, Perruche de Lilian, S: Inseparable del Nyasa			
Malawi (br?) [1103]; Mozambique (br?) [659]; Tanzania, United Republic of (br?) [659]; Zambia (br?) [659]; Zimbabwe (br?) [659]			
<i>Agapornis nigrigenis</i> Sclater, 1906	II	B	VU 573, 595, 597, 713, 1254, 1292, 10146
Synonym: <i>Agapornis lilianae nigrigenis</i> Sclater, 1906			
E: Black-cheeked Lovebird, F: Inséparable à joues noires, Perruche à joue noire, S: Inseparable cachetón			
Botswana [1102]; Namibia [659]; Zambia (br) [659, 7866]; Zimbabwe (ex?, br) [659]			
<i>Agapornis personatus</i> Reichenow, 1887	II	B	511, 713, 723, 1292
E: Black-masked Lovebird, Masked Lovebird, Yellow-collared Lovebird, F: Inséparable masqué, Perruche masqué, S: Inseparable cabecinegro			
Burundi (int, br) [659]; Kenya (int, br) [5253]; Tanzania, United Republic of (br) [659]			
<i>Agapornis pullarius</i> (Linnaeus, 1758)	II	B	511, 713, 723, 1256, 1292
E: Red-faced Lovebird, Red-headed Lovebird, F: Inséparable à tête rouge, Perruche à tête rouge, S: Inseparable carirrojo			
Angola (br?) [5267]; Benin (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br?); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Ethiopia (br?) [659]; Gabon (br?) [659]; Ghana (br?) [782]; Guinea (br?) [1078]; Kenya (br?) [5253]; Liberia (int, br?) [5246]; Mali [6906]; Niger; Nigeria (br); Rwanda (br) [659]; São Tomé and Príncipe (br) [659]; Sierra Leone (br) [659]; Sudan (br?) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]			
<i>Agapornis roseicollis</i> (Vieillot, 1818)	II	B	573, 713, 723, 1254, 1256
E: Peach-faced Lovebird, Rosy-faced Lovebird, F: Inséparable à face rose, Inséparable rosegorge, Perruche à face rose, S: Inseparable de Namibia			
Angola (br) [5267]; Namibia (br) [659]; South Africa (br?) [659]			

CITES EC Reg. RL References

<i>Agapornis swindernianus</i> (Kuhl, 1820)	II	B	511, 713, 723, 1254, 1256, 1292
E: Black-collared Lovebird, F: Inséparable à collier noir, Inséparable de Swindern, Perruche de Swindern, S: Inseparable acollarado, Inseparable de collera Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea [6426]; Gabon (br) [659]; Ghana (br?) [782]; Liberia (br?) [5246]; Uganda (br?) [659]			
<i>Agapornis taranta</i> (Stanley, 1814)	II	B	713, 723, 1292
E: Abyssinian Lovebird, Black-winged Lovebird, F: Inséparable d'Abyssinie, S: Inseparable Abisinio Eritrea (br?) [659, 7046]; Ethiopia (br) [659]			
<i>Alisterus amboinensis</i> (Linnaeus, 1766)	II	B	595, 713, 1254
E: Ambo King-Parrot, Moluccan King-Parrot, Moluccan King-parrot, F: Perruche tricolore, S: Papagayo Moluqueño Indonesia (br) [393]: Irian Jaya [1410], Moluccas, Sulawesi			
<i>Alisterus chloropterus</i> (Ramsay, 1879)	II	B	713, 1254
E: Green-winged King-Parrot, Papuan King-Parrot, F: Perruche à ailes vertes, S: Papagayo papú Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
<i>Alisterus scapularis</i> (Lichtenstein, 1818)	II	B	713, 1288
E: Australian King-Parrot, F: Perruche royale, S: Papagayo australiano Australia (br) [477]			
<i>Amazona aestiva</i> (Linnaeus, 1758)	II	B	713, 1068, 1194
E: Blue-fronted Amazon, Blue-fronted Parrot, Turquoise-fronted Parrot, F: Amazone à front bleu, S: Amazona frentiazul, Loro hablador Argentina (br) [465, 5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186, 6292]; Paraguay (br) [5295] CITES Identification Manual Reference: A-218.003.005.002			
<i>Amazona agilis</i> (Linnaeus, 1758)	II	B	387, 485, 595, 713, 1254
E: Black-billed Amazon, Black-billed Parrot, F: Amazone agile, Amazone verte, S: Amazona Jamaicana piquioscura, Amazonico activo, Amazonico jamaica, Amazonico todo verde Jamaica (br) [657] CITES Identification Manual Reference: A-218.003.005.003			
<i>Amazona albifrons</i> (Sparrman, 1788)	II	B	387, 713, 1194
E: White-fronted Amazon, White-fronted Parrot, F: Amazone à front blanc, S: Amazona frentialba, Loro frente blanca, Perico manglero Belize (br) [5241]; Costa Rica (br) [1311]; El Salvador (ex?, br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195] CITES Identification Manual Reference: A-218.003.005.004			

<i>Amazona amazonica</i> (Linnaeus, 1766)	II	B	713, 1068, 1194
E: Orange-winged Amazon, Orange-winged Parrot, F: Amazone à ailes oranges, Amazone à ailes vertes, Amazone aourou, S: Amazona alinaranja, Loro guaro			
Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Peru (br) [1136]; Puerto Rico (int, br) [1176]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070, 8231]			
CITES Identification Manual Reference:	A-218.003.005.005		
<i>Amazona arausiaca</i> (Müller, 1776)	I	A	VU 387, 485, 595, 598, 685, 713, 931, 1254
E: Jacquot, Red-necked Amazon, Red-necked Parrot, F: Amazone à cou rouge, Amazone de Bouquet, S: Amazona cabenazul, Amazona cabeza azul, Amazona gorgirroja			
Dominica (br) [5242]			
CITES Identification Manual Reference:	A-218.003.005.006		
<i>Amazona autumnalis</i> (Linnaeus, 1758)	II	B	387, 713, 1068, 1194
E: Red-lored Amazon, Red-lored Parrot, F: Amazone à joues jaunes, Amazone diadème, S: Amazona frentirroja, Cotorra cucha, Loro frente roja, Loro frentirrojo			
Belize (br) [5241]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; Guatemala (br) [5241]; Honduras (br) [1076, 6231]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (br) [1195]; Venezuela (br) [1070]			
CITES Identification Manual Reference:	A-218.003.005.007		
<i>Amazona barbadensis</i> (Gmelin, 1788)	I	A	VU 595, 598, 713, 1068, 1194, 1254
E: Yellow-shouldered Amazon, Yellow-shouldered Parrot, F: Amazone à épaulettes jaunes, Amazone de la Barbade, S: Amazona de espalda amarilla, Amazona hombrogualda, Cotorra cabeciamarilla, Loro de Barbados			
Aruba (ex?, br) [1380]; Netherlands Antilles (br); Venezuela (br) [1070, 1214, 1277, 1373]			
CITES Identification Manual Reference:	A-218.003.005.008		
<i>Amazona brasiliensis</i> (Linnaeus, 1758)	I	A	EN 595, 598, 713, 931, 1068, 1142, 1194, 1240
E: Red-tailed Amazon, Red-tailed Parrot, F: Amazone à joues bleues, Amazone à queue rouge, Amazone du Brésil, S: Amazona colirroja, Loro brasileño, Loro cariazul, Papagayo de cara roja			
Brazil (br) [6186, 7118]			
CITES Identification Manual Reference:	A-218.003.005.009		
<i>Amazona collaria</i> (Linnaeus, 1758)	II	B	VU 387, 485, 595, 713, 1254
E: Yellow-billed Amazon, Yellow-billed Parrot, F: Amazone de la Jamaïque, Amazone sasabé, S: Amazona Jamaicana piquiclara, Loro de Jamaica			
Jamaica (br) [657]			
CITES Identification Manual Reference:	A-218.003.005.010		

CITES EC Reg. RL References

<i>Amazona dufresniana</i> (Shaw, 1812)	II	B	LR/nt	595, 713, 1068, 1194
E: Blue-cheeked Amazon, Blue-cheeked Parrot, F: Amazone à joues bleues, Amazone de Dufresne, S: Amazona cariazul, Loro cariazul				
?Brazil [6186]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070]				
CITES Identification Manual Reference: A-218.003.005.011a				
<i>Amazona farinosa</i> (Boddaert, 1783)	II	B		387, 713, 1068, 1194
E: Mealy Amazon, Mealy Parrot, F: Amazone farineuse, Amazone poudrée, S: Amazona harinosa, Loro burrón, Loro cabeza azul, Loro verde				
Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]				
CITES Identification Manual Reference: A-218.003.005.012				
<i>Amazona festiva</i> (Linnaeus, 1758)	II	B		713, 1068, 1194
E: Festive Amazon, Festive Parrot, F: Amazone festive, Amazone tavoua, S: Amazona festiva, Loro lomirrojo				
Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br?) [5294]; Guyana (br) [1295]; Peru (br) [1136]; Venezuela (br) [1070]				
CITES Identification Manual Reference: A-218.003.005.013				
<i>Amazona finschi</i> (Sclater, 1864)	II	B		387, 595, 713
E: Lilac-crowned Amazon, Lilac-crowned Parrot, F: Amazone à couronne lilas, Amazone de Finsch, S: Amazona guayabera, Cotorra frente roja, Loro corona-violeta				
Mexico (br) [5241]				
CITES Identification Manual Reference: A-218.003.005.014				
<i>Amazona guildingii</i> (Vigors, 1837)	I	A	VU	387, 485, 544, 595, 598, 713, 875, 876, 931, 956, 957, 1254
E: Saint Vincent Amazon, Saint Vincent Parrot, St Vincent Amazon, F: Amazone de Guilding, Amazone de Saint-Vincent, S: Amazona de San Vicente, Loro de San Vicente				
Saint Vincent and the Grenadines (br) [5242]				
CITES Identification Manual Reference: A-218.003.005.015				
<i>Amazona imperialis</i> Richmond, 1899	I	A	EN	387, 485, 595, 598, 685, 713, 931
E: Imperial Amazon, Imperial Parrot, F: Amazone impériale, S: Amazona imperial, Loro imperial				
Dominica (br) [5242]				
CITES Identification Manual Reference: A-218.003.005.016				
<i>Amazona kawalli</i> Grantsau & Camargo, 1989	II	B		6453, 7864
E: Kawall's Amazon, Kawall's Parrot, White-faced Amazon, F: Amazone de Kawall, S: Amazona de Kawall				
Brazil (br) [6186]				

Amazona leucocephala (Linnaeus, 1758) I A LR/nt 387, 485, 595, 713, 931
 E: Bahamas Parrot, Caribbean Amazon, Cuban Amazon, Cuban Parrot, F: Amazone à tête blanche, Amazone de Cuba, S: Amazona Cubana, Amazona de Cuba, Loro de cabeza blanca
 Bahamas (br) [1297, 5242]; Cayman Islands (br); Cuba (br) [5259, 9311]
 CITES Identification Manual Reference: A-218.003.005.017

Amazona mercenaria (Tschudi, 1844) II B 713, 1068, 1194
 E: Scaly-naped Amazon, Scaly-naped Parrot, F: Amazone mercenaire, S: Amazona mercenaria, Loro verde
 Argentina (v) [10249]; Bolivia (br) [1186]; Colombia (br) [837, 10120]; Ecuador (br) [5294];
 Peru (br) [1136]; Venezuela (br) [1070, 6290]
 CITES Identification Manual Reference: A-218.003.005.018

Amazona ochrocephala (Gmelin, 1788) I/II A/B -/EN 387, 713, 1068,
 1142, 7055
 E: Yellow-crowned Amazon, Yellow-crowned Parrot, Yellow-fronted Amazon,
 F: Amazone à front jaune, S: Amazona real, Loro cabeza amarilla, Loro mona
 amarilla, Loro nuca amarilla, Loro real
 Belize; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica; Ecuador
 (br) [5294]; French Guiana (br) [1349]; Guatemala; Guyana (br) [1295]; Honduras;
 Mexico; Nicaragua; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad
 and Tobago (br?) [703]; Venezuela (br) [1070, 8231]
 CITES Identification Manual Reference: A-218.003.005.019

Amazona ochrocephala europalliata (Lesson, 1842) I A 387, 713, 1142,
 7055, 7144, 7145
 Synonym: *Amazona europalliata* (Lesson, 1842)
 E: Yellow-naped Amazon, Yellow-naped Parrot, F: Amazone à nuque d'or, S: Loro
 nuquiamarillo
 Belize (v) [8632]; Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241];
 Honduras (br) [1076, 6231]; Mexico [5241]; Chiapas, Oaxaca; Nicaragua (br) [1195]

Amazona ochrocephala belizensis Monroe & Howell, 1966 I A EN
 Belize

Amazona ochrocephala caribaea Lousada, 1989 I A
 Honduras: Honduran Caribbean Is

Amazona ochrocephala oratrix Ridgway, 1887 I A EN 387, 490, 583,
 595, 598, 713,
 1142, 1254, 7055
 Synonym: *Amazona oratrix* Ridgway, 1887
 E: Yellow-headed Amazon, Yellow-headed Parrot, F: Amazone à tête jaune, S: Loro
 cabeciamarillo
 Belize (br) [5241]; Guatemala [5241, 6753]; Honduras (br) [1076, 6326]; Mexico (br) [1367,
 5241]; Puerto Rico (int, br) [1176]

Amazona ochrocephala parvipes Monroe & Howell, 1966 I A
 Honduras; Nicaragua

<i>Amazona ochrocephala tresmariae</i>	Nelson, 1900 Mexico	I	A	EN	
<i>Amazona pretrei</i> (Temminck, 1830)		I	A	VU	595, 598, 713, 931, 1068, 1142, 1194, 1254, 1275 E: Red-spectacled Amazon, Red-spectacled Parrot, F: Amazone de Prêtre, S: Amazona cabecirroja, Amazona charao, Lora de cara roja, Loro cabecirrojo, Loro de cabeza roja Argentina (br) [465, 5291, 10249]; Brazil (br) [1270, 6186]; Paraguay (br) [5295, 6321]; Uruguay (br) [5287] CITES Identification Manual Reference:
					A-218.003.005.020
<i>Amazona rhodocorytha</i> (Salvadori, 1890)		I	A	EN	595, 598, 713, 1068, 1194, 1252, 1254 Synonym: <i>Amazona dufresniana rhodocorytha</i> (Salvadori, 1890) E: Red-browed Amazon, Red-browed Parrot, Red-topped Amazon, Red-topped Parrot, F: Amazone à cronne rouge, Amazone à sourcils rouges, S: Amazona coronirroja, Amazona crestirroja, Loro de mejillas azules Brazil (br) [6186]
					CITES Identification Manual Reference: A-218.003.005.011
<i>Amazona tucumana</i> (Cabanis, 1885)		I	A		713, 1068, 1142 E: Alder Parrot, Tucuman Amazon, Tucuman Parrot, F: Amazone de Tucuman, S: Amazona tucumana, Loro alisero Argentina (br) [465, 5291, 10249]; Bolivia (br) [1186, 5116, 7090] CITES Identification Manual Reference:
					A-218.003.005.021
<i>Amazona ventralis</i> (Müller, 1776)		II	B	VU	387, 485, 595, 713, 1142, 1254 E: Hispaniolan Amazon, Hispaniolan Parrot, F: Amazone d'Hispaniola, Amazone de San Domingo, S: Amazona de la Española, Cotorra, Loro de Hispaniola Dominican Republic (br) [1312]; Haiti (br) [1408]; Puerto Rico (int, br) [1176] CITES Identification Manual Reference:
					A-218.003.005.022
<i>Amazona versicolor</i> (Müller, 1776)		I	A	VU	387, 485, 543, 545, 546, 595, 598, 713, 876, 877, 878, 931 E: Saint Lucia Amazon, Saint Lucia Parrot, St Lucia Amazon, St Lucia Parrot, F: Amazone de Sainte-Lucie, Amazone versicolore, S: Amazona de Santa Lucía, Loro multicolor Saint Lucia (br) [5251] CITES Identification Manual Reference:
					A-218.003.005.023
<i>Amazona vinacea</i> (Kuhl, 1820)		I	A	EN	595, 598, 713, 1068, 1142, 1194, 1254 E: Vinaceous Amazon, Vinaceous Parrot, F: Amazone bourgogne, Amazone vineuse, S: Amazona pechivinosa, Amazona vinosa, Loro malva, Loro pechivinoso, Loro pecho vinoso Argentina (br) [465, 5291, 10249]; Brazil (br) [6186]; Paraguay (br) [5295] CITES Identification Manual Reference:
					A-218.003.005.024

CITES EC Reg. RL References

<i>Amazona viridigenalis</i> (Cassin, 1853)	I	A	EN	387, 595, 598, 713, 1142, 1194, 1254
E: Green-cheeked Amazon, Green-cheeked Parrot, Red-crowned Amazon, Red-crowned Parrot, F: Amazone à joues vertes, S: Amapola, Amazona Tamaulipeco, Loro cabeza roja, Loro famaulipeco				
Mexico (br) [582, 5241]; Puerto Rico (int, br) [1176]; United States (int, br) [387]				
CITES Identification Manual Reference: A-218.003.005.025				
<i>Amazona vittata</i> (Boddaert, 1783)	I	A	CR	387, 485, 512, 595, 598, 713, 931, 979, 980, 992, 1071, 1142, 1254, 1298
E: Puerto Rican Amazon, Puerto Rican Parrot, Red-fronted Amazon, F: Amazone à bandeau rouge, Amazone de Porto Rico, S: Amazona de Puerto Rico, Amazona Portorriqueña, Loro de banda roja				
Puerto Rico (br) [1176]				
CITES Identification Manual Reference: A-218.003.005.026				
<i>Amazona xantholora</i> (Gray, 1859)	II	B		387, 713, 1142
E: Yellow-lored Amazon, Yellow-lored Parrot, Yucatan Parrot, F: Amazone à lores jaunes, Amazone du Yucatan, S: Amazona Yucateca, Loro yucateci, Loro yucateco				
Belize (br) [5241]; ?Honduras [1076, 6231]; Mexico (br) [5241]				
CITES Identification Manual Reference: A-218.003.005.027				
<i>Amazona xanthops</i> (Spix, 1824)	II	B	VU	595, 713, 1068, 1142
E: Yellow-faced Amazon, Yellow-faced Parrot, F: Amazone à face jaune, S: Amazona de cara amarilla, Amazona del cerrado				
Bolivia (br) [1186, 1187]; Brazil (br) [1270, 6186, 7118]				
CITES Identification Manual Reference: A-218.003.005.028				
<i>Anodorhynchus glaucus</i> (Vieillot, 1816)	I	A	CR	563, 595, 598, 713, 931, 1068, 1142, 1194, 1254, 6361
E: Glaucous Macaw, F: Ara bleu, Ara glauque, S: Ara azul, Guacamayo glauco, Guacamayo violáceo				
Argentina (ex?, br) [465, 5291, 10249]; Brazil (ex?, br) [6186]; Paraguay (ex, br) [5295];				
?Uruguay (ex, br) [5287]				
CITES Identification Manual Reference: A-218.003.006.002				
<i>Anodorhynchus hyacinthinus</i> (Latham, 1790)	I	A	EN	577, 595, 598, 713, 1068, 1089, 1142, 1194, 1254, 1274, 6361
E: Hyacinth Macaw, F: Ara bleu, Ara hyacinthe, Ara jacinthe, S: Guacamayo azul, Guacamayo jacinto				
Bolivia (br) [1186, 5116]; Brazil (br) [784, 785, 1088, 1270, 6186, 10333]; Paraguay (br) [814, 5295, 6927]				
CITES Identification Manual Reference: A-218.003.006.003				

CITES EC Reg. RL References

<i>Anodorhynchus leari</i> Bonaparte, 1856	I	A	CR	499, 595, 598, 713, 803, 931, 1004, 1068, 1142, 1254, 1267, 1444
E: Indigo Macaw, Lear's Macaw, F: Ara cobalt, Ara de Lear, S: Guacamayo cobalto, Guacamayo de Lear Brazil (br) [6186]				
CITES Identification Manual Reference:				A-218.003.006.004
<i>Aprosmictus erythropterus</i> (Gmelin, 1788)	II	B		713, 1288
E: Red-winged Parrot, F: Perruche érythroptère, S: Papagayo alirrojo Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Aprosmictus jonquillaceus</i> (Vieillot, 1818)	II	B	LR/nt	595, 713, 1254, 1410
E: Olive-shouldered Parrot, Timor Red-winged Parrot, F: Perruche jonquille, S: Papagayo de Timor Indonesia (br) [393]: Lesser Sunda Is				
<i>Ara ambiguus</i> (Bechstein, 1811)	I	A	VU	387, 713, 931, 1068, 1142, 1254
E: Buffon's Macaw, Great Green Macaw, F: Ara de Buffon, S: Guacamayo ambiguo, Guacamayo verde mayor Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 6418, 6684]; Honduras (br) [1025, 1076]; Nicaragua (br) [1195]; Panama (br) [1195]				
<i>Ara ararauna</i> (Linnaeus, 1758)	II	B		713, 1068, 1142
E: Blue-and-gold Macaw, Blue-and-yellow Macaw, F: Ara bleu, S: Guacamayo azul y amarillo, Guacamayo azulamarillo Bolivia (br) [1186]; Brazil (br) [6186, 7118]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Panama (br) [1195]; Paraguay (ex, br) [5295]; Peru (br) [1136]; Puerto Rico (int, br?) [1176]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070, 6810, 8231]				
<i>Ara chloroptera</i> Gray, 1859	II	B		387, 713, 1068, 1142
E: Green-winged Macaw, Red-and-green Macaw, F: Ara chloroptère, S: Guacamayo aliverde, Guacamayo rojo Argentina (ex, br) [465, 5291, 10249]; Bolivia (br) [1186, 7072]; Brazil (br) [6186, 7118]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349, 10252]; Guyana (br) [1295]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070, 6925, 8231]				
<i>Ara glaucogularis</i> Dabbene, 1921	I	A	CR	409, 595, 598, 713, 860, 931, 964, 1068, 1142, 1254
E: Blue-throated Macaw, F: Ara à gorge bleue, Ara canindé, S: Guacamayo amarillo, Guacamayo barbazul, Guacamayo caninde ?Argentina [465]; Bolivia (br) [901, 1186, 1187, 5116]; ?Paraguay (br) [5295]				
CITES Identification Manual Reference:				A-218.003.008.006

<i>Ara macao</i> (Linnaeus, 1758)	I	A	387, 713, 1068, 1142
E: Scarlet Macaw, F: Ara macao, Ara rouge, S: Guacamayo bandera, Guacamayo macao, Lapa azul			
			Belize (br) [5241]; Bolivia (br) [1186, 5116]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (ex, br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; ?Trinidad and Tobago (br) [703]; Venezuela (br) [1070, 8231]
<i>Ara militaris</i> (Linnaeus, 1766)	I	A	VU
595, 713, 1068, 1142, 1254			
E: Military Macaw, F: Ara militaire, S: Guacamayo militar, Guacamayo verde			
Argentina (ex, br) [465, 5291, 10249]; Bolivia (br) [1186, 5116]; Colombia (br) [837]; Costa Rica [1311]; Ecuador (br) [5294]; ?Guatemala (ex, br?) [5241]; Honduras [1076]; Mexico (br) [5241]; Nicaragua [1195]; Panama [1195]; Peru (br) [1136, 6680]; Venezuela (br) [1070, 6304]			
<i>Ara rubrogenys</i> Lafresnaye, 1847	I	A	EN
496, 580, 595, 598, 713, 964, 965, 1068, 1087, 1142, 1194, 1254			
E: Red-fronted Macaw, F: Ara de Fresnaye, Ara de Lafresnaye, S: Guacamayo de Cochabamba, Guacamayo frentirroja			
Bolivia (br) [1186, 5116, 6327, 7090]			
CITES Identification Manual Reference:	A-218.003.008.014		
<i>Ara severa</i> (Linnaeus, 1758)	II	B	713, 1068, 1142
E: Chestnut-fronted Macaw, Severe Macaw, F: Ara sévère, Ara vert, S: Guacamayo severo			
Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; United States (int, br) [387, 975]; Venezuela (br) [1070]			
<i>Aratinga acuticaudata</i> (Vieillot, 1818)	II	B	713, 1068, 1142, 6841
E: Blue-crowned Conure, Blue-crowned Parakeet, F: Conure à tête bleue, S: Aratinga cabeciazul, Carapaico, Cotorra de los Palos			
Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186, 7158]; Colombia (br) [837]; Paraguay (br) [5295]; ?Uruguay (br) [5287]; Venezuela (br) [1070]			
<i>Aratinga aurea</i> (Gmelin, 1788)	II	B	713, 1068, 1142
E: Golden-crowned Conure, Peach-fronted Conure, Peach-fronted Parakeet, F: Conure couronnée, Perruche à front doré, S: Aratinga frentidorada, Cotorra frentidorada			
Argentina (br) [465, 5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186, 7077]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]			
<i>Aratinga auricapilla</i> (Kuhl, 1820)	II	B	VU
595, 598, 713, 1068, 1142, 1194, 1254, 7806			
E: Golden-capped Conure, Golden-capped Parakeet, F: Conure à tête d'or, S: Aratinga testadorada			
Brazil (br) [6186, 7118]			

<i>Aratinga brevipes</i> (Lawrence, 1871)	II	B	EN
Synonym: <i>Aratinga holochlora brevipes</i> (Lawrence, 1871)			
E: Socorro Parakeet, F: Conure de Socorro, S: Aratinga de Socorro			
Mexico [5241]			
<i>Aratinga cactorum</i> (Kuhl, 1820)	II	B	713, 1068, 1142
E: Caatinga Parakeet, Cactus Conure, Cactus Parakeet, F: Conure des cactus,			
S: Aratinga cactácea			
Brazil (br) [6186]			
<i>Aratinga canicularis</i> (Linnaeus, 1758)	II	B	387, 713, 1142
E: Orange-fronted Conure, Orange-fronted Parakeet, F: Conure à front rouge,			
S: Aratinga frentinaranja, Perico frentinaranja			
Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras			
(br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Puerto Rico (int, br) [1176]			
<i>Aratinga chloroptera</i> (Souancé, 1856)	II	B	VU 387, 485, 595,
			713, 1142, 1254
E: Hispaniolan Conure, Hispaniolan Parakeet, F: Conure maîtresse, S: Aratinga de la			
Española, Perico			
Dominican Republic (br) [1312, 6754]; Haiti (br) [1408]; Puerto Rico (ex, int, br) [1176]			
<i>Aratinga erythrogenys</i> (Lesson, 1844)	II	B	LR/nt 595, 713, 1068,
			1142
E: Red-masked Conure, Red-masked Parakeet, F: Conure à tête rouge, S: Aratinga de			
Guayaquil, Perico caretirrojo			
Ecuador (br) [5294, 6360, 6712, 6827]; Peru (br) [1136]			
<i>Aratinga euops</i> (Wagler, 1832)	II	B	VU 387, 485, 595,
			598, 713, 1142,
			1254, 1418
E: Cuban Conure, Cuban Parakeet, F: Conure de Cuba, S: Aratinga Cubana			
Cuba (br) [5259]			
<i>Aratinga finschi</i> (Salvin, 1871)	II	B	387, 713, 1142
E: Crimson-fronted Conure, Crimson-fronted Parakeet, Finsch's Conure, F: Conure de			
Finsch, S: Aratinga de Finsch			
Costa Rica (br) [1311]; Nicaragua (br) [1195, 6604]; Panama (br) [1195]			
<i>Aratinga holochlora</i> (Sclater, 1859)	II	B	387, 713, 1142
Synonym: <i>Aratinga strenua</i> (Ridgway, 1915)			
E: Green Conure, Green Parakeet, F: Conure verte, S: Aratinga verde, Perico verde			
El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [595, 598,			
879, 1212, 5241]; Nicaragua (br) [1195]			
<i>Aratinga jandaya</i> (Gmelin, 1788)	II	B	713, 1068, 1142
E: Jandaya Conure, Jandaya Parakeet, Yellow-headed Parakeet, F: Conure jandaya,			
Perruche de Jenday, S: Aratinga jandaya			
Brazil (br) [6186]			
<i>Aratinga leucophthalmus</i> (Müller, 1776)	II	B	713, 1068, 1142
E: White-eyed Conure, White-eyed Parakeet, Witoogaratinga, F: Conure pavouane,			
S: Aratinga ojiblanca, Cotorra verde, Perico ojo blanco			
Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837];			

Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Paraguay (br) [5295]; Peru (br) [1136, 6332]; Suriname (br) [5296]; Uruguay (br) [5287]; Venezuela (br) [1070]

Aratinga mitrata (Tschudi, 1844) II B 713, 1068, 1142
 E: Mitred Conure, Mitred Parakeet, F: Conure mitrée, S: Aratinga mitrada, Cotorra carirroja
 Argentina (br) [5291, 10249]; Bolivia (br) [1186, 7166]; Peru (br) [1136]

Aratinga nana (Vigors, 1830) II B 387, 713, 1142
 E: Aztec Parakeet, Olive-throated Conure, Olive-throated Parakeet, F: Conure aztèque, S: Aratinga pechisucia, Perico pechisucio
 Belize (br) [5241]; Costa Rica (br) [1311]; Dominican Republic (br) [1312, 6754];
 Guatemala (br) [5241]; Honduras (br) [1076]; Jamaica (br) [657]; Mexico (br) [5241];
 Nicaragua (br) [1195]; Panama (br) [1195]

Aratinga pertinax (Linnaeus, 1758) II B 387, 713, 1068,
 1142
 E: Brown-throated Conure, Brown-throated Parakeet, F: Conure cuivrée, S: Aratinga pertinaz, Perico cara sucia
 Aruba (br) [1380]; Barbados (int, br) [5242]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica [6740]; Dominica (int, br) [5242]; French Guiana (br) [1349]; Guyana (br) [1295];
 Netherlands Antilles (br); Panama (br) [1195]; Puerto Rico (int, br) [1176]; Suriname (br) [811, 5296]; Venezuela (br) [1070]; Virgin Islands (U.S.) (br)

Aratinga rubritorquis (Sclater, 1887) II B
 E: Red-throated Parakeet
 El Salvador; Guatemala; Honduras; Nicaragua

Aratinga solstitialis (Linnaeus, 1758) II B 713, 1068, 1142
 E: Sun Conure, Sun Parakeet, F: Conure soleil, Perruche du soleil, S: Aratinga sol, Perico dorado
 Brazil (br) [6186]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070]

Aratinga wagleri (Gray, 1845) II B 713, 1068, 1142
 E: Red-fronted Conure, Scarlet-fronted Parakeet, F: Conure de Wagler, S: Aratinga de Wagler, Chacaraco
 Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]

Aratinga weddelli (Deville, 1851) II B 713, 1068, 1142
 E: Dusky-headed Conure, Dusky-headed Parakeet, F: Conure de Weddell, S: Aratinga cabecifusca, Perico cabecioscuro
 Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]

Barnardius barnardi (Vigors & Horsfield, 1827) II B 713, 1288
 Synonym: *Platycercus barnardi* (Vigors & Horsfield, 1827)
 E: Barnard's Parakeet, Mallee Ringneck, F: Perruche de Barnard, S: Perico de Barnard
 Australia (br) [477]

<i>Barnardius zonarius</i> (Shaw, 1805)	II	B	713, 1288
Synonym: <i>Platycercus zonarius</i> (Shaw, 1805)			
E: Australian Ringneck, Port Lincoln Ringneck, Twenty-eight Parakeet, F: Perruche à collier jaune, S: Perico de Port Lincoln			
Australia (br) [477]			
<i>Bolbopsittacus lunulatus</i> (Scopoli, 1786)	II	B	713, 1254
E: Guaiabero, F: Perruche lunulée, S: Lorito guayabero			
Philippines (br) [5270]			
<i>Bolborhynchus ferrugineifrons</i>	II	B	EN 595, 598, 713,
(Lawrence, 1880)			771, 931, 1068,
E: Rufous-fronted Parakeet, F: Toui à front roux, S: Catita frentirrufa			1142, 1194, 1254
Colombia (br) [837, 6683, 8618]			
<i>Bolborhynchus lineola</i> (Cassin, 1853)	II	B	387, 713, 1068,
			1142
E: Barred Parakeet, F: Toui catherine, S: Catita barrada, Perico barreteado, Periquito barrado			
Bolivia [6688]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 6200]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241, 7068]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Venezuela (br) [1070, 6290]			
<i>Bolborhynchus orbygnesius</i> (Souancé, 1856)	II	B	713, 1068, 1142
E: Andean Parakeet, F: Toui d'Orbigny, S: Catita andina			
Bolivia (br) [1186, 6346]; Peru (br) [1136]			
<i>Brotogeris chiriri</i> (Vieillot, 1818)	II	B	713, 1068, 1142
Synonym: <i>Brotogeris versicolorus chiriri</i> (Vieillot, 1818)			
E: Yellow-chevroned Parakeet, F: Toui à ailes jaunes, S: Catita chiriri			
Argentina (br) [465, 5291, 10249]; Bolivia (br) [1186, 6327]; Brazil (br) [6186]; Paraguay [814]			
<i>Brotogeris chrysopterus</i> (Linnaeus, 1766)	II	B	713, 1068, 1142
E: Golden-winged Parakeet, F: Toui para, S: Catita alidorada, Periquito ala dorada			
Brazil (br) [6186]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070]			
<i>Brotogeris cyanoptera</i> (Salvadori, 1891)	II	B	713, 1068, 1142
E: Cobalt-winged Parakeet, F: Toui de Deville, S: Catita aliazul, Periquito azul			
Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]			
<i>Brotogeris jugularis</i> (Müller, 1776)	II	B	713, 1068, 1142
E: Orange-chinned Parakeet, F: Perruche tovi, Toui à menton d'or, S: Catita churica, Churica, Periquito barbinaranja			
Colombia (br) [837]; Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241, 7068]; Nicaragua (br) [1195]; Panama (br) [1195]; Venezuela (br) [1070, 6239]			

CITES EC Reg. RL References

<i>Brotogeris pyrrhopterus</i> (Latham, 1801)	II	B	EN	595, 713, 1068, 1142, 1194
E: Grey-cheeked Parakeet, F: Perruche orangé, Toui flamboyant, S: Catita macareña, Perico cachetigris, Perico macareño Ecuador (br) [5294, 6360, 6827]; Peru (br) [1136, 6680, 8616]				
<i>Brotogeris sanctithomae</i> (Müller, 1776)	II	B		713, 1068, 1142
E: Tui Parakeet, F: Toui à front d'or, S: Catita frentigualda, Perico tui Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]				
<i>Brotogeris tirica</i> (Gmelin, 1788)	II	B		713, 1068, 1142
E: Plain Parakeet, F: Toui tirica, S: Catita tirica Brazil (br) [6186]				
<i>Brotogeris versicolurus</i> (Müller, 1776)	II	B		713, 1068, 1142
E: Canary-winged Parakeet, F: Toui à ailes variées, S: Catita aliamarilla, Catita versicolor Brazil (br) [6186]; Colombia (br) [837]; ?Ecuador (br?) [5294]; French Guiana (br) [1349]; Peru (br) [1136]; Puerto Rico (int, br) [1176]; ?Suriname (br?) [5296]; United States (int, br) [387]				
<i>Cacatua alba</i> (Müller, 1776)	II	B	VU	593, 595, 713, 958, 1254, 1410
E: Umbrella Cockatoo, White Cockatoo, F: Cacatoès à huppe blanche, Cacatoès blanc, S: Cacatúa alba, Cacatúa blanca Indonesia (br) [393]: Moluccas CITES Identification Manual Reference:				A-218.002.001.002
<i>Cacatua ducorpsii</i> Pucheran, 1853	II	B		593, 713
E: Ducorp's Cockatoo, F: Cacatoès de Ducorps, S: Cacatúa de Ducorps Papua New Guinea (br); Solomon Islands (br) [5260] CITES Identification Manual Reference:				A-218.002.001.003
<i>Cacatua galerita</i> (Latham, 1790)	II	B		713, 1288
E: Greater Sulphur-crested Cockatoo, Sulphur-crested Cockatoo, F: Cacatoès à huppe jaune, Grand cacatoès à huppe jaune, S: Cacatúa de cresta amarilla grande Australia (br) [477]; Indonesia (br) [393, 1410]: Irian Jaya, Moluccas; New Zealand (int, br) [975, 1351]; Papua New Guinea (br); Singapore (int, br) [791] CITES Identification Manual Reference:				A-218.002.001.004
<i>Cacatua goffini</i> (Finsch, 1863)	I	A	LR/nt	548, 562, 593, 595, 713, 1254, 1410
E: Goffin's Cockatoo, Tanimbar Cockatoo, Tanimbar Corella, F: Cacatoès de Goffin, S: Cacatúa de Goffin Indonesia (br) [393]: Lesser Sunda Is, Moluccas CITES Identification Manual Reference:				A-218.002.001.005

<i>Cacatua haematuropygia</i> (Müller, 1776)	I	A	CR	593, 595, 713, 1254
E: Philippine Cockatoo, Red-vented Cockatoo, F: Cacatoès à ventre rouge, Cacatoès des Philippines, S: Cacatúa de cola sangrante Philippines (br) [5270, 10364]				
CITES Identification Manual Reference:			A-218.002.001.006	
<i>Cacatua leadbeateri</i> (Vigors, 1831)	II	B		595, 713, 1254, 1288
E: Leadbeater's Cockatoo, Major Mitchell's Cockatoo, Pink Cockatoo, F: Cacatoès de Leadbeater, S: Cacatúa de Leadbeater, Cacatúa Inca Australia (br) [477]				
CITES Identification Manual Reference:			A-218.002.001.007	
<i>Cacatua moluccensis</i> (Gmelin, 1788)	I	A	VU	593, 595, 713, 1254, 1410
E: Moluccan Cockatoo, Salmon-crested Cockatoo, F: Cacatoès à huppe rouge, Cacatoès des Moluques, S: Cacatúa de las Molucas Indonesia (br) [393]: Moluccas; Singapore (int, br) [791]				
CITES Identification Manual Reference:			A-218.002.001.008	
<i>Cacatua ophthalmica</i> Sclater, 1864	II	B		593, 713, 1254
E: Blue-eyed Cockatoo, F: Cacatoès à oeil bleu, Cacatoès aux yeux bleus, S: Cacatúa oftálmica Papua New Guinea (br): Bismarck Archipelago				
CITES Identification Manual Reference:			A-218.002.001.009	
<i>Cacatua pastinator</i> (Gould, 1841)	II	B		595, 713, 9325
Synonym: <i>Cacatua tenuirostris pastinator</i> (Gould, 1841)				
E: Western Corella, F: Cacatoès à lores rouges, Cacatoès aux yeux nus, Cacatoès laboureur, S: Cacatúa de pico afilado Australia (br) [477]				
CITES Identification Manual Reference:			A-218.002.001.010	
<i>Cacatua sanguinea</i> Gould, 1843	II	B		713, 1288
E: Bare-eyed Cockatoo, Little Cockatoo, Little Corella, F: Cacatoès corella Australia (br) [477]; ?Indonesia (br) [393]: Irian Jaya; ?Papua New Guinea (br); Singapore (int, br) [791]				
<i>Cacatua sulphurea</i> (Gmelin, 1788)	II	B	CR	593, 595, 713, 1410
E: Lesser Sulphur-crested Cockatoo, Yellow-crested Cockatoo, F: Cacatoès soufré, Petit cacatoès à huppe jaune Hong Kong (int, br); Indonesia (br) [393, 549, 550]: Bali, Jawa, Lesser Sunda Is, Sulawesi; Singapore (int, br) [791]				
CITES Identification Manual Reference:			A-218.002.001.011	
<i>Cacatua tenuirostris</i> (Kuhl, 1820)	II	B		713, 1288, 7867
E: Long-billed Corella, F: Cacatoès à bec gracile, Cacatoès nasique, S: Cacatúa de pico afilado anaranjada Australia (br) [477]				
CITES Identification Manual Reference:			A-218.002.001.012	

<i>Callocephalon fimbriatum</i> (Grant, 1803)	II	B	713, 1288
E: Gang-gang Cockatoo, F: Cacatoès à tête rouge, Cacatoès casqué, S: Cacatúa de cabeza roja, Gan-Gan			
Australia (br) [477]			
CITES Identification Manual Reference:		A-218.002.002.001	
<i>Calyptorhynchus banksii</i> (Latham, 1790)	II	B	713, 1254, 1288, 9325, 9326
Synonym: <i>Calyptorhynchus magnificus</i> Shaw, 1790			
E: Red-tailed Black-Cockatoo, F: Cacatoès banksien, Cacatoès de Banks, S: Cacatúa de cola roja, Cacatúa negra de cola roja			
Australia (br) [477]			
CITES Identification Manual Reference:		A-218.002.003.004	
<i>Calyptorhynchus baudinii</i> Lear, 1832	II	B	LR/nt 595, 713, 1254, 1288
Synonym: <i>Calyptorhynchus funereus baudinii</i> Lear, 1832			
E: Long-billed Black-Cockatoo, White-tailed Black-Cockatoo, White-tailed Black-cockatoo, F: Cacatoès de Baudin			
Australia (br) [477]			
<i>Calyptorhynchus funereus</i> (Shaw, 1794)	II	B	713, 1288
E: Yellow-tailed Black-Cockatoo, F: Cacatoès à oreilles blanches, Cacatoès à oreilles jaunes, Cacatoès funèbre, S: Cacatúa negra de cola amarilla			
Australia (br) [477]			
CITES Identification Manual Reference:		A-218.002.003.002	
<i>Calyptorhynchus lathami</i> (Temminck, 1807)	II	B	595, 713, 1288, 9325
E: Glossy Black-Cockatoo, Glossy Black-cockatoo, F: Cacatoès à tête brune, Cacatoès de Latham, S: Cacatúa negra de Latham			
Australia (br) [477]			
CITES Identification Manual Reference:		A-218.002.003.003	
<i>Calyptorhynchus latirostris</i> Carnaby, 1948	II	B	EN 595, 713, 9325
E: Short-billed Black-Cockatoo, Slender-billed Black-Cockatoo, Slender-billed Black-cockatoo, F: Cacatoès à rectrices blanches			
Australia (br) [477]			
<i>Chalcopsitta atra</i> (Scopoli, 1786)	II	B	713, 1242
E: Black Lory, F: Lori noir, S: Lori negro			
Indonesia (br) [393]: Irian Jaya			
<i>Chalcopsitta cardinalis</i> (Gray, 1849)	II	B	713
E: Cardinal Lory, F: Lori cardinal, S: Lori cardenal			
Papua New Guinea (br); Solomon Islands (br) [5260]			
<i>Chalcopsitta duivenbodei</i> (Dubois, 1884)	II	B	713, 1254
E: Brown Lory, Duyvenbode's Lory, F: Lori de Duyvenbode, S: Lori pardo			
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			

<i>Chalcopsitta scintillata</i> Temminck, 1835	II	B	713
E: Greater Streaked Lory, Yellow-streaked Lory, F: Lori flamméché, S: Lori chispeado Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
<i>Charmosyna amabilis</i> (Ramsay, 1875)	II	B	EN 595, 713, 1254
E: Red-throated Lorikeet, F: Lori à gorge rouge, S: Lori gorgirrojo Fiji (br) [1171]			
<i>Charmosyna diadema</i> (Verreaux & Des Murs, 1860)	II	B	CR 595, 713, 1254, 6985
E: New Caledonian Lorikeet, F: Lori à diadème, Lori de Nouvelle-Calédonie, S: Lori diadema New Caledonia (ex?, br) [5260]			
<i>Charmosyna josefinae</i> (Finsch, 1873)	II	B	713, 1242
E: Josephine's Lorikeet, Josephine's Lory, F: Lori de Joséphine, S: Lori de Josefina Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
<i>Charmosyna margarethae</i> Tristram, 1879	II	B	LR/nt 595, 713
E: Duchess Lorikeet, F: Lori de Margaret, Lori de Marguerite, S: Lori de Margarita Papua New Guinea (br); Solomon Islands (br) [5260]			
<i>Charmosyna meeki</i> (Rothschild & Hartert, 1901)	II	B	LR/nt 713
E: Meek's Lorikeet, F: Lori de Meek, S: Lori de Meek Papua New Guinea (br); Solomon Islands (br) [5260]			
<i>Charmosyna multistriata</i> (Rothschild, 1911)	II	B	LR/nt 595, 713, 1242, 1254
E: Streaked Lorikeet, Striated Lorikeet, F: Lori strié, S: Lori estriado Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
<i>Charmosyna palmarum</i> (Gmelin, 1788)	II	B	VU 595, 713
E: Palm Lorikeet, F: Lori des palmiers, S: Lori palmero Solomon Islands (br) [5260]; Vanuatu (br) [5260]			
<i>Charmosyna papou</i> (Scopoli, 1786)	II	B	713, 1242
E: Papuan Lorikeet, F: Lori de Papouasie, Lori papou, S: Lori rabilargo Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
<i>Charmosyna placensis</i> (Temminck, 1834)	II	B	713
E: Red-flanked Lorikeet, F: Lori coquet, Lori croquet, Lori splendide, S: Lori flanquirrojo Indonesia (br) [393]: Irian Jaya, Moluccas; Papua New Guinea (br)			
<i>Charmosyna pulchella</i> Gray, 1859	II	B	713
E: Fairy Lorikeet, Little Red Lorikeet, F: Lori féérique, S: Lori lindo Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			

<i>Charmosyna rubrigularis</i> (Sclater, 1881)	II	B	713, 1242, 1254
E: Red-chinned Lorikeet, F: Lori à menton rouge, S: Lori barbirrojo Papua New Guinea (br): Bismarck Archipelago			
<i>Charmosyna rubronotata</i> (Wallace, 1862)	II	B	713, 1242
E: Red-fronted Lorikeet, Red-spotted Lorikeet, F: Lori à front rouge, S: Lori frentirrojo Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
<i>Charmosyna toxopei</i> (Siebers, 1930)	II	B CR	595, 713, 758, 1254
E: Blue-fronted Lorikeet, F: Lori de Buru, Lori de l'île Buru, S: Lori de Buru Indonesia (br) [393, 1410]: Moluccas			
<i>Charmosyna wilhelminae</i> (Meyer, 1874)	II	B	713
E: Pygmy Lorikeet, Wilhelmina's Lorikeet, F: Lori de Wilhelmina, S: Lori pigmeo Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
<i>Coracopsis nigra</i> (Linnaeus, 1758)	II	B	713, 931
Synonym: <i>Coracopsis barklyi</i> Newton, 1867			
E: Black Parrot, F: Perroquet noir, Perroquet petit vasa, S: Loro negro Comoros (br) [659]; Madagascar (br) [633, 5249]; Seychelles (br) [659]			
<i>Coracopsis vasa</i> (Shaw, 1812)	II	B	713
E: Vasa Parrot, F: Perroquet vaza, Vasa géant, S: Loro vasa Comoros (br) [659]; Madagascar (br) [633, 5249]			
<i>Cyanoliseus patagonus</i> (Vieillot, 1818)	II	B	713, 1068, 1142
E: Burrowing Parakeet, Patagonian Conure, F: Conure de Patagonie, S: Loro barranquero Argentina (br) [465, 5291, 10249]; Chile (br) [5292]; Falkland Islands (Malvinas) (v) [1439]; Uruguay (br) [5287]			
<i>Cyanopsitta spixii</i> (Wagler, 1832)	I	A CR	595, 598, 632, 713, 794, 903, 904, 905, 906, 907, 914, 931, 1068, 1144, 1194, 1254, 1343
E: Little Blue Macaw, Spix's Macaw, F: Ara à face grise, Ara de Spix, S: Guacamayito azul, Guacamayo de Spix Brazil (br) [6186]			
CITES Identification Manual Reference:			A-218.003.017.001

CITES EC Reg. RL References

Cyanoramphus auriceps (Kuhl, 1820) II B LR/nt 595, 713, 1073, 1326, 1327

E: Yellow-crowned Parakeet, Yellow-fronted Kakariki, Yellow-fronted Parakeet,
F: Perruche à front jaune, Perruche à tête d'or, S: Perico maori cabecigualdo
New Zealand (br) [1351]

Cyanoramphus forbesi Rothschild, 1893 I A EN 595, 713, 931, 1073, 1326

Synonym: *Cyanoramphus auriceps forbesi* Rothschild, 1893
E: Chatham Island Yellow-fronted Parakeet, Forbes's Kakariki, Forbes's Parakeet,
F: Perruche à front jaune de Forbes, Perruche à tête d'or de Forbes, Perruche des îles
Chatham, S: Cacatúa de Forbes, Perico de las Chatham, Periquito frentiamarillo de
Forbes
New Zealand (br) [1351]: Chatham Is
CITES Identification Manual Reference: A-218.003.018.002b

Cyanoramphus malherbi Souancé, 1857 II B EN 6950

E: Malherbe's Parakeet, Orange-fronted Parakeet, F: Perruche de Malherbe, S: Perico
maori montano
New Zealand (br) [1351]

Cyanoramphus novaezelandiae (Sparrman, 1787) I A -/ 713, 931, 1326,
EN/NT 7776

Synonyms: *Cyanoramphus saisseti* Verreaux & Des Murs, 1860, *Cyanoramphus cookii*
(Gray, 1859)
E: New Zealand Parakeet, Red-crowned Parakeet, Red-fronted Kakariki, Red-fronted
Parakeet, F: Perruche à bandeau rouge, Perruche de Nouvelle-Zélande, Perruche de
Sparrman, S: Perico maori cabecirrojo, Periquito cabecirrojo
Australia (br) [477]: Lord Howe I (ex, br), Macquarie I (ex, br); New Caledonia
(br) [5260, 10250]; New Zealand (br) [1351]; Norfolk Island (br)
CITES Identification Manual Reference: A-218.003.018.004

Cyanoramphus unicolor (Lear, 1831) II B VU 595, 713, 1254,
1326, 1425

E: Antipodes Green Parakeet, Antipodes Parakeet, F: Perruche des Antipodes,
Perruche unicolore, S: Perico de las Antípodas
New Zealand (br) [1351]: Antipodean Is

Cyclopsitta diophthalma (Hombron & Jacquinot, 1841) I/II A/B 713, 1254, 1288

Synonyms: *Oropsitta diophthalma*, *Psittaculirostris diophthalma* (Hombron &
Jacquinot, 1841)
E: Double-eyed Fig-Parrot, Dwarf Fig-Parrot, F: Perroquet masqué, Psittacule double-
oeil, S: Lorito dobleojo
Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

CITES Appendix II populations

II B

Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6951]

<i>Cyclopsitta diophthalma coxeni</i> Gould, 1867	I	A	713, 9325
Synonym: <i>Oropsitta diophthalma coxeni</i>			
E: Coxen's Blue-browed Fig Parrot, Coxen's Double-eyed Fig-Parrot, Coxen's Two-eyed Fig Parrot, F: Perroquet masqué de Coxen, Psittacule à double-oeil de Coxen, S: Lorito de Coxen, Lorito emmascarado de Coxen			
Australia (br) [477]			
CITES Identification Manual Reference:		A-218.003.041.002b	
<i>Cyclopsitta gulielmitertii</i> (Schlegel, 1866)	II	B	713
Synonym: <i>Oropsitta gulielmitertii</i>			
E: Orange-breasted Fig-Parrot, F: Psittacule à poitrine orange, S: Lorito pechinaranja			
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
<i>Deroptyus accipitrinus</i> (Linnaeus, 1758)	II	B	713, 1068, 1142
E: Hawk-headed Parrot, Red-fan Parrot, F: Papegeai maillé, S: Loro cacique			
Brazil (br) [6186, 6402]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349, 10252]; Guyana (br) [1295, 8615]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]			
<i>Diopsittaca nobilis</i> (Linnaeus, 1758)	II	B	713, 1068, 1142
Synonym: <i>Ara nobilis</i> (Linnaeus, 1758)			
E: Hahn's Macaw, Noble Macaw, Red-shouldered Macaw, F: Ara noble, Petit perruche-ara, S: Guacamayo enano, Guacamayo noble			
Bolivia (br) [1186]; Brazil (br) [6186, 6690]; ?French Guiana (br?) [1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]			
<i>Eclectus roratus</i> (Müller, 1776)	II	B	713, 1288
E: Eclectus Parrot, F: Grand Éclectus, S: Loro ecléctico			
Australia (br) [477]; Indonesia (br) [393]: Irian Jaya, Lesser Sunda Is, Moluccas; Palau (int, br) [1171]; Papua New Guinea (br); Solomon Islands (br) [5260]			
<i>Enicognathus ferrugineus</i> (Müller, 1776)	II	B	713, 1068, 1142
E: Austral Conure, Austral Parakeet, F: Conure magellanique, Perruche émeraude, S: Cotorra austral, Cotorra cachaña			
Argentina (br) [5291, 10249]; Chile (br) [5292]; Falkland Islands (Malvinas) (v) [1439]			
<i>Enicognathus leptorhynchus</i> (King, 1831)	II	B	595, 713, 1068, 1142, 1254
E: Slender-billed Conure, Slender-billed Parakeet, F: Conure à long bec, Perruche à bec gracile, S: Cotorra choroy			
Chile (br) [5292, 7164]			
<i>Eolophus roseicapillus</i> (Vieillot, 1817)	II	B	713, 1288, 7806
Synonym: <i>Cacatua roseicapilla</i> Vieillot, 1817			
E: Galah, Roseate Cockatoo, F: Cacatoès rosalbin, S: Cacatúa rosada			
Australia (br) [477]			
CITES Identification Manual Reference:		A-218.002.004.001	
<i>Eos bornea</i> (Linnaeus, 1758)	II	B	713, 1254, 7729
Synonym: <i>Eos rubra</i> (Gmelin, 1788)			
E: Moluccan Lory, Red Lory, F: Lori écarlate, S: Lori rojo			
Indonesia (br) [393]: Moluccas			

<i>Eos cyanogenia</i> Bonaparte, 1850	II	B	VU	595, 713, 1242, 1254
E: Biak Red Lory, Black-winged Lory, F: Lori à joues bleues, S: Lori alinegro Indonesia (br) [393]: Irian Jaya				
<i>Eos histrio</i> (Müller, 1776)	I	A	EN	595, 713, 1254, 1410, 6886
E: Red-and-blue Lory, F: Lori arlequin, S: Lori de Sangir Indonesia (br) [393]: Sulawesi				
<i>Eos reticulata</i> (Müller, 1841)	II	B	LR/nt	548, 595, 713, 1254, 1410
E: Blue-streaked Lory, F: Lori réticulé, S: Lori de las Tanimbar Indonesia (br) [393]: Lesser Sunda Is, Moluccas				
<i>Eos semilarvata</i> Bonaparte, 1850	II	B		595, 713, 1254, 1410
E: Blue-eared Lory, F: Lori masqué, S: Lori de Seram Indonesia (br) [393]: Moluccas				
<i>Eos squamata</i> (Boddaert, 1783)	II	B		713, 958, 1242
E: Moluccan Red Lory, Violet-necked Lory, F: Lori écaillé, S: Lori escamoso Indonesia (br) [393]: Irian Jaya, Moluccas				
<i>Eunymphicus cornutus</i> (Gmelin, 1788)	I	A	EN	595, 713, 931, 1254
Synonym: <i>Eunymphicus uvaeensis</i> (Layard & Layard, 1882) E: Horned Parakeet, F: Perruche cornue, Perruche huppée, S: Perico cornudo New Caledonia (br) [5260]				
<i>Forpus coelestis</i> (Lesson, 1847)	II	B		713, 1068, 1142
E: Celestial Parrotlet, Pacific Parrotlet, F: Toui céleste, S: Cotorrita de Piura, Periquito del Pacífico Ecuador (br) [5294]; Peru (br) [1136]				
<i>Forpus conspicillatus</i> (Lafresnaye, 1848)	II	B		713, 1068, 1142
E: Spectacled Parrotlet, F: Toui à lunettes, S: Cotorrita de Anteojos, Periquito ojiazul Colombia (br) [837]; Panama (br) [1195]; Venezuela (br) [1070]				
<i>Forpus crassirostris</i> (Taczanowski, 1883)	II	B		713, 1068, 1142, 6656
Synonym: <i>Forpus xanthopterygius</i> (Spix, 1824) E: Blue-winged Parrotlet, F: Toui de Spix, S: Catita enana, Cotorrita aliazul, Periquito aliazul Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Paraguay (br) [814, 5295]; Peru (br) [1136]				
<i>Forpus cyanopygius</i> (Souancé, 1856)	II	B		387, 713, 1142
E: Blue-rumped Parrotlet, Mexican Parrotlet, F: Toui du Mexique, S: Cotorrita Mexicana, Periquito mexicano Mexico (br) [5241]				

<i>Forpus passerinus</i> (Linnaeus, 1758)	II	B	713, 1068, 1142
E: Green-rumped Parrotlet, F: Perruche aux ailes bleues, Toui été, S: Cotorrita culiverde, Periquito			
Barbados (int, br) [485, 5242]; Brazil (br) [6186]; Colombia (br) [837]; French Guiana (br) [1349]; Guyana (br) [1295]; Jamaica (int, br) [485, 657]; Netherlands Antilles (br); Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]			
<i>Forpus sclateri</i> (Gray, 1859)	II	B	713, 1068
E: Dusky-billed Parrotlet, Sclater's Parrotlet, F: Toui de Sclater, S: Cotorrita de Sclater, Periquito obscuro			
Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Peru (br) [1136]; Venezuela (br) [1070]			
<i>Forpus xanthops</i> (Salvin, 1895)	II	B	VU 595, 598, 713, 1068, 1201, 1254, 6862
E: Yellow-faced Parrotlet, F: Toui à tête jaune, S: Cotorrita carigualda			
Peru (br) [1136, 6680]			
<i>Geoffroyus geoffroyi</i> (Bechstein, 1811)	II	B	713, 1242, 1288
E: Red-cheeked Parrot, F: Perruche de Geoffroy, S: Lorito carirrojo			
Australia (br) [477]; Indonesia (br) [393, 1410]; Irian Jaya, Lesser Sunda Is, Moluccas; Papua New Guinea (br)			
<i>Geoffroyus heteroclitus</i>	II	B	713, 1242, 1254
(Hombron & Jacquinot, 1841)			
E: Singing Parrot, F: Perruche hétéroclite, S: Lorito heteróclito			
Papua New Guinea (br); Solomon Islands (br) [5260]			
<i>Geoffroyus simplex</i> (Meyer, 1874)	II	B	713, 1242
E: Blue-collared Parrot, F: Perruche à col bleu, S: Lorito acollarado			
Indonesia (br) [393]; Irian Jaya; Papua New Guinea (br)			
<i>Geopsittacus occidentalis</i> Gould, 1861	I	A	CR 595, 713, 931, 1057, 1288, 9325
Synonym: <i>Pezoporus occidentalis</i>			
E: Night Parrot, F: Perruche nocturne, S: Cacatúa nocturna, Loro nocturno, Perico nocturno			
Australia (ex?, br) [477]			
CITES Identification Manual Reference:			A-218.003.025.001
<i>Glossopsitta concinna</i> (Shaw, 1791)	II	B	713, 1288
E: Musk Lorikeet, F: Lori à bandeau rouge, Lori musc, S: Lori almizclero			
Australia (br) [477]			
<i>Glossopsitta porphyrocephala</i>	II	B	713, 1288
(Dietrichsen, 1837)			
E: Purple-crowned Lorikeet, F: Lori à couronne pourpre, S: Lori coronipúrpura			
Australia (br) [477]			
<i>Glossopsitta pusilla</i> (Shaw, 1790)	II	B	713, 1288
E: Little Lorikeet, F: Lori à masque rouge, Petit lori musc, S: Lori carirrojo			
Australia (br) [477]			

<i>Graydidascalus brachyurus</i> (Kuhl, 1820)	II	B	713, 1068, 1142
E: Short-tailed Parrot, F: Caïque à queue courte, S: Lorito colicorto, Loro colicorto Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]			
<i>Guarouba guarouba</i> (Gmelin, 1788)	I	A	EN 595, 598, 713, 931, 1068, 1118, 1142, 1271
Synonym: <i>Aratinga guarouba</i> (Gmelin, 1788) E: Golden Conure, Golden Parakeet, Queen of Bavaria's Conure, F: Conure de la Reine de Bavière, Conure dorée, Guarouba, Perruche dorée, S: Aratinga guaruba, Cacatúa dorada, Cotorra amarilla Brazil (br) [6186]			
CITES Identification Manual Reference: A-218.003.009.011			
<i>Hapalopsittaca amazonina</i> (Des Murs, 1845)	II	B	EN 595, 598, 713, 931, 1068, 1142, 1194, 1254
E: Rusty-faced Parrot, F: Caïque à face rouge, S: Lorito amazonino, Perico multicolor Colombia (br) [837]; Ecuador [5294]; Venezuela (br) [1070, 6239]			
<i>Hapalopsittaca fuertesi</i> (Chapman, 1912)	II	B	CR 595, 598, 713, 1254
Synonym: <i>Hapalopsittaca amazonina fuertesi</i> E: Fuertes's Parrot, Indigo-winged Parrot, F: Caïque de Fuertes, S: Lorito de Fuertes Colombia (br) [837]			
<i>Hapalopsittaca melanotos</i> (Lafresnaye, 1847)	II	B	713, 1068, 1142, 1254
E: Black-eared Parrot, Black-winged Parrot, F: Caïque à ailes noires, S: Lorito alinegro Bolivia (br) [1186, 5116, 6346]; Peru (br) [1136]			
<i>Hapalopsittaca pyrrhops</i> (Salvin, 1876)	II	B	VU 595, 598, 713, 1254, 7054
Synonym: <i>Hapalopsittaca amazonina pyrrhops</i> E: Red-faced Parrot, F: Caïque de Salvin, S: Lorito ecuatoriano Ecuador (br) [5294, 6200, 6317, 6318, 6389]; Peru (br) [1136]			
<i>Lathamus discolor</i> (White, 1790)	II	B	EN 595, 713, 1254, 1288, 9325
E: Swift Parrot, F: Perruche de Latham, S: Periquito migrador Australia (br) [477]			
<i>Leptosittaca branickii</i>	II	B	VU 595, 598, 713, 1068, 1142, 1194, 1254
Berlepsch & Stolzmann, 1894 E: Golden-plumed Conure, Golden-plumed Parakeet, F: Conure à pinceaux d'or, Perruche de Branicki, S: Aratinga de pinceles Colombia (br) [837, 1097, 6683]; Ecuador (br) [5294, 6334, 6389]; Peru (br) [1136]			
<i>Loriculus amabilis</i> Wallace, 1862	II	B	713
E: Moluccan Hanging-Parrot, F: Coryllis des Moluques, S: Lorículo amable Indonesia (br) [393]: Moluccas			

<i>Loriculus aurantiifrons</i> Schlegel, 1873	II	B	713, 1242
E: Orange-fronted Hanging-Parrot, Papuan Hanging-Parrot, F: Coryllis à front orange, S: Lorículo papú			
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
<i>Loriculus berylinus</i> (Forster, 1781)	II	B	381, 713
E: Ceylon Hanging-Parrot, Sri Lanka Hanging-Parrot, F: Coryllis de Ceylan, S: Lorículo de Ceilán			
Sri Lanka (br) [5271]			
<i>Loriculus catamene</i> Schlegel, 1873	II	B	EN 595, 713, 1254, 1410
Synonym: <i>Loriculus amabilis catamene</i>			
E: Sangihe Hanging-Parrot, Sangihe Hanging-parrot, F: Coryllis des Sangi, S: Lorículo de la Sangihe			
Indonesia (br) [393]: Sulawesi			
<i>Loriculus exilis</i> Schlegel, 1866	II	B	LR/nt 713, 1254, 1410
E: Green Hanging-Parrot, Pygmy Hanging-Parrot, Red-billed Hanging-Parrot, F: Coryllis vert, S: Lorículo exiguo			
Indonesia (br) [393, 7262]: Sulawesi			
<i>Loriculus flosculus</i> Wallace, 1864	II	B	EN 595, 713, 1254, 1410
E: Flores Hanging-Parrot, Wallace's Hanging-Parrot, Wallace's Hanging-parrot, F: Coryllis de Wallace, S: Lorículo de Flores			
Indonesia (br) [393]: Lesser Sunda Is			
<i>Loriculus galgulus</i> (Linnaeus, 1758)	II	B	713, 929
E: Blue-crowned Hanging-Parrot, Blue-topped Hanging-Parrot, F: Coryllis à tête bleue, Loriculus malais, S: Lorículo coroniazul			
Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Singapore (br) [791]; Thailand (br) [487, 1220]			
<i>Loriculus philippensis</i> (Müller, 1776)	II	B	713, 1140
E: Colasisi, Philippine Hanging-Parrot, F: Coryllis des Philippines, S: Lorículo Filipino Philippines (br) [5270]			
<i>Loriculus pusillus</i> Gray, 1859	II	B	LR/nt 595, 713, 1254
E: Yellow-throated Hanging-Parrot, Yellow-throated Hanging-parrot, F: Coryllis à gorge jaune, S: Lorículo de Java			
Indonesia (br) [393]: Bali, Jawa			
<i>Loriculus sclateri</i> Wallace, 1863	II	B	
E: Sula Hanging-Parrot, F: Coryllis del Sula, S: Lorículo de las Sula			
Indonesia (br): Sulawesi			
<i>Loriculus stigmarus</i> (Müller, 1843)	II	B	713, 1410
E: Black-billed Hanging-Parrot, Maroon-rumped Hanging-Parrot, Sulawesi Hanging- Parrot, F: Coryllis des Célèbes, S: Lorículo de Célebes			
Indonesia (br) [393, 7262]: Sulawesi			

Loriculus tener Sclater, 1877 II B LR/nt 595, 713

Synonym: *Loriculus stigmatus tener*

E: Green-fronted Hanging-Parrot, Green-fronted Hanging-parrot, F: Coryllis des

Bismarck, S: Lorículo de las Bismarck

Papua New Guinea (br): Bismarck Archipelago

Loriculus vernalis (Sparrman, 1787) II B 381, 713, 929

E: Vernal Hanging-Parrot, F: Coryllis vernal, S: Lorículo vernal

Bangladesh (br) [804]; Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

Lorius albidiinuchus II B LR/nt 595, 713, 1242,

(Rothschild & Hartert, 1924) 1254, 7806

E: White-naped Lory, F: Lori à nuque blanche, S: Lori nuquiblanco

Papua New Guinea (br): Bismarck Archipelago

Lorius chlorocercus Gould, 1856 II B 713, 1254

E: Yellow-bibbed Lory, F: Lori à collier jaune, S: Lori acollarado

Solomon Islands (br) [5260]

Lorius domicella (Linnaeus, 1758) II B VU 595, 713, 958,

1254, 1410

Synonym: *Lorius tibialis* Sclater, 1871

E: Purple-capped Lory, Purple-naped Lory, F: Lori des dames, S: Lori damisela

Indonesia (br) [393]: Moluccas

Lorius garrulus (Linnaeus, 1758) II B EN 595, 713, 958,

1254

E: Chattering Lory, Yellow-backed Lory, F: Lori noira, S: Lori górrulo

Indonesia (br) [393]: Moluccas

Lorius hypoinochrous Gray, 1859 II B 713, 1242

E: Eastern Black-capped Lory, Purple-bellied Lory, F: Lori à ventre violet, S: Lori ventrivenoso

Papua New Guinea (br): Papua New Guinea, Bismarck Archipelago

Lorius lory (Linnaeus, 1758) II B 713, 1242

E: Black-capped Lory, Western Black-capped Lory, F: Lori des Moluques, Lori tricolore, S: Lori tricolor

Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

Micropsitta bruijnii (Salvadori, 1875) II B 713, 1242

E: Red-breasted Pygmy-Parrot, F: Micropsitte de Bruijn, Perruche pygmée de Bruijn, S: Microloro pechirrojo

Indonesia (br) [393]: Irian Jaya, Moluccas; Papua New Guinea (br) [6924]; Solomon Islands (br) [5260]

Micropsitta finschii (Ramsay, 1881) II B 713, 1242

E: Finsch's Pygmy-Parrot, F: Micropsitte de Finsch, S: Microloro de Finsch

Papua New Guinea (br); Solomon Islands (br) [5260]

<i>Micropsitta geelvinkiana</i> (Schlegel, 1871)	II	B	LR/nt 595, 713, 1242
E: Geelvink Pygmy-Parrot, Geelvink Pygmy-parrot, F: Micropsitte de Geelvink, Perruche pygmée de Schlegel, S: Micoloro de Geelvink Indonesia (br) [393]: Irian Jaya			
<i>Micropsitta keiensis</i> (Salvadori, 1875)	II	B	713
E: Yellow-capped Pygmy-Parrot, F: Micropsitte pygmée, Perruche pygmée de Salvadori, S: Micoloro de las Kai Indonesia (br) [393]: Irian Jaya, Moluccas; Papua New Guinea (br)			
<i>Micropsitta meeki</i> Rothschild & Hartert, 1924	II	B	713, 1242, 1254
E: Meek's Pygmy-Parrot, F: Micropsitte de Meek, Perruche pygmée de Meek, S: Micoloro de Meek Papua New Guinea (br): Bismarck Archipelago			
<i>Micropsitta pusio</i> (Sclater, 1866)	II	B	713, 1242
E: Buff-faced Pygmy-Parrot, F: Micropsitte à tête fauve, Perruche pygmée de Sclater, S: Micoloro pusio Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
<i>Myiopsitta luchsi</i> (Finsch, 1868)	II	B	
E: Cliff Parakeet, F: Conure des rochers, S: Cotorra Boliviana Bolivia (br)			
<i>Myiopsitta monachus</i> (Boddaert, 1783)	II	B	713, 1068, 1142
E: Grey-breasted Parakeet, Monk Parakeet, Quaker Parakeet, F: Conure veuve, Perruche-souris, S: Catita común, Cotorra Argentina Argentina (br) [5291, 10249]; Bahamas (ex, int) [5242]; Bolivia (br) [1186]; Brazil (br) [6186]; Cayman Islands (int, br); Guadeloupe (int, br) [5242]; Paraguay (br) [5295]; Puerto Rico (int, br) [1176]; Slovakia (int, br) [8725]; Spain (int, br) [702, 975]; United States (int, br) [387, 975]; Uruguay (br) [5287]; Virgin Islands (U.S.) (int, v)			
<i>Nandayus nenday</i> (Vieillot, 1823)	II	B	713, 1068, 1142
E: Black-headed Conure, Black-headed Parakeet, Nanday Conure, Nanday Parakeet, F: Conure nanday, Perruche Nanday, S: Aratinga ñanday, Cotorra cabecinegra Argentina (br) [5291, 10249]; Bolivia [6986]; Brazil (br) [6186]; Paraguay (br) [5295]; United States (int, br) [387]			
<i>Nannopsittaca dachilleae</i>	II	B	LR/nt 595
O'Neil, Munn & Franke, 1991			
E: Amazonian Parakeet, Amazonian Parrotlet, F: Toui de D'Achille, S: Cotorrita amazónica Bolivia (br) [6372]; Brazil [8666]; Peru (br) [1136]			
<i>Nannopsittaca panychlora</i>	II	B	713, 1068, 1142
(Salvin & Godman, 1883)			
E: Tepui Parakeet, Tepui Parrotlet, F: Toui des tépuis, S: Chirica, Cotorrita tepuí ?Brazil (br?) [6186]; Guyana (br) [1295]; Venezuela (br) [1070, 8231]			

CITES EC Reg. RL References

<i>Neophema chrysogaster</i> (Latham, 1790)	I	A	CR	525, 526, 595, 713, 931, 994, 1254, 1288, 9325
E: Orange-bellied Parakeet, Orange-bellied Parrot, F: Perruche à lunettes vertes, Perruche à ventre orange, S: Cacatúa de vientre naranja, Loro ventrinaranja, Periquito ventrinaranja Australia (br) [477, 885]				
CITES Identification Manual Reference:				A-218.003.039.003
<i>Neophema chrysostoma</i> (Kuhl, 1820)	II	B		713, 1288
E: Blue-winged Grass-Parakeet, Blue-winged Parrot, F: Perruche à bouche d'or, S: Periquito crisóstomo Australia (br) [477]				
<i>Neophema elegans</i> (Gould, 1837)	II	B		713, 1288
E: Elegant Grass-Parakeet, Elegant Parrot, F: Perruche élégante, S: Periquito elegante Australia (br) [477]				
<i>Neophema petrophila</i> (Gould, 1841)	II	B		713, 1288
E: Rock Parrot, F: Perruche des écueils, Perruche des rochers, S: Periquito roquero Australia (br) [477]				
<i>Neophema pulchella</i> (Shaw, 1792)	II	B		595, 713, 931, 1288
E: Turquoise Grass-Parakeet, Turquoise Parrot, F: Perruche turquoisine, S: Periquito turquesa Australia (br) [477]				
<i>Neophema splendida</i> (Gould, 1841)	II	B	LR/nt	595, 713, 931, 1254, 1288
E: Scarlet-chested Parrot, Splendid Grass-Parakeet, F: Perruche à poitrine écarlate, Perruche splendide, S: Periquito espléndido Australia (br) [477]				
<i>Neopsephotus bourkii</i> (Gould, 1841)	II	B		713, 1288
Synonym: <i>Neophema bourkii</i> E: Bourke's Parrot, F: Perruche de Bourke, S: Periquito rosado Australia (br) [477]				
<i>Neopsittacus musschenbroekii</i> (Schlegel, 1871)	II	B		713, 1242
E: Musschenbroek's Lorikeet, Yellow-billed Lorikeet, F: Lori de Musschenbroek, S: Lori montano grande Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Neopsittacus pullicauda</i> Hartert, 1896	II	B		713
E: Emerald Lorikeet, Orange-billed Lorikeet, F: Lori émeraude, S: Lori montano chico Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				

CITES EC Reg. RL References

<i>Nestor meridionalis</i> (Gmelin, 1788)	II	B	VU	454, 595, 713, 1254
E: Kaka, New Zealand Kaka, F: Nestor superbe, S: Kaka New Zealand (br) [1351]				
<i>Nestor notabilis</i> Gould, 1856	II	B	VU	595, 713, 1254
E: Kea, F: Kea, Nestor kéké, S: Kea New Zealand (br) [1351]				
<i>Northiella haematogaster</i> (Gould, 1838)	II	B		713, 1288
Synonym: <i>Psephotus haematogaster</i>				
E: Bluebonnet, F: Perruche à bonnet bleu, S: Perico cariazul Australia (br) [477]				
<i>Ognorhynchus icterotis</i> (Massena & Souancé, 1854)	I	A	CR	595, 598, 713, 931, 1068, 1142, 1194, 1254
E: Yellow-eared Conure, Yellow-eared Parrot, F: Conure à joues d'or, Conure à oreilles jaunes, Perruche aux oreilles jaunes, S: Aratinga orejigualda, Periquito orejiamarillo Colombia (br) [837, 6683, 6756]; Ecuador (br) [5294, 6863] CITES Identification Manual Reference:				A-218.003.040.001
<i>Oreopsittacus arfaki</i> (Meyer, 1874)	II	B		713, 1242
E: Plum-faced Lorikeet, Whiskered Lorikeet, F: Lori bridé, Lori des montagnes, S: Lori bigotudo Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [7109]				
<i>Orthopsittaca manilata</i> (Boddaert, 1783)	II	B		713, 1068, 1142
Synonym: <i>Ara manilata</i> (Boddaert, 1783)				
E: Red-bellied Macaw, F: Ara macavouanne, S: Guacamayo barriga roja, Guacamayo ventrirrojo Bolivia (br) [1186]; Brazil (br) [6186, 7118]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070, 6290]				
<i>Pezoporus wallicus</i> Kerr, 1792	I	A		595, 713, 931, 1254, 1288, 9325, 9326
E: Ground Parakeet, Ground Parrot, Swamp Parakeet, F: Perruche de terre, Perruche terrestre, S: Cacatúa terrera, Perico terrestre, Periquito de tierra Australia (br) [477] CITES Identification Manual Reference:				A-218.003.042.001
<i>Phigys solitarius</i> (Suckow, 1800)	II	B		713, 1171
E: Collared Lory, F: Lori des Fidji, Lori solitaire des îles Fidji, S: Lori solitario Fiji (br) [1171]				
<i>Pionites leucogaster</i> (Kuhl, 1820)	II	B		713, 1068, 1142
E: White-bellied Caique, White-bellied Parrot, F: Caïque à ventre blanc, S: Lorito rubio Bolivia (br) [1186]; ?Brazil (br?) [6186]; Peru (br) [1136]				

<i>Pionites melanocephala</i> (Linnaeus, 1758)	II	B	713, 1068, 1142
E: Black-headed Caique, Black-headed Parrot, F: Caïque maïpourri, S: Lorito chirlecrés, Perico calzoncito			
Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [810, 5296]; Venezuela (br) [1070]			
<i>Pionopsitta barrabandi</i> (Kuhl, 1820)	II	B	713, 1068, 1142
E: Barraband's Parrot, Orange-cheeked Parrot, F: Caïque de Barraband, S: Lorito carinaranja, Perico cachete amarillo			
Bolivia (br) [1135, 1186, 6372]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070, 7126]			
<i>Pionopsitta caica</i> (Latham, 1790)	II	B	713, 1068, 1142
E: Caica Parrot, F: Caïque à tête noire, S: Lorito caica, Perico cabecinegro			
Brazil (br) [6186]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070]			
<i>Pionopsitta haematotis</i>	II	B	387, 713, 1142
(Sclater & Salvin, 1860)			
E: Brown-hooded Parrot, F: Caïque à capuchon, S: Lorito encapuchado, Loro orejirrojo			
Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1311]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]			
<i>Pionopsitta pileata</i> (Scopoli, 1769)	I	A	595, 713, 1068, 1142, 1254
E: Pileated Parrot, Red-capped Parrot, F: Caïque mitré, Perroquet à oreilles, S: Cúiu cúiu, Lorito carirrojo, Lorito orejudo, Lorito pileado			
Argentina (br) [5291, 10249]; Brazil (br) [6186]; Paraguay (br) [5295]			
CITES Identification Manual Reference:		A-218.003.044.005	
<i>Pionopsitta pulchra</i> Berlepsch, 1897	II	B	713, 1068, 1142
E: Beautiful Parrot, Rose-faced Parrot, F: Caïque à joues roses, S: Lorito carirrosado, Loro cachirrosa			
Colombia (br) [837]; Ecuador [5294]			
<i>Pionopsitta pyrilia</i> (Bonaparte, 1853)	II	B	387, 713, 1068, 1142, 1254
E: Saffron-headed Parrot, F: Caïque de Bonaparte, S: Lorito cabecigualdo, Perico cabecidorado			
Colombia (br) [837]; ?Panama (br) [1195]; Venezuela (br) [1070, 6304]			
<i>Pionopsitta vulturina</i> (Kuhl, 1820)	II	B	713, 1068, 1142
Synonym: <i>Gyropsitta vulturina</i> (Kuhl, 1820)			
E: Vulturine Parrot, F: Caïque vautourin, S: Lorito vulturino			
Brazil (br) [6186]			
<i>Pionus chalcopterus</i> (Fraser, 1841)	II	B	387, 713, 1142
E: Bronze-winged Parrot, F: Pione noire, S: Cotorra negra, Loro alibronceado			
Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136, 8616]; Venezuela (br) [1070]			
<i>Pionus fuscus</i> (Müller, 1776)	II	B	713, 1068, 1142
E: Dusky Parrot, F: Pione violette, S: Cotorra morada, Loro morado			
Brazil (br) [6186]; Colombia (br) [837]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070]			

<i>Pionus maximiliani</i> (Kuhl, 1820)	II	B	713, 1068, 1142
E: Scaly-headed Parrot, F: Pione de Maximilien, S: Loro choclero Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Paraguay (br) [5295]			
<i>Pionus menstruus</i> (Linnaeus, 1766)	II	B	387, 713, 1068, 1142
E: Blue-headed Parrot, Red-vented Parrot, F: Pione à tête bleue, S: Cotorra cabeciazul, Loro cabeciazul Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 6351]; French Guiana (br) [1349]; Guyana (br) [1295]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]			
<i>Pionus senilis</i> (Spix, 1824)	II	B	387, 713, 1068, 1142
E: White-capped Parrot, White-crowned Parrot, F: Pione à couronne blanche, S: Loro caroniblanco, Loro senil Belize (br) [5241]; Costa Rica (br) [1311]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]			
<i>Pionus sordidus</i> (Linnaeus, 1758)	II	B	713, 1068, 1142
E: Red-billed Parrot, F: Pione à bec rouge, S: Loro piquirrojo, Perico pico rojo Bolivia (br) [1186]; Colombia (br) [837]; Ecuador (br) [5294, 6351]; Peru (br) [1136]; Venezuela (br) [1070]			
<i>Pionus tumultuosus</i> (Tschudi, 1844)	II	B	713, 1068, 1142
Synonym: <i>Pionus seniloides</i> Massena & Souancé, 1854 E: Plum-crowned Parrot, F: Pione pailletée, S: Cotorra cabeciblanca, Loro tumultuoso Bolivia (br) [1186, 7166]; Colombia (br) [837, 10120]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]			
<i>Platycercus adelphe</i> Gould, 1841	II	B	713
E: Adelaide Parakeet, Adelaide Rosella, F: Perruche d'Adélaïde, S: Perico de Adelaida Australia (br)			
<i>Platycercus adscitus</i> (Latham, 1790)	II	B	713, 1288
E: Mealy Rosella, Pale-headed Rosella, F: Perruche à tête pâle, Perruche palliceps, S: Perico pálido Australia (br) [477]; United States (int, br) [387]			
<i>Platycercus caledonicus</i> (Gmelin, 1788)	II	B	713, 1288, 9326
E: Green Rosella, Tasmanian Rosella, F: Perruche à ventre jaune, Perruche calédonienne, S: Perico de Tasmania Australia (br) [477]			
<i>Platycercus elegans</i> (Gmelin, 1788)	II	B	713, 1288
E: Crimson Rosella, Pennant's Parakeet, F: Perruche de Pennant, S: Perico elegante Australia (br) [477]; New Zealand (int, br) [1351]; Norfolk Island (br)			
<i>Platycercus eximius</i> (Shaw, 1792)	II	B	713, 1288
E: Eastern Rosella, Golden-mantled Rosella, F: Perruche omnicolore, S: Perico multicolor Australia (br) [477]; New Zealand (int, br) [1351]			

<i>Platycercus flaveolus</i> Gould, 1837	II	B	713, 1288
E: Yellow Rosella, F: Perruche flavéole, S: Perico gualda Australia (br) [477]			
<i>Platycercus icterotis</i> (Kuhl, 1820)	II	B	713, 1288
E: Stanley Parakeet, Western Rosella, F: Perruche à oreilles jaunes, Perruche de Stanley, S: Perico carigualdo Australia (br) [477]			
<i>Platycercus venustus</i> (Kuhl, 1820)	II	B	713, 1288
E: Northern Rosella, F: Perruche gracieuse, S: Perico gracioso Australia (br) [477]			
<i>Poicephalus crassus</i> (Sharpe, 1884)	II	B	713, 723, 1256, 1292
E: Niam-niam Parrot, F: Perroquet des niam-niam, S: Lorito niam-niam Central African Republic (br?) [555, 659]; Chad (br?) [659]; Democratic Republic of the Congo (br?); Sudan (br?) [659]			
<i>Poicephalus cryptoxanthus</i> (Peters, 1854)	II	B	511, 573, 713, 723, 1292
E: Brown-headed Parrot, F: Perroquet à tête brune, S: Lorito cabecipardo Kenya (br) [5253]; Malawi (br) [1103]; Mozambique (br?) [659]; South Africa (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Zimbabwe (br) [659]			
<i>Poicephalus flavifrons</i> (Rüppell, 1845)	II	B	713, 723, 894, 1292
E: Yellow-fronted Parrot, F: Perroquet à face jaune, S: Lorito carigualdo Ethiopia (br) [659]			
<i>Poicephalus gulielmi</i> (Jardine, 1849)	II	B	511, 713, 723, 1256, 1292
E: Jardine's Parrot, Red-crowned Parrot, Red-fronted Parrot, F: Perroquet à calotte rouge, Perroquet vert à calotte rouge, Perroquet vert du Congo, S: Lorito frentirrojo, Papagayo de Gulielm Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br) [782, 7856]; Kenya (br) [5253]; Liberia (br) [5246]; Nigeria [7101]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]			
<i>Poicephalus meyeri</i> (Cretzschmar, 1827)	II	B	511, 573, 713, 723, 1256, 1292
E: Brown Parrot, Meyer's Parrot, F: Perroquet de Meyer, S: Lorito de Meyer Angola (br) [5267]; Botswana (br) [1102]; Burundi (br) [659]; Central African Republic (br) [659]; Chad (br) [659]; Democratic Republic of the Congo (br?); Eritrea (br?) [659]; Ethiopia (br) [659]; Kenya (br) [5253]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br?) [659]; Rwanda (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			

<i>Poicephalus robustus</i> (Gmelin, 1788)	II	B	713, 723, 1254, 7735
E: Brown-necked Parrot, Cape Parrot, F: Perroquet du Cap, Perroquet robuste, S: Lorito robusto, Papagayo robusto			
Angola (br?) [5267]; Botswana (br?) [1102]; Burundi (br) [659]; ?Cameroon [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Gambia (br) [760]; Ghana (br) [782]; Guinea (v?); Guinea-Bissau (br) [659, 715]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (v) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (v) [659]; Sierra Leone (v) [659]; South Africa (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			
<i>Poicephalus rueppellii</i> (Gray, 1849)	II	B	573, 713, 723, 1292
E: Rueppell's Parrot, F: Perroquet de Rüppell, S: Lorito de Rüppell, Rüppell's Parrot			
Angola (br) [5267]; Namibia (br) [659]			
<i>Poicephalus rufiventris</i> (Rüppell, 1845)	II	B	511, 713, 723, 1254, 1292
E: African Orange-bellied Parrot, Red-bellied Parrot, F: Perroquet à ventre rouge, S: Lorito ventrirrojo			
Ethiopia (br) [659]; Kenya (br) [5253]; Somalia (br) [5252]; ?Tanzania, United Republic of (br) [659]			
<i>Poicephalus senegalus</i> (Linnaeus, 1766)	II	B	713, 723, 1254, 1256, 1292
E: Senegal Parrot, F: Perroquet à tête grise, Perroquet youyou, Youyou, S: Lorito Senegalés, Papagayo senegalés			
Benin (br?) [659]; Burkina Faso (br) [659, 1345, 7154]; Cameroon (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 715]; Liberia (int, br?) [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone [659]; Togo (br) [5254]			
<i>Polytelis alexandrae</i> Gould, 1863	II	B	LR/nt 595, 713, 1254, 1288
E: Alexandra's Parrot, Princess of Wales Parakeet, Princess Parrot, F: Perruche à calotte bleue, Perruche d'Alexandra, Perruche princesse, S: Perico princesa			
Australia (br) [477]			
<i>Polytelis anthopeplus</i> (Lear, 1831)	II	B	713, 1288, 7121, 9325
E: Regent Parrot, Rock Pebbler, F: Perruche mélanure, S: Perico regente			
Australia (br) [477]			
<i>Polytelis swainsonii</i> (Desmarest, 1826)	II	B	VU 595, 713, 1254, 1288, 9326
E: Barraband Parakeet, Green Leek Parrot, Superb Parrot, F: Perruche de Barraband, S: Perico soberbio			
Australia (br) [477]			
<i>Prioniturus discurus</i> (Vieillot, 1818)	II	B	595, 713, 1254
E: Blue-crowned Racquet-tail, Palawan Racket-tailed Parrot, F: Palette à couronne bleue, S: Lorito-momoto coroniazul			
Philippines (br) [5270]			

<i>Prioniturus flavicans</i> Cassin, 1853	II	B	LR/nt	595, 713, 1254, 1410, 9324
E: Yellow-breasted Racquet-tail, Yellowish-breasted Racquet-tail, F: Palette de Cassin, S: Lorito-momoto amarillento Indonesia (br) [393, 7262]: Sulawesi				
<i>Prioniturus luconensis</i> Steere, 1890	II	B	VU	595, 713, 1254
E: Green Racquet-tail, Green-crowned Racket-tailed Parrot, Green-headed Racket-tailed Parrot, F: Palette verte, S: Lorito-momoto de Luzón Philippines (br) [5270]				
<i>Prioniturus mada</i> Hartert, 1900	II	B		595, 713, 1254, 1410
E: Buru Racquet-tail, F: Palette de Buru, S: Lorito-momoto de Buru Indonesia (br) [393]: Moluccas				
<i>Prioniturus montanus</i> Ogilvie-Grant, 1895	II	B	LR/nt	595, 713
E: Luzon Racquet-tail, Montane Racquet-tail, F: Palette momot, S: Lorito-momoto montano Philippines (br) [5270]				
<i>Prioniturus platenae</i> Blasius, 1888	II	B	VU	595
Synonym: <i>Prioniturus discurus platenae</i> E: Blue-headed Racquet-tail, F: Palette de Palawan, S: Lorito-momoto de Palawan Philippines (br) [5270]				
<i>Prioniturus platurus</i> (Vieillot, 1818)	II	B		713, 1410
E: Golden-mantled Racquet-tail, F: Palette à manteau d'or, S: Lorito-momoto dorsidorado Indonesia (br) [393, 7262]: Sulawesi				
<i>Prioniturus verticalis</i> Sharpe, 1893	II	B	EN	595
Synonym: <i>Prioniturus discurus verticalis</i> E: Blue-winged Racquet-tail, F: Palette des Sulu, S: Lorito-momoto de las Sulu Philippines (br) [5270, 10364]				
<i>Prioniturus waterstradti</i> Rothschild, 1904	II	B	LR/nt	595
Synonym: <i>Prioniturus montanus waterstradti</i> E: Mindanao Racquet-tail, F: Palette de Mindanao, S: Lorito-momoto de Mindanao Philippines (br) [5270]				
<i>Probosciger aterrimus</i> (Gmelin, 1788)	I	A		595, 713, 1288
E: Palm Cockatoo, F: Cacatoès noir, Microglosse noir, S: Cacatúa enlutada Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) CITES Identification Manual Reference: A-218.002.005.001				
<i>Propyrrhura auricollis</i> (Cassin, 1853)	II	B		713, 1068, 1142, 7774
Synonyms: <i>Primolius auricollis</i> (Cassin, 1853), <i>Ara auricollis</i> Cassin, 1853 E: Golden-collared Macaw, Yellow-collared Macaw, F: Ara à collier jaune, Ara à nuque d'or, S: Guacamayo acollarado, Maracana cuellidorada Argentina (br) [465, 5291, 10249]; Bolivia (br) [1186, 6415]; Brazil (br) [6186]; Paraguay (br) [5295]				

<i>Propyrrhura couloni</i> (P. L. Sclater, 1876)	I	A	713, 1068, 1142, 7774
Synonyms: <i>Primolius couloni</i> (P. L. Sclater, 1876), <i>Ara couloni</i> P. L. Sclater, 1876 E: Blue-headed Macaw, F: Ara de Coulon, S: Guacamayo cabeciazul Bolivia (br) [1135, 1186, 6372]; ?Brazil (br?) [6186]; Peru (br) [1136]			
<i>Propyrrhura maracana</i> (Vieillot, 1816)	I	A	VU 595, 713, 1068, 1142, 1254, 7774
Synonyms: <i>Ara maracana</i> (Vieillot, 1816), <i>Primolius maracana</i> (Vieillot, 1816) E: Blue-winged Macaw, Illiger's Macaw, F: Ara d'ILLiger, Ara miracana, S: Guacamayo de Illiger, Guacamayo maracaná, Maracana dorsirroja Argentina (ex, br) [465, 5291, 10249]; Brazil (br) [6186, 8634]; Paraguay (br) [5295]			
<i>Prosopeia personata</i> (Gray, 1848)	II	B	VU 595, 713, 1254
E: Masked Shining-Parrot, Masked Shining-parrot, F: Perruche masquée, S: Papagayo enmascarado Fiji (br) [1171]			
<i>Prosopeia splendens</i> (Peale, 1848)	II	B	VU 595, 713, 1254, 7152
Synonym: <i>Prosopeia tabuensis splendens</i> E: Crimson Shining-Parrot, Crimson Shining-parrot, F: Perruche écarlate, S: Papagayo escarlata Fiji (br) [1171]			
<i>Prosopeia tabuensis</i> (Gmelin, 1788)	II	B	713
E: Red Shining-Parrot, F: Perruche pompadour, S: Papagayo granate Fiji (br) [1171]; Tonga (br) [1171]			
<i>Psephotus chrysoterygius</i> Gould, 1858	I	A	EN 595, 713, 931, 1254, 1288, 1397, 9325
E: Golden-shouldered Parrot, F: Perruche à ailes d'or, Perruche à épaules dorées, Perruche aux ailes d'or, S: Cacatúa de alas doradas, Loro hombroamarillo, Perico aligualdo, Periquito de espalda dorada Australia (br) [477] CITES Identification Manual Reference: A-218.003.051.002a			
<i>Psephotus dissimilis</i> Collett, 1898	I	A	595, 713, 931, 1254
Synonym: <i>Psephotus chrysoterygius dissimilis</i> E: Hooded Parrot, F: Perruche à capuchon, Perruche à capuchon noir, S: Perico capirogado, Periquito encapuchado Australia (br) [477] CITES Identification Manual Reference: A-218.003.051.002b			
<i>Psephotus haematonotus</i> (Gould, 1838)	II	B	713, 1288
E: Red-rumped Parrot, F: Perruche à croupion rouge, Perruche à dos rouge, S: Perico dorsirrojo Australia (br) [477]			

<i>Psephotus pulcherrimus</i> (Gould, 1845)	I	A	EX	595, 713, 931, 1254, 1288, 6985
E: Beautiful Parakeet, Paradise Parrot, F: Perruche de paradis, Perruche magnifique, S: Cacatúa del paraíso, Loro del paraíso, Perico del Paraíso Australia (ex?, br) [477]				
CITES Identification Manual Reference:			A-218.003.051.005	
<i>Psephotus varius</i> Clark, 1910	II	B		713, 1288
E: Many-coloured Parakeet, Mulga Parrot, F: Perruche à croupion rouge, Perruche multicolore, S: Perico variado Australia (br) [477]				
<i>Pseudeos fuscata</i> (Blyth, 1858)	II	B		713
E: Dusky Lory, F: Lori orange sombre, Lori sombre, S: Lori sombrio Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Psilopsiagon aurifrons</i> (Lesson, 1830)	II	B		713, 1068, 1142
Synonym: <i>Bolborhynchus aurifrons</i> (Lesson, 1830) E: Golden-fronted Parakeet, Mountain Parakeet, F: Toui à bandeau jaune, S: Catita frentidorada, Catita serrana verde Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Chile (br) [5292]; Peru (br) [1136]				
<i>Psilopsiagon aymara</i> (d'Orbigny, 1839)	II	B		713, 1068, 1142
Synonym: <i>Bolborhynchus aymara</i> (d'Orbigny, 1839) E: Grey-hooded Parakeet, Sierra Parakeet, F: Perruche d'Aymara, Toui aymara, S: Catita aimará, Catita serrana común Argentina (br) [5291, 10249]; Bolivia (br) [1186]; ?Chile (br) [5292]				
<i>Psittacula brehmii</i> Schlegel, 1873	II	B		713, 1242
E: Brehm's Tiger-Parrot, F: Perruche de Brehm, S: Lorito-tigre de Brehm Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Psittacula madaraszi</i> Meyer, 1886	II	B		713, 1242
E: Madarasz's Tiger-Parrot, F: Perruche de Madarasz, S: Lorito-tigre de Madarasz Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Psittacula modesta</i> Schlegel, 1873	II	B		713, 1242
E: Modest Tiger-Parrot, F: Perruche modeste, S: Lorito-tigre modesto Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Psittacula picta</i> Rothschild, 1896	II	B		713
E: Painted Tiger-Parrot, F: Perruche peinte, S: Lorito-tigre pintado Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Psittacula alexandri</i> (Linnaeus, 1758)	II	B		381, 713, 929
E: Moustached Parakeet, Red-breasted Parakeet, F: Perruche à moustaches, S: Cotorra pechirroja Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; China (br) [5293]; Hong Kong (v); India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br); Myanmar (br) [1290]; Nepal (br) [865]; Singapore (int, br) [791]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]				

<i>Psittacula calthropae</i> (Blyth, 1849)	II	B	381, 713, 1254
E: Emerald-collared Parakeet, Layard's Parakeet, F: Perruche de Layard, S: Cotorra de ceilán Sri Lanka (br) [5271]			
<i>Psittacula caniceps</i> (Blyth, 1846)	II	B	LR/nt 381, 595, 713, 1254
E: Blyth's Parakeet, Nicobar Parakeet, F: Perruche des Nicobar, S: Cotorra de Nicobar India (br) [1197]: Nicobar Is			
<i>Psittacula columbooides</i> (Vigors, 1830)	II	B	381, 713, 1254
E: Malabar Parakeet, F: Perruche de Malabar, S: Cotorra de Malabar India (br) [1197]			
<i>Psittacula cyanocephala</i> (Linnaeus, 1766)	II	B	381, 713
E: Plum-headed Parakeet, F: Perruche à tête prune, S: Cotorra ciruela Bangladesh (br) [804]; India (br) [1197]; Nepal (br) [865]; Pakistan (br); Sri Lanka (br) [5271]			
<i>Psittacula derbiana</i> (Fraser, 1852)	II	B	381, 595, 713, 1254
E: Derbyan Parakeet, F: Perruche de Derby, S: Cotorra de Derby China (br) [5293]; India (br) [1197]			
<i>Psittacula echo</i> (Newton & Newton, 1876)	I	A	CR 401, 595, 597, 713
Synonyms: <i>Psittacula eques echo</i> , <i>Psittacula krameri echo</i> , <i>Psittacula eques</i> E: Mauritius Parakeet, Mauritius Ring-necked Parakeet, F: Grosse cateau verte de Maurice, Perruche à collier de Maurice, Perruche de l'île Maurice, Perruche de Maurice, S: Cacatúa del collar de Mauricio, Cotorra de Mauricio Mauritius (br) [659] CITES Identification Manual Reference: A-218.003.053.008			
<i>Psittacula eupatria</i> (Linnaeus, 1766)	II	B	381, 713, 841, 929
E: Alexandrine Parakeet, F: Perruche alexandre, S: Cotorra alejandrina Afghanistan (br) [694]; Bangladesh (br) [804]; Bhutan (br?) [5261]; Cambodia (br) [5243]; India (br) [1197]; Iran (Islamic Republic of) (int, br) [1253]; Kuwait (int, br) [537]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Saudi Arabia (int, br) [881]; Sri Lanka (br) [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]; Yemen (int, br) [5297]			
<i>Psittacula finschii</i> (Hume, 1874)	II	B	713
Synonym: <i>Psittacula himalayana finschii</i> E: Grey-headed Parakeet, F: Perruche de Finsch, S: Cotorra de Finsch Bangladesh (br) [804]; Cambodia (br) [5243]; China (br) [1069, 5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]			
<i>Psittacula himalayana</i> (Lesson, 1832)	II	B	381, 713, 929
E: Slaty-headed Parakeet, F: Perruche à tête ardoisée, Perruche de l'Himalaya, S: Cotorra del Himalaya Afghanistan (br) [694]; Bhutan (br) [5261]; India (br) [1197]; Nepal (br) [865]; Pakistan (br)			

<i>Psittacula intermedia</i> (Rothschild, 1895)	II	B	381, 595, 713, 1232, 7775
E: Intermediate Parakeet, Rothschild's Parakeet, F: Perruche intermédiaire, S: Cotorra intermedia India (br) [1197]			
<i>Psittacula krameri</i> (Scopoli, 1769)	III GH	C	381, 511, 611, 713, 723, 841, 929, 1256, 1292
E: Ring-necked Parakeet, Rose-ringed Parakeet, F: Perruche à collier, Perruche à collier, S: Cotorra de Kramer, Cotorra de Kramer, Loro rabudo collar, Periquito de collar africano Afghanistan (br) [694]; Austria (int, br) [1215]; Bahrain (int, br) [1105]; Bangladesh (br) [804]; Belgium (int, br) [5272]; Benin (br?) [659]; Bhutan (br?) [5261]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; ?Cape Verde (v) [820]; Central African Republic (br?) [659]; Chad (br) [659]; China (br?) [5293]; Côte d'Ivoire (br) [1334]; Cuba (int, v) [8654]; Djibouti (br?) [427]; Egypt (int, br) [756]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Germany (int, br) [5274]; Ghana (br?) [782]; Guinea (br?); Guinea-Bissau (br) [659, 715]; Hong Kong (int, br); India (br) [1197]; Iran (Islamic Republic of) (int, br) [1253]; Iraq (int, br) [385, 10169, 10177]; Israel (int, br) [5245]; Italy (int, br) [5289]; Japan (int, br) [503]; Jordan (int, br) [395, 7871]; Kenya (int, br) [5253]; Kuwait (int, br) [537]; Lebanon (int, br) [5284]; Liberia (int?, br?) [5246]; Macao (int, br); Maldives (int, br) [7264]; Mali (br) [659]; Mauritania (br) [659]; Mauritius (int, br) [659]; Myanmar (br) [1290]; Nepal (br) [865]; Netherlands (int, br) [5273]; Niger (br?) [659]; Nigeria (br); Oman (int, br); Pakistan (br); Portugal (int, br) [1332]; Portugal (int, br); Puerto Rico (int) [8662]; Qatar (int, br) [1393]; Saudi Arabia (int, br) [881]; Senegal (br) [659]; Sierra Leone (br?) [659]; Singapore (int, br) [791]; Slovenia (int, br) [1038]; Somalia (v) [5252]; South Africa (int, br) [659]; Spain (int, br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Togo (br) [5254]; Turkey (int, br) [5282]; Uganda (br?) [659]; United Arab Emirates (int, br) [1192]; United Kingdom (int, br) [6188]; United States (int, br) [387]; Venezuela (int, br) [6720]; Viet Nam (br) [5264]; Yemen (int, br) [5297]			
CITES Identification Manual Reference:			A-218.003.053.013
<i>Psittacula longicauda</i> (Boddaert, 1783)	II	B	LR/nt 381, 713, 929
E: Long-tailed Parakeet, Pink-cheeked Parakeet, F: Perruche à longs brins, S: Cotorra colilarga Brunei Darussalam (br); India (br) [1197]; Indonesia (br) [393]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Singapore (br) [791]; Viet Nam (br) [5264]			
<i>Psittacula roseata</i> Biswas, 1951	II	B	381, 713, 929
E: Blossom-headed Parakeet, F: Perruche à tête rose, S: Cotorra carirrosa Bangladesh (br) [804]; Cambodia (br) [5243]; ?China (br?) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]			
<i>Psittaculirostris desmarestii</i> (Desmarest, 1826)	II	B	713, 1242
E: Desmarest's Fig-Parrot, Golden-headed Fig-Parrot, Large Fig-Parrot, F: Psittacule de Desmarest, S: Lorito de Desmarest Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6924]			
<i>Psittaculirostris edwardsii</i> (Oustalet, 1885)	II	B	713
E: Edwards's Fig-Parrot, F: Psittacule d'Edwards, S: Lorito de Edwards Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			

<i>Psittaculirostris salvadorii</i> (Oustalet, 1880)	II	B	VU	452, 595, 713, 1242, 1254
E: Salvadori's Fig-Parrot, Salvadori's Fig-parrot, F: Psittacule de Salvadori, S: Lorito de Salvadori Indonesia (br) [393]: Irian Jaya				
<i>Psittacus erithacus</i> Linnaeus, 1758	II	B		511, 713, 723, 1256, 1292
E: Grey Parrot, F: Jacko, Jacquot, Perroquet gris, Perroquet jaco, S: Loro yaco, Yaco Angola (br) [5267]; Benin (br) [659, 7855]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659]; Equatorial Guinea, Bioko; Gabon (br) [659]; Ghana (br) [782, 7856]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 715]; Kenya (br?) [5253]; Liberia (br?) [5246]; Mali (br) [659]; Nigeria (br) [7827]; Rwanda (br) [659]; São Tomé and Príncipe (br) [659]; Sierra Leone (br?) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]				
<i>Psitteuteles goldiei</i> Sharpe, 1882	II	B		713
Synonym: <i>Trichoglossus goldiei</i> E: Goldie's Lorikeet, F: Loriquet de Goldie, S: Lori de Goldie Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Psitteuteles iris</i> (Temminck, 1835)	II	B	LR/nt	595, 713
Synonym: <i>Trichoglossus iris</i> E: Iris Lorikeet, Iris Lory, F: Loriquet iris, S: Lori iris Indonesia (br) [393]: Lesser Sunda Is				
<i>Psitteuteles versicolor</i> Lear, 1831	II	B		713, 1288
Synonym: <i>Trichoglossus versicolor</i> E: Varied Lorikeet, F: Loriquet versicolore, S: Lori versicolor Australia (br) [477]				
<i>Psittinus cyanurus</i> (Forster, 1795)	II	B	LR/nt	595, 713, 929
E: Blue-rumped Parrot, F: Perruche à croupion bleu, S: Lorito dorsiazul Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan, Sumatera; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Singapore (v) [791]; Thailand (br) [487]; Viet Nam (br) [1220, 5264]				
<i>Psittrichas fulgidus</i> (Lesson, 1830)	II	B	VU	595, 713, 1242, 1254
E: Pesquet's Parrot, Vulturine Parrot, F: Psittrichas de Pesquet, S: Loro aguileño Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6924]				
<i>Purpureicephalus spurius</i> (Kuhl, 1820)	II	B		713, 1288
E: Pileated Parakeet, Red-capped Parrot, F: Perruche à tête pourpre, S: Perico capelo Australia (br) [477]				

CITES EC Reg. RL References

<i>Pyrrhura albipectus</i> Chapman, 1914	II	B	VU	595, 598, 713, 1068, 1142, 1194, 1254
E: White-breasted Parakeet, White-necked Conure, White-necked Parakeet, F: Conure à col blanc, S: Cotorra cuelliblanca, Perico pechiblanco				
Ecuador (br) [5294, 6200]; Peru (v) [10295]				
<i>Pyrrhura calliptera</i> (Massena & Souancé, 1854)				
II	B	VU	595, 598, 713, 1068, 1142, 1194, 1254	
E: Brown-breasted Parakeet, Flame-winged Conure, Flame-winged Parakeet, F: Conure à poitrine brune, S: Cotorra pechiparda				
Colombia (br) [837]				
<i>Pyrrhura cruentata</i> (Wied, 1820)	I	A	VU	595, 598, 713, 931, 1068, 1142, 1194, 1254
E: Blue-chested Parakeet, Blue-throated Parakeet, Ochre-marked Parakeet, Red-eared Conure, F: Conure à gorge bleue, Conure tiriba, Perruche tiriba, S: Cotorra tiriba, Perico grande				
Brazil (br) [6186]				
CITES Identification Manual Reference:	A-218.003.059.004			
<i>Pyrrhura devillei</i> (Massena & Souancé, 1854)	II	B		713, 1068, 1142
E: Blaze-winged Conure, Blaze-winged Parakeet, F: Conure de Deville, S: Cotorra de Deville				
?Bolivia (br) [1186]; Brazil (br) [6186]; Paraguay (br) [5295]				
<i>Pyrrhura egregia</i> (Sclater, 1881)	II	B		713, 1068, 1142
E: Fiery-shouldered Conure, Fiery-shouldered Parakeet, F: Conure aile-de-feu, S: Cotorra egregia, Perico colimorado				
Brazil (br) [6186]; Guyana (br) [1295, 8615]; Venezuela (br) [1070]				
<i>Pyrrhura frontalis</i> (Vieillot, 1818)	II	B		713, 1068, 1142
E: Maroon-bellied Parakeet, Red-bellied Conure, Reddish-bellied Parakeet, F: Conure de Vieillot, S: Chiripepé común, Cotorra chiripepé				
Argentina (br) [5291, 10249]; Brazil (br) [6186]; Paraguay (br) [5295]; Uruguay (br) [5287]				
<i>Pyrrhura hoematotis</i> Souancé, 1857	II	B		713, 1068, 1142
E: Blood-eared Parakeet, Red-breasted Conure, Red-eared Parakeet, F: Conure à oreillons, S: Cotorra colirroja, Perico cola roja				
Venezuela (br) [1070]				
<i>Pyrrhura hoffmanni</i> (Cabanis, 1861)	II	B		387, 713, 1142
E: Hoffmann's Conure, Sulphur-winged Parakeet, F: Conure de Hoffmann, S: Cotorra catana				
Costa Rica (br) [1311]; Panama (br) [1195]				
<i>Pyrrhura lepida</i> (Wagler, 1832)	II	B	LR/nt	595, 713, 1068, 1142, 1194, 6842
E: Pearly Conure, Pearly Parakeet, F: Conure perlée, S: Cotorra perlada				
Brazil (br) [6186]				

<i>Pyrrhura leucotis</i> (Kuhl, 1820)	II	B	713, 1068, 1142, 1254, 6776
Synonyms: <i>Pyrrhura pfrimeri</i> Ribeiro, 1920, <i>Pyrrhura griseipectus</i> Salvadori, 1900			
E: Maroon-faced Parakeet, White-eared Conure, White-eared Parakeet, F: Conure emma, S: Cotorra cariparda, Perico pintado			
Brazil (br) [6186, 7170]; Venezuela (br) [1070]			
<i>Pyrrhura melanura</i> (Spix, 1824)	II	B	713, 1068, 1142
E: Maroon-tailed Conure, Maroon-tailed Parakeet, F: Conure de Souancé, S: Cotorra colinegra, Perico cola negra			
Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]			
<i>Pyrrhura molinae</i> (Massena & Souancé, 1854)	II	B	713, 1068, 1142, 6728
Synonym: <i>Pyrrhura hypoxantha</i> Salvadori, 1899			
E: Green-cheeked Conure, Green-cheeked Parakeet, F: Conure de Molina, S: Chiripepé salteño, Cotorra de Molina			
Argentina (br) [5291, 10249]; Bolivia (br) [1186, 6667]; Brazil (br) [6186]; Paraguay (br) [6238]			
<i>Pyrrhura orcesi</i> Ridgely & Robbins, 1988	II	B	EN 595, 598, 713, 1254
E: El Oro Conure, El Oro Parakeet, F: Conure d'Orcès, S: Cotorra de El Oro, Perico de El Oro			
Ecuador (br) [6360, 9223]			
<i>Pyrrhura perlata</i> (Spix, 1824)	II	B	421, 713, 1068, 1142
Synonym: <i>Pyrrhura rhodogaster</i> (Sclater, 1864)			
E: Crimson-bellied Conure, Crimson-bellied Parakeet, F: Conure à ventre rouge, S: Cotorra ventrirroja			
Bolivia (br) [444, 1186, 6372]; Brazil (br) [6186]			
<i>Pyrrhura picta</i> (Müller, 1776)	II	B	387, 713, 1068, 1142
E: Painted Conure, Painted Parakeet, F: Conure versicolore, S: Cotorra pintada, Perico cabecirrosado			
Bolivia (br) [1186, 7072]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]			
<i>Pyrrhura rhodocephala</i> (Sclater & Salvin, 1871)	II	B	595, 713, 1068, 1142
E: Rose-crowned Conure, Rose-headed Conure, Rose-headed Parakeet, F: Conure tête-de-feu, S: Cotorra coronirroja, Perico cabecirrojo			
Venezuela (br) [1070]			
<i>Pyrrhura rupicola</i> (Tschudi, 1844)	II	B	713, 1068, 1142
E: Black-capped Conure, Black-capped Parakeet, Rock Parakeet, F: Conure à cape noire, S: Cotorra capirotada			
Bolivia (br) [1186]; Brazil (br) [1268, 6186]; Peru (br) [1136]			

CITES EC Reg. RL References

<i>Pyrrhura viridicata</i> Todd, 1913	II	B	EN	595, 713, 1068, 1142
E: Santa Marta Conure, Santa Marta Parakeet, F: Conure des Santa Marta, S: Cotorra de Santa Marta Colombia (br) [837]				
<i>Rhynchopsitta pachyrhyncha</i> (Swainson, 1827)	I	A	EN	387, 595, 598, 713, 931, 940, 966, 967, 993, 1142, 1254
E: Thick-billed Parrot, F: Conure à gros bec, Perruche à gros bec, Perruche ara, S: Cotorra-serrana occidental, Loro piquigordo, Periquito de pico grueso Mexico (br) [5241]; United States (int, br) [387, 897] CITES Identification Manual Reference:				A-218.003.060.001
<i>Rhynchopsitta terrisi</i> Moore, 1947	I	A	VU	387, 595, 598, 713, 931, 970, 1142, 1254
Synonym: <i>Rhynchopsitta pachyrhyncha terrisi</i> E: Maroon-fronted Parrot, F: Conure à front brun, S: Cotorra-serrana oriental Mexico (br) [5241]				
<i>Strigops habroptilus</i> Gray, 1845	I	A	CR	398, 466, 467, 595, 713, 910, 983, 1060, 1073, 1254
E: Kakapo, Owl Parrot, F: Kakapo, Perroquet nocturne, Perroquet-hibou, Strigops kakapo, S: Cacapo, Kakapo New Zealand (br) [1351, 1425] CITES Identification Manual Reference:				A-218.003.064.001
<i>Tanygnathus gramineus</i> (Gmelin, 1788)	II	B	VU	595, 713, 1254, 1410
E: Black-lored Parrot, F: Perruche de Buru, S: Loro de Buru Indonesia (br) [393]: Moluccas				
<i>Tanygnathus lucionensis</i> (Linnaeus, 1766)	II	B	LR/nt	595, 713, 1254
E: Blue-naped Parrot, F: Perroquet à couronne, Perruche à calotte bleue, Perruche de Luçon, S: Loro nuquiazul Indonesia (br) [393, 1410]: Kalimantan, Sulawesi; Malaysia (br): Sabah [759]; Philippines (br) [5270, 10364]				
<i>Tanygnathus megalorynchos</i> 1783)	(Boddaert,	II	B	713, 1254
E: Great-billed Parrot, F: Perruche à bec de sang, S: Loro picogrodo Indonesia (br) [393]: Irian Jaya, Lesser Sunda Is, Moluccas, Sulawesi; Philippines (br) [5270]				
<i>Tanygnathus sumatranus</i> (Raffles, 1822)	II	B		713
Synonym: <i>Tanygnathus heterurus</i> Salvadori, 1912				
E: Azure-rumped Parrot, Blue-backed Parrot, Müller's Parrot, F: Perruche de Müller, S: Loro de Müller Indonesia (br) [393]: Sulawesi; Philippines (br) [5270]				

<i>Touit batavica</i> (Boddaert, 1783)	II	B	713, 1068, 1142
E: Lilac-tailed Parrotlet, Seven-colored Parrotlet, F: Toui à sept couleurs, S: Cotorrita sietecolores, Perico siete colores			
Guyana (br) [1295]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]			
<i>Touit costaricensis</i> (Cory, 1913)	II	B	VU 387, 595, 713, 1254
Synonym: <i>Touit dilectissima costaricensis</i>			
E: Red-fronted Parrotlet, F: Toui du Costa Rica, S: Cotorrita Costarricense Costa Rica (br) [1311]; Panama (br) [1195]			
<i>Touit dilectissima</i> (Sclater & Salvin, 1871)	II	B	713, 1068, 1142
E: Blue-fronted Parrotlet, F: Toui à front bleu, S: Churiquita, Cotorrita cariazul, Periquito frentiazul			
Colombia (br) [837, 9220]; Ecuador (br) [5294]; Panama (br) [1195]; Venezuela (br) [1070]			
<i>Touit huetii</i> (Temminck, 1830)	II	B	713, 1068, 1142
E: Scarlet-shouldered Parrotlet, F: Toui de Huet, S: Cotorrita alirroja, Periquito azul alirrojo			
Bolivia (br) [1135, 1186, 6372]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Guyana (br) [1295]; Peru (br) [1136]; Trinidad and Tobago (ex, br) [703]; Venezuela (br) [1070]			
<i>Touit melanonota</i> (Wied, 1820)	II	B	EN 595, 598, 713, 931, 1068, 1142, 1162, 1194, 1254
E: Black-eared Parrotlet, Brown-backed Parrotlet, F: Toui à dos noir, S: Cotorrita dorsinegra			
Brazil [6186]			
<i>Touit purpurata</i> (Gmelin, 1788)	II	B	713, 1068, 1142
E: Sapphire-rumped Parrotlet, F: Toui à queue pourprée, S: Cotorrita purpurada, Periquito rabadilla púrpura			
Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]			
<i>Touit stictoptera</i> (Sclater, 1862)	II	B	VU 595, 598, 713, 1068, 1142, 1254
E: Spot-winged Parrotlet, F: Toui tacheté, S: Cotorrita alipinta, Periquito alipunteado			
Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136, 6724]			
<i>Touit surda</i> (Kuhl, 1820)	II	B	EN 595, 598, 713, 931, 1068, 1142, 1162, 1194, 1254
E: Golden-tailed Parrotlet, F: Toui à queue d'or, S: Cotorrita sorda			
Brazil (br) [6186]			
<i>Trichoglossus chlorolepidotus</i> (Kuhl, 1820)	II	B	713, 1288
E: Scaly-breasted Lorikeet, F: Loriquet vert, S: Lori escuamiverde			
Australia (br) [477]			
<i>Trichoglossus euteles</i> (Temminck, 1835)	II	B	713, 1254
E: Olive-headed Lorikeet, Perfect Lorikeet, F: Loriquet eutèle, S: Lori humilde			
Indonesia (br) [393]: Lesser Sunda Is			

<i>Trichoglossus flavoviridis</i> Wallace, 1863	II	B	713
E: Meyer's Lorikeet, Yellow-and-green Lorikeet, F: Loriquet jaune et vert, S: Lori verdigualdo			
Indonesia (br) [393, 7262]: Sulawesi			
<i>Trichoglossus haematodus</i> (Linnaeus, 1771)	II	B	713, 1242, 1254, 1288
Synonym: <i>Trichoglossus rubritorquis</i> Vigors & Horsfield, 1827			
E: Green-naped Lorikeet, Rainbow Lorikeet, Rainbow Lory, F: Loriquet à tête bleue,			
S: Lori arcoiris			
Australia (br) [477]; Hong Kong (int, br); Indonesia (br) [393]: Bali, Irian Jaya, Lesser Sunda Is, Moluccas, Sulawesi; New Caledonia (br) [5260]; Papua New Guinea (br); Solomon Islands (br) [5260]; Vanuatu (br) [5260]			
<i>Trichoglossus johnstoniae</i> Hartert, 1903	II	B	LR/nt 595, 713, 1254
E: Johnstone's Lorikeet, Mindanao Lorikeet, F: Loriquet de Johnstone, S: Lori de Mindanao			
Philippines (br) [1166, 5270]			
<i>Trichoglossus ornatus</i> (Linnaeus, 1758)	II	B	713, 1410
E: Ornate Lorikeet, Ornate Lory, F: Loriquet orné, S: Lori adornado			
Indonesia (br) [393, 7262]: Sulawesi			
<i>Trichoglossus rubiginosus</i> (Bonaparte, 1850)	II	B	713
E: Pohnpei Lorikeet, Pohnpei Lory, F: Loriquet de Ponapé, S: Lori de Ponapé			
Micronesia (Federated States of) (br) [1171]: Micronesia Federated States [1171]			
<i>Tricolor malachitacea</i> (Spix, 1824)	II	B	VU 595, 598, 713, 1068, 1142, 1254, 6785
E: Blue-bellied Parrot, Purple-bellied Parrot, F: Crick à ventre bleu, Perruche à ventre bleu, S: Loro ventriazul			
?Argentina [465, 1224, 10249]; Brazil (br) [1252, 1272, 6186]			
<i>Vini australis</i> (Gmelin, 1788)	II	A	713, 1171, 1254
E: Blue-crowned Lorikeet, F: Lori fringillaire, S: Lori de Samoa			
American Samoa (br) [1394]; Fiji (br) [1171]; Niue (br) [1171]; Samoa (br) [1394]; Tonga (br) [1171]; Wallis and Futuna Islands (br)			
<i>Vini kuhlii</i> (Vigors, 1824)	II	A	EN 595, 713, 846, 1171, 1254
E: Kuhl's Lorikeet, Scarlet-breasted Lorikeet, F: Lori de Kuhl, S: Lori de Rimitara			
French Polynesia (br) [1171]; Kiribati (int, br) [503]			
<i>Vini peruviana</i> (Müller, 1776)	II	A	VU 595, 713, 846, 931, 1171, 1254
E: Blue Lorikeet, Tahitian Lorikeet, F: Lori nonnette, S: Lori monjita			
?Cook Islands (br); French Polynesia (br) [1171]			
<i>Vini stepheni</i> (North, 1908)	II	A	VU 595, 713, 1254
E: Henderson Lorikeet, Stephen's Lorikeet, F: Lori de Stephen, S: Lori de Stephen Pitcairn (br)			

Vini ultramarina (Kuhl, 1820) I A EN 410, 595, 713,
846, 931, 1254

E: Ultramarine Lorikeet, Ultramarine Lory, F: Lori ultramarin, S: Lori ultramar
French Polynesia (br) [1171]: Marquesas [1171]

Order: **CUCULIFORMES**
Family: **MUSOPHAGIDAE**

Corythaeola cristata (Vieillot, 1816) III GH B 511, 723, 1256,
1292

E: Blue Plantain-eater, Great Blue Turaco, F: Touraco géant, S: Turaco gigante
Angola (br?) [5267]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic
(br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the
Congo (br); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Gabon
(br) [659]; Ghana (br?) [782]; Guinea (br?) [1183]; Guinea-Bissau (br) [659, 715]; Kenya
(br) [5253]; Liberia (br) [5246]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br?) [659];
Sudan (br?) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda
(br) [659]

Crinifer piscator (Boddaert, 1783) III GH B 723, 1256, 1292

E: Grey Plantain-eater, Western Grey Plantain-eater, F: Touraco gris, S: Turaco de
Crin occidentale, Turaco gris occidental
Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African
Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334];
Democratic Republic of the Congo (br?); Gambia (br) [760]; Ghana (br) [782]; Guinea
(br?) [1389]; Guinea-Bissau (br) [659, 715]; Liberia (br) [5246]; Mali (br) [659]; Mauritania
(br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone (br) [659]; Togo
(br) [5254]

Musophaga porphyreolophia (Vigors, 1831) II B 511, 573, 723,
1292

Synonyms: *Tauraco porphyreolophus*, *Gallirex porphyreolophus*
E: Purple-crested Turaco, Violet-crested Turaco, F: Touraco à huppe pourprée,
Touraco à huppe splendide, Touraco à huppe violette, Touraco violet, S: Turaco
crestimorado, Turaco crestivioleta
Burundi (br) [659]; Kenya (br) [5253]; Malawi (br) [1103]; ?Mozambique (br) [659];
Rwanda (br) [659]; South Africa (br) [659]; Swaziland (br) [1139]; Tanzania, United
Republic of (br?) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Musophaga violacea Isert, 1789 III GH B 1256, 1292

E: Violet Plantain-eater, Violet Turaco, F: Touraco violet, S: Turaco azul, Turaco
violáceo
Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African
Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Gambia (br) [760]; Ghana
(br?) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 715]; Liberia (v) [5246]; Mali
(br?) [659]; Niger (br?) [659]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (v) [659];
Togo (br?) [5254]

Tauraco bannermani (Bates, 1923) II A EN 595, 597, 723,
1009, 1256, 1292

E: Bannerman's Turaco, F: Touraco de Bannerman, Touraco doré, S: Turaco de
Bannerman
Cameroon (br) [659]

<i>Tauraco corythaix</i> (Wagler, 1827)	II	B	573, 723, 931, 1292
Synonym: <i>Tauraco persa corythaix</i>			
E: Helmeted Turaco, Knysna Turaco, F: Touraco louri, Touraco lourie, Touraco vert d'Afrique du Sud, S: Turaco de Knysna, Turaco sudafricano			
Mozambique (br?) [659]; South Africa (br) [659]; Swaziland (br) [1139]			
CITES Identification Manual Reference: A-219.001.005.003a			
<i>Tauraco erythrophthalmus</i> (Vieillot, 1819)	II	B	723
E: Red-crested Turaco, F: Touraco pauline, S: Turaco crestirrojo			
Angola (br) [5267]; ?Cameroon [6295]			
<i>Tauraco fischeri</i> (Reichenow, 1878)	II	B	LR/nt 595, 723, 1292
Synonym: <i>Tauraco corythaix fischeri</i>			
E: Fischer's Turaco, F: Touraco de Fischer, S: Turaco de Fischer			
Kenya (br) [5253]; Somalia (br?) [5252]; Tanzania, United Republic of (br?) [659]			
CITES Identification Manual Reference: A-219.001.005.003b			
<i>Tauraco hartlaubi</i> (Fischer & Reichenow, 1884)	II	B	723
E: Hartlaub's Turaco, F: Touraco de Hartlaub, S: Turaco de Hartlaub			
Kenya (br) [5253]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]			
<i>Tauraco leucolophus</i> (Heuglin, 1855)	II	B	723
E: White-crested Turaco, F: Touraco à huppe blanche, S: Turaco capucha-blanca, Turaco crestiblanco			
Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Democratic Republic of the Congo (br); Kenya (br) [5253]; Nigeria (br); Sudan (br?) [659]; Uganda (br?) [659]			
<i>Tauraco leucotis</i> (Rüppell, 1835)	II	B	723
E: White-cheeked Turaco, F: Touraco à joues blanches, S: Turaco cariblanco			
Eritrea (br) [659]; Ethiopia (br) [659]; Sudan (br?) [659]			
<i>Tauraco livingstonii</i> (Gray, 1864)	II	B	723, 1292
Synonym: <i>Tauraco corythaix livingstonii</i>			
E: Livingstone's Turaco, F: Touraco de Livingstone, S: Touraco de Livingstone, Turaco de Livingstone			
Burundi (br) [659]; Malawi (br) [1103]; Mozambique (br?) [659]; South Africa (br) [659]; Tanzania, United Republic of (br?) [659]; Zimbabwe (br) [659]			
CITES Identification Manual Reference: A-219.001.005.003c			
<i>Tauraco macrorhynchus</i> (Fraser, 1839)	II	B	723, 1256, 1292
E: Black-tip Crested Turaco, Crested Turaco, Verreaux's Turaco, Yellow-billed Turaco, F: Touraco à gros bec, S: Turaco capucha-franjeada, Turaco piquigualdo			
Angola (br?) [5267]; Cameroon (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br?); Liberia (br) [5246]; Nigeria (br?); Sierra Leone (br) [659]			
CITES Identification Manual Reference: A-219.001.005.009			

<i>Tauraco persa</i> (Linnaeus, 1758)	II	B	723, 1256, 1292
Synonym: <i>Tauraco corythaix persa</i>			
E: Guinea Turaco, F: Touraco vert, S: Turaco capucha-verde de Guinea, Turaco de Guinea, Turaco persa			
Angola (br?) [5267]; Benin (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea; Gabon (br) [659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br?) [1183, 1389]; Guinea-Bissau (br) [659, 715]; Liberia (br) [5246]; Mali (br) [659]; Nigeria (br?); Senegal (br?) [659]; Sierra Leone (br) [659]; Togo (br?) [5254]			
CITES Identification Manual Reference: A-219.001.005.003d			
<i>Tauraco ruspolii</i> (Salvadori, 1896)	II	B	VU 595, 597, 723, 1292
E: Prince Ruspoli's Turaco, Ruspoli's Turaco, F: Touraco de Ruspoli, S: Turaco de Ruspoli			
Ethiopia (br) [659]			
<i>Tauraco schalowi</i> (Reichenow, 1891)	II	B	723, 1292
Synonym: <i>Tauraco corythaix schalowi</i>			
E: Schalow's Turaco, F: Touraco de Schalow, S: Turaco de Schalow			
Angola (br) [5267]; Botswana (br?) [1102]; Democratic Republic of the Congo (br); Kenya (br) [5253]; Malawi (br) [1103]; ?Namibia (br) [659]; Tanzania, United Republic of (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			
CITES Identification Manual Reference: A-219.001.005.003e			
<i>Tauraco schuettii</i> (Cabanis, 1879)	II	B	723, 1292
Synonym: <i>Tauraco corythaix schuettii</i>			
E: Black-billed Turaco, F: Touraco à bec noir, S: Turaco de Schuett, Turaco piquinegro			
Angola (br?) [5267]; Burundi (br) [659]; Central African Republic (br?) [659]; Congo (br) [659]; Democratic Republic of the Congo (br); Kenya (br?) [5253]; Rwanda (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]			
CITES Identification Manual Reference: A-219.001.005.012			
Order: STRIGIFORMES			
Family: TYTONIDAE			
<i>Phodilus badius</i> (Horsfield, 1821)	II	B	381, 386, 541, 929
E: Bay Owl, Common Bay-Owl, Oriental Bay-Owl, F: Chouette baie, Phodile calong,			
S: Lechuza baya de Madagascar, Lechuza cornuda			
?Bangladesh (br?) [804]; Brunei Darussalam (br); Cambodia (br) [5243, 6485]; China (br) [5293]; India (br) [1197, 7267]; Indonesia (br) [393]; Bali, Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]; Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; ?Nepal (v) [865]; Philippines (v) [5270]; Singapore (ex, br) [791]; Sri Lanka (br) [5271]; Thailand (br) [487]; Viet Nam (br) [5264]			
CITES Identification Manual Reference: A-220.001.001.002			
<i>Phodilus prigoginei</i> Schouteden, 1952	II	B	EN 386, 541, 576, 595, 597, 9314
E: African Bay Owl, Congo Bay-Owl, Congo Bay-owl, Itombwe Owl, F: Phodile de Prigogine, S: Lechuza del Congo			
Burundi [659]; Democratic Republic of the Congo (br)			
CITES Identification Manual Reference: A-220.001.001.003			

<i>Tyto alba</i> (Scopoli, 1769)	II	A	381, 386, 387, 485, 511, 539, 541, 573, 723, 841, 929, 1068, 1256, 1325
----------------------------------	----	---	---

Synonym: *Tyto detorta* Hartert, 1913

E: Barn Owl, Common Barn-Owl, F: Chouette effraie, Effraie africaine, Effraie des clochers, Effraie des clochers, S: Lechuza Común, Lechuza común, Lechuza de campanario

Albania (br); Algeria (br) [971]; American Samoa (br) [1171, 1394]; Andorra (br) [5239]; Angola (br) [5267]; Argentina (br) [5291, 10249]; Australia (br) [477]; Austria (br) [1215]; Bahamas (br) [5242]; Bahrain (br) [1105]; Bangladesh (br) [804]; Belarus (br); Belgium (br) [5272]; Belize (br) [5241]; Benin (br) [659]; Bermuda (br) [389]; Bolivia (br) [1186]; Bosnia and Herzegovina (br) [1038]; Botswana (br) [1102]; Brazil (br) [6186]; Bulgaria (br) [5280]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cambodia (br) [5243]; Cameroon (br?) [659]; Canada (br) [748, 1308]; Cape Verde (br) [820]; Cayman Islands (br); Central African Republic (br) [659]; Chad (br?) [659]; Chile (br) [873, 5292]; China (br) [5293]; Colombia (br) [837]; Comoros (br?) [659]; Congo (br?) [659]; Costa Rica (br) [1311]; Côte d'Ivoire (br) [1334]; Croatia (br) [5290]; Cuba (br) [5259]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (br?); Denmark (br) [666]; Dominica (br) [5242]; Dominican Republic (br) [1312]; Ecuador (br) [5294]; Ecuador, Galapagos; Egypt (br) [756]; El Salvador (br) [5241]; Equatorial Guinea (br) [659]; Equatorial Guinea, Bioko; Eritrea (br?) [659]; Estonia (v) [5277]; Ethiopia (br) [659]; Falkland Islands (Malvinas) (br?) [1439]; Fiji (br) [1171]; Finland (v) [1300]; France (br) [7041]; France (br), Corse (br); French Guiana (br) [1349]; Gabon (br) [659]; Gambia (br) [760]; Georgia (br); Germany (br) [5274]; Ghana (br) [782]; Gibraltar (br?); Greece (br) [5281]; Grenada (br) [5242]; Guatemala (br) [5241]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 715]; Guyana (br) [1295]; Haiti (br) [1408]; Honduras (br) [1076]; Hungary (br) [5257]; India (br) [1197]; Indonesia (br) [393]; Bali, Jawa, Lesser Sunda Is, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (br) [858]; Israel (br) [5245]; Italy (br) [5289]; Italy (br), Sardegna (br); Jamaica (br) [657]; Jordan (br) [395]; Kenya (br) [5253]; Kuwait (v) [537]; Lao People's Democratic Republic (br) [6187]; Latvia (br) [5278]; Lebanon (br) [5284]; Lesotho (br) [486]; Liberia (br) [5246]; Libyan Arab Jamahiriya [536, 6303]; Liechtenstein (v); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Madagascar (br) [633, 5249]; Malawi (br) [1103]; Malaysia (br); Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Mali (br) [659]; Malta (br); Mauritania (br) [659]; Mayotte (br); Mexico (br) [5241]; Moldova, Republic of (br) [710]; Monaco (br); Morocco (br) [461]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (br) [631, 5273]; Netherlands Antilles (br); New Zealand (v) [1351]; Nicaragua (br) [1195]; Niger (br) [659]; Nigeria (br); Niue (br) [1171]; Norway (v) [5275]; Oman (br); Pakistan (br); Panama (br) [1195]; Papua New Guinea (br); Paraguay (br) [5295]; Peru (br) [1136]; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Azores (ex, br?, v?), Madeira (br); Puerto Rico (v) [1176]; Romania (br) [558]; Rwanda (br) [659]; Saint Vincent and the Grenadines (br) [5242]; Samoa (br) [1171, 1394]; San Marino (br); São Tomé and Príncipe (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Serbia and Montenegro (br) [1038]; Seychelles (int, br) [659, 975]; Sierra Leone (br) [659]; Singapore (br) [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Solomon Islands (br) [5260]; Somalia (br) [5252]; South Africa (br) [659]; South Georgia and the South Sandwich Islands (v) [6835]; Spain (br) [702]; Spain (br), Baleares (br), Canary Is (br); Sri Lanka (br) [5271]; Sudan (br) [659]; Suriname (br) [5296]; Svalbard and Jan Mayen (v); Swaziland (br) [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Tanzania, United Republic of (br?) [659]; Thailand (br) [487, 1220]; Togo (br?) [570, 5254]; Tonga (br) [1171]; Trinidad and Tobago (br) [703]; Tunisia (br) [1344]; Turkey (v) [5282]; Turks and Caicos Islands (br); Uganda (br?) [659]; Ukraine (br) [710]; United Arab Emirates (br) [1192]; United Kingdom (br) [6188]; Great Britain, Channel Is, Isle of Man (br), Northern Ireland; United States (br) [387, 1308];

Uruguay (br) [5287]; Vanuatu (br) [5260]; Venezuela (br) [1070]; Viet Nam (br) [5264]; Wallis and Futuna Islands (br) [1171]; Western Sahara (br); Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-220.001.002.002

Tyto aurantia (Salvadori, 1881) II B DD 386, 541, 595, 1242

E: Bismarck Masked-Owl, Golden Owl, New Britain Masked-Owl, F: Effraie dorée, S: Lechuza dorada

Papua New Guinea (br): Bismarck Archipelago

CITES Identification Manual Reference: A-220.001.002.003

Tyto capensis (Smith, 1834) II B 386, 511, 541, 573, 723, 1256

E: African Grass-Owl, Grass Owl, F: Effraie du Cap, S: Lechuza de El Cabo

Angola (br?) [5267]; Burundi (br?) [659]; Cameroon (br?) [659]; Congo (br?) [659]; Democratic Republic of the Congo (br); Ethiopia (br?) [659, 1354]; Kenya (br) [5253]; Lesotho (br) [486]; Malawi (br) [1103]; Mozambique (br?) [659]; Rwanda (br) [659]; South Africa (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-220.001.002.004

Tyto castanops (Gould, 1837) II B 386, 541

Synonym: *Tyto novaehollandiae castanops*

E: Tasmanian Masked-Owl, F: Effraie de Tasmanie

Australia (br) [477]

Tyto glaucops (Kaup, 1852) II B 386, 387

Synonym: *Tyto alba glaucops*

E: Ashy-faced Owl, F: Effraie d'Hispaniola, S: Lechuza de la Española

Dominican Republic (br) [1312, 6754]; Haiti (br) [1408]

Tyto inexspectata (Schlegel, 1879) II B VU 386, 541, 595, 1410

E: Minahassa Barn-Owl, Minahassa Masked-Owl, Minahassa Masked-owl, Minahassa Owl, F: Effraie de Minahassa, S: Lechuza de Minahassa

Indonesia (br) [393, 6422]: Sulawesi

CITES Identification Manual Reference: A-220.001.002.005

Tyto longimembris (Jerdon, 1839) II B 381, 386, 541, 1242

Synonym: *Tyto capensis longimembris*

E: Eastern Grass-Owl, F: Effraie de prairie, S: Lechuza patilarga

Australia (br) [477]; Bangladesh (ex, br) [804]; China (br) [5293]; Fiji (br) [1171]; ?Hong Kong (v); India (br) [1197]; Indonesia (br) [393]: Irian Jaya, Lesser Sunda Is, Sulawesi; Japan (v) [503, 504]; Myanmar (br) [1290]; Nepal (br) [865]; New Caledonia (br) [5260]; Papua New Guinea (br); Philippines (br) [5270]; Taiwan (br); Viet Nam (br) [5264]

Tyto manusi Rothschild & Hartert, 1914 II B DD 386, 595

Synonym: *Tyto novaehollandiae manusi*

E: Manus Masked-Owl, Manus Masked-owl, F: Effraie de Manus, S: Lechuza de la Manus

Papua New Guinea (br): Bismarck Archipelago

<i>Tyto multipunctata</i> Mathews, 1912	II	B	386, 595
Synonym: <i>Tyto tenebricosa multipunctata</i>			
E: Lesser Sooty-Owl, Lesser Sooty-owl, F: Effraie piquetée, S: Lechuza moteada			
Australia (br) [477]			
<i>Tyto nigrobrunnea</i> Neumann, 1939	II	B EN	386, 541, 595, 1410
E: Sula Barn-Owl, Taliabu Masked-owl, Taliabu Masked-Owl, Taliabu Owl, F: Effraie de			
Taliabu, S: Lechuza de la Taliabu			
Indonesia (br) [393]: Sulawesi			
<i>Tyto novaehollandiae</i> (Stephens, 1826)	II	B	386, 541, 918
E: Australian Masked-Owl, Masked Owl, F: Effraie masquée, S: Lechuza Australiana			
Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
CITES Identification Manual Reference:	A-220.001.002.008		
<i>Tyto rosenbergii</i> (Schlegel, 1866)	II	B	386, 541
E: Sulawesi Owl, F: Effraie des Célèbes, S: Lechuza de Célebes			
Indonesia (br) [393, 7262]: Sulawesi			
CITES Identification Manual Reference:	A-220.001.002.009		
<i>Tyto sororcula</i> (Sclater, 1883)	II	B DD	386, 541, 595, 1410
Synonym: <i>Tyto novaehollandiae sororcula</i>			
E: Lesser Masked-Owl, Lesser Masked-owl, Tanimbar Owl, F: Effraie des Tanimbar,			
S: Lechuza de las Tanimbar			
Indonesia (br) [393]: Lesser Sunda Is, Moluccas			
<i>Tyto soumagnei</i> (Milne Edwards, 1878)	I	A EN	386, 541, 576, 595, 597
E: Madagascar Grass Owl, Madagascar Owl, Madagascar Red Owl, Soumagne's Owl,			
F: Effraie de Soumagne, Effraie rousse de Madagascar, S: Lechuza de Madagascar,			
Lechuza Malgache			
Madagascar (br) [633, 5249, 10142]			
CITES Identification Manual Reference:	A-220.001.002.010		
<i>Tyto tenebricosa</i> (Gould, 1845)	II	B	386, 541, 918
E: Greater Sooty-Owl, Sooty Owl, F: Effraie ombrée, S: Lechuza tenebrosa			
Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
CITES Identification Manual Reference:	A-220.001.002.011		
Family: STRIGIDAE			
<i>Aegolius acadicus</i> (Gmelin, 1788)	II	B	386, 387, 541, 595
E: Northern Saw-whet Owl, Saw-whet Owl, F: Petite nyctale, S: Mochuelo cabezón,			
Tecolote-abetoro norteño			
Bermuda (v) [389]; Canada (br) [748]; Costa Rica (br) [1311]; El Salvador (br) [5241];			
Guatemala (br) [5241]; Mexico (br) [5241, 6819]; Panama (v) [1195]; Saint Pierre and			
Miquelon (v) [683]; United States (br) [387]			
CITES Identification Manual Reference:	A-220.002.001.002		

Aegolius funereus (Linnaeus, 1758) II A 386, 387, 541, 611
 E: Boreal Owl, Tengmalm's Owl, F: Chouette de Tengmalm, Chouette de Tengmalm, Engoulement d'Europe, Nyctale de Tengmalm, S: Lechuza de Tengmalm, Lechuza de Tengmalm, Mochuelo boreal
 Andorra (br) [5239]; Armenia (br) [8143]; Austria (br) [1215]; Belarus (br); Belgium (br) [5272]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Canada (br) [748]; China (br) [5293]; Croatia (br) [5290]; Czech Republic (br) [5258]; Denmark [666]; Estonia (br) [5277]; Finland (br) [1300]; France (br) [7041]; Germany (br) [5274]; Greece (br) [5281]; Hungary (v) [5257]; India (br) [1197]; Italy (br) [5289]; Japan (br) [503, 504]; Kazakhstan (br) [5269]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (v) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Mongolia (br) [1306]; Netherlands (br) [5273]; Norway (br) [5275]; Poland (br) [1348]; Romania (br) [558]; Russian Federation (br) [710]; Saint Pierre and Miquelon [683]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sweden (br) [1199]; Switzerland (br) [5288]; Tajikistan (br?) [374]; Turkey (br?) [841, 5282]; Ukraine (br) [710]; United Kingdom (v) [6188]; United States (br) [387, 819]
 CITES Identification Manual Reference: A-220.002.001.003

Aegolius harrisii (Cassin, 1849) II B 386, 541, 595,
 1068
 E: Buff-fronted Owl, F: Chouette de Harris, Nyctale de Harris, S: Carburé acanelado, Curucucú barriga amarilla, Lechucita acanelada, Mochuelo canela
 Argentina (br) [5291, 10249]; Bolivia (br) [1186, 6327]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294, 6200]; Guyana [10121]; Paraguay (br) [5295]; Peru (br) [1136]; Uruguay (br) [5287]; Venezuela (br) [1070, 6925, 8231]
 CITES Identification Manual Reference: A-220.002.001.004

Aegolius ridgwayi (Alfaro, 1905) II B
 E: Unspotted Saw-whet Owl, F: Nyctale immaculée, S: Mochuelo moreno
 Costa Rica [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Mexico [5241]; Panama (v) [1195]
 CITES Identification Manual Reference: A-220.002.001.005

Asio abyssinicus (Guérin-Méneville, 1843) II B 386, 511, 541
 Synonym: *Asio otus abyssinicus* (Guérin-Méneville, 1843)
 E: Abyssinian long-eared owl, Abyssinian Owl, F: Hibou d'Abyssinie, S: Búho Abisinio
 Democratic Republic of the Congo (br?); Ethiopia (br?) [659]; Kenya (br?) [5253]; Rwanda (br?) [659]; Uganda (br?) [659]

Asio capensis (Smith, 1834) II B 386, 511, 541,
 573, 723, 841,
 1256
 E: African Marsh Owl, Marsh Owl, F: Hibou du Cap, S: Búho moro, Lechuza mora
 Algeria (ex, br) [971]; Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Chad (br?) [659]; Congo [659]; Côte d'Ivoire [7098]; Democratic Republic of the Congo (br?); Ethiopia [659]; Gambia [760]; Guinea (v); Kenya (br) [5253]; Lesotho (br) [486]; Madagascar (br) [633, 5249]; Malawi (br?) [1103]; Mali (br) [659]; Mauritania [659]; Morocco (br) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Nigeria (br); Portugal (v) [1332]; Portugal (v); Rwanda (br) [659]; Senegal (v) [659]; South Africa (br) [659]; Spain (v) [702]; Sudan [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]
 CITES Identification Manual Reference: A-220.002.002.003

<i>Asio clamator</i> (Vieillot, 1807)	II	B	386, 541, 576, 1068
--	----	---	------------------------

Synonym: *Rhinoptynx clamator*

E: Striped Owl, F: Hibou criard, Hibou strié, S: Búho gritón, Búho-cornudo cariblanco, Lechuza listada, Lechuzón, Lechuzón orejas largas, Lechuzón orejudo
Argentina (br) [5291, 10249]; Belize (v) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076, 6308]; Mexico (br) [5241, 6675]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Uruguay (br) [5287]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-220.002.021.001

<i>Asio flammeus</i> (Pontoppidan, 1763)	II	A	381, 386, 387, 485, 541, 576, 611, 723, 929, 1068, 1256
---	----	---	--

E: Short-eared Owl, F: Hibou brachyote, Hibou des marais, Hibou des marais, S: Búho campestre, Búho orejicorto, Lechuza campestre, Lechuza Campestre, Lechuza orejicorta, Lechuzón campestre

Afghanistan [694]; Albania; Algeria [971]; Argentina (br) [5291, 10249]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahamas (v) [5242]; Bahrain [537, 1105]; Bangladesh [804]; Belarus (br); Belgium (br) [5272]; Belize (v) [6709]; Bermuda (v) [389]; Bhutan (v) [5261]; Bolivia (br) [1058, 1186, 7072]; Bosnia and Herzegovina (br) [1038]; Brazil (br) [457, 1164, 6186]; Brunei Darussalam (v); Bulgaria (br) [5280]; Cameroon (v); Canada (br) [748]; Cape Verde (v) [820]; Cayman Islands; Chad (v) [659]; Chile (br) [415, 514, 5292]; China (br) [5293]; Colombia (br) [837, 6297]; Costa Rica (v) [1283, 1311]; Croatia (br) [5290]; Cuba (br) [5259]; Cyprus [709]; Czech Republic (br) [5258]; Denmark (br) [666]; Dominican Republic (br) [1312]; Ecuador (br) [542, 5294]; Ecuador, Galapagos; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Falkland Islands (Malvinas) (br) [1439]; Faroe Islands [480]; Finland (br) [1300]; France (br) [7041]; French Guiana (br) [1349]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar (v); Greece (br) [5281]; Greenland (v); Guadeloupe (v) [5242]; St Martin-St Barthelemy; Guam (v) [503]; Guatemala (v) [5241]; Guinea; Guyana (br) [1295]; Haiti (br) [1408]; Hong Kong (v); Hungary (br) [5257]; Iceland (br) [507]; India [1197]; Iran (Islamic Republic of) [841, 1253]; Iraq [385]; Ireland (br) [858]; Israel (br) [5245]; Italy [5289]; Japan [503, 1415]; Jordan [395, 6454]; Kazakhstan (br) [5269]; Kenya (v) [511, 5253]; Korea, DPR [7681]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Liberia (v) [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein (v); Lithuania (br) [5247]; Luxembourg [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malaysia (v): Peninsular Malaysia, Sarawak [1289]; Maldives [431]; Mali [659]; Malta; Marshall Islands (v) [1171]; Mauritania [659]; Mexico [5241]; Micronesia (Federated States of) (br) [1171]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco [461]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Niger (v) [659]; Nigeria (v) [676, 10580]; Northern Mariana Islands (v) [1171]; Norway (br) [5275]; Oman; Pakistan; Paraguay (br) [5295]; Peru (br) [1136]; Philippines (v) [1166, 5270]; Poland (br) [1348]; Portugal [1332]; Portugal, Azores (v), Madeira (br?); Puerto Rico (br) [1176]; Qatar [537, 1393]; Romania (br) [558]; Russian Federation (br) [710]; Saint Pierre and Miquelon (br) [683]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Singapore (v) [791]; Slovakia (br) [5279]; Slovenia [1038]; Spain (br) [702]; Sri Lanka (v) [5271]; Sudan [659]; Suriname (br) [5296]; Svalbard and Jan Mayen (v); Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic (v) [5283]; Taiwan; Tajikistan [374]; Thailand (v) [487]; Trinidad and Tobago (v) [10294]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Turks and Caicos Islands (v); Uganda (v) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United States (br) [387, 1322]; Uruguay (br) [5287]; Uzbekistan (br) [710]; Venezuela (br) [1070]; Viet Nam [5264]; Virgin Islands (U.S.) (v); Yemen (v) [5297] United States (br) [387, 1322]; Uruguay (br) [5287]; Uzbekistan (br) [710];

CITES EC Reg. RL References

Venezuela (br) [1070]; Viet Nam [5264]; Virgin Islands (U.S.) (v); Yemen (v) [5297]
 CITES Identification Manual Reference: A-220.002.002.004

***Asio madagascariensis* (Smith, 1834)** II B 386, 541
 E: Madagascar Owl, F: Hibou de Madagascar, Hibou malgache, S: Búho Malgache,
 Lechuza orejita de Madagascar
 Madagascar (br) [633, 5249]
 CITES Identification Manual Reference: A-220.002.002.005

***Asio otus* (Linnaeus, 1758)** II A 381, 386, 387,
 541, 611, 723, 841
 E: Long-eared Owl, F: Hibou moyen-duc, Hibou moyen-duc, S: Búho chico, Búho
 Chico, Búho-cornudo caricafe
 Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Armenia
 (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (br) [5272];
 Bermuda (v) [389]; Bhutan (v) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria
 (br) [5280]; Canada (br) [748]; China (br) [5293]; Croatia (br) [5290]; Cuba (v) [485, 5259];
 Cyprus (br) [709]; Czech Republic (br) [5258]; Denmark (br) [666]; Egypt [756]; Estonia
 (br) [5277]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Georgia
 (br) [710]; Germany (br) [5274]; Gibraltar (v); Greece (br) [5281]; Hong Kong (v);
 Hungary (br) [5257]; Iceland (v) [507]; India (br) [1197]; Iran (Islamic Republic of)
 (br) [1253]; Iraq [385]; Ireland (br) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan
 (br) [503, 504]; Jordan [395]; Kazakhstan (br) [5269]; Korea, DPR [7681]; Korea, Republic
 of [1436]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (v) [6187]; Latvia
 (br) [5278]; Lebanon (v) [5284]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg
 (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Malta; Mexico
 (br) [5241]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461];
 Myanmar (v) [1290]; Nepal (v) [865]; Netherlands (br) [5273]; Norway (br) [5275]; Oman
 (v); Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Azores (br);
 Romania (br) [558]; Russian Federation (br) [710]; Saint Pierre and Miquelon (v) [683];
 Saudi Arabia (v) [881]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia
 (br) [1038]; Spain (br) [702]; Svalbard and Jan Mayen (v); Sweden (br) [1199];
 Switzerland (br) [5288]; Syrian Arab Republic (br) [5283, 7875]; Taiwan; Tajikistan
 (br) [374]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Ukraine
 (br) [710]; United Arab Emirates (v) [1192]; United Kingdom (br) [6188]; United States
 (br) [387]; Uzbekistan (br) [710]
 CITES Identification Manual Reference: A-220.002.002.006

***Asio stygius* (Wagler, 1832)** II B 386, 387, 485,
 541, 1068
 E: Stygian Owl, F: Hibou maître-bois, S: Búho negruzco, Búho-cornudo oscuro,
 Lechuza estigia, Lechuzón negruzco
 Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [445]; Brazil (br) [6186];
 Colombia (br) [837]; Cuba (br) [5259]; Dominican Republic (br) [1312]; Ecuador (br) [5294,
 6360]; Guatemala (br) [5241]; Haiti (br) [1408]; Honduras (br) [1076]; Mexico (br) [5241];
 Nicaragua (br) [1195]; Paraguay (br) [5295]; Venezuela (br) [1070]
 CITES Identification Manual Reference: A-220.002.002.007

***Athene blewitti* (Hume, 1873)** I A CR 381, 386, 541,
 576, 595, 931,
 6477, 6486, 6487
 E: Forest Little Owl, Forest Owlet, Forest Spotted Owlet, F: Chevêche forestière,
 Chouette des forêts, S: Mochuelo de Blewitt, Mochuelo de los bosques, Mochuelo
 forestal
 India (br) [1197]
 CITES Identification Manual Reference: A-220.002.003.002

Athene brama (Temminck, 1821) II B 381, 386, 541,
841, 929

E: Spotted Little Owl, Spotted Owlet, F: Chevêche brame, S: Mochuelo brahmán
 Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; India (br) [1197]; Iran
 (Islamic Republic of) (br) [1253]; Lao People's Democratic Republic (br) [6187]; Myanmar
 (br) [1290]; Nepal (br) [865]; Pakistan (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264]
 CITES Identification Manual Reference: A-220.002.003.003

Athene noctua (Scopoli, 1769) II A 381, 386, 541,
611, 723, 740,
841, 1256

E: Little Owl, Northern Little Owl, Tibet Owlet, F: Chevêche d'Athéna, Chevêche
 d'Athéna, Chouette Chevêche, S: Mochuelo común, Mochuelo Común, Mochuelo
 Europeo

Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Armenia
 (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (br) [5272];
 Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Chad (br?) [659]; China
 (br) [5293]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Denmark
 (br) [666]; Djibouti (br?) [427]; Egypt (br) [756]; Eritrea (br?) [659]; Ethiopia (br?) [659];
 Finland (v) [1300]; France (br) [7041]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar
 (br); Greece (br) [5281]; Hungary (br) [5257]; India (br) [1197]; Iran (Islamic Republic of)
 (br) [1253]; Iraq (br) [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Jordan
 (br) [395]; Kazakhstan (br) [5269]; Korea, DPR (v) [7681]; Korea, Republic of (br) [1436];
 Kuwait (br?) [537]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon (br) [5284]; Libyan
 Arab Jamahiriya (br) [536]; Liechtenstein (ex?, br); Lithuania (br) [5247]; Luxembourg
 (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Mali (br?) [659]; Malta
 (v); Mauritania (br) [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco
 (br) [461]; Nepal (br) [865]; Netherlands (br) [5273]; New Zealand (int, br) [1351]; Niger
 (br?) [659]; Norway (v) [5275]; Oman (br); Pakistan (br); Poland (br) [1348]; Portugal
 (br) [1332]; Portugal (br); Romania (br) [558]; Russian Federation (br) [710]; Saudi
 Arabia (br) [881]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia
 (br) [1038]; Somalia (br) [5252]; Spain (br) [702]; Sudan (br?) [659]; Sweden (v) [1199];
 Switzerland (br) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Tunisia
 (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710, 1318]; Ukraine (br) [710]; United
 Arab Emirates (br) [1192]; United Kingdom (int, br) [6188]; Uzbekistan (br) [710];
 Western Sahara (br); Yemen (br) [5297]

CITES Identification Manual Reference: A-220.002.003.004

Bubo africanus (Temminck, 1821) II B 386, 511, 541,
573, 723, 841,
1256

Synonym: *Bubo cinerascens* Guérin-Méneville, 1843

E: African Eagle-Owl, Spotted Eagle-Owl, F: Grand-duc africain, S: Búho Africano,
 Búho Africano chico

Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659];
 Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad
 (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the
 Congo (br); Djibouti (br?) [427]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gabon
 (br?) [659]; Gambia [760]; Ghana (br?) [782]; Guinea (br?); Guinea-Bissau (br) [659, 715];
 Kenya (br) [5253]; Lesotho (br?) [486]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali
 (br) [659]; Mauritania (br?) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger
 (br?) [659]; Nigeria (br); Oman (br); Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal
 (br?) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan
 (br) [659];

Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-220.002.004.002

Bubo ascalaphus Savigny, 1809 II B 386, 611, 723,
1256

Synonym: *Bubo bubo ascalaphus* Savigny, 1809

E: Pharaoh Eagle-Owl, F: Grand-duc ascalaphe, Grand-duc du désert, S: Búho desértico

Algeria (br) [971]; Chad (br?) [659]; Egypt (br) [756]; Eritrea (br) [659]; Iraq (br) [385]; Israel (br) [5245]; Jordan (br) [395, 6454]; Kuwait (br) [537]; Libyan Arab Jamahiriya (br) [536]; Mali (br) [659]; Mauritania (br) [659]; Morocco (br) [461]; Niger (br) [659]; Oman (br); Qatar; Saudi Arabia (br) [881]; Senegal (v) [659]; Sudan (br) [659]; Tunisia (br) [1344]; United Arab Emirates (br) [1192]; Western Sahara (br)

Bubo bengalensis (Franklin, 1831) II B 381, 386

Synonym: *Bubo bubo bengalensis* (Franklin, 1831)

E: Rock Eagle-Owl, F: Grand-duc indien, S: Búho Bengalí

Bangladesh (v) [804]; India (br) [1197]; Myanmar (ex?, br) [1290]; Nepal (br) [865]; Pakistan (br)

Bubo bubo (Linnaeus, 1758) II A 381, 386, 541, 611

E: Eagle Owl, Eurasian Eagle-Owl, F: Grand-duc d'Europe, Grand-duc d'Europe, Hibou grand-duc, S: Búho Real

Afghanistan (br?) [694]; Albania (br); Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (br) [5272]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; China (br) [5293]; Croatia (br) [5290]; Czech Republic (br) [5258]; Denmark (v) [666]; Estonia (br) [5277]; Finland (br) [1300]; France (br) [7041]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar (v); Greece (br) [5281]; Hong Kong (br); Hungary (br) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503, 504]; Kazakhstan (br) [5269]; Korea, DPR (br) [7680]; Korea, Republic of (br) [1436]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon (br) [5284]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Netherlands (br) [5273]; Norway (br) [5275]; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br); Romania (br) [558]; Russian Federation (br) [710]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Turkey (br) [5282]; Turkmenistan (ex, br) [710, 8159]; Ukraine (br) [710]; United Kingdom (v) [6188]; Uzbekistan (br) [710]

CITES Identification Manual Reference: A-220.002.004.003

Bubo capensis Smith, 1834 II B 386, 511, 541,
573, 723

E: Cape Eagle-Owl, Mackinder's Eagle-Owl, Mountain Eagle-Owl, F: Grand-duc du Cap, S: Búho de El Cabo

Eritrea (br?) [659]; Ethiopia (br?) [659]; Kenya (br) [5253]; Lesotho (v) [486]; Malawi (v) [1103]; Mozambique (br?) [659, 870]; Namibia (br) [659, 1037, 1391]; South Africa (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-220.002.004.004

<i>Bubo coromandus</i> (Latham, 1790)	II	B	381, 386, 541, 929
E: Dusky Eagle-Owl, F: Grand-duc de Coromandel, S: Búho de Coromandel			
Bangladesh (v) [804]; China (v) [5293]; India (br) [1197]; Malaysia (v); Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Thailand (br?) [487, 1220]			
CITES Identification Manual Reference:	A-220.002.004.005		
<i>Bubo lacteus</i> (Temminck, 1820)	II	B	386, 511, 541, 573, 723, 1256
E: Giant Eagle-Owl, Milky Eagle-Owl, Verreaux's Eagle-Owl, F: Grand-duc de Verreaux, S: Búho lechoso, Gran búho etíópico			
Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Djibouti (br) [427]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?); Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Lesotho (ex, br) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br?) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			
CITES Identification Manual Reference:	A-220.002.004.006		
<i>Bubo leucostictus</i> Hartlaub, 1855	II	B	386, 541, 723, 918, 1256
E: Akun Eagle-Owl, Sooty Eagle-Owl, F: Grand-duc tacheté, S: Búho de Akún			
Angola (br?) [5267]; Cameroon (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br?); Liberia (br) [5246]; Nigeria (br?); Sierra Leone (br) [659]			
CITES Identification Manual Reference:	A-220.002.004.007		
<i>Bubo nipalensis</i> Hodgson, 1836	II	B	381, 386, 541, 595, 929
E: Forest Eagle-Owl, Spot-bellied Eagle-Owl, Spot-bellied Eagle-owl, F: Grand-duc du Népal, S: Búho Nepálí			
Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; China (v) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Sri Lanka (br) [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]			
<i>Bubo philippensis</i> (Kaup, 1851)	II	B	386, 541, 595
Synonym: <i>Pseudoptynx philippensis</i>			
E: Philippine Eagle-Owl, Philippine Eagle-owl, F: Grand-duc des Philippines, S: Búho Filipino			
Philippines (br) [1166, 5270, 6929]			
CITES Identification Manual Reference:	A-220.002.004.008		
<i>Bubo poensis</i> Fraser, 1853	II	B	386, 511, 541, 595, 597, 723, 918, 1256
E: Fraser's Eagle-Owl, F: Grand-duc à aigrettes, S: Búho de Guinea			
Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Gabon (br?) [659]; Ghana (br?) [782]; Guinea; Liberia (br) [5246]; Nigeria (br) [6276, 7101]; Rwanda (br) [659]; Sierra Leone (br?) [659]; Uganda (br?) [659]			
CITES Identification Manual Reference:	A-220.002.004.009		

Bubo shelleyi (Sharpe & Ussher, 1872) II B 386, 541, 723,
918, 1256

E: Banded Eagle-Owl, Shelley's Eagle-Owl, F: Grand-duc de Shelley, S: Búho barrado
Cameroon (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic
of the Congo (br) [6294]; Gabon (br?) [659]; Ghana (br?) [782]; Liberia (br?) [5246]; Sierra
Leone (br?) [659]

CITES Identification Manual Reference: A-220.002.004.010

Bubo sumatranus (Raffles, 1822) II B 386, 541, 929

E: Barred Eagle-Owl, F: Grand-duc bruyant, S: Búho Malayo
Brunei Darussalam (br); Cocos (Keeling) Islands (v) [1316]; Indonesia (br) [393]: Bali,
Jawa, Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia, Sabah,
Sarawak; Myanmar (br) [1290]; Singapore (ex, br) [791]; Thailand (br) [487, 1220]

CITES Identification Manual Reference: A-220.002.004.011

Bubo virginianus (Gmelin, 1788) II B 386, 387, 541,
1068

Synonym: *Bubo magellanicus* Gmelin, 1789

E: Great Horned Owl, F: Grand-duc d'Amérique, S: Búho, Búho Americano, Búho
cornudo, Lechuzón orejudo, Nacurutú
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bermuda (v) [389]; Bolivia (br) [1186];
Brazil (br) [6186, 6413]; Canada (br) [748]; Chile (br) [873, 5292]; Colombia (br) [837]; Costa
Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Falkland Islands (Malvinas)
(v) [1439]; French Guiana (br?) [1349]; Guatemala (br) [5241]; Guyana (br) [1295];
Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (v) [1195];
Paraguay (br) [5295]; Peru (br) [1136]; Saint Pierre and Miquelon [683]; Suriname
(br) [5296]; United States (br) [387]; Uruguay (br) [5287]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-220.002.004.008

Bubo vosseleri Reichenow, 1908 II B VU 576, 595

Synonym: *Bubo poensis vosseleri* Reichenow, 1908

E: Usambara Eagle-Owl, Usambara Eagle-owl, F: Grand-duc des Usambara, S: Búho
de Usambara
Tanzania, United Republic of (br) [659]

Glaucidium albentinum Prigogine, 1983 II B VU 386, 576, 595,
597, 723, 918

E: Albertine Owlet, Prigogine's Owlet, F: Chevêchette du Graben, S: Mochuelo del
Alberto

Democratic Republic of the Congo (br); Rwanda (br?) [659]

Glaucidium bolivianum König, 1991 II B

E: Yungas Pygmy-Owl, F: Chevêchette des yungas, S: Mochuelo Boliviano
Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Peru (br) [1136]

<i>Glaucidium brasiliandum</i> (Gmelin, 1788)	II	B	386, 387, 541, 1068
E: Ferruginous Pygmy-Owl, F: Chevêchette brune, S: Caburé, Mochuelo caburé, Pavita ferruginea, Tecolotito común			
Argentina (br) [5291, 6190, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Chile (br) [5292, 6393]; Colombia (br) [837, 9220]; Costa Rica (br) [1311]; Ecuador (br) [5294, 8617]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241, 6397]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (v) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Uruguay (br) [5287]; Venezuela (br) [1070]			
<i>Glaucidium brodiei</i> (Burton, 1836)	II	B	381, 386, 541, 929
E: Collared Owlet, Collared Pygmy-Owl, F: Chevêchette à collier, S: Mochuelo acollarado			
Afghanistan (br) [694]; Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]; Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Taiwan (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264]			
<i>Glaucidium californicum</i> Sclater, 1857	II	B	387
Synonym: <i>Glaucidium gnoma californicum</i>			
E: Northern Pygmy-Owl, F: Chevêchette des Rocheuses, S: Mochuelo Californiano, Tecolotito del cabo			
Canada (br) [748]; Mexico (br) [5241]; United States (br) [387]			
<i>Glaucidium capense</i> (Smith, 1834)	II	B	386, 511, 541, 573, 723, 918
E: African Barred Owlet, Barred Owlet, F: Chevêchette du Cap, S: Mochuelo de El Cabo			
Democratic Republic of the Congo (br); Kenya (br) [5253]; ?Mozambique (br) [659]; South Africa (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br) [659]			
CITES Identification Manual Reference: A-220.002.006.004			
<i>Glaucidium castaneum</i> Neumann, 1893	II	B	723
Synonym: <i>Glaucidium capense castaneum</i>			
E: Chestnut Owlet, F: Chevêchette châtaigne, S: Mochuelo castaño			
Cameroon [6295]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Liberia (br) [5246]; Uganda (br?) [659]			
<i>Glaucidium castanopterum</i> (Blyth, 1846)	II	B	LR/nt 381, 595
Synonym: <i>Glaucidium radiatum castanopterum</i>			
E: Chestnut-backed Owlet, F: Chevêchette à dos marron, S: Mochuelo de Ceilán			
Sri Lanka (br) [5271]			
<i>Glaucidium castanopterum</i> (Horsfield, 1821)	II	B	386
E: Javan Owlet, F: Chevêchette spadicée, S: Mochuelo de Java			
Indonesia (br) [393]: Bali, Jawa			

<i>Glaucidium cuculoides</i> (Vigors, 1831)	II	B	381, 386, 541, 929
E: Asian Barred Owl, Cuckoo Owl, F: Chevêchette cuculoïde, S: Mochuelo cuco Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; China (br) [5293]; Hong Kong (ex, br); India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264] CITES Identification Manual Reference:			A-220.002.006.005
<i>Glaucidium gnoma</i> Wagler, 1832	II	B	386, 387, 541
Synonym: <i>Glaucidium hoskinsii</i> Brewster, 1888 E: Mountain Pygmy-Owl, F: Chevêchette naine, S: Mochuelo gnomo, Tecolotito serano ?Belize [7110, 7111, 8757]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; United States (br) [387] CITES Identification Manual Reference:			A-220.002.006.006
<i>Glaucidium hardyi</i> Vielliard, 1990	II	B	6866
E: Amazonian Pygmy-Owl, Hardy's Pygmy-Owl, F: Chevêchette d'Amazonie, S: Mochuelo Amazónico Bolivia (br) [6986]; Brazil (br) [6186]; French Guiana; Guyana; Venezuela [7056]			
<i>Glaucidium jardinii</i> (Bonaparte, 1855)	II	B	386, 387, 1068
E: Andean Pygmy-Owl, F: Chevêchette des Andes, S: Mochuelo andino, Pavita andina Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; Panama (br) [1195]; Peru (br) [1136, 6724]; Venezuela (br) [1070] CITES Identification Manual Reference:			A-220.002.006.007
<i>Glaucidium minutissimum</i> (Wied, 1821)	II	B	386, 387, 541, 1068, 6866
Synonyms: <i>Glaucidium griseiceps</i> Sharpe, 1875, <i>Glaucidium palmarum</i> Nelson, 1901, <i>Glaucidium sanchezi</i> Lowery & Newman, 1949 E: Brazilian Pygmy-Owl, Least Pygmy-Owl, F: Chevêchette cabouré, S: Mochuelo minimo Belize (br) [5241]; Bolivia (br) [1135, 1186, 7072]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Guatemala (br) [448, 5241]; Honduras (br) [1076]; Mexico (br) [5241]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136] CITES Identification Manual Reference:			A-220.002.006.008
<i>Glaucidium nanum</i> (King, 1828)	II	B	
E: Austral Pygmy-Owl, F: Chevêchette australe, S: Caburé patagónico, Mochuelo Patagón Argentina (br) [5291, 10249]; Chile (br) [5292]			
<i>Glaucidium ngamiense</i> (Roberts, 1932)	II	B	574, 723
Synonym: <i>Glaucidium capense ngamiense</i> E: Ngami Owl, F: Chevêchette de Ngami Angola (br) [5267]; Botswana (br) [1102]; Democratic Republic of the Congo (br); Namibia (br) [659]; South Africa (br) [659]; Tanzania, United Republic of (br) [659]; Zambia (br) [659]			
<i>Glaucidium nubicola</i> Robbins & Stiles, 1999	II	B	VU 244
Ecuador [5294]			

Glaucidium parkeri Robbins & Howell, 1995 II B 6866
 E: Subtropical Pygmy-Owl, F: Chevêchette de Parker, S: Mochuelo de Parker
 Ecuador (br) [6866, 8617]

Glaucidium passerinum (Linnaeus, 1758) II A 386, 541, 611
 E: Eurasian Pygmy-Owl, Pygmy Owl, F: Chevêchette d'Europe, Chevêchette d'Europe,
 Chouette chevêchette, Chouette chevêchette, S: Mochuelo alpino, Mochuelo chico,
 Mochuelo Chico
 Austria (br) [1215]; Belarus (br); Belgium (v) [5272]; Bosnia and Herzegovina (br) [1038];
 Bulgaria (v) [5280]; China (br) [5293]; Croatia (v) [5290]; Czech Republic (br) [5258];
 Denmark (v) [666]; Estonia (br) [5277]; Finland (br) [1300]; France (br) [7041]; Germany
 (br) [5274]; Italy (br) [5289]; Kazakhstan (br) [5269]; Latvia (br) [5278]; Liechtenstein
 (br); Lithuania (br) [5247]; Mongolia (br) [1306]; Norway (br) [5275]; Poland (br) [1348];
 Romania (br) [558]; Russian Federation (br) [710]; Serbia and Montenegro (br) [1038];
 Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (v) [702]; Sweden (br) [1199];
 Switzerland (br) [5288]; Ukraine (v) [710]
 CITES Identification Manual Reference: A-220.002.006.009

Glaucidium perlatum (Vieillot, 1818) II B 386, 511, 541,
 573, 723, 1256
 E: Pearl-spotted Owlet, F: Chevêchette perlée, S: Mochuelín perlado, Mochuelo
 perlado
 Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659];
 Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad
 (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Eritrea
 (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?) [1078,
 1389]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br?) [5246]; Malawi
 (br) [1103]; Mali (br?) [659]; Mauritania (br?) [659]; Mozambique (br?) [659]; Namibia
 (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Somalia
 (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania,
 United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659];
 Zimbabwe (br) [659]
 CITES Identification Manual Reference: A-220.002.006.010

Glaucidium peruanum König, 1991 II B
 E: Pacific Pygmy-Owl, Peruvian Pygmy-Owl, Peruvian Pygmy-Owl, F: Chevêchette du
 Pérou, S: Mochuelo Peruano
 Ecuador (br) [5294, 8617]; Peru (br) [1136]

Glaucidium radiatum (Tickell, 1833) II B 381, 386, 541
 E: Barred Jungle Owlet, Jungle Owlet, F: Chevêchette de jungle, S: Mochuelo de
 jungla
 Bangladesh (br) [804]; Bhutan (br) [5261]; India (br) [1197]; Myanmar (br) [1290]; Nepal
 (br) [865]; Sri Lanka (br) [5271]
 CITES Identification Manual Reference: A-220.002.006.011

Glaucidium scheffleri Neumann, 1911 II B
 Synonym: *Glaucidium capense scheffleri*
 E: Scheffler's Owlet, F: Chevêchette de Scheffler
 ?Kenya (br) [5253]; ?Somalia (br) [5252]; Tanzania, United Republic of (br?) [659]

CITES EC Reg. RL References

<i>Glaucidium siju</i> (d'Orbigny, 1839)	II	B	386, 541
E: Cuban Pygmy-Owl, F: Chevêchette de Cuba, S: Mochuelo sijú, Siju, Sijucito Cuba (br) [5259]			
CITES Identification Manual Reference:	A-220.002.006.012		
<i>Glaucidium sjostedti</i> Reichenow, 1893	II	B	386, 541, 918, 1256
E: Sjostedt's Owllet, F: Chevêchette à queue barrée, S: Mochelo de Sjöstedt, Mochuelo chico, Mochuelo del Congo			
Cameroon (br?) [659]; Congo (br?) [659]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br?) [659]; Nigeria (br?)			
CITES Identification Manual Reference:	A-220.002.006.013		
<i>Glaucidium tephronotum</i> Sharpe, 1875	II	B	386, 511, 541, 723, 918, 1256, 6299
E: Red-chested Owllet, Yellow-legged Owllet, F: Chevêchette à pieds jaunes, S: Mochuelo pechirrojo			
Cameroon (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea [6426]; Gabon (br?) [659]; Ghana (br) [782]; Kenya (br) [5253]; Liberia (br) [648, 5246]; Rwanda (br?) [659]; Sierra Leone (br?) [659]; Uganda (br?) [659]			
CITES Identification Manual Reference:	A-220.002.006.14		
<i>Jubula lettii</i> (Büttikofer, 1889)	II	B	386, 541, 576, 723, 918, 1256
Synonym: <i>Lophostrix lettii</i>			
E: Maned Owl, F: Duc à crinière, Hibou à bec jaune, S: Búho de Crin, Búho de Guinea			
Cameroon (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659]; Gabon (br) [518, 659]; Ghana (br?) [782]; Liberia (br) [5246]			
CITES Identification Manual Reference:	A-220.002.008.001		
<i>Ketupa blakistoni</i> (Seeböhm, 1884)	II	B	EN 386, 541, 576, 595
Synonym: <i>Bubo blakistoni</i> Seeböhm, 1884			
E: Blakiston's Fish-Owl, Blakiston's Fish-owl, F: Grand-duc de Blakiston, Kétoupa de Blakiston, S: Búho Manchú			
China (br) [5293]; Japan (br) [500, 503, 504]; Russian Federation (br) [489, 710, 938]			
CITES Identification Manual Reference:	A-220.002.009.002		
<i>Ketupa flavipes</i> (Hodgson, 1836)	II	B	381, 386, 541, 595, 929
Synonym: <i>Bubo flavipes</i> (Hodgson, 1836)			
E: Tawny Fish-owl, Tawny Fish-Owl, F: Hibou pêcheur roux, Kétoupa roux, S: Búho pescador, Búho pescador leonado			
Bangladesh (br) [804]; Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Taiwan (br); Viet Nam (br) [5264]			
CITES Identification Manual Reference:	A-220.002.009.003		

CITES EC Reg. RL References

<i>Ketupa ketupu</i> (Horsfield, 1821)	II	B	381, 386, 541, 929
Synonym: <i>Bubo ketupu</i> (Horsfield, 1821)			
E: Buffy Fish-Owl, Malay Fish-Owl, F: Kétoupa malais, S: Búho pescador Malayo Brunei Darussalam (br); Cambodia (br) [5243]; Cocos (Keeling) Islands (v) [1316]; India (ex?, br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera; ?Lao People's Democratic Republic [6187]; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; ?Singapore (ex, br?) [791]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]			
CITES Identification Manual Reference:	A-220.002.009.004		
<i>Ketupa zeylonensis</i> (Gmelin, 1788)	II	B	381, 386, 541, 611, 841, 929
Synonym: <i>Bubo zeylonensis</i> (Gmelin, 1788)			
E: Brown Fish-Owl, F: Kétoupa brun, S: Búho pescador de Ceilán Bangladesh (br) [804]; Cambodia (br) [5243]; China (br) [5293]; Hong Kong; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [385]; Israel (br) [5245]; ?Jordan (br) [395]; Lao People's Democratic Republic (br) [6187]; Lebanon (v) [5284]; Malaysia (br); Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Seychelles (v?) [659, 6253]; Sri Lanka (br) [5271]; Syrian Arab Republic (br?) [5283]; Thailand (br) [487, 1220]; Turkey (br) [1012, 5282]; Viet Nam (br) [5264]			
CITES Identification Manual Reference:	A-220.002.009.005		
<i>Lophostrix cristata</i> (Daudin, 1800)	II	B	386, 387, 541, 1068
E: Crested Owl, F: Duc à aigrettes, Hibou à casque, S: Búho corniblanco, Búho cornudo, Lechuza copetona Belize (br) [5241, 6769]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837, 6674]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (ex?, br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070, 6304, 6810]			
CITES Identification Manual Reference:	A-220.002.010.001		
<i>Micrathene whitneyi</i> (Cooper, 1861)	II	B	386, 387, 541
E: Elf Owl, F: Chevêchette des saguaros, Chevêchette-elfe, S: Mochuelo de los saguaros, Mochuelo duende, Tecolotito enano Mexico (br) [5241, 7106]; United States (br) [387]			
CITES Identification Manual Reference:	A-220.002.011.001		
<i>Mimizuku gurneyi</i> (Tweeddale, 1879)	I	A	VU 386, 541, 576, 595
Synonym: <i>Otus gurneyi</i>			
E: Giant Scops-Owl, Lesser Eagle-Owl, Lesser Eagle-owl, Mindanao Eagle-Owl, F: Hibou de Tweeddale, Petit-duc de Gurney, Petit-duc géant, Scops géant de Guernsey, S: Autillo de Guernsey, Búho de Mindanao Philippines (br) [5270]			
CITES Identification Manual Reference:	A-220.002.016.001		
<i>Nesasio solomonensis</i> (Hartert, 1901)	II	B	VU 386, 541, 576, 595, 1242
E: Fearful Owl, F: Chouette des îles Salomons, Hibou redoutable, S: Búho de las Salomón Papua New Guinea (br); Solomon Islands (br) [5260]			
CITES Identification Manual Reference:	A-220.002.013.001		

<i>Ninox affinis</i> Beavan, 1867	II	B	LR/nt	381, 386, 541, 595
E: Andaman Boobook, Andaman Hawk-Owl, F: Ninoxe des Andaman, S: Nínox de Andamán				
India (br) [1197]: Andaman Is, Nicobar Is				
CITES Identification Manual Reference:		A-220.002.014.002		
<i>Ninox boobook</i> (Latham, 1801)	II	B		
Synonym: <i>Ninox novaeseelandiae boobook</i>				
E: Southern Boobook, F: Ninoxe d'Australie, S: Nínox Australiano				
Australia (br) [477]				
<i>Ninox connivens</i> (Latham, 1801)	II	B		386, 541
E: Barking Owl, Winking Owl, F: Ninoxe aboyeuse, S: Nínox ladrador				
Australia (br) [477]; Indonesia (br) [393]: Irian Jaya, Moluccas; Papua New Guinea (br)				
CITES Identification Manual Reference:		A-220.002.014.003		
<i>Ninox ios</i> Rasmussen, 1999	II	B	VU	7263
E: Cinnabar Hawk-Owl				
Indonesia [7262, 7271]: Sulawesi [7727]				
<i>Ninox jacquinoti</i> (Bonaparte, 1850)	II	B		386, 541, 1242
E: Solomon Hawk-Owl, Solomon Islands Boobook, F: Ninoxe de Jacquinot, S: Nínox de las Solomón				
Papua New Guinea (br); Solomon Islands (br) [5260]				
CITES Identification Manual Reference:		A-220.002.014.004		
<i>Ninox meeki</i> Rothschild & Hartert, 1914	II	B		386, 541, 1242
E: Admiralty Hawk-Owl, Admiralty island Hawk-owl, Manus Boobook, Manus Hawk-Owl, F: Ninoxe de l'Amirauté, S: Nínox de la Manus				
Papua New Guinea (br): Bismarck Archipelago				
CITES Identification Manual Reference:		A-220.002.014.005		
<i>Ninox novaeseelandiae</i> (Gmelin, 1788)	I/II	A/BA		386, 541
E: Morepork, F: Chouette boobok, Chouette coucou, Ninoxe boubouk, S: Nínox Maorí				
Australia (br) [477]; Indonesia (br) [393]: Lesser Sunda Is, Moluccas; New Zealand (br) [1351]; Norfolk Island (br) [477, 1216]; Papua New Guinea (br)				
CITES Appendix II populations	II	B		
Australia (br) [477]; Indonesia (br) [393]: Lesser Sunda Is, Moluccas; New Zealand (br) [1351]; Papua New Guinea (br) [6951]				
<i>Ninox novaeseelandiae undulata</i> (Latham, 1801)	I	A		386, 541, 576, 931, 1116
Synonym: <i>Ninox novaeseelandiae roiana</i>				
E: Norfolk Boobook, Norfolk Island Boobook Owl, F: Chouette boobok de l'île Norfolk, Ninoxe boubouk de l'île Norfolk, S: Lechuza gavilana de Norfolk, Mochuelo cucú				
Norfolk Island (br) [477, 1216]				
CITES Identification Manual Reference:		A-220.002.014.006		

CITES EC Reg. RL References

<i>Ninox ochracea</i> (Schlegel, 1865)	II	B	LR/nt	386, 541, 576
Synonym: <i>Ninox perversa</i> Stresemann, 1938				
E: Ochre-bellied Boobook, Ochre-bellied Hawk-Owl, F: Ninoxe ocrée, S: Nínox ocráceo				
Indonesia (br) [393]: Sulawesi				
CITES Identification Manual Reference:		A-220.002.014.008		
<i>Ninox odiosa</i> Sclater, 1877	II	B		386, 541, 1242
E: New Britain Hawk-Owl, Russet Boobook, Russet Hawk-Owl, F: Ninoxe odieuse,				
S: Nínox de Nueva Bretaña				
Papua New Guinea (br): Bismarck Archipelago				
CITES Identification Manual Reference:		A-220.002.014.007		
<i>Ninox philippensis</i> Bonaparte, 1855	II	B		386, 541
E: Philippine Boobook, Philippine Hawk-Owl, F: Ninoxe des Philippines, S: Nínox				
Filipino				
Philippines (br) [1166, 5270]				
CITES Identification Manual Reference:		A-220.002.014.009		
<i>Ninox punctulata</i> (Quoy & Gaimard, 1830)	II	B		386, 541
E: Speckled Boobook, Speckled Hawk-Owl, F: Ninoxe pointillée, S: Nínox punteado				
Indonesia (br) [393, 1410, 7262]: Sulawesi				
CITES Identification Manual Reference:		A-220.002.014.010		
<i>Ninox rudolfi</i> Meyer, 1882	II	B	LR/nt	386, 595
Synonym: <i>Ninox novaeseelandiae rudolfi</i>				
E: Sumba Boobook, F: Ninoxe de Sumba, S: Nínox de Sumba				
Indonesia (br) [393]: Lesser Sunda Is				
<i>Ninox rufa</i> (Gould, 1846)	II	B		386, 541
E: Rufous Owl, F: Ninoxe rousse, S: Nínox rojizo				
Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:		A-220.002.014.011		
<i>Ninox scutulata</i> (Raffles, 1822)	II	B		381, 386, 541, 929, 9222
Synonyms: <i>Ninox japonica</i> (Temminck & Schlegel, 1844), <i>Ninox randi</i> Deignan, 1951				
E: Brown Boobook, Brown Hawk-Owl, F: Ninoxe hirsute, S: Nínox pardo				
Australia (v) [477]; Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br);				
Cambodia (br) [5243]; China (br) [5293]; Hong Kong; India (br) [1197]; Indonesia				
(br) [393]: Bali, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera;				
Japan (br) [503, 504]; Kazakhstan (v) [5269]; Korea, DPR (br) [7680]; Korea, Republic of				
(br) [1436]; Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular				
Malaysia, Sabah, Sarawak [1289]; Myanmar (br) [1290]; Nepal (br) [865]; Philippines				
(br) [1166, 5270]; Russian Federation (br) [710, 938]; Singapore (br) [791]; Sri Lanka				
(br) [5271]; Taiwan (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264]				
CITES Identification Manual Reference:		A-220.002.014.012		

<i>Ninox squamipila</i> (Bonaparte, 1850)	I/II	A/B	386, 541
E: Moluccan Boobook, Moluccan Hawk-Owl, F: Chouette des Moluques, Chouette épervière, Ninoxe des Moluques, S: Lechuza gavilana de las Molucas, Mochuelo de las Molucas, Nínox Moluqueño			
Christmas Island (br) [931, 1115]; Indonesia (br) [393]: Lesser Sunda Is, Moluccas			
CITES Appendix II populations			
Indonesia (br) [393]: Lesser Sunda Is, Moluccas	II	B	
<i>Ninox squamipila natalis</i> Lister, 1889	I	A	CR 386, 576, 931, 1115
Synonym: <i>Ninox natalis</i> (Lister, 1889)			
E: Christmas Hawk-Owl, Christmas Island Hawk-Owl, F: Chouette épervière de l'île Christmas			
Christmas Island (br)			
CITES Identification Manual Reference:	A-220.002.014.016		
<i>Ninox strenua</i> (Gould, 1838)	II	B	386, 541, 595
E: Powerful Owl, F: Ninoxe puissante, S: Nínox robusto			
Australia (br) [477]			
CITES Identification Manual Reference:	A-220.002.014.017		
<i>Ninox superciliaris</i> (Vieillot, 1817)	II	B	386, 541
E: Madagascar Hawk-Owl, White-browed Boobook, White-browed Owl, F: Ninoxe à sourcils blancs, S: Nínox Malgache			
Madagascar (br) [633, 5249]			
CITES Identification Manual Reference:	A-220.002.014.018		
<i>Ninox theomacha</i> (Bonaparte, 1855)	II	B	386, 541, 1242
Synonym: <i>Ninox goldii</i> Gurney, 1883			
E: Chestnut Hawk-Owl, Jungle Boobook, Jungle Hawk-Owl, Sooty-backed Hawk-Owl,			
F: Ninoxe brune, S: Nínox Papú			
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
CITES Identification Manual Reference:	A-220.002.014.019		
<i>Ninox variegata</i> (Quoy & Gaimard, 1830)	II	B	386, 541
Synonym: <i>Ninox solomonis</i> Sharpe, 1876			
E: Bismarck Boobook, Bismarck Hawk-Owl, New Ireland Hawk-Owl, F: Ninoxe bariolée, S: Nínox de las Bismarck			
Papua New Guinea (br): Bismarck Archipelago			
CITES Identification Manual Reference:	A-220.002.014.013		

Nyctea scandiaca (Linnaeus, 1758) II A 386, 387, 541, 611
 E: Snowy Owl, F: Chouette harfang, Harfang des neiges, Harfang des neiges, S: Búho Nival
 Albania (v); Austria (v) [1215]; Belgium (v) [5272]; Bermuda (v) [389]; Canada (br) [748]; China (v) [5293]; Croatia (v) [5290]; Czech Republic (v) [5258]; Denmark (v) [666]; Faroe Islands [480]; Finland (br) [1300]; France (v) [7041]; Germany (v) [5274]; Greenland (br); Hungary (v) [5257]; Iceland (br) [507]; Iran (Islamic Republic of) (v) [841, 1253]; Ireland (v) [858]; Japan (v) [503, 504]; Kazakhstan [5269]; Korea, DPR (v) [7681]; Korea, Republic of (v) [1436]; Kyrgyzstan (v) [710]; Latvia (v) [5278]; Luxembourg (v) [5248]; Mongolia (v) [1306]; Netherlands (v) [5273]; Norway (br) [5275]; Pakistan (v); Poland (v) [1348]; Portugal (v) [1332]; Azores (v); Russian Federation (br) [710]; Saint Pierre and Miquelon [683]; Serbia and Montenegro (v) [1038]; Slovakia (v) [5279]; Svalbard and Jan Mayen (br); Sweden (br) [1199]; Turkmenistan (v) [710]; Ukraine (v) [710]; United Kingdom (br) [6188]; United States (v) [387]

CITES Identification Manual Reference: A-220.002.015.001

Otus albogularis (Cassin, 1850) II B 386, 541, 1068
 E: White-throated Screech-Owl, F: Petit-duc à gorge blanche, S: Autillo gorgiblanco, Curucucú gargantiblanco
 Bolivia (br) [1186]; Colombia (br) [837]; Ecuador (br) [5294, 6317]; Peru (br) [1136]; Venezuela (br) [1070]
 CITES Identification Manual Reference: A-220.002.016.002

Otus alius Rasmussen, 1998 II B DD 32
 E: Nicobar Scops-Owl, F: Petit-duc de Nicobar, S: Autillo de Nicobar
 India (br) [1197]: Nicobar Is

Otus angelinae (Finsch, 1912) II B VU 386, 394, 450, 541, 595
 Synonym: *Otus spilocephalus angelinae*
 E: Javan Scops-Owl, Javan Scops-owl, F: Petit-duc de Java, S: Autillo de Java
 Indonesia (br) [393, 450]: Jawa

Otus asio (Linnaeus, 1758) II B 386, 387, 541
 E: Eastern Screech-Owl, F: Petit-duc maculé, S: Autillo yanqui, Tecolote oriental
 Bermuda (v) [389]; Canada (br) [748]; Mexico (br) [5241]; United States (br) [387]
 CITES Identification Manual Reference: A-220.002.016.004

Otus atricapillus (Temminck, 1822) II B 386, 387, 541, 1068, 7806
 Synonyms: *Otus guatemalae* Sharpe, 1875, *Otus hoyi* König & Straneck, 1989
 E: Black-capped Screech-Owl, Variable Screech-Owl, F: Petit-duc à mèches noires, S: Autillo capirogado, Curucucú vermiculado, Lechucita rojiza
 Argentina (br) [5291, 10249]; Belize (br) [610, 5241]; Bolivia (br) [6986]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Uruguay (br) [5287]; Venezuela (br) [1070]
 CITES Identification Manual Reference: A-220.002.016.016

Otus bakkamoena Pennant, 1769 II B 381, 386, 541

Synonym: *Otus lempiji* Horsfield, 1821

E: Collared Scops-Owl, Indian Scops-Owl, Sunda Scops-Owl, F: Petit-duc à collier, Petit-duc de Horsfield, Petit-duc indien, S: Autillo chino, Autillo de la Sonda, Autillo Indio

Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; Hong Kong (br); India (br) [1197]; Indonesia (br) [393]; Bali, Jawa, Kalimantan, Sumatera; Iran (Islamic Republic of) (br) [1253]; Japan (br) [503, 504]; Korea, DPR (br) [7680]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]; Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Nepal (br) [865]; ?Oman (v) [841]; Pakistan (br); Russian Federation (br) [710]; Singapore (br) [791]; Sri Lanka (br) [5271]; Taiwan (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-220.002.016.006

Otus balli (Hume, 1873) II B LR/nt 381, 386, 541, 595

E: Andaman Scops-Owl, F: Petit-duc des Andaman, S: Autillo de Andamán

India (br) [1197]; Andaman Is

CITES Identification Manual Reference: A-220.002.016.007

Otus barbarus (Sclater & Salvin, 1868) II B LR/nt 386, 387, 541, 595

E: Bearded Screech-Owl, Santa Barbara Screech-Owl, Santa Barbara Screech-owl, F: Petit-duc bridé, S: Autillo barbudo, Tecolote barbudo

Guatemala (br) [5241]; Mexico (br) [5241]

CITES Identification Manual Reference: A-220.002.016.008

Otus brookii (Sharpe, 1892) II B 386, 541

E: Rajah Scops-Owl, F: Petit-duc radjah, S: Autillo Rajá

Indonesia (br) [393]; Sumatera; Malaysia (br) [1289]; Sabah, Sarawak

CITES Identification Manual Reference: A-220.002.016.010

Otus brucei (Hume, 1873) II B 381, 386, 541, 611, 723, 841, 918

E: Pallid Scops-Owl, Striated Scops-Owl, F: Petit-duc de Bruce, S: Autillo Persa

Afghanistan (v) [694]; Bahrain (v) [1105]; Egypt (v) [756]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385, 10170, 10172, 10175, 10176]; Israel (br?) [5245]; Jordan (br?) [395, 1386]; Kazakhstan (br) [5269]; Lebanon (br?) [5284]; Oman (br); Pakistan (br); Saudi Arabia [881]; Syrian Arab Republic (br?) [5283]; Tajikistan (br) [374]; Turkey (br) [5282]; Turkmenistan (br) [710]; United Arab Emirates (br) [1192]; Uzbekistan (br) [710]; Yemen (br?) [5297]

Otus choliba (Vieillot, 1817) II B 386, 387, 541, 1068

E: Tropical Screech-Owl, F: Petit-duc choliba, S: Autillo chóliba, Curucucú común, Lechucita común

Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Uruguay (br) [5287]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-220.002.016.012

<i>Otus clarkii</i> Kelso & Kelso, 1935	II	B	386, 387, 541, 1068
E: Bare-shanked Screech-Owl, F: Petit-duc de Clark, S: Autillo serrano, Buhito en Pernetas			
Colombia (br) [837]; Costa Rica (br) [1311]; Panama (br) [1195]			
CITES Identification Manual Reference: A-220.002.016.013			
<i>Otus collaris</i> Lambert & Rasmussen, 1998	II	B	6305
E: Sangihe Scops-Owl, F: Petit-duc de Sangihe, S: Autillo de la Sangihe			
Indonesia (br) [393]: Sulawesi			
<i>Otus elegans</i> (Cassin, 1852)	II	B	LR/nt 576
Synonym: <i>Otus scops elegans</i>			
E: Elegant Scops-Owl, Ryukyu Scops-Owl, F: Petit-duc élégant, S: Autillo elegante			
Japan (br) [503]; Philippines (br) [5270]; Taiwan (br) [504, 1258]			
<i>Otus flammeolus</i> (Kaup, 1853)	II	B	386, 387, 541
E: Flammulated Owl, F: Petit-duc nain, S: Autillo flamulado, Tecolote flameado			
Canada (br) [748]; Guatemala [5241]; Mexico (br) [5241]; United States (br) [387]			
CITES Identification Manual Reference: A-220.002.016.015			
<i>Otus fuliginosus</i> (Sharpe, 1888)	II	B	LR/nt 595
Synonym: <i>Otus bakkamoena fuliginosus</i>			
E: Palawan Scops-Owl, Palawan Scops-owl, F: Petit-duc de Palawan, S: Autillo de Palawan			
Philippines (br) [5270]			
<i>Otus hartlaubi</i> (Giebel, 1849)	II	B	VU 386, 541, 576, 595, 597, 723, 918, 1256
E: Sao Tomé Scops-Owl, F: Petit-duc de Sao Tomé, S: Autillo de Santo Tomé			
São Tomé and Príncipe (br) [659, 900]			
CITES Identification Manual Reference: A-220.002.016.017			
<i>Otus icterorhynchus</i> (Shelley, 1873)	II	B	386, 541, 723, 918, 1256
E: Sandy Scops-Owl, F: Petit-duc à bec jaune, S: Autillo piquigualdo			
Cameroon (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br);			
Ghana (br?) [782]; Liberia (br?) [648, 5246]			
CITES Identification Manual Reference: A-220.002.016.018			
<i>Otus ingens</i> (Salvin, 1897)	II	B	386, 541, 1068
Synonym: <i>Otus colombianus</i> Traylor, 1952			
E: Colombian Screech-Owl, Rufescent Screech-Owl, F: Petit-duc de Salvin, S: Autillo pálido, Curucucú pálido			
Bolivia (br) [1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]			
CITES Identification Manual Reference: A-220.002.016.019			

<i>Otus ireneae</i> Ripley, 1966	II	A	EN	386, 511, 541, 576, 595, 597, 693, 723, 918
E: Morden's Scops-Owl, Sokoke Scops-Owl, Sokoke Scops-owl, F: Petit-duc d'Irène, S: Autillo de Sokoke				
Kenya (br) [5253]; Tanzania, United Republic of (br?) [659]				
CITES Identification Manual Reference:			A-220.002.016.021	
<i>Otus kennicottii</i> (Elliot, 1867)	II	B		387
Synonyms: <i>Otus asio kennicottii</i> , <i>Otus cooperi</i> Ridgway, 1878, <i>Otus seductus</i> Moore, 1941				
E: Western Screech-Owl, F: Petit-duc des montagnes, S: Autillo Californiano, Tecolote occidental				
Canada (br) [748]; Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; United States (br) [387]				
CITES Identification Manual Reference:			A-220.002.016.014	
<i>Otus koepckeae</i> Hekstra, 1982	II	B		386
E: Koepcke's Screech-Owl, F: Petit-duc de Koepcke, S: Autillo de Koepcke				
Bolivia (br) [6947]; Peru (br) [1136]				
<i>Otus lawrencii</i> (Sclater & Salvin, 1868)	II	B		386, 387, 485, 541
Synonym: <i>Gymnoglaux lawrencii</i>				
E: Bare-legged Owl, Bare-legged Owlch-Owl, Cuban Screech-Owl, F: Chouette de Cuba, Petit-duc de Cuba, S: Autillo Cubano, Cotunto, Cucu, Siju cotunto				
Cuba (br) [5259]				
CITES Identification Manual Reference:			A-220.002.007.001	
<i>Otus leucotis</i> (Temminck, 1820)	II	B		386, 511, 541, 573, 723, 1256
Synonyms: <i>Ptilopsis leucotis</i> , <i>Ptilopsis granti</i> (Kollibay, 1910)				
E: White-faced Scops-Owl, F: Petit-duc à face blanche, S: Autillo cariblanco, Gran autillo veliblanco				
Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Djibouti (br?) [427]; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 7834]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [568, 5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]				
CITES Identification Manual Reference:			A-220.002.016.022	

<i>Otus longicornis</i> (Ogilvie-Grant, 1894)	II	B	LR/nt	595
Synonym: <i>Otus scops longicornis</i>				
E: Luzon Scops-Owl, Luzon Scops-owl, F: Petit-duc longicorne, S: Autillo de Luzón Philippines (br) [5270]				
<i>Otus magicus</i> (Müller, 1841)	II	B	CR/ EN/LR/	386, 541, 576, 595, 597, 1242 nt/-
Synonyms: <i>Otus alfredi</i> Hartert, 1897, <i>Otus beccarii</i> Salvadori, 1876, <i>Otus enganensis</i> Riley, 1927, <i>Otus insularis</i> (Tristram, 1880), <i>Otus manadensis</i> <i>magicus</i>				
E: Moluccan Scops-Owl, Papuan Scops-Owl, F: Petit-duc mystérieux, S: Autillo Moluqueño				
Indonesia (br) [393]: Irian Jaya, Lesser Sunda Is, Moluccas, Sulawesi; Seychelles (br) [659]				
CITES Identification Manual Reference:				A-220.002.016.003
<i>Otus manadensis</i> (Quoy & Gaimard, 1830)	II	B	CR/-	386, 541
E: Celebes Scops-Owl, Sulawesi Scops-Owl, F: Petit-duc de Manado, S: Autillo de Célebes				
Indonesia (br) [393, 7262]: Sulawesi				
CITES Identification Manual Reference:				A-220.002.016.023
<i>Otus mantananensis</i> (Sharpe, 1892)	II	B	LR/nt	
Synonym: <i>Otus scops mantananensis</i>				
E: Mantanani Scops-Owl, F: Petit-duc de Mantanani, S: Autillo de la Mantanani				
Malaysia (br): Sabah; Philippines (br) [5270]				
<i>Otus marshalli</i> Weske & Terborgh, 1981	II	B	LR/nt	386, 576, 705
Synonym: <i>Otus petersoni</i> Fitzpatrick & O'Neill, 1986				
E: Cloud-forest Screech-Owl, F: Petit-duc de Marshall, S: Autillo de Marshall				
Ecuador (br) [5294]; Peru (br) [1136, 1407, 6854]				
<i>Otus megalotis</i> (Walden, 1875)	II	B		386
Synonym: <i>Otus bakkamoena megalotis</i>				
E: Philippine Scops-Owl, F: Petit-duc de Luçon, S: Autillo Filipino				
Philippines (br) [5270, 6639]				
<i>Otus mentawi</i> Chasen & Kloss, 1926	II	B	LR/nt	
Synonym: <i>Otus bakkamoena mentawi</i>				
E: Mentawai Scops-Owl, F: Petit-duc des Mentawai, S: Autillo de las Mentawai				
Indonesia (br) [393]: Sumatera				
<i>Otus mindorensis</i> (Whitehead, 1899)	II	B	LR/nt	386, 595
Synonym: <i>Otus scops mindorensis</i>				
E: Mindoro Scops-Owl, Mindoro Scops-owl, F: Petit-duc de Mindoro, S: Autillo de Mindoro				
Philippines (br) [5270]				

<i>Otus mirus</i> Ripley & Rabor, 1968	II	B	LR/nt	595
Synonym: <i>Otus scops mirus</i>				
E: Mindanao Scops-Owl, Mindanao Scops-owl, F: Petit-duc de Mindanao, S: Autillo de Mindanao				
Philippines (br) [5270]				
<i>Otus moheliensis</i>	II	B	CR	41, 6298
Lafontaine & Moulaert, 1998				
E: Moheli Scops-Owl, F: Petit-duc de Mohéli, S: Autillo de Moheli				
Comoros (br) [659]				
<i>Otus nudipes</i> (Daudin, 1800)	II	B		386, 387, 485, 541, 576
E: Puerto Rican Screech-Owl, F: Petit-duc de Porto Rico, S: Autillo Portorriqueño				
Puerto Rico (br) [1176]; Virgin Islands (British) (br); Virgin Islands (U.S.) (br)				
CITES Identification Manual Reference:				A-220.002.016.025
<i>Otus pauliani</i> (Benson, 1960)	II	B	CR	386, 576, 595, 597, 833, 989, 6298
Synonym: <i>Otus rutilus pauliani</i>				
E: Comoro Scops-Owl, Grand Comoro Scops-Owl, Grand Comoro Scops-owl, F: Petit-duc du Karthala, S: Autillo de las Comores				
Comoros (br) [659]				
<i>Otus podarginus</i> (Hartlaub & Finsch, 1872)	II	B		386, 541, 576
Synonym: <i>Pyrroglaux podargina</i>				
E: Palau Owl, F: Petit-duc des Palau, S: Autillo de las Palau				
Palau (br) [1171]				
CITES Identification Manual Reference:				A-220.002.020.001
<i>Otus roboratus</i> Bangs & Noble, 1918	II	B		386, 541, 1068
E: Peruvian Screech-Owl, West Peruvian Screech-Owl, F: Petit-duc du Pérou, S: Autillo peruano, Autillo roborado				
Ecuador (br?) [6360]; Peru (br) [1136]				
CITES Identification Manual Reference:				A-220.002.016.026
<i>Otus rufescens</i> (Horsfield, 1821)	II	B	LR/nt	386, 541, 929
E: Reddish Scops-Owl, F: Petit-duc roussâtre, S: Autillo rojizo				
Brunei Darussalam (br); Indonesia (br) [393]: Jawa, Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; ?Philippines [5270]; Thailand (br) [487, 1220]				
CITES Identification Manual Reference:				A-220.002.016.027

<i>Otus rutilus</i> (Pucheran, 1849)	II	B	386, 412, 511, 541, 576, 595, 723, 918, 931, 6298
--------------------------------------	----	---	--

Synonyms: *Otus capnodes* (Gurney, 1889), *Otus mayottensis* Benson, 1960, *Otus madagascariensis* (Grandidier, 1867)

E: Madagascar Scops-Owl, Malagasy Scops-Owl, Pemba Scops-Owl, F: Petit-duc malgache, S: Autillo Malgache
Comoros (br) [659]; Madagascar (br) [633, 5249]; Mayotte (br); Tanzania, United Republic of (br?) [659]

CITES Identification Manual Reference: A-220.002.016.028

<i>Otus sagittatus</i> (Cassin, 1848)	II	B	VU	386, 541, 595, 929
---------------------------------------	----	---	----	--------------------

E: White-fronted Scops-Owl, White-fronted Scops-owl, F: Petit-duc à front blanc, S: Autillo frentiblanco

?Indonesia (br?) [393, 1027]: Sumatera; Malaysia (br); Myanmar (br) [1290]; Taiwan (v); Thailand (br) [487, 1220]

CITES Identification Manual Reference: A-220.002.016.029

<i>Otus sanctaecatarinae</i> (Salvin, 1897)	II	B
---	----	---

E: Long-tufted Screech-Owl, F: Petit-duc à aigrettes longues, S: Autillo de Santa Catarina

Argentina (br) [5291, 10249]; Brazil (br) [6186]

CITES Identification Manual Reference: A-220.002.016.005

<i>Otus scops</i> (Linnaeus, 1758)	II	A	381, 386, 511, 541, 611, 723, 841, 929
------------------------------------	----	---	--

Synonyms: *Otus senegalensis* (Swainson, 1834), *Otus sunia* (Hodgson, 1836)

E: African Scops-Owl, Common Scops-Owl, Eurasian Scops-Owl, Oriental Scops-Owl, Scops Owl, F: Hibou petit-duc, Petit-duc africain, Petit-duc scops, Petit-Duc scops, S: Autillo, Autillo, Autillo Africano, Autillo europeo, Autillo Oriental
Afghanistan (br?) [694]; Albania (br); Algeria (br) [971]; Andorra (v) [5239]; Angola (br) [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh (br) [804]; Belarus (br); Belgium (v) [5272]; Benin (br?) [659]; Bhutan (br) [5261]; Botswana (br) [1102]; Bulgaria (br) [5280]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cambodia (br) [5243]; Cameroon (br) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; China (br) [5293]; Côte d'Ivoire (br) [1334]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (br); Denmark (v) [666]; Djibouti (br?) [427]; Egypt (br?) [756]; Equatorial Guinea (br) [659]; Bioko; Eritrea (br?) [659]; Ethiopia (br) [659]; Faroe Islands (v) [480]; France (br) [7041]; Gambia (br) [760, 7217]; Georgia (br) [710]; Germany (v) [5274]; Ghana (br) [782]; Gibraltar (br?); Greece (br) [5281]; Guinea (br?) [1078]; Guinea-Bissau (br) [659, 715]; Hong Kong; Hungary (br) [5257]; Iceland (v) [507]; India (br) [1197]; Indonesia (br) [393]; Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503, 504]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Korea, DPR (br) [7680]; Korea, Republic of (br) [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (br) [6187]; Latvia (v) [5278]; Lebanon (br) [5284]; Lesotho (v) [486]; Liberia (br?) [5246]; Libyan Arab Jamahiriya (br) [536]; Liechtenstein (v); Luxembourg (v) [5248]; Malawi (br) [1103]; Malaysia; Malta; Mauritania (br?) [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (v) [5273]; Niger (br?) [659]; Nigeria (br); Norway (v) [5275]; Oman (br); Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Madeira (v); Qatar (v) [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Serbia and Montenegro (br) [1038];

Seychelles (v) [6253]; Sierra Leone (br?) [659]; Singapore (v) [791]; Slovakia (br) [5279]; Somalia (br) [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Swaziland (br) [1139]; Sweden (v) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br?) [5283]; Tajikistan (br) [374]; Tanzania, United Republic of (br?) [659]; Thailand (br) [487, 1220]; Togo (br?) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; Viet Nam (br) [5264]; Western Sahara; Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-220.002.016.030

Otus silvicola (Wallace, 1864) II B 386, 541, 595

E: Lesser Sunda Scops-Owl, Wallace's Scops-Owl, Wallace's Scops-owl, F: Petit-duc de Wallace, S: Autillo de Wallace

Indonesia (br) [393]: Lesser Sunda Is

CITES Identification Manual Reference: A-220.002.016.031

Otus spilocephalus (Blyth, 1846) II B 381, 386, 541, 929

E: Mountain Scops-Owl, Spotted Scops-Owl, F: Petit-duc tacheté, S: Autillo montano
Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Kalimantan [7727], Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]; Myanmar (br) [1290, 7214]; Nepal (br) [865]; Pakistan (br); Taiwan (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-220.002.016.032

Otus trichopsis (Wagler, 1832) II B 386, 387, 541

E: Whiskered Screech-Owl, F: Petit-duc à moustaches, S: Autillo bigotudo, Tecolote
bigotudo

El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241];
Nicaragua (br) [1195]; United States (v) [387]

CITES Identification Manual Reference: A-220.002.016.034

Otus umbra (Richmond, 1903) II B LR/nt 386, 541

E: Mentaur Scops-Owl, Simeulue Scops-Owl, F: Petit-duc de Simalur, S: Autillo de la
Simeulue

Indonesia (br) [393]: Sumatera

CITES Identification Manual Reference: A-220.002.016.035

Otus vermiculatus (Ridgway, 1887) II B

Synonym: *Otus guatemalae vermiculatus*

E: Vermiculated Screech-Owl, F: Petit-duc vermiculé, S: Autillo vermiculado

Colombia (br) [837]; Costa Rica (br) [1311]; Panama (br) [1195]

Otus watsonii (Cassin, 1848) II B 386, 541, 1068

Synonym: *Otus usta* Sclater, 1859

E: Tawny-bellied Screech-Owl, F: Petit-duc de Watson, S: Autillo del Amazonas,
Curucucú orejudo

Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French
Guiana (br) [1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela
(br) [1070, 6304]

CITES Identification Manual Reference: A-220.002.016.037

<i>Pseudoscops grammicus</i> (Gosse, 1847)	II	B	386, 387, 485, 541
E: Jamaican Owl, F: Hibou de la Jamaïque, S: Búho de Jamaica, Búho Jamaicano			
Jamaica (br) [657]			
CITES Identification Manual Reference:	A-220.002.018.001		
<i>Pulsatrix koeniswaldiana</i>	II	B	386, 541, 1068
(Bertoni & Bertoni, 1901)			
E: Tawny-browed Owl, White-chinned Owl, F: Chouette à sourcils jaunes, Chouette de Koeniswald, S: Lechuzón acollarado chico, Lechuzón anteojos menor, Lechuzón pardo menor			
Argentina (br) [5291, 10249]; Brazil (br) [6186]; Paraguay (br) [5295, 6321]			
CITES Identification Manual Reference:	A-220.002.019.002		
<i>Pulsatrix melanota</i> (Tschudi, 1844)	II	B	386, 541, 1068
E: Band-bellied Owl, Band-tailed Owl, Rusty-barred Owl, F: Chouette à collier,			
S: Cicupa, Lechuzón acollarado grande			
Bolivia (br) [1186]; Colombia (v) [837]; Ecuador (br) [5294]; Peru (br) [1136]			
CITES Identification Manual Reference:	A-220.002.019.003		
<i>Pulsatrix perspicillata</i> (Latham, 1790)	II	B	386, 541, 1068
E: Spectacled Owl, F: Chouette à lunettes, S: Búho de anteojos, Lechuzón anteojos, Lechuzón de Anteojos			
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [448, 5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]			
CITES Identification Manual Reference:	A-220.002.019.004		
<i>Sceloglaux albifacies</i> (Gray, 1844)	II	B	386, 541, 576, 1073
E: Laughing Owl, White-faced Owl, F: Chouette à joues blanches, Ninoxe rieuse,			
S: Lechuzón cariblanco, Nínox reidor			
New Zealand (ex, br) [1351]			
CITES Identification Manual Reference:	A-220.002.022.001		
<i>Scotopelia bouvieri</i> Sharpe, 1875	II	B	386, 541, 723, 918, 1256
E: Vermiculated Fishing-Owl, F: Chouette-pêcheuse de Bouvier, S: Cárabo pescador vermiculado			
Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Democratic Republic of the Congo (br); Gabon (br) [659]; Nigeria (br?)			
CITES Identification Manual Reference:	A-220.002.023.002		

CITES EC Reg. RL References

***Scotopelia peli* (Bonaparte, 1850)** II B 386, 511, 541,
573, 723, 1256

E: Pel's Fishing-Owl, F: Chouette pêcheuse, Chouette-pêcheuse de Pel, S: Cárabo pescador común, Lechuza pescadora
 Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [522, 1102]; Burkina Faso (br?) [659];
 Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Eritrea (br?) [659];
 Ethiopia (br?) [522, 659, 894]; Gabon (br) [659]; Gambia (br?) [760]; Ghana (br?) [782];
 Guinea; Kenya (br?) [5253]; Liberia (br?) [5246]; Malawi (br?) [1103]; Mali (br?) [659];
 Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br?) [659];
 Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659];
 Sudan (br?) [659]; Swaziland (ex?, br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-220.002.023.003

***Scotopelia ussheri* Sharpe, 1871** II B EN 386, 541, 576,
595, 597, 723,
918, 1256

E: Rufous Fishing-owl, Rufous Fishing-Owl, F: Chouette d'Ussher, Chouette-pêcheuse rousse, S: Búho pescador rojizo, Cárabo pescador rojizo
 Côte d'Ivoire (br) [1334]; Ghana (br?) [782]; Guinea (br); Liberia (br) [5246]; Sierra Leone (br) [659]

CITES Identification Manual Reference: A-220.002.023.004

***Speotyto cunicularia* (Molina, 1782)** II B 386, 387, 485,
541, 1068

Synonym: *Athene cunicularia* (Molina, 1782)

E: Burrowing Owl, F: Chevêche des terriers, Chouette de terrier, S: Búho llanero, Cucú, Lechucita común, Lechucita de las viscacheras, Mochuelo de Hoyo, Mochuelo de Madriguera

Antigua and Barbuda (ex, br) [5242]; Argentina (br) [5291, 10249]; Aruba (br) [1380];
 Bahamas (br) [5242]; Belize (v) [6709]; Bolivia (br) [1186, 6385, 7166]; Brazil (br) [6186];
 Canada (br) [748]; Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (v) [1311]; Cuba (br) [5259, 6679]; Dominican Republic (br) [1312]; Ecuador (br) [5294]; El Salvador [5241];
 Falkland Islands (Malvinas) (v) [1439]; Guadeloupe (br) [5242]; Guatemala [5241];
 Guyana (br) [1295]; Haiti (br) [1408]; Honduras [1076]; Mexico (br) [5241]; Panama (v) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Saint Kitts and Nevis (ex, br) [5242];
 Suriname (br) [5296]; Trinidad and Tobago; United States (br) [387]; Uruguay (br) [5287]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-220.002.024.001

***Strix albitarsus* (Bonaparte, 1850)** II B 386, 541, 1068,
7806

Synonym: *Ciccaba albitarsus* (Bonaparte, 1850)

E: Rufous-banded Owl, F: Chouette fascié, S: Cárabo patiblanco, Lechuza colilarga, Lechuza patiblanca

Bolivia (br) [1186, 6346]; Colombia (br) [837, 6358]; Ecuador (br) [5294, 6317]; Peru (br) [1136]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-220.002.005.002

CITES EC Reg. RL References

<i>Strix aluco</i> Linnaeus, 1758	II	A	381, 386, 541, 611, 723, 841
E: Tawny Owl, Tawny Wood-Owl, F: Chouette hulotte, Chouette hulotte, Hulotte chathuant, S: Cárabo, Cárabo común, Cárabo Común			
Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (br) [5272]; Bhutan (br) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; China (br) [5293]; Croatia (br) [5290]; Czech Republic (br) [5258]; Denmark (br) [666]; Estonia (br) [5277]; Finland (br) [1300]; France (br) [7041]; Georgia (br) [710]; Germany (br) [5274]; Greece (br) [5281]; Hungary (br) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385, 10172]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269]; Korea, DPR (br) [7680]; Korea, Republic of (br) [1436]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon (br) [5284]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Macedonia, former Yugoslav Republic of (br) [1038]; Moldova, Republic of (br) [710]; Morocco (br) [461]; Myanmar (br) [1290, 7214]; Nepal (br) [865]; Netherlands (br) [5273]; Norway (br) [5275]; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br); Romania (br) [558]; Russian Federation (br) [710]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br) [5283]; Taiwan (br) [1051]; Tajikistan (br) [374]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Ukraine (br) [710]; United Kingdom (br) [6188]; Uzbekistan (br) [710]; Viet Nam (br) [5264]			
CITES Identification Manual Reference:	A-220.002.025.002		
<i>Strix butleri</i> (Hume, 1878)	II	B	386, 541, 576, 723, 841, 918
E: Desert Owl, Hume's Owl, Hume's Tawny Owl, Hume's Wood-Owl, F: Chouette de Butler, Chouette hulotte de Hume, S: Cárabo árabe, Cárabo de Hume			
Egypt (br) [6252]; Iran (Islamic Republic of) (br?) [1253]; Israel (br) [422, 5245]; Jordan (br) [395]; Oman (br); Pakistan (br); Saudi Arabia (br) [881]; Yemen (br?) [5297]			
CITES Identification Manual Reference:	A-220.002.025.003		
<i>Strix davidi</i> (Sharpe, 1875)	II	B	386, 595, 1069
Synonym: <i>Strix uralensis davidi</i>			
E: David's Owl, Sichuan Wood-Owl, Sichuan Wood-owl, F: Chouette de Sitchouan, Chouette du Sitchouan, S: Cárabo de Sichuán			
China (br) [5293]			
<i>Strix fulvescens</i> (Sclater & Salvin, 1875)	II	B	
Synonym: <i>Strix varia fulvescens</i>			
E: Fulvous Owl, F: Chouette fauve, S: Búho fulvo, Cárabo Guatemalteco			
El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]			
<i>Strix huhula</i> Daudin, 1800	II	B	386, 541, 1068
Synonym: <i>Ciccaba huhula</i> (Daudin, 1800)			
E: Black-banded Owl, F: Chouette huhul, S: Cárabo negro, Lechuza negra			
Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295]; Paraguay (br) [5295, 6321, 6932]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070, 6304]			
CITES Identification Manual Reference:	A-220.002.005.003		

CITES EC Reg. RL References

<i>Strix hylophila</i> Temminck, 1825	II	B	386, 541, 1068
E: Rusty-barred Owl, F: Chouette dryade, S: Cárabo Brasileño, Lechuza listada			
Argentina (br) [465, 5291, 10249]; Brazil (br) [6186, 6292, 6892]; Paraguay (br) [5295, 6321]			
CITES Identification Manual Reference:	A-220.002.025.005		
<i>Strix leptogrammica</i> Temminck, 1831	II	B	381, 386, 541, 929
E: Brown Wood-Owl, F: Chouette leptogramme, S: Cárabo oriental			
Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]; Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]; Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Nepal (br) [865]; Sri Lanka (br) [5271]; Taiwan (br) [1051]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]			
CITES Identification Manual Reference:	A-220.002.025.006		
<i>Strix nebulosa</i> Forster, 1772	II	A	386, 387, 541, 611
E: Great Grey Owl, Grey Owl, Lapland Owl, Lapp Owl, F: Chouette lapone, Chouette lapone, S: Cárabo Lapón			
Belarus (br) [9307]; Canada (br) [748]; China (br) [5293]; Finland (br) [1300]; Germany (v) [5274]; Kazakhstan (br) [5269]; Latvia (ex, br) [5278]; Lithuania (br) [5247]; Mongolia (br) [1306]; Norway (br) [5275]; Poland (v) [1348]; Russian Federation (br) [710]; Sweden (br) [1199]; United States (br) [387]			
CITES Identification Manual Reference:	A-220.002.025.007		
<i>Strix nigrolineata</i> Sclater, 1859	II	B	386, 387, 541, 1068
Synonym: <i>Ciccaba nigrolineata</i> Sclater, 1859			
E: Black-and-white Owl, F: Chouette à lignes noires, Chouette noire et blanche, S: Búho blanquinegro, Cárabo blanquinegro, Cárabo de Sudamérica, Lechuza blanquinegra			
Belize (br) [5241]; Colombia (br) [837, 6674]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076, 6231, 6308]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136, 8616]; Venezuela (br) [1070, 6304]			
CITES Identification Manual Reference:	A-220.002.005.004		
<i>Strix occidentalis</i> (Xantus De Vesey, 1860)	II	B	386, 387, 541, 576, 595, 1414
E: Spotted Owl, F: Chouette tachetée, S: Búho manchado, Cárabo Californiano			
Canada (br) [748]; British Columbia; Mexico (br) [5241]; United States (br) [387, 787]			
CITES Identification Manual Reference:	A-220.002.025.008		
<i>Strix ocellata</i> (Lesson, 1839)	II	B	381, 386, 541
E: Mottled Wood-Owl, F: Chouette ocellée, S: Cárabo ocelado			
Bangladesh (br?) [804]; India (br) [1197]; Myanmar (br) [1290]; Pakistan (v)			
CITES Identification Manual Reference:	A-220.002.025.006		
<i>Strix rufipes</i> King, 1828	II	B	386, 541, 1068
Synonym: <i>Strix chacoensis</i> Cherrie & Reichenberger, 1921			
E: Rufous-legged Owl, F: Chouette masquée, S: Cárabo bataraz, Lechuza bataraz			
Argentina (br) [5291, 10249]; Bolivia (br) [6986]; Chile (br) [873, 5292]; Falkland Islands (Malvinas) (v) [1439]; Paraguay (br) [5295]			
CITES Identification Manual Reference:	A-220.002.025.010		

CITES EC Reg. RL References

<i>Strix seloputo</i> Horsfield, 1871	II	B	386, 541, 929
E: Spotted Wood-Owl, F: Chouette des pagodes, S: Cárabo de las pagodas			
Cambodia (br) [5243]; Indonesia (br) [393, 1027]; Jawa; Lao People's Democratic Republic; Malaysia (br); Myanmar (br) [1290]; Philippines (br) [1166, 5270]; Singapore (br) [791]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]			
CITES Identification Manual Reference:	A-220.002.025.011		
<i>Strix uralensis</i> Pallas, 1771	II	A	386, 541, 611
E: Ural Owl, F: Chouette de l'Oural, Chouette de l'Oural, S: Cárabo uralense, Cárabo Uralense			
Albania (br?); Austria (br?) [1215]; Belarus (br); Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; China (br) [5293]; Croatia (br) [5290]; Estonia (br) [5277]; Finland (br) [1300]; Germany (v) [5274]; Hungary (br) [5257]; Italy (v) [5289]; Japan (br) [503, 504]; Kazakhstan (br) [5269]; Korea, DPR (br) [7680]; Korea, Republic of (v) [1436]; Latvia (br) [5278]; Lithuania (br) [5247]; Macedonia, former Yugoslav Republic of (br) [1038]; Mongolia (br) [1306]; Norway (br) [5275]; Poland (br) [1348]; Romania (br) [558]; Russian Federation (br) [710]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia (br) [1038]; Sweden (br) [1199]			
CITES Identification Manual Reference:	A-220.002.025.012		
<i>Strix varia</i> Barton, 1799	II	B	386, 387, 541
E: Barred Owl, F: Chouette rayée, S: Búho barrado, Cárabo norteamericano			
Bermuda (v) [389]; Canada (br) [748]; Mexico (br) [5241]; United States (br) [387]			
CITES Identification Manual Reference:	A-220.002.025.013		
<i>Strix virgata</i> (Cassin, 1850)	II	B	386, 387, 541, 1068
Synonym: <i>Ciccaba virgata</i> Cassin, 1850)			
E: Mottled Owl, F: Chouette mouchetée, S: Búho café, Cárabo café, Lechuza colilarga			
Argentina (br) [465, 5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6927]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (v) [387]; Venezuela (br) [1070]			
CITES Identification Manual Reference:	A-220.002.005.005		
<i>Strix woodfordii</i> (Smith, 1834)	II	B	386, 511, 541, 573, 723, 1256
Synonym: <i>Ciccaba woodfordii</i> (A. Smith, 1834)			
E: African Wood-Owl, Woodford's Owl, F: Chouette africaine, Hulotte africaine, S: Cárabo Africano, Lechuzón de Woodford			
Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia [760]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			
CITES Identification Manual Reference:	A-220.002.005.006		

Surnia ulula (Linnaeus, 1758) II A 386, 387, 541, 611
 E: Hawk Owl, Northern Hawk Owl, F: Chouette épervière, Chouette épervière, S: Búho gavilán, Búho Gavilán, Cárabo gavilán, Lechuza gavilana, Lechuza gavilana
 Austria (v) [1215]; Belgium (v) [5272]; Bermuda (v) [389]; Canada (br) [748]; China (br) [5293]; ?Czech Republic [5258]; Denmark (v) [666]; Estonia (br) [5277]; Faroe Islands (v) [480]; Finland (br) [1300]; France (v) [7041]; Germany (v) [5274]; Hungary (v) [5257]; Japan (v) [503]; Kazakhstan [5269]; Korea, DPR (v); Latvia (ex, br) [5278]; Luxembourg (v) [5248]; Mongolia (br) [1306]; Netherlands (v) [5273]; Norway (br) [5275]; Poland (v) [1348]; Romania (v) [558]; Russian Federation (br) [710]; Serbia and Montenegro (v) [1038]; Slovakia (v) [5279]; ?Spain (v) [702]; Sweden (br) [1199]; Switzerland (v) [5288]; Ukraine (v) [710]; United Kingdom (v) [6188]; United States (br) [387]
 CITES Identification Manual Reference: A-220.002.026.001

Uroglaux dimorpha (Salvadori, 1874) II B DD 386, 541, 576
 E: Papuan Boobook, Papuan Hawk-Owl, Papuan Hawk-owl, F: Chouette de Nouvelle-Guinée, Ninoxe papoue, S: Nínox halcón
 Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)
 CITES Identification Manual Reference: A-220.002.027.001

Xenoglaux loweryi O'Neill & Graves, 1977 II B EN 386, 576, 595, 598
 E: Long-whiskered Owlet, F: Chevêchette nimbée, S: Búho pequeño de bigotes alargados, Mochuelo peludo
 Peru (br) [1136, 6724]
 CITES Identification Manual Reference: A-220.002.028.001

Order: **APODIFORMES**
 Family: **TROCHILIDAE**

Abeillia abeillei (Lesson & DeLattre, 1839) II B 387
 E: Emerald-chinned Hummingbird, F: Colibri d'Abeillé, S: Colibrí barbiesmeralda
 El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241];
 Nicaragua (br) [1195]

Adelomyia melanogenys (Fraser, 1840) II B 1068
 E: Speckled Hummingbird, F: Colibri moucheté, S: Colibrí jaspeado, Colibrí serrano
 gargantiazul, Picaflor gargantiazul
 Argentina (br) [465, 5291, 10249]; Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]

Aglaeactis aliciae Salvin, 1896 II B VU 595, 598, 1068
 E: Purple-backed Sunbeam, F: Colibri d'Alice, S: Colibrí de Alicia
 Peru (br) [1136, 6680]

Aglaeactis castelnauii (Bourcier & Mulsant, 1848) II B 1068
 E: White-tufted Sunbeam, F: Colibri de Castelneau, S: Colibrí condecorado
 Peru (br) [1136]

Aglaeactis cupripennis (Bourcier, 1843) II B
 E: Shining Sunbeam, F: Colibri étincelant, S: Colibrí cobrizo, Rayito brillante
 Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]

<i>Aglaeactis pamela</i> (d'Orbigny, 1838)	II	B	1068
E: Black-hooded Sunbeam, F: Colibri paméla, S: Colibrí negrito Bolivia (br) [1058, 1186, 5116]			
<i>Aglaiocercus berlepschi</i> (Hartert, 1898)	II	B	
E: Venezuelan Sylph Venezuela			
<i>Aglaiocercus coelestis</i> (Gould, 1861)	II	B	1068
E: Violet-tailed Sylph, F: Sylphe à queue violette, S: Silfo celeste, Silfo colivioleta Colombia (br) [837]; Ecuador (br) [5294]			
<i>Aglaiocercus kingi</i> (Lesson, 1832)	II	B	1068
Synonym: <i>Aglaiocercus emmae</i> (Berlepsch, 1892) E: Long-tailed Sylph, F: Sylphe à queue d'azur, S: Colibrí coludo azul, Silfo colilargo, Silfo de King Bolivia (br) [1058, 1186]; Colombia (br) [837, 10120]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]			
<i>Agyrtria brevirostris</i> (Lesson, 1829)	II	B	1068
Synonym: <i>Amazilia chionopectus</i> (Gould, 1859) E: White-chested Emerald, F: Ariane à poitrine blanche, S: Amazilia pechiblanca, Diamante colidorado Brazil (br) [1269, 6186]; French Guiana (br) [463, 1349]; ?Grenada (br) [5242]; Guyana (br) [1295]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]			
<i>Agyrtria candida</i> (Bourcier & Mulsant, 1846)	II	B	387
Synonym: <i>Amazilia candida</i> (Bourcier & Mulsant, 1846) E: White-bellied Emerald, F: Ariane candide, S: Amazilia cándida, Esmeralda viente- blanco Belize (br) [5241]; Costa Rica (v) [1311]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]			
<i>Agyrtria cyanocephala</i> (Lesson, 1829)	II	B	387
Synonyms: <i>Amazilia microrhyncha</i> Elliot, 1876, <i>Amazilia cyanocephala</i> (Lesson, 1829) E: Azure-crowned Hummingbird, Pied-billed Azurecrown, F: Ariane à couronne azur, S: Amazilia coroniazul, Colibrí coroniazul Belize (br) [1227, 5241]; El Salvador (br) [5241]; Guatemala (br) [448, 5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]			
<i>Agyrtria franciae</i> (Bourcier & Mulsant, 1846)	II	B	1068
Synonym: <i>Amazilia franciae</i> (Bourcier & Mulsant, 1846) E: Andean Emerald, F: Ariane de Francia, S: Amazilia andina Colombia (br) [837, 6783, 9220]; Ecuador (br) [5294]; Peru (br) [1136]			
<i>Agyrtria leucogaster</i> (Gmelin, 1788)	II	B	1068
Synonym: <i>Amazilia leucogaster</i> (Gmelin, 1788) E: Plain-bellied Emerald, F: Ariane vert-doré, S: Amazilia ventriblanca, Diamante ventriblanco Brazil (br) [1269, 6186]; French Guiana (br) [464, 1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070]			

<i>Agyrtria rondoniae</i> (Ruschi, 1982)	II	B	6495
Synonym: <i>Amazilia rondoniae</i> Ruschi, 1982			
E: Rondônia Emerald□			
Bolivia; Brazil (br) [6186]			
<i>Agyrtria versicolor</i> (Vieillot, 1818)	II	B	1068
Synonym: <i>Amazilia versicolor</i> (Vieillot, 1818)			
E: Versicolored Emerald, F: Ariane versicolore, S: Amazilia versicolor, Diamante multicolor, Picaflor pequeño verde			
Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186, 6413]; Colombia (br) [837]; Paraguay (br) [5295]; Peru [9221]; Venezuela (br) [1070]			
<i>Agyrtria violiceps</i> (Gould, 1859)	II	B	387
Synonym: <i>Amazilia violiceps</i> (Gould, 1859)			
E: Violet-crowned Hummingbird, F: Ariane à couronne violette, S: Amazilia coronivioleta, Colibrí corona-violeta			
Guatemala (v) [6397]; Mexico (br) [5241, 7068, 7106]; United States (br) [387, 887]			
<i>Agyrtria viridifrons</i> (Elliot, 1871)	II	B	387, 6357
Synonyms: <i>Amazilia wagneri</i> Philips, 1965, <i>Amazilia viridifrons</i> (Elliot, 1871)			
E: Green-fronted Hummingbird, F: Ariane à front vert, S: Amazilia frentiverde, Colibrí corona-verde			
?Belize [6768, 6769, 8757]; Mexico (br) [5241]			
<i>Amazilia alticola</i> Gould, 1860	II	B	7702
E: Loja Hummingbird			
Ecuador (br)			
<i>Amazilia amazilia</i> (Lesson, 1828)	II	B	1068, 7702
E: Amazilia Hummingbird, F: Ariane de Lesson, S: Amazilia costeña, Amazilia ventrirufa			
Ecuador (br) [5294]; Peru (br) [1136]			
<i>Amazilia castaneiventris</i> Gould, 1856	II	B	CR 595, 598, 1068
E: Chestnut-bellied Hummingbird, F: Ariane à ventre roux, S: Amazilia ventricastaña			
Colombia (br) [836, 837, 8636]			
<i>Amazilia rutila</i> (DeLattre, 1842)	II	B	387
E: Cinnamon Hummingbird, F: Ariane cannelle, S: Amazilia canela, Colibrí canelo			
Belize (br) [680, 5241]; Costa Rica (br) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; United States (v) [387]			
<i>Amazilia tzacatl</i> (de la Llave, 1833)	II	B	-/VU 387, 1068, 6707
Synonym: <i>Amazilia handleyi</i> Wetmore, 1963			
E: Rufous-tailed Hummingbird, F: Ariane à ventre gris, S: Amazilia colirrufa, Amazilia tzacatl, Colibrí colirrufo			
Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Guatemala (br) [5241]; ?Guyana [10021]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; United States (v) [387, 887]; Venezuela (br) [1070]			

<i>Amazilia yucatanensis</i> (Cabot, 1845)	II	B	387
E: Buff-bellied Hummingbird, Fawn-breasted Hummingbird, F: Ariane du Yucatan, S: Amazilia yucateca, Colibrí vientre-canelo Belize (br) [5241]; Guatemala (br) [5241]; ?Honduras (v) [1076]; Mexico (br) [5241, 6675]; United States (br) [387, 887]			
<i>Androdon aequatorialis</i> Gould, 1863	II	B	387, 1068
E: Tooth-billed Hummingbird, F: Colibri d'Équateur, S: Colibrí piquidentado Colombia (br) [837]; Ecuador (br) [5294]; Panama (br) [1195, 1203]			
<i>Anopetia gounellei</i> (Boucard, 1891)	II	B	1068
Synonym: <i>Phaethornis gounellei</i> E: Broad-tipped Hermit, F: Ermite de Gounelle, S: Ermitaño coliancho Brazil (br) [1269, 6186]			
<i>Anthocephala floriceps</i> (Gould, 1854)	II	B	VU 595, 1068
E: Blossomcrown, F: Colibri à tête rose, S: Colibrí florido Colombia (br) [836, 837, 6683]			
<i>Anthracothorax dominicus</i> (Linnaeus, 1766)	II	B	387, 485
E: Antillean Mango, Dominican Mango, F: Mango doré, S: Mango Antillano, Zumbador grande Dominican Republic (br) [1312]; Haiti (br) [1408, 1438]; Puerto Rico (br) [1176]; Virgin Islands (British) (ex, br): British Virgin Is [1176]; Virgin Islands (U.S.) (br)			
<i>Anthracothorax mango</i> (Linnaeus, 1758)	II	B	387, 485
E: Jamaican Mango, F: Mango de la Jamaïque, S: Mango Jamaicano Jamaica (br) [657]			
<i>Anthracothorax nigricollis</i> (Vieillot, 1817)	II	B	387, 1068
E: Black-throated Mango, F: Mango à cravate noire, S: Mango, Mango gorginegro, Mango pechinegro, Picaflor ventrinegro Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186, 6413]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [464, 1349, 10252]; Guyana (br) [1295]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Uruguay (v) [761, 5287]; Venezuela (br) [1070]			
<i>Anthracothorax prevostii</i> (Lesson, 1832)	II	B	387, 485, 1068
E: Green-breasted Mango, F: Mango de Prévost, S: Mango pechiverde Bahamas (br) [5242]; Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Guatemala (br) [5241, 6397]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br); Peru (br) [1136]; United States (v) [387]; Venezuela (br) [1070]			
<i>Anthracothorax recurvirostris</i> (Swainson, 1822)	II	B	595, 1068
Synonym: <i>Avocettula recurvirostris</i> (Swainson, 1822) E: Fiery-tailed Awlbill, F: Colibri avocette, S: Colibrí pico lezna, Mango picolezna Brazil (br) [1269, 6186]; Ecuador (br) [5294]; ?French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [1350, 5296]; Venezuela (br) [1070, 6290]			

<i>Anthracothorax veraguensis</i>	II	B	
Reichenbach, 1855			
E: Veraguan Mango, F: Mango de Veragua, S: Mango de Veragua			
Panama			
<i>Anthracothorax viridigula</i> (Boddaert, 1783)	II	B	1068
E: Green-throated Mango, F: Mango à cravate verte, S: Mango gargantiverde, Mango gorgiverde			
Brazil (br) [1269, 6186]; French Guiana (br) [463, 1349]; ?Grenada (br?) [387, 5242]; Guyana (br) [1295]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]			
<i>Anthracothorax viridis</i>	II	B	387, 485
(Audebert & Vieillot, 1801)			
E: Green Mango, F: Mango vert, S: Mango portorriqueño			
Puerto Rico (br) [1176]			
<i>Archilochus alexandri</i>	II	B	387, 887
(Bourcier & Mulsant, 1846)			
E: Black-chinned Hummingbird, F: Colibri à gorge noire, S: Colibrí barbinegro, Colibrí gorgirrubí			
Canada (br) [748]; Mexico (br) [5241]; United States (br) [387]			
<i>Archilochus colubris</i> (Linnaeus, 1758)	II	B	387, 485
E: Ruby-throated Hummingbird, F: Colibri à gorge rubis, S: Colibrí gorjirrubí			
Bahamas [5242]; Belize [5241]; Bermuda [387, 389]; Canada (br) [748, 887]; Cayman Islands (v); Costa Rica [1283, 1311]; Cuba [5259]; ?Dominican Republic (v) [387, 1312]; El Salvador [5241]; Guatemala [448, 5241]; Haiti (v) [387, 1408, 1438]; Honduras [1076]; Jamaica (v) [387, 657]; Mexico [5241]; Nicaragua [1195]; Panama [1195]; Puerto Rico (v) [387, 1176]; Saint Pierre and Miquelon [683]; United States (br) [387, 887]			
<i>Atthis ellioti</i> Ridgway, 1878	II	B	387, 6887
Synonym: <i>Selasphorus ellioti</i>			
E: Wine-throated Hummingbird, F: Colibri d'Elliot, S: Colibrí de Elliot, Zimbador centroamericano			
El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]			
<i>Atthis heloisa</i> (Lesson & DeLattre, 1839)	II	B	387, 6887
Synonym: <i>Selasphorus heloisa</i>			
E: Bumblebee Hummingbird, F: Colibri héloïse, S: Colibrí de Eloísa, Zimbador mexicano			
Mexico (br) [5241]; United States (v) [387, 887]			
<i>Augastes geoffroyi</i> (Bourcier, 1843)	II	B	1068
Synonym: <i>Schistes geoffroyi</i>			
E: Wedge-billed Hummingbird, F: Colibri de Geoffroy, S: Colibrí pico de cuña, Colibrí picocuña, Colibrí piquicunna			
Bolivia (br) [1058, 1186]; Colombia (br) [836, 837, 10120]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]			
<i>Augastes lumachella</i> (Lesson, 1838)	II	B	LR/nt 595, 769, 1068, 7806
E: Hooded Visorbearer, F: Colibri lumachelle, S: Colibrí lumaquela			
Brazil (br) [1269, 6186]			

<i>Augastes scutatus</i> (Temminck, 1822)	II	B	LR/nt 595, 769, 1068
E: Hyacinth Visorbearer, F: Colibri superbe, S: Colibrí colaceleste Brazil (br) [1269, 1270, 6186, 6762]			
<i>Basilinna leucotis</i> (Vieillot, 1818)	II	B	387
Synonym: <i>Hylocharis leucotis</i> E: White-eared Hummingbird, F: Saphir à oreilles blanches, S: Colibrí orejiblanco El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [670, 5241]; Nicaragua (br) [1195]; United States			
<i>Basilinna xantusii</i> (Lawrence, 1860)	II	B	387
Synonym: <i>Hylocharis xantusii</i> E: Black-fronted Hummingbird, Xantus's Hummingbird, F: Saphir de Xantus, S: Colibrí de Xantus Canada (v) [748]; Mexico (br) [5241]; United States (v) [387]			
<i>Boissonneaua flavaescens</i> (Loddiges, 1832)	II	B	1068, 8641
E: Buff-tailed Coronet, F: Colibri flavescent, S: Colibrí cabecidorado, Colibrí colihabano, Coronita colihabana Colombia (br) [837, 10120]; Ecuador (br) [5294]; Venezuela (br) [1070]			
<i>Boissonneaua jardini</i> (Bourcier, 1851)	II	B	1068, 8641
E: Velvet-purple Coronet, F: Colibri de Jardine, S: Colibrí sietecolores, Coronita aterciopelada Colombia (br) [837]; Ecuador (br) [5294]			
<i>Boissonneaua matthewsii</i> (Bourcier, 1847)	II	B	1068, 8641
E: Chestnut-breasted Coronet, F: Colibri de Matthews, S: Colibrí pechirrojo, Coronita pechicastaña Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]			
<i>Calliphlox amethystina</i> (Boddaert, 1783)	II	B	1068
E: Amethyst Woodstar, F: Colibri améthyste, S: Colibrí amatista, Estrellita amatista, Picaflor amatista, Tucusito amatista Argentina (br) [465, 5291, 10249]; Bolivia (br) [1058, 1186, 6327]; Brazil (br) [1252, 1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [463, 1349]; Guyana (br) [1295]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [810, 5296]; Venezuela (br) [1070]			
<i>Calliphlox bryantae</i> (Lawrence, 1867)	II	B	387, 595
Synonym: <i>Philodice bryantae</i> E: Magenta-throated Woodstar, F: Colibri magenta, S: Colibrí magenta Costa Rica (br) [1283, 1311]; Panama (br) [1195]			
<i>Calliphlox evelynae</i> (Bourcier, 1847)	II	B	387, 485
Synonym: <i>Philodice evelynae</i> E: Bahama Woodstar, F: Colibri des Bahamas, S: Colibrí de las Bahamas Bahamas (br) [5242]; United States (v) [387, 887]			

<i>Calliphlox mitchellii</i> (Bourcier, 1847)	II	B	387, 1068
Synonym: <i>Philodice mitchellii</i>			
E: Purple-throated Woodstar, F: Colibri de Mitchell, S: Colibrí de Mitchell, Estrellita gorjipurpura			
Colombia (br) [837, 10120]; Ecuador (br) [5294]; Panama (br) [1195, 1203]			
<i>Calothorax lucifer</i> (Swainson, 1827)	II	B	387
E: Lucifer Hummingbird, F: Colibri lucifer, S: Colibrí lucifer, Tijereta nortena			
Mexico (br) [5241]; United States (br) [387, 887]			
<i>Calothorax pulcher</i> Gould, 1859	II	B	387
E: Beautiful Hummingbird, F: Colibri charmant, S: Colibrí bonito, Tijereta Oaxaqueña			
Mexico (br) [5241]			
<i>Calypte anna</i> (Lesson, 1829)	II	B	387
Synonym: <i>Archilochus anna</i> (Lesson, 1829)			
E: Anna's Hummingbird, F: Colibri d'Anna, S: Colibrí de Anna			
Canada (v) [748, 887]; Mexico (v) [5241]; United States (br) [387, 887]			
<i>Calypte costae</i> (Bourcier, 1839)	II	B	387, 436
E: Costa's Hummingbird, F: Colibri de Costa, S: Colibrí de Costa			
?Canada (v) [387, 748, 887]; Mexico (br) [5241]; United States (br) [387, 887]			
<i>Campylopterus cirrochloris</i> (Vieillot, 1818)	II	B	1068
Synonym: <i>Aphantochroa cirrochloris</i> (Vieillot, 1818)			
E: Sombre Hummingbird, F: Colibri vert et gris, S: Colibrí apagado			
Brazil (br) [1252, 1269, 6186]			
<i>Campylopterus curvipennis</i> (Deppe, 1830)	II	B	387
Synonym: <i>Campylopterus excellens</i> (Wetmore, 1941)			
E: Wedge-tailed Sabrewing, F: Campyloptère pampa, S: Colibrí ruiseñor, Fandangero colicuna			
Belize (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]			
<i>Campylopterus cuvierii</i>	II	B	387, 1068
(DeLattre & Bourcier, 1846)			
Synonym: <i>Phaeochroa cuvierii</i>			
E: Scaly-breasted Hummingbird, F: Colibri de Cuvier, S: Colibrí de Cuvier, Fandangero pechiescamosa			
Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (v) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]			
<i>Campylopterus duidae</i> Chapman, 1929	II	B	1068
E: Buff-breasted Sabrewing, F: Campyloptère montagnard, S: Ala de sable anteado, Colibrí del Duida			
Brazil [6186]; Venezuela (br) [1070, 7076]			
<i>Campylopterus ensipennis</i> (Swainson, 1822)	II	B	LR/nt 595, 598, 1068
E: White-tailed Sabrewing, F: Campyloptère à queue blanche, S: Ala de sable verde, Colibrí coliblanco			
Trinidad and Tobago (br) [703, 1331]; Venezuela (br) [1070]			

Campylopterus excellens (Wetmore, 1941) II B LR/nt 387, 595

E: Long-tailed Sabrewing, F: Campyloptère de Wetmore, S: Fandangero colilargo
Mexico (br) [5241]

Campylopterus falcatus (Swainson, 1821) II B 1068

E: Lazuline Sabrewing, F: Campyloptère lazulite, S: Ala de sable pechivioleta, Alasable azulino, Colibrí lazulita
Colombia (br) [837]; Ecuador (br) [5294]; Venezuela (br) [1070]

Campylopterus hemileucurus (Deppe, 1830) II B 387

E: Violet Sabrewing, F: Campyloptère violet, S: Colibrí morado, Fandangero morado
Belize (br) [5241]; Costa Rica (br) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241, 7068]; Nicaragua (br) [1195]; Panama (br) [1195]

Campylopterus hyperythrus Cabanis, 1848 II B 1068

E: Rufous-breasted Sabrewing, F: Campyloptère rougeâtre, S: Ala de sable rufo,
Colibrí rojizo Venezolano
Brazil (br) [1068, 6186]; Guyana [8615, 10121]; Venezuela (br) [1070]

Campylopterus largipennis (Boddaert, 1783) II B 1068

E: Grey-breasted Sabrewing, F: Campyloptère à ventre gris, S: Ala de sable gris,
Alasable del Napo, Colibrí pechigrís
Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294];
French Guiana (br) [647, 1349]; Guyana (br) [1295, 8615]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

Campylopterus macrourus (Gmelin, 1788) II B 1068

Synonym: *Eupetomena macroura*
E: Swallow-tailed Hummingbird, F: Colibri hirondelle, S: Colibrí golondrina
Argentina [6853, 10249]; Bolivia (br) [1058, 1186, 7092]; Brazil (br) [1252, 1269, 6186]; French Guiana (br) [463, 1349]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]

Campylopterus phainopeplus II B EN 595, 1068

Salvin & Godman, 1879

E: Santa Marta Sabrewing, F: Campyloptère des Santa Marta, S: Colibrí de Santa Marta
Colombia (br) [837]

Campylopterus rufus Lesson, 1840 II B 387

E: Rufous Sabrewing, F: Campyloptère roux, S: Colibrí rojizo Mexicano, Fandangero rufo
El Salvador; Guatemala (br) [5241]; Mexico (br) [5241]

Campylopterus villaviscensio (Bourcier, 1851) II B LR/nt 595, 1068

E: Napo Sabrewing, F: Campyloptère du Napo, S: Colibrí del Napo
Colombia [6783]; Ecuador (br) [5294]; Peru (br) [1136, 6724, 6854]

<i>Chaetocercus astreans</i> (Bangs, 1899)	II	B	1068
Synonyms: <i>Acestrura heliodor astreans</i> Bangs, 1899, <i>Acestrura astreans</i> Bangs, 1899			
E: Santa Marta Woodstar, F: Colibri des Santa Marta, S: Colibrí astral			
Colombia (br) [837]			
<i>Chaetocercus berlepschi</i> Simon, 1889	II	B	EN 407, 595, 598, 1068
Synonym: <i>Acestrura berlepschi</i> (Simon, 1889)			
E: Esmeraldas Woodstar, F: Colibri de Berlepsch, S: Colibrí de Esmeraldas, Estrellita esmeraldeña			
Ecuador (br) [5294, 6711, 6827]			
<i>Chaetocercus bombus</i> Gould, 1871	II	B	VU 407, 595, 598, 1068
Synonym: <i>Acestrura bombus</i> (Gould, 1871)			
E: Little Woodstar, F: Colibri bourdon, S: Colibrí abejorro, Estrellita chica			
Colombia [6783]; Ecuador (br) [5294, 6827]; Peru (br) [1136]			
<i>Chaetocercus heliodor</i> (Bourcier, 1840)	II	B	387, 1068
Synonym: <i>Acestrura heliodor</i> (Bourcier, 1840)			
E: Gorgeted Woodstar, F: Colibri héliodore, S: Colibrí heliodoro, Estrella cuellirrojo, Estrellita de gorguera			
Colombia (br) [837]; Ecuador (br) [5294]; Panama (br) [1195, 1203]; Venezuela (br) [1070, 6239]			
<i>Chaetocercus jourdanii</i> (Bourcier, 1839)	II	B	1068
E: Rufous-shafted Woodstar, F: Colibri de Jourdan, S: Colibrí de Jourdan, Tucusito garganta rosa			
Colombia (br) [837]; Trinidad and Tobago (br) [703, 10294]; Venezuela (br) [1070]			
<i>Chaetocercus mulsant</i> (Bourcier, 1842)	II	B	1068
Synonym: <i>Acestrura mulsant</i> (Bourcier, 1842)			
E: White-bellied Woodstar, F: Colibri de Mulsant, S: Colibrí de Mulsant, Estrellita ventriblanca			
Bolivia (br) [1058, 1186, 7072]; Colombia (br) [837, 6297]; Ecuador (br) [5294]; Peru (br) [1136]			
<i>Chalcostigma herrani</i>	II	B	1068
(DeLattre & Bourcier, 1846)			
E: Rainbow-bearded Thornbill, F: Métallure arc-en-ciel, S: Colibrí de Herrán, Picoespina arcoiris			
Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]			
<i>Chalcostigma heteropogon</i>	II	B	1068
(Boissonneau, 1839)			
E: Bronze-tailed Thornbill, F: Métallure à queue bronzée, S: Colibrí picoespina, Pico espina bronceado			
Colombia (br) [837]; Venezuela (br) [1070]			
<i>Chalcostigma olivaceum</i> (Lawrence, 1864)	II	B	1068
E: Olivaceous Thornbill, F: Métallure olivâtre, S: Colibrí oliváceo			
Bolivia (br) [1058, 1186]; Peru (br) [1136]			

<i>Chalcostigma ruficeps</i> (Gould, 1846)	II	B	1068
E: Rufous-capped Throbnbill, F: Métallure à tête rousse, S: Colibrí capirrufo, Picoespina gorrirufa			
Bolivia (br) [1058, 1186]; ?Colombia (br?) [837, 1246]; Ecuador (br) [5294]; Peru (br) [1136]			
<i>Chalcostigma stanleyi</i> (Bourcier, 1851)	II	B	1068
E: Blue-mantled Throbnbill, F: Métallure de Stanley, S: Colibrí de Stanley, Picoespina dorsiazul			
Bolivia (br) [1058, 1186]; Ecuador (br) [5294]; Peru (br) [1136]			
<i>Chalybura buffonii</i> (Lesson, 1832)	II	B	1068
E: White-vented Plumeleteer, F: Colibri de Buffon, S: Calzonario colibronceado, Colibrí de Buffon, Colibrí grande colinegro			
Colombia (br) [837]; Panama (br) [1195]; Venezuela (br) [1070]			
<i>Chalybura urochrysia</i> (Gould, 1861)	II	B	387, 1068
E: Bronze-tailed Plumeleteer, F: Colibri à queue bronzée, S: Colibrí patirrojo			
Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Honduras (br); Nicaragua (br) [1195]; Panama (br) [1195]; Peru			
<i>Chlorostilbon alice</i> (Bourcier & Mulsant, 1848)	II	B	1068
E: Green-tailed Emerald, F: Émeraude alice, S: Esmeralda coliverde			
Venezuela (br) [1070]			
<i>Chlorostilbon aureoventris</i>	II	B	1068
(d'Orbigny & Lafresnaye, 1838)			
E: Glittering-bellied Emerald, F: Émeraude splendide, S: Esmeralda ventridorada, Picaflor común			
Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186]; Paraguay (br) [5295]; Uruguay (br) [5287]			
<i>Chlorostilbon canivetii</i> (Lesson, 1832)	II	B	387
E: Fork-tailed Emerald, F: Émeraude de Canivet, S: Esmeralda de Canivet			
Belize (br) [680, 5241]; Costa Rica (br) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]			
<i>Chlorostilbon maugaeus</i>	II	B	387, 485
(Audebert & Vieillot, 1801)			
E: Puerto Rican Emerald, F: Émeraude de Porto Rico, S: Esmeralda Portorriqueña			
Puerto Rico (br) [1176]			
<i>Chlorostilbon mellisugus</i> (Linnaeus, 1758)	II	B	387, 1068
Synonyms: <i>Chlorostilbon assimilis</i> Lawrence, 1861, <i>Chlorostilbon canivetii</i> (Lesson, 1832), <i>Chlorostilbon canivetii assimilis</i> Lawrence, 1861, <i>Chlorostilbon forficatus</i> Ridgway, 1885, <i>Chlorostilbon gibsoni</i> (Fraser, 1840), <i>Chlorostilbon melanorhynchus</i> Gould, 1860, <i>Chlorostilbon salvini</i> Cabanis & Heine, 1860			
E: Blue-tailed Emerald, F: Émeraude orvert, S: Esmeralda coliazul			
Aruba (br) [1380]; Belize; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Costa Rica; Ecuador (br) [5294]; El Salvador; French Guiana (br) [464, 1349]; Guatemala; Guyana (br) [1295]; Honduras; Mexico; Netherlands Antilles (br); Nicaragua; Panama; Peru (br) [1136]; Suriname (br) [811, 5296]; Trinidad and Tobago (br) [703, 1331]; Venezuela (br) [1070]			

<i>Chlorostilbon notatus</i> (G. C. Reich, 1793)	II	B	1068
Synonym: <i>Chlorestes notatus</i> (G. C. Reich, 1793)			
E: Blue-chinned Sapphire, F: Colibri à menton bleu, S: Colibrí verdecito, Esmeralda gorgiazul, Zafiro barbiasul			
Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [647, 1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]			
<i>Chlorostilbon olivaresi</i> Stiles, 1996	II	B	6859
E: Chiribiquete Emerald, F: Émeraude d'Olivares, S: Esmeralda del Chiribiquete Colombia (br) [837]			
<i>Chlorostilbon poortmani</i> (Bourcier, 1843)	II	B	1068
Synonyms: <i>Chlorostilbon auratus</i> Cabanis & Heine, 1860, <i>Chlorostilbon inexpectatus</i> (Berlepsch, 1879)			
E: Short-tailed Emerald, F: Émeraude à queue courte, S: Esmeralda colicorta Colombia (br) [837]; ?Peru (br) [1136]; Venezuela (br) [1070]			
<i>Chlorostilbon ricordii</i> (Gervais, 1835)	II	B	387, 485
E: Cuban Emerald, F: Émeraude de Ricord, S: Esmeralda zunzún Bahamas (br) [5242]; Cuba (br) [5259]; United States (v) [387, 887]			
<i>Chlorostilbon russatus</i>	II	B	1068
(Salvin & Godman, 1881)			
E: Coppery Emerald, F: Émeraude cuivrée, S: Esmeralda bronceada Colombia (br) [837]; Venezuela (br) [1070]			
<i>Chlorostilbon stenurus</i>	II	B	1068, 7806
(Cabanis & Heine, 1860)			
E: Narrow-tailed Emerald, F: Émeraude à queue étroite, S: Esmeralda cola de alambre, Esmeralda colifina Colombia (br) [837]; ?Ecuador (br?) [5294]; Venezuela (br) [1070]			
<i>Chlorostilbon swainsonii</i> (Lesson, 1829)	II	B	387, 485
E: Hispaniolan Emerald, F: Émeraude d'Hispaniola, S: Esmeralda de la Española, Zumbador Dominican Republic (br) [1312]; Haiti (br) [1408, 1438]			
<i>Chrysolampis mosquitus</i> (Linnaeus, 1758)	II	B	387, 1068
E: Ruby-topaz Hummingbird, F: Colibri rubis-topaze, S: Colibrí rubí, Tucusito rubí Argentina [10302]; Aruba (br) [1380]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; French Guiana (br) [464, 1349]; Grenada (v) [387, 485, 5242]; Guyana (br) [1295]; Netherlands Antilles (br); Panama (v) [1195, 6414]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]			
<i>Chrysuronia oenone</i> (Lesson, 1832)	II	B	1068
E: Golden-tailed Sapphire, F: Saphir oenome, S: Colibrí cola de oro, Zafiro colidorado Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; ?Trinidad and Tobago (br?) [703]; Venezuela (br) [1070]			

<i>Clytolaema rubricauda</i> (Boddaert, 1783)	II	B	1068
E: Brazilian Ruby, F: Colibri rubis-émeraude, S: Colibrí colirrojo Brazil (br) [1252, 1269, 6186]			
<i>Coeligena bonapartei</i> (Boissonneau, 1840)	II	B	1068
Synonym: <i>Coeligena orina</i> Wetmore, 1953 E: Golden-bellied Starfrontlet, F: Inca de Bonaparte, S: Colibrí inca dorado, Inca ventridorado Colombia (br) [836, 837]; Venezuela (br) [1070]			
<i>Coeligena coeligena</i> (Lesson, 1833)	II	B	1068
E: Bronzy Inca, F: Inca céleste, S: Colibrí inca bronceado, Inca bronceado Bolivia (br) [1058, 1186]; Colombia (br) [837, 6297]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]			
<i>Coeligena eos</i> (Gould, 1848)	II	B	
E: Golden Starfrontlet Venezuela			
<i>Coeligena helianthea</i> (Lesson, 1838)	II	B	1068
E: Blue-throated Starfrontlet, F: Inca porphyre, S: Colibrí inca ventrivioleta, Inca ventrivioleta Colombia (br) [837]; Venezuela (br) [1070]			
<i>Coeligena inca</i> Gould, 1852	II	B	
E: Gould's Inca, F: Inca de Gould, S: Inca de Gould Bolivia; Peru			
<i>Coeligena iris</i> (Gould, 1854)	II	B	1068
E: Rainbow Starfrontlet, F: Inca iris, S: Frentiestrella arcoiris, Inca arcoiris Ecuador (br) [5294, 6360, 6389]; Peru (br) [1136]			
<i>Coeligena lutetiae</i> (DeLattre & Bourcier, 1846)	II	B	1068
E: Buff-winged Starfrontlet, F: Inca à gemme bleue, S: Frentiestrella alihabano, Inca alihabano Colombia (br) [837]; Ecuador (br) [5294, 6317]; Peru (br) [1136]			
<i>Coeligena phalerata</i> (Bangs, 1898)	II	B	1068
E: White-tailed Starfrontlet, F: Inca à queue blanche, S: Inca coliblanco Colombia (br) [837]			
<i>Coeligena prunellei</i> (Bourcier, 1843)	II	B	EN 595, 598, 931, 1068
E: Black Inca, F: Inca noir, S: Inca negro Colombia (br) [836, 837]			
<i>Coeligena torquata</i> (Boissonneau, 1840)	II	B	1068
E: Collared Inca, F: Inca à collier, S: Colibrí inca acollarado, Inca acollarado Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]			

<i>Coeligena violifer</i> (Gould, 1846)	II	B	1068, 6775
E: Violet-throated Starfrontlet, F: Inca violifère, S: Inca gorgimorado Bolivia (br) [1058, 1186]; Peru (br) [1136]			
<i>Coeligena wilsoni</i> (DeLattre & Bourcier, 1846)	II	B	1068
E: Brown Inca, F: Inca brun, S: Inca café, Inca pardo Colombia (br) [837]; Ecuador (br) [5294]			
<i>Colibri coruscans</i> (Gould, 1846)	II	B	1068
E: Sparkling Violet-ear, F: Colibri anaïs, S: Colibrí orejivioleta grande, Colibrí rutilante, Picaflor ventriazul Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186, 6415]; Brazil (br) [1269, 6186]; Chile (br) [1459, 5292, 6393]; Colombia (br) [837]; Ecuador (br) [5294]; Guyana [8615, 10121]; Peru (br) [1136]; Venezuela (br) [1070, 7076]			
<i>Colibri delphinae</i> (Lesson, 1839)	II	B	387, 1068
E: Brown Violet-ear, F: Colibri de Delphine, S: Colibrí pardo, Orejavioleta café, Orejavioleta marrón Belize (br) [5241]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294, 6200]; ?French Guiana (br?) [1349]; Guatemala (br) [5241, 6231]; Guyana (br) [1295, 10121]; Honduras (br) [1076]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]			
<i>Colibri serrirostris</i> (Vieillot, 1816)	II	B	1068
E: White-vented Violet-ear, F: Colibri à ventre blanc, S: Colibrí orejimorado, Picaflor ventriverde Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186, 6385]; Brazil (br) [1252, 1269, 6186]; Paraguay (br?) [5295]			
<i>Colibri thalassinus</i> (Swainson, 1827)	II	B	387, 1068
E: Green Violet-ear, F: Colibri thalassin, S: Colibrí orejivioleta verde, Colibrí verdemar, Picaflor orejiazul Bolivia (br) [1058, 1186]; Colombia (br) [837, 10120]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; United States (v) [387, 887]; Venezuela (br) [1070]			
<i>Cyanophaya bicolor</i> (Gmelin, 1788)	II	B	387, 485
E: Blue-headed Hummingbird, F: Colibri à tête bleue, S: Colibrí bicolor Dominica (br) [1247, 5242]; Martinique (br) [1247, 5242]			
<i>Cynanthus latirostris</i> Swainson, 1827	II	B	387
Synonyms: <i>Cynanthus doubledayi</i> (Bourcier, 1847), <i>Cynanthus lawrencei</i> (Berlepsch, 1887) E: Broad-billed Hummingbird, F: Colibri circé, S: Colibrí piquiancho Mexico (br) [5241, 7068]; United States (br) [387, 887]			
<i>Cynanthus sordidus</i> (Gould, 1859)	II	B	387
E: Dusky Hummingbird, F: Colibri sombre, S: Colibrí prieto Mexico (br) [5241]			

<i>Damophila julie</i> (Bourcier, 1842)	II	B	387, 1068
E: Violet-bellied Hummingbird, F: Colibri julie, S: Colibrí de Julia, Colibrí ventrivoleta Colombia (br) [837]; ?Costa Rica (v) [1283, 1311]; Ecuador (br) [5294]; Panama (br) [1195]; Peru (br) [1136]			
<i>Discosura conversii</i> (Bourcier & Mulsant, 1846)	II	B	387, 1068
Synonym: <i>Popelairia conversii</i> E: Green Thorntail, F: Coquette à queue fine, S: Colacerda verde, Rabudito verde Colombia (br) [837, 6674, 9220]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Panama (br) [1195]			
<i>Discosura langsdorffi</i> (Temminck, 1821)	II	B	1068
Synonym: <i>Popelairia langsdorffi</i> E: Black-bellied Thorntail, F: Coquette de Langsdorff, S: Colacerda ventrinegra, Coqueta cola de Lira, Rabudito ventrinegro Bolivia (br) [1135, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]			
<i>Discosura letitiae</i> (Bourcier & Mulsant, 1852)	II	B	DD 595, 598, 1068
Synonym: <i>Popelairia letitiae</i> E: Coppery Thorntail, F: Coquette de Létitia, S: Rabudito cobrizo Bolivia (br) [1186, 5116]			
<i>Discosura longicauda</i> (Gmelin, 1788)	II	B	1068, 7806
E: Racket-tailed Coquette, F: Coquette à raquettes, S: Coqueta cola raqueta, Rabudito de raquetas Brazil (br) [1269, 6186]; French Guiana (br) [464, 1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070, 6290, 6810]			
<i>Discosura popelairii</i> (DuBus & Gisignies, 1846)	II	B	1068
Synonym: <i>Popelairia popelairii</i> E: Wire-crested Thorntail, F: Coquette de Popelaire, S: Colacerda crestuda, Rabudito crestado Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]			
<i>Doricha eliza</i> (Lesson & DeLattre, 1839)	II	B	387
Synonym: <i>Calothorax eliza</i> (Lesson & DeLattre, 1839) E: Mexican Sheartail, F: Colibri élise, S: Colibrí de Elisa, Tijereta yucateca Mexico (br) [670, 5241]			
<i>Doricha enicura</i> (Vieillot, 1818)	II	B	387
Synonym: <i>Calothorax enicura</i> (Vieillot, 1818) E: Slender Sheartail, F: Colibri à queue singulière, S: Colibrí colirraro, Tijereta centroamericana El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]			
<i>Doryfera johannae</i> (Bourcier, 1847)	II	B	1068
E: Blue-fronted Lancebill, F: Porte-lance de Jeanne, S: Colibrí picolanza menor, Pico lanza frentiazul Brazil (br) [1269, 6186]; Colombia (br) [837, 6783]; Ecuador (br) [5294]; Guyana (br) [1295]; Peru (br) [1136]; Venezuela (br) [1070, 7076]			

<i>Doryfera ludovicae</i> (Bourcier & Mulsant, 1847)	II	B	387, 1068
E: Green-fronted Lancebill, F: Porte-lance de Louise, S: Colibrí picolanza mayor, Pico lanza frentiverde			
Bolivia (br) [1058, 1186]; Colombia (br) [837, 6783, 10120]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Panama (br) [1195]; Peru (br) [1136]; Venezuela (br) [1070]			
<i>Elvira chionura</i> (Gould, 1851)	II	B	387
E: White-tailed Emerald, F: Colibri elvire, S: Esmeralda elvira			
Costa Rica (br) [1283, 1311]; Panama (br) [1195]			
<i>Elvira cupreiceps</i> (Lawrence, 1867)	II	B	387
E: Coppery-headed Emerald, F: Colibri à tête cuivrée, S: Esmeralda capirotada			
Costa Rica (br) [1283, 1311]			
<i>Ensifera ensifera</i> (Boissonneau, 1839)	II	B	1068
E: Sword-billed Hummingbird, F: Colibri porte-épée, S: Colibrí picoespada			
Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070, 6290]			
<i>Eriocnemis alinae</i> (Bourcier, 1842)	II	B	1068, 7701
E: Emerald-bellied Puffleg, F: Érione d'Aline, S: Calzadito pechiblanco, Zamarrito pechiblanco			
Colombia (br) [836, 837, 6783]; Ecuador (br) [5294]; Peru (br) [1136]			
<i>Eriocnemis cupreoventris</i> (Fraser, 1840)	II	B	LR/nt 1068, 7701
E: Coppery-bellied Puffleg, F: Érione à ventre cuivré, S: Calzadito cobrizo, Colibrí pantalón cobrizo			
Colombia (br) [837]; Venezuela (br) [1070]			
<i>Eriocnemis derbyi</i> (DeLattre & Bourcier, 1846)	II	B	LR/nt 595, 1068, 7701
E: Black-thighed Puffleg, F: Érione de Derby, S: Calzadito patinegro, Zamarrito muslinegro			
Colombia (br) [837, 6683]; Ecuador (br) [5294]			
<i>Eriocnemis glaucopoides</i>	II	B	1068, 7701
(d'Orbigny & Lafresnaye, 1838)			
E: Blue-capped Puffleg, F: Érione à front bleu, S: Calzadito frentiazul, Picaflor frentivioleta			
Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186, 6667, 7090]			
<i>Eriocnemis godini</i> (Bourcier, 1851)	II	B	CR 595, 598, 1068, 7701
E: Turquoise-throated Puffleg, F: Érione turquoise, S: Calzadito turquesa, Zamarrito gorjiturquesa			
?Colombia (br) [837]; Ecuador (br) [5294]			
<i>Eriocnemis luciani</i> (Bourcier, 1847)	II	B	1068, 7701
E: Sapphire-vented Puffleg, F: Érione Catherine, S: Calzadito colilargo norteño, Zamarrito colilargo			
Colombia (br) [837]; Ecuador (br) [5294]; Venezuela [7701]			

<i>Eriocnemis mirabilis</i> Meyer de Schauensee, 1967	II	B	CR	595, 598, 1068, 1096, 6755, 7701
E: Colorful Puffleg, Colourful Puffleg, F: Érione multicolore, S: Calzadito admirable Colombia (br) [836, 837, 6358]				
<i>Eriocnemis mosquera</i> (DeLattre & Bourcier, 1846)	II	B		1068, 7701
E: Golden-breasted Puffleg, F: Érione à poitrine d'or, S: Calzadito de Mosquera, Zamarrito pechidorado Colombia (br) [837]; Ecuador (br) [5294]				
<i>Eriocnemis nigrivestis</i> (Bourcier & Mulsant, 1852)	II	B	CR	595, 598, 1068, 7701, 10038
E: Black-breasted Puffleg, F: Érione à robe noire, S: Calzadito pechinegro, Zamarrito pechinegro Ecuador (br) [479, 5294]				
<i>Eriocnemis sapphiropygia</i> Taczanowski, 1874	II	B		7701
E: Coppery-naped Puffleg Peru				
<i>Eriocnemis vestitus</i> (Lesson, 1838)	II	B		1068, 7701
E: Glowing Puffleg, F: Érione pattue, S: Calzadito reluciente, Colibrí pantalón verde, Zamarrito lucente Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]				
<i>Eugenes fulgens</i> (Swainson, 1827)	II	B		387
E: Magnificent Hummingbird, Rivoli's Hummingbird, F: Colibri de Rivoli, S: Colibrí magnífico Costa Rica (br) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [670, 5241]; Nicaragua (br) [1195]; Panama (br) [1195]; United States (br) [387, 887]				
<i>Eulampis holosericeus</i> (Linnaeus, 1758)	II	B		387, 485, 1380
Synonym: <i>Sericotes holosericeus</i> E: Green-throated Carib, F: Colibri falle-vert, S: Colibrí caribeño gorgiverde Antigua and Barbuda (br) [5242]; Barbados (br) [5242]; Dominica (br) [5242]; Grenada (br) [5242]; Guadeloupe (br) [5242]; Martinique (br) [5242];Montserrat (br) [5242]; Netherlands Antilles (br); Puerto Rico (br) [1176]; Saint Kitts and Nevis (br) [5242]; Saint Lucia (br) [5251]; Saint Vincent and the Grenadines (br) [5242]; Virgin Islands (British) (br): British Virgin Is [1176]; Virgin Islands (U.S.) (br)				
<i>Eulampis jugularis</i> (Linnaeus, 1766)	II	B		387, 485
E: Purple-throated Carib, F: Colibri madère, S: Colibrí caribeño gorgimorado Antigua and Barbuda (br) [5242]; Barbados (v) [5242]; Brazil (v) [1269, 6186]; Dominica (br) [5242]; Grenada (v) [5242]; Guadeloupe (br) [5242]; Martinique (br) [5242]; Montserrat (br) [5242]; Netherlands Antilles (br) [1380]; Saint Kitts and Nevis (br) [5242]; Saint Lucia (br) [5251]; Saint Vincent and the Grenadines (br) [5242]; Virgin Islands (U.S.) (v) [1108]				

<i>Eupherusa cyanophrys</i> Rowley & Orr, 1964	II	B	EN	387, 595, 598
E: Blue-capped Hummingbird, Oaxaca Hummingbird, F: Colibri d'Oaxaca, S: Colibrí Oaxaqueño				
Mexico (br) [1223, 5241]				
<i>Eupherusa eximia</i> (DeLattre, 1843)	II	B		387
E: Stripe-tailed Hummingbird, F: Colibri à épaulettes, S: Colibrí colirrayado				
Belize (br) [5241]; Costa Rica (br) [1283, 1311]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]				
<i>Eupherusa nigriventris</i> Lawrence, 1867	II	B		387
E: Black-bellied Hummingbird, F: Colibri à ventre noir, S: Colibrí ventrinegro				
Costa Rica (br) [1283, 1311]; Panama (br) [1195]				
<i>Eupherusa poliocerca</i> Elliot, 1871	II	B	VU	387, 595, 598, 1095
E: White-tailed Hummingbird, F: Colibri du Guerrero, S: Colibrí de Guerrero, Colibrí guerrerense				
Mexico (br) [5241]				
<i>Eutoxeres aquila</i> (Bourcier, 1847)	II	B		387, 1068
E: White-tipped Sicklebill, F: Bec-en-faucille aigle, S: Pico-de-Hoz puntiblanco, Picohoz coliverde				
Colombia (br) [837, 9220]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Panama (br) [1195]; Peru (br) [1136, 6332]				
<i>Eutoxeres condamini</i> (Bourcier, 1851)	II	B		1068
E: Buff-tailed Sicklebill, F: Bec-en-faucille de la Condamine, S: Pico-de-Hoz colihabano, Picohoz colicanela				
Bolivia (br) [554, 1058, 1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]				
<i>Florisuga fusca</i> (Vieillot, 1817)	II	B		1068
Synonym: <i>Melanotrochilus fuscus</i>				
E: Black Jacobin, F: Colibri demi-deuil, S: Colibrí negro, Picaflor negro				
Argentina (br) [5291, 10249]; Brazil (br) [1269, 6186]; Paraguay (br) [5295, 6321]; Uruguay (br) [5287]				
<i>Florisuga mellivora</i> (Linnaeus, 1758)	II	B		387, 485, 1068
E: White-necked Jacobin, F: Colibri jacobin, S: Colibrí nuquiblanco, Jacobino collarejo, Jacobino nuquiblanco				
Aruba (br) [1380]; Belize (br) [5241]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; French Guiana (br) [464, 1349]; Grenada (v) [5242]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Netherlands Antilles (v); Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [811, 5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070, 7076]				
<i>Glaucis aenea</i> Lawrence, 1867	II	B		387, 1068
E: Bronzy Hermit, F: Ermite bronzé, S: Ermitaño bronceado				
Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Honduras (br) [6308]; Nicaragua (br) [1195]; Panama (br) [1195]				

Glaucis dohrnii (Bourcier & Mulsant, 1852) I A EN 592, 595, 598, 931, 1068

Synonym: *Ramphodon dohrnii*

E: Hook-billed Hermit, F: Colibri à bec incurvé, Colibri de Dohrn, Ermite de Dohrn, Ermite de Dohrnou à bec incurvé, S: Colibrí de pico recurvado, Colibrí picosierra chico, Ermitaño de Espíritu Santo
Brazil (br) [6186]

Glaucis hirsuta (Gmelin, 1788) II B 387, 931, 1068

Synonym: *Threnetes grzimeki* Ruschi, 1973

E: Rufous-breasted Hermit, F: Ermite hirsute, S: Colibrí pecho canela, Ermitaño hirsuto, Ermitaño pechicanelo
Bolivia (br) [1058, 1186]; Brazil (br) [1225, 1252, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [464, 1349]; Grenada (br) [485, 5242]; Guyana (br) [1295]; Netherlands Antilles (v); Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]

Goethalsia bella Nelson, 1912 II B LR/nt 387, 595, 1068

E: Rufous-cheeked Hummingbird, F: Colibri du Pirré, S: Colibrí del Pirre
Colombia (br) [837]; Panama (br) [1195, 1203]

Goldmania violiceps Nelson, 1911 II B 387, 1068

E: Violet-capped Hummingbird, F: Colibri à calotte violette, S: Colibrí de Goldman
Colombia (br) [837]; Panama (br) [1195, 6641]

Haplophaedia assimilis (Elliot, 1876) II B

E: Buff-thighed Puffleg
Bolivia; Peru

Haplophaedia aureliae II B 387, 1068, 6702

(Bourcier & Mulsant, 1846)
E: Greenish Puffleg, F: Érione d'Aurélie, S: Calzadito verdoso norteño, Zamarrito verdoso
Colombia (br) [837]; Ecuador (br) [5294]; Panama (br) [1195]

Haplophaedia lugens (Gould, 1851) II B LR/nt 595, 598, 1068

E: Hoary Puffleg, F: Érione givrée, S: Calzadito canoso, Zamarrito canoso
Colombia (br) [837]; Ecuador (br) [5294]

Heliactin bilopha (Temminck, 1820) II B 1054, 1068

Synonym: *Heliactin ornata* (Wied, 1821)
E: Horned Sungem, F: Colibri aux huppes d'or, S: Colibrí cornudito
Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Suriname (br) [628, 5296]

Heliangelus amethysticollis II B 1068

(d'Orbigny & Lafresnaye, 1938)
E: Amethyst-throated Sunangel, F: Héliange clarisse, S: Angel de Sol amatista, Colibrí gorgiamatista, Héliange à gorge améthyste, Solangel gorjiamatista
Bolivia (br) [1058, 1186]; Ecuador (br) [5294, 6317]; Peru (br) [1136]

<i>Heliangelus clarisse</i> (Longuemare, 1841)	II	B	
Synonym: <i>Heliangelus spencei</i> (Bourcier, 1847)			
E: Longuemare's Sunangel			
Colombia; Venezuela			
<i>Heliangelus exortis</i> (Fraser, 1840)	II	B	1068
E: Little Sunangel, Tourmaline Sunangel, F: Héliange tourmaline, S: Colibrí turmalina, Solangel turmalino			
Colombia (br) [837, 10120]; Ecuador (br) [5294]			
<i>Heliangelus mavora</i> Gould, 1848	II	B	1068
E: Orange-throated Sunangel, F: Héliange mars, S: Angel de Sol cuellocre, Colibrí de Marte			
Colombia (br) [837]; Venezuela (br) [1070]			
<i>Heliangelus micraster</i> Gould, 1872	II	B	
E: Little Sunangel, F: Héliange menu, S: Colibrí lacero			
Ecuador; Peru			
<i>Heliangelus regalis</i>	II	B	EN
Fitzpatrick, Willard & Terborgh, 1979			
E: Royal Sunangel, F: Héliange royale, S: Colibrí real			
Peru (br) [707, 1136, 6199, 6680, 6724]			
<i>Heliangelus strophianus</i> (Gould, 1846)	II	B	1068
E: Gorgeted Sunangel, F: Héliange à queue bleue, S: Colibrí pectoral, Solangel de gorguera			
Colombia (br) [6783]; Ecuador (br) [5294, 6360]			
<i>Heliangelus viola</i> (Gould, 1853)	II	B	1068
E: Purple-throated Sunangel, F: Héliange violette, S: Colibrí violeta, Solangel gorjipurpura			
Ecuador (br) [5294, 6360]; Peru (br) [1136]			
<i>Heliangelus zusii</i> Graves, 1993	II	B	CR
E: Bogotá Sunangel			
Colombia (br) [7768]			
<i>Heliodoxa aurescens</i> (Gould, 1846)	II	B	1068
Synonym: <i>Polyplancta aurescens</i>			
E: Gould's Jewelfront, F: Brillant à bandeau bleu, S: Brillante pechicastaño, Colibrí cuellicastaño, Frentijoya			
Bolivia (br) [1058, 1186, 1248, 6415]; Brazil (br) [1269, 6186]; Colombia (br) [706, 837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]			
<i>Heliodoxa branickii</i> (Taczanowski, 1874)	II	B	1068
E: Rufous-webbed Brilliant, F: Brillant de Branicki, S: Brillante alicanelá			
Peru (br) [1136, 1249]			

<i>Heliodoxa gularis</i> (Gould, 1860)	II	B	LR/nt 595, 1068
E: Pink-throated Brilliant, F: Brillant à gorge rose, S: Brillante gorgirrosado Brazil; Colombia (br) [706, 837]; Ecuador (br) [5294]; Peru (br) [1136]			
<i>Heliodoxa imperatrix</i> (Gould, 1856)	II	B	1068
E: Empress Brilliant, F: Brillant impératrice, S: Brillante emperador Colombia (br) [837]; Ecuador (br) [5294]			
<i>Heliodoxa jacula</i> Gould, 1850	II	B	387, 1068
E: Green-crowned Brilliant, F: Brillant fer-de-lance, S: Brillante coroniverde Colombia (br) [837, 6730, 6783, 9220]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Nicaragua [10301]; Panama (br) [1195]			
<i>Heliodoxa leadbeateri</i> (Bourcier, 1843)	II	B	1068
E: Violet-fronted Brilliant, F: Brillant à front violet, S: Brillante frentivioleta, Heliodoxa frentiazul Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]			
<i>Heliodoxa rubinoides</i> (Bourcier & Mulsant, 1846)	II	B	1068
E: Fawn-breasted Brilliant, F: Brillant rubinoïde, S: Brillante pechiateado, Brillante pechigamuza Bolivia [7650]; Colombia (br) [836, 837, 6730, 10120]; Ecuador (br) [5294, 6200]; Peru (br) [1136]			
<i>Heliodoxa schreibersii</i> (Bourcier, 1847)	II	B	1068
E: Black-throated Brilliant, F: Brillant à gorge noire, S: Brillante gorjinegro, Brillante ventinegro Brazil (br) [1269, 6186]; Colombia (br) [706, 837]; Ecuador (br) [5294]; Peru (br) [1136]			
<i>Heliodoxa xanthogonys</i> Salvin & Godman, 1882	II	B	1068, 8643
E: Velvet-browed Brilliant, Velvet-crowned Brilliant, F: Brillant à couronne verte, S: Brillante de Tepui, Colibrí frentiverde Brazil (br) [1269, 6186]; Guyana (br) [1295, 8615]; Venezuela (br) [1070, 6925, 7076]			
<i>Heliomaster constantii</i> (DeLattre, 1843)	II	B	387
E: Plain-capped Starthroat, F: Colibri de Constant, S: Colibrí pochotero, Picolargo coronioscuro Costa Rica (br) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; United States (v) [387, 887]			
<i>Heliomaster furcifer</i> (Shaw, 1812)	II	B	1068
E: Blue-tufted Starthroat, F: Colibri d'Angèle, S: Colibrí de Barbijo, Picaflor de Barbijo Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br); Paraguay (br) [5295]; Uruguay (br) [5287]			
<i>Heliomaster longirostris</i> (Audebert & Vieillot, 1801)	II	B	387, 1068
E: Long-billed Starthroat, F: Colibri corinne, S: Colibrí estrella picolargo, Colibrí piquilargo, Heliomaster piquilargo, Picolargo coroniazul Belize [6697, 8632]; Bolivia (br) [1058, 1186, 6415]; Brazil (br) [1269, 6186, 7077, 7118]; Colombia (br) [837, 6783]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; El Salvador			

(br) [5241]; French Guiana (br) [463, 1349]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [628, 5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]

Heliomaster squamosus (Temminck, 1823) II B 1068
 E: Stripe-breasted Starthroat, F: Colibri médiastin, S: Colibrí escamoso, Picaflor escamado
 Brazil (br) [1269, 6186]

Heliothryx aurita (Gmelin, 1788) II B 1068
 E: Black-eared Fairy, F: Colibri oreillard, S: Colibrí hada orejazul, Colibrí hada oriental, Hada orejinegro
 Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [647, 1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

Heliothryx barroti (Bourcier, 1843) II B 387, 1068
 E: Purple-crowned Fairy, F: Colibri féérique, S: Colibrí hada occidental, Hada coronimorada, Hada gorrimorada
 Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]

Hylocharis chrysura (Shaw, 1812) II B 1068
 E: Gilded Hummingbird, F: Saphir à queue d'or, S: Picaflor bronceado, Picaflor dorado, Zafiro bronceado
 Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Paraguay (br) [5295]; Uruguay

Hylocharis cyanus (Vieillot, 1818) II B 1068
 E: White-chinned Sapphire, F: Saphir azuré, S: Picaflor cabeciazul, Zafiro cabecimorado, Zafiro gorgiblanco
 ?Argentina [465, 5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [463, 1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

Hylocharis eliciae (Bourcier & Mulsant, 1846) II B 387, 1068
 E: Blue-throated Goldentail, F: Saphir d'Elicia, S: Zafiro de Elicia, Zafiro gorjiazul
 Belize (br) [5241, 6320, 6769, 7876]; Colombia (br) [837]; Costa Rica (br) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]

Hylocharis grayi (DeLattre & Bourcier, 1846) II B 387, 1068
 Synonym: *Hylocharis humboldtii* (Bourcier & Mulsant, 1852)
 E: Blue-headed Sapphire, F: Saphir ulyssse, S: Zafiro cabeciazul
 Colombia (br) [837]; Ecuador (br) [5294]; Panama (br) [1195]

Hylocharis sapphirina (Gmelin, 1788) II B 1068
 E: Rufous-throated Sapphire, F: Saphir à gorge rousse, S: Picaflor pechiazul, Zafiro gargantirrufo, Zafiro gorgirrojo
 Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [463, 464, 1349]; Guyana (br) [1295]; Paraguay (br) [5295, 6321]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

Hylonympha macrocerca Gould, 1873 II B VU 595, 598, 1068

E: Scissor-tailed Hummingbird, F: Colibri à queue en ciseaux, S: Colibrí tijereta
Venezuela (br) [1070]

Klais guimeti (Bourcier, 1843) II B 387, 1068

E: Violet-headed Hummingbird, F: Colibri à tête violette, S: Colibrí cabeciazul, Colibrí cabecivioleta, Tucusito cabeza azul
Bolivia (br) [1058, 1186]; Brazil; Colombia (br) [837, 6674, 6783]; Costa Rica (br) [1283, 1311];
Ecuador (br) [5294]; Honduras (br) [1076]; Nicaragua (br) [1195]; Panama (br) [1195, 6641];
Peru (br) [1136]; Venezuela (br) [1070]

Lafresnaya lafresnayi (Boissonneau, 1840) II B 1068

E: Mountain Velvetbreast, F: Colibri de Lafresnaye, S: Colibrí aterciopelado, Colibrí terciopelo
Colombia (br) [837, 10120]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]

Lampornis amethystinus Swainson, 1827 II B 387

E: Amethyst-throated Hummingbird, F: Colibri à gorge améthyste, S: Colibrí amatistino, Colibrí-serrano gorjiamatisto
El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]

Lampornis castaneoventris (Gould, 1851) II B 387

Synonyms: *Lampornis calolaema* (Salvin, 1865), *Lampornis cinereicauda* (Lawrence, 1867)
E: Purple-throated Mountain-gem, Variable Mountain-gem, White-throated Mountain-gem, F: Colibri à ventre châtain, S: Colibrí variable
Costa Rica (br) [1283, 1311]; Nicaragua (br) [1195]; Panama (br) [1195]

Lampornis clemenciae (Lesson, 1829) II B 387

E: Blue-throated Hummingbird, F: Colibri à gorge bleue, S: Colibrí gorgiazul, Colibrí-serrano gorjiazul
Mexico (br) [5241]; United States (br) [387, 887]

Lampornis hemileucus (Salvin, 1865) II B 387

E: White-bellied Mountain-gem, F: Colibri à gorge lilas, S: Colibrí gorgivioleta
Costa Rica (br) [1283, 1311]; Panama (br) [1195]

Lampornis sybillae (Salvin & Godman, 1892) II B 387

Synonym: *Lampornis viripallens sybillae*
E: Green-breasted Mountain-gem, F: Colibri de Sybil, S: Colibrí de Sibila, Colibrí-serrano pechiverde
Honduras (br) [1076]; Nicaragua (br) [1195]

Lampornis viridipallens II B 387

(Bourcier & Mulsant, 1846)

E: Green-throated Mountain-gem, F: Colibri vert-d'eau, S: Colibrí gorgescamoso, Colibrí-serrano gorjiverde
El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]

<i>Lamprolaima rhami</i> (Lesson, 1838)	II	B	387
E: Garnet-throated Hummingbird, F: Colibri à gorge grenat, S: Colibrí alicastaño El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]			
<i>Lepidopyga coeruleogularis</i> (Gould, 1851)	II	B	387, 1068
E: Sapphire-throated Hummingbird, F: Colibri faux-saphir, S: Colibrí gorgizafiro Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Panama (br) [1195]			
<i>Lepidopyga goudoti</i> (Bourcier, 1843)	II	B	1068
E: Shining-green Hummingbird, F: Colibri de Goudot, S: Colibrí de Goudot, Tucusito pico curvo Colombia (br) [837]; Venezuela (br) [1070]			
<i>Lepidopyga lilliae</i> Stone, 1917	II	B	CR 595, 598, 1068
E: Sapphire-bellied Hummingbird, F: Colibri de Lillian, S: Colibrí ventrizafiro Colombia (br) [837]			
<i>Lesbia nuna</i> (Lesson, 1832)	II	B	1068
E: Green-tailed Trainbearer, F: Porte-traine nouna, S: Colacinta coliverde, Colibrí colilargo menor, Colibrí coludo verde Bolivia (br) [1058, 1186, 6415, 7166]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; ?Venezuela (v) [1070]			
<i>Lesbia victoriae</i> (Bourcier & Mulsant, 1846)	II	B	1068
E: Black-tailed Trainbearer, F: Porte-traine lesbie, S: Colacinta colinegra, Colibrí colilargo mayor Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]			
<i>Leucippus baeri</i> Simon, 1901	II	B	1068
E: Tumbes Hummingbird, F: Colibri de Tumbes, S: Colibrí de Tumbes Ecuador [10018]; Peru (br) [1136]			
<i>Leucippus chionogaster</i> (Tschudi, 1845)	II	B	1068
Synonym: <i>Amazilia chionogaster</i> (Tschudi, 1844) E: White-bellied Hummingbird, F: Ariane à ventre blanc, S: Colibrí ventriníveo, Picaflor ventriblanco Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186, 7166]; Brazil (br) [1269, 6186]; Peru (br) [1136]			
<i>Leucippus chlorocercus</i> (Gould, 1866)	II	B	1068
E: Olive-spotted Hummingbird, F: Colibri à queue verte, S: Colibrí blancioliva, Colibrí olivipunteado Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]			
<i>Leucippus fallax</i> (Bourcier, 1843)	II	B	1068
E: Buffy Hummingbird, F: Colibri trompeur, S: Colibrí ante, Colibrí anteado Colombia (br) [837]; ?French Guiana (br?) [1055, 1349]; Venezuela (br) [1070]			

<i>Leucippus hypostictus</i> (Gould, 1862)	II	B	1068
Synonym: <i>Taphrospilus hypostictus</i>			
E: Many-spotted Hummingbird, F: Colibri grivelé, S: Colibrí moteado, Colibrí multipunteado			
Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Ecuador (br) [5294]; Peru (br) [1136]			
<i>Leucippus taczanowskii</i> (Sclater, 1879)	II	B	1068
E: Spot-throated Hummingbird, F: Colibri de Taczanowski, S: Colibrí de Taczanowski			
Peru (br) [1136]			
<i>Leucippus viridicauda</i> Berlepsch, 1883	II	B	1068
Synonym: <i>Amazilia viridicauda</i> (Berlepsch, 1883)			
E: Green-and-white Hummingbird, F: Ariane du Pérou, S: Colibrí blanquiverde			
Peru (br) [1136]			
<i>Leucochloris albicollis</i> (Vieillot, 1818)	II	B	1068
E: White-throated Hummingbird, F: Colibri à gorge blanche, S: Colibrí gargantilla, Picaflor cuelliblanco			
Argentina (br) [5291, 10249]; Bolivia; Brazil (br) [1252, 1269, 6186]; Paraguay (br) [5295]; Uruguay (br) [5287]			
<i>Loddigesia mirabilis</i> (Bourcier, 1847)	II	B	EN 482, 595, 598, 1068, 1323
E: Marvellous Spatuletail, F: Loddigésie admirable, S: Colibrí admirable			
Peru (br) [1136, 6680, 6682]			
<i>Lophornis adorabilis</i> Salvin, 1870	II	B	387
Synonym: <i>Paphosia adorabilis</i>			
E: Adorable Coquette, White-crested Coquette, F: Coquette adorable, S: Coqueta adorable			
Costa Rica (br) [1283, 1311]; Panama (br) [1195, 6851]			
<i>Lophornis brachylophus</i> Moore, 1949	II	B	CR 437, 595, 598, 849
Synonym: <i>Lophornis delattrei brachylophus</i>			
E: Short-crested Coquette, F: Coquette du Guerrero, S: Coqueta cresticorta, Coqueta de Guerrero			
Mexico (br) [5241]			
<i>Lophornis chalybeus</i> (Vieillot, 1823)	II	B	1068
E: Festive Coquette, F: Coquette chalybée, S: Coqueta abanico puntiblanco, Coqueta festiva, Coqueta verde, Picaflor abanico verde			
?Argentina [465, 5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]			
<i>Lophornis delattrei</i> (Lesson, 1839)	II	B	387, 1068
E: Rufous-crested Coquette, F: Coquette de Delattre, S: Coqueta crestirrufa			
Bolivia (br) [1058, 1186]; Colombia (br) [837, 9220]; ?Costa Rica (br?) [1283, 1311]; Panama (br) [1195]; Peru (br) [1136]			
<i>Lophornis gouldii</i> (Lesson, 1833)	II	B	1068
E: Dot-eared Coquette, F: Coquette de Gould, S: Coqueta moteada			
Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]			

<i>Lophornis helenae</i> (DeLattre, 1843)	II	B	387
Synonym: <i>Paphosia helenae</i>			
E: Black-crested Coquette, F: Coquette d'Hélène, S: Coqueta crestinegra Belize (br) [5241]; Costa Rica (br) [1283, 1311]; Guatemala (br) [448, 5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]			
<i>Lophornis magnificus</i> (Vieillot, 1817)	II	B	1068
E: Frilled Coquette, F: Coquette magnifique, S: Coqueta magnifica Brazil (br) [1269, 6186, 6413]			
<i>Lophornis ornatus</i> (Boddaert, 1783)	II	B	1068
E: Tufted Coquette, F: Coquette huppe-col, S: Coqueta abanico canela, Coqueta adornada Brazil (br) [1269, 6186]; French Guiana (br) [1055, 1349]; Guyana (br) [1295]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]			
<i>Lophornis pavoninus</i> Salvin & Godman, 1882	II	B	1068
E: Peacock Coquette, F: Coquette paon, S: Coqueta abanico pavo real, Coqueta pavonina Brazil (br) [1269, 6186]; Guyana (br) [1295]; Venezuela (br) [1070]			
<i>Lophornis stictolophus</i> Salvin & Elliot, 1873	II	B	595, 1068
E: Spangled Coquette, F: Coquette pailletée, S: Coqueta coronada, Coqueta lentejuelada Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]			
<i>Mellisuga helenae</i> (Lembeye, 1850)	II	B	LR/nt 387, 485, 595, 731
Synonym: <i>Calypte helenae</i> (Lembeye, 1850)			
E: Bee Hummingbird, F: Colibri d'Helen, S: Colibrí zunzuncito Bahamas (v) [5242]; Cuba (br) [5259]			
<i>Mellisuga minima</i> (Linnaeus, 1758)	II	B	387, 485
E: Vervain Hummingbird, F: Colibri nain, S: Colibrí zumbadorcito, Zumbadorcito Dominican Republic (br) [1312]; Haiti (br) [1408, 1438]; Jamaica (br) [657]; Puerto Rico (v) [1176]			
<i>Metallura aeneocauda</i> (Gould, 1846)	II	B	1068
Synonym: <i>Metallura malagae</i> Berlepsch, 1897			
E: Scaled Metaltail, F: Métallure à queue d'airain, S: Metalura escamosa Bolivia (br) [1058, 1184, 1186, 6667]; Peru (br) [1136]			
<i>Metallura baroni</i> Salvin, 1893	II	B	EN 595, 598, 1068, 1121, 1193
E: Violet-throated Metaltail, F: Métallure de Baron, S: Metalura de Azuay, Metalura gorjivioleta Ecuador (br) [5294, 6389]			
<i>Metallura eupogon</i> (Cabanis, 1874)	II	B	1068
E: Fire-throated Metaltail, F: Métallure à gorge feu, S: Metalura barbafuego Peru (br) [1136]			

<i>Metallura iracunda</i> Wetmore, 1947	II	B	VU	595, 1068
E: Perijá Metaltail, F: Métallure dorée, S: Colibrí de Perijá, Metalura iracunda Colombia (br) [837]; Venezuela (br) [1070]				
<i>Metallura odomae</i> Graves, 1980	II	B	LR/nt	595, 598, 770, 1137
E: Neblina Metaltail, F: Métallure du Chinguela, S: Metalura del Chinguela Ecuador (br) [6200, 6317]; Peru (br) [1136]				
<i>Metallura phoebe</i> (Lesson & DeLattre, 1839)	II	B		1068
E: Black Metaltail, F: Métallure phébé, S: Metalura negra Peru (br) [1136, 8639]				
<i>Metallura theresiae</i> Simon, 1902	II	B		1068
E: Coppery Metaltail, F: Métallure de Thérèse, S: Metalura de Teresa Peru (br) [1136]				
<i>Metallura tyrianthina</i> (Loddiges, 1832)	II	B		1068
E: Tyrian Metaltail, F: Métallure émeraude, S: Colibrí verde colirrojo, Metalura tibia Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]				
<i>Metallura williami</i> (DeLattre & Bourcier, 1846)	II	B		1068
E: Viridian Metaltail, F: Métallure verte, S: Metalura verde Colombia (br) [837]; Ecuador (br) [5294, 6368]				
<i>Microchera albocoronata</i> (Lawrence, 1855)	II	B		387
E: Snowcap, F: Colibri à coiffe blanche, S: Colibrí coroniblanco Costa Rica (br) [1283, 1311]; Honduras (br) [1076]; Nicaragua (br) [1195]; Panama (br) [1195]				
<i>Microstilbon burmeisteri</i> (Sclater, 1887)	II	B		1068
E: Slender-tailed Woodstar, F: Colibri de Burmeister, S: Colibrí de Burmeister, Picaflor enano Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]				
<i>Myrmia micrura</i> (Gould, 1854)	II	B		1068
E: Short-tailed Woodstar, F: Colibri à queue courte, S: Colibrí colicorto, Estrellita colicorta Ecuador (br) [5294]; Peru (br) [1136]				
<i>Myrtis fanny</i> (Lesson, 1838)	II	B		1068
E: Purple-collared Woodstar, F: Colibri fanny, S: Colibrí myrtis, Estrellita gargantillada Ecuador (br) [5294]; Peru (br) [1136]				
<i>Myrtis yarrellii</i> (Bourcier, 1847)	II	B	EN	595, 598, 931, 1068
Synonym: <i>Eulidia yarrellii</i> E: Chilean Woodstar, F: Colibri d'Arica, S: Colibrí de Arica Chile (br) [5292]; Peru (br) [1133, 1136]				

<i>Ocreatus underwoodii</i> (Lesson, 1832)	II	B	1068
E: Booted Racket-tail, F: Haut-de-chausses à palettes, S: Colaespatula zamarrito, Colibrí cola de hoja, Colibrí de raquetas			
Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]			
<i>Opisthoproraeuryptera</i> (Loddiges, 1832)			
II	B	1068	
E: Mountain Avocetbill, F: Colibri avocettin, S: Colibrí picolezna, Colibrí piquiavoceta			
Colombia (br) [706, 837]; Ecuador (br) [5294, 6317]; Peru (br) [1136]			
<i>Oreonympha nobilis</i> Gould, 1869	II	B	1068
E: Bearded Mountaineer, F: Colibri noble, S: Colibrí noble			
Peru (br) [1136]			
<i>Oreotrochilus adela</i> (d'Orbigny & Lafresnaye, 1838)	II	B	LR/nt 595, 1068
E: Wedge-tailed Hillstar, F: Colibri adèle, S: Colibrí de Cochabamba			
Argentina (br) [6812, 10249]; Bolivia (br) [1058, 1186, 5116]			
<i>Oreotrochilus chimborazo</i> (DeLattre & Bourcier, 1846)	II	B	1068
Synonym: <i>Oreotrochilus estella chimborazo</i>			
E: Ecuadorian Hillstar, F: Colibri du Chimborazo, S: Colibrí del Chimborazo, Estrella ecuatoriana			
Colombia [6783]; Ecuador (br) [5294]			
<i>Oreotrochilus estella</i> (d'Orbigny & Lafresnaye, 1838)	II	B	1068
E: Andean Hillstar, F: Colibri estelle, S: Colibrí puneño, Picaflor serrano ventricanela			
Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Chile (br) [5292]; Peru (br) [1136]			
<i>Oreotrochilus leucopleurus</i> Gould, 1847	II	B	1068
E: White-sided Hillstar, F: Colibri à flancs blancs, S: Colibrí cordillerano, Picaflor serrano ventrinegro			
Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Chile (br) [1200, 5292, 6393]			
<i>Oreotrochilus melanogaster</i> Gould, 1847	II	B	1068
E: Black-breasted Hillstar, F: Colibri à plastron noir, S: Colibrí pechinégro			
Peru (br) [1136]			
<i>Oreotrochilus stolzmanni</i> Salvin, 1895	II	B	
E: Green-headed Hillstar			
Ecuador [10018]; Peru			
<i>Orthorhyncus cristatus</i> (Linnaeus, 1758)	II	B	387, 485
E: Antillean Crested Hummingbird, F: Colibri huppé, S: Colibrí crestado			
Antigua and Barbuda (br) [5242]; Barbados (br) [5242]; Dominica (br) [5242]; Grenada (br) [5242]; Guadeloupe (br) [5242]; Martinique (br) [5242]; Montserrat (br) [5242]; Netherlands Antilles (br); Puerto Rico (br) [1176]; Saint Kitts and Nevis (br) [5242]; Saint Lucia (br) [5251]; Saint Vincent and the Grenadines (br) [5242]; ?United States (v) [387, 887]; Virgin Islands (British) (br): British Virgin Is [1176]; Virgin Islands (U.S.) (br)			

<i>Oxypogon guerinii</i> (Boissonneau, 1840)	II	B	1068
E: Bearded Helmetcrest, F: Colibri casqué, S: Chivito de los Páramos, Colibrí chivito			
Colombia (br) [837]; Venezuela (br) [1070]			
<i>Panterpe insignis</i> Cabanis & Heine, 1860	II	B	387, 1309
E: Fiery-throated Hummingbird, F: Colibri insigne, S: Colibrí insigne			
Costa Rica (br) [1283, 1311]; Panama (br) [1195]			
<i>Patagona gigas</i> (Vieillot, 1824)	II	B	1068
E: Giant Hummingbird, F: Colibri géant, S: Colibrí gigante, Picaflor gigante			
Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Chile (br) [5292]; Colombia			
(br) [6783]; Ecuador (br) [5294, 6383]; Peru (br) [1136]			
<i>Phaethornis anthophilus</i> (Bourcier, 1843)	II	B	387, 1068
E: Pale-bellied Hermit, F: Ermite anthophile, S: Ermitaño carinegro, Ermitaño			
ventripáldido			
Colombia (br) [837]; Panama (br) [1195]; Venezuela (br) [1070]			
<i>Phaethornis atrimentalis</i> Lawrence, 1858	II	B	
E: Black-throated Hermit			
Colombia; Ecuador; Peru			
<i>Phaethornis augusti</i> (Bourcier, 1847)	II	B	1068
E: Sooty-capped Hermit, F: Ermite d'Auguste, S: Ermitaño limpiacasa, Limpiacasa			
?Brazil [1269]; Colombia (br) [837]; Guyana (br) [1295]; Venezuela (br) [1070]			
<i>Phaethornis bourcieri</i> (Lesson, 1832)	II	B	1068
E: Straight-billed Hermit, F: Ermite de Bourcier, S: Ermitaño de picorrecto, Ermitaño			
piquirrecto			
Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1055,			
1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]			
<i>Phaethornis eurynome</i> (Lesson, 1832)	II	B	931, 1068
Synonym: <i>Phaethornis nigrirostris</i> Ruschi, 1973			
E: Scale-throated Hermit, F: Ermite eurynome, S: Ermitaño escamoso, Ermitaño			
manchado			
Argentina (br) [5291, 10249]; Brazil (br) [1268, 1269, 6186]; Paraguay (br) [5295]			
<i>Phaethornis griseogularis</i> Gould, 1851	II	B	1068
Synonym: <i>Phaethornis porcallae</i> Carriker, 1935			
E: Grey-chinned Hermit, Porcalla Hermit, F: Ermite à gorge grise, S: Ermitañito			
barbigrís, Ermitaño barbigris			
Brazil; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070,			
7076]			
<i>Phaethornis guy</i> (Lesson, 1833)	II	B	387, 1068
E: Green Hermit, F: Ermite vert, S: Ermitaño verde			
Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Panama (br) [1195];			
Peru (br) [1136]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]			

<i>Phaethornis hispidus</i> (Gould, 1846)	II	B	1068
E: White-bearded Hermit, F: Ermite d'Osery, S: Ermitaño barbillanco			
Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294];			
Peru (br) [1136]; Venezuela (br) [1070]			
<i>Phaethornis idaliae</i> (Bourcier & Mulsant, 1856)	II	B	1068
E: Minute Hermit, Obscure Hermit, F: Ermite d'Idalie, S: Ermitaño pigmeo			
Brazil (br) [1252, 1269, 6186]			
<i>Phaethornis koepckeae</i>	II	B	LR/nt 595, 1406, 6399
Weske & Terborgh, 1977			
E: Koepcke's Hermit, F: Ermite de Koepcke, S: Ermitaño de Koepcke			
Peru (br) [1136]			
<i>Phaethornis longirostris</i> (DeLattre, 1843)	II	B	
E: Western Long-tailed Hermit, F: Ermite à longue queue, S: Ermitaño colilargo			
norteño			
Belize; Colombia [6674]; Costa Rica; Ecuador; Guatemala; Honduras; Mexico;			
Nicaragua; Panama; Peru			
<i>Phaethornis longuemareus</i> (Lesson, 1832)	II	B	387, 1068
Synonyms: <i>Pygmornis longuemareus</i> , <i>Pygmornis striigularis</i>			
E: Little Hermit, F: Ermite nain, S: Ermitañito pequeño, Ermitaño chico			
French Guiana (br) [1055, 1349]; Guyana (br) [1295]; Suriname (br) [5296]; Trinidad and			
Tobago (br) [703]; Venezuela (br) [1070]			
<i>Phaethornis malaris</i> (Nordmann, 1835)	II	B	1068
Synonym: <i>Phaethornis margaretae</i> Ruschi, 1972			
E: Great-billed Hermit, Margaretta's Hermit, F: Ermite à long bec, S: Ermitaño			
picogrande			
Bolivia; Brazil (br) [1052, 1269, 6186]; Colombia; Ecuador; French Guiana (br) [647, 1349];			
Peru; Suriname (br) [628, 5296]; Venezuela			
<i>Phaethornis nattereri</i> Berlepsch, 1887	II	B	1068
Synonym: <i>Phaethornis maranhaoensis</i> Grantsau, 1968			
E: Cinnamon-throated Hermit, F: Ermite de Natterer, S: Ermitaño de Natterer			
Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]			
<i>Phaethornis philippii</i> (Bourcier, 1847)	II	B	1068
E: Needle-billed Hermit, F: Ermite de Filippi, S: Ermitaño picoaguja			
Bolivia (br) [1058, 1135, 1186]; Brazil (br) [1269, 6186]; Peru (br) [1136]			
<i>Phaethornis pretrei</i> (Lesson & DeLattre, 1839)	II	B	1068
E: Planalto Hermit, F: Ermite de Prêtre, S: Ermitaño del planalto, Ermitaño			
freentrinegro			
Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Paraguay			
(br) [5295]			

<i>Phaethornis ruber</i> (Linnaeus, 1758)	II	B	1068
E: Reddish Hermit, F: Ermite roussâtre, S: Ermitaño rufo, Ermitaño rojizo			
Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1056, 1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]			
<i>Phaethornis rupurumii</i> Boucard, 1892	II	B	
E: Streak-throated Hermit			
Brazil; Colombia; Guyana; Venezuela			
<i>Phaethornis squalidus</i> (Temminck, 1822)	II	B	1068
E: Dusky-throated Hermit, F: Ermite terne, S: Ermitaño gargantifusco, Ermitaño escuálido			
Brazil (br) [1252, 1269, 6186]			
<i>Phaethornis striigularis</i> Gould, 1854	II	B	
E: Stripe-throated Hermit, F: Ermite à gorge rayée, S: Ermitaño gorgiestriado			
Belize; Colombia; Costa Rica; Ecuador; Guatemala; Honduras; Mexico; Nicaragua; Panama; Venezuela			
<i>Phaethornis stuarti</i> Hartert, 1897	II	B	1068
E: White-browed Hermit, F: Ermite de Stuart, S: Ermitaño Boliviano			
Bolivia (br) [1058, 1186]; Peru (br) [1136]			
<i>Phaethornis subochraceus</i> Todd, 1915	II	B	1068
E: Buff-bellied Hermit, F: Ermite ocré, S: Ermitaño ocráceo			
Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]			
<i>Phaethornis superciliosus</i> (Linnaeus, 1766)	II	B	387, 1068
Synonym: <i>Phaethornis mexicanus</i> Hartert, 1897			
E: Eastern Long-tailed Hermit, Long-tailed Hermit, F: Ermite à brins blancs,			
S: Ermitaño colilargo, Ermitaño colilargo común, Ermitaño guayanés			
Brazil (br) [1269, 6186, 6413, 7158]; French Guiana (br) [647, 1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070]			
<i>Phaethornis syrmatophorus</i> Gould, 1851	II	B	1068
E: Tawny-bellied Hermit, F: Ermite à ventre fauve, S: Ermitaño ventrihabano			
Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]			
<i>Phaethornis yaruqui</i> (Bourcier, 1851)	II	B	1068
E: White-whiskered Hermit, F: Ermite yaruqui, S: Ermitaño bigotiblanco, Ermitaño de Yaruqui			
Colombia (br) [837]; Ecuador (br) [5294]; Panama [6809]			
<i>Phlogophilus harterti</i>	II	B	LR/nt 595, 1068
Berlepsch & Stolzmann, 1901			
E: Peruvian Piedtail, F: Colibri de Hartert, S: Colibrí colipinto Peruano			
Peru (br) [1136]			

<i>Phlogophilus hemileucurus</i> Gould, 1860	II	B	LR/nt	595, 1068
E: Ecuadorian Piedtail, F: Colibri à queue mi-blanche, S: Colapinto ecuatoriano, Colibrí colipinto Ecuatoriano Colombia (br) [706, 837]; Ecuador (br) [5294]; Peru (br) [1136, 6724]				
<i>Polyerata amabilis</i> (Gould, 1853)	II	B		387, 1068
Synonyms: <i>Amazilia decora</i> (Salvin, 1891), <i>Amazilia amabilis</i> (Gould, 1853), <i>Amazilia amabilis decora</i> (Salvin, 1891) E: Blue-chested Hummingbird, F: Ariane aimable, S: Amazilia amable, Amazilia pechiazul Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Nicaragua (br) [1195]; Panama (br) [1195]				
<i>Polyerata boucardi</i> (Mulsant, 1877)	II	B	EN	387, 595, 598
Synonym: <i>Amazilia boucardi</i> (Mulsant, 1877) E: Mangrove Hummingbird, F: Ariane de Boucard, S: Amazilia de manglar Costa Rica (br) [1283, 1311]				
<i>Polyerata fimbriata</i> (Gmelin, 1788)	II	B		1068
Synonym: <i>Amazilia fimbriata</i> (Gmelin, 1788) E: Glittering-throated Emerald, F: Ariane de Linné, S: Amazilia gorjibrillante, Amazilia listada, Diamante gargantiverde Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [463, 1349]; Guyana (br) [1295]; ?Paraguay [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]				
<i>Polyerata lactea</i> (Lesson, 1829)	II	B		1068
Synonym: <i>Amazilia lactea</i> (Lesson, 1829) E: Sapphire-spangled Emerald, F: Ariane saphirine, S: Amazilia zafirina, Diamante pechizafiro Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Peru (br) [1136]; Venezuela (br) [1070]				
<i>Polyerata luciae</i> (Lawrence, 1867)	II	B	CR	387, 595, 598
Synonym: <i>Amazilia luciae</i> (Lawrence, 1867) E: Honduran Emerald, F: Ariane de Lucy, S: Amazilia Hondureña, Esmeralda Hondurena Honduras (br) [403, 1076, 6231, 6308]				
<i>Polyerata rosenbergi</i> Boucard, 1895	II	B		1068
Synonym: <i>Amazilia rosenbergi</i> (Boucard, 1895) E: Purple-chested Hummingbird, F: Ariane de Rosenberg, S: Amazilia de Rosenberg, Amazilia pechimorada Colombia (br) [837, 6358]; Ecuador (br) [5294]				
<i>Polyonymus caroli</i> (Bourcier, 1847)	II	B		595, 1068
E: Bronze-tailed Comet, F: Colibri de Bourcier, S: Colibrí colibronce Peru (br) [1136]				
<i>Polytmus guainumbi</i> (Pallas, 1764)	II	B		1068
E: White-tailed Goldenthroat, F: Colibri guaïnumbi, S: Colibrí gargantidorado, Colibrí guainumbí, Picaflor coliverde Argentina (br) [465, 5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186, 7077]; Colombia (br) [837]; French Guiana (br) [463, 1349]; Guyana (br) [1295]; Paraguay				

(br) [5295]; Peru (br) [768, 1136]; Suriname (br) [811, 5296]; Trinidad and Tobago (br) [703, 1331]; Venezuela (br) [1070]

Polytmus milleri (Chapman, 1929) II B 1068

E: Tepui Goldenthroat, F: Colibri des tépuis, S: Colibrí de tepui
Brazil [1269]; Guyana [8615]; Venezuela (br) [1070]

Polytmus theresiae (Da Silva Maia, 1843) II B 1068

E: Green-tailed Goldenthroat, F: Colibri tout-vert, S: Colibrí de Teresa, Garganta de oro coliverde
Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [811, 5296]; Venezuela (br) [1070]

Pterophanes cyanopterus (Fraser, 1839) II B 1068

E: Great Sapphirewing, F: Colibri à ailes saphir, S: Alazafiro grande, Colibrí aliazul
Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]

Ramphodon naevius (Dumont, 1818) II B LR/nt 595, 1068

E: Saw-billed Hermit, F: Colibri tacheté, S: Ermitaño picosierra
Brazil (br) [6186]

Ramphomicron dorsale Salvin & II B 1068

Godman, 1880

E: Black-backed Thornbill, F: Colibri à dos noir, S: Colibri piquicorto dorsinegro
Colombia (br) [837]

Ramphomicron microrhynchum II B 1068

(Boissonneau, 1839)

E: Purple-backed Thornbill, F: Colibri à petit bec, S: Colibrí pico espina, Colibrí piquicorto común, Picoespina dorsipurpura
Bolivia (br) [1058, 1186, 6667, 10290]; Colombia (br) [837]; Ecuador (br) [5294, 6200]; Peru;
Venezuela (br) [1070]

Rhodopis vesper (Lesson, 1829) II B 1068

E: Oasis Hummingbird, F: Colibri vesper, S: Colibrí del Atacama
Chile (br) [5292]; Peru (br) [1136]

Sappho sparganura (Shaw, 1812) II B 1068

E: Red-tailed Comet, F: Colibri sapho, S: Colibrí cometa, Picaflor coludo rojo
Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Chile (br) [751, 5292]; ?Peru (br, v?) [1136]

Saucerottia beryllina (Lichtenstein, 1830) II B 387

Synonym: *Amazilia beryllina* (Lichtenstein, 1830)

E: Berylline Hummingbird, F: Ariane béryl, S: Amazilia berilina, Colibrí de Berilo
El Salvador (br) [5241]; Guatemala (br) [448, 5241]; Honduras (br) [1076]; Mexico (br) [5241]; United States (v) [387, 887]

Saucerottia cupreicauda II B

(Salvin & Godman, 1884)

E: Copper-tailed Hummingbird
Brazil; Guyana; Venezuela

<i>Saucerottia cyanifrons</i> (Bourcier, 1843)	II	B	1068
Synonym: <i>Amazilia cyanifrons</i> (Bourcier, 1843)			
E: Indigo-capped Hummingbird, F: Ariane à front bleu, S: Amazilia capiazul			
Colombia (br) [837]; ?Costa Rica (br?) [1283, 1311]			
<i>Saucerottia cyanura</i> (Gould, 1859)	II	B	387
Synonym: <i>Amazilia cyanura</i> Gould, 1859			
E: Blue-tailed Hummingbird, F: Ariane à queue bleue, S: Amazilia coliazul, Colibrí			
coliazul			
Costa Rica (v) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241, 10292]; Honduras			
(br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]			
<i>Saucerottia edward</i>	II	B	387
(DeLattre & Bourcier, 1846)			
Synonym: <i>Amazilia edward</i> (DeLattre & Bourcier, 1846)			
E: Snowy-breasted Hummingbird, F: Ariane d'Edward, S: Amazilia de Edward			
Costa Rica (br) [1283, 1311]; Panama (br) [1195]			
<i>Saucerottia saucerrottei</i>	II	B	387, 1068
(DeLattre & Bourcier, 1846)			
Synonym: <i>Amazilia saucerrottei</i> (DeLattre & Bourcier, 1846)			
E: Blue-vented Hummingbird, Steely-vented Hummingbird, F: Ariane de Sophie,			
S: Amazilia verdiazul			
Colombia (br) [837]; Costa Rica (br) [1283, 1311]; ?Ecuador (br) [5294]; Nicaragua			
(br) [1195]; Venezuela (br) [1070]			
<i>Saucerottia tobaci</i> (Gmelin, 1788)	II	B	1068
Synonym: <i>Amazilia tobaci</i> (Gmelin, 1788)			
E: Copper-rumped Hummingbird, F: Ariane de Félicie, S: Amazilia bronceada coliazul,			
Amazilia de Tobago			
?French Guiana (br?) [1055, 1349]; ?Grenada (br?) [5242]; Trinidad and Tobago (br) [703];			
Venezuela (br) [1070]			
<i>Saucerottia viridigaster</i> (Bourcier, 1843)	II	B	1068, 6704
Synonym: <i>Amazilia viridigaster</i> (Bourcier, 1843)			
E: Green-bellied Hummingbird, F: Ariane à ventre vert, S: Amazilia colimorada			
Colombia (br) [837]; Venezuela (br) [1070, 7076]			
<i>Selasphorus ardens</i> Salvin, 1870	II	B	VU
E: Glow-throated Hummingbird, F: Colibri ardent, S: Colibrí ardiente			
Panama (br) [1195]			
<i>Selasphorus flammula</i> Salvin, 1864	II	B	387
Synonyms: <i>Selasphorus simoni</i> Carriker, 1910, <i>Selasphorus torridus</i> Salvin, 1870			
E: Cerise-throated Hummingbird, Heliotrope-throated Hummingbird, Volcano			
Hummingbird, F: Colibri flammule, S: Colibrí volcanero			
Costa Rica (br) [1283, 1311]; Panama (br) [1195]			

<i>Selasphorus platycercus</i> (Swainson, 1827)	II	B	387
E: Broad-tailed Hummingbird, F: Colibri à queue large, S: Colibrí coliancho, Zumbador coliancho			
Guatemala (br) [5241]; Mexico (br) [5241]; United States (br) [387, 887]			
<i>Selasphorus rufus</i> (Gmelin, 1788)	II	B	387
E: Rufous Hummingbird, F: Colibri roux, S: Colibrí rufo, Zumbador rufo			
Bahamas (v) [5242]; Canada (br) [748, 887]; Mexico (br) [5241]; Saint Pierre and Miquelon (v) [683]; United States (br) [387, 887]			
<i>Selasphorus sasin</i> (Lesson, 1829)	II	B	387
E: Allen's Hummingbird, F: Colibri d'Allen, S: Colibrí de Allen, Zumbador de Allen			
?Canada (v) [748, 887]; Mexico (br) [5241]; United States (br) [387, 887]			
<i>Selasphorus scintilla</i> (Gould, 1851)	II	B	387
E: Scintillant Hummingbird, F: Colibri scintillant, S: Colibrí centelleante			
Costa Rica (br) [1283, 1311]; Panama (br) [1195]			
<i>Sephanoides fernandensis</i> (King, 1831)	II	B	CR 495, 514, 589, 595, 598, 1310, 6503
E: Juan Fernández Firecrown, F: Colibri robinson, S: Colibrí de Juan Fernández			
Chile (br): Juan Fernandez Is			
<i>Sephanoides sephaniodes</i> (Lesson, 1827)	II	B	1068
E: Green-backed Firecrown, F: Colibri du Chili, S: Colibrí austral, Picaflor cabeza granate			
Argentina (br) [5291, 10249]; Chile (br) [5292]; Falkland Islands (Malvinas) (v) [1439]			
<i>Stellula calliope</i> (Gould, 1847)	II	B	387
Synonym: <i>Archilochus calliope</i> (Gould, 1847)			
E: Calliope Hummingbird, F: Colibri calliope, S: Colibrí calíope			
Canada (br) [748, 887]; Mexico (br) [5241, 7068]; United States (br) [387, 887]			
<i>Stephanoxis lalandi</i> (Vieillot, 1818)	II	B	1068
E: Plovercrest, F: Colibri de Delalande, S: Colibrí copetón, Picaflor copetón			
Argentina (br) [5291, 10249]; Brazil (br) [1252, 1269, 6186]; Paraguay (br) [5295]			
<i>Sternoclyta cyanopectus</i> (Gould, 1846)	II	B	1068
E: Violet-chested Hummingbird, F: Colibri à poitrine violette, S: Colibrí pechiazul			
Venezuela (br) [1070]			
<i>Taphrolesbia griseiventris</i> (Taczanowski, 1883)	II	B	EN 595, 598, 1068
E: Grey-bellied Comet, F: Colibri comète, S: Colibrí ventigrís			
Peru (br) [1136]			

<i>Thalurania colombica</i> (Bourcier, 1843)	II	B	387, 1068
Synonym: <i>Thalurania furcata colombica</i>			
E: Blue-crowned Woodnymph, F: Dryade couronnée, S: Ninfa coronada, Zafiro coroniazul			
Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1311]; Guatemala (br) [5241]; Honduras (br) [1076]; Nicaragua (br) [1195]; Panama (br) [1195]; Venezuela (br) [1070]			
<i>Thalurania fannyi</i> (DeLattre & Bourcier, 1846)	II	B	
Synonym: <i>Thalurania colombica fannyi</i>			
E: Green-crowned Woodnymph, F: Dryade de Fanny, S: Ninfa coronada, Zafiro coroniverde			
Colombia (br) [837]; Ecuador (br) [5294]; Panama (br) [1195]; Peru [8616]			
<i>Thalurania furcata</i> (Gmelin, 1788)	II	B	1068
E: Fork-tailed Woodnymph, F: Dryade à queue fourchue, S: Picaflor gargantiverde, Tucusito moradito, Zafiro golondrina			
Argentina (br) [465, 5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186, 7122]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [647, 1349]; Guyana (br) [1295]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; ?Trinidad and Tobago (br?) [703]; Venezuela (br) [1070]			
<i>Thalurania glaukopis</i> (Gmelin, 1788)	II	B	1068
E: Violet-capped Woodnymph, F: Dryade glaucope, S: Picaflor corona azul, Zafiro capirotado			
Argentina (br) [5291, 10249]; Brazil (br) [1252, 1269, 6186, 6291]; Paraguay (br) [5295]; ?Uruguay (br) [5287]			
<i>Thalurania ridgwayi</i> Nelson, 1900	II	B	VU 595, 598, 681
Synonym: <i>Thalurania colombica ridgwayi</i>			
E: Mexican Woodnymph, F: Dryade du Mexique, S: Nifa mexicana, Zafiro Mexicano Mexico (br) [5241]			
<i>Thalurania watertonii</i> (Bourcier, 1847)	II	B	1068
E: Long-tailed Woodnymph, F: Dryade de Waterton, S: Zafiro colilargo			
Brazil (br) [1269, 6186, 7079]; ?Guyana (br?) [1295]			
<i>Thaumastura cora</i> (Lesson, 1827)	II	B	1068
E: Peruvian Sheartail, F: Colibri cora, S: Colibrí cora			
Chile [1459, 5292]; Ecuador [10018]; Peru [1136]			
<i>Threnetes niger</i> (Linnaeus, 1758)	II	B	1068, 1226
Synonyms: <i>Threnetes cristinae</i> Ruschi, 1975, <i>Threnetes loehkeni</i> Grantsau, 1969, <i>Threnetes leucurus</i> (Linnaeus, 1766)			
E: Bronze-tailed Barbthroat, Pale-tailed Barbthroat, F: Ermite à queue blanche, S: Barbita colipalida, Garganta lanza coliblanca			
Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [463, 1349]; Guyana (br) [1295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]			

<i>Threnetes ruckeri</i> (Bourcier, 1847)	II	B	387, 1068
E: Band-tailed Barbthroat, F: Ermite de Rucker, S: Barbita colibandeada, Ermitaño barbudo, Ermitaño barbudo colibandeado, Tucuso de Barba Belize (br) [5241]; Colombia (br) [837, 6674]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Guatemala (br) [5241]; Honduras (br) [1076]; Nicaragua (br) [1195]; Panama (br) [1195]; Venezuela (br) [1070]			
<i>Tilmatura dupontii</i> (Lesson, 1832)	II	B	387
Synonym: <i>Philodice dupontii</i> E: Sparkling-tailed Barbthroat, Sparkling-tailed Hummingbird, F: Colibri zémès, S: Colibrí colpinto, Colibrí de Dupont ?Costa Rica (br?) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076, 6231]; Mexico (br) [5241]; Nicaragua (br) [1195]			
<i>Topaza pella</i> (Linnaeus, 1758)	II	B	1068
Synonym: <i>Topaza pyra</i> (Gould, 1846) E: Crimson Topaz, F: Colibri topaze, S: Colibrí topacio, Topacio candela colicanelo, Topacio carmesi Brazil (br) [1269, 6186]; Colombia; Ecuador (br) [5294]; French Guiana (br) [464, 1349]; Guyana (br) [1295]; Peru; Suriname (br) [5296]; Venezuela (br) [1070]			
<i>Trochilus polytmus</i> Linnaeus, 1758	II	B	387, 485, 1245
E: Streamertail, F: Colibri à tête noire, S: Colibrí portacintas Jamaica (br) [657]			
<i>Trochilus scitulus</i> Brewster & Bangs, 1901	II	B	
E: Black-billed Streamertail, F: Colibri à bec noir, S: Colibrí portacintas piquinegro Jamaica			
<i>Urochroa bouguieri</i> (Bourcier, 1851)	II	B	1068
E: White-tailed Hillstar, F: Colibri de Bouguer, S: Colibrí de Bouguer, Estrella coliblanca Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136, 6854]			
<i>Urosticte benjamini</i> (Bourcier, 1851)	II	B	1068
E: Purple-bibbed Whitetip, F: Colibri de Benjamin, S: Colibrí puntablanca occidental, Punta blanca Colombia (br) [706, 837]; Ecuador (br) [5294]; Peru			
<i>Urosticte ruficrissa</i> Lawrence, 1864	II	B	1068
Synonym: <i>Urosticte benjamini ruficrissa</i> E: Rufous-vented Whitetip, F: Colibri à sous-caudales rousses, S: Colibrí puntablanca oriental Colombia (br) [706, 837]; Ecuador (br) [5294]			

Order: **TROGONIFORMES**
 Family: **TROGONIDAE**

Pharomachrus mocinno de la Llave, 1832 I A LR/nt 387, 595, 931,
 1409

E: Magnificent Quetzal, Resplendent Quetzal, F: Quetzal resplendissant, Tropo
 couroucou, S: Quetzal, Quetzal centroamericano, Quetzal Guatimalteco
 Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [800,
 1076]; Mexico (br) [5241, 9316]; Nicaragua (br) [1195]; Panama (br) [1195]
 CITES Identification Manual Reference: A-224.001.005.005

Order: **CORACIFORMES**
 Family: **BUCEROTIDAE**

Aceros cassidix (Temminck, 1823) II B 917, 1169

Synonym: *Rhyticeros cassidix*

E: Buton Hornbill, Celebes Hornbill, Greater Sulawesi Hornbill, Knobbed Hornbill, Red-
 knobbed Hornbill, Sulawesi Wrinkled Hornbill, F: Calao à cimier, S: Cálar grande de
 Célebes

Indonesia (br) [393]: Sulawesi

CITES Identification Manual Reference: A-225.010.001.002

Aceros comatus (Raffles, 1822) II B LR/nt 917, 1169

Synonym: *Berenicornis comatus* (Raffles, 1822)

E: Asian White-crested Hornbill, Long-crested Hornbill, White-crested Hornbill, White-
 crowned Hornbill, F: Calao coiffé, S: Cálar crestiblanco
 Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan, Sumatera; Malaysia
 (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Thailand
 (br) [487]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-225.010.004.003

Aceros corrugatus (Temminck, 1832) II B LR/nt 595, 917, 1168,
 1169

Synonym: *Rhyticeros corrugatus*

E: Sunda Wrinkled Hornbill, Wrinkled Hornbill, F: Calao à casque rouge, S: Cálar
 arrugado

Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan, Sumatera; Malaysia
 (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Singapore (ex); Thailand (br) [487]

CITES Identification Manual Reference: A-225.010.001.003

Aceros everetti Rothschild, 1897 II B VU 595, 902, 917,
 1168, 1169, 1410

Synonym: *Rhyticeros everetti*

E: Sumba Hornbill, Sumba Wreathed Hornbill, F: Calao de Sumba, S: Cálar de la
 Sumba

Indonesia (br) [393]: Lesser Sunda Is

CITES Identification Manual Reference: A-225.010.001.004

<i>Aceros leucocephalus</i> (Vieillot, 1816)	II	B	LR/nt	595, 917, 1169
Synonym: <i>Rhyticeros leucocephalus</i>				
E: Mindanao Wrinkled Hornbill, White-headed Hornbill, Writhed Hornbill, F: Calao de Vieillot, S: Cálar grande de Mindanao Philippines (br) [5270, 10364]				
CITES Identification Manual Reference:			A-225.010.001.005a	
<i>Aceros narcondami</i> Hume, 1873	II	B	VU	381, 595, 857, 917, 1168, 1169
Synonym: <i>Rhyticeros narcondami</i>				
E: Narcondam Hornbill, F: Calao de Narcondam, S: Cálar de la Narcondam India (br) [1197]: Andaman Is				
CITES Identification Manual Reference:			A-225.010.001.006	
<i>Aceros nipalensis</i> (Hodgson, 1829)	I	A	VU	381, 595, 917, 929, 1168, 1169
E: Rufous-cheeked Hornbill, Rufous-necked Hornbill, F: Calao à cou roux, Calao de montagne, S: Cálar del Nepal Bangladesh (br) [804]; Bhutan (br) [5261, 6478]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290, 7214]; Nepal (ex?, br) [865]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]				
CITES Identification Manual Reference:			A-225.010.001.007	
<i>Aceros plicatus</i> (Forster, 1781)	II	B		917, 1169
Synonym: <i>Rhyticeros plicatus</i>				
E: Kokomo, New Guinea Hornbill, New Guinea Wreathed Hornbill, Papuan Hornbill, Plicated Hornbill, F: Calao papou Indonesia (br) [393]: Irian Jaya, Moluccas; Papua New Guinea (br); Solomon Islands (br) [5260]				
CITES Identification Manual Reference:			A-225.010.001.008a	
<i>Aceros subruficollis</i> (Blyth, 1843)	I	A	VU	595, 917, 1168, 1169, 6424
Synonyms: <i>Aceros plicatus subruficollis</i> (Blyth, 1843), <i>Rhyticeros subruficollis</i>				
E: Blyth's Hornbill, Blyth's Wreathed Hornbill, Burmese Hornbill, Plain-pouched Hornbill, Plain-pouched Wreathed Hornbill, F: Calao à gorge claire, Calao à poche unie, S: Cálar gorgiclaro Malaysia [6423]: Peninsular Malaysia; Myanmar (br) [1290]; Thailand (br) [487]				
CITES Identification Manual Reference:			A-225.010.001.008b	
<i>Aceros undulatus</i> (Shaw, 1811)	II	B		917, 1168, 1169
Synonym: <i>Rhyticeros undulatus</i>				
E: Bar-pouched Wreathed Hornbill, Bar-throated Wreathed Hornbill, Northern Waved Hornbill, Wreathed Hornbill, F: Calao festonné, S: Cálar gorginegro Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290, 7214]; Thailand (br) [487]; Viet Nam (br) [5264]				
CITES Identification Manual Reference:			A-225.010.001.009	

Aceros waldeni (Sharpe, 1877) II B CR 595, 917, 1169

Synonyms: *Aceros leucocephalus waldeni* (Sharpe, 1877), *Rhyticeros leucocephalus waldeni*

E: Panay Wrinkled Hornbill, Rufous-headed Hornbill, Visayan Wrinkled Hornbill, Writhed-billed Hornbill, F: Calao de Walden, S: Cálaо grande de Panay

Philippines (br) [5270]

CITES Identification Manual Reference: A-225.010.001.005b

Anorrhinus galeritus (Temminck, 1831) II B 1169

E: Bushy-crested Hornbill, F: Calao largup, S: Cálaо crestado

Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Thailand (br) [487]

CITES Identification Manual Reference: A-225.010.002.001

Anorrhinus tickelli (Blyth, 1855) II B LR/nt 595, 1168, 1169

Synonyms: *Ptilolaemus tickelli*, *Anorrhinus austeni* Jerdon, 1872

E: Assam Brown-backed Hornbill, Brown Hornbill, Tickell's Brown Hornbill, F: Calao brun, S: Cálaо pardo de Tickell

Cambodia (br) [5243]; China (br) [5293]; India (br) [1197, 7265]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-225.010.010.001

Anthracoceros albirostris II B 917, 1169

(Shaw & Nodder, 1807)

Synonym: *Anthracoceros convexus* Temminck, 1831

E: Indian Pied Hornbill, Malaysian Pied-Hornbill, Northern Pied-Hornbill, Oriental Pied-Hornbill, Sunda Pied Hornbill, F: Calao pie, S: Cálaо cariblanco

Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Nepal (br) [865]; Singapore (ex, v) [791]; Thailand (br) [487]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-225.010.003.007

Anthracoceros coronatus (Boddaert, 1783) II B LR/nt 595, 917, 1169

Synonym: *Anthracoceros malabaricus* (Gmelin, 1788)

E: Malabar Pied-Hornbill, Pied Hornbill, F: Calao de Malabar

India (br) [1197]; Sri Lanka (br) [5271]

CITES Identification Manual Reference: A-225.010.003.002

Anthracoceros malayanus (Raffles, 1822) II B LR/nt 595, 917, 1169

E: Asian Black Hornbill, Black Hornbill, Malaysian Black Hornbill, F: Calao charbonnier, S: Cálaо Malayo

Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Thailand (br) [487]; ?Viet Nam (br?) [5264]

CITES Identification Manual Reference: A-225.010.003.004

CITES EC Reg. RL References

<i>Anthracoboceros marchei</i> Oustalet, 1885	II	B	VU	917, 1169
E: Palawan Hornbill, F: Calao de Palawan, S: Cálaro de Palawan Philippines (br) [5270, 10364]				
CITES Identification Manual Reference:	A-225.010.003.005			
<i>Anthracoboceros montani</i> (Oustalet, 1880)	II	B	CR	595, 917, 1168, 1169
E: Sulu Hornbill, F: Calao des Sulu, S: Cálaro de las Sulu Philippines (br) [5270, 10364]				
CITES Identification Manual Reference:	A-225.010.003.006			
<i>Buceros bicornis</i> Linnaeus, 1758	I	A	LR/nt	381, 917, 929, 1168, 1169, 1233
E: Concave-casqued Hornbill, Great Hornbill, Great Indian Hornbill, Great Pied Hornbill, Indian Concave-casqued Hornbill, Indian Hornbill, F: Calao bicorne, S: Cálaro bicorne, Cálaro grande Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243, 6475]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393, 1027]; Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br); Myanmar (br) [1290]; Nepal (br) [861, 865]; Singapore (v) [791]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]				
CITES Identification Manual Reference:	A-225.010.005.002			
<i>Buceros hydrocorax</i> Linnaeus, 1766	II	B	LR/nt	595, 917, 1169
E: Rufous Hornbill, F: Calao à casque plat, Calao des Philippines, S: Cálaro Filipino grande, Cálaro rojipardo Philippines (br) [5270, 10364]				
CITES Identification Manual Reference:	A-225.010.005.003			
<i>Buceros rhinoceros</i> Linnaeus, 1758	II	B	LR/nt	917, 929, 1168, 1169
E: Rhinoceros Hornbill, F: Calao rhinocéros, S: Cálaro rinoceronte Brunei Darussalam (br); Indonesia (br) [393, 1289]; Jawa, Kalimantan, Sumatera; Malaysia (br); Peninsular Malaysia, Sabah, Sarawak; Singapore (ex, br) [791]; Thailand (br) [487, 1220]				
CITES Identification Manual Reference:	A-225.010.005.004			
<i>Buceros vigil</i> (Forster, 1781)	I	A	LR/nt	595, 917, 929, 1168, 1169
Synonym: <i>Rhinoplax vigil</i> E: Helmeted Hornbill, F: Calao à casque, Calao à casque rond, S: Cálaro de casco, Cálaro de yelmo Brunei Darussalam (br); Indonesia (br) [393, 844]; Kalimantan, Sumatera; Malaysia (br) [1289]; Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Singapore (ex); Thailand (br) [487, 1220]				
CITES Identification Manual Reference:	A-225.010.011.001			
<i>Penelopides affinis</i> Tweeddale, 1877	II	B		595, 917, 1169
Synonym: <i>Penelopides panini affinis</i> E: Mindanao Hornbill, Mindanao Tarictic Hornbill, F: Calao de Mindanao, S: Cálaro chico de Mindanao Philippines (br) [5270]				
CITES Identification Manual Reference:	A-225.010.009.003b			

<i>Penelopides exarhatus</i> (Temminck, 1823)	II	B	917, 1169
E: Celebes Hornbill, Celebes Tarictic Hornbill, Sulawesi Dwarf Hornbill, Sulawesi Hornbill, Sulawesi Tarictic Hornbill, F: Calao des Célèbes, Calaos à canelure des Célèbes, S: Cálcio chico de Célebes			
Indonesia (br) [393]: Sulawesi			
CITES Identification Manual Reference: A-225.010.009.002			
<i>Penelopides manillae</i> (Boddaert, 1783)	II	B	595, 917, 1169
Synonym: <i>Penelopides panini manillae</i>			
E: Luzon Hornbill, Luzon Tarictic Hornbill, F: Calao de Manille, S: Cálcio chico de Luzón Philippines (br) [5270]			
CITES Identification Manual Reference: A-225.010.009.003d			
<i>Penelopides mindorensis</i> Steere, 1890	II	B	EN 595, 917, 1169
E: Mindoro Hornbill, F: Calao de Mindoro, S: Cálcio chico de Mindoro Philippines (br) [5270]			
CITES Identification Manual Reference: A-225.010.009.003e			
<i>Penelopides panini</i> (Boddaert, 1783)	II	B	EN 595, 917, 1169
E: Panay Tarictic Hornbill, Tarictic Hornbill, Visayan Hornbill, F: Calao tarictic, S: Cálcio chico de Panay Philippines (br) [5270]			
CITES Identification Manual Reference: A-225.010.009.003a			
<i>Penelopides samarensis</i> Steere, 1890	II	B	595, 917, 1169
Synonym: <i>Penelopides panini samarensis</i>			
E: Samar Hornbill, Samar Tarictic Hornbill, F: Calao de Samar Philippines (br) [5270]			
CITES Identification Manual Reference: A-225.010.009.003c			
Order: PICIFORMES			
Family: CAPITONIDAE			
<i>Eubucco tucinkae</i> (Seilern, 1913)		D	
E: Scarlet-hooded Barbet, F: Cabézon de Carabaya Bolivia [6372]; Brazil (br) [6289, 8667]; Peru [1136]			
<i>Megalaima rafflesii</i> (Lesson, 1839)	D	LR/nt	
E: Red-crowned Barbet, F: Barbu bigarré Brunei Darussalam; Indonesia [393]: Kalimantan, Sumatera; Malaysia: Peninsular Malaysia, Sabah, Sarawak; Myanmar [1290]; Singapore (br); Thailand [487]			
<i>Semnornis ramphastinus</i> (Jardine, 1855)	III CO	B	595, 598, 931, 1068
E: Toucan Barbet, F: Cabézon toucan, Caebézon toucan, Toucan barbet Colombia (br) [837, 6730, 10120]; Ecuador (br) [5294]			

Family: **RAMPHASTIDAE**

Andigena cucullata (Gould, 1846) D
 E: Hooded Mountain-Toucan, Hooded Mountain-toucan, F: Toucan à capuchon
 Bolivia (br) [1186, 6667]; Peru (br) [1136]

Andigena hypoglauca (Gould, 1833) D LR/nt
 E: Grey-breasted Mountain-Toucan, Grey-breasted Mountain-toucan, F: Toucan bleu
 Colombia (br) [837, 6683]; Ecuador (br) [5294]; Peru (br) [1136, 6724]

Andigena nigrirostris (Waterhouse, 1839) D
 E: Black-billed Mountain-Toucan, Black-billed Mountain-toucan, F: Toucan à bec noir
 Colombia (br) [837, 6683]; Ecuador (br) [5294, 6200]; Venezuela (br) [1070]

Baillonius bailloni (Vieillot, 1819) III AR B LR/nt 595, 1068
 E: Saffron Toucanet, F: Toucan de Baillon
 Argentina (br) [465, 5291, 10249]; Brazil (br) [1268, 6186]; Paraguay (br) [1068, 5295]

Pteroglossus aracari (Linnaeus, 1758) II B 1068
 E: Black-necked Aracari, F: Araçari à cou noir, Araçari grigri, S: Tilingo cuellinegro
 Brazil (br) [1068, 6186]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070]

Pteroglossus castanotis Gould, 1834 III AR B 1068
 E: Chestnut-eared Aracari, F: Araçari à oreillons roux, S: Arasari orejicastano, Tucán tilingo, Tucán-Tilingo verde
 Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [1068, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; Paraguay (br) [1068, 5295]; Peru (br) [1136]

Pteroglossus viridis (Linnaeus, 1766) II B 1068
 E: Green Aracari, F: Araçari vert, S: Tilingo limón
 Brazil (br) [1068, 6186]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070]

Ramphastos dicolorus Linnaeus, 1766 III AR B
 E: Red-breasted Toucan, F: Toucan à ventre rouge, S: Tucán rojo y amarillo, Tucán verde
 Argentina (br) [5291, 10249]; Brazil (br) [1068, 6186, 6892]; Paraguay (br) [5295]

Ramphastos sulfuratus Lesson, 1830 II B 387, 1068
 E: Keel-billed Toucan, F: Toucan à carène, S: Piapoco pico verde, Tucán pico-multicolor
 Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1311]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Venezuela (br) [1070]

Ramphastos toco Müller, 1776 II B 1068
 E: Toco Toucan, F: Toucan toco, S: Tucán de pico verde, Tucán grande
 Argentina (br) [465, 5291, 10249]; Bolivia (br) [1186, 7092]; Brazil (br) [1068, 6186]; Guyana (br) [1295]; Paraguay (br) [1068, 5295]; Peru (br) [1136]; Suriname (br) [5296]

Ramphastos tucanus Linnaeus, 1758 II B 1068
 E: Red-billed Toucan, F: Toucan à bec rouge, S: Piapoco pico rojo
 Brazil (br) [1068, 6186]; Colombia (br) [837]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070]

Ramphastos vitellinus Lichtenstein, 1823 II B 1068
 E: Channel-billed Toucan, F: Toucan à gorge jaune et blanche, Toucan ariel,
 S: Diostedé pico acanelado, Tucán piquirrojo
 Brazil (br) [6186]; French Guiana (br) [1349]; Guyana (br) [1295]; Suriname (br) [5296];
 Venezuela (br) [1070]

Selenidera maculirostris (Lichtenstein, 1823) III AR B 1068
 E: Spot-billed Toucanet, F: Toucanet à bec tacheté, S: Tucán de pico acanalado,
 Tucancito picomaculado
 Argentina (br) [465, 5291, 10249]; Bolivia [1186, 6372]; Brazil (br) [1068, 6186]; Paraguay (br) [5295]

Family: **PICIDAE**

Campephilus imperialis (Gould, 1832) I A CR 387, 595, 598,
 931, 1266
 E: Imperial Woodpecker, F: Pic impérial, S: Carpintero gigante, Pito imperial, Pitorreal ootero
 Mexico (br) [5241]

Dryocopus javensis richardsi Tristan, 1879 I A 931, 1266
 E: Tristram's Woodpecker, F: Pic à ventre blanc de Corée, Pic de Tristram, S: Pito de vientre blanco de Corea, Pito ventriblanco de Corea
 Japan (ex?, br) [503]; Korea, DPR (br) [7683, 7684]; Korea, Republic of (ex?, br) [1436]

Order: **PASSERIFORMES**

Family: **COTINGIDAE**

Cephalopterus ornatus III CO C 1068, 1294
 Geoffroy Saint-Hilaire, 1809
 E: Amazonian Umbrellabird, Ornate Umbrellabird, F: Coracine ornée, S: Pájaro-paraguas amazónico, Pájaros paraguas
 Bolivia (br) [1186]; Brazil (br) [1068, 6186]; Colombia (br) [837]; Ecuador (br) [5294];
 French Guiana (br) [1349]; Guyana (br) [1295]; Peru (br) [1136, 1257]; Suriname (br) [5296]; Venezuela (br) [1070]

Cephalopterus penduliger Sclater, 1859 III CO C VU 595, 931, 1068,
 1294
 E: Long-wattled Umbrellabird, F: Coracine casquée, S: Pájaro paraguas bigotudo,
 Pájaro-paraguas longuipendulo
 Colombia (br) [837, 6730]; Ecuador (br) [5294, 6685]

Cotinga maculata (Müller, 1776) I A EN 595, 598, 931,
1068, 1294

E: Banded Cotinga, Spotted Cotinga, F: Cotinga à bandeau, Cotinga cordonbleu,
Cotinga maculé, S: Cotinga de corbata, Cotinga manchado
Brazil (br) [1252, 6186]

Procnias nudicollis (Vieillot, 1817) D LR/nt

E: Bare-throated Bellbird, F: Araponga à gorge nue
Argentina (br) [5291, 10249]; Brazil (br) [6186]; Paraguay (br) [5295]

Rupicola peruviana (Latham, 1790) II B 1068, 1294

E: Andean Cock-of-the-rock, Peruvian Cock-of-the-Rock, Red Cock-of-the-rock,
Scarlet Cock-of-the-rock, F: Coq-de-roche péruvien, S: Gallito de las Sierras, Gallito
de roca peruano, Tunqui
Bolivia (br) [1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela
(br) [1070]

Rupicola rupicola (Linnaeus, 1766) II B 1068, 1294

E: Common Cock-of-the-Rock, Guianan Cock-of-the-rock, Orange Cock-of-the-rock,
Smaller Cock-of-the-rock, F: Coq-de-roche de Guyane, Coq-de-roche orange,
S: Gallito de las Rocas, Gallito de roca anaranjado
Brazil (br) [1068, 6186]; Colombia (br) [837]; French Guiana (br) [1349]; Guyana
(br) [1295]; Suriname (br) [5296]; Venezuela (br) [1070, 7076]

Xipholena atropurpurea (Wied, 1820) I A EN 595, 598, 931,
1068, 1294

E: White-winged Cotinga, F: Cotinga à ailes blanches, Cotinga porphyron, S: Cotinga
aliblanca
Brazil (br) [1068, 6186]

Family: PITTIDAE

Pitta angolensis Vieillot, 1816 D

E: African Pitta, F: Brève de l'Angola
Angola (br) [5267]; Burundi [659]; Cameroon (br) [659]; Central African Republic [659];
Congo [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br);
Equatorial Guinea (v) [659]; Ethiopia (v) [659]; Gabon (br) [659]; Ghana [782];
Kenya [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique [659]; Nigeria;
Rwanda [659]; Sierra Leone (br) [659]; South Africa [659]; Tanzania, United Republic of
(br) [659]; ?Togo (br) [5254]; Uganda [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Pitta brachyura (Linnaeus, 1766) D

E: Indian Pitta, F: Brève du Bengale
Bangladesh (br) [804]; India (br) [1197]; Nepal (br) [865]; Pakistan (br); Sri Lanka [5271]

Pitta guajana (Müller, 1776) II B 929

E: Banded Pitta, Blue-tailed Pitta, F: Brève à queue bleue, Brève azurine, S: Pita
coliazul, Pita rayada
Brunei Darussalam (br) [1019]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera;
Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Thailand (br) [487, 1220]
CITES Identification Manual Reference: A-227.012.001.012

<i>Pitta gurneyi</i> Hume, 1875	I	A	CR	595, 599, 929, 931
E: Black-breasted Pitta, Gurney's Pitta, F: Brève de Gurney, S: Pita de Gurney				
Myanmar (ex?, br) [1290]; Thailand (br) [377, 487, 778, 780, 1220, 1221]				
CITES Identification Manual Reference:			A-227.012.001.013	
<i>Pitta kochi</i> Brüggemann, 1876	I	A	VU	595, 884
E: Koch's Pitta, Whiskered Pitta, F: Brève de Koch, S: Pita de Koch				
Philippines (br) [5270]				
<i>Pitta moluccensis</i> (Müller, 1776)			D	
E: Blue-winged Pitta, F: Brève à ailes bleues				
Australia (v) [477]; Brunei Darussalam; Cambodia (br) [5243]; China (br) [5293]; Christmas Island (v) [9173]; Hong Kong (v); Indonesia (br) [393]; Kalimantan, Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Philippines (v) [5270]; Singapore [791]; Thailand (br) [487]; Viet Nam (br) [5264]				
<i>Pitta nipalensis</i> (Hodgson, 1837)			D	
E: Blue-naped Pitta, F: Brève à nuque bleue				
Bangladesh (br) [804]; Bhutan (br) [5261]; China (v) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290, 7214]; Nepal (br) [865]; Viet Nam (br) [5264]				
<i>Pitta nymphula</i> Temminck & Schlegel, 1850	II	B	VU	595, 929
Synonym: <i>Pitta brachyura nymphula</i> Temminck & Schlegel, 1850				
E: Fairy Pitta, F: Brève du Japon, Brève migratrice, S: Pita nymphula				
Brunei Darussalam (v); China (br) [1051, 5293]; Hong Kong (v); Indonesia [393, 1051]; Kalimantan; Japan (br) [503, 1051]; Korea, DPR (br?) [762, 7683]; Korea, Republic of (br) [1051, 1436]; Malaysia [1051, 1289]; Sabah, Sarawak; Taiwan (br); Viet Nam [5264]				
<i>Pitta oatesi</i> (Hume, 1873)			D	
E: Rusty-naped Pitta, F: Brève à capuchon, Brève à nuque fauve				
China (br) [5293]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487]; Viet Nam (br) [5264]				
<i>Pitta sordida</i> (Müller, 1776)			D	
E: Hooded Pitta, F: Brève à capuchon, Brève de Steerii				
Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]; Irian Jaya, Jawa, Kalimantan, Sulawesi, Sumatera; Japan (br) [503]; Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Nepal (br) [865]; Papua New Guinea (br); Philippines (br) [5270]; Singapore [791]; Thailand (br) [487]; Viet Nam (br) [5264]				
<i>Pitta steerii</i> (Sharpe, 1876)			D	VU
E: Azure-breasted Pitta, Steere's Pitta, F: Azurebreasted pitta, Brève de Steere				
Philippines (br) [5270]				

Family: **ATRICHORNITHIDAE**

Atrichornis clamosus (Gould, 1844) I A VU 595, 626, 931,
1287
E: Noisy Scrub-bird, Western Scrub-bird, F: Atrichorne bruyant, Oiseau bruyant des
buissons, S: Corredor chillón, Pájaro de los matorrales
Australia (br) [477]

Family: **HIRUNDINIDAE**

Pseudochelidon sirintarae Kitti, 1968 I A CR 595, 929, 931,
1353, 7419
Synonym: *Erychelidon sirintarae* (Kitti, 1968)
E: White-eyed River-Martin, White-eyed River-martin, F: Hirondelle à lunettes,
Pseudolangrayen d'Asie, S: Golondrina de anteojos
Thailand (ex?, br?) [487, 1111, 1220, 1302]

Family: **PYCNONOTIDAE**

Pycnonotus jocosus (Linnaeus, 1758) D
E: Red-whiskered Bulbul, F: Bulbul orphée
Australia (int, br) [477]; Bangladesh [804]; Bhutan [5261]; Cambodia [5243]; China [5293];
India [1197]; Lao People's Democratic Republic [6187]; Malaysia; Myanmar; Nepal [865];
Réunion (int) [1303]; Seychelles (int, br) [659]; Singapore (int); Thailand [487]; Viet
Nam [5264]

Pycnonotus zeylanicus (Gmelin, 1789) II B VU
E: Straw-crowned Bulbul, Straw-headed Bulbul, F: Bulbul à tête jaune, S: Bulbul
bigotudo
Brunei Darussalam (br); Indonesia (br) [393]: Jawa, Kalimantan, Sumatera; Malaysia
(br): Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Singapore (br) [791];
Thailand (br) [487]

Family: **BOMBYCILLIDAE**

Bombycilla japonica (Siebold, 1824) D LR/nt
E: Japanese Waxwing, F: Jaseur du Japon
China (br) [5293]; Hong Kong (v); Japan [503]; Korea, DPR [7683]; Korea, Republic
of [1436]; Russian Federation (br) [710]; Taiwan

Family: **MUSCICAPIDAE**

Bebrornis rodericanus (Newton, 1865) III MU A 595, 597, 7810
Synonym: *Acrocephalus rodericanus* (Newton, 1865)
E: Rodrigues Brush-Warbler, Rodrigues Warbler, F: Rousserolle de Rodriguez
Mauritius (br) [659]: Rodrigues

Cinclidium frontale Blyth, 1842

D

E: Blue-fronted Robin, F: Notodèle à front bleu
Bhutan [5261]; China [5293]; India [1197, 6377]; Lao People's Democratic Republic [6187];
Thailand [487]; Viet Nam [5264]

<i>Cochoa azurea</i> (Temminck, 1824)	D	VU	
E: Javan Cochua, F: Cochua azuré Indonesia (br) [393]: Jawa			
<i>Cochoa purpurea</i> Hodgson, 1836	D		
E: Purple Cochua, F: Cochua pourpré Bhutan [5261]; China [5293]; India [1197]; Lao People's Democratic Republic [6187]; Myanmar [1290]; Nepal [865]; Thailand [487]; Viet Nam [5264]			
<i>Copsychus malabaricus</i> (Scopoli, 1788)	D		
E: White-rumped Shama, F: Shama à croupion blanc Bangladesh [804]; Bhutan [5261]; Brunei Darussalam; Cambodia [5243]; China [5293]; India [1197]; Indonesia [393]: Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic [6187]; Malaysia: Peninsular Malaysia, Sarawak; Myanmar [1290]; Nepal [865]; Singapore (br); Sri Lanka [5271]; Thailand [487]; Viet Nam [5264]			
<i>Cyanoptila cyanomelana</i> (Temminck, 1829)	D		
E: Blue and White Flycatcher, Blue-and-white Flycatcher, F: Gobemouche bleu Australia (v); Brunei Darussalam; Cambodia [7417]; China (br) [5293]; Hong Kong; Indonesia [393]: Jawa, Kalimantan, Sumatera; Japan (br) [503]; Korea, DPR (br) [7683]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic [6187]; Malaysia: Peninsular Malaysia, Sabah, Sarawak; Myanmar [1290]; Oman (v); Philippines (v) [5270]; Russian Federation (br) [710]; Singapore [791]; Taiwan; Thailand [487]; United Arab Emirates (v); Viet Nam [5264]			
<i>Cyornis ruckii</i> (Oustalet, 1881)	II	B	CR 595
Synonyms: <i>Muscicapa rueckii</i> , <i>Niltava rueckii</i> E: Rueck's Blue-Flycatcher, Rueck's Blue-flycatcher, Rueck's Niltava, F: Gobemouche bleu de Rueck, Gobemouche de Rueck, S: Papamoscas de Rueck Indonesia (br) [393, 1027]: Sumatera; ?Malaysia (br?)			
<i>Dasyornis broadbenti litoralis</i> (Milligan, 1902)	I	A	595, 931, 1132
E: Lesser Rufous Bristlebird, Rufous Bristlebird, Rufous-headed Bristlebird, Western Rufous Bristlebird, F: Dasyornerousse de l'Ouest, Fauvette rousse de l'Ouest, S: Curruca bigotuda rojiza, Papamoscas rosa occidental Australia (br) [477]			
<i>Dasyornis longirostris</i> Gould, 1841	I	A	VU 595, 931, 1047
Synonym: <i>Dasyornis brachypterus longirostris</i> E: Long-billed Bristlebird, Western Bristlebird, F: Dasyorne à long bec, Fauvette à long bec, Fauvette brune à long bec, Malure occidental, S: Curruca bigotuda piquilarga, Papamoscas piquilargo Australia (br) [477]			
<i>Garrulax canorus</i> (Linnaeus, 1758)	II	B	
E: Hwamei, Melodious Laughingthrush, F: Garrulaxe hoamy China (br) [5293]; Lao People's Democratic Republic (br) [6187]; Taiwan (br); United States (int) [387]: Hawaiian Is [1171]; Viet Nam (br) [5264]			
<i>Garrulax formosus</i> (Verreaux, 1869)	D		
E: Red-winged Laughingthrush, F: Garrulaxe élégant China [5293]; Viet Nam [5264]			

<i>Garrulax galbanus</i> Godwin-Austen, 1874	D		
E: Yellow-throated Laughingthrush, F: Garrulaxe à gorge jaune Bangladesh [804]; China [5293]; India [1197]; Myanmar [1290]			
<i>Garrulax milleti</i> Robinson & Kloss, 1919	D	LR/nt	8178
E: Black-hooded Laughingthrush, F: Garrulaxe de Millet Lao People's Democratic Republic; Viet Nam (br) [5264]			
<i>Garrulax milnei</i> (David, 1874)	D		
E: Red-tailed Laughingthrush, F: Garrulaxe à queue rouge China [5293]; Lao People's Democratic Republic [6187]; Myanmar [1290]; Thailand [487]; Viet Nam [5264]			
<i>Leiothrix argentauris</i> (Hodgson, 1837)	II	B	
E: Silver-eared Mesia, F: Léiothrix à joues argent, Mésia, S: Mesía Bangladesh (ex, br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243, 6485]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]; Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br); Myanmar (br) [1290]; Thailand (br) [487]; Viet Nam (br) [5264]			
<i>Leiothrix lutea</i> (Scopoli, 1786)	II	B	
E: Red-billed Leiothrix, Red-billed Mesia, F: Léiothrix jaune, S: Ruiseñor del bambú Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (v); Réunion (int, br) [6913]; United States (br) [387]; Viet Nam (br) [5264]			
<i>Liocichla omeiensis</i> Riley, 1926	II	B	VU
E: Emei Shan Liocichla, Mount Omei Liocichla, Omei Shan Liocichla, F: Garrulaxe de l'omei, S: Liocicla del Monte Omei China (br) [5293]			
<i>Luscinia pectardens</i> (David, 1871)	D	LR/nt	
Synonym: <i>Erithacus pectardens</i> E: Firethroat, F: Rossignol de David Bangladesh (v) [804]; China (br) [5293]; India (v) [1197]; Myanmar [1290]			
<i>Niltava davidi</i> La Touche, 1907	D		
E: Fujian Niltava, F: Gobemouche de David Cambodia [7416]; China [5293]; Hong Kong; Lao People's Democratic Republic [6187]; Thailand (v) [487]; Viet Nam [5264]			
<i>Paradoxornis heudei</i> David, 1872	D	LR/nt	
E: Reed Parrotbill, F: Paradoxornis du Yangtsé China (br) [5293]; Mongolia (br) [1306]; Russian Federation (br) [710]			

<i>Picathartes gymnocephalus</i>	(Temminck, 1825)	I	A	VU	566, 595, 597, 792, 1256, 1341
E: Bare-headed Rockfowl, White-necked Picathartes, White-necked Rockfowl, Yellow-headed Rockfowl, F: Picatharte à cou blanc, Picatharte chauve, Picatharte de Guinée, Picathartes, S: Cuervo calvo de cuello blanco, Picatartes cuelliblanco Côte d'Ivoire (br) [404, 1334]; Ghana (br) [782]; Guinea (br); Liberia (br) [600, 5246]; Sierra Leone (br) [659, 1342]	CITES Identification Manual Reference:	A-227.031.110.002			
<i>Picathartes oreas</i> Reichenow, 1899		I	A	VU	595, 597, 792, 1256
E: Grey-necked Picathartes, Grey-necked Rockfowl, Red-headed Rockfowl, F: Picatharte à cou gris, Picatharte à tête rouge, Picatharte du Cameroun, S: Cuervo calvo de cuello gris, Picatartes cuelligris Cameroon (br) [659]; Equatorial Guinea (br) [659]: Equatorial Guinea, Bioko; Gabon (br) [518, 519, 659]; Nigeria (br) [428]	CITES Identification Manual Reference:	A-227.031.110.003			
<i>Stachyris whiteheadi</i> (Ogilvie-Grant, 1894)		D			
E: Chestnut-faced Babbler, F: Timalie de Whitehead Philippines (br) [5270]					
<i>Swynnertonia swynnertoni</i> (Shelley, 1906)	Synonym: <i>Pogonocichla swynnertoni</i>	D	VU		
E: Swynnerton's Forest Robin, Swynnerton's Robin, F: Rougegorge de Swynnerton Mozambique (br) [659]; Tanzania, United Republic of (br) [659]; Zimbabwe (br) [659]					
<i>Terpsiphone atrocaudata</i> (Eyton, 1839)		D	LR/nt		
E: Japanese Paradise-flycatcher, F: Tchitrec du Japon China [5293]; Indonesia [393]: Sumatera; Japan (br) [503]; Korea, DPR (br) [7683]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic [6187]; Malaysia: Peninsular Malaysia, Sabah; Philippines (br) [5270]; Singapore; Taiwan; Thailand [487]; Viet Nam [5264]					
<i>Terpsiphone bourbonnensis</i> (Müller, 1776)	Synonym: <i>Tchitreia bourbonnensis</i>	III MU	C	931	
E: Mascarene Paradise-Flycatcher, F: Coq de Bois, Gobemouches, Tchitrec des Mascareignes, S: Papamoscas Mauritius (br) [659]; Réunion (br) [1303]					
<i>Turdus dissimilis</i> Blyth, 1847		D			
E: Black-breasted Thrush, F: Merle à poitrine noire Bangladesh [804]; China [5293]; India [1197]; Lao People's Democratic Republic [6187]; Myanmar [1290, 7214]; Thailand [487]; Viet Nam [5264]					
<i>Turdus mupinensis</i> Laubmann, 1920		D			
E: Chinese Thrush, F: Grive de Verreaux China (br) [5293]; Viet Nam (v) [5264]					
<i>Zoothera monticola</i> Vigors, 1832		D			
E: Long-billed Thrush, F: Grive montagnarde Bangladesh [804]; Bhutan [5261]; India [1197]; Myanmar [1290]; Nepal [865]; Viet Nam [5264]					

Family: **SITTIDAE**

Sitta magna Ramsay, 1876 D VU
 E: Giant Nuthatch, F: Sitelle géante, Sittelle géante
 China (br) [5293]; Myanmar (br) [1290]; Thailand (br) [487]

Family: **NECTARINIIDAE**

Anthreptes pallidigaster B EN
 Sclater & Moreau, 1935
 Synonym: *Hedydipna pallidigaster*
 E: Amani Sunbird, F: Souimanga d'Amani
 Kenya (br) [5253]; Tanzania, United Republic of (br) [659]

Anthreptes reichenowi Gunning, 1909 D LR/nt
 E: Plain-backed Sunbird, F: Souimanga de Reichenow
 Kenya (br) [5253]; ?Mozambique (br) [659]; South Africa (br?) [659]; ?Tanzania, United Republic of (br) [659]; Zimbabwe (br) [659]

Anthreptes rubritorques Reichenow, 1905 B VU
 Synonym: *Anthreptes rectirostris rubritorques*
 E: Banded Sunbird, Grey-chinned Sunbird, F: Souimanga à col rouge
 Tanzania, United Republic of (br) [659]

Arachnothera clarae Blasius, 1890 D
 E: Naked-faced Spiderhunter, F: Arachnotère à face nue, Arachnothère à face nue
 Philippines (br) [5270]

Family: **ZOSTEROPIDAE**

Zosterops albogularis Gould, 1837 I A CR 595, 896, 931,
 1216
 E: White-breasted Silvereye, White-breasted White-eye, White-chested White-eye,
 F: Zostérops à gorge blanche de l'île de Norfolk, Zostérops à poitrine blanche,
 Zosterops de l'île de Norfolk, S: Ave de anteojos de pecho blanco, Gafudo gorgiblanco
 Norfolk Island (br)

Zosterops palpebrosus (Temminck, 1824) D
 E: Oriental White-eye, F: Zostérops oriental
 Afghanistan [694]; Bangladesh [804]; Bhutan [5261]; Brunei Darussalam;
 Cambodia [5243]; China [5293]; India [1197]; Indonesia [393]; Bali, Jawa, Kalimantan,
 Lesser Sunda Is, Sumatera; Lao People's Democratic Republic [6187]; Malaysia:
 Peninsular Malaysia, Sabah, Sarawak; Myanmar [1290]; Nepal [865]; Oman (br) [7652];
 Pakistan; Singapore (ex, int?) [791]; Sri Lanka [5271]; Thailand [487]; Viet Nam [5264]

Family: **MELIPHAGIDAE**

Lichenostomus melanops cassidix (Gould, 1867) I A 931
 Synonyms: *Lichenostomus cassidix*, *Meliphaga cassidix*
 E: Helmeted Honeyeater, F: Méliphage casqué, Méliphage cornu, S: Melero de casco,
 Melífago de casco
 Australia (br) [477]

Family: **EMBERIZIDAE**

Dacnis nigripes Pelzeln, 1856 D VU
 E: Black-legged Dacnis, F: Dacnis à pattes noires
 Brazil (br) [6186]

Gubernatrix cristata Vieillot, 1817 II B EN 595, 598, 1068,
 1211
 E: Yellow Cardinal, F: Cardinal vert, Commandeur huppé, S: Cardenal amarillo
 Argentina (br) [465, 5291, 10249]; Brazil (br) [6186]; ?Paraguay [5295]; Uruguay (br) [5287]
 CITES Identification Manual Reference: A-227.043.025.001

Latoucheornis siemsseni (Martens, 1906) D
 E: Slaty Bunting, F: Bruant bleu
 China (br) [5293]

Paroaria capitata d'Orbigny & Lafresnaye, 1837 II B 1068
 E: Yellow-billed Cardinal, F: Paroare à bec jaune, Paroare cardinal à bec jaune,
 S: Cardenal cabecirrojo
 Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186, 7077, 7118]; Paraguay
 (br) [1068, 5295]; United States (br) [387]; ?Uruguay [5287]

Paroaria coronata (Miller, 1776) II B 1068
 E: Red-crested Cardinal, F: Cardinal gris, Paroare huppé, S: Cardenal copetón
 Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Paraguay (br) [1068,
 5295]; United States (br) [387]; Uruguay (br) [5287]

Sporophila fuscicollis (Temminck, 1820) D VU
 E: Temminck's Seedeater, F: Sporophile de Temminck
 Argentina (br) [5291, 10249]; Brazil (br) [6186]; Paraguay (br) [5295, 6321, 6927]

Sporophila frontalis (Verreaux, 1869) D VU
 E: Buffy-fronted Seedeater, Buffy-throated Seedeater, F: Sporophile à front blanc
 ?Argentina [10249]; Brazil (br) [6186]; Paraguay (br) [5295]

Sporophila hypochroma Todd, 1915 D LR/nt
 E: Grey-and-chestnut Seedeater, Rufous-rumped Seedeater, F: Sporophile à croupion
 roux
 Argentina (br) [5291, 10249]; Bolivia (br) [1186, 5116]; Brazil (br) [6186]; Paraguay
 (br) [5295, 6927]

Sporophila palustris (Barrows, 1883) D EN
 E: Marsh Seedeater, F: Sporophile des marais, S: Capuchino pecho blanco
 Argentina (br) [5291, 10249]; Brazil (br) [6186, 7118]; Paraguay [5295, 6927]; Uruguay (br) [5287]

Tangara fastuosa Lesson, 1831 II B EN
 E: Seven-colored Tanager, F: Calliste superbe, S: Tángara fastuosa
 Brazil (br) [6186]

Tangara varia (Müller, 1776) D
 E: Dotted Tanager, F: Calliste tacheté
 Brazil (br) [6186]; French Guiana (br) [1349]; Suriname (br) [5296]; Venezuela (br) [1070]

Family: **ICTERIDAE**

Agelaius flavus (Gmelin, 1788) I A VU 595, 598, 1068
 Synonyms: *Xanthopsar flavus* (Gmelin, 1788), *Icterus xantholaemus* Gil Lletget, 1918
 E: Saffron-cowled Blackbird, F: Carouge safran, Ictéride à tête jaune, S: Dragón, Mirlo americano pechiamarillo, Tordo amarillo, Tordo de cabeza amarilla
 Argentina (br) [465, 716, 5291, 10249]; Brazil (br) [6186]; Paraguay (br) [5295, 6932]; Uruguay (br) [5287]
 CITES Identification Manual Reference: A-227.047.022.001

Sturnella militaris (Linnaeus, 1771) D
 Synonym: *Sturnella defilippii* (Bonaparte, 1851)
 E: Lesser Red-breasted Meadowlark, Pampas Meadowlark, F: Sturnelle des pampas
 Argentina (br) [5291, 10249]; ?Brazil (br) [6186]; ?Uruguay (br) [5287]

Family: **FRINGILLIDAE**

Carduelis cucullata Swainson, 1820 I A EN 387, 587, 595, 598, 718, 766, 767, 931, 1068, 1174, 3746
 Synonym: *Spinus cucullatus*
 E: Red Siskin, F: Chardonneret rouge, Tarin rouge du Venezuela, Tatin rouge du Venezuela, S: Cardenalito, Jilguero rojo, Lúgano cardenalito, Lúgano encapuchado Colombia (br) [837]; Puerto Rico (int, br) [1175, 1176]; Trinidad and Tobago (ex, int, br?) [703]; Venezuela (br) [584, 1070]
 CITES Identification Manual Reference: A-227.048.004.009

Carduelis yarrellii (Audubon, 1839) II B VU 595, 598, 1068
 Synonym: *Spinus yarrellii*
 E: Yellow-faced Siskin, F: Chardonneret de Yarrell, Tarin de Yarell, Tatin de Yarrell, S: Jilguero cara amarilla, Jilguero de Yarrell, Lúgano de Yarrell Brazil (br) [6186]; ?Guyana [10021]; Venezuela (br) [1070]
 CITES Identification Manual Reference: A-227.048.004.025

Carpodacus roborowskii (Przewalski, 1887)

D

E: Tibetan Rosefinch, F: Roselin de Roborowski
 China (br) [5293]

Serinus canicapillus

(Du Bus De Gisignies, 1855)

III GH C

511, 573, 792,
1256, 7806Synonym: *Serinus gularis canicapillus*

E: West African Seedeater, West African Streaky-headed Seedeater, F: Serin gris à tête blanche, Serin ouest-africain, S: Serín mofletudo

Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ghana (br?) [782]; Guinea (br?) [1389]; Mali (br?) [659]; Niger (br?) [659]; Nigeria (br); Sierra Leone (br?) [659]; Sudan (br?) [659]; Togo (br) [570, 5254]; Uganda (br?) [659]

CITES Identification Manual Reference: A-227.048.018.016b

Serinus leucopygius (Sundevall, 1850)

III GH C 792

E: Grey Canary, Grey Singing Finch, White-rumped Seedeater, F: Chanteur d'Afrique, Serin à croupion blanc, S: Serín culiblanco

Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Democratic Republic of the Congo (br?); Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sudan (br) [659]; Togo (v) [5254]; Uganda (br?) [659]; United States (br) [387]

CITES Identification Manual Reference: A-227.048.018.019

Serinus mozambicus (Müller, 1776)III GH C 511, 573, 792,
1256

E: Green Singing Finch, Yellow-fronted Canary, F: Serin du Mozambique, S: Canario de Mozambique, Serin de Mozambique

Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659]; Bioko; Eritrea (br?) [659]; Ethiopia (br?) [659, 894]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [7849, 8709]; Kenya (br) [5253]; Lesotho (v) [486]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mauritius (int, br) [659, 975]; Mauritius, Rodrigues (int, br) [7810]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br) [659]; Nigeria (br); Puerto Rico (int, br) [975, 1176]; Réunion (int, br) [975, 1303]; Rwanda (br) [659]; São Tomé and Príncipe (br) [659]; Senegal (br?) [659]; Seychelles (int, br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; United States (int, br) [387]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-227.048.018.022

Family: **ESTRILDIDAE**

Amadina fasciata (Gmelin, 1789) III GH C 511, 757, 792, 1256

E: Cut-throat, Ribbon Finch, F: Amadine cou-coupé, Cou-coupé, S: Amadina gorgirroja
 Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659];
 Cameroon (br?) [659]; Chad (br) [659]; Côte d'Ivoire (br?) [1334]; Eritrea (br) [659];
 Ethiopia (br) [659]; Gambia [760]; Ghana (br?) [782]; Kenya (br) [5253]; Malawi
 (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia
 (br) [573, 659]; Niger (br?) [659]; Nigeria (br); Portugal (int, br); Portugal (int, br);
 Senegal (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659];
 Tanzania, United Republic of (br?) [659]; Togo (v) [5254]; Uganda (br?) [659]; Zambia
 (br) [659]; Zimbabwe (br) [659]

Amandava formosa (Latham, 1790) II B VU

Synonym: *Estrilda formosa*

E: Green Avadavat, F: Bengali vert, S: Estrilda verde
 India (br) [1197]; Pakistan (v)

Amandava subflava (Vieillot, 1819) III GH C 511, 757, 792, 1256

Synonyms: *Estrilda subflava*, *Sporaeginthus subflavus*

E: Golden-breasted Waxbill, Orange-breasted Waxbill, Zebra Waxbill, F: Bengali zébré,
 Ventre orange, S: Astrilda pechigualda
 Angola (br?) [5267]; Benin [7854, 7855]; Botswana (br?) [1102]; Burkina Faso (br?) [659];
 Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad
 (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the
 Congo (br); Ethiopia (br) [659]; Gabon (br?) [659]; Gambia [760]; Ghana (br) [782];
 Guinea (br?); Guinea-Bissau [7849, 8709]; Kenya (br) [5253]; Lesotho (br?) [486]; Liberia
 (br) [5246]; Malawi (br) [1103]; Mali (br?) [659]; Mauritania (v) [659]; Mozambique
 (br?) [659]; Namibia (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659];
 Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139];
 Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Yemen
 (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [573, 659]

Erythrura coloria Ripley & Rabor, 1961 D LR/nt

E: Mindanao Parrotfinch, Red-eared Parrotfinch, F: Diamant de Mindanao
 Philippines (br) [5270]

Erythrura viridifacies D VU

Hachisuka & Delacour, 1937

E: Green-faced Parrotfinch, F: Diamant de Luçon
 Philippines (br) [5270]

<i>Estrilda astrild</i> (Linnaeus, 1758)	III GH	C	511, 975, 986, 1256
E: Common Waxbill, Saint Helena Waxbill, F: Astrild ondulé, Astrild ondulé, Senegal ondulé, S: Astrilda común, Pico de Coral			
Angola (br?) [5267]; Botswana (br) [1102]; Brazil (int, br) [6186, 6291, 6413, 6690]; Burundi (br?) [659]; Cameroon (br?) [659]; Cape Verde (int, br) [820]; Central African Republic (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Ethiopia (br) [659]; French Polynesia (br) [1171]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br?); Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (v) [659]; Mauritius (int, br) [659]; Mauritius, Rodrigues (int, br) [7810]; Mozambique (br?) [659]; Namibia (br) [659]; New Caledonia (int, br) [5260]; Niger (v) [659]; Nigeria (br?); Portugal (int, br) [1332]; Portugal (int, br), Azores (int, br); Puerto Rico (int, br) [1176]; Réunion (int, br) [1303]; Rwanda (br) [659]; Saint Helena (int, br) [5250]; Ascension, St Helena; São Tomé and Príncipe (int, br) [659]; Seychelles (int, br) [659]; Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br?) [659, 6417]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]; United States (br) [387]; Vanuatu (int, br) [5260]; Zambia (br) [659]; Zimbabwe (br) [659]			
<i>Estrilda caerulescens</i> (Vieillot, 1817)			
E: Lavender Firefinch, Lavender Waxbill, F: Astrild queue-de-vinaigre, Queue de vinaigre, S: Astrilda ceniza del Senegal			
Benin (br) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?) [1191]; Guinea-Bissau (br) [659, 7847, 8709]; Liberia (v) [5246]; Mali (br?) [659]; Niger (br?) [659, 941]; Nigeria (br); Senegal (br?) [659]; Togo (br?) [5254]; United States (br) [387]			
<i>Estrilda melpoda</i> (Vieillot, 1817)			
E: Orange-cheeked Waxbill, F: Astrild à joues oranges, Joues-oranges, S: Astrilda carirroja			
Angola (br?) [5267]; Benin (br?) [659]; Bermuda (int, br) [389]; Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau [7849, 8709]; Liberia (br) [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br?) [659, 941]; Nigeria (br); Puerto Rico (int, br) [1176]; Rwanda (br?) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Togo (br?) [5254]; United States (br) [387]; Zambia (br?) [659]			
<i>Estrilda troglodytes</i> (Lichtenstein, 1823)			
E: Black-rumped Waxbill, Pink-cheeked Waxbill, Red-eared Waxbill, F: Astrild cendré, Bec de corail cendré, S: Astrilda culinegra			
Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br?) [760]; Ghana (br) [782]; Guadeloupe (int, br) [5242]; Guinea (br?); Kenya (br) [5253]; Liberia (br) [5246]; Mali (br) [659]; Mauritania (br) [527, 659]; Niger (br) [659]; Nigeria (br); Portugal (int, br); Portugal (int, br), Azores (v?); Puerto Rico (int, br) [1176]; Senegal (br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br?) [659]; United States (br) [387]			

<i>Lagonosticta rara</i> (Antinori, 1864)	III GH C	511, 757, 792, 1256
E: Black-bellied Firefinch, Black-bellied Waxbill, F: Amarante à ventre noir, Amarante rare Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Ghana (br?) [782]; Guinea (br?) [1078]; Kenya (br?) [5253]; Liberia (br?) [5246]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (br?) [659]; Sudan (br) [659]; Togo (br?) [567, 5254]; Uganda (br?) [659]		
<i>Lagonosticta rubricata</i> (Lichtenstein, 1823)	III GH C	511, 757, 774, 792
E: African Firefinch, Blue-billed Firefinch, Brown-backed Firefinch, F: Amarante flambé, Amarante foncé, S: Bengalí de Lichtenstein Angola (br) [5267]; Benin (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ethiopia (br?) [659]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau (br) [659, 7848, 8709]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [567, 5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]		
<i>Lagonosticta rufopicta</i> (Fraser, 1843)	III GH C	511, 757, 792, 1256
E: Bar-breasted Firefinch, Bar-breasted Waxbill, F: Amarante pointé, S: Bengalí de Fraser Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau [7849, 8709]; Kenya (br) [5253]; Liberia (br) [5246]; Mali (br?) [659]; Niger (v) [659]; Nigeria (br); Rwanda (br?) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br?) [659]		
<i>Lagonosticta senegala</i> (Linnaeus, 1766)	III GH C	511, 757, 792, 841, 1256
E: Red-billed Firefinch, Senegal Firefinch, F: Amarante commun, Amarante du Sénégal, S: Bengalí senegalés Algeria (int, br) [971]; Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Djibouti (br) [427]; Egypt (ex, int, br); Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 7848, 8709]; Kenya (br) [5253]; Lesotho (v) [486]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]		

<i>Lagonosticta vinacea</i> (Hartlaub, 1857)	III GH	C	511, 757, 792
Synonym: <i>Lagonosticta larvata vinacea</i>			
E: Black-faced Firefinch, Vinaceous Firefinch, Vinaceous Waxbill, F: Amarante masqué, Amarante vineux, S: Bengalí carinegro			
Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Gambia (br?) [760]; Ghana (br?) [782]; Guinea; Guinea-Bissau (br) [659, 7848, 8709]; Mali (br?) [659]; Niger (br?) [659]; Nigeria (br?); Senegal (br?) [659]; Sierra Leone (br?) [659]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]	III GH	C	511, 757, 792, 1256
<i>Lonchura bicolor</i> (Fraser, 1843)			
Synonym: <i>Spermestes bicolor</i>			
E: Black-and-white Mannikin, Black-and-white Munia, Blue-billed Mannikin, F: Capucin bicolore, Spermète à bec bleu			
Angola (br?) [5267]; Benin (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Ethiopia (br?) [659]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau (br) [659, 7847, 8709]; Kenya (br) [5253]; Liberia (br) [5246]; Mali (br?) [659]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [568, 5254]; Uganda (br) [659]	III GH	C	511, 757, 792, 1256
<i>Lonchura cantans</i> (Gmelin, 1789)	III GH	C	511, 537, 757, 774, 792, 841, 1256
Synonyms: <i>Lonchura malabarica cantans</i> , <i>Euodice cantans</i>			
E: African Silverbill, F: Bec-d'argent, Capucin bec-d'argent, S: Monjita pico-de-plata Bahrain (br) [1105]; Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Djibouti (br) [427]; Egypt (br) [6881]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Oman (br) [1383]; Portugal (int, br): Portugal (int, br); Puerto Rico (int, br) [1176]; Saudi Arabia (br) [881]; Senegal (br) [659]; Somalia (br) [5252]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; United States (int, br) [387]; Yemen (br) [5297]	III GH	C	511, 537, 757, 774, 792, 841, 1256
<i>Lonchura cucullata</i> (Swainson, 1837)	III GH	C	511, 757, 792, 1256
Synonym: <i>Spermestes cucullatus</i>			
E: Bronze Mannikin, Bronze Munia, Bronze-winged Mannikin, F: Capucin nonnette, Spermète nonnette, S: Negrita bronceada			
Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Comoros (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [1389]; Guinea-Bissau (br) [659, 7836, 8709]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br?) [659]; Nigeria (br); Puerto Rico (int, br) [485, 975, 1176]; Rwanda (br) [659]; São Tomé and Príncipe (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]	III GH	C	511, 757, 792, 1256

<i>Lonchura fringilloides</i> (Lafresnaye, 1835)	III GH	C	511, 757, 792, 1256
Synonym: <i>Spermestes fringilloides</i>			
E: Magpie Mannikin, Magpie Munia, Pied Mannikin, F: Capucin pie, Spermète pie, S: Negrita picanza			
Angola (br?) [5267]; Benin (br?) [659]; Botswana [1102]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (v) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ethiopia (br?) [423, 659]; Gabon (br) [659]; Gambia [760]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau [8709]; Kenya (v) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br?) [659]; Mozambique (br?) [659]; Namibia (v) [659]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			
<i>Lonchura nevermanni</i> Stresemann, 1924		D	
E: Grey-crowned Munia, F: Capucin de Nevermann Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
<i>Lonchura stygia</i> Stresemann, 1924		D	LR/nt
E: Black Munia, F: Capucin noir Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
<i>Mandingoa nitidula</i> (Hartlaub, 1865)	III GH	C	511, 757, 792, 1256
Synonym: <i>Hypargos nitidula</i>			
E: Green Twinspot, Green-backed Twinspot, F: Astrild vert pointillé, Sénégal vert Angola (br?) [5267]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659]; Bioko; Ethiopia (br) [659]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br?) [1078]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Nigeria (br?); Rwanda (br?) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br?) [659]; Zimbabwe (br) [659]			
<i>Nesocharis capistrata</i> (Hartlaub, 1861)	III GH	C	511, 757, 792, 1256
E: Grey-headed Oliveback, White-cheeked Olive Weaver, F: Dos-vert à joues blanches, Sénégal vert à joues blanches, S: Olivino cariblanco Benin (br) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Gambia (v) [760]; Ghana (br?) [782]; Guinea-Bissau (br) [659, 7847, 8709]; Mali (br?) [659]; Nigeria (br); Sierra Leone (br) [659]; Sudan (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]			
<i>Nigrita bicolor</i> (Hartlaub, 1844)	III GH	C	511, 757, 792, 1256
E: Chestnut-breasted Negrofinch, F: Nigrette à ventre roux, Sénégal brun à ventre roux, S: Negrita pechirroja Angola (br) [5267]; Benin [6907]; Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Gabon (br) [659]; Gambia (v) [760]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau [7849, 8709]; Kenya (br?) [5253]; Liberia (br) [5246]; Mali (br?) [659]; Nigeria (br); São Tomé and Príncipe (br?) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]			

Nigrita canicapilla (Strickland, 1841) III GH C 511, 757, 792,
1256, 7806

E: Grey-crowned Negrofinch, Grey-headed Negrofinch, F: Nigrette à calotte grise, Sénégali nègre, S: Negrita cana
Angola (br) [5267]; Benin (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Gabon (br) [659]; Ghana (br) [782]; Guinea (br?) [1389]; Kenya (br) [5253]; Liberia (br) [5246]; Mali (v) [659]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]

Nigrita fusconota Fraser, 1843 III GH C 511, 757, 792,
1256

E: White-breasted Negrofinch, F: Nigrette à ventre blanc, Sénégali brun à ventre blanc, S: Negrita pechiblanca
Angola (br) [5267]; Benin (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [6276, 6426]; Equatorial Guinea, Bioko; Gabon (br) [659]; Ghana (br) [782]; Guinea (br?); Kenya (br?) [5253]; Liberia (br) [5246]; Mali (br?) [659]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br?) [659]; Uganda (br?) [659]

Nigrita luteifrons Verreaux & Verreaux, 1851 III GH C 511, 757, 792,
1256

E: Pale-fronted Negrofinch, F: Nigrette à front jaune, Sénégali nègre à front jaune, S: Negrita frentiguadla
Angola (br) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Democratic Republic of the Congo (br?); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Gabon (br) [659]; Ghana (br?) [782]; Liberia (v) [5246]; Nigeria (br?); Sierra Leone (br?) [659]; Uganda (br?) [659]

Ortygospiza atricollis (Vieillot, 1817) III GH C 511, 757, 774,
792, 1256

E: African Quailfinch, F: Astrild caille, Astrild-caille à lunettes, S: Astrilda aperdizada
Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1191, 1389]; Guinea-Bissau (br) [659, 7847, 8709]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br?) [5246]; Malawi (br?) [1103]; Mali (br) [659]; Mauritania (br) [527, 659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (v) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (v) [5252]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [567, 5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Padda fuscata (Vieillot, 1817) D VU

Synonym: *Lonchura fuscata* (Vieillot, 1817)

E: Timor Sparrow, F: Padda de Timor

Indonesia (br) [393]: Lesser Sunda Is

<i>Padda oryzivora</i> (Linnaeus, 1758)	II	B	VU
Synonym: <i>Lonchura oryzivora</i> (Linnaeus, 1758)			
E: Java Sparrow, F: Padda de Java, S: Gorrión de Java			
Brunei Darussalam (int); Christmas Island (int, br); Cocos (Keeling) Islands (ex , int); Fiji (int) [1171]; India (ex , int); Indonesia (br) [393]: Bali, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Japan (int, br) [503]; Malaysia (int); Peninsular Malaysia, Sabah, Sarawak; Mauritius (int, br); Myanmar (int); Philippines (int, br); Saint Helena (int); Singapore (int); Sri Lanka (int); Thailand (int); United States (int) [387]; Venezuela (int) [6845]; Viet Nam (int)			
<i>Parmoptila rubrifrons</i>	III GH	C	757, 792, 1256
(Sharpe & Ussher, 1872)			
Synonym: <i>Parmoptila woodhousei rubrifrons</i>			
E: Jameson's Antpecker, Red-fronted Antpecker, F: Astrild fourmilier, Parmoptile à front rouge			
Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ghana (br?) [782]; Liberia (br) [648, 5246]; Mali (br?) [659]; Sierra Leone (br?) [659]			
<i>Pholidornis rushiae</i> (Cassin, 1855)	III GH	C	511, 757, 792, 1256
E: Tit-hylia, F: Astrild mésange, Mésanette rayée			
Angola (br) [5267]; Benin [10078]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [6276, 6426]: Equatorial Guinea, Bioko; Gabon (br?) [518, 659]; Ghana (br) [782]; Guinea (br?); Liberia (br) [5246]; Nigeria (br); Sierra Leone (br) [659]; Uganda (br?) [659]			
<i>Poephila cincta cincta</i> (Gould, 1837)	II	B	757, 1132
E: Southern Black-throated Finch, F: Diamant à bavette, S: Diamante de pecho negro			
Australia (br) [477]			
CITES Identification Manual Reference:	A-227.049.024.004		
<i>Pyrenestes ostrinus</i> (Vieillot, 1805)	III GH	C	511, 757, 792, 1256
Synonyms: <i>Pyrenestes frommi</i> Kothe, 1911, <i>Pyrenestes maximus</i> Chapin, 1923, <i>Pyrenestes rothschildi</i> Neumann, 1910			
E: Black-bellied Seedcracker, F: Gros-bec ponceau à ventre noir, Pyréneste ponceau, S: Pirenestes ventrinegro			
Angola (br) [5267]; Benin [10078]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Gambia (v) [760]; Ghana (br) [782]; Kenya (br?) [5253]; Nigeria (br); Sudan (br?) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]			
<i>Pytilia hypogrammica</i> Sharpe, 1870	III GH	C	757, 792, 1256
E: Red-faced Pytilia, Yellow-winged Pytilia, F: Beaumarquet à ailes jaunes, Diamant à face rouge			
Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Ghana (br?) [782]; Guinea (br?) [1389]; Liberia (v) [5246]; Nigeria (br); Sierra Leone (br?) [659]; Togo (br?) [5254]			

<i>Pytilia phoenicoptera</i> Swainson, 1837	III GH	C	511, 757, 792, 1256
E: Aurora Finch, Crimson-winged Pytilia, Red-winged Pytilia, F: Beaumarquet, Beaumarquet aurore, Diamant aurore, S: Pitilia alirroja			
Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659, 773]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); ?Ethiopia [894]; Gambia (br) [760]; Ghana (br?) [782]; Guinea [10589, 10590]; Guinea-Bissau (br) [659, 7847, 8709]; Mali (br) [659]; Niger (br?) [659, 941]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (br?) [659]; Sudan (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]			
<i>Spermophaga haematina</i> (Vieillot, 1805)	III GH	C	757, 792, 1256
E: Blue-billed Weaver, Western Bluebill, F: Gros-bec sanguin, Sénégal sanguin, S: Espermófaga hematina			
Angola (br?) [5267]; Benin [7097]; Cameroon (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [6403]; Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Gambia (br) [760, 10579]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau [7849, 8709]; Liberia (br) [5246]; Mali (br?) [659]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (br) [659]; Togo (br?) [5254]			
<i>Uraeginthus bengalus</i> (Linnaeus, 1766)	III GH	C	511, 757, 792, 1256
Synonym: <i>Estrilda bengala</i>			
E: Cordonbleu, Red-cheeked Cordonbleu, F: Cordon bleu à joues rouges, Cordonbleu, Cordonbleu à joues rouges, S: Coliazul bengalí			
Angola (br?) [5267]; Benin (br) [659]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 7847, 8709]; Kenya (br) [5253]; Liberia (v) [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Somalia (br) [5252]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; United States (br) [387]; Zambia (br) [659]			

Family: PLOCEIDAE

Amblyospiza albifrons (Vigors, 1831) III GH C 511, 573, 792,
1256
 E: Grosbeak Weaver, Thick-billed Weaver, White-fronted Grosbeak, F: Amblyospize à front blanc, Gros-bec à front blanc, S: Tejedor picogordo
 Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burundi (br?) [659];
 Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659];
 Ethiopia (br) [659]; Gabon (br?) [659]; Ghana (br) [782]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br) [659]; Nigeria (br);
 Rwanda (br) [659]; Senegal (v) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Anaplectes rubriceps (Sundevall, 1850) III GH C 511, 573, 792, 1256

Synonyms: *Anaplectes melanotis* (Lafresnaye, 1838), *Malimbus rubriceps*
E: Red-headed Weaver, F: Tisserin à ailes rouges, Tisserin écarlate, S: Mailmbo capirotado

Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; ?Cameroon (br) [659]; ?Central African Republic (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [6412]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (v) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 7836, 8709]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br?) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Anomalospiza imberbis (Cabanis, 1868) III GH C 511, 573, 792, 1256

E: Cuckoo Weaver, Parasitic Weaver, F: Anomalospize parasite, Tisserin coucou, Tisserin covcau

Angola (br?) [5267]; Benin [10082]; Botswana (br) [1102]; Cameroon (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ethiopia (br) [659]; Gambia (v) [760]; Ghana (br?) [782]; Guinea (br?); Kenya (br) [5253]; Malawi (br) [1103]; Mali (v) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Nigeria (br?); Rwanda [659]; Sierra Leone (br?) [659]; South Africa (br) [659]; Sudan [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Bubalornis albirostris (Vieillot, 1817) III GH C 511, 792, 1256

E: White-billed Buffalo-Weaver, F: Alecto à bec blanc

Benin (br) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1078]; Guinea-Bissau (br) [659, 7847, 8709]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sudan (br) [659]; Uganda (br?) [659]

Euplectes afer (Gmelin, 1789) III GH C 511, 573, 792, 1256

E: Golden Bishop, Napoleon Weaver, Yellow-crowned Bishop, F: Euplecte vorabé, Vorabé, S: Euplectes amarillo

Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 7834, 8709]; Japan (int) [503]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (v) [5246]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Portugal (int, br); Portugal (int, br); Puerto Rico (int, br) [1176]; Senegal (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Euplectes ardens (Boddaert, 1783) III GH C 511, 573, 792,
1256

Synonym: *Coliuspasser ardens* (Boddaert, 1783)

E: Red-collared Whydah, Red-collared Widowbird, F: Euplecte veuve-noire, Veuve-noire, S: Falsa viuda pechirroja

Angola (br) [5267]; Botswana (v) [1102]; Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea (br?) [659]; Ethiopia (br) [659, 894]; Gabon (br?) [659]; Gambia (v) [760]; Ghana (br?) [782]; Guinea (br?) [1389]; Guinea-Bissau [7859]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Niger (v) [659]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Euplectes franciscanus (Isert, 1789) III GH C 511, 573, 792,
1256

Synonym: *Euplectes orix franciscanus*

E: Orange Bishop, Orange Weaver, F: Euplecte franciscain, Ignicolor, Ignicolore, S: Euplectes rojo

Benin (br) [659]; Bermuda (int, br) [389]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 7834, 8709]; Kenya (br) [5253]; Mali (br) [659]; Martinique (int, br) [5242]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Puerto Rico (int, br) [1176]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br?) [659]

Euplectes hordeaceus (Linnaeus, 1758) III GH C 511, 573, 792,
1256

E: Black-winged Bishop, Fire-crowned Bishop, F: Euplecte monseigneur, Monseigneur, S: Euplectes alinegro

Angola (br) [5267]; Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea (br) [659, 894]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 7834, 8709]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Niger (v) [659]; Nigeria (br); Rwanda (br?) [659]; São Tomé and Príncipe (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Euplectes jacksoni (Sharpe, 1891) D LR/nt

E: Jackson's Widowbird, F: Euplecte de Jackson, Veuve de Jackson
Kenya [5253]; Tanzania, United Republic of [659]

Euplectes macrourus (Gmelin, 1789) III GH C 511, 792, 1256, 7806

Synonym: *Coliuspasser macrourus* (Gmelin, 1789)

E: Yellow-backed Whydah, Yellow-mantled Whydah, Yellow-mantled Widowbird, Yellow-shouldered Widowbird, F: Euplecte à dos d'or, Veuve à dos d'or, S: Falsa viuda dorsigualda

Angola (br) [5267]; Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 7836, 8709]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (v) [659]; Mozambique (br?) [659]; Niger (br?) [659]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Malimbus cassini (Elliot, 1859) III GH C 792, 1256

E: Black-throated Malimbe, Cassin's Malimbe, F: Malimbe à gorge noire, Malimbe de Cassin

Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br) [659]; Democratic Republic of the Congo (br); Equatorial Guinea [6426]; Gabon (br) [659]; Ghana (br?) [782]

Malimbus malimbicus (Daudin, 1802) III GH C 511, 792, 1256

E: Crested Malimbe, F: Malimbe huppé, S: Malimbo moñudo

Angola (br) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br?); Liberia (br) [5246]; Mali (br) [659]; Nigeria (br); Sierra Leone (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]

Malimbus nitens (Gray, 1831) III GH C 511, 792, 1256

E: Blue-billed Malimbe, Gray's Malimbe, F: Malimbe à bec bleu, S: Malimbo cabecinegro

Angola (br) [5267]; Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br); Guinea-Bissau (br) [659, 7836, 8709]; Liberia (br) [5246]; Mali (br?) [659]; Niger (br?) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone (br) [659]; Sudan (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]

Malimbus rubricollis (Swainson, 1838) III GH C 511, 792, 1256

E: Red-headed Malimbe, Red-headed Weaver, F: Malimbe à tête rouge, S: Malimbo cuellirrojo

Angola (br) [5267]; Benin (br) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [6412]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Gabon (br?) [659]; Ghana (br) [782]; Guinea (br?); Guinea-Bissau [8709]; Kenya (br?) [5253]; Liberia (br) [5246]; Mali (v) [659]; Nigeria (br); Sierra Leone (br) [659]; Sudan (br?) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]

Malimbus scutatus (Cassin, 1849) III GH C 792, 1256

E: Red-vented Malimbe, F: Malimbe à queue rouge, S: Malimbo culirrojo

Benin (br) [659]; Cameroon (br?) [659]; Côte d'Ivoire (br) [1334]; Ghana (br) [782]; Guinea (br?); Liberia (br) [5246]; Nigeria (br); Sierra Leone (br) [659]

<i>Pachyphantes superciliosus</i> (Shelley, 1873)	III	GH	C	511, 792, 1256
Synonym: <i>Ploceus superciliosus</i>				
E: Compact Weaver, F: Tisserin gros-bec, S: Tejedor rollizo				
Angola (br) [5267]; Benin (br?) [659]; Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [6403]; Ethiopia (br?) [659]; Gabon (br?) [518, 659]; Ghana (br) [782]; Guinea (br?) [1078]; Guinea-Bissau (br) [659, 7834]; Kenya (br) [5253]; Liberia (br) [5246]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Sudan (br?) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (v) [659]				
<i>Passer griseus</i> (Vieillot, 1817)	III	GH	C	511, 573, 792, 1256
E: Grey-headed Sparrow, F: Moineau gris, S: Gorrión pardillo				
Angola (br) [5267]; Benin (br) [659]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Eritrea [659]; Ethiopia [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [1389]; Guinea-Bissau (br) [659, 7836, 8709]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br?) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia [5252]; Sudan [659]; Tanzania, United Republic of (br) [659]; Togo (br) [5254]; Uganda (br) [659]; Zambia (br) [659]				
<i>Petronia dentata</i> (Sundevall, 1850)	III	GH	C	792, 1256
E: Bush Petronia, Bush Sparrow, F: Petit Moineau, Petit moineau soulcie, Petit moineau soulie, S: Chillón de Sundevall				
Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 7847, 8709]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda [659]; Yemen (br) [5297]				
<i>Plocepasser superciliosus</i> (Cretzschmar, 1827)	III	GH	C	511, 792, 1256
E: Chestnut-crowned Sparrow-Weaver, F: Mahali à calotte marron, Moineau-tisserin, S: Tejedor pardal capirotado				
Benin (br) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea (br) [659]; Ethiopia (br) [659, 894]; Gambia (br) [760]; Ghana (br) [782]; Guinea; Guinea-Bissau [7849, 8709]; Kenya (br) [5253]; Mali (br?) [659]; Niger (br?) [659]; Nigeria (br); Senegal (br?) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br) [659]				
<i>Ploceus albinucha</i> (Barboza du Bocage, 1876)	III	GH	C	511, 792, 1256
E: Maxwell's Black Weaver, White-naped Weaver, F: Tisserin de Maxwell, Tisserin noir de Maxwell, S: Tejedor negro albinuca				
Cameroon (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [6276, 6426]; Equatorial Guinea, Bioko; Gabon (br) [659]; Ghana (br) [782]; Liberia (br) [5246]; Nigeria (br?); Sierra Leone (br) [659]; Uganda (br?) [659]				

<i>Ploceus aurantius</i> (Vieillot, 1805)	III GH	C	511, 792, 1256
E: Orange Weaver, F: Tisserin orangé, S: Tejedor naranja			
Angola (br?) [5267]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea [6426]; Gabon (br) [659]; Ghana (br) [782, 7856]; Kenya (v) [5253]; Liberia (br) [5246]; Nigeria (br); Sierra Leone (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br) [659]			
<i>Ploceus cucullatus</i> (Müller, 1776)	III GH	C	511, 573, 574, 792, 975, 1256
Synonym: <i>Ploceus nigriceps</i> (Layard, 1867)			
E: Layard's Black-headed Weaver, Spot-backed Weaver, Village Weaver, F: Tisserin gendarme, S: Tejedor cogullado			
Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Dominican Republic (int, br) [1312]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br); Guinea-Bissau (br) [659, 7836, 8709]; Haiti (int) [1408]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Martinique (int, br) [5242]; Mauritania (br) [659]; Mauritius (int, br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Portugal (int, br); Portugal (int, br); Puerto Rico (int, br) [1176]; Réunion (int, br) [1303]; Rwanda (br) [659]; São Tomé and Príncipe (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]			
<i>Ploceus heuglini</i> Reichenow, 1886	III GH	C	511, 792, 1256
Synonym: <i>Textu atrogularis</i>			
E: Heuglin's Masked-Weaver, F: Tisserin masqué, S: Tejedor de Heuglin			
Benin (br) [659]; Burkina Faso (br?) [659]; ?Cameroon (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Gambia (br) [760]; Ghana (br) [782]; Kenya (br) [5253]; Mali (br) [659]; Niger (br?) [659]; Nigeria (br); Senegal (br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br) [659]			
<i>Ploceus luteolus</i> (Lichtenstein, 1823)	III GH	C	511, 597, 792, 1256
Synonym: <i>Sitagra luteola</i>			
E: Little Weaver, F: Tisserin minule, S: Sitragra chico común			
Benin (br) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br); Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea-Bissau [8709]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]			

<i>Ploceus melanocephalus</i> (Linnaeus, 1758)	III GH	C	511, 792, 1256
Synonyms: <i>Ploceus capitalis</i> (Latham, 1790), <i>Sitagra melanocephala</i>			
E: Black-headed Weaver, Yellow-backed Weaver, F: Tisserin à tête noire, S: Tejedor cabecinegro			
Benin (br) [659]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Congo (br) [659]; Democratic Republic of the Congo (br); Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br) [1389]; Guinea-Bissau (br) [659, 7847, 8709]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659, 7218]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]			
<i>Ploceus nigerrimus</i> Vieillot, 1819	III GH	C	511, 792, 1256
E: Vieillot's Black Weaver, F: Tisserin noir, Tisserin noir de Vieillot, S: Tejedor negro de Vieillot			
Angola (br) [5267]; Benin (br) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [1389]; Kenya (br) [5253]; Liberia (br) [5246]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br) [659]			
<i>Ploceus nigricollis</i> (Vieillot, 1805)	III GH	C	511, 792, 1256
E: Black-necked Weaver, F: Tisserin à cou noir, Tisserin à lunettes, S: Tejedor cuellinegro			
Angola (br) [5267]; Benin (br) [659]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br); Guinea-Bissau (br) [659, 7836, 8709]; Kenya (br) [5253]; Liberia (br) [5246]; Mali (br?) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; Sudan (br?) [659]; Tanzania, United Republic of (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]			
<i>Ploceus pelzelni</i> (Hartlaub, 1887)	III GH	C	511, 792, 1256
E: Slender-billed Weaver, F: Tisserin de Pelzeln, Tisserin nain, S: Sitagra de Pelzeln			
Angola (br?) [5267]; Burundi (br?) [659]; Cameroon (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Gabon (br) [659]; Ghana (br) [782]; Kenya (br) [5253]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br?) [659]; Sudan (br?) [659, 6417]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; Zambia (br) [659]			
<i>Ploceus preussi</i> (Reichenow, 1892)	III GH	C	792, 1256
E: Golden-backed Weaver, Preuss's Weaver, Yellow-capped Weaver, F: Tisserin à dos doré, Tisserin de Preuss			
Cameroon (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea [6426]; Gabon (br?) [518, 659]; Ghana (br?) [782]; Guinea (br?) [1078]; Liberia (br?) [5246]; Sierra Leone (br) [659]			

<i>Ploceus tricolor</i> (Hartlaub, 1854)	III GH C	511, 792, 1256
E: Yellow-mantled Weaver, F: Tisserin tricolore, S: Tejedor tricolor Angola (br) [5267]; Benin [7097]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea [6426]; Gabon (br) [518, 659]; Ghana (br) [782]; Guinea (br?); Kenya (br?) [5253]; Liberia (br) [5246]; Nigeria (br); Sierra Leone (br) [659]; Sudan (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]		
<i>Ploceus vitellinus</i> (Lichtenstein, 1823)	III GH C	511, 573, 792, 1256
Synonym: <i>Ploceus velatus vitellinus</i> E: Vitelline Masked-Weaver, F: Tisserin à tête rouge, Tisserin à tête rousse, Tisserin vitellin, S: Tejedor velado Benin (br) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659]; Bioko; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Somalia (br) [5252]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]		
<i>Quelea erythrops</i> (Hartlaub, 1848)	III GH C	511, 573, 792, 1256
E: Red-headed Dioch, Red-headed Quelea, F: Travailleur à tête rouge, S: Laborioso cabecirrojo Angola (br) [5267]; Benin (br) [659]; Botswana (v) [1102]; Burkina Faso (br) [659, 1345]; Burundi [659]; Cameroon (br) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br?) [659]; Ethiopia (br?) [659]; Gabon [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea; Guinea-Bissau (br) [659, 7834, 8709]; Kenya [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mozambique [659]; Niger (br) [659]; Nigeria (br); Rwanda [659]; São Tomé and Príncipe (br) [659]; Senegal [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br?) [1139]; Tanzania, United Republic of (br) [659]; Togo [5254]; Uganda [659]; Zambia (br) [659]; Zimbabwe (br) [659]		
<i>Sporopipes frontalis</i> (Daudin, 1802)	III GH C	511, 792, 1256
E: Scaly-fronted Weaver, Speckle-fronted Weaver, F: Moineau quadrillé, Sporopipe quadrillé, S: Tejedorcito punteado Benin (br) [659]; Burkina Faso (br) [659, 1345, 7154]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia [760]; Ghana (br) [782]; Guinea-Bissau [8709]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Somalia (v) [5252]; Sudan (br) [659]; Tanzania, United Republic of (br?) [659]; Uganda (br?) [659]		

<i>Vidua chalybeata</i> (Müller, 1776)	III GH C	511, 573, 792, 1145, 1256
Synonyms: <i>Vidua amauropteryx</i> (Sharpe, 1890), <i>Vidua centralis</i> (Neunzig, 1928), <i>Vidua neumanni</i> (Alexander, 1908), <i>Vidua okavangoensis</i> , <i>Vidua ultramarina</i> (Gmelin, 1789), <i>Hypochera chalybeata</i>		
E: Green Indigobird, Senegal Combassou, Village Indigobird, F: Combassou du Sénégal, S: Tejedor bruñido verdoso		
Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br?); Guinea-Bissau [8709]; Kenya (br) [5253]; Lesotho (br?) [486]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]		
<i>Vidua interjecta</i> (Grote, 1922)	III GH C	1146
Synonym: <i>Vidua orientalis interjecta</i>		
E: Long-tailed Paradise-Whydah, Uelle Paradise-Whydah, F: Veuve à queue large, Veuve nigérienne		
Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Democratic Republic of the Congo (br?); Ethiopia (br?) [659]; Ghana (br?) [782]; Guinea (br?); Liberia (br?) [5246]; Mali (br?) [659]; Nigeria (br?); Sudan (br?) [659]		
<i>Vidua larvaticola</i> Payne, 1982	III GH C	1145, 1146
E: Baka Indigobird, Black-faced Firefinch Indigobird, F: Combassou de Baka, Veuve Cameroon (br?) [659]; Ethiopia (br?) [659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br?); Nigeria (br?); Sudan (br?) [659]		
<i>Vidua macroura</i> (Pallas, 1764)	III GH C	511, 573, 792, 1256
E: Pin-tailed Whydah, F: Veuve dominicaine, S: Viuda colicinta		
Angola (br?) [5267]; Benin (br?) [659]; Botswana (br?) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Eritrea (br?) [659]; Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br?) [1389]; Guinea-Bissau (br) [659, 7836, 8709]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br?) [659]; Nigeria (br?); Puerto Rico (int, br) [1176]; Rwanda (br) [659]; São Tomé and Príncipe (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Tanzania, United Republic of (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; United States (br) [387]; Zambia (br) [659]; Zimbabwe (br) [659]		
<i>Vidua orientalis</i> Heuglin, 1871	III GH C	511, 573, 792, 1256
Synonym: <i>Vidua paradisaea orientalis</i>		
E: Northern Paradise-Whydah, F: Veuve à collier d'or, Veuve paradisier, S: Viuda del paraíso oriental		
Burkina Faso (br) [659, 1345]; Chad (br) [659]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Guinea (br?); Guinea-Bissau [7852]; Mali (br) [659]; Mauritania (br) [659]; Niger (br?) [659]; Nigeria (br?); Senegal (br?) [659]; Sudan (br) [659]		

Vidua raricola Payne, 1982 III GH C 1145, 1146
 E: Goldbreast Indigobird, Jambandu Indigobird, F: Combassou de Jambandu, Veuve Cameroon (br?) [659]; Ghana (br?) [782]; Nigeria (br?); Sierra Leone (br) [659]; Sudan (br?) [659]

Vidua togoensis (Grote, 1923) III GH C 1146
 Synonym: *Vidua orientalis togoensis*
 E: Togo Paradise-Whydah, F: Veuve du Togo
 Cameroon (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Ghana (br?) [782]; Mali (v) [659]; Sierra Leone (br?) [659]; Togo (br?) [5254]

Vidua wilsoni (Hartert, 1901) III GH C 792, 1145, 1256
 Synonyms: *Vidua incognita* (Nicolai, 1972), *Vidua lorenzi* Nicolai, 1972, *Hypochera wilsoni*
 E: Pale-winged Indigobird, Wilson's Indigobird, F: Combassou de Wilson, Combassou noir, S: Tejedor bruñido de Wilson
 Cameroon (br?) [659]; Central African Republic (br?) [659]; ?Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Ghana (br) [782]; Guinea; Guinea-Bissau (br) [659, 7848, 8709]; Nigeria (br?); Senegal (br?) [659]; Sudan (br) [659]; Togo (br?) [5254]

Family: **STURNIDAE**

Gracula religiosa Linnaeus, 1758 II B
 Synonyms: *Gracula enganensis* Salvadori, 1892, *Gracula indica* (Cuvier, 1929),
Gracula robusta Salvadori, 1887
 E: Common Hill Myna, Hill Myna, F: Mainate religieux, Merles des Indes, S: Miná de la India, Miná religioso
 Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; Christmas Island (int, br); India (br) [1197]; Indonesia (br) [393]; Bali, Jawa, Kalimantan, Lesser Sunda Is, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]; Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Nepal (br) [865]; Philippines (br) [5270]; Puerto Rico (int, br) [1176]; Singapore (br) [791]; Sri Lanka (br) [5271]; Thailand (br) [487]; Viet Nam (br) [5264]

Leucopsar rothschildi Stresemann, 1912 I A CR 406, 408, 413,
 595, 828, 931,
 6511
 E: Bali Myna, Bali Starling, Rothschild's Myna, Rothschild's Starling, White Starling,
 F: Étourneau de Rothschild, Mainate, Mainate de Rothschild, Martin de Rothschild,
 Sansonnet de Rothschild, S: Estornino de Rothschild, Miná de Rothschild
 Indonesia (br) [393]: Bali
 CITES Identification Manual Reference: A-227.051.013.001

Sturnus erythropygius (Blyth, 1846) D
 Synonym: *Sturnia erythropygia*
 E: White-headed Starling, F: Étourneau à tête blanche
 India (br) [1197]: Andaman Is, Nicobar Is

<i>Sturnus sericeus</i> Gmelin, 1788	D	
E: Red-billed Starling, F: Étourneau soyeux		
China (br) [5293]; Hong Kong; Japan [503]; Korea, Republic of (v) [9133]; Philippines [5270]; Viet Nam [5264]		
Family: PARADISAEIDAE		
<i>Astrapia mayeri</i> Stonor, 1939	II B LR/nt	452, 595, 606, 1242
E: Ribbon-tailed Astrapia, Ribbon-tailed Bird-of-paradise, F: Paradisier à rubans		
Papua New Guinea (br)		
CITES Identification Manual Reference:	A-227.059.004.002	
<i>Astrapia nigra</i> (Gmelin, 1788)	II B	452, 595, 606, 1242
E: Arfak Astrapia, F: Housse-col doré, Paradisier à gorge noire		
Indonesia (br) [393]: Irian Jaya		
CITES Identification Manual Reference:	A-227.059.004.003	
<i>Astrapia rothschildi</i> Förster, 1906	II B	452, 606, 1242
E: Huon Astrapia, F: Housse-col de Rothschild, Paradisier de Rothschild		
Papua New Guinea (br)		
CITES Identification Manual Reference:	A-227.059.004.004	
<i>Astrapia splendidissima</i> Rothschild, 1895	II B	452, 606, 1242
E: Splendid Astrapia, F: Housse-col splendide, Paradisier splendide		
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [7868]		
CITES Identification Manual Reference:	A-227.059.004.005	
<i>Astrapia stephaniae</i> (Finsch, 1885)	II B	452, 606
E: Princess Stephanie's Bird-of-paradise, Stephanie's Astrapia, F: Housse-col à queue rubanée, Paradisier de la princesse Stéphanie, Paradisier de Stéphanie		
Papua New Guinea (br)		
CITES Identification Manual Reference:	A-227.059.004.006	
<i>Cicinnurus magnificus</i> (Pennant, 1781)	II B	452, 606
Synonym: <i>Diphyllodes magnificus</i>		
E: Magnificent Bird-of-paradise, F: Paradisier magnifique		
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)		
CITES Identification Manual Reference:	A-227.059.006.002	
<i>Cicinnurus regius</i> (Linnaeus, 1758)	II B	452, 606, 1242
E: King Bird-of-paradise, F: Paradisier royal		
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)		
CITES Identification Manual Reference:	A-227.059.005.001	

CITES EC Reg. RL References

<i>Cicinnurus respublica</i> (Bonaparte, 1850)	II	B	LR/nt	595, 606, 1242
Synonym: <i>Diphylloides respublica</i>				
E: Wilson's Bird-of-paradise, F: Paradisier républicain				
Indonesia (br) [393]: Irian Jaya				
CITES Identification Manual Reference:		A-227.059.006.003		
<i>Cnemophilus loriae</i> (Salvadori, 1894)	II	B		452, 606
Synonym: <i>Loria loriae</i>				
E: Loria's Bird-of-paradise, F: Paradisier de Loria, Paradisier loria				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:		A-227.059.003.001		
<i>Cnemophilus macgregorii</i> De Vis, 1890	II	B		452, 606, 1242, 6642
E: Crested Bird-of-paradise, F: Paradisier huppé				
Papua New Guinea (br)				
CITES Identification Manual Reference:		A-227.059.001.001		
<i>Epimachus albertisi</i> (Sclater, 1873)	II	B		452, 606, 1242
Synonym: <i>Drepanornis albertisi</i>				
E: Black-billed Sicklebill, Buff-tailed Sicklebill, F: Drépanornis d'Albertis, Paradisier d'Albertis				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:		A-227.059.007.002		
<i>Epimachus bruijnii</i> (Oustalet, 1880)	II	B	LR/nt	452, 595, 606
Synonym: <i>Drepanornis bruijnii</i>				
E: Pale-billed Sicklebill, White-billed Sicklebill, F: Drépanornis de Bruijn, Paradisier à bec blanc				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:		A-227.059.007.003		
<i>Epimachus fastuosus</i> (Hermann, 1783)	II	B	VU	452, 595, 606, 1242
E: Black Sicklebill, F: Epimaque fastueux, Paradisier fastueux				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:		A-227.059.008.002		
<i>Epimachus meyeri</i> Finsch, 1885	II	B		452, 606, 1242
E: Brown Sicklebill, F: Epimaque de Mayer, Paradisier de Meyer				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:		A-227.059.008.003		
<i>Loboparadisea sericea</i> Rothschild, 1896	II	B	LR/nt	452, 606, 6642
E: Wattle-billed Bird-of-paradise, Yellow-breasted Bird-of-paradise, F: Paradisier soyeux				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:		A-227.059.002.001		

CITES EC Reg. RL References

<i>Lophorina superba</i> (Pennant, 1781)	II	B	452, 606, 1242
E: Superb Bird-of-paradise, F: Paradisier superbe			
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
CITES Identification Manual Reference:	A-227.059.009.001		
<i>Lycocorax pyrrhopterus</i> (Bonaparte, 1851)	II	B	452, 606, 9310
E: Paradise-Crow, Silky-Crow, F: Corneille de paradis, Paradisier corvin			
Indonesia (br) [393]: Moluccas			
CITES Identification Manual Reference:	A-227.059.010.001		
<i>Macgregoria pulchra</i> De Vis, 1897	II	B	452, 595, 606, 1242
E: Macgregor's Bird-of-paradise, F: Paradisier de Macgregor			
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [7109, 7861]			
CITES Identification Manual Reference:	A-227.059.011.001		
<i>Manucodia atra</i> (Lesson, 1830)	II	B	452, 606, 1242
E: Glossy-mantled Manucode, F: Manucaude noir, Paradisier noir			
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
CITES Identification Manual Reference:	A-227.059.012.002		
<i>Manucodia chalybata</i> (Pennant, 1781)	II	B	452, 606
E: Crinkle-collared Manucode, F: Manucaude vert, Paradisier vert			
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
CITES Identification Manual Reference:	A-227.059.012.003		
<i>Manucodia comrii</i> Sclater, 1876	II	B	606, 1242
E: Curl-crested Manucode, F: Manucaude de Comrie, Paradisier d'Entrecasteaux			
Papua New Guinea (br)			
CITES Identification Manual Reference:	A-227.059.012.004		
<i>Manucodia jobiensis</i> Salvadori, 1876	II	B	452, 606, 1242
E: Jobi Manucode, F: Manucaude de Jobi, Paradisier de Jobi			
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
CITES Identification Manual Reference:	A-227.059.012.005		
<i>Manucodia keraudrenii</i> (Lesson & Garnot, 1826)	II	B	452, 606, 1242
Synonym: <i>Phonygammus keraudrenii</i>			
E: Trumpet Manucode, Trumpetbird, F: Manucaude de Keraudren, Paradisier de Keraudren			
Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
CITES Identification Manual Reference:	A-227.059.016.001		
<i>Melampitta gigantea</i> (Rothschild, 1899)	II	B	452, 1242
E: Greater Melampitta, F: Grande mélampitte			
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			

CITES EC Reg. RL References

<i>Melampitta lugubris</i> Schlegel, 1873	II	B	452, 1242
E: Lesser Melampitta, F: Petite mélampitte			
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6924]			
 <i>Paradigalla brevicauda</i>	II	B	452, 606, 6930
Rothschild & Hartert, 1911			
E: Short-tailed Paradigalla, F: Paradigalle à queue courte, Paradisier à queue courte			
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
CITES Identification Manual Reference:	A-227.059.013.002		
 <i>Paradigalla carunculata</i> Lesson, 1835	II	B	LR/nt 452, 595, 606, 1242, 6930
E: Long-tailed Paradigalla, F: Paradigalle caronculée, Paradisier caronculé			
Indonesia (br) [393]: Irian Jaya			
CITES Identification Manual Reference:	A-227.059.013.003		
 <i>Paradisaea apoda</i> Linnaeus, 1758	II	B	452, 606, 1242
E: Greater Bird-of-paradise, F: Grand paradisier, Paradisier grand-émeraude			
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6924]; Trinidad and Tobago (br) [703]			
CITES Identification Manual Reference:	A-227.059.014.002		
 <i>Paradisaea decora</i> Salvin & Godman, 1883	II	B	LR/nt 595, 606, 1242
E: Goldie's Bird-of-paradise, F: Paradisier de Goldie			
Papua New Guinea (br)			
CITES Identification Manual Reference:	A-227.059.014.003		
 <i>Paradisaea guilielmi</i> Cabanis, 1888	II	B	LR/nt 452, 595, 606, 1242
E: Emperor Bird-of-paradise, Emperor of Germany's Bird-of-paradise, F: Paradisier de Guillaume, Paradisier de l'empereur Guillaume			
Papua New Guinea (br)			
CITES Identification Manual Reference:	A-227.059.014.004		
 <i>Paradisaea minor</i> Shaw, 1809	II	B	452, 606, 1242
E: Lesser Bird-of-paradise, F: Paradisier petit-émeraude, Petit paradisier			
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
CITES Identification Manual Reference:	A-227.059.014.005		
 <i>Paradisaea raggiana</i> Sclater, 1873	II	B	452, 606
E: Count Raggi's Bird-of-paradise, Raggiana Bird-of-paradise, F: Paradisier de Raggi, Paradisier du comte Raggi			
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6924]			
CITES Identification Manual Reference:	A-227.059.014.006		
 <i>Paradisaea rubra</i> Daudin, 1800	II	B	LR/nt 595, 606, 1242
E: Red Bird-of-paradise, F: Paradisier rouge			
Indonesia (br) [393]: Irian Jaya			
CITES Identification Manual Reference:	A-227.059.014.007		

CITES EC Reg. RL References

<i>Paradisaea rudolphi</i> (Finsch, 1885)	II	B	VU	452, 595, 606, 1242
E: Blue Bird-of-paradise, F: Paradisier bleu, Paradisier de Rodolphe Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.014.008			
<i>Parotia carolae</i> Meyer, 1894	II	B		452, 606, 1242
E: Carola's Parotia, Queen Carola's Parotia, F: Paradisier de Carola, Sifilet de Carola Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.015.002			
<i>Parotia heleneae</i> De Vis, 1891	II	B		452, 606
Synonym: <i>Parotia lawesii heleneae</i>				
E: Eastern Parotia, F: Paradisier d'Helena, Sifilet d'Hélène Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.015.003a			
<i>Parotia lawesii</i> Ramsay, 1885	II	B		452, 606
E: Lawes's Parotia, F: Paradisier de Lawes, Sifilet de Lawe Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.015.003b			
<i>Parotia sefilata</i> (Pennant, 1781)	II	B		452, 606
E: Arfak Parotia, Six-plumed Parotia, Western Parotia, F: Paradisier sifilet, Sifilet d'Arfak				
Indonesia (br) [393]: Irian Jaya				
CITES Identification Manual Reference:	A-227.059.015.004			
<i>Parotia wahnesi</i> Rothschild, 1906	II	B	VU	452, 595, 606, 1242
E: Wahnes's Parotia, F: Paradisier de Wahnes, Sifilet de Wahnes Papua New Guinea (br) [452]				
CITES Identification Manual Reference:	A-227.059.015.005			
<i>Pteridophora alberti</i> Meyer, 1894	II	B		452, 606
E: King-of-Saxony Bird-of-paradise, F: Paradisier d'Albert, Paradisier du prince Albert Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.017.001			
<i>Ptiloris intercedens</i> Sharpe, 1882	II	B		452, 606
E: Eastern Riflebird Papua New Guinea (br)				
<i>Ptiloris magnificus</i> (Vieillot, 1819)	II	B		452, 606
E: Magnificent Riflebird, F: Paradisier gorge-d'acier, Proméfil Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.018.002			

<i>Ptiloris paradiseus</i> Swainson, 1825	II	B	595, 606
E: Paradise Riflebird, F: Paradisier festonné, Ptiloris paradis			
Australia (br) [477]			
CITES Identification Manual Reference:		A-227.059.018.003	
<i>Ptiloris victoriae</i> Gould, 1850	II	B	606
E: Queen Victoria's Riflebird, Victoria's Riflebird, F: Paradisier de Victoria, Ptiloris de			
Victoria			
Australia (br) [477]			
CITES Identification Manual Reference:		A-227.059.018.004	
<i>Seleucidis melanoleuca</i> (Daudin, 1800)	II	B	452, 606
E: Twelve-wired Bird-of-paradise, F: Paradisier multifil			
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)			
CITES Identification Manual Reference:		A-227.059.019.001	
<i>Semioptera wallacii</i> Gould, 1859	II	B	472, 595, 606, 9310
E: Standard-wing Bird-of-paradise, Standardwing, Wallace's Standardwing,			
F: Paradisier de Wallace			
Indonesia (br) [393]: Moluccas			
CITES Identification Manual Reference:		A-227.059.020.001	
Family: CORVIDAE			
<i>Cissa thalassina</i> (Temminck, 1826)		D	
E: Short-tailed Green Magpie, Short-tailed Magpie, F: Pirolle à queue courte			
Indonesia [393]: Jawa; Malaysia: Sabah, Sarawak			
<i>Cyanocorax caeruleus</i> (Vieillot, 1818)		D	LR/nt
E: Azure Jay, F: Geai azuré			
Argentina (br) [5291, 10249]; Brazil [6186]; ?Paraguay [5295]			
<i>Cyanocorax dickeyi</i> Moore, 1935		D	LR/nt
E: Tufted Jay, F: Geai panaché			
Mexico (br) [5241]			
<i>Platysmurus leucopterus</i> (Temminck, 1824)		D	LR/nt
E: Black Magpie, F: Geai à ailes blanches			
Brunei Darussalam; Indonesia [393]: Kalimantan, Sumatera; Malaysia: Peninsular			
Malaysia, Sabah, Sarawak; Myanmar [1290]; Singapore (ex); Thailand [487]			

References

- 32 Rasmussen, P. C. (1998) A new scops-owl from Great Nicobar Island. *Bulletin of the British Ornithologists' Club* 118(3): 141-153.
- 41 Lafontaine, R. M. and Moulaert, N. (1998) A new species of scops owl (*Otus*: Aves): taxonomy and conservation status. *Journal of African Zoology* 112(2): 163-169.
- 244 Robbins, M. B. and Stiles, F. G. (1999) A new species of pygmy-owl (Strigidae: *Glaucidium*) from the Pacific slope of the northern Andes. *Auk* 116(2): 305-315.
- 259 Pavel Tomkovich. (2000) Russian names of species for Arctic Bird Library and AEWA. Список видов птиц, зарегистрированных (Russian)
- 374 Abdusalyamov, I. A. (1977) [Fauna of the Tadzhik Soviet Socialist Republic: birds]. 19(3): Donish. -Dushanbe (Russian)
- 376 Achaval, F. (1989) *Lista de especies de vertebrados del Uruguay. Parte 2: Anfibios, reptiles aves y mamíferos.* Facultad de Humanidades y Ciencias, Universidad de la Republica, Uruguay.
- 377 Aitchison, J. (1993) Pittas or plantations? *World Birdwatch* 15(1): 7-10.
- 378 Akcakaya, H. R. (1990) Bald Ibises (*Geronticus eremita*) population in Turkey: an evaluation of the captive breeding project for reintroduction. *Biological Conservation* 51: 225-237.
- 379 Akcakaya, H. R. and Akcakaya, R. (1986) Concern for Turkey's last Bald Ibises. *WWF Monthly Reports September* 243-245.
- 380 Albuquerque, J. L. B. (1986) Conservation and status of raptors in southern Brazil. *Birds of Prey Bulletin* 3: 88-94.
- 381 Ali, S. and Ripley, S. D. (1987) *Compact handbook of the birds of India and Pakistan together with those in Bangladesh, Nepal, Bhutan and Sri Lanka.* Oxford University Press. -Oxford
- 382 Ali, S., Daniel, J. C. and Rahmani, A. R. (1986) Study of ecology of certain endangered species of wildlife and their habitats. *The Floricans. Annual Report 1.* Bombay Natural History Society. -Bombay
- 383 Allan, D. (1989) The Bald Ibis returns to Cape Town. *Quagga* 25: 18-20.
- 385 Allouse, B. E. (1953) The avifauna of Iraq. *Iraq Natural History Museum Publication* (3)
- 386 Amadon, D., Bull, J., Marshall, J. T. and King, B. F. (1988) Hawks and owls of the world: a distributional and taxonomic list. *Proceedings of the Western Foundation of Vertebrate Zoology* 3(4): 295-357.
- 387 American Ornithologists' Union. (1983) *Checklist of North American birds.* Sixth edition. American Ornithologists' Union. - New York
- 389 Amos, E. J. R. (1991) *A guide to the birds of Bermuda.* Eric J. R. Amos. -Warwick, Bermuda
- 390 Andre, R. (1985) Some aspects of the biological reproduction of the Little Bustard and a contribution to an estimate of its population in France 1978/79. *Bustard Studies* 2: 153-160.
- 391 Andres, B., Haag, W. and Andres, S. (1991) Recent records of Swainson's Hawk in Trinidad and Tobago. *Journal of the Trinidad and Tobago Field Naturalists Club* (1991) 45.
- 392 Andrew, P. (1985) An annotated checklist of the birds of Cibodas-Gunung Gede Nature Reserve. *Kukila* 2: 10-28.
- 393 Andrew, P. (1992) *The birds of Indonesia: a checklist (Peters' sequence).* Indonesian Ornithological Society. -Jakarta
- 394 Andrew, P. and Milton, G. R. (1988) A note on the Javan Scops-owl *Otus angelinae* Finsch. *Kukila* 3: 79.
- 395 Andrews, I. J. (1995) *The birds of the Hashemite Kingdom of Jordan.* Published by the author. -Musselburgh, U.K
- 396 Anon. (1985) Conservationists battle for Caroni Swamp and Scarlet Ibis. *World Birdwatch* 7(3): 3.

- 397 Anon. (1985) European news. *British Birds* 78: 638-645.
- 398 Anon. (1985) No Kakapo chicks survive breeding season in New Zealand. *World Birdwatch* 7(2): 1-2.
- 400 Anon. (1988) European news. *British Birds* 81: 330-340.
- 401 Anon. (1988) Parakeets breed in Mauritius. *World Birdwatch* 10(1): 3.
- 403 Anon. (1989) Rediscoveries. *World Birdwatch* 11(1): 4.
- 404 Anon. (1989) Tai Forest news. *World Birdwatch* 11(2): 3.
- 405 Anon. (1989) Tragopan triumph. *World Birdwatch* 11(3): 3.
- 406 Anon. (1991) Recent news from Bali. *World Birdwatch* 13(2): 3.
- 407 Anon. (1991) Woodstar turn. *World Birdwatch* 13(2): 3.
- 408 Anon. (1992) Bali Starling increase. *World Birdwatch* 14(3): 5.
- 409 Anon. (1992) Bolivian find. *World Birdwatch* 14(4): 3.
- 410 Anon. (1992) Lorikeet transfer. *World Birdwatch* 14(4): 4
- 411 Anon. (1992) Morocco last hope. *World Birdwatch* 14(3): 4.
- 412 Anon. (1992) New species of owl. *World Birdwatch* 14(3): 4.
- 413 Anon. (1993) Back from the brink. *World Birdwatch* 15(2): 4.
- 414 Anon. (1994) Slender-billed Curlew: situation critical. *World Birdwatch* 16(1): 4.
- 415 Araya, L. (1982) *Lista patron de las aves Chilenas*. Publicaciones ocasionales No. (1) Instituto de Oceanologica, Universidad de Valparaiso, Vina del Mar, Chile.
- 416 Araya Modinger, B. (1983) A preliminary report on the status and distribution of the Humboldt Penguin in Chile. Pp. 125-140 in *Proceedings of the Jean Delacour/IFCB Symposium on breeding birds in captivity*. North Hollywood, California: International Foundation for the Conservation of Birds
- 417 Archibald, G. (1988) Whooping Crane update. *ICF Bugle* 14(1): 4-6.
- 418 Archibald, G. (1993) Saddlebill Storks in the Okavango, Botswana. *Specialist Group on Storks, Ibis and Spoonbills Newsletter* 6(1/2): 13.
- 419 Argeloo, M. (1992) The Maleo - more than a symbol. *World Birdwatch* 14(1): 8-9.
- 420 Arinaitwe, J. (1994) Red Data Bird: Shoebill. *World Birdwatch* 16(2): 20-21.
- 421 Arndt, T. and Roth, P. (1986) Der Rotbauchsittich *Pyrrhura rhodogaster* im Vergleich mit den verschiedenen Unterarten des Blausteissittichs *Pyrrhura perlata*: Vorschlag für nomenklatorische und systematische Anderungen. *Verhandlungen der Orn. Gesellschaft Bayern* 24: 313-317.
- 422 Aronson, L. and van den Berg, A. B. (1979) Hume's Tawny Owl *Strix butleri* in Israel. *Dutch Birding* 1: 18-19.
- 423 Ash, J. (1973) Six species of birds new to Ethiopia. *Bulletin of the British Ornithologists' Club* 93: 3-6.
- 424 Ash, J. S. (1977) Four species of birds new to Ethiopia and other notes. *Bulletin of the British Ornithologists' Club* 97: 4-9.
- 425 Ash, J. S. (1981) Ayres' Hawk Eagle *Hieraetus dubius* in Ethiopia and Somalia. *Scopus* 5: 54-56.
- 426 Ash, J. S. (1984) Bird observations on Bali. *Bulletin of the British Ornithologists' Club* 104: 24-35.
- 427 Ash, J. S. (1985) Midwinter observations from Djibouti. *Scopus* 9: 43-49.
- 428 Ash, J. S. (1987) Surveys of *Picathartes oreas*, *Malimbus ibadanensis* and other species in Nigeria. International Council for Bird Preservation and Nigerian Conservation Foundation.
- 429 Ash, J. S. (1989) An atlas of the past and present distribution of bustards in Ethiopia and Somalia. *Bustard Studies Volume 4*.
- 431 Ash, J. S. and Shafeeg, A. (1994) The birds of the Maldives. *Forktail* 10: 3-31.
- 432 Baker, N. (1989) The distribution and legal status of bustards in Tanzania. *Bustard Studies* 4: 35-40.
- 433 Balchin, C. S. (1988) Recent observations of birds from the Ivory Coast. *Malimbus* 10: 201-206.
- 434 Balen, S. van and Compost, A. R. (1989) Overlooked evidence of the Short-toed Eagle *Circaetus gallicus* on Java. *Kukila* 4: 44-46.

- 435 Balen, S. van. (1984) Sight records of the Black Baza *Aviceda leuphotes* on Java. *Ardea* 72: 234.
- 436 Baltosser, W. H. (1989) Costa's Hummingbird: its distribution and status. *Western Birds* 20(2): 1-62.
- 437 Banks, R. C. (1990) Taxonomic status of the coquette hummingbird of Guerrero, Mexico. *Auk* 107: 191-192.
- 443 Baral, H. S. (1993) Status of storks, ibises and spoonbills in Nepal. *Specialist Group on Storks, Ibises and Spoonbills Newsletter* 6(1/2): 6-8.
- 444 Bates, J. M., Garrin, M. C., Schmitt, D. C. and Schmitt, C. G. (1989) Notes on bird distribution in northeastern Dpto. Santa Cruz, Bolivia with 15 species new to Bolivia. *Bulletin of the British Ornithologists' Club* 109: 236-244.
- 445 Bates, J. M., Parker, T. A., Capparella, A. P. and Davis, T. J. (1992) Observations on the campo, cerrado and forest avifaunas of eastern Dpto. Santa Cruz, Bolivia, including 21 species new to the country. *Bulletin of the British Ornithologists' Club* 112: 86-98.
- 446 Beaman, M. (ed.) (1975) *Turkey bird report 1970-1973*. Ornithological Society of Turkey. -Sandy
- 447 Beaman, M. and Porter, R. F. (1985) Status of birds of prey in Turkey. *Bulletin of the World Working Group on Birds of Prey* (2) 52-56.
- 448 Beavers, R. A., Delaney, D. J., Leahy, C. W. and Oatman, G. F. (1991) New and noteworthy bird records from Petén, Guatemala, including Tikal National Park. *Bulletin of the British Ornithologists' Club* 111: 77-90.
- 449 Becking, J. H. (1976) Feeding range of Abbott's Booby *Sula abbotti* at the coast of Java. *Ibis* 118: 589-590.
- 450 Becking, J. H. (1994) On the biology of the Javan Scops Owl *Otus angelinae*. *Bulletin of the British Ornithologists' Club* 114: 211-224.
- 451 Beehler, B. M. (1985) Conservation of New Guinea rainforest birds. Pp. 233-247 In: Diamond A. W. and Lovejoy, T.E. (eds.) *Conservation of tropical forest birds*. (Techn. Publ. 4). International Council for Bird Preservation,. -Cambridge, U.K
- 452 Beehler, B. M., Pratt, T. K. and Zimmerman, D. A. (1986) *Birds of New Guinea*. Princeton University Press. -Princeton, New Jersey
- 453 Bege, L. A. R. and Pauli, B. T. (1990) Two new birds to the Brazilian avifauna. *Bulletin of the British Ornithologists' Club* 110: 93-94.
- 454 Beggs, J. and Wilson, P. (1988) Kaka: a threatened species? *Forest and Bird* (250) 18-19.
- 455 Belarbi, A. (1989) A note on the Little Bustard in Algeria. *Bustard Studies* 4:
- 456 Bell, J. (1970) The white-quilled black bustard. *Animal Kingdom* 73: 25-28.
- 457 Belton, W. (1984) Birds of Rio Grande do Sul, Brazil, part 1: Rheidae through Furnariidae. *Bulletin of the American Museum of Natural History* 178(4):
- 460 Bereszynski, A. and Kaczmarkowski, M. (1983) Bustard (*Otis tarda* L.) in Poland. Pp. 118-120 In: Goriup, P. D. and Vardhan, H. (eds.) *Bustards in decline*. Tourism and Wildlife Society of India. -Jaipur
- 461 Bergier, P. and Bergier, F. (1990) *A birdwatcher's guide to Morocco*. Prion. -Huntingdon, U.K.
- 462 Berlanga, M. and Wood, P. (1992) Observations of the King Vulture *Sarcoramphus papa* in the Calakmul Biosphere Reserve, Campeche, Mexico. *Vulture News* 26: 15-21.
- 463 Berlepsch, H. G. von. (1908) On the birds of Cayenne. *Novitates Zoologicae* 15: 103-164, 261-324 15: 103-164, 261-324.
- 464 Berlioz, J. (1962) Etude d'une collection d'oiseaux de Guyane française. *Bulletin du Muséum National d'Histoire Naturelle* 34: 131-143.
- 465 Bertonatti, C. and Gonzalez, F. (1992) *Lista de vertebrados argentinos en peligro de extinción*. Boletín Técnico 8. Fundación Vida Silvestre Argentina.

- 466 Best, H. and Powlesland, R. (1985) *Kakapo*. John McIndoe and New Zealand Wildlife Service. -Dunedin, New Zealand
- 467 Best, H. A. (1984) The foods of Kakapo on Stewart Island as determined from their feeding sign. *New Zealand Journal of Ecology* 7: 71-83.
- 468 Bezzel, E. and Wartmann, B. (1990) Neue Beobachtungen des Waldrappes (*Geronticus eremita*) in Jemen. *Journal für Ornithologie* 131: 456-457.
- 469 Biber, J.-P. (1992) Red Data bird: Lesser Kestrel. *World Birdwatch* 14(2): 14.
- 470 Bierregaard, R. O. (1984) Observations of the nesting biology of the Guiana Crested Eagle (*Morphnus guianensis*). *Wilson Bulletin* 96: 1-5.
- 471 Bildstein, K. L. (1990) Status, conservation and management of the Scarlet Ibis *Eudocimus ruber* in the Caroni Swamp, Trinidad, West Indies. *Biological Conservation* 54: 61-78.
- 472 Bishop, D. (1992) The Standardwing Bird of Paradise *Semioptera wallacii* (Paradisaeidae), its ecology, behaviour, status and conservation. *Emu* 92: 72-78.
- 473 Bishop, K. D. (1983) Some notes on non-passerine birds of west New Britain. *Emu* 83: 235-241.
- 475 Black, J. (1991) The Nene Recovery Initiative. *IWRB Threatened Waterfowl Research Group Newsletter* (1) 4.
- 476 Blake, E. R. (1977) *Manual of Neotropical birds*. Volume 1. University of Chicago Press. - Chicago
- 477 Blakers, M., Davies, S. J. J. F. and Reilly, P. N. (1984) *The atlas of Australian birds*. Royal Australian Ornithologists' Union and Melbourne University Press. - Melbourne
- 478 Blasius, W. (1884) Über die neusten Ergebnisse von Herrn F. J. Grabowsky's Ornithologischen Forschungen in Süd- Ost Borneo. *Journal für Ornithologie* 32: 210-227.
- 479 Bleiweiss, R. and Olalia, P. M. (1983) Notes on the ecology of the Black-breasted Puffleg on Volcan Pinchincha, Ecuador. *Wilson Bulletin* 94: 656-661.
- 480 Bloch, D. and Sfrensen, S. (1984) *Check list of Faroes birds*. -Torshaven
- 481 Blondel, J. and Blondel, C. (1964) Remarques sur l'hivernage des limicoles et autres oiseaux aquatiques au Maroc. *Alauda* 32: 250-279.
- 482 Boeke, J. D. (1978) A food source of the Marvellous Spatuletail. *Ibis* 120: 551.
- 483 Bokermann, W. C. A. (1991) Observaces sobre a biologia do Macuco, *Tinamus solitarius* (Aves - Tinamidae). Doctoral Thesis, Universidad de Sao Paolo
- 485 Bond, J. (1985) *Birds of the West Indies*. 5th edition. Collins. - London
- 486 Bonde, K. (1993) *Birds of Lesotho, a guide to distribution past and present*. University of Natal Press.
- 487 Boonsong Lekagul and Round, P. D. (1991) *A guide to the birds of Thailand*. Saha Karn Bhaet Co. Ltd. -Bangkok
- 489 Borodin, A. M. (ed.) (1984) [Red data book of the USSR: rare and endangered species of animals and plants. Vol. 1: animals.] 2nd edition. Promyshlennost. - Moscow (Russian)
- 490 Bosch, K. (1991) Welche Gelbkopfamazonen haben Sie? *Gefiederte Welt* 115: 342-344.
- 491 Boshoff, A. F. and Robertson, A. S. (1985) A conservation plan for the Cape Vulture colony at Potberg, de Hoop Nature Reserve, southwestern Cape Province. *Bontebok* 4: 25-31.
- 492 Boshoff, A. F. and Vernon, C. J. (1987) The Cape Vulture colonies at Karnmelkspruit 1984-1986 and Balloch 1978- 1986, north-eastern Cape Province. *Vulture News* 17: 31-36.
- 494 Bourne, W. R. P. (1976) On subfossil bones of Abbott's Booby *Sula abbotti* from the Mascarene Islands, with a note on the proportions and distribution of the Sulidae. *Ibis* 118: 119-123.
- 495 Bourne, W. R. P., Brooke, M de L., Clark, G. S. and Stone, T. (1992) Wildlife conservation problems in the Juan Fernandez Archipelago, Chile. *Oryx* 26: 43-51.

- 496 Boussekey, M., Saint-Pie, J. and Morvan, O. (1992) Beobachtungen an einer Population des Rotohraras (*Ara rubrogenys*) im Rio-Caine-Tal, Zentral Bolivien. *Papageien* 5: 54-57, 95-99.
- 498 Brandis, C. (1989) Sighting of a Northern Shoveler at Lake Cowal, central New South Wales. *Australian Birds* 23(2): 37-38.
- 499 Brandt, A. and Machado, R. B. (1990) Área de alimentação e comportamento alimentar de *Anodorhynchus leari*. *Ararajuba* 1: 57-63.
- 500 Brazil, M. (1985) Owl of the setting sun. *BBC Wildlife* 3: 110-115.
- 501 Brazil, M. (1986) Sea eagle sunrise. *BBC Wildlife* 4: 588-592.
- 502 Brazil, M. (1987) Where have all the Baikal Teals gone? *Oriental Bird Club Bulletin* 5: 29.
- 503 Brazil, M. (1991) *The birds of Japan*. Christopher Helm. - London
- 504 Brazil, M. and Yamamoto, S. (1989) The status and distribution of owls in Japan. Pp. 389-401 in Meyburg, B.- U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987
- 505 Bregulla, H. (1987) Zur Biologie des Kagu, *Rhynochetos jubatus*. *Zool. Garten N.F.* 57: 349-365.
- 507 Breuil, M. (1989) Les oiseaux d'Islande. Le Chevalier. -Paris
- 509 Brickell, N. (1988) *Ducks, Geese and Swans of Africa and its outlying Islands*. Frandesen Publishers. -Sandton
- 511 Britton, P. L. (ed.) (1980) *Birds of East Africa*. East Africa Natural History Society. -Nairobi
- 512 Brock, M. K. (1991) Genetic assessment of the captive breeding programs for the Puerto Rican Parrot *Amazona vittata*, and other Caribbean parrots. Ph.D. thesis, Department of Biology, Queen's University, Kingston, Ontario
- 513 Broni, S. C. (1985) Social and spatial foraging patterns of the Jackass Penguin *Spheniscus demersus*. *South African Journal of Zoology* 20: 241-245.
- 514 Brooke, M. de L. (1987) *The birds of the Juan Fernandez Islands, Chile*. International Council for Bird Preservation, Study Report 16. -Cambridge, U.K.
- 515 Brooke, R. K. (1981) The feral pigeon: a 'new' bird for the South African list. *Bokmakierie* 33: 37-40.
- 516 Brooke, R. K. (1984) *South African Red Data Book: birds*. South African National Scientific Programmes Report (97)
- 517 Brooks, D. J., Evans, M. I., Martins, R. P. and Porter, R. F. (1987) The status of birds in North Yemen and the records of the OSME Expedition in autumn 1985. *Sandgrouse* 9: 4-66.
- 518 Brosset, A. and Erard, C. (1977) New faunistic records from Gabon. *Bulletin of the British Ornithologists' Club* 97: 125-132.
- 519 Brosset, A. and Erard, C. (1986) *Les oiseaux des régions forestières du nord-est du Gabon*, 1. Société Nationale de Protection de la Nature. -Paris
- 520 Brown, C. J. (1985) The status and conservation of the Cape Vulture in SWA/Namibia. *Vulture News* 14: 4-15.
- 521 Brown, C. J. and Hines, C. J. H. (1987) Western Banded Snake Eagles in Namibia. *Gabar* 2(2): 40-42.
- 522 Brown, L. H. (1976) Observations on Pel's Fishing Owl *Scotopelia peli*. *Bulletin of the British Ornithologists' Club* 96: 49-53.
- 523 Brown, L. H. and Amadon, D. (1968) *Eagles, hawks and falcons of the world*. 2 volumes. Country Life Books. -Feltham, Middlesex
- 524 Brown, L. H., Urban, E. K. and Newman, K. (1982) *The birds of Africa*, 1. Academic Press. - London and New York
- 525 Brown, P. B. and Wilson, R. I. (1984) *Orange-bellied Parrot recovery plan*. National Parks and Wildlife Service, Tasmania.
- 526 Brown, P. B., Wilson, R., Loyn, R., Murray, N. and Lane, B. (1985) *The Orange-bellied Parrot - an RAOU conservation statement*. Royal Australasian Ornithologists' Union. -Melbourne
- 527 Browne, P. W. P. (1981) New bird species in Mauritania. *Malimbus* 3(2): 63-72.

- 529 Brüggemann, J. (1877) Über eine Vögelsammlung aus Süd- Ost Borneo. *Abhandlungen Naturw. Vereins Bremen* 5: 435-466. (German)
- 531 Bucher, E. H. and Nores, M. (1988) Present status of birds in steppes and savannas of northern and central Argentina. Pp. 71-79 in Gorup, P. D. (ed) *Ecology and Conservation of Grassland Birds*. ICBP Technical Publication 7. . -Cambridge, U.K.
- 533 Buden, D. W. (1990) The birds of Rum Cay, Bahama Islands. *Wilson Bulletin* 102: 451-468.
- 534 Bugalho, F. F. (1987) Great Bustard in Portugal. Pp. 65-76 In: Farago, S. (ed.) *The Great Bustard Otis tarda L.*. Proceedings of the symposium in Budapest on June 2nd 1987. International Council for Game and Wildlife Conservation. - Budapest
- 536 Bundy, G. (1976) *The birds of Libya*. British Ornithologists' Union. -London
- 537 Bundy, G. and Warr, E. (1980) A checklist of the birds of the Arabian Gulf States. *Sandgrouse* 1: 4-49.
- 539 Bunn, D. S., Warburton, A. B. and Wilson, R. D. (1982) *The Barn Owl*. Poyser. -Calton, U.K
- 541 Burton, J. A. (ed.)(1973) *Owls of the world, their evolution, structure and ecology*. Peter Lowe. -London
- 542 Butler, L. Y. (1979) *The birds of Ecuador and the Galapagos Archipelago*. The Ramphastos Agency. -Portsmouth, N.H.
- 543 Butler, P. J. (1981) The St. Lucia Amazon (*Amazona versicolor*): its changing status and conservation. Pp. 171- 180 In: Pasquier, R. F. (ed.) *Conservation of New World parrots*. Smithsonian Institution Press for the International Council for Bird Preservation. - Washington D.C.
- 544 Butler, P. J. (1990) Some observations on polymorphism in the St Vincent Parrot *Amazona guildingii*. *Dodo* 26: 98-107.
- 545 Butler, P. J. (1991) *Saint Lucia Parrot Amazona versicolor: consolidating a conservation campaign*. RARE Center for Tropical Conservation. - Philadelphia
- 546 Butler, P. J. (1992) Parrots, pressures, people, and pride. Pp. 25-46 In: Beissinger, S. R. and Snyder, N. F. R. (eds.) *New World parrots in crisis: solutions from conservation biology*. Smithsonian Institution Press. - Washington, D.C.
- 547 Cade, T. J. (1982) *The falcons of the world*. Collins. -London
- 548 Cahyadin, Y., Jepson, P. and Manoppo, B. I. (1994) *The status of Cacatua goffini and Eos reticulata on the Tanimbar Islands*. PHPA/Birdlife International. -Laporan
- 549 Cahyadin, Y., Jepson, P. and Syarief, M. (1994) *A rapid assessment of Cacatua sulphurea sulphurea in South Sulawesi Province, Indonesia*. PHPA/Birdlife International.
- 550 Cahyadin, Y., Jepson, P. and Arif, S. (1994) *Status of Cacatua sulphurea abbotti on the Masalembu Islands*. PHPA/Birdlife International. -Laporan
- 551 Cajal, J. L. (1988) The Lesser Rhea in the Argentine Puna region: present situation. *Biological Conservation* 45(2): 81-91.
- 552 Caleda, M., Lanante, R. and Viloria, E. (1986) Preliminary studies of the Palawan Peacock Pheasant *Polyplectron emphanum*. In: Ridley, M. (ed.) *Pheasants in Asia 1986*. World Pheasant Association. -Basildon, U.K.
- 553 Camp, K. (1993) Observations of Short-tailed Albatross (*Diomedea albatrus*) in the Bering Sea. *Colonial Waterbirds* 16(2): 221-222.
- 554 Cardiff, S. W. and Remsen, J. V. Jr. (1981) Three bird species new to Bolivia. *Bulletin of the British Ornithologists' Club* 101: 304-305.
- 555 Carroll, R. W. (1988) Birds of the Central African Republic. *Malimbus* 10(2): 177-200.
- 557 Casanova, F. D. (1989) The Houbara Bustard in the Canary Islands: towards a recovery plan. *Bustard Studies* 4:
- 558 Cataneaunu, I. (1978) *Aves. Fauna Republicii Socialiste Romania*. XV(1): Editura Academiei RSR. -Bucarest

- 559 Cavalcanti, R. B. (1988) Conservation of the birds in the cerrado of Central Brazil. Pp. 59-66 in Goriup, P. D. (ed) *Ecology and conservation of grassland birds*. ICBP Technical Publication 7. . -Cambridge, U.K.
- 562 Chayadin, Y. (1993) Tanimbar Corella on Yamdena. *Oriental Bird Club Bulletin* 18: 55-56.
- 563 Chebez, J. C. (1986) El Guacamayo Violaceo (*Anodorhynchus glaucus*). *Nuestras Aves* 4(9): 17-20.
- 564 Cheke, A. S. (1987) The legacy of the Dodo - conservation in Mauritius. *Oryx* 21: 29-36.
- 565 Cheke, R. A. (1982) More bird records from the Republic of Togo. *Malimbus* 4: 55-56.
- 566 Cheke, R. A. (1986) The supposed occurrence of the White-necked Picathartes *Picathartes gymnocephalus* in Togo. *Bulletin of the British Ornithologists' Club* 106: 152.
- 567 Cheke, R. A. and Walsh, J. F. (1980) Bird records from the Republic of Togo. *Malimbus* 2(2): 112-120.
- 568 Cheke, R. A. and Walsh, J. F. (1984) Further bird records from the Republic of Togo. *Malimbus* 6(1/2): 15-22.
- 569 Cheke, R. A., Walsh, J. F. and Fishpool, D. C. (1985) Bird records from the Republic of Niger. *Malimbus* 7: 73-90.
- 570 Cheke, R. A., Walsh, J. F. and Sowah, S. A. (1986) Records of birds seen in the Republic of Togo during 1984-1986. *Malimbus* 8(2): 51-72.
- 572 Christensen, S. and Sorensen, U. G. (1989) A review of the migration and wintering of *Aquila pomarina* and *Aquila nipalensis orientalis*. Pp. 139-150 In: Meyburg, B.-U. and Chancellor, R. D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987.
- 573 Clancey, P. A. (ed.)(1980) *Checklist of southern African birds*. Southern African Ornithological Society. -Pretoria
- 574 Clancey, P. A., Brooke, R. K., Crowe, T. M. and Mendelsohn, J. M. (1987) *S.A.O.S. checklist of southern African birds. First updating report*. Southern African Ornithological Society. - Johannesburg
- 575 Clark, A. (1977) Review of the records of three Palearctic ducks in southern Africa. *Bulletin of the British Ornithologists' Club* 97: 107-114.
- 576 Clark, R. J. and Mikkola, H. (1989) A preliminary revision of threatened and near-threatened nocturnal birds of prey of the world. In: Meyburg, B.-U. and Chancellor, R. D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987 371-388
- 577 Clark, W. D. (1991) Hyacinth Macaws: nesting habits in the wild. *AFA Watchbird* 18(3): 8-10.
- 578 Clark, W. S. (1986) What is *Buteo ventralis*? *Birds of Prey Bulletin* 3: 115-118.
- 579 Clark, W. S. and Parslow, R. (1991) A specimen record of Shikra *Accipiter badius* for Saudi Arabia. *Sandgrouse* 13: 44-46.
- 580 Clarke, R. O. S. and Duran Patiño, E. (1991) The Red-fronted Macaw (*Ara rubrogenys*) in Bolivia: distribution, abundance, biology and conservation. Buena Vista: unpublished report to Wildlife Conservation International and the International Council for Bird Preservation
- 581 Clements, F. A. and Bradbear, N. J. (1986) Status of wintering Black-necked Cranes *Grus nigricollis* in Bhutan. *Forktail* 2: 103-107.
- 582 Clinton-Eitniear, J. (1986) Status of the Green-cheeked Amazon in north-eastern Mexico. *AFA Watchbird* 12(6): 22-24.
- 583 Clinton-Eitniear, J. (1990) *Amazona oratrix belizensis*. *AFA Watchbird* 17(2): 25-26.

- 584 Coats, S. and Phelps, W. H. (1985) The Venezuelan Red Siskin: case history of an endangered species. Pp. 977-985 in Buckley, P. A., Foster, M. S., Morton, E. S., Ridgely, R. S. and Buckley, F. G. (eds.) *Neotropical ornithology*. American Ornithologists' Union Ornithological Monograph (36) AOU. -Washington D.C.
- 585 Colebrook-Robjent, J. F. R. and Osborne, T. O. (1973) Nesting of Verreaux's Eagle *Aquila verreauxi* in Zambia. *Bulletin of the British Ornithologists' Club* 93: 166.
- 586 Colebrook-Robjent, J. F. R. and Osborne, T. O. (1974) High density breeding of the Red-necked Falcon *Falco chicquera* in Zambia. *Bulletin of the British Ornithologists' Club* 94: 172-176.
- 587 Collar, N. (1992) Red Data bird: Red Siskin. *World Birdwatch* 14(1): 13.
- 588 Collar, N. J. (1979) The world status of the Houbara: a preliminary review. In: Coles, C. L. and Collar, N. J. (eds.) Symposium papers: the Great Bustard (*Otis tarda*), Sofia, Bulgaria, May 26th, 1978 [and] the Houbara Bustard (*Chlamydotis undulata*), Athens, Greece, May 24th 1979 12
- 589 Collar, N. J. (1985) Red Data bird: The Juan Fernandez Firecrown. *World Birdwatch* 7(2): 5.
- 590 Collar, N. J. (1985) Red Data bird: The Eskimo Curlew. *World Birdwatch* 7(1): 5.
- 591 Collar, N. J. (1985) The world status of the Great Bustard. *Bustard Studies* 2: 1-20.
- 592 Collar, N. J. (1987) Red Data bird: Hook-billed Hermit. *World Birdwatch* 9(1): 5.
- 593 Collar, N. J. (1989) Red Data birds: the cockatoos. *World Birdwatch* 11(1): 5.
- 594 Collar, N. J. (1991) Red Data bird: Great Bustard. *World Birdwatch* 13(1): 13.
- 595 Collar, N. J., Crosby, M. J. and Stattersfield, A. J. (1994) *Birds to watch 2, the world list of threatened birds*. BirdLife International. -Cambridge, U.K.
- 596 Collar, N. J. and Goriup, P. D (eds.)(1983) Report of the ICBP Fuerteventura Houbara Expedition, 1979. *Bustard Studies Volume 1*.
- 597 Collar, N. J. and Stuart, S. N. (1985) *Threatened birds of Africa and related islands: The ICBP/IUCN Red Data Book*, Part 1. 3rd edition. International Council for Bird Preservation and International Union for Conservation of Nature and Natural Resources. -Cambridge, U.K.
- 598 Collar, N. J., Gonzaga, L. P., Krabbe, N., Madroño Nieto, A., Naranjo, L. G., Parker, T. A. III and Wege, D. C. (1992) *Threatened birds of the Americas: the ICBP/IUCN Red Data Book*, 2. 3rd edition. ICBP/IUCN. -Cambridge, U.K.
- 599 Collar, N. J., Round, P. D. and Wells, D. R. (1986) The past and future of Gurney's *Pitta Pitta gurneyi*. *Forktail* 1: 29-51.
- 600 Colston, P. R. and Curry-Lindahl, K. (1986) *The birds of Mount Nimba, Liberia*. British Museum (Natural History). -London
- 603 Contreras-Balderas, A. J. (1988) New records of birds from Nuevo Leon, Mexico. *Southwestern Naturalist* 33: 251-252.
- 604 Conway, W. G. (1991) The secret lives of the volcano flamingos. *Wildlife Conservation* 94(6): 56-63.
- 605 Cooper, J. (1985) New breeding locality data for southern African seabirds: Jackass Penguin *Spheniscus demersus*. *Cormorant* 13: 81.
- 606 Cooper, W. T. and Forshaw, J. M. (1977) The birds of paradise and bower birds. Collins. -Sydney
- 608 Coulter, M. and Brower, K. (1993) Storks unlimited. *World Birdwatch* 15(2): 13-17.
- 609 Coulter, M. C. (1990) The conservation status of the Oriental White Stork *Ciconia boyciana*. In Matthews, G. V. T. (ed) Managing waterfowl populations. Proceedings of the IWRB Symposium, Astrakhan 1989. 209 IWRB Special Publication 12, IWRB. - Slimbridge, U.K.

- 610 Counsell, D. (1988) The RAFOS expedition to Belize Feb- Mar 1986. *Royal Air Force Ornithological Society Journal* 18: 17-63.
- 611 Cramp, S. (ed.) (1985) *Handbook of the birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic*. Volume 4. Oxford University Press. -Oxford
- 612 Cramp, S. and Simmons, K. E. L (eds.) (1983) *Handbook of the birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic*. Volume 3. Oxford University Press. -Oxford
- 613 Cramp, S. and Simmons, K. E. L (eds.) (1977) *Handbook of the birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic*. Volume 1. Oxford University Press. -Oxford
- 614 Cramp, S. and Simmons, K. E. L (eds.) (1980) *Handbook of the birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic*. Volume 2. Oxford University Press. -Oxford
- 615 Cranbrook, Lord. (1980) Birds recorded within Gunung Mulu National Park. Pp. 157-164 In: Hanbury-Tenison, R. *Mulu: the rain forest*. Weidenfeld and Nicolson. -London
- 616 Crawford, R. J. M., Williams, A. J., Randall, R. M., Randall, B. M., Berruti, A. and Ross, G. J. B. (1990) Recent population trends of Jackass Penguins *Spheniscus demersus* off Southern Africa. *Biological Conservation* 52: 229-243.
- 617 Crivelli, A. J. (1987) The ecology and behaviour of the Dalmatian Pelican, *Pelecanus crispus* Bruch. A world endangered species. Commission of the European Communities and Station Biologique de la Tour de Valat.
- 618 Crivelli, A. J. and Schreiber, R. W. (1984) Status of the Pelecanidae. *Biological Conservation* 30: 147-156.
- 619 Crivelli, A. J. and Vizi, O. (1981) The Dalmatian Pelican *Pelecanus crispus* Bruch 1832, a recently world endangered bird species. *Biological Conservation* 20: 297-310.
- 620 Crivelli, A. J., Catsadorakis, G., Jerrentrup, H., Hatzilacos, D. and Mitchv, T. (1991) Conservation and management of pelicans nesting in the Palaearctic. Pp. 137-152 in Salathe, Y. *Conserving migratory birds*. ICBP Technical Publication 12. ICBP. - Cambridge, England
- 622 Dallmeier, F. (1991) Whistling Ducks as a manageable and sustainable resource in Venezuela: balancing economic costs and benefits. Pp. 266-287 in Robinson, J. G. and Redford, K. H. (eds) *Neotropical wildlife use and conservation*
- 626 Danks, A. (1990) Red Data bird: Noisy Scrub-bird. *World Birdwatch* 12(4): 13.
- 627 Davies, A. G. (1987) *The Gola Forest Reserves, Sierra Leone: wildlife conservation and forest management*. International Union for Conservation of Nature and Natural Resources. -Gland, Switzerland and Cambridge, U.K.
- 628 Davis, I. (1979) Additions to the birds of Suriname. *Continental Birdlife* 1(6): 136-146.
- 629 Davison, G. W. H. (1982) Systematics within the genus *Arborophila* Hodgson. *Federation of Museums Journal* 27: 125-134.
- 630 Dean, W. R. J. and Tarboton, W. R. (1983) Osprey breeding records in South Africa. *Ostrich* 54: 241-242.
- 631 Debruijn, O. (1994) Population ecology and conservation of the Barn Owl *Tyto alba* in farmland habitats in Liemers and Achterhoek (the Netherlands). *Ardea* 82(1): 1-109.
- 632 DeDios [sic], A. and Hill, P. (1990) Breeding the Spix Macaw. *Bird World* 13(4): 16, 18.
- 633 Dee, T. J. (1987) *The status and distribution of the endemic birds of Madagascar*. International Council for Bird Preservation. - Cambridge, U.K.
- 634 Dekker, R. W. R. J. (1990) The distribution and status of nesting grounds of the Maleo *Macrocephalon maleo* in Sulawesi, Indonesia. *Biological Conservation* 5: 139-150.

- 635 Dekker, R. W. R. J. and Wattel, J. (1987) Egg and image: new and traditional uses for the Maleo (*Macrocephalon maleo*). Pp. 83-87 in Diamond, A. W. and Finion, F. L. (eds.) *The value of birds*. International Council for Bird Preservation. -Cambridge, U.K.
- 636 del Hoyo, J., Elliot, A. and Sargatal, J. (eds.) (1992) *Handbook of the birds of the world*. Vol 1, Ostriches to ducks. Lynx Editions. -Barcelona
- 637 Delacour, J. (1977) *The pheasants of the world*. 2nd edition. World Pheasant Association and Spur Publications. -Hindhead, Surrey
- 638 Delacour, J. and Amadon, D. (1973) *Curassows and related birds*. American Museum of Natural History. -New York
- 640 Delibes, M. (1978) Ecología alimenticia del aguila imperial ibérica (*Aquila adalberti*) en el Coto Donaña durante la crianza de los pollos. *Donaña, Acta Vertebrata* 5: 35-60.
- 643 Desfayes, M. (1987) Evidence for the ancient presence of the Bald Ibis *Geronticus eremita* in Greece. *Bulletin of the British Ornithologists' Club* 107: 93-94.
- 645 Diamond, J. M. (1985) New distributional records and taxa from the outlying mountain ranges of New Guinea. *Emu* 85: 65-91.
- 646 Díaz Montes, V. R. (1991) Status of the highly endangered White-winged Guan. *Cracid Newsletter* 1(1): 1, 6.
- 647 Dick, J. A., McGillivray, W. B. and Brooks, D. J. (1984) A list of birds and their weights from Saul, French Guiana. *Wilson Bulletin* 96(3): 347-365.
- 648 Dickerman, R. W., Cane, W. P., Carter, M. F., Chapman, A. and Schmitt, C. G. (1994) Report on three collections of birds from Liberia. *Bulletin of the British Ornithologists' Club* 114: 267-274.
- 653 Dolz, J. C., Gimenez, M. and Huertas, J. (1991) Status of some threatened Anatidae species in the Comunidad, Valencia, East Spain. *IWRB Threatened Waterfowl Research Group Newsletter* 1: 7-8.
- 655 Dornbusch, M. (1983) Status, ecology and conservation of Great Bustard in the German Democratic Republic. In Goriup, P. D. and Vardhan, H. (eds) *Bustards in decline*. 89-90. Tourism and Wildlife Society of India. -Jaipur
- 656 Doughty, R. W. (1989) *The return of the Whooping Crane*. University of Texas Press. - Austin, Texas
- 657 Downer, A. and Sutton, R. (1990) *Birds of Jamaica: a photographic field guide*. Cambridge University Press. - Cambridge
- 658 Dowsett, R. J. (1979) Recent additions to the Zambian list. *Bulletin of the British Ornithologists' Club* 99: 94-98.
- 659 Dowsett, R. J. and Dowsett-Lemaire, F. (1993) A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* (5)
- 661 Duckworth, F. (1974) The Whale-headed Stork in Ethiopia. *Bulletin of the British Ornithologists' Club* 94: 3-4.
- 662 Duffy, D. C., Wilson, R. P., Ricklefs, R. E. Broni, S. C. and Veldhuis, H. (1987) Penguins and penguins: competition or co-existence? *National Geographic Research* 3: 480-488.
- 663 Dujardin, J. L. (1991) Scarlet Ibis in French Guiana. *Specialist Group on Storks, Ibis and Spoonbills Newsletter* 4(2): 5.
- 664 Duke, G. (1994) Mountains, forests and pheasants. *World Birdwatch* 16(1): 10-13.
- 665 Dupuy, A. R. (1976) Première observation d'un Vautour fauve *Gyps fulvus* au Sénégal. *Ardea* 44: 333-334.
- 666 Dybbro, T. (1978) *Oversigt over Danmarks fugle*. Dansk Ornithologisk Forening. - Denmark
- 667 Ebenhard, N. T. (1979) First record in the Seychelles of Northern Pintail. *Bulletin of the British Ornithologists' Club* 99: 39-40.
- 668 Eccles, S. D. (1988) The birds of Sao Tome - record of a visit, April 1987 with notes on the rediscovery of Bocage's Longbill. *Malimbus* 10(2): 207-217.

- 669 Eck, S. (1986) *Eutriorchis astur* im Dresden Tierkunde- Museum. *Journal für Ornithologie* 127: 93-94.
- 670 Edwards, E. P. and Lea, R. B. (1955) Birds of the Monserrate area, Chiapas, Mexico. *Condor* 57: 31-54.
- 671 Ehrlich, P. R., Dobkins, D. S. and Wheye, D. (1992) *Birds in jeopardy. The imperiled and extinct birds of the United States & Canada*. Stanford University Press. -Stanford, CA
- 672 Eichacker, X. (1990) First breeding records of Verreaux's Eagle *Aquila verreauxii* in Saudi Arabia. *Sandgrouse* 12: 53-54.
- 675 Eley, J. W. (1982) Systematic relationships and zoogeography of the White-winged Guan (*Penelope albipennis*) and related forms. *Wilson Bulletin* 94: 241-259.
- 676 Elgood, J. H., Heigham, J. B., Moore, A. M., Nason, A. M., Sharland, R. E. and Skinner, N. J. (1994) *The birds of Nigeria*. Second edition. B.O.U. Check-list No.4 (Second edition), British Ornithologists' Union. -Tring, Herts
- 677 Ellis, D. H. and Peres, G. (1983) The Pallid Falcon *Falco kreyenborgi* is a color phase of the Austral Peregrine Falcon (*Falco peregrinus cassini*). *Auk* 100: 269-271, 442.
- 678 Ellis-Joseph, S., Hewston, N. and Green, A. (1992) *Global waterfowl conservation assessment and management plan*. Captive Breeding Specialist Group and The Wildfowl and Wetland Trust. First review draft, 15 March 1992
- 679 Elwell, N. (1970) Marabous in winter - by the hundred. *Bokmakierie* 22: 69-71.
- 680 Erickson, R. (1977) First record of Knot *Calidris canutus*, and other records, from Belize (British Honduras). *Bulletin of the British Ornithologists' Club* 97: 78-81.
- 681 Escalante-Pliego, P. and Peterson, A. T. (1992) Geographic variation and species limits in middle American woodnymphs (*Thalurania*). *Wilson Bulletin* 104: 205-219.
- 682 Espino-Barros, R. and Baldassarre, G. A. (1989) Numbers, migration chronology, and activity patterns of non-breeding Caribbean Flamingos in Yucatan, Mexico. *Condor* 91: 585-591.
- 683 Etcheberry, R. (1982) *Les oiseaux de Saint-Pierre et Miquelon*. ONC. -Paris
- 684 Evans, I. M. and Pienkowski, M. W. (1991) World status of the Red Kite: a background to the experimental reintroduction to England and Scotland. *British Birds* 84: 171-187.
- 685 Evans, P. G. H. (1991) Status and conservation of Imperial and Red-necked Parrots *Amazona imperialis* and *A. arausiaca* on Dominica. *Bird Conservation International* 1: 11-32.
- 686 Eve, R. and Guigue, A. M. (1989) *Survey of the Mahakam River delta, East Kalimantan, with special reference to its waterbirds*. (Publ. no. 45). Asian Wetland Bureau. -Kuala Lumpur
- 687 Ewbank, D. R. (1993) Status of storks, ibises and spoonbills in the Matabele Area of Zimbabwe. *Specialist Group on Storks, Ibis and Spoonbills Newsletter* 6(1/2): 11-12.
- 688 Faaborg, J. (1984) Potential for restocking Galapagos Hawks on islands where they have been extirpated. *Noticias de Galapagos* 39: 28-30.
- 689 Faaborg, J. (1985) Reproductive success and survivorship of the Galapagos Hawk *Buteo galapagoensis*: potential costs and benefits of cooperative polyandry. *Ibis* 128: 337-347.
- 690 Faanes, C. A. and Senner, S. E. (1991) Status and conservation of the Eskimo Curlew. *American Birds* 45: 237-239.
- 691 Fan, Z. and Song, Y. (1991) [Saving a treasure of the world - Japanese Crested Ibis]. *Forestry of China* 1991(5): 36-37. (Chinese)
- 692 Fan, Z., Song, Y. and Lu, B. (1991) [Protection of the Crested Ibis for 10 years]. *Chinese Wildlife* 59: 3-5. (Chinese)
- 693 Fanshawe, J. (1993) Sokoke Scops Owl. *World Birdwatch* 15(1): 18-19.

- 694 FAO. (1981) Checklist of the birds of Afghanistan. In: *Afghanistan, a contribution to a conservation strategy* FAO. - Rome
- 695 Farago, S. (1993) Development of the Great Bustard population in Hungary in the period 1981-1990. *Folia Zoologica* 42(3): 221-236.
- 696 Farago, S., Ena, V. and Martinez, A. (1987) Comparison of the state of Great Bustard stocks in Hungary and Spain. Pp. 51-63 in Farago, S. (ed.) *The Great Bustard (Otis tarda L.)*. Proceedings of the symposium in Budapest on June 2nd 1987. International Council for Game and Wildlife Conservation. - Budapest
- 698 Feare, C. J. (1973) *Numenius minutus*, *Falco subbuteo* and *Caprimulgus europaeus* in the Seychelles. *Bulletin of the British Ornithologists' Club* 93: 99-101.
- 699 Feare, C. J. (1975) Further migrant birds in the Seychelles. *Bulletin of the British Ornithologists' Club* 95: 48-50.
- 701 Fei Dian-jin. (1989) [An observation and investigation on the breeding situation of the Oriental Stork in Qiqihar Suburban District.]. *Zoological Research* 10: 263-270. (Chinese)
- 702 Fernandez-Cruz, M. and Araujo, J (eds.) (1985) *Situacion de la avifauna de la Peninsula Iberica, Baleares y Macaronesia*. Sociedad Espanola de Ornitologia. -Madrid
- 703 ffrench, R. P. (1991) *A guide to the birds of Trinidad and Tobago*. 4th edition. Livingston Publishing. -Wynnewood, Pennsylvania
- 704 Fisher, D.J. (1985) Observations on Relict Gull in Mongolia. *Dutch Birding* 7: 117-120.
- 705 Fitzpatrick, J. W. and O'Neill, J. P. (1986) *Otus petersoni*, a new screech-owl from the eastern Andes, with systematic notes on *O. colombianus* and *O. ingens*. *Wilson Bulletin* 98: 1-14.
- 706 Fitzpatrick, J. W. and Willard, D. E. (1982) Twenty-one bird species new or little known from the Republic of Colombia. *Bulletin of the British Ornithologists' Club* 102: 153-158.
- 707 Fitzpatrick, J. W., Willard, D. E. and Terborgh, J. W. (1979) A new species of hummingbird from Peru. *Wilson Bulletin* 91: 177-186.
- 708 Fjeldså, J. and Krabbe, N. (1990) *Birds of the high Andes*. Zoological Museum, University of Copenhagen and Svendborg. - Copenhagen
- 709 Flint, P. R. and Stewart, P. F. (1991) *The birds of Cyprus*. 2nd edition. British Ornithologists' Union Checklist No. 6. -London
- 710 Flint, V. E., Boehme, R. L., Kostin, Y. V. and Kuznetzov, A. A. (1984) *A field guide to birds of the USSR*. Princeton University Press. -Princeton, New Jersey
- 711 Folkestad, A. O. (1984) Situasjonen for havorna *Haliaeetus albicilla* in Norge. *Vår Fuglefauna* 7: 209-216.
- 713 Forshaw, J. M. and Cooper, W. T. (1989) *Parrots of the world*. 3rd edition. Blandford.
- 715 Frade, F. and Bacelar, A. (1955) Catalogo das aves da Guiné Portuguesa - Non passeres. *Annl. Junta Invest. Ultram.* 10: 7-173.
- 716 Fraga, R. M. (1990) El Tordo Amarillo al borde de la extinción. *Nuestras Aves* 23: 13-15.
- 717 Frederick, P. C., Morales, G., Spaans, A. L. and Luthin, C. S (eds.) (1990) El Corocoro Rojo (*Eudocimus ruber*): situacion actual, conservacion e investigaciones recientes. *Proceedings of the first International Scarlet Ibis Conservation Workshop*, Caracas, Venezuela. IWRB Special Publication 11
- 718 Frey, H. (1985) The Black-hooded Red Siskin, an endangered species; an interview with Pat Dempko. *AFA Watchbird* 12(4): 40-42.
- 719 Friedmann, H. (1950) The birds of North and Middle America, 11. *Bulletin of the United States National Museum* 50:
- 721 Frith, C. B. (1974) New observations of migrants and vagrants from Aldabra, Farquhar and Astove Atolls, Indian Ocean. *Bulletin of the British Ornithologists' Club* 94: 12-19.

- 722 Frumkin, R. and Adar, M. (1989) First breeding records of Sparrowhawk in Israel. *Ornithological Society of the Middle East Bulletin* 23: 20-22.
- 723 Fry, C. H., Keith, S. and Urban, E. (1988) *The birds of Africa*. Volume 3. Academic Press. - London and San Diego
- 724 Fujimaki, Y. (1987) Joint survey report of Japan and USSR on Steller's Sea-Eagle. In: *The Third Japan-USSR Bird Protection Symposium*, 21 November 1986, summary. 49 Wild Bird Society of Japan. -Tokyo
- 725 Fullager, P. J. and Disney, H. J. de S. (1975) The birds of Lord Howe Islands: a report on the rare and endangered species. *Bulletin of the International Council for Bird Preservation* 12: 187-202.
- 726 Gallagher, M. (1982) Nesting of the Lappet-faced Vulture *Torgos tracheliotus* in Oman. *Bulletin of the British Ornithologists' Club* 102: 135-139.
- 727 Gallagher, M. and Brown, M. R. (1982) Golden Eagle *Aquila chrysaetos* breeding in Oman, eastern Arabia. *Bulletin of the British Ornithologists' Club* 102: 41-42.
- 729 Gargett, V. (1990) *The Black Eagle: a study*. Acorn Books. - Randburg, South Africa
- 730 Garnett, S. (1987) An Australian record of Gurney's Eagle *Aquila gurneyi*. *Australian Bird Watcher* 12(4): 134-135.
- 731 Garrido, O. H. (1985) Cuban endangered birds. Pp. 992-999 in Buckley, P. A., Foster, M. S., Morton, E. S., Ridgely, R. S. and Buckley, F.G. (eds.) *Neotropical ornithology*. American Ornithologists' Union, Ornithological Monograph 36. AOU. -Washington D.C.
- 732 Garrido, O. H. (1986) *Las palomas*. Editorial Científico-Técnica. -La Habana
- 734 Garson, P. J. (1983) The Cheer Pheasant *Catreus wallichii* in Himachal Pradesh, western Himalayas: an update. *World Pheasant Association Journal* 8: 29-39.
- 735 Gaston, A. J. and Singh, J. (1980) The status of the Cheer Pheasant *Catreus wallichii* in the Chail Wildlife Sanctuary, Himachal Pradesh. *World Pheasant Association Journal* 5: 68-73.
- 736 Gaston, A. J., Garson, P. J. and Hunter, M. L. (1981) Present distribution and status of pheasants in Himachal Pradesh, western Himalayas. *World Pheasant Association Journal* 6: 10-30.
- 737 Gaston, A. J., Islam, K. and Crawford, J. A. (1983) The current status of the Western Tragopan *Tragopan melanocephalus*. *World Pheasant Association Journal* 8: 40-49.
- 738 Gaucher, P., Thiollay, J.-M. and Eichaker, X. (1995) The Sooty Falcon *Falco concolor* on the Red Sea coast of Saudi Arabia: distribution, numbers and conservation. *Ibis* 137: 29-33.
- 739 Geeson, J. and Geeson, J. (1990) First Red Kite record for the Gambia. *Malimbus* 11: 144.
- 740 Genot, J.-C. (1989) *Athene noctua, world bibliography*.
- 741 Gensbol, B. (1986) *Collins guide to the birds of prey of Britain and Europe, North Africa and the Middle East*. Collins. -London
- 747 Glade, A. A. (ed.) (1988) *Red list of Chilean terrestrial vertebrates*. Impresimas Comerciales, for CONAF. -Santiago
- 748 Godfrey, E. (1986) *The birds of Canada*. 2nd ed. National Museum of Natural Sciences. - Ottawa, Canada
- 749 Gollop, J. B., Barry, T. W. and Iversen, E. H. (1986) *The Eskimo Curlew. A vanishing species*. Saskatchewan Natural History Society (Spec. Publ. 17). - Regina, Saskatchewan
- 750 Golovushkin, M. I. and Osipova, M. A. (1988) [Nesting of Imperial Eagle (*Aquila heliaca*) in the region south to Baikal.]. *Ornitologiya* 23: 205-206. (Russian)
- 751 Gonzales, Z. J. (1977) Sobre la presencia en Chile de *Sappho sparganura sappho* (Lesson) (Aves: Trochilidae). *Boletín Ornitológico* 9(1/2): 11-12.

- 752 Gonzalez, L. M., Gonzalez, J. L., Garzon, J. and Heredia, B. (1987) Censo y distribucion del Aguila Imperial Iberica, *Aquila (heliaaca) adalberti* Brehm, 1861, en Espana durante el periodo 1981-1986. *Bol. Est. Cent. Ecol.* 16(31): 99-109.
- 753 González-García, F. (1984) Aspectos biologicos del Pavon *Oreophasis derbianus* G. R. Gray (Aves: Cracidae) en la Reserva Natural "El Triunfo", Municipio del Angel Albion Corzo, Chiapas, Mexico. Tesis profesional, Facultad de Ciencias Biologicas, Universidad Veracruzana, Xalapa.
- 754 González-García, F. (1991) Observaciones sobre la ecología y biología reproductiva del Pavón *Oreophasis derbianus* en la Reserva de la Biosfera "El Triunfo", Chiapas, México. Paper presented at IV Congreso de Ornitología Neotropical, Quito, Ecuador, November 1991
- 755 Gonzalez-Grande, J. L. (1981) Spain's Imperial Eagle. *Natural History* 90: 40-43.
- 756 Goodman, S. M. and Meininger, P. L. (1989) *The birds of Egypt*. Oxford University Press. -Oxford
- 757 Goodwin, D. (1982) *Estrildid finches of the world*. British Museum (Natural History) and Oxford University Press. -London and Oxford
- 758 Goodwin, D. (1983) *Pigeons and doves of the world*. 3rd edition. British Museum (Natural History) and Cornell University Press. - London and New York
- 759 Gore, M. E. J. (1968) A checklist of the birds of Sabah, Borneo. *Ibis* 110: 165-196.
- 760 Gore, M. E. J. (1990) *The birds of the Gambia*. 2nd ed. British Ornithologists' Union Check List No. 3. BOU. -London
- 761 Gore, M. E. J. and Gepp, G. R. M. (1978) *Las aves del Uruguay*. International Council for Bird Preservation, (Pan-American Section). -Montevideo
- 762 Gore, M. E. J. and Won, P-O. (1971) *The birds of Korea*. Royal Asiatic Society, Korea Branch, in conjunction with Taiwan Publishing Co. -Seoul
- 763 Goriup, P. D. (ed.) (1983) *The Houbara Bustard in Morocco: a report of the Al-Areen/ICBP March 1982 preliminary survey*. International Council for Bird Preservation, Cambridge, U.K., on behalf of Al-Areen Wildlife Park, Bahrain.
- 764 Goriup, P. D. and Karpowicz, Z. J. (1985) A review of the past and recent status of the Lesser Florican. *Bustard Studies* 3: 163-182.
- 765 Goriup, P. D. and Parr, D. F. (1985) Results of the ICBP bustard survey of Turkey, 1981. *Bustard Studies* 2: 77-98.
- 766 Gorman, K. M. (1990) Breeding the endangered Venezuelan Black-hooded Red Siskin. *AFA Watchbird* 17(1): 7-12.
- 767 Gorman, K. M. (1992) AFA Red Siskin Project. *AFA Watchbird* 18(6): 24-25.
- 768 Graham, G. L., Graves, G. R., Schulenberg, T. S. and O'Neill, J. P. (1980) Seventeen bird species new to Peru from the Pampas de Heath. *Auk* 97: 366-370.
- 769 Grantsau, R. (1967) Sobre o genero *Augastes*, com a descrição de uma subespécie nova (Aves, Trochilidae). *Pap. Avuls. Zool.* 21: 21-31.
- 770 Graves, G. R. (1980) A new species of metaltail hummingbird from northern Peru. *Wilson Bulletin* 92: 1-7.
- 771 Graves, G. R. and Giraldo, O. J. A. (1987) Population status of the Rufous-fronted Parakeet (*Bolborhynchus ferrugineifrons*), a Colombian endemic. *Gerfaut* 77: 89-92.
- 772 Green, A. (1993) White-headed Ducks, a case for action. *Birds Magazine*, Spring 1993: 39-40.
- 773 Green, A. A. (1984) Additional bird records from Bamingui-Bangoran National Park, Central African Republic. *Malimbus* 6(1/2): 14-28.
- 774 Green, A. A. and Sayer, J. A. (1979) The birds of Pendjari and Arli National Parks (Benin and Upper Volta). *Malimbus* 1(1): 14-28.
- 775 Green, A. J. (1991) Focus on the White-winged Wood Duck. *Oriental Bird Club Bulletin* 14: 25-27.

- 776 Greenway, J. C. (1958) *Extinct and vanishing birds of the world*. American Committee for International Wildlife Protection (Ser. Publ. 13). -New York
- 777 Greenway, J. C. (1967) *Extinct and vanishing birds of the world*. Second edition. Dover Publications. -New York
- 778 Gretton, A. (1987) Gurney's Pitta: the struggle to survive. *World Birdwatch* 9(4): 6-7.
- 779 Gretton, A. (1990) Red Data bird: Slender-billed Curlew. *World Birdwatch* 12(3): 11.
- 780 Gretton, A., Kohler, M., Lansdown, R. V., Pankhurst, T. J., Parr, J. and Robson, C. (1994) The status of Gurney's Pitta *Pitta gurneyi* 1987-1989. *Bird Conservation International* 3: 351-367.
- 781 Grice, D., Caughley, G. and Short, J. (1986) Density and distribution of the Australian Bustard *Ardeotis australis*. *Biological Conservation* 35: 259-267.
- 782 Grimes, L. (1987) *The birds of Ghana*. B.O.U. Check-list No. 9. British Ornithologists' Union. - London
- 783 Grimmett, R. (1986) News and views: White-winged Ducks in Thailand. *Bulletin of the Oriental Bird Club* 3: 7.
- 784 Guedes, N. M. R. (1991) Observações de ninhos de arara azul (*Anodorhynchus hyacinthinus*) no Pantanal. In: *Resumos, I Congresso Brasileiro de Ornitologia*. Belém: Museu Paraense Emílio Goeldi 6
- 785 Guedes, N. M. R. and Harper, L. H. (1991) Nest site characteristics of the Hyacinth Macaw (*Anodorhynchus hyacinthinus*) in the Nhecolândia region of the Brazilian Pantanal. Abstract 261 in the Program of the 109th Stated Meeting of the American Ornithologists' Union, 14-17 August 1991
- 786 Guerriat, H. and Ittelet, M. (1982) [A survey on the status of the Black Kite *Milvus migrans* in Belgium.]. *Aves* 19: 183-191.
- 787 Gutierrez, R. J. and Carey, A. B (eds.) (1985) Ecology and management of the Spotted Owl in the Pacific northwest. United States Department of Agriculture (General Technical Report PNW-185), Oregon
- 788 Haas, V., Haussler, U. and Stick, R. (1981) Turtle Dove *Streptopelia turtur* in Kenya. *Scopus* 5: 128.
- 789 Hadden, D. (1981) *Birds of the North Solomons*. Wau Ecology Institute (Handbook No. 8). - Papua New Guinea
- 791 Hails, C. J. and Jarvis, F. (1987) *Birds of Singapore*. Times Editions. -Singapore
- 792 Hall, B. P. and Moreau, R. E. (1970) *An atlas of speciation in African passerine birds*. British Museum (Natural History). - London
- 793 Hallmann, B. (1994) The decline of the Imperial Eagle (*Aquila heliaca*) in Greece. In: Meyburg and Chancellor (eds) 1994 *Eagle Studies*. World Working Group on Birds of Prey and Owls. -Berlin, London & Paris
- 794 Häggerli, J. (1991) Haltung und Zucht des Spix-Aras (*Cyanopsitta spixii*). *Gefiederte Freund* 38: 130-145.
- 795 Hancock, J. and Kushlan, J. (1984) *The herons handbook*. Croom Helm. -London
- 796 Hancock, J. A., Kushlan, J. A. and Kahl, M. P. (1992) *Storks, ibises and spoonbills of the world*. Academic Press. -London
- 797 Haney, J. C. (1987) First sight record of Orange-breasted Falcon for Belize. *Wilson Bulletin* 95: 314-315.
- 798 Hanmer, D. B. and Roseveare, M. (1989) The first record of the Shoebill (*Balaeniceps rex*) in Malawi. *Scopus* 12(3/4): 92-93.
- 800 Hanson, D. A. (1982) Distribution of the Quetzal in Honduras. *Auk* 99: 385.
- 802 Harrison, P. (1985) *Seabirds: an identification guide*. Revised edition. Christopher Helm. - Bromley, Kent

- 803 Hart, J. (1991) Conservation of the Lear's Macaw: management of an endangered species. In: Clinton-Eitnlear, J. (ed.) *Proceedings of the First Mesoamerican Workshop on the Conservation and Management of Macaws.* (Misc. Publ. 1). 48-51 Center for the Study of Tropical Birds, Inc. -Antonio, Texas
- 804 Harvey, W. G. (1990) *Birds in Bangladesh.* University Press Ltd. -Dhaka
- 805 Hasegawa, H. (1982) The breeding status of the Short-tailed Albatross *Diomedea albatrus*, on Torishima, 1979/80 - 1980/81. *Journal of the Yamashina Institute for Ornithology* 14: 16-24.
- 806 Hasegawa, H. (1984) Status and conservation of seabirds in Japan, with special attention to the Short-tailed Albatross. Pp. 487-500 in Croxall, J. P., Evans, P. G. H. and Schreiber R. W. (eds.) *Status and conservation of the world's seabirds.* (Techn. Publ. 2). International Council for Bird Preservation. -Cambridge, U.K.
- 807 Hasegawa, H. (1991) Red Data bird: Short-tailed Albatross. *World Birdwatch* 13(2): 10.
- 809 Haverschmidt, F. (1972) *Accipiter poliogaster* in Surinam. *Journal für Ornithologie* 113: 338-339.
- 810 Haverschmidt, F. (1972) Bird records from Surinam. *Bulletin of the British Ornithologists' Club* 92: 49-53.
- 811 Haverschmidt, F. (1975) More bird records from Surinam. *Bulletin of the British Ornithologists' Club* 95: 74-77.
- 812 Haverschmidt, F. (1983) First record of the Little Egret (*Egretta garzetta*) in Suriname. *Wilson Bulletin* 95: 315.
- 814 Hayes, F. E., Goodman, S. M. and López, N. E. (1990) New or noteworthy bird records from the Matogrosense region of Paraguay. *Bulletin of the British Ornithologists' Club* 110: 94-103.
- 815 Hayes, F. N. and Dumbell, G. S. (1989) Progress in Brown Teal *Anas aucklandica chlorotis* conservation. *Wildfowl* 40: 137-140.
- 816 Hayman, P., Marchant, J. and Prater, T. (1986) *Shorebirds.* Croom Helm. -London and Sydney
- 817 Hays, C. (1984) The Humboldt Penguin in Peru. *Oryx* 18: 92-95.
- 818 Hays, C. (1986) Effects of the 1982-83 El Niño on Humboldt Penguin colonies in Peru. *Biological Conservation* 36: 169-180.
- 819 Hayward, G. D., Hayward, P. H. and Garton, E. O. (1993) Ecology of Boreal Owls in the Northern Rocky Mountains, USA. *Wildlife Monographs* 124: 1-59.
- 820 Hazeveld, C. J. (1995) *The birds of the Cape Verde Islands.* British Ornithologists' Union. -Tring, U.K.
- 821 Heather, B. D. (1991) Cattle Egret numbers in New Zealand 1986-1990. *Notornis* 35: 185-191.
- 823 Helander, B. (1980) Fargringmarkning av havsorn - en lagesrapport. *Fauna och Flora* 4: 183-187.
- 824 Helander, B., Olsson, M. and Reutergardh, L. (1982) Residue levels of organochlorine and mercury compounds in unhatched eggs and the relationships to breeding success in White-tailed Sea Eagles *Haliaeetus albicilla* in Sweden. *Holarctic Ecology* 5: 349-366.
- 825 Helbig, A. J. and Wells, D. R. (1990) Steppe Eagles in Peninsular Malaysia in 1987. *Dutch Birding* 12: 77-79.
- 826 Hellenic Ornithological Society. (1987) [Decrease in the population of the Lesser Kestrel]. *Nature* 37: 35. (Greek)
- 828 Helvoort, B. van. (1987) Status and conservation needs of the Bali Starling. *Bulletin of the Oriental Bird Club* 5: 9-12.
- 830 Heredia, B., Gonzalez, L. M., Gonzalez, J. L. and Alonso, J. C. (1985) La emancipación y dispersión de los jóvenes de Aguilu Imperial en el Parque Nacional de Donaña. *Vida Silvestre* 53: 37-43.
- 831 Hermes, N. (1980) Endangered species. In: Haigh, C. (ed.) *Endangered animals of New South Wales.* National Parks and Wildlife Service. -Sydney

- 833 Herremans, H., Stevens, J., Vangeluwe, D. and Soilih, A. (1990) Red Data bird: Grand Comoro Scops Owl. *World Birdwatch* 12(1-2): 13.
- 834 Hestbeck, J. B. (1993) Overwinter distribution of Northern Pintail population in North America. *Journal of Wildlife Management* 57(3): 582-589.
- 835 Hillgarth, N., Stewart-Cox, B. and Thouless, C. (1986) The decline of the Green Peafowl *Pavo muticus*. In: Ridley, M. (ed.) *Pheasants in Asia 1986*. World Pheasant Association. -Basildon, U.K.
- 836 Hilty, S. (1985) Distributional changes in the Colombian avifauna: a preliminary blue list. Pp. 1000-1012 in Buckley, P. A., Foster, M. S., Morton, E. S., Ridgely, R. S. and Buckley, F.G. (eds.) *Neotropical ornithology*. American Ornithologists' Union Ornithological Monograph No. 36. -Washington D.C.
- 837 Hilty, S. and Brown, W. L. (1986) *A guide to the birds of Colombia*. Princeton University Press. - Princeton, New Jersey
- 838 Hirschfeld, E. (1991) Rare birds in Bahrain 1989 and 1990. *Ornithological Society of the Middle East Bulletin* 26: 20-25.
- 839 Hodges, C. S. N. (1991) Survey of Nene (*Branta sandvicensis*) in Haleakala National Park 1988 through 1990. *Elepaio* 51(6): 38-39.
- 841 Hollom, P. A. D., Porter, R. F., Christensen, S. and Willis, I. (1988) *Birds of the Middle East and North Africa*. T. and A. D. Poyser. -Calton
- 842 Holmes, D. A. (1977) Faunistic notes and further additions to the Sumatran avifauna. *Bulletin of the British Ornithologists' Club* 97: 68-71.
- 843 Holmes, D. A. (1990) Notes on the occurrence of the White-winged wood duck *Cairina scutulata* on the west coast of North Sumatra. *Kukila* 5(1): 69-72.
- 844 Holmes, D. A. and Burton, K. (1987) Recent notes on the avifauna of Kalimantan. *Kukila* 3: 2-32.
- 845 Holyoak, D. T. and Seddon, M. B. (1990) Distributional notes on the birds of Benin. *Malimbus* 11: 128-134.
- 846 Holyoak, D. T. and Thibault, J-C. (1984) Contribution à l'étude des oiseaux de Polynésie orientale. *Mémoires du Muséum National d'Histoire Naturelle Ser. A., Zool.* 127: 1-209.
- 847 Hoshide, H. M., Price, A. J. and Katahira, L. (1990) A progress report on Nene *Branta sandvicensis* in Hawaii's Volcanoes National Park from 1974-1989. *Wildfowl* 41: 142-155.
- 849 Howell, S. N. G. (1992) The Short-crested Coquette: Mexico's least-known endemic. *Birding* 24: 87-91
- 850 Howell, S.N.G. and Webb, S. (1992) New and noteworthy bird records from Guatemala and Honduras *Bulletin of the British Ornithologists' Club* 112: 42-49
- 851 Howells, W. W. and Finn, K. J. (1979) The occurrence of Denham's Bustard at Wankie National Park and in north-west Rhodesia with notes on movements and behaviour. *Honeyguide* 97: 4-12.
- 852 Howes, J. (1988) Nordmann's Greenshank *Tringa guttifer*: status and threats. *Asian Wetland News* 1: 12.
- 853 Howes, J. and Lambert, F. (1987) Some notes on the status, field identification and foraging characteristics of Nordmann's Greenshank. *Wader Study Group Bulletin* 49: 14-17.
- 854 Humphrey, S. R. and Bain, J. R. (1990) *Endangered animals of Thailand*. Sandhill Crane Press. - Gainesville, Florida
- 855 Hunt, G. (1994) Red Data Bird: Kagu. *World Birdwatch* 16(1): 20-21.
- 856 Hunter, L. A. (1988) Status of the endemic Atitlan Grebe of Guatemala: is it extinct? *Condor* 90: 906-912.
- 857 Hussain, S. A. (1984) Some aspects of the biology and ecology of Narcondam Hornbill (*Rhyticeros narcondami*). *Journal of the Bombay Natural History Society* 81: 1-18.
- 858 Hutchinson, C. D. (1989) *Birds in Ireland*. Poyser. -Calton, U.K.

- 860 Ingels, J., Parkes, K. C. and Farrand, J. (1981) The status of the macaw generally but incorrectly called *Ara caninde* (Wagler). *Gefaut* 71: 283-294.
- 861 Inskip, C. (1989) *Nepal's forest birds: their status and conservation*. International Council for Bird Preservation (Monograph No. 4.). -Cambridge, U.K.
- 862 Inskip, C. and Collar, N. J. (1984) The Bengal Florican: its conservation in Nepal. *Oryx* 18: 30-35.
- 863 Inskip, C. and Inskip, T. (1983) *Results of a preliminary survey of Bengal Floricans Houbaropsis bengalensis in Nepal and India, 1982*. (Study Report 2). International Council for Bird Preservation. -Cambridge, U.K.
- 864 Inskip, C. and Inskip, T. (1985) A survey of Bengal Floricans in Nepal and India, 1982. *Bustard Studies* 3: 141-160.
- 865 Inskip, C. and Inskip, T. (1991) *A guide to the birds of Nepal*. 2nd ed. Christopher Helm.
- 867 Islam, K. and Crawford, J. A. (1985) Brood habitat and roost sites of Western Tragopans in northeastern Pakistan. *World Pheasant Association Journal* 10: 7-14.
- 868 Islam, K. and Crawford, J. A. (1986) Summary of Western Tragopan Project in Pakistan with recommendations for conservation of the species. In: Ridley, M. (ed.) *Pheasants in Asia 1986*. World Pheasant Association. -Basildon, U.K.
- 869 Jackson, F. J. and Slater, W. L. (1938) *The birds of Kenya Colony and the Ugandan Protectorate*. Gurney and Jackson. -London
- 870 Jackson, H. D. (1973) The Cape Eagle Owl *Bubo capensis* in Moçambique. *Bulletin of the British Ornithologists' Club* 93: 10.
- 871 Jacobson, O. W. (1993) Use of feeding habitats by breeding Eurasian Wigeon. *Canadian Journal of Ecology* 71(5): 1046-1054.
- 872 Jairaj, A. P. and Sanjeev Kumar, V. K. (1990) Occurrence of the Spoonbill *Platalea leucorodia* in Kerala. *Journal of the Bombay Natural History Society* 87(2): 289-290.
- 873 Jaksic, F. M. and Jimenez, J. E. (1986) Conservation status of raptors in Chile. *Birds of Prey Bulletin* (3)
- 874 Jaramillo, A. (1992) Eskimo Curlew: a glimmer of hope. *Birders Journal* 1: 202.
- 875 Jeggo, D. F. (1990) Preliminary international studbook: St Vincent Parrot *Amazona guildingii*.
- 876 Jeggo, D. F. (1991) Captive breeding and the conservation of the St Lucia Parrot *Amazona versicolor* and St Vincent Parrot *A. guildingii*. Pp. 18-28 in Colley, R. (ed.) *Parrots in captivity*. Association of British Wild Animal Keepers. -Bristol
- 877 Jeggo, D. F. and Anthony, D. (1991) A report on the 1990 field survey of the St Lucia Parrot *Amazona versicolor*. *Dodo* 27: 102-107.
- 878 Jeggo, D. F., Anthony, D. and John, L. (1988) A report on the 1988 survey of the St. Lucia Parrot *Amazona versicolor*. *Dodo* 25: 24-30.
- 879 Jehl, J. R. and Parkes, K. C. (1982) The status of the avifauna of the Revillagigedos Islands, Mexico. *Wilson Bulletin* 94: 1-19.
- 881 Jennings, M. C. (1981) *The birds of Saudi Arabia: a check-list*. Published by the author. - Whittleford, Cambridge
- 882 Jenny, J. P. and Burnham, W. A. (1987) Preliminary observations on the biology of the Orange-breasted Falcon (*Falco deiroleucus*). *III Congress de Ornitologia Neotropical: Resumenes*.
- 883 Jenny, J. P. and Cade, T. J. (1986) Observations on the biology of the Orange-breasted Falcon *Falco deiroleucus*. *Wilson Bulletin* 3: 119-124.
- 884 Jensen, A. (1991) Forest future in the balance. *World Birdwatch* 13(4): 10-11.

- 885 Jessop, A. E. and Reid, T. (1986) *Winter surveys of the Orange-bellied Parrot Neophema chrysogaster in Victoria, 1984 and 1985*. Royal Australasian Ornithologists' Union. -Victoria
- 886 Johnsgard, P. A. (1983) *Cranes of the world*. Croom Helm. - London and Canberra
- 887 Johnsgard, P. A. (1983) *The hummingbirds of North America*. Smithsonian Institution Press. - Washington D.C.
- 888 Johnsgard, P. A. (1986) *Plovers, sandpipers and snipes of the world*. University of Nebraska Press. -Lincoln and London
- 889 Johnsgard, P. A. (1986) *The pheasants of the world*. Oxford University Press. -Oxford
- 890 Johnsgard, P. A. (1988) *The quails, partridges and francolins of the world*. Oxford University Press. -Oxford
- 891 Johnsgard, P. A. (1991) *Bustards, hemipodes and sandgrouse: birds of dry places*. Oxford University Press. -Oxford
- 892 Johnson, A. R. (1989) Population studies and conservation studies of Greater Flamingos in the Camargue. Pp.49-63 in Spaans, A. L. *Wetlands en Watervoegels*. Pudoc. -Wageningen, the Netherlands
- 894 Johnson, E. D. H. (1972) Observations on the birds of the Upper Blue Nile Basin. *Bulletin of the British Ornithologists' Club* 92: 42-49.
- 895 Johnson, G. and Smiddy, P. (1989) Black Stork in Co. Dublin - a species new to Ireland. *Irish Birds* 4: 69-70.
- 896 Johnson, T. (1987) Red Data bird: White-breasted White-eye. *World Birdwatch* 9(3): 5.
- 897 Johnson, T. B., Snyder, N. F. R. and Franks, M. A. (1991) Thick-billed Parrot Reintroduction Project Progress Report of December 23, 1991. Arizona Game and Fish Department. Unpublished.
- 899 Jones, C. G. (1987) The larger land-birds of Mauritius. Pp. 208-300 in Diamond, A. W. (ed.) *Studies of Mascarene Island birds*. Cambridge University Press. -Cambridge, U.K.
- 900 Jones, P. J. and Tye, A. (1988) *A survey of the avifauna of São Tome and Príncipe*. (Study Report 24). International Council for Bird Preservation. - Cambridge, U.K.
- 901 Jordan, O. C. and Munn, C. A. (1993) First observation of the Blue-throated Macaw in Bolivia. *Wilson Bulletin* 105(4): 694-695.
- 902 Juhaeni, D. (1993) Little-known bird: Sumba Hornbill *Aceros everetti*. *Oriental Bird Club Bulletin* 18: 19-20.
- 903 Juniper, A. T. and Yamashita, C. (1991) The habitat and status of Spix's Macaw *Cyanopsitta spixii*. *Bird Conservation International* 1: 1-9.
- 904 Juniper, T. (1990) A very singular bird. *BBC Wildlife* 8: 674-675.
- 905 Juniper, T. (1990) Spix's Macaw - a lone survivor. *World Birdwatch* 12(3): 13.
- 906 Juniper, T. (1991) Last of a kind. *Birds International* 3: 10-16.
- 907 Juniper, T. and Yamashita, C. (1990) The conservation of Spix's Macaw. *Oryx* 24: 224-228.
- 908 Jurek, R. M. (1990) An historical review of California Condor recovery programmes. *Vulture News* 23: 3-7.
- 909 Karim, F. (1985) A note on the disappearance of the Bengal Florican from Bangladesh. *Bustard Studies* 3: 161-162.
- 910 Karl, B. J. and Best, H. A. (1982) Feral cats on Stewart Island; their foods, and their effects on Kakapo. *New Zealand Journal of Zoology* 9: 287-294.
- 911 Kasparek, M. (1989) Status and distribution of the Great Bustard and the Little Bustard in Turkey. *Bustard Studies* 4:
- 912 Kasparek, M. and van der Ven, J. (1983) *Birds of Turkey*. 1: Ercek Golu. Published by the authors. - Heidelberg
- 913 Kebede, E. and Hillman, J. C. (1989) First recorded breeding of Greater Flamingos *Phoenicopterus ruber roseus* in Ethiopia. *Flamingo Research Group Newsletter* 5: 7.
- 914 Keller, C. (1992) Em busca da ararinha de Spix. *Atualidades Ornitológicas* 45: 5.

- 916 Kemp, A. C. (1980) The importance of the Kruger National Park for bird conservation in the Republic of South Africa. *Koedoe* 23: 99-122.
- 917 Kemp, A. C. (1988) The systematics and zoogeography of Oriental and Australasian hornbills (Aves: Bucerotidae). *Bonner Zoologische Beiträge* 39: 315-345.
- 918 Kemp, A. C. (1989) Estimation of biological indices for little-known African owls. Pp. 441-449 in Meyburg, B.-U. and Chancellor, R. D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls.
- 919 Kemp, A. C. and Crowe, T. M. (1994) A morphometric analysis of *Accipiter* species. In: Meyburg & Chancellor (eds.) *Eagle Studies*. World Working Group on Birds of Prey and Owls. -Berlin, London & Paris
- 920 Kennerley, P. R. (1987) A survey of the birds of the Poyang Lake Nature Reserve, Jiangxi Province, China, 29 December 1985 - 4 January 1986. *Hong Kong Bird Report* 1984/1985 97-111.
- 921 Kennerley, P. R. and Bakewell, D. N. (1987) Nordmann's Greenshank in Hong Kong: a review of the identification and status. *Hong Kong Bird Report* 1986: 83-100.
- 922 Kerley, G. I. H. (1986) Jackass Penguins harmed in South Africa oil spills. *World Birdwatch* 8(2): 4.
- 923 Khan, M. A. R. (1986) The threatened White-winged Wood Duck *Cairina scutulata* in Bangladesh. *Forktail* 2: 97-101
- 925 Kiff, L. (1990) To the brink and back: the battle to save the California Condor. *Terra* 28(4): 6-18.
- 926 King, B. (1985) Wild sighting of Hume's Pheasant in Burma. *World Pheasant Association News* 8: 21.
- 927 King, B. (1987) Wild sighting of Cabot's Tragopan. *World Pheasant Association News* 18: 21-23.
- 928 King, B. (1990) *Hieraetus morphnoides* on Halmahera. *Kukila* 5: 77.
- 929 King, B. F., Dickinson, E. C. and Woodcock, M. W. (1975) *A field guide to the birds of South-East Asia*. Collins. -London
- 931 King, W. B. (1981) *Endangered birds of the world: the ICBP Bird Red Data Book*. Smithsonian Institution Press and International Council for Bird Preservation. -Washington D.C.
- 932 Kirkby, J. S. and Mitchell, C. (1993) Distribution and status of wintering Shovelers *Anas clypeata* in Great Britain. *Bird Study* 40: 170-180.
- 933 Kitson, A. R. (1980) *Larus relicta* - a review. *Bulletin of the British Ornithologists' Club* 100(3): 178-185.
- 935 Knoder, C. E. (1983) Elliot's Pheasant conservation. *World Pheasant Association Journal* 8: 11-28.
- 936 Knystautas, A. (1993) *Birds of Russia*. Harper Collins Publishers. -London
- 937 Kohalmy, T. (1987) Data on the condition of the eastern subspecies of Great Bustard (*Otis tarda dybowskii* Tacz. 1874). In: Farago, S. (ed.) *The Great Bustard* (*Otis tarda* L.). Proceedings of the symposium in Budapest on June 2nd 1987. International Council for Game and Wildlife Conservation. - Budapest
- 938 Kolosov, A. M. (ed.) (1983) [Red data book of the RSFSR: animals.]. Rossel 'khozizdat'. - Moscow (Russian)
- 939 Konrad, P. M. (1981) Status and ecology of the Wattled Crane in Africa. Pp. 220-237 in Lewis, J. C. and Masatomi, H. (eds.) *Crane research around the world*. Robinson Press. -Fort Collins, Colorado
- 940 Koschmann, J. R. and Price, P. L. (1987) The Thick-billed Parrot. *AFA Watchbird* 14(1): 48-53.
- 941 Koster, S. H. and Grettenberger J. F. (1983) A preliminary survey of the birds of Park W, Niger. *Malimbus* 5(2): 62-72.
- 942 Kreitchmar, A. V. (1994) [Eurasian wigeon *Anas penelope* in North East Asia]. *Zoologichesky Zhurnal* 73(5): 68-79. (Russian)

- 943 Krupa, R. E. (1989) Social and biological implications for endangered species management: the Philippine Eagle *Pithecophaga jefferyi*. Pp. 304-314 in Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls.
- 944 Kulkarni, B. S. (1981) Ecology and behaviour of Great Indian Bustard (Family Otididae). *Journal of the Bombay Natural History Society* 78: 375-377.
- 947 Kumerloeve, H. (1984) The Waldrapp, *Geronticus eremita* (Linnaeus, 1758): historical review, taxonomic history, and present status. *Biological Conservation* 30: 363-373.
- 948 Kyllingstad, H. C. (1986) A record of Bald Ibis from the Sinai Mountains. *Ornithological Society of the Middle East Bulletin* 17: 1-2.
- 949 La Cock, G. D. (1986) The southern oscillation, environmental anomalies, and mortality of two southern African seabirds. *Climatic Change* 8: 173-184.
- 950 La Cock, G. D., Duffy, D. C. and Cooper, J. (1987) Population dynamics of the African Penguin *Spheniscus demersus* at Marcus Island in the Benguela Upwelling ecosystem: 1979-85. *Biological Conservation* 40: 117-126.
- 951 LaBastille, A. (1990) And now they are gone. *International Wildlife* 20(4): 18-23.
- 952 LaBastille, A. (1992) The Giant Grebes of Atitlan. A chronicle of extinction. *Living Bird Quarterly* 11(1): 10-15.
- 953 Labinger, Z., Gorney, E. and Parslow, R. (1991) First record of Shikra *Accipiter badius* in Israel. *Sandgrouse* 13: 46-49.
- 956 Lambert, F. (1983) *Report of an expedition to survey the status of the St Vincent Parrot Amazona guildingii*. International Council for Bird Preservation (Study Report 3). -Cambridge, U.K.
- 957 Lambert, F. (1985) The St Vincent parrot, an endangered Caribbean bird. *Oryx* 19: 34-37.
- 958 Lambert, F. R. (1993) Trade, status and management of three parrots in the North Moluccas, Indonesia; White Cockatoo *Cacatua alba*, Chattering Lory *Lorius garrulus* and Violet-eared lory *Eos squamata*. *Bird Conservation International* 3: 145-168.
- 960 Langrand, O. (1987) Distribution, status and conservation of the Madagascar Fish-eagle *Haliaeetus vociferoides* Desmurs, 1845. *Biological Conservation* 42: 73-77.
- 961 Langrand, O. (1990) *Guide to the birds of Madagascar*. Yale University Press. -New Haven and London
- 962 Langrand, O. and Meyburg, B.-U. (1984) Birds of prey and owls in Madagascar: their distribution, status and conservation. In: Mendelsohn, J. M. and Sapsford, C. W. *Proceedings of the Second Symposium on African Predatory Birds*, 22-26 August 1983. Natal Bird Club. -Durban, South Africa
- 963 Langrand, O. and Meyburg, B.-U. (1984) Range, status and biology of the Madagascar Sea Eagle *Haliaeetus vociferoides*. Pp. 269-278 in Meyburg, B.-U. and Chancellor, R. D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls.
- 964 Lanning, D. V. (1982) Survey of the Red-fronted Macaw (*Ara rubrogenys*) and Caninde Macaw (*Ara caninde*) in Bolivia, December 1981 - March 1982.
- 965 Lanning, D. V. (1991) Distribution and breeding biology of the Red-fronted Macaw. *Wilson Bulletin* 103: 357-365.
- 966 Lanning, D. V. and Shiflett, J. T. (1981) Status and nesting ecology of the Thick-billed Parrot (*Rhynchopsitta pachyrhyncha*). Pp. 393-401 in Pasquier, R. F. (ed.) *Conservation of New World parrots*. (Techn. Publ. 1). International Council for Bird Preservation, Smithsonian Institution Press. -Washington D.C.
- 967 Lanning, D. V. and Shiflett, J. T. (1983) Nesting ecology of Thick-billed Parrots. *Condor* 85: 66-73

- 968 Lara, O. F. (1987) Notas reproductivas de *Jabiru mycteria*, una cigueña en peligro de extinción. *Flora, Fauna y Areas Silvestres* 4(2): 35.
- 969 Lassey, P. A. (1994) First record of Lesser Flamingo *Phoenicopterus minor* in Egypt. *Sandgrouse* 16: 52-53.
- 970 Lawson, P. W. and Lanning, D. V. (1981) Nesting and status of the Maroon-fronted Parrot (*Rhynchositta terrisi*). Pp. 385-392 in Pasquier, R. F. (ed.) *Conservation of New World parrots*. (Techn. Publ. 1) International Council for Bird Preservation, Smithsonian Institution Press. -Washington D.C.
- 971 Ledant, J.-P. Jacob, J.-P., Jacobs, P., Malher, F., Ochando, B. and Roché, J. (1981) Mise à jour de l'avifaune algérienne. *Gerfaut* 71: 295-398.
- 972 Ledger, J. (1985) Egyptian extinction. *Quagga* 12: 10-12.
- 973 Lelliott, A. D. (1981) Cheer Pheasants in west-central Nepal. *World Pheasant Association Journal* 6: 89-95
- 974 Lesniczak, A. B. (1989) The Black Stork, *Ciconia nigra*, in the environs of Rybnik on the Silesian upland. *Chronmy PRzry. Ojczysta* 45: 68-70.
- 975 Lever, C. (1987) *Naturalized birds of the world*. Longman Scientific and Technical. -Harlow, U.K.
- 976 Lewis, J. C. and Renton, K. (1989) The status and ecology of the West-Indian Whistling Duck (*Dendrocygna arborea*) on Barbuda. *Neotropical Wetlands Newsletter* 4: 10-13.
- 977 Lewis, R. E. (1986) A rain-forest raptor in danger. *Oryx* 20: 170-175.
- 978 Liefde, M. van. (1992) Status of the West Indian Whistling Duck in the Cayman Islands. *IWRB Threatened Waterfowl Research Group Newsletter* 2: 11-12.
- 979 Lindsey, G. D. and Arendt, W. J. (1991) Radio-tracking Puerto Rican Parrots: assessing triangulation accuracy in an insular rain forest. *Caribbean Journal of Science* 27: 46-53.
- 980 Lindsey, G. D., Arendt, W. J., Kalina, J. and Pendleton, G. W. (1991) Home range and movements of juvenile Puerto Rican Parrots. *Journal of Wildlife Management* 55: 318-322.
- 983 Lloyd, B. D. and Powlesland, R. G. (1994) The decline of the Kakapo *Strigops habroptilus* and attempts at conservation by translocation. *Biological Conservation* 69(1): 75-85.
- 984 Lobkov, E. G. and Neufeldt, I. A. (1986) Distribution and biology of the Steller's Sea Eagle - *Haliaeetus pelagicus pelagicus* (Pallas). *Proceedings of the Zoological Institute of the Academy of Sciences, USSR* 150: 107-146.
- 985 Londei, T. (1995) Field observations on the Azores Buzzard *Buteo buteo rothschildi*. *Bulletin of the British Ornithologists' Club* 115: 48-53.
- 986 Long, J. L. (1981) *Introduced birds of the world*. David and Charles. -Newton Abbot
- 988 Louette, M. (1992) The identification of forest Accipiters in Central Africa. *Bulletin of the British Ornithologists' Club* 112(1): 50-53.
- 989 Louette, M., Stevens, J., Bijnens, L. and Janssens, L. (1986) Comoro Islands endemic bird survey. International Council for Bird Preservation, final report (30 April 1986)
- 990 Love, J. A. (1983) *The return of the Sea Eagle*. Cambridge University Press. -Cambridge, U.K
- 992 Lowe, D. W., Matthews, J. R. and Moseley, C. J (eds.)(1990) Puerto Rican Parrot, *Amazona vittata*. Pp. 565-567 in *The official World Wildlife Fund guide to endangered species of North America*.
- 993 Lowe, D. W., Matthews, J. R. and Moseley, C. J (eds.)(1990) Thick-billed Parrot, *Rhynchositta pachyrhyncha*. Pp. 692-693 in *The official World Wildlife Fund guide to endangered species of North America*.
- 994 Loyn, R. H., Lane, B. A., Chandler, C. and Carr, G. W. (1986) Ecology of Orange-bellied Parrots *Neophema chrysogaster* at their main remnant wintering site. *Emu* 86: 195-206.

- 995 Lu Tai-chun, He Fen-qi and Liu Ru-sun. (1986) The Chinese Monal *Lophophorus lhuysii*: studies of its ecology and biology. In: Ridley, M. (ed.) *Pheasants in Asia 1986*. World Pheasant Association. -Basildon, U.K.
- 996 Lucca, E. R. de. (1992) El Aguila Coronada *Harpyhaliaetus coronatus* en San Juan. *Nuestras Aves* 26: 25.
- 997 Ludlow, F. (1937) The birds of Bhutan and adjacent territories of Sikkim and Tibet. *Ibis* 14: 1-46, 249-293, 467-5
- 998 Ludlow, F. and Kinnear, N. (1944) The birds of south-eastern Tibet. *Ibis* 86: 43-86, 176-208, 348-389 86: 43-86, 176-208, 348-
- 999 Luthin, C., Frederick, P. and Morales, G. (1988) *The Scarlet Ibis (Eudocimus ruber): status, conservation and recent research.*
- 1000 Luthin, C. S. (1987) Rare visit of Oriental Crested Ibis. *Flying Free* 5(2): 4-5.
- 1001 Luthin, C. S. (1987) Status and conservation priorities for the world's stork species. *Colonial Waterbirds* 10: 181-202.
- 1002 Luthin, C. S., Frederick, P. C. and Morales, G. (1990) *The Scarlet Ibis Eudocimus ruber Action Plan.* IWRB. -Slimbridge, U.K.
- 1003 Macdonald, A. A. (1995) Distribution of Blue Crowned pigeon *Goura cristata* on north Seram. *Bulletin of the British Ornithologists' Club* 115: 33-35.
- 1004 Machado, R. B. and Brandt, A. (1990) Projeto ararinha azul: relatório final. Belo Horizonte: Fundação Biodiversitas. Unpublished.
- 1006 Mackworth-Praed, C. W. and Grant, C. H. B. (1957) *Birds of eastern and north-eastern Africa.* Volume 1. Longmans. -London
- 1007 Mackworth-Praed, C.W. and Grant, C.H.B. (1962) *Birds of the southern third of Africa.* Volume 1. Longmans. -London
- 1008 Maclean, G. I. (1993) *Roberts' birds of Southern Africa.* Sixth Edition. Trustees of the John Voelcker Bird Book Fund. -Cape Town
- 1009 MacLeod, H. and Parrott, J. (1991) Red Data bird: Bannerman's Turaco. *World Birdwatch* 13(4): 12.
- 1010 Madge, S. and Burn, H. (1988) *Wildfowl.* Christopher Helm. - London
- 1011 Madsen, S. T. (1990) Black Storks in Nepal and India. *Bulletin of the Oriental Bird Club* 11: 34-35.
- 1012 Magnin, G. (1991) A record of Brown Fish Owl *Ketupa zeylonensis* from Turkey. *Sandgrouse* 13: 42-44.
- 1013 Magrath, R. D., Ridley, M. W. and Woinarski, J. Z. (1985) Status and habitat requirements of Lesser Floricans in Kathiawar, western India. *Bustard Studies* 3: 185-193.
- 1017 Mann, C.F. (1986) Christmas Island Frigatebirds *Fregata andrewsi* on the Kenya coast. *Bulletin of the British Ornithologists' Club* 106: 89-90.
- 1019 Mann, C. F. (1988) Bird report for Brunei Darussalam, July 1986 to June 1988. *Brunei Museum Journal* 6: 88-111.
- 1020 Manry, D. E. (1985) Distribution, abundance and conservation of the Bald Ibis *Geronticus calvus* in southern Africa. *Biological Conservation* 33: 351-362.
- 1021 Manry, D. E. (1985) Reproductive performance of the Bald Ibis *Geronticus calvus* in relation to rainfall and grass-burning. *Ibis* 127: 159-173.
- 1022 Mansoori, J. (1985) The status of the Houbara Bustard in Iran. *Bustard Studies* 3: 97-100.
- 1023 Marchant, S. and Higgins, P. J. (eds). (1990) *Handbook of Australian, New Zealand and Antarctic Birds.* Vol 1. *Ratites and ducks.* RAOU/Oxford University Press. -Melbourne
- 1024 Marcondes-Machado, L. O. and Montiero Filho, E. L. A. (1990) The Scarlet Ibis *Eudocimus ruber* in southeastern Brazil. *Bulletin of the British Ornithologists' Club* 110(3): 123-126.
- 1025 Marcus, M.J. (1983) Additions to the avifauna of Honduras. *Auk* 100: 621-629.
- 1026 Marion, L. and Marion, P. (1982) [The Spoonbill *Platalea leucorodia* nests at the Lac de Grand-Lieu, France.]. *Alauda* 50: 241-249. (French)

- 1027 Marle, J. G. van and Voous, K. H. (1988) *The birds of Sumatra*. British Ornithologists' Union Check-list 10. -London
- 1028 Marquiss, M. and Newton, I. (1982) The Goshawk in Britain. *British Birds* 75: 243-260.
- 1029 Marti, R. (1993) Red Data Bird: White-headed Duck. *World Birdwatch* 15(3): 18-19.
- 1030 Martin, R. (1981) An extension of range of the Mountain Buzzard. *Bokmakierie* 33: 93.
- 1031 Martuscelli, P. (1991) Predação de *Megalobulimus paranaguensis* Pelsbry & Ihering, 1900 (Megalobulimidae, Mollusca) por *Leucopternis lacernulata*. In: *Resumos, 1 Congreso Brasileiro de Ornitoloxia* 29 Museu Paraense Emílio Goeldi. -Belém
- 1032 Mason, V. (1989) *The birds of Bali*. Periplus Editions. -Berkeley, California and Singapore
- 1033 Massey-Stewart, J. (1987) The 'Lily of birds': the success story of the Siberian White Crane. *Oryx* 21: 6-10.
- 1034 Masterson, A. (1986) Wattled Cranes - hot seating? *Honeyguide* 32: 154-155.
- 1035 Matthews, G. V. T. and Evans, M. E. (1974) On the behaviour of the White-headed Duck with special reference to breeding. *Wildfowl* 25: 56-66.
- 1037 Matthews, N. J. C. and Scott, L. B. (1980) A new distribution record for the Cape Eagle Owl. *Bokmakierie* 32: 99-100.
- 1038 Matvejev, S. D. and Vasic, V. F. (1973) *Catalogus Faunae Jugoslaviae*, IV/3, Aves. - Yugoslavia
- 1040 Mauersberger, G., Wagner, S., Wallschläger, D. and Warthold, R. (1982) Neue Daten zur Avifauna mongolica. *Mitteilungen aus dem Zoologischen Museum in Berlin* 58: 11-74. (German)
- 1043 Mayol, J. (1981) [Evaluation of the Majorcan colonies of Eleonora's Falcon, *Falco eleonorae*, during summer 1981.]. *Bol. Est. Cent. Ecol.* 20: 21-25. (Spanish)
- 1045 Mayr, E. and Cottrell, G. W (eds.) (1978) *Check-list of the birds of the world*. Volume 1, 2nd edition. Museum of Comparative Zoology. -Cambridge, Massachusetts
- 1046 McKean, J. L. (1987) A first record of Christmas Island Frigatebird *Fregata andrewsi* on Timor. *Kukila* 3(1-2): 47.
- 1047 McNee, S. (1986) *Surveys of the Western Whistling and Western Bristlebird in western Australia, 1985*. Royal Australian Ornithologists' Union. -Victoria
- 1048 McNutt, J. W. (1984) A peregrine falcon polymorph. Observations on the reproductive behaviour of *Falco kreyenborgi*. *Condor* 86: 378-382.
- 1049 Medway, Lord and Wells, D. R. (1976) *The birds of the Malay Peninsula. Volume 5: conclusions and survey of every species*. H. F. and G. Witherby and Penerbit Universiti Malaya. -London and Kuala Lumpur
- 1050 Mees, G. F. (1971) Systematic and faunistic remarks on birds from Borneo and Java, with new records. *Zoologische Mededelingen* 45: 225-244.
- 1051 Mees, G. F. (1977) Additional records of birds from Formosa (Taiwan). *Zoologische Mededelingen* 51: 243-264.
- 1052 Mees, G. F. (1977) Zur Verbreitung von *Phaethornis malaris* (Nordmann) (Aves, Trochilidae). *Zoologische Mededelingen* 52: 209-211.
- 1053 Mees, G. F. (1980) The sparrow-hawks (*Accipiter*) of the Andaman Islands. *Journal of the Bombay Natural History Society* 77: 371-412.
- 1054 Mees, G. F. (1985) Nomenclature and systematics of birds from Suriname. *Proceedings Koninklijke Nederlandse Akademie van Wetenschappen* (C)88(1): 75-91.
- 1055 Ménégaux, M. A. (1904) Catalogue des oiseaux rapportés par M Geay de la Guyane française et du Conteste France-Bresilien. *Bulletin du Muséum National d'Histoire Naturelle* 10: 107-119, 174-186.
- 1056 Ménégaux, M. A. (1907) Oiseaux de la Guyane française donnés au Muséum par M. Rey, gouverneur des Colonies. *Bulletin du Muséum National d'Histoire Naturelle* 13: 493-499.

- 1057 Menkhorst, P. W. and Isles, A. C. (1981) The Night Parrot *Geopsittacus occidentalis*: evidence of its occurrence in north-western Victoria during the 1950s. *Emu* 81: 239-240.
- 1058 Mercado, N. K. (1985) *Aves de Bolivia*. Editorial Gisbert. -La Paz
- 1059 Meretsky, V. J. and Snyder, N. F. R. (1992) Range use and movements of California Condors. *Condor* 94: 313-335.
- 1060 Merton, D. V., Morris, R. B. and Atkinson, I. A. E. (1984) Lek behaviour in a parrot: the Kakapo *Strigops habroptilus* of New Zealand. *Ibis* 126: 277-283.
- 1061 Merwe, F. van der. (1981) Review of the status and biology of the Black Harrier. *Ostrich* 52: 193-207.
- 1062 Meyburg, B.-U. (1982) Seltene und vom Aussterben bedrohte Greifvogel (III): der Spanische Kaiseradler *Aquila (heliaca) adalberti*. *Der Falkner* 31: 21-30.
- 1063 Meyburg, B.-U. (1987) Clutch size, nestling aggression and breeding success of the Spanish Imperial Eagle. *British Birds* 80: 308-320.
- 1064 Meyburg, B.-U. (1989) The Spanish Imperial Eagle *Aquila (heliaca) adalberti*: its biology, status and conservation. Pp. 255-268 in Meyburg, B.-U. and Chancellor, R. D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls.
- 1065 Meyburg, B.-U. and Meyburg, C. (1983) Distribution and present status of the Black Vulture *Aegypius monachus*. *Bulletin of the World Working Group on Birds of Prey* 1: 172.
- 1066 Meyburg, B.-U., Balen, S. van, Thiollay, J.-M. and Chancellor, R. D. (1989) Observations on the endangered Java Hawk Eagle *Spizaetus bartelsi*. Pp. 279-285 in Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls.
- 1068 Meyer de Schauensee, R. (1982) *A guide to the birds of South America*. Academy of Natural Sciences. -Philadelphia
- 1069 Meyer de Schauensee, R. (1984) *The birds of China*. Oxford University Press. -Oxford
- 1070 Meyer de Schauensee, R. and Phelps, W. H. (1978) *A guide to the birds of Venezuela*. Princeton University Press. -Princeton, New Jersey
- 1071 Meyers, J.M. and Barrow, W.C. (1992) Habitat of breeding and nonbreeding pairs of Puerto Rican Parrots (*Amazona vittata*) after Hurricane Hugo. Program abstract, Society of Conservation Biology, June 27-July 1 1992. Virginia Polytech Institute and State University, Blacksburg, VA
- 1072 Mian, A. (1986) Ecological impact of Arab falconry on Houbara Bustard in Baluchistan. *Environmental Conservation* 13: 41-46.
- 1073 Mills, J. A. and Williams, G. R. (1978) The status of endangered New Zealand birds. Pp. 147-168 in Tyler, M. J. (ed.) *The status of endangered Australasian wildlife*. Royal Zoological Society of Australia. -Adelaide
- 1074 Mitchell, P. (1988) Unusual sighting reports. *Bird Observer* (678) 87-88.
- 1075 Mlingwa, C. (1989) Notes on Marabou Storks *Leptoptilos crumeniferus* at Shinyanga, Tanzania. *East African Natural History Society Bulletin* 19: 34.
- 1076 Monroe, B. L. Jr. (1968) A distributional survey of the birds of Honduras. *Ornithological Monographs* 7: 457 pp.
- 1077 Moreau, G. (1990) [A new breeding species for France: the Common Crane.]. *Alauda* 58: 244. (French)

- 1078 Morel, G. J. and Morel, M.-Y. (1988) Liste des oiseaux de Guinée. *Malimbus* 10(2): 143-176.
- 1079 Morel, G. J. and Morel, M.-Y. (1988) Nouvelles données sur l'hivernage de la tourterelle des bois, *Streptopelia turtur* en afrique de l'ouest: nord de la Guinée. *Alauda* 56(2): 85-91
- 1080 Morel, G. J. and Morel, M.-Y. (1990) *Les oiseaux de Senegambie, notices et cartes de distribution*. Editions de l'Orstom. -Paris
- 1081 Morel, M-Y. (1987) La tourterelle des bois *Streptopelia turtur* dans l'ouest africain: mouvements migratoire et régime alimentaire. *Malimbus* 9(1): 23-42.
- 1084 Morgan-Davis, A. M. (1965) On the Kori Bustard *Ardeotis kori* (Burchell) in north-western Tanzania. *Bulletin of the British Ornithologists' Club* 85: 145-147.
- 1085 Mosimann, P. and Juillard, M. (1988) [Breeding status and winter distribution of the Red Kite *Milvus milvus* in Switzerland]. *Orn. Beob.* 85: 199-206. (French)
- 1086 Mottley, J. (1863) Observations on the birds of south-eastern Borneo. *Proceedings of the Zoological Society of London* 1863: 206-224.
- 1087 Müller-Bierl, M. and Cordier, C. (1991) Auf den Spuren des Rotohraras *Ara rubrogenys*. *Gefiederte Welt* 115: 413-416.
- 1088 Munn, C. A., Silva, C. P. da, Renton, K. and Valqui, M. (1991) Eine kurze Studie über nistende Hyazintharas im Pantanal. *Papageien* 91(5/6): 145-148, 178-181.
- 1089 Munn, C. A., Thomsen, J. B. and Yamashita, C. (1987) Survey and status of the Hyacinth Macaw (*Anodorhynchus hyacinthinus*) in Brazil, Bolivia, and Paraguay. Unpublished.
- 1091 Nagy, K. A., Siegfried, W. R. and Wilson, R. P. (1984) Energy utilization by free-ranging Jackass Penguins, *Spheniscus demersus*. *Ecology* 65: 1648-1655.
- 1092 Naoroji, R. K. (1991) Shikra *Accipiter badius* taking carrion. *Journal of the Bombay Natural History Society* 88: 447-448.
- 1093 Narang, M. L. (1989) Occurrence of the Western Horned Pheasant *Tragopan melanocephalus* east of R. Sutlej in Himachal Pradesh. *Ann. Biol. (Ludhiana)* 5: 153-154.
- 1094 Nash, S. V. and Nash, A. D. (1986) Records of the White-winged Duck *Cairina scutulata* in Sumatran peatswamp forest. *Oriental Bird Club Bulletin* 3: 17.
- 1095 Navarro, A. G. Torres, M. G. and Escalante, B. P. (1991) *Catálogo de aves, Museo de Zoología, Facultad de Ciencias, Universidad Nacional Autónoma de México*. Museo de Zoología "Alfonso L. Herrera", Facultad de Ciencias, UNAM. -México [City]
- 1096 Negret, A. J. (1991) Reportes recientes en el Parque Nacional Munchique de aves consideradas raras o amenazadas de extinción. *Noved. Colombianas (nueva época)* 3: 39-45.
- 1097 Negret, A. J. and Acevedo, C. I. (1990) Reportes recientes de *Leptosittaca branickii*, ave colombiana amenazada de extinción. *Noved. Colombianas (nueva época)* 2: 70-71.
- 1098 Nelson, J. B. (1974) The distribution of Abbott's Booby *Sula abbotti*. *Ibis* 116: 368-369.
- 1099 Nelson, J. B. and Powell, D. (1986) The breeding ecology of Abbott's Booby *Sula abbotti*. *Emu* 86(1): 33-46.
- 1101 Newby, J., Grettenberger, J. and Watkins, J. (1987) The birds of northern Air, Niger. *Malimbus* 9(1): 4-16.
- 1102 Newman, K. (1989) *Birds of Botswana*. Southern Book Publishers (Pty).
- 1103 Newman, K., Johnston-Stewart, N. and Medland, B. (1992) *The birds of Malawi. A supplement to Newman's birds of Southern Africa*. Southern Book Publishers (Pty). -Cape Town
- 1105 Nightingale, T. and Hill, M. (1992) *The birds of Bahrain*. Immel.
- 1108 Norton, R. L. and Hobbs, A. (1987) First record of Purple-throated Carib for the Greater Antilles and notes on vagrants in the Virgin Islands. *Caribbean Journal of Science* 23: 462-463.

- 1109 O'Neill, J. P., Solar R. G. del, Ortiz, T. E., Eley, J. W. and Williams, M. D. (1981) The White-winged Guan *Penelope albipennis*; its rediscovery, status, nesting, systematics, and recommendations for its continued survival. In: *Primer Simposio Internacional de la Familia Cracidae: Memorias*. Universidad Nacional Autonoma de Mexico . -Mexico City
- 1110 Ogilvie, M. and Ogilvie, C. (1986) *Flamingos*. Alan Sutton. - Gloucester, U.K.
- 1111 Ogle, D. (1986) The status and seasonality of birds in Nakhon Sawan Province, Thailand. *Natural History Bulletin of the Siam Society* 34(2): 115-143.
- 1113 Olrog, C. C. (1985) Status of wet forest raptors in northern Argentina. Pp. 191-197 in Newton, I. and Chancellor, R.D. (eds.) *Conservation studies on raptors*. (Techn. Publ. 5). International Council for Bird Preservation. -Cambridge, U.K.
- 1114 Olsen, P. D. and Olsen, J. (1986) Distribution, status, movements and breeding of the Grey Falcon *Falco hypoleucus*. *Emu* 86: 47-51.
- 1115 Olsen, P. D. and Stokes, T. (1989) State of knowledge of the Christmas Island Hawk-Owl *Ninox squamipila natalis*. Pp. 411-414 in Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls.
- 1116 Olsen, P. D., Mooney, N. J. and Olsen, J. (1989) Status and conservation of the Norfolk Island Boobook *Ninox novaeseelandiae undulata*. Pp. 415-422 in Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls.
- 1117 Olson, P. D., Crome, F. and Olson, J. (1993) *Birds of prey and ground birds of Australia*. Australian Museum and Angus & Robertson. -Sydney
- 1118 Oren, D. C. and Novaes, F. C. (1986) Observations on the Golden Parakeet *Aratinga guarouba* in northern Brazil. *Biological Conservation* 36: 329-337.
- 1119 Ortiz Tejada, E. and Purisaca Puicon, J. (1981) Estudio preliminar sobre la Pava aliblanca (*Penelope albipennis*) Taczanowski 1877. In *Primer Simposio Internacional de la Familia Cracidae: Memorias*. [Mexico City] Universidad Nacional Autonoma de Mexico 192-202
- 1121 Ortiz-Crespo, F. I. (1984) First twentieth-century specimen of the Violet-throated Metaltail *Metallura baroni*. *Bulletin of the British Ornithologists' Club* 104: 95-97.
- 1122 Osborne, P. E. (1986) *Survey of the birds of Fuerteventura, Canary Islands, with special reference to the status of the Canarian Houbara Bustard Chlamydota undulata*. (Study Report 10). International Council for Bird Preservation. - Cambridge, U.K.
- 1126 Otero, C. (1987) The Great Bustard (*Otis tarda*) in Spain. Pp. 43-50 In: Farago, S. (ed.) *The Great Bustard (Otis tarda L.)*. Proceedings of the symposium in Budapest on June 2nd 1987. International Council for Game and Wildlife Conservation. - Budapest
- 1127 Ottenwalder, J. A. (1988) Flamingos in Haiti. *World Birdwatch* 10(3/4): 8.
- 1128 Ottenwalder, J. A., Woods, C. A., Rathburn, G. B. and Thorbjarneson, J. B. (1990) Status of the Greater Flamingo in Haiti. *Colonial Waterbirds* 13(2): 115-123.
- 1129 Owre, O. T. (1966) The Crowned Crane at Lake Rudolf. *Bulletin of the British Ornithologists' Club* 86(3): 54-56.
- 1130 Padron, F. P. (1983) *Las aves de Canarias*.
- 1132 Parker, S. A and Reid, N. (1978) Remarks on the status of some Australian passerines. Pp. 109-115 in Tyler, M. J. (ed.) *The status of endangered Australasian wildlife*. Royal Zoological Society of Australia. - Adelaide

- 1133 Parker, T. A. (1982) First record of the Chilean Woodstar *Eulidia yarrellii* in Peru. *Bulletin of the British Ornithologists' Club* 102: 86.
- 1134 Parker, T. A. and Parker, S. A. (1982) Behavioural and distributional notes on some unusual birds of a lower montane cloud forest in Peru. *Bulletin of the British Ornithologists' Club* 102: 63-70.
- 1135 Parker, T. A. and Remsen, J. V. Jr. (1987) Fifty-two Amazonian bird species new to Bolivia. *Bulletin of the British Ornithologists' Club* 107(3): 94-107.
- 1136 Parker, T. A., Parker, S. A. and Plenge, M. A. (1982) *An annotated checklist of Peruvian birds*. Buteo Books. -Vermillion, South Dakota
- 1137 Parker, T. A., Schulenberg, T. S., Graves, G. R. and Braun, M. J. (1985) The avifauna of the Huancabamba region, northern Peru. Pp. 169-197 in Buckley, P. A., Foster, M. S., Morton, E. S., Ridgely, R. S. and Buckley, F.G. (eds.) *Neotropical ornithology*. American Ornithologists' Union Ornithological Monograph No. 36. -Washington D.C.
- 1138 Parker, V. (1988) Birds of Swaziland. *Bokmakierie* 40: 77-79.
- 1139 Parker, V. (1992) *Swaziland bird checklist*. The Conservation Trust of Swaziland. -Swaziland
- 1140 Parkes, K. C. and Dickinson, E. C. (1991) Types, type localities, and variation in some races of the Colasisi or Philippine Hanging-Parrot *Loriculus philippinensis*. *Bulletin of the British Ornithologists' Club* 111: 104-110.
- 1141 Parr, J. W. K., Pongpan Laothong and Gorrerk Ruangsree. (1994) The status of the White-winged Wood Duck *Cairina scutulata* in Thailand. *Tigerpaper* 21(1): 1-7.
- 1142 Pasquier, R. F. (ed.) (1981) *Conservation of New World parrots*. Smithsonian Institution Press and International Council for Bird Preservation. - Washington D.C. and Cambridge, U.K.
- 1144 Patzwahl, S. (1991) Vogelpark Walsrode places Spix's Macaw in breeding program. *AFA Watchbird* 18(3): 4, 7.
- 1145 Payne, R. B. (1982) Species limits in the indigobirds (Ploceidae, *Vidua*) of West Africa: mouth mimicry, song mimicry and description of new species. *Miscellaneous Publications of the Museum of Zoology, University of Michigan* (162) 96 pp.
- 1146 Payne, R. B. (1985) The species of parasitic finches in West Africa. *Malimbus* 7(2): 103-113.
- 1147 Pegoraro, K. and Malin, G. (1990) Freilandbeobachtungen am Waldrapp (*Geronticus eremita*) in Marokko: Verhalten immaturer Individuen. *Journal für Ornithologie* 131: 453-456.
- 1149 Penry, E. H. (1979) Sight records of the Sooty Falcon *Falco concolor* in Zambia. *Bulletin of the British Ornithologists' Club* 99: 63-65.
- 1150 Peña, M. R. de la. (1992) *Guía de Aves Argentinas*. Second edition. Vol. 2. Falconiformes-Charadriiformes. Literature of Latin America (L.O.L.A.). -Buenos Aires
- 1152 Perennou, C. and Mundkur, T. (1991) *Asian Waterfowl Census 1991*. IWRB. -Slimbridge, U.K.
- 1154 Petretti, F. (1985) Preliminary data on the status of the Little Bustard in Italy. *Bustard Studies* 2: 165-172.
- 1155 Petrov, T. et al. (1994) Status of the Imperial Eagle (*Aquila heliaca Savigny*) in Bulgaria in the period between 1890 and 1993. In: Meyburg and Chancellor (eds.) 1994 *Eagle Studies*. World Working Group on Birds of Prey and Owls. -Berlin, London & Paris
- 1156 Phelps, W. H. and Phelps, W. H. (1958) Lista de las aves de Venezuela con su distribucion, 2. Parte 1. No passeriformes. *Boletin Soc. venez. Cienc. Nat.* 19(90): 317 pp.
- 1159 Piechocki, R. (1968) Beiträge zur avifauna der mongolei teil I. Non-passeriformes. Ergebnisse der Mongolisch- Deutschen Biologischen Expecition seit 1962. *Mitt. Zool. Mus. Berlin* 44(2): 149-292.

- 1160 Piechocki, R., Stubbe, M., Uhlenhaut, K. and Sumjaa, D. (1981) Beitrage zur Avifauna der Mongolei. *Mitteilungen aus dem Zoologischen Museum in Berlin, Ann. Orn.* 57(5): 71-128.
- 1161 Pilcher, C. W. T., Gregory, G., Tye, A. and Ahmed, M. S. (1990) Additions to the country list produced by the Kuwait Avifaunal Survey, 1985-7. *Sandgrouse* 12: 31-36.
- 1162 Pineschi, R. B. (1990) Aves como dispersores de sete espécies de Rapanea (Myrsinaceae) no maciço do Itatiaia, estados do Rio de Janeiro e Minas Gerais. *Ararajuba* 1: 73-78.
- 1164 Pinto, O. (1978) *Novo catalogo das aves do Brasil*. Departamento de Zoologia. -Sao Paulo
- 1165 Piper, S. E. and Ruddle, P. (1986) An initial evaluation of the Cape Vulture colonies at Mkambati, Transkei. *Vulture News* 15: 7-12.
- 1166 Pont, J. E. du. (1971) *Philippine birds*. Delaware Museum of Natural History. -Greenville, Delaware
- 1167 Poole, A. F. (1989) *Ospreys: a natural and unnatural history*. Cambridge University Press. - Cambridge, U.K.
- 1168 Poonswad, P. (1993) Forest flagships. *World Birdwatch* 15(3): 14-17.
- 1169 Poonswad, P. and Kemp, A. C (eds.) (1993) *Manual to the conservation of Asian hornbills*. Hornbill Project Mahidol University. -Bangkok, Thailand
- 1170 Potapov, R. L. and Flint, V. E (eds.) (1987) [The birds of the USSR: Galliformes, Gruiformes]. Nauka. -Leningrad (Russian)
- 1171 Pratt, J. D., Bruner, P. L. and Berrett, D. G. (1987) *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press. -Princeton, New Jersey
- 1173 Pruitt-Jones, S. G., Pruitt-Jones, M. A. and Knight, R. L. (1980) The White-tailed Kite in North and Middle America: current status and recent population changes. *American Birds* 34: 682-688.
- 1174 Radtke, G. A. (1991) Haltung und Zucht des Kapuzenzeisigs (*Spinus cucullatus*). *Volière* 14: 59-61.
- 1175 Raffaele, H. A. (1983) The raising of a ghost - *Spinus cucullatus* in Puerto Rico. *Auk* 100(3): 737-739.
- 1176 Raffaele, H. A. (1989) *A guide to the birds of Puerto Rico and the Virgin Islands*. Revised edition. Princeton University Press. - Princeton, New Jersey
- 1177 Rahmani, A. R. (1987) Protection for the Great Indian Bustard. *Oryx* 21: 174-179.
- 1178 Rahmani, A. R. and Manakadam, R. (1985) Present status of the Great Indian Bustard. *Bustard Studies* 3: 123-132.
- 1179 Ramyle, J. (1988) [Confirmation of the presence of *Spheniscus humboldti* Meyen (Aves: Spheniscidae) in Colombia]. *Trianaea (Bogota)* 1: 141-143. (Spanish)
- 1180 Randall, R. M. and Randall, B. M. (1986) The diet of Jackass Penguins *Spheniscus demersus* in Algoa Bay, South Africa, and its bearing on population declines elsewhere. *Biological Conservation* 37: 119-134.
- 1181 Rands, M., Rands, G. and Porter, R. (1988) *Birds in the Yemen Arab Republic*. Report of the expedition of the Ornithological Society of the Middle East. OSME. -Sandy, U.K.
- 1183 Reichenow, A. (1910) Über eine Vogelsammlung vom Rio Benito in Spanischen Guinea. *Mitteilungen aus dem Zoologischen Museum in Berlin* 5: 71-87.
- 1184 Remsen, J. V. Jr. (1984) Natural history notes on some poorly known Bolivian birds. Part 2. *Gerfaut* 74: 163-179.
- 1185 Remsen, J. V. Jr and Traylor, M. A. (1983) Additions to the avifauna of Bolivia, part 2. *Condor* 85: 95-98.
- 1186 Remsen, J. V. Jr and Traylor, M. A. (1989) *An annotated list of the birds of Bolivia*. Buteo Books. - Vermillion, South Dakota
- 1187 Remsen, J. V., Traylor, M. A. and Parkes, K. C. (1986) Range extensions of some Bolivian birds, 2 (Columbidae to Rhinocryptidae). *Bulletin of the British Ornithologists' Club* 106: 22-32.

- 1188 Reville, R., Tranter, J. and Yorkston, H. D. (1989) *Monitoring the endangered Abbott's Booby on Christmas Island 1983-86*. Australian National Parks and Wildlife Service, Canberra, Occasional Paper (11)
- 1189 Reville, R., Tranter, J. and Yorkston, H. (1987) *Monitoring the endangered Abbott's Booby on Christmas Island 1983-1986*. Australian National Parks and Wildlife Service (Occasional Paper No. 11), Canberra
- 1191 Richards, D. K. (1982) The birds of Conakry and Kakulima, Democratic Republic of Guinea. *Malimbus* 4(2): 93-103.
- 1192 Richardson, C. (1990) *The birds of the United Arab Emirates*. Hobby Publications. -Dubai and Werrington, U.K.
- 1193 Ridgely, R. S. (1980) Notes on some rare or previously unrecorded birds in Ecuador. *American Birds* 34: 242-248.
- 1194 Ridgely, R. S. (1981) The current distribution and status of mainland Neotropical parrots. Pp. 233-384 in Pasquier, R. F. (ed.) *Conservation of New World parrots*. (Techn. Publ. 1). International Council for Bird Preservation. Smithsonian Institution Press. -Washington D.C.
- 1195 Ridgely, R. S. and Gwynne, J. A. (1989) *A guide to the birds of Panama with Costa Rica, Nicaragua, and Honduras*. 2nd edition. Princeton University Press. -Princeton, New Jersey
- 1196 Ripley, S. D. (1977) *Rails of the world*. M. F. Feheley Publishers. -Toronto
- 1197 Ripley, S. D. (1982) *A synopsis of the birds of India and Pakistan*. 2nd edition. Bombay Natural History Society. -Bombay
- 1199 Risberg, L. (1990) *Sveriges Faglar*. Sveriges Ornit. For. - Stockholm
- 1200 Riveros, G. G. (1980) Nuevos datos sobre distribucion de *Oreotrochilus leucopleurus* Gould 1847. *Anales Mus. Nat. Hist. nat. Valparaiso* 13: 299-300.
- 1201 Riveros Salcedo, J. C., Sánchez S. R. and Ascensios V. D. (1991) Distribución y status del Pachaloro *Forpus xanthops*. *Resúmenes del IV Congreso de Ornitológia Neotropical*, 3- 9 de Noviembre 1991, Quito, Ecuador (resumen 160)
- 1202 Robbins, M. B. and Ridgely, R. S. (1990) The avifauna of an upper tropical cloud forest in southwestern Ecuador. *Proceedings of the Academy of Natural Sciences of Philadelphia* 142: 59-71.
- 1203 Robbins, M. B., Parker, T. A. and Allen, S. E. (1985) The avifauna of Cerro Pirre, Darien, eastern Panama. *Ornithological Monographs* 36: 198-232.
- 1204 Roberts, J. L. (1979) Observation of the migration of raptors and other large soaring birds in Bulgaria. *Ibis* 121: 301-312.
- 1205 Robertson, A. and February, E. (1986) Towards an historical perspective of Cape Vultures and domestic stock: a view from the southwestern Cape. *Vulture News* 15: 4-6.
- 1206 Robertson, A. S. (1986) Notes on the breeding cycle of Cape Vultures (*Gyps coprotheres*). *Raptor Research* 20: 51-60.
- 1207 Robertson, A. S. and Boshoff, A. S. (1986) The feeding ecology of Cape Vultures *Gyps coprotheres* in a stock-farming area. *Biological Conservation* 35: 63-86.
- 1208 Robson, C. R. (1986) Recent observations of birds in Xizang and Qinghai provinces, China. *Forktail* 2: 67-82.
- 1209 Rockingham-Gill, D. V. (1983) On the distribution of the Kori Bustard (*Otis kori*) in Zimbabwe. Pp. 97-103 in Goriup, P. D. and Vardhan, H. (eds.) *Bustards in decline*. Tourism and Wildlife Society of India. -Jaipur
- 1211 Röder, J. (1990) Beobachtungen bei der Haltung und Zucht des Grünkardinals. *Volière* 13: 184-186.
- 1212 Rodriguez-Estrella, R., Mata, E. and Rivera, L. (1992) Ecological notes on the Green Parakeet of Isla Socorro, Mexico. *Condor* 94: 523-525.

- 1213 Rodziewicz, M. (1994) The status, range and breeding success of the Lesser Spotted Eagle *Aquila pomarina* in Poland. In: Meyburg and Chancellor (eds.) *Eagle Studies*. World Working Group on Birds of Prey and Owls. -Berlin, London & Paris
- 1214 Rojas, F. (1991) Biología reproductiva de la cotorra: *Amazona barbadensis* (Aves: Psittaciformes) en la Península de Macanao, Edo. Nueva Esparta. Lic. Biol. thesis, Universidad Central de Venezuela
- 1215 Rokitansky, G. (1964) *Catalogus Faunae Austriae. XXIb Aves.*
- 1216 Rooke, I. (1986) *Survey of the White-breasted White-eye and the Norfolk Island Boobook Owl on Norfolk Island, October-November 1985.* Royal Australasian Ornithologists' Union. -Victoria
- 1217 Rooks, D. (1989) Bird observations in Tobago, December 1987 to November 1989. *Journal of the Trinidad and Tobago Field Naturalists Club* 1989: 15.
- 1218 Roseveare, M. (1989) First record of the Shoebill in Malawi. *Nyala* 14: 45.
- 1220 Round, P. D. (1988) *Resident forest birds in Thailand: their status and conservation.* International Council for Bird Preservation (Monograph No. 2). -Cambridge, U.K.
- 1221 Round, P. D. and Treesucon, U. (1986) The rediscovery of Gurney's Pitta *Pitta gurneyi*. *Forktail* 2: 53-66.
- 1222 Rowan, M. K. (1983) *The doves, parrots, lorries and cuckoos of southern Africa.* David Philip. -Cape Town
- 1223 Rowley, J. S. and Orr, R. (1964) A new hummingbird from southern Mexico. *Condor* 66: 81-83.
- 1224 Rumboll, M. A. E. (1990) Tres aves nuevas para la Argentina. *Nuestras Aves* 22(8): 28.
- 1225 Ruschi, O. (1973) Uma nova espécie de *Threnetes* (Aves, Trochilidae). *Bol. Mus. Biol. Prof. Mello Leitao* 37: 1-6.
- 1226 Ruschi, O. (1975) *Threnetes christinae* sp. nov. *Bol. Mus. Biol. Prof. Mello Leitao* 83: 1-3.
- 1227 Russell, S. M. (1964) A distributional study of the birds of British Honduras. *Ornithological Monographs* 1: 95 pp.
- 1228 Sahin, R. (1990) Werdegang und Bedeutung des Kopfnickens beim Waldrapp (*Geronticus eremita*). *Journal für Ornithologie* 131: 445-451.
- 1229 Saleh, M. (1989) The status of the Houbara Bustard in Egypt. *Bustard Studies* 4:
- 1232 Sane, S. R., Kannan, P., Rajendran, C. G., Ingle, S. T. and Bhagwat, A. M. (1986) On the taxonomic status of *Psittacula intermedia* (Rothschild). *Journal of the Bombay Natural History Society* 83: 26-37.
- 1233 Sanft, K. (1960) Aves/Upupae: Bucerotidae. *Das Tierreich* 76:
- 1234 Sankaran, R. (1987) The Lesser Florican. *Sanctuary* 7: 26-37.
- 1235 Sankaran, R. (1993) Red Data Bird: Lesser Florican. *World Birdwatch* 15(4): 18-19.
- 1236 Sankaran, R. and Rahmani, A. R. (1986) *Study of ecology of certain endangered species of wildlife and their habitats: the Lesser Florican, annual report 2 1985-86.* Bombay Natural History Society. -Bombay
- 1237 Sarker, S. U. and Iqbal, M. (1985) Observations on Pallas's Fish Eagle *Haliaeetus leucoryphus* in Bangladesh. *Bulletin of the World Working Group on Birds of Prey* 2: 100-102.
- 1238 Saxena, V. S. and Meena, B. L. (1985) Occurrence of Lesser Floricans in forest plantations in Rajasthan, India. *Bustard Studies* 3: 183-184.
- 1239 Schenck, H. and Aresu, M. (1985) On the distribution, number and conservation of the Little Bustard in Sardinia (Italy), 1971-1982. *Bustard Studies* 2: 161-164.
- 1240 Scherer Neto, P. and Martuscelli, P. (1992) Conservação e biologia do Papagaio-da-cara-roxa, *Amazona brasiliensis*, nos estados de São Paulo e Paraná. Segundo relatório parcial. Unpublished report to The Nature Conservancy and Fundação SOS-Mata Atlântica

- 1241 Schernazarov, E. (1988) [New breeding site of Dalmatian Pelican *Pelecanus crispus* in Uzbekistan.]. *Ornitologiya* 23: 225. (Russian)
- 1242 Schodde, R. (1978) The status of endangered Papuan birds, and Appendix. Pp. 133-145, 185-206 in Tyler, M. J. (ed.) *The status of endangered Australasian wildlife*. Royal Zoological Society of South Australia. -Adelaide
- 1245 Schuchmann, K.-L. (1978) Allopatrische Artbildung bei der Kolibrigattung *Trochilus*. *Ardea* 66: 156-172.
- 1246 Schuchmann, K.-L. (1978) Notes on the Rufous-capped Thornbill *Chalcostigma ruficeps*, a new hummingbird species for Colombia. *Bulletin of the British Ornithologists' Club* 98: 115-116.
- 1247 Schuchmann, K.-L. (1980) Okologie und evolution der Trochilidenfauna auf den ozeanischen Inseln der Karibischen See. *Bonner Zoologische Beiträge* 31: 289-309.
- 1248 Schuchmann, K.-L. (1984) Two hummingbird species, one a new subspecies, new to Bolivia. *Bulletin of the British Ornithologists' Club* 104: 6.
- 1249 Schulenberg, T. S., Allen, S. E., Stotz, D. F. and Wiedenfeld, D. A. (1984) Distributional records from the Cordillera Yanachaga, central Peru. *Gefaut* 74: 57-70.
- 1250 Schulz, H. (1985) A review of the world status and breeding distribution of the Little Bustard. *Bustard Studies* 2: 131-152.
- 1251 Scott, D. A. (1994) The Black-necked Cranes *Grus nigricollis* of Puoergi Marshes, Sichuan, China. *Bird Conservation International* 3: 245-259.
- 1252 Scott, D. A. and Brooke, M. de L. (1985) The endangered avifauna of southeastern Brazil: a report on the BOU/WWF expedition of 1980/81 and 1981/82. In: Diamond, A. W. and Lovejoy, T. E. (eds.) *Conservation of tropical forest birds*. (Techn. Publ. 4). (Pholidota: Manidae) International Council for Bird Preservation. -Cambridge, U.K.
- 1253 Scott, D. A., Hamadani, H. M. and Mirhosseyni, A. A. (1975) [*The birds of Iran*]. Department of Environment. -Tehran, Iran
- 1254 Seal, U. S., Wirth, R., Thomson, J., Ellis-Joseph, S. and Collar, N. (1992) Parrot Conservation Assessment and Management Plan. Camp Workshop Report 14-17 January 1992. Draft Review. ICBP/IUCN/SSC Parrot Specialist Group, Traffic International, ICBP, IUCN/SSC, IUCN SSC Captive Breeding Specialist Group
- 1256 Serle, W. and Morel, G. J. (1977) *A field guide to the birds of West Africa*. Collins. -London
- 1257 Servat, G. and Pearson, D. L. (1991) Natural history notes and records for seven poorly known bird species from Amazonian Peru. *Bulletin of the British Ornithologists' Club* 111: 92-95.
- 1258 Severinghaus, L. L. (1989) The status and conservation of Lanyu Scops Owl *Otus elegans botelensis*. PP. 423-431 in Meyburg, B.-U. and Chancellor, R. D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls.
- 1259 Severinghaus, S. (1986) The adaptability of Mikado and Swinhoe's Pheasants to disturbed habitats in Taiwan. Unpaginated abstract In: Ridley, M. (ed.) *Pheasants in Asia 1986*. World Pheasant Association. -Basildon, U.K.
- 1260 Severinghaus, S. R. (1978) Recommendations for the conservation of the Swinhoe's and Mikado Pheasants in Taiwan. *World Pheasant Association Journal* 3: 79-89.
- 1261 Severinghaus, S. R. and Blackshaw, K. T. (1976) *A new guide to the birds of Taiwan*. Me Ya Publications. -Taipei
- 1262 Shaw, D. and Maxwell, T. C. (1988) First record of the Mississippi Kite for Bolivia. *Journal of Raptor Research* 22: 90.
- 1263 Sheldon, B. C. K. and Duckworth, J. W. (1990) Rediscovery of the Madagascar Serpent-eagle *Eutriorchis astur*. *Bulletin of the British Ornithologists' Club* 110: 126-130.

- 1264 Shi Dong-chou, Yu Xiao-ping, Chang Xiu-yun and Lu Bao-zhong. (1989) [The breeding habits of the Crested Ibis (*Nipponia nippon*)]. *Zoological Research* 10: 327-332. (Chinese)
- 1265 Shobrak, M. and Rahmani, A. (1991) Notes on the Arabian Bustard *Ardeotis arabs* in Saudi Arabia. *Sandgrouse* 13: 14-23.
- 1266 Short, L. L. (1982) *Woodpeckers of the world*. Delaware Museum of Natural History. -Greenville, Delaware
- 1267 Sick, H. (1979) Decouverte de la patrie de l'Ara de Lear *Anodorhynchus leari*. *Alauda* 47: 59-60.
- 1268 Sick, H. (1979) Notes on some Brazilian birds. *Bulletin of the British Ornithologists' Club* 99: 115-120.
- 1269 Sick, H. (1984) *Ornitologia Brasileira*. Volume 1. Editora Universidade de Brasilia. -Brasilia
- 1270 Sick, H. (1985) *Ornitologia brasileira, uma introdução*. Editora Universidade de Brasilia. -Brasilia
- 1271 Sick, H. (1990) Notes on the taxonomy of Brazilian parrots. *Ararajuba* 1: 111-112.
- 1272 Sick, H. and Teixeira, D. M. (1979) Notas sobre aves brasileiras raras ou ameaçadas de extinção. *Publ. avuls. Mus. Nac.* 62:
- 1274 Silva, C. P. da, Munn, C. A., Cintra, R., Renton, K., Valqui, M. and Yamashita, C. (1991) Breeding ecology of Hyacinth Macaws. *Psittascene* 3(3): 1-3.
- 1275 Silva, F. (1981) Contribuicao ao conhecimento da papagaio charao, *Amazona pretrei* (Temminck, 1830) (Psittacidae, Aves). *Inheringia Ser. Zool.* 58: 79-85.
- 1276 Silva, G. L. da and Nacinovic, J. B. (1991) Birds as indicator [sic] for the conservation of Atlantic Forests in Bahia, Brazil. Interim project report to WWF for the period July 1990-July 1991
- 1277 Silvius, K. M. (1991) Ecology and conservation of *Amazona barbadensis* on Margarita Island, Venezuela. Summary report of activities and results, 1989-1991. Unpublished
- 1278 Silvius, M. J. (1988) On the importance of Sumatra's east coast for waterbirds, with notes on the Asian Dowitcher *Limnodromus semipalmatus*. *Kukila* 3: 117-137.
- 1279 Silvius, M. J. and Verheugt, W. J. M. (1989) The status of storks, ibises and spoonbills in Indonesia. *Kukila* 4: 119-132.
- 1280 Silvius, M. J., Verheugt, W. J. M. and Iskandar, J. (1986) *Coastal wetlands inventory of southeast Sumatra*. (Study Report 9). International Council for Bird Preservation. -Cambridge, U.K.
- 1281 Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa. *Heron Conservation Newsletter* 5: 1.
- 1282 Skokova, N. N. and Vinogradov, V. G. (1986) [Waterfowl habitat conservation.]. Agropromizdat. - Moscow (Russian)
- 1283 Slud, P. (1964) The birds of Costa Rica, distribution and ecology. *Bulletin of the American Museum of Natural History* 128: 1-430.
- 1284 Smeenk, C. (1985) Whales and seabirds. Pp. 6-10, 24-26 In: Postma, H. and Rommets, J. (eds.) *Progress report Snellius II Expedition. Theme II. Ventilation of deep sea basins. Cruise MV Tyro, January 4 - February 6 1985*. Royal Netherlands Academy of Arts and Sciences.
- 1285 Smet, K. de. (1989) The Houbara Bustard in Algeria: a preliminary report. *Bustard Studies* 4:
- 1286 Smith, D. W. and Ireland, J. (1992) First record of the Black-shouldered Kite for Canada. *Western Birds* 23: 177-178.
- 1287 Smith, G. T. (1978) The Noisy Scrub-bird. Pp. 117-121 in Tyler, M. J. (ed.) *The status of endangered Australasian wildlife*. Royal Zoological Society of Australia. -Adelaide
- 1288 Smith, G. T. (1978) The status of Australian parrots. Pp. 101- 108 in Tyler, M. J. (ed.) *The status of endangered Australasian wildlife*. Royal Zoological Society of Australia. -Adelaide
- 1289 Smythies, B. E. (1981) *The birds of Borneo*. 3rd edition. The Sabah Society and the Malayan Nature Society. -Malaysia

- 1290 Smythies, B. E. (1986) *The birds of Burma*. 3rd edition. Nimrod Press and Silvio Mattacchione and Co. -Liss, Hampshire, U.K and Pickering, Ontario
- 1292 Snow, D. W. (ed.) (1978) *An atlas of speciation in African non-passerine birds*. British Museum (Natural History). -London
- 1293 Snow, D. W. (1979) Atlas of speciation in African non-passerine birds - addenda and corrigenda. *Bulletin of the British Ornithologists' Club* 99: 66-68.
- 1294 Snow, D. W. (1982) *The cotingas*. British Museum (Natural History) and Oxford University Press. -London and Oxford
- 1295 Snyder, D. E. (1966) *The birds of Guyana*. Peabody Museum. -Salem
- 1296 Snyder, N. F. R. and Snyder, H. A. (1991) *Birds of prey. Natural history and conservation of North American raptors*. Voyageur Press. -Stillwater, Minnesota, USA
- 1297 Snyder, N. F. R., King, W. B. and Kepler, C. B. (1982) Biology and conservation of the Bahama Parrot. *Living Bird* 19: 91-114.
- 1298 Snyder, N. F. R., Wiley, J. W. and Kepler, C. B. (1987) *The parrots of Luquillo: natural history and conservation of the Puerto Rican Parrot*. Western Foundation of Vertebrate Zoology. -Los Angeles
- 1299 Sociedad Española de Ornitología. (1981) [First general survey of Griffon Vulture breeding colonies in the Iberian peninsula, 1979]. *Ardeola* 26: 165-312. (Spanish)
- 1300 Solonen, T. (1985) *Suomen linnusto*. Lintutieto. -Helsinki
- 1301 Sonobe, K. and Izawa, N. (1987) *Endangered bird species in the Korean Peninsula*. Museum of Korean Nature (Korea University in Tokyo) and Wild Bird Society of Japan. -Tokyo
- 1302 Sophasan, S. and Dobias, R. (1984) The fate of the "princess bird", or White-eyed River Martin (*Pseudochelidon sirintarae*). *Natural History Bulletin of the Siam Society* 32(1): 1-10.
- 1303 Staub, F. (1976) *Birds of the Mascarenes and Saint Brandon*. Organisation Normale des Enterprises Ltée, Labama House. -Port Louis, Mauritius
- 1304 Steadman, D. W., Stull, J. and Eaton, S. W. (1979) Natural history of the Ocellated Turkey. *World Pheasant Association Journal* 4: 15-37.
- 1305 Stepanyan, L. S. (1987) [The first record of *Aviceda jerdoni* (Blyth 1842) (Accipitridae, Aves) in northern Viet Nam.]. *Biol. Nauki (Mosc.)* 1987(1): 42-45. (Russian)
- 1306 Stepanyan, L. S., Bold, A. and Fomin, V. E. (1988) [Taxonomic list of birds of Mongolia.]. *Ornitologiya* 23: 26-35. (Russian)
- 1307 Sterbetz, I. (1982) Migration of *Anser erythropus* and *Branta ruficollis* in Hungary 1971-1980. *Aquila* 89: 107-114.
- 1308 Stewart, P. A. (1980) Population trends of Barn Owls in North America. *American Birds* 34: 698-700.
- 1309 Stiles, F. G. (1985) Geographic variation in the Fiery-throated Hummingbird *Panterpe insignis*. *Ornithological Monographs* 36: 23-30.
- 1310 Stiles, F. G. (1987) *Observaciones sobre la situacion actual del Picaflor Rojo de Juan Fernandez Sephanoides fernandensis, con recomendaciones para un estudio integral de su ecologia y biologia poblacional*. Oficina Regional de la FAO para America Latina y el Caribe.
- 1311 Stiles, F. G., Skutch, A. F. and Gardner, D. (1989) *A guide to the birds of Costa Rica*. Christopher Helm. -London
- 1312 Stockton de Dod, A. (1987) *Aves de la Republica Dominicana*. 2nd edition. Museo Nacional de Historia Natural. -Santo Domingo
- 1313 Stoddart, D. R. (1981) Abbott's Booby on Assumption. *Atoll Research Bulletin* 225: 27-32.
- 1315 Stokes, T. (1988) A review of the birds of Christmas Island, Indian Ocean. *Australian National Parks and Wildlife Service, Occasional Paper* (16)
- 1316 Stokes, T., Sheils, W. and Dunn, K. (1984) Birds of the Cocos (Keeling) Islands, Indian Ocean. *Emu* 84: 23-28.
- 1317 Storer, R. W. (1989) Notes on Paraguayan birds. *Occasional Papers of the Museum of Zoology, University of Michigan* (719) 21 pp.

- 1318 Sukhinin, A. N., Bel'skaya, G. C. and Zhernov, I. V. (1972) [The distribution of the Little Owl *Athene noctua* in Turkmenistan]. *Ornitologiya* 10: 216-227. (Russian)
- 1320 Sutherland, W. J. and Allport, G. (1991) The distribution and ecology of naturalised Egyptian Geese *Alopochen aegyptiacus* in Britain. *Bird Study* 38(2): 128-134.
- 1322 Swanbeck, A. B. and Seiler, C. F. (1987) First sighting of a Short-eared Owl in the US Virgin Islands. *Florida Field Naturalist* 15: 52-53.
- 1323 Taczanowski, L. and Stolzmann, J. (1881) Notice sur la *Loddigesia mirabilis* Bourc. *Proceedings of the Zoological Society of London* 827-834.
- 1324 Tarboton, W. (1984) The status and conservation of the Wattled Crane in the Transvaal. *Proceedings of the V Pan African Ornithological Congress* 665-678.
- 1325 Taylor, I. (1994) *Barn Owls: predator-prey relationships and conservation*. Cambridge University Press.
- 1326 Taylor, R. H. (1985) Status, habits and conservation of *Cyanoramphus parakeets* in the New Zealand region. Pp. 195-211 in Moors, P. J. (ed.) *Conservation of island birds*. (Techn. Publ. 3). International Council for Bird Preservation. -Cambridge, U.K.
- 1327 Taylor, R. H., Heatherbell, E. G., and Heatherbell, E. M. (1986) The Orange-fronted Parakeet (*Cyanoramphus malherbi*) is a color morph of the Yellow-crowned Parakeet *C. auriceps*. *Notornis* 33: 17-22.
- 1328 Teixeira, D. M. and Snow, D. W. (1982) Notes on the nesting of the Red-billed Curassow *Crax blumenbachii*. *Bulletin of the British Ornithologists' Club* 102: 83-84.
- 1329 Temple, S. A. and Wallace, M. P. (1989) Survivorship patterns in a population of Andean Condors *Vultur gryphus*. Pp. 247-251 in Meyburg, B.-U. and Chancellor, R. D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls.
- 1330 Tewes, E. (1994) The European Black Vulture *Aegypius monachus* project in Mallorca. In: Meyburg & Chancellor (eds.) 1994 *Eagle Studies*. World Working Group on Birds of Prey and Owls. -Berlin, London & Paris
- 1331 Thelen, K. D. and Faizool, S. (1980) *Plan for a system of national parks and other protected areas in Trinidad and Tobago*. Forestry Division, Ministry of Agriculture Land and Fisheries. -Trinidad
- 1332 Themido, A. A. (1952) Aves de Portugal. *Memorias e Estudos do Museu Zoológico de Universidade de Coimbra* (213)
- 1333 Thiollay, J.-M. (1984) Raptor community structure of a primary rain forest in French Guiana and effect of human hunting pressure. *Raptor Research* 18: 117-122.
- 1334 Thiollay, J.-M. (1985) Birds of Ivory Coast: status and distribution. *Malimbus* 7(1): 1-59.
- 1335 Thiollay, J.-M. (1985) Birds of prey in French Guiana - a preliminary survey. *Bulletin of the World Working Group on Birds of Prey* 2: 11-15.
- 1336 Thiollay, J.-M. (1989) Area requirements for the conservation of rain forest raptors and game birds in French Guiana. *Conservation Biology* 3(2): 128-137.
- 1338 Thiollay, J. M. (1993) Habitat segregation and the insular syndrome: two congeneric raptors in New Caledonia: the White-bellied Goshawk *Accipiter haplochrous* and the Brown Goshawk *A. fasciatus*. *Ibis* 135: 237-246.
- 1341 Thompson, H. (1992) Red Data bird: White-necked Picathartes. *World Birdwatch* 14(3): 13.
- 1342 Thompson, H. S. S. (1993) Status of White-necked Picathartes - another reason for the conservation of the Peninsula Forest, Sierra Leone. *Oryx* 27(3): 155-158.
- 1343 Thomsen, J. M. and Munn, C. A. (1988) *Cyanopsitta spixii*: a non-recovery report. *Parrotletter* 1(1): 6-7.
- 1344 Thomsen, P. and Jacobsen, P. (1979) *The birds of Tunisia*. Peder Jacobsen. -Copenhagen

- 1345 Thonnerieux, Y. (1988) Etat des connaissances sur la reproduction de l'avifaune du Burkina Faso (ex Haute- Volta). *L'Oiseau et la Revue Française Ornithologie* 58: 120-145.
- 1346 Thorstrom, R., Watson, R.T., Damary, B., Toto, F., Baba, M. and Baba, V. (1995) Repeated sightings and first capture of a live Madagascar Serpent-eagle *Eutriorchis astur*. *Bulletin of the British Ornithologists' Club* 115: 40-45.
- 1347 Tilson, R. L. and Kok, O. B. (1980) Habitat ecology of Black Storks in the Kuiseb River. *Madoqua* 11: 347-349.
- 1348 Tomialojc, L. (1990) *Ptaki Polski rozmieszczenie i liczebnosc*. Państwowe Wydawnictwo Naukowe. -Warszawa
- 1349 Tostain, O., Dujardin, J. L., Erard, C. and Thiollay, J.-M. (1992) *Les oiseaux de Guyane*.
- 1350 Trail, P. W. (1978) Sight records of two species new for Surinam. *Ardea* 66: 184-185.
- 1351 Turbott, E. G. (ed.) (1990) *Checklist of the birds of New Zealand and the Ross Dependency, Antarctica*. 3rd edition.
- 1352 Turnbull, R. E., Johnson, F. A. and Brakhage, D. H. (1989) Status, distribution and foods of Fulvous Whistling-duck in South Florida. *Journal of Wildlife Management* 53(4): 1046-1051.
- 1353 Turner, A. and Rose, C. (1989) Swallows and martins of the world. Christopher Helm. -Kent
- 1354 Turner, D. A. (1974) Cape Grass Owl in Ethiopia. *Bull. Brit. Orn. Club* 94: 38-39.
- 1355 Turner, D. A. (1982) The status and distribution of the Arabian Bustard *Otis tarda* in northeastern Africa and its possible occurrence in northern Kenya. *Scopus* 6: 20-21.
- 1356 Turner, D. A. and Dowsett, R. J. (1988) Additions and corrections to Afrotropical and Malagasy avifaunas, 1. Western Indian Ocean islands. *Tauraco* 1: 130-138.
- 1357 Turner, D. A. and Forbes-Watson, A. D. (1976) Additional migrant records from Seychelles. *Bulletin of the British Ornithologists' Club* 96: 57-58.
- 1358 Turner, D. A. and Goriup, P. D. (1989) The status of Denham's Bustard in Kenya. *Bustard Studies* 4: 170-173.
- 1360 Urban, E. K., Fry, C. H. and Keith, S. (1986) *The birds of Africa*. Volume 2. Academic Press. -London and Florida
- 1362 Van Ee, C. A. (1981) Status of the Blue Crane in south and southwest Africa. P. 259 in Lewis, J. C. and Masatomi, H. (eds.) *Crane research around the world*. Robinson Press. -Fort Collins, Colorado
- 1363 Vardhan, H. (1985) A report on the status of bustards in India. *Bustard Studies* 3: 113-118.
- 1365 Vatev, I. T. (1991) Observations de Flamant rose *Phoenicopterus ruber* en Bulgarie. *Alauda* 59: 53-54.
- 1367 Vázquez, M. A. and Maldonado Rodríguez, D. M. A. (1990) Loro Cabeza Amarilla (*Amazona ochrocephala*) en el estado de Tamaulipas. -Unpublished
- 1368 Verheugt, W. (1987) Conservation status and action program for the Milky Stork *Mycteria cinerea*. *Colonial Waterbirds* 10(2): 211-220.
- 1369 Verheugt, W. J. M. (1989) Status of storks in the South Sumatra Province, Indonesia. *Specialist Group on Storks. Ibis and Spoonbills Newsletter* 2: 8-9.
- 1370 Vernon, C. J. and Piper, S. E. (1986) The Cape Vulture colony at Colleywobbles, Transkei, in 1984 and 1985. *Vulture News* 15: 27-28.
- 1373 Vierheilig, M. B. and Vierheilig, H. (1988) Beiträge zu status und biologie von papageien der Insel Margarita, Venezuela. *Gefiederte Welt* 112: 50-52, 91.
- 1375 Viljoen, P. J. (1983) Distribution, numbers and group size of the Karoo Korhaan in Kaokoland, South West Africa. *Ostrich* 54: 50-51.
- 1376 Village, A. (1990) *The Kestrel*. Poyser. -Calton, U.K.
- 1377 Vinokurov, A. A. (1982) Present status of the *Branta ruficollis* population and measures for its conservation. *Aquila* 89: 115-122.

- 1378 Vlug, J. J. and Fjeldsa, J. (1990) *Working bibliography of the grebes of the world: with summaries of current taxonomy and distributional status.*
- 1380 Voous, K. H. (1983) *Birds of the Netherlands Antilles.* De Walburg Pers. -Zutphen
- 1381 Vries, T. de. (1984) Problems of reintroducing native animals on islands where they have been exterminated. *Noticias de Galapagos* 40: 12.
- 1382 Vries, T. de. (1989) Conservation, status and ecological importance of the Galapagos Hawk *Buteo galapagoensis.* Pp. 327-330 in Meyburg, B.-U. and Chancellor, R. D. (eds.) *Raptors in the modern world.* Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls.
- 1383 Walker, F. J. (1981) Notes on the birds of northern Oman. *Sandgrouse* 2: 33-55.
- 1384 Walkinshaw, L. (1973) *Cranes of the world.* Winchester Press. - New York
- 1385 Wall, J. W. (1992) Worldtwitch. *Winging It* 4(4): 53.
- 1386 Wallace, D. I. M. (1982) Observations on migrant birds at Azraq and north-east Jordan, up to April 1967. *Sandgrouse* 4: 77-99.
- 1387 Wallace, D. I. M. (1984) Selected observations from Lebanon, Syria and Jordan in the springs of 1963 and 1966. *Sandgrouse* 6: 24-47.
- 1388 Walsh, J. F. (1977) Nesting of the Jabiru Stork *Ephippiorhynchus senegalensis* in West Africa. *Bulletin of the British Ornithologists' Club* 97: 136.
- 1389 Walsh, J. F. (1987) Records of birds seen in north-eastern Guinea in 1984-85. *Malimbus* 9(2): 105-122.
- 1391 Walter, A., Walter, J. P. and Brown, C. J. (1986) Breeding record for the Cape Eagle Owl in Namibia. *Madoqua* 14: 429-431.
- 1392 Waltrer, H. (1979) *Eleonora's Falcon, adaptations to prey and habitat in a social raptor.*
- 1393 Warr, F. E. (1993) *A list of Qatar's birds.* Privately distributed.
- 1394 Watling, D. (1982) *Birds of Fiji, Tonga and Samoa.* Millwood Press. -Wellington
- 1395 Watling, D. (1983) Sandbox incubator. *Animal Kingdom* 86(3): 30-35.
- 1397 Weaver, C. M. (1982) Breeding habits and status of the Golden-shouldered Parrot *Psephotus chrysoterygius* in Queensland. *Emu* 82: 2-6.
- 1398 Webb, H. P. (1992) Field observations of the birds of Santa Isabel, Solomon Islands. *Emu* 92: 52-57.
- 1399 Weiss, J. (1986) Tatigkeitsbericht 1977-84 der Arbeitsgruppe Feldornithologie. *Regulus* 4: 167-306.
- 1401 Welch, G. R and Welch, H. J. (1988) Djibouti III - preliminary report. *Ornithological Society of the Middle East Bulletin* 20: 1-2.
- 1402 Welch, G. R. and Welch, H. J. (1989) A preliminary survey of the Arabian Bustard in Djibouti. *Bustard Studies* 4:
- 1403 Wells, D. R. (1985) The forest avifauna of western Malesia and its conservation. Pp. 213-232 In: Diamond, A.W. and Lovejoy, T.E. (eds.) *Conservation of tropical forest birds.* ICBP. -Cambridge, U.K.
- 1405 Wells, S. (1988) Red Data bird: Philippine Eagle. *World Birdwatch* 10(2): 5.
- 1406 Weske, J. S. and Terborgh, J. W. (1977) *Phaethornis koepckeae* a new species of hummingbird from Peru. *Condor* 79: 143-147.
- 1407 Weske, J. S. and Terborgh, J. W. (1981) *Otus marshalli* a new species of screech owl in Peru. *Auk* 98: 1-7.
- 1408 Wetmore, A. and Swales, B. H. (1931) The birds of Haiti and the Dominican Republic. *Bulletin of the United States National Museum* 155:
- 1409 Wheelwright, N. T. (1983) Fruits and the ecology of Respendent Quetzals. *Auk* 100: 286-301.
- 1410 White, C. M. N. and Bruce, M. D. (1986) *The birds of Wallacea (Sulawesi, the Moluccas and Lesser Sunda Islands, Indonesia): an annotated checklist.* British Ornithologists' Union Checklist No. 7. -London

- 1411 White, D. M. (1985) A report on the captive breeding of Australian Bustards at Serendip Wildlife Research Station. *Bustard Studies* 3: 195-212.
- 1412 Wiedenfeld, D. A., Schulenberg, T. S. and Robbins, M. B. (1985) Birds of a tropical deciduous forest in extreme northwestern Peru. Pp. 305-315 in Buckley, P. A., Foster, M. S., Morton, E. S., Ridgely, R. S. and Buckley, F. G. (eds.) *Neotropical ornithology*. American Ornithologists' Union Ornithological Monograph No. 36. -Washington D.C.
- 1413 Wilbur, S. R. and Kiff, L. F. (1980) The California Condor in Baja California, Mexico. *American Birds* 34: 856-859.
- 1414 Wilcove, D. S. (1987) Public lands management and the fate of the Spotted Owl. *American Birds* 41(3): 361-367.
- 1415 Wild Bird Society of Japan. (1982) *A field guide to the birds of Japan*. -Tokyo
- 1418 Wiley, J. W. (1991) The status and conservation of parrots and parakeets in the Greater Antilles, Bahama Islands, and Cayman Islands. *Bird Conservation International* 1: 187-214.
- 1419 Wiley, J. W. and Ottenwalder, J. A. (1990) Birds of islas Beata and Alto Velo, Dominican Republic. *Studies on Neotropical Fauna and Environment* 25(2): 65-88.
- 1420 Wiley, J. W. and Wiley, B. N. (1981) Breeding season ecology and behaviour of Ridgway's Hawk *Buteo ridgwayi*. *Condor* 83: 132-151.
- 1421 Wilkinson, R. J. (1991) Systematic list of bird species recorded at Barito Ulu. Pp. 30-54 In: Anon. *The avifauna of Barito Ulu, central Borneo*. (Study Report 48). International Council for Bird Preservation. - Cambridge, U.K.
- 1422 Willgoths, J. F. (1984) *Havorn i Norge*. Direktorat for Vilt og Ferskvannsfisk. -Trondheim
- 1425 Williams, G. R. and Given, D. R. (1981) *The red data book of New Zealand*. Nature Conservation Council. -Wellington
- 1426 Williams, J. (1987) Wattled Crane survey in Caprivi. *Quagga* 18: 22-23.
- 1427 Williams, M. D. (1986) Preliminary report on the China Cranewatch 1986. -Unpublished
- 1428 Williams, M. D., Bakewell, D. N., Carey, G. J. and Holloway, S. J. (1986) On the bird migration at Beidaihe, Hebei Province, China, during spring 1985. *Forktail* 2: 3-20.
- 1429 Williams, M. J. (1986) The number of Auckland Island Teal. *Wildfowl* 37: 63-70.
- 1430 Wilson, R. P. (1985) Seasonality in diet and breeding success of the Jackass Penguin *Spheniscus demersus*. *Journal für Ornithologie* 126: 53-62.
- 1431 Wilson, R. P. (1985) The Jackass Penguin (*Spheniscus demersus*) as a pelagic predator. *Marine Ecology Progress Series* 25: 219-227.
- 1432 Wilson, R. T. (1976) The Ostrich *Struthio camelus* in Darfur, Republic of Sudan. *Bulletin of the British Ornithologists' Club* 96: 123-125.
- 1433 Wilson, V. J. (1972) Notes on *Otis denhami jacksoni* from the Nyika plateau. *Bulletin of the British Ornithologists' Club* 92: 77-81.
- 1434 Winterbottom, J. M. (1974) Turtle Dove *Streptopelia turtur* in South West Africa. *Bulletin of the British Ornithologists' Club* 94: 19.
- 1436 Yoon Moo-Boo. (1993) [Wild birds of Korea.]. (Korean)
- 1437 Wood, D. S., Leberman, R. C. and Weyer, D. (1986) *Checklist of the birds of Belize*. Carnegie Museum of Natural History. - Pittsburgh
- 1438 Woods, C.A. and Ottenwalder, J.A. *Birds of the national parks of Haiti*. University of Florida, Gainesville
- 1439 Woods, R. W. (1988) *Guide to the birds of the Falkland Islands*. Anthony Nelson. -Oswestry, U.K.
- 1440 Wotzkow, C. (1985) Status and distribution of Falconiformes in Cuba. *Bulletin of the World Working Group on Birds of Prey* 2: 1-10.
- 1441 Wotzkow, C. (1986) Ecological observations of Gundlach's Hawk *Accipiter gundlachii* in Cuba. *Birds of Prey Bull.* 2: 1-10.

- 1442 Wotzkow, C. (1991) New subspecies of Gundlach's Hawk, *Accipiter gundlachi* (Lawrence). *Birds of Prey Bull.* 4: 271-292.
- 1444 Yamashita, C. (1987) Field observations and comments on the Indigo Macaw (*Anodorhynchus leari*), a highly endangered species. from north-eastern Brazil. *Wilson Bulletin* 99: 280-282.
- 1446 Young, H. G. (1991) The endemic wildfowl of Madagascar. *IWRB Threatened Wildfowl Research Group Newsletter* 1: 12-13.
- 1447 Young, L., Garson, P. J. and Kaul, R. (1987) Calling behaviour and social organization in the Cheer Pheasant: implications for survey technique. *World Pheasant Association Journal* 12: 30-43.
- 1448 Young, L., Hussain, M. and Asker, G. (1986) Margala Hills Cheer Pheasant reintroduction project progress report - 1985. In: Ridley, M. (ed.) *Pheasants in Asia 1986*. World Pheasant Association. -Basildon, U.K.
- 1449 Yus Rusila Noor and Tulus Th Sibuea. (1993) Milky Stork banding at Pulau Rambut, West Java, Indonesia. *Specialist Group on Storks, Ibis and Spoonbills Newsletter* 6(1/2): 10.
- 1450 Zheng Guang-mei, Zhao Xin-ru and Song Jie. (1986) On the breeding ecology of the Cabot's Tragopan *Tragopan caboti*. In: Ridley, M. (ed.) *Pheasants in Asia 1986*. World Pheasant Association. -Basildon, U.K.
- 1451 Zheng Guang-mei, Zhao Xin-ru, Song Jie, Liu Zong-xing and Zhou Hongqing. (1986) [Feeding ecology of the Cabot's Tragopan *Tragopan caboti*.]. *Acta Ecologica Sinica* 6: 283-288. (Chinese)
- 1452 Zheng Guang-mei, Zhao Xin-ru, Song Jie, Liu Zong-xing and Zhou Hongqing. (1985) [On the breeding ecology of *Tragopan caboti*.]. *Acta Ecologica Sinica* 5: 379-385. (Chinese)
- 1453 Zonfrillo, B. (1977) Re-discovery of the Andean Condor *Vultur gryphus* in Venezuela. *Bulletin of the British Ornithologists' Club* 97: 17-18.
- 1454 Zubakin, W. A. and Flint, W. E. (1980) Oekologie und Verhalten der Reliktmöwe (*Larus relictus* Lonn.). *Beiträge Vogelkunde* 26: 253-275.
- 1457 Shibaev, Yu.A. (1987) Distributional survey of Japanese Crested Ibis by questionnaire using colour postcards in Far East USSR. Summary, p. 48 In: *The Third Japan-USSR Bird Protection Symposium*, 21 November 1986. Wild Bird Society of Japan, Tokyo
- 1458 Shibaev, Yu. A. (1987) Interim report on population survey of Steller's Sea-Eagle in winter in USSR. Summary p. 48 in: *The Third Japan-USSR Bird Protection Symposium*, 21 November 1986. [Tokyo]. Wild Bird Society of Japan.
- 1459 Howell, S. N. G. and Webb, S. (1995) Noteworthy bird observations from Chile. *Bulletin of the British Ornithologists' Club* 115: 57-66
- 3746 Amos, S. H. (1985) Efforts to save the endangered Black-hooded Red Siskin. *AFA Watchbird* 12(6): 19.
- 3747 Archer, G. and Godman, E. M. (1937) The birds of British Somaliland and the Gulf of Aden. Volumes 1 and 2. Gurney and Jackson. -London
- 3748 Archer, G. and Godman, E. M. (1961) *The birds of British Somaliland and the Gulf of Aden*. Volumes 3 and 4. Oliver and Boyd. -Edinburgh
- 3749 Kuroda, N. (1933) *Birds of the island of Java*. Published by the author. -Tokyo
- 3750 Pfeffer, P. L. (1961) Etude d'une collection d'oiseaux de Borneo. Parts I et II. *L'Oiseau* 30: 154-168, 191-218.
- 3751 Pfeffer, P.L. (1961) Etude d'une collection d'oiseaux de Borneo. *L'Oiseau* 31: 1-29
- 5116 Ergueta S., P. and de Morales, C (eds.)(1996) *Libro rojo de los vertebrados de Bolivia*. CDC - Bolivia. -La Paz, Bolivia
- 5239 Crozier, J., Dubourg-Savage, M. J. and Clamens. A. (1995) Andorra: ocells, oiseaux, aves, birds. Associació per a la Defensa de la Natura.
- 5240 Adamian, M. S. and Klem, D. Jr. (1997) *A field guide to the birds of Armenia*. American Museum of Armenia.
- 5241 Howell, S. N. G. and Webb, S. (1995) *A guide to the birds of Mexico and Northern Central America*. Oxford University Press. -Oxford

- 5242 Raffaele, H., Wiley, J., Garrido, O., Keith, A. and Raffaele, J. (1998) *Birds of the West Indies*.
- 5243 Sun Hean, Seng Kim Hout, Keo Omaliss, Heng Neatmony and C. Poole. (1998) [The birds of Cambodia]. European Support Programme for the Environment Sector in Cambodia and the Wildlife Protection Office of the Department of Forestry. Ministry of Agriculture, Forestry and Fisheries. Royal Government of (Khmer)
- 5245 Shirihai, H. (ed.) (1996) *The birds of Israel*. Academic Press. - London
- 5246 Gatter, W. (1997) *Birds of Liberia*. Pica Press. -Sussex
- 5247 Zalakevicius, M. (1995) *Birds of Lithuania, status, number, distribution (breeding, migration, wintering)*.
- 5248 Conzemius, T. (1995) Liste der Vögel Luxemburgs. *Regulus* 14: 41-56.
- 5249 Morris, P. and Hawkins, A. F. (1998) *Birds of Madagascar: a photographic guide*. Pica Press. - Sussex
- 5250 Rowlands, B. W., Trueman, T., Olson, S. L., McCulloch, M. N. and Brooke, R. K. (1998) *The birds of St Helena: an annotated checklist*. BOU Checklist No. 16. British Ornithologists' Union. - Tring
- 5251 Keith, A. R. (1997) *The birds of St Lucia: an annotated checklist*. BOU Checklist No. 15. British Ornithologists' Union. -Tring
- 5252 Ash, J. S. and Miskell, J. E. (1998) *Birds of Somalia*. Pica Press. -Sussex
- 5253 Zimmerman, D. A., Turner, D. A. and Pearson, D. J. (1996) *Birds of Kenya and northern Tanzania*. Christopher Helm. -London
- 5254 Cheke, R. A. and Walsh, J. F. (1996) *The birds of Togo: an annotated checklist*. BOU Checklist No. 14. British Ornithologists' Union. -Tring
- 5257 Gorman, G. (1996) *The birds of Hungary*. Christopher Helm. - London
- 5258 Kren, J. (2000) *Birds of the Czech Republic*. Christopher Helm. -London
- 5259 Garrido, O. H. and Kirkconnell, A. (2000) *Birds of Cuba*. Christopher Helm. -London
- 5260 Doughty, C., Day, N. and Plant, A. (1999) *Birds of the Solomons, Vanuatu & New Caledonia*. Christopher Helm. -London
- 5261 Inskip, C., Inskip, T. and Grimmett, R. (1999) *Birds of Bhutan*. Christopher Helm. - London
- 5264 Nguyen Cu, Le Trong Trai and Phillipps, K. (2000) *Chim Viet Nam*. (Vietnamese)
- 5267 Dean, W. R. J. (2000) *The birds of Angola: an annotated checklist*. BOU Checklist No. 18. British Ornithologists' Union. - Tring
- 5269 Gavrilov, E. I. (2000) *Guide to the birds of the Kazakhstan Republic (names, distribution, abundance)*.
- 5270 Kennedy, R. S., Gonzales, P. C., Dickinson, E. C., Miranda, H. C. Jr and Fisher, T. H. (2000) *A guide to the birds of the Philippines*. Oxford University Press. -Oxford
- 5271 Harrison, J. A. (1999) *A field guide to the birds of Sri Lanka*. Oxford University Press. -Oxford
- 5272 Herroelen, P. (1997) *Liste des oiseaux de Belgique (espèces, sous-espèces, statut et nombre de couples nicheurs) 1901-1995*. 2me edition.
- 5273 van den Berg, A. B. (1994) *Liste van Nederlandse Vogelsoorten 1994*.
- 5274 Barthel, P. (1993) Artenliste der Vögel Deutschlands. *J. Orn.* 134: 113-135.
- 5275 Ree, V. and Gjershaug, J. O. (1994) Systematisk navneliste over norske fugler ajourført pr. 1.1.1994. Pp. 511-527 in J. O. Gjershaug et al. (eds.) *Norsk Fugleatlas*
- 5277 Veromann, H. and Leibak, E (eds.) (1994) *Birds of Estonia: numbers, distribution and phenology*.
- 5278 Celmins, A. (1992) *List of Latvian bird species 1992*.
- 5279 Trnka, A., Kristin, A., Danko, S., Harvancik, S., Kocian, L., Karaska, D. and Murin, B. (1995) [Checklist of the birds of Slovakia]. *Tichodroma* 8: 7-21.
- 5280 Nankinov, D. (1992) Check list of bird species and subspecies in Bulgaria. *Avocetta* 16: 1-17.
- 5281 Handrinos, G. and Akriotis, T. (1997) *The birds of Greece*. Christopher Helm. -London

- 5282 Kirwan, G., Martins, R. P., Eken, G. and Davidson, P. (1998) A checklist of the birds of Turkey. *Sandgrouse Suppl.* (1) 31 pp.
- 5283 Baumgart, W. (1995) *Die Vögel Syriens*.
- 5284 Ramadan-Jaradi, G. and Ramadan-Jaradi, M. (1999) An updated checklist of the birds of Lebanon. *Sandgrouse* 21: 132-171
- 5287 Arballo, E. and Cravino, J. L. (1999) *Aves del Uruguay*. Manual Ornitológico/Handbook of the birds of Uruguay, Vol. 1. Editorial Ministerio sur, S.R.L. - Montevideo
- 5288 Winkler, R. (1999) Avifauna der Schweiz zweite, neu bearbeitete. Auflage. *Orn. Beob. Beiheft* (10)
- 5289 Brichetti, P. and Massa, B. (1998) Check-list degli uccelli italiani aggaornata a tutto il 1997. *Riv. Ital. Ornithol.* 68: 129-152.
- 5290 Kraij, J. (1997) [Croatian ornithofauna in the last 200 years.]. *Larus* 46: 1-112. (Croatian)
- 5291 Narosky T. and Yzurieta D. (1989) *Birds of Argentina and Uruguay: a field guide*. Second edition.
- 5292 Araya, B. and Chester, S. (1993) *The birds of Chile: a field guide*.
- 5293 Cherg Tso-hsin. (ed.)(1994) *A complete checklist of the species and subspecies of Chinese birds*.
- 5294 Ridgely, R., Greenfield, P. and Guerrero, M. (1999) *An annotated list of the birds of mainland Ecuador*.
- 5295 Hayes, F. E. (1995) *Status, distribution and biogeography of the birds of Paraguay*. American Birding Association.
- 5296 Haverschmidt, F. and Mees, G. F. (1995) *The birds of Suriname*. Second edition.
- 5297 Porter, R. F., Christensen S. and Schiermacker-Hansen, P. (1996) *Field guide to the birds of the Middle East*. T. & A. D. Poyser. - London
- 6186 Sick, H. (1993) *Birds in Brazil*. Princeton University Press. - Princeton, USA
- 6187 Delacour, J. and Jabouille, P. (1940) Liste des oiseaux de l'Indochine française, complétée et mise à jour. *L'Oiseau et R.f.O.* 10: 89-220.
- 6188 British Ornithologists' Union. (1992) *Checklist of the birds of Britain and Ireland*. Sixth edition. British Ornithologist' Union. - Tring
- 6190 Marks, J.S., Cannings, R.J. and Mikkola, H. (1999) Family Strigidae (typical owls). in J del Hoyo et al (eds) *Handbook of the birds of the world* -5. *Barn-owls to hummingbirds*. 76-242 Lynx Edicions. -Barcelona
- 6193 Rose, P.M. & Scott, D.A (comps.)(1997) *Waterfowl Population Estimates*. Wetlands International. -Wageningen, The Netherlands
- 6197 Mackereth, B. (1992) Sightings of White Heron at Suva. *Notornis* 39: 70-71
- 6198 Fremont, J. Y. (1995) [*Threskiornis aethiopicus*, a new breeding species for France.]. *Ornithos* 2: 44-45. (French)
- 6199 Seddon, N., Barnes, R., Butchart, S. H. M., Davies, C. W. N. and Fernandez, M. (1996) Recent observations and notes on the ecology of the Royal Sunangel *Heliangelus regalis*. *Bulletin of the British Ornithologists' Club* 116: 46-49
- 6200 Rasmussen, J. F., Rahbek, C., Poulsen, B. O., Poulsen, M. K. and Bloch, H. (1996) Distributional records and natural history notes on threatened and little known birds of southern Ecuador. *Bulletin of the British Ornithologists' Club* 116: 26-46
- 6201 Haupt, H., Lutz, K. & Boye, P (eds.)(2000) Internationale Impulse für den Schutz von Wasservögeln in Deutschland. 306 Bundesamt für Naturschutz 2000. -Münster (German)

6217	La Commission des Communautés Européennes. (2000) Règlement (CE) n° 2724/2000 de la Commission du 30 novembre 2000 modifiant le règlement (CE) n° 338/97 du Conseil relatif à la protection des espèces de faune et de flore sauvages par la réglementation de leur commerce. <i>Journal officiel n° L 320 320:</i> (French)	6222	Die Kommission Der Europäischen Gemeinschaften. (2000) Verordnung (EG) Nr. 2724/2000 der Kommission vom 30. November 2000 zur Änderung der Verordnung (EG) Nr. 338/97 des Rates ueber den Schutz von Exemplaren wildlebender Tier- und Pflanzenarten durch Ueberwachung des Handels. <i>Amtsblatt nr. L 320 320:</i> (German)
6218	Commission of the European Communities. (2000) Commission Regulation (EC) No 2724/2000 of 30 November 2000 amending Council Regulation (EC) No 338/97 on the protection of species of wild fauna and flora by regulating trade therein. <i>Official Journal L 320 320:</i>	6223	Euroopan Yhteisöjen Komissio. (2000) Komission asetus (EY) N:o 2724/2000, annettu 30 päivänä marraskuuta 2000, luonnonvaraisten eläinten ja kasvien suojelesta niiden kauppaä sääntelemällä annetun neuvoston asetuksen (EY) N:o 338/97 muuttamisesta. <i>Virallinen lehti nro L 320 320:</i> (Finnish)
6219	Comisión De Las Comunidades Europeas. (2000) Reglamento (CE) n° 2724/2000 de la Comisión, de 30 de noviembre de 2000, que modifica el Reglamento (CE) n° 338/97 del Consejo relativo a la protección de especímenes de la fauna y flora silvestres mediante el control de su comercio. <i>Diario Oficial n° L 320 320:</i> (Spanish)	6224	De Commissie van de Europese Gemeenschappen. (2000) Verordening (EG) nr. 2724/2000 van de Commissie van 30 november 2000 tot wijziging van Verordening (EG) nr. 338/97 van de Raad inzake de bescherming van in het wild levende dier- en plantensoorten door controle op het desbetreffende handelsverkeer. <i>Publikatieblad nr L 320 320:</i> (Dutch)
6220	Kommissionen For De Europæiske Fællesskaber Har. (2000) Kommissionens forordning (EF) nr. 2724/2000 af 30. november 2000 om ændring af Raadets forordning (EF) nr. 338/97 om beskyttelse af vilde dyr og planter ved kontrol af handelen hermed. <i>EF-Tidende NR. L 320 320:</i> (Danish)	6228	Wells, D. R. (1999) <i>The birds of the Thai-Malay Peninsula.</i> Volume 1: Non-passerines. Academic Press. -London
6221	La Commissione Delle Comunità Europee. (2000) Regolamento (CE) n. 2724/2000 della Commissione, del 30 novembre 2000, che modifica il regolamento (CE) n. 338/97 del Consiglio relativo alla protezione di specie della flora e fauna selvatiche mediante il controllo dei loro commercio. <i>Gazzetta ufficiale n. L 320 320:</i> (Italian)	6229	CMS Secretariat. (1999) Proceedings of the First Session of the Meeting of the Parties to the Agreement on the Conservation of African-Eurasian Migratory Waterbirds. Cape Town, South Africa. 6-9 November 1999. CMS. -Bonn, Germany
		6230	AEWA Secretariat. (1999) Report on the Conservation Status of Migratory Waterbirds in the Agreement Area. First Meeting of the Contracting Parties to the African-Eurasian Waterbird Agreement (AEWA, 1995). 153 Interim Secretariat of AEWA, Wetlands International, Minister of Agriculture, Nature Management and Fisheries of the Netherlands.

- 6231 Howell, S. N. G. and Webb, S. (1992) New and noteworthy bird records from Guatemala and Honduras. *Bulletin of the British Ornithologists' Club* 112: 42-49
- 6234 Hagemeijer, W. J. M. and Blair, M. J. (eds.) (1997) *The atlas of European breeding birds: their distribution and abundance*. T & A D Poyser. -London
- 6238 Capper, D. R., Clay, R. P., Madroño N., A., Barnett, J. M., Burfield, I. J., Esquivel, E. Z., Kennedy, C. P., Perrens, M. & Pople, R. G. (2001) First records, noteworthy observations and new distributional data for birds in Paraguay. *Bulletin of the British Ornithologists' Club* 121(1): 23-37
- 6239 Sharpe, C. J., Ascanio-Echeverria, D. and Rodríguez, G. A. (2001) Further range extensions and noteworthy records for Venezuelan birds. *Bulletin of the British Ornithologists' Club* 121(1): 50-62
- 6250 Clark, W. S. (2001) First record of European Griffon *Gyps fulvus* for Kenya. *Bulletin of the African Bird Club* 8: 59-60
- 6252 Baha El Din, S. and Baha El Din, M. (2001) Status and distribution of Hume's Tawny Owl *Strix butleri* in the Eastern Desert of Egypt. *Bulletin of the African Bird Club* 8: 18-20
- 6253 Skerrett, A. and the Seychelles Bird Records Committee. (2001) The second report of the Seychelles Bird Records Committee. *Bulletin of the African Bird Club* 8: 23-29
- 6255 Barnett, L. K. and Emms, C. (2001) New species and breeding records for The Gambia. *Bulletin of the African Bird Club* 8: 44-45
- 6264 Scharringga, J. (1994) A record of the Bonelli's Eagle (*Hieraetus fasciatus*) in Thailand. *Natural History Bulletin of the Siam Society* 42: 291
- 6269 O'Sullivan, K. (1994) A record of Cinereous Vulture (*Aegypius monachus*) for Cambodia. *Natural History Bulletin of the Siam Society* 42: 297-299
- 6276 Dowsett, R. J. and Forbes-Watson, A. D. (1993) *Checklist of birds of the Afrotropical and Malagasy regions. Volume 1: species limits and distribution*. Tauraco Press. -Liège, Belgium
- 6289 Whittaker, A. and Oren, D. C. (1999) Important ornithological records from the Rio Juruá, western Amazonia, including twelve additions to the Brazilian avifauna. *Bulletin of the British Ornithologists' Club* 119: 235-260
- 6290 Hilty, S. L. (1999) Three bird species new to Venezuela and notes on the behaviour and distribution of other poorly known species. *Bulletin of the British Ornithologists' Club* 119: 220-235
- 6291 Mauricio, G. N. and Dias, R. A. (2000) New distributional information for birds in southern Rio Grande do Sul, Brazil, and the first record of the Rufous Gnateater *Conopophaga lineata* for Uruguay. *Bulletin of the British Ornithologists' Club* 120: 230-237
- 6292 Naka, L. N., Barnett, J. M., Kirwan, G. M., Tobias, J. A. and Azevedo, M. A. G. de. (2000) New and noteworthy bird records from Santa Catarina state, Brazil. *Bulletin of the British Ornithologists' Club* 120: 237-250
- 6294 Demey, R., Herroelen, P. and Pedersen, T. (2000) Additions and annotations to the avifauna of Congo-Kinshasa (ex-Zaire). *Bulletin of the British Ornithologists' Club* 120: 154-172
- 6295 Dowsett, R. J. and Dowsett-Lemaire, F. (2000) New species and amendments to the avifauna of Cameroon. *Bulletin of the British Ornithologists' Club* 120: 179-185
- 6297 Strewe, R. (2000) New distributional sightings of 28 species of birds from Dpto. Nariño, SW Colombia. *Bulletin of the British Ornithologists' Club* 120: 189-195

- 6298 Rasmussen, P. C., Schulenberg, T. S., Hawkins, F. and Voninavoko, R. (2000) Geographic variation in the Malagasy Scops-Owl (*Otus rutilus* auct.): the existence of an unrecognized species on Madagascar and the taxonomy of other Indian Ocean taxa. *Bulletin of the British Ornithologists' Club* 120: 75-102
- 6299 Herroelen, P., Louette, M. and Adams, M. (1999) A reassessment of the subspecies in the owl *Glaucidium tephronotum*, with notes on its biology. *Bulletin of the British Ornithologists' Club* 119: 151-162
- 6301 Dowsett, R. J., Aspinwall, D. R. and Leonard, P. M. (1999) Further additions to the avifauna of Zambia. *Bulletin of the British Ornithologists' Club* 119: 94-103
- 6303 Massa, B. (1999) New and less known birds from Libya. *Bulletin of the British Ornithologists' Club* 119: 129-133
- 6304 Kirwan, G. M. and Sharpe, C. J. (1999) Range extensions and notes on the status of little-known species from Venezuela. *Bulletin of the British Ornithologists' Club* 119: 38-47
- 6305 Lambert, F. R. and Rasmussen, P. C. (1998) A new scops owl from Sangihe Island, Indonesia. *Bulletin of the British Ornithologists' Club* 118: 204-217
- 6307 Begazo, A. J. and Valqui, T. H. (1998) Birds of Pacaya-Samiria National Reserve with a new population (*Myrmotherula longicauda*) and new record for Peru (*Hylophilus semicinereus*). *Bulletin of the British Ornithologists' Club* 118: 159-166
- 6308 Anderson, D. L., Bonta, M. and Thorn, P. (1998) New and noteworthy bird records from Honduras. *Bulletin of the British Ornithologists' Club* 118: 178-183
- 6316 Collar, N. J. (1998) Wattled Cranes in Guinea-Bissau. *Bulletin of the British Ornithologists' Club* 118: 57-58
- 6317 Krabbe, N., Poulsen, B. O., Frolander, A. and Barahona, O. R. (1997) Range extensions of cloud forest birds from the high Andes of Ecuador: new sites for rare or little-recorded species. *Bulletin of the British Ornithologists' Club* 117: 248-256.
- 6318 Toyne, E. P. and Flanagan, J. N. M. (1997) Observations on the breeding, diet and behaviour of the Red-faced Parrot *Hapalopsittaca pyrrhops* in southern Ecuador. *Bulletin of the British Ornithologists' Club* 117: 257-263
- 6320 Valley, A. C. and Aversa, T. (1997) New and noteworthy bird records from Belize including the first record of Chestnut-collared Swift *Cypseloides rutilus*. *Bulletin of the British Ornithologists' Club* 117: 272-274
- 6321 Lowen, J. C. et al. (1997) New and noteworthy observations on the Paraguayan avifauna. *Bulletin of the British Ornithologists' Club* 117: 275-293
- 6324 Bradshaw, C. G., Kirwan, G. M. and Williams, R. S. R. (1997) First record of Swainson's Hawk *Buteo swainsoni* for the West Indies. *Bulletin of the British Ornithologists' Club* 117: 315-316
- 6326 Lousada, S. A. and Howell, S. N. G. (1997) *Amazona oratrix hondurensis*: a new subspecies of parrot from the Sula Valley of northern Honduras. *Bulletin of the British Ornithologists' Club* 117: 205-209
- 6327 Herzog, S. K., Kessler, M., Maijer, S. and Hohnwald, S. (1997) Distributional notes on birds of Andean dry forests in Bolivia. *Bulletin of the British Ornithologists' Club* 117: 223-235
- 6328 Prawiradilaga, D. M. (1997) The Maleo *Macrocephalon maleo* on Buton. *Bulletin of the British Ornithologists' Club* 117: 237
- 6330 Hazevoet, C. J. (1997) On a record of the Wattled Crane *Bugeranus carunculatus* from Guinea-Bissau. *Bulletin of the British Ornithologists' Club* 117: 56-59

- 6332 Barnes, R., Butchart, S. H. M., Davies, C. W. N., Fernández, M. and Seddon, N. (1997) New distributional information on eight bird species from northern Peru. *Bulletin of the British Ornithologists' Club* 117: 69-74
- 6334 Rasmussen, J. F., Rahbek, C., Poulsen, B. O., Poulsen, M. K. and Bloch, H. (1996) Distributional records and natural history notes on threatened and little known birds of southern Ecuador. *Bulletin of the British Ornithologists' Club* 116: 26-46
- 6346 Whitney, B. M., Rowlett, J. L. and Rowlett, R. A. (1994) Distributional and other noteworthy records for some Bolivian birds. *Bulletin of the British Ornithologists' Club* 114: 149-162
- 6347 Zhatkanbayev, A. H. (1994) The present state of pelican populations (*Pelecanus onocrotalus* and *P. crispus*) in Kazakhstan. *Bulletin of the British Ornithologists' Club* 114: 202-205
- 6351 Toyne, E. P. and Jeffcote, M. T. (1994) Nesting records of *Pionus* species in southern Ecuador. *Bulletin of the British Ornithologists' Club* 114: 124-127
- 6357 Howell, S. N. G. (1993) A taxonomic review of the Green-fronted Hummingbird. *Bulletin of the British Ornithologists' Club* 113: 179-187
- 6358 Pearman, M. (1993) Some range extensions and five species new to Colombia, with notes on some scarce or little known species. *Bulletin of the British Ornithologists' Club* 113: 66-75
- 6360 Best, B. J., Clarke, C. T., Checker, M., Broom, A. L., Thewlis, R. M., Duckworth, W. and McNab, A. (1993) Distributional records, natural history notes, and conservation of some poorly known birds from southwestern Ecuador and northwestern Peru. *Bulletin of the British Ornithologists' Club* 113: 108-119, 234-255
- 6361 Yamashita, C. and Valle, M. de P. (1993) On the linkage between *Anodorhynchus* macaws and palm nuts, and the extinction of the Glaucous Macaw. *Bulletin of the British Ornithologists' Club* 113: 53-60
- 6364 Ottosson, U. (1993) An observation of Bateleur *Terathopius ecaudatus* in northern Tunisia. *Bulletin of the British Ornithologists' Club* 113: 62-63
- 6366 Clark, W. S. (1992) The taxonomy of Steppe and Tawny Eagles, with criteria for separation of museum specimens and live eagles. *Bulletin of the British Ornithologists' Club* 112: 150-157
- 6368 Krabbe, N. (1992) Notes on distribution and natural history of some poorly known Ecuadorean birds. *Bulletin of the British Ornithologists' Club* 112: 169-174.
- 6370 Cabot, J. (1991) Distribution and habitat selection of *Buteo polyosoma* and *B. poecilochrous* in Bolivia and neighbouring countries. *Bulletin of the British Ornithologists' Club* 111: 199-209
- 6371 Walsh, J. F. (1991) On the occurrence of the Black Stork *Ciconia nigra* in West Africa. *Bulletin of the British Ornithologists' Club* 111: 209-215
- 6372 Parker, T. A. III, Castillo U., A., Gell-mann, M. and Rocha, O. O. (1991) Records of new and unusual birds from northern Bolivia. *Bulletin of the British Ornithologists' Club* 111: 120-138
- 6377 Ripley, S. D., Saha, S. S. and Beehler, B. M. (1991) Notes on birds from the Upper Noa Dihing, Arunachal Pradesh, northeastern India. *Bulletin of the British Ornithologists' Club* 111: 19-28
- 6379 Hedenstrom, A., Bensch, S., Hasselquist, D. and Ottosson, U. (1990) Observations of Palaearctic migrants rare to Ghana. *Bulletin of the British Ornithologists' Club* 110: 194-197

- 6383 King, J. R. and Holloway, S. J. (1990) Notes on the Giant Hummingbird *Patagona gigas* in southern Ecuador. *Bulletin of the British Ornithologists' Club* 110: 79-80
- 6385 Cabot, J. (1990) First record of *Upucerthia validirostris* from Bolivia and new Bolivian distributional data. *Bulletin of the British Ornithologists' Club* 110: 103-107
- 6388 Louette, M. (1989) Additions and corrections to the avifauna of Zaire (4). *Bulletin of the British Ornithologists' Club* 109: 217-225
- 6389 King, J. R. (1989) Notes on the birds of the Rio Mazan Valley, Azuay Province, Ecuador, with special reference to *Loptosittaca branickii*, *Hapalopsittaca amazonina pyrrhops* and *Metallura baroni*. *Bulletin of the British Ornithologists' Club* 109: 140-147
- 6390 Jenny, J. P., Ortiz, F. and Arnold, M. D. (1981) First nesting record of the Peregrine Falcon in Ecuador. *Condor* 83: 387
- 6393 Marin A., M., Kiff, L. F. and Peña G., L. (1989) Notes on Chilean birds, with descriptions of two new subspecies. *Bulletin of the British Ornithologists' Club* 109: 66-82
- 6397 Wendelken, P. W. and Martin, R. F. (1989) Recent data on the distribution of birds in Guatemala, 2. *Bulletin of the British Ornithologists' Club* 109: 31-36
- 6399 Hinkelmann, C. (1988) Comments on recently described new species of hermit hummingbirds. *Bulletin of the British Ornithologists' Club* 108: 159-169
- 6402 Joseph, L. (1988) Range extension of the Red-fan Parrot *Deroptyus accipitrinus* in Amazonian Brazil. *Bulletin of the British Ornithologists' Club* 108: 101-103
- 6403 Louette, M. (1988) Additions and corrections to the avifauna of Zaire (3). *Bulletin of the British Ornithologists' Club* 108: 112-120
- 6410 Hughes, R. A. (1988) Nearctic migrants in southwest Peru. *Bulletin of the British Ornithologists' Club* 108: 29-43
- 6411 Schoonmaker, P. K., Wallace, M. P. and Temple, S. A. (1985) Migrant and breeding Peregrine Falcons in northwest Peru. *Condor* 87: 423-424
- 6412 Louette, M. (1988) Additions and corrections to the avifauna of Zaire (2). *Bulletin of the British Ornithologists' Club* 108: 43-50
- 6413 Teixeira, D. M., Nacinovic, J. B. and Pontual, F. B. (1987) Notes on some birds of northeastern Brazil (2). *Bulletin of the British Ornithologists' Club* 107: 151-157
- 6414 Braun, M. J. and Wolf, D. E. (1987) Recent records of vagrant South American land birds in Panama. *Bulletin of the British Ornithologists' Club* 107: 115-117
- 6415 Schmitt, C. G. and Schmitt, D. C. (1987) Extensions of range of some Bolivian birds. *Bulletin of the British Ornithologists' Club* 107: 129-134
- 6416 Louette, M. (1987) Additions and corrections to the avifauna of Zaire (1). *Bulletin of the British Ornithologists' Club* 107: 137-143
- 6417 Lambert, F. R. (1987) New and unusual bird records from the Sudan. *Bulletin of the British Ornithologists' Club* 107: 17-19
- 6418 Fjeldsa, J., Krabbe, N. and Ridgely, R. S. (1987) Great Green Macaw *Ara ambiguus* collected in northwest Ecuador, with taxonomic comments on *Ara militaris*. *Bulletin of the British Ornithologists' Club* 107: 28-31
- 6420 Lamont, A. R. and Morgan, J. A. L. (2000) Pallid Harrier *Circus macrourus*: the first record for Peninsular Malaysia. *Forktail* 16: 174
- 6422 Mauro, I. and Drijvers, R. (2000) Minahassa Owl *Tyto inexspectata* at Lore Lindu National Park, Sulawesi, Indonesia in December 1998. *Forktail* 16: 180-182
- 6423 Ho Hua Chew and Sutari Supari. (2000) Observations of Plain-pouched Hornbills *Aceros subruficollis* in Tasek Temengor, Peninsular Malaysia. *Forktail* 16: 65-67
- 6424 Rasmussen, P. C. (2000) A review of the taxonomy and status of the Plain-pouched Hornbill *Aceros subruficollis*. *Forktail* 16: 83-91

- 6425 Cheng Tso-hsin. (1994) *A complete checklist of species and subspecies of the Chinese birds.* Science Press. -Beijing
- 6426 Dowsett-Lemaire, F. and Dowsett, R. J. (1999) Birds of the Parque Nacional de Monte ALEN, mainland Equatorial Guinea, with an updating of the country's list. *Alauda* 67(3): 179-188
- 6432 Stanton, D. B. (2000) The first Fulvous Whistling-duck *Dendrocygna bicolor* in Yemen and the Middle East. *Sandgrouse* 22(2): 130-131
- 6434 Duquet, M. and Richardson, C. (2000) First and second records of Crested Honey Buzzard *Pernis ptilorhynchus* in Iran. *Sandgrouse* 22(2): 133-134
- 6438 Kirwan, G. M. and Martins, R. P. (2000) Turkey Bird Report 1992-1996. *Sandgrouse* 22(1): 13-35
- 6445 Tareh, H. A. (2000) The status of Great Bustard *Otis tarda* in Iran. *Sandgrouse* 22: 55-60
- 6446 Parr, S. J., Sklyarenko, S., Brokhovich, S., Brookhouse, J., Collin, P. N. and Heredia, B. (2000) A baseline survey of Lesser Kestrel *Falco naumannii* in south-east Kazakhstan, April-May 1997. *Sandgrouse* 22(1): 36-42
- 6448 Lamsdell, C. and Lamsdell, D. (2000) The first Namaqua Dove *Oena capensis* in Cyprus. *Sandgrouse* 22(1): 68-69
- 6453 Martuscelli, P. and Yamashita, C. (1997) Rediscovery of the white-cheeked parrot *Amazona kawalli* (Grantsau and Camargo 1989) with notes on its ecology, distribution, and taxonomy. *Ararajuba* 5(2): 97-113
- 6454 Andrews, I. J., Khouri, F. and Shirihai, H. (1999) Jordan Bird Report 1995-97. *Sandgrouse* 21(1): 10-35
- 6456 Stanton, D. B. (1998) The first Speckled pigeon *Columba guinea* in Yemen and the Middle East. *Sandgrouse* 20(2): 145
- 6466 Eriksen, J. (1997) The first Crested Honey Buzzard *Pernis ptilorhynchus* in Oman. *Sandgrouse* 19(2): 143-144
- 6470 Nation, B., Nation, H. and Hooper, A. (1997) Birds new to Qatar. *Sandgrouse* 19(1): 56-62
- 6475 Goes, F. (1999) Notes on selected bird species in Cambodia. *Forktail* 15: 25-27
- 6476 Edwards, P. J. (1999) Recent waterbird surveys in Cambodia. *Forktail* 15: 29-42
- 6477 Rasmussen, P. C. and Ishtiaq, F. (1999) Vocalizations and behaviour of the Forest Owl *Athene (Heteroglaux) blewitti*. *Forktail* 15: 61-65
- 6478 Bishop, K. D. (1999) Preliminary notes on some birds in Bhutan. *Forktail* 15: 87-91
- 6483 Ma Ming. (1999) Greater Flamingo *Phoenicopterus ruber* and Rufous-tailed Scrub Robin *Cercotrichas galactotes*: two new species for China. *Forktail* 15: 105-106
- 6485 Duckworth, J. W. and Hedges, S. (1998) Bird records from Cambodia in 1997, including records of sixteen species new for the country. *Forktail* 14: 29-36
- 6486 Rasmussen, P. C. and Collar, N. J. (1998) Identification, distribution and status of the Forest Owl *Athene (Heteroglaux) blewitti*. *Forktail* 14: 41-49
- 6487 King, B. F. and Rasmussen, P. C. (1998) The rediscovery of the Forest Owl *Athene (Heteroglaux) blewitti*. *Forktail* 14: 51-53
- 6491 Lazaroff, C. (2001) Wild California Condors lay first egg in 15 years. <http://ens.lycos.com/ens/mar2001/2001-03-29-06.html>
Environment News Service.
- 6495 Ruschi, A. (1982) Uma nova espécie de Beija-flor do Brasil: *Amazilia rondoniae* n. sp. e a chave para determinar as espécies de Amazilia que ocorrem no Brasil. *Bol. Mus. Biol. Prof. "Mello Leitao"* Santa Teresa, Sér. Zool. 100: 1-2.
- 6503 Roy, M. S., Torres-Mura, J. C., Hertel, F., Lemus, M. and Sponer, R. (1999) Conservation of the Juan Fernandez firecrown and its island habitat. *Oryx* 33(3): 223-232.
- 6511 Balen, S. (Bas) van, Dirgayusa, I. W. A., Putra, I. M. A. and Prins, H. H. T. (2000) Status and distribution of the endemic Bali starling *Leucopsar rothschildi*. *Oryx* 34(3): 188-197.

- 6515 Baker, G. C. and Butchart, S. H. M. (2000) Threats to the maleo *Macrocephalon maleo* and recommendations for its conservation. *Oryx* 34(4): 255-261.
- 6516 Seddon, N., Tobias, J., Yount, J. W., Ramanampamony, J. R., Butchart, S. and Randrianizahana, H. (2000) Conservation issues and priorities in the Mikea Forest of south-west Madagascar. *Oryx* 34(4): 287-304.
- 6523 Alonso, J. C., Lane, S. J., Dawson, R. and Idaghdour, Y. (2000) Great bustards *Otis tarda* in Morocco: status in spring 1999 and evidence of a decline in recent decades. *Oryx* 34(2): 141-146.
- 6604 Wiedenfeld, D. A., Morales M., J. and Lezama L., M. (2001) Sight records of new species for Nicaragua and noteworthy records on range and occurrence. *Cotinga* 15: 53-57.
- 6639 Miranda, H. C. Jr, Kennedy, R. S., Sison, R. V., Gonzales, P. C. and Ebreo, M. F. (2000) New records of birds from the island of Panay, Philippines. *Bulletin of the British Ornithologists's Club* 120(4): 266-280.
- 6641 Angehr, G. R. and Christian, D. G. (2000) Distributional records from the highlands of the Serranía de Majé, an isolated mountain range in eastern Panama. *Bulletin of the British Ornithologists's Club* 120(3): 173-178.
- 6642 Mack, A. L. and Wright, D. D. (2000) Notes on the Crested *Cnemophilus macgregorii* and Yellow-breasted *Loboparadisea sericea* Birds of Paradise. *Bulletin of the British Ornithologists' Club* 120(3): 186-189.
- 6648 Urbina-Torres, F. (2000) New distributional information of birds from the State of Morelos, Mexico. *Bulletin of the British Ornithologists's Club* 120(1): 8-15.
- 6656 Whitney, B. M. and Pacheco, J. F. (1999) The valid name for Blue-winged Parrotlet and designation of the lectotype of *Psittaculus xanthopterygius* Spix, 1824. *Bulletin of the British Ornithologists' Club* 119(4): 211-214.
- 6667 Herzog, S. K., Fjeldsa, J., Kessler, M. and Balderrama, J. A. (1999) Ornithological surveys in the Cordillera Cocapata, depto. Cochabamba, Bolivia, a transition zone between humid and dry intermontane Andean habitats. *Bulletin of the British Ornithologists' Club* 119(3): 162-177.
- 6674 Stiles, F. G., Rosselli, L. and Bohórquez, C. I. (1999) New and noteworthy records of birds from the middle Magdalena valley of Colombia. *Bulletin of the British Ornithologists' Club* 119(2): 113-129.
- 6675 Morales-Pérez, J. E. (1999) Additional bird records for Oaxaca, Mexico. *Bulletin of the British Ornithologists' Club* 119(1): 16-25.
- 6676 Hazewoet, C. J. (1999) Notes on birds from the Cape Verde Islands in the collection of the Centro de Zoología, Lisbon, with comments on taxonomy and distribution. *Bulletin of the British Ornithologists' Club* 119(1): 25-31.
- 6677 Clark, W. S. (1999) Plumage differences and taxonomic status of three similar *Circaetus* snake-eagles. *Bulletin of the British Ornithologists' Club* 119(1): 56-59.
- 6679 Garrido, O. H. (2001) Una nueva subespecie del Sijú de Sabana *Speotyto cunicularia* para Cuba. *Cotinga* 15: 75-78.
- 6680 Begazo, A. J., Valqui, T., Sokol, M. and Langlois, E. (2001) Notes on some birds from central and northern Peru. *Cotinga* 15: 81-87.
- 6681 Begazo, A. J. (2001) Peruvian Pigeon *Columba oenops*. *Cotinga* 15: 95-96.
- 6682 Garrigues, R. L. (2000) Is Marvellous Spatuletail *Loddigesia mirabilis* threatened by hunting? *Cotinga* 14: 13.
- 6683 López-Lanús, B., Salaman, P. G. W., Cowley, T. P., Arrango, S. and Renjifo, L. M. (2000) The threatened birds of the río Toche, Cordillera Central, Colombia. *Cotinga* 14: 17-23.
- 6684 López-Lanús, B. and Sócola, J. (2000) Estudio y conservación del *Ara ambiguus* en la Reserva Cerro Blanco, sudeste de Ecuador. *Cotinga* 14: 24-25.

- 6685 Berg, K. S. (2000) Field notes on the biology of the Long-wattled Umbrellabird *Cephalopterus penduliger* in west Ecuador. *Cotinga* 14: 26-29.
- 6686 Regaldo, P. and Cables, E. (2000) Primer hallazgo de *Falco peregrinus* nidificando en Cuba. *Cotinga* 14: 78.
- 6687 Burke, P., Kirkconnell, A. and Whitehouse, S. M. (2000) Franklin's Gull *Larus pipixcan* and Mississippi Kite *Ictinia mississippiensis* new to Cuba. *Cotinga* 14: 101-102.
- 6688 Herzog, S. K. and Kessler, M. (2000) First records of Barred Parakeet *Bolborhynchus lineola* and Roraiman Flycatcher *Myiophobus roraimae* in Bolivia. *Cotinga* 14: 104-105.
- 6690 Kirwan, G. and Barnett, J. M. (2001) New bird records from north-east Brazil. *Cotinga* 15: 67-68.
- 6697 Anon. (1999) Long-billed Starthroat (*Heliodoxa longirostris*) reported by Philip Balderamos. *Belize Audubon Society Newsletter* 31(3): 10.
- 6702 Schuchmann, K.-L., Weller, A.-A. and Heynen, I. (2000) Biogeography and taxonomy of the Andean hummingbird genus *Haplophaedia* Simon (Aves: Trochilidae), with the description of a new subspecies from southern Ecuador. *Orn. Anzeiger* 39: 17-42.
- 6704 Weller, A.-A. (2000) A new hummingbird subspecies from southern Bolívar, Venezuela, with notes on biogeography and taxonomy of the *Saucerottia viridigaster-cupreicauda* species group. *Orn. Neotrop.* 11: 143-154.
- 6706 Dove, C. J. and Banks, R. C. (1999) A taxonomic study of Crested Caracaras (Falconidae). *Wilson Bulletin* 111: 330-339.
- 6707 Weller, A.-A. and Schuchmann, K.-L. (1999) Geographical variation in the southern distributional range of the Rufous-tailed Hummingbird, *Amazilia tzacatl* de la Llave, 1832: a new subspecies from Nariño, southwestern Colombia. *J. Orn.* 140: 457-466.
- 6708 Eitniear, J. C., Tapia, A. A., González, V., Pedraza, R. and Baccus, J. T. (2000) New Galliformes for the Mexican state of Querétaro. *Cotinga* 13: 10-13.
- 6709 Jones, H. L., McRae, E., Meadows, M. and Howell, S. N. G. (2000) Status updates for selected bird species in Belize, including several species previously undocumented from the country. *Cotinga* 13: 17-31.
- 6711 Becker, D., Agreda, A., Richter, A. and Rodriguez, O. (2000) Interesting bird records from the Colonche Hills, western Ecuador. *Cotinga* 13: 55-58.
- 6712 López-Lanús, B. and Gastezzi, P. (2000) An inventory of the birds of Segua Marsh, Manabí, Ecuador. *Cotinga* 13: 59-64.
- 6714 Rompré, G., Aubry, Y. and Kirkconnell, A. (2000) Recent observations of threatened birds in eastern Cuba. *Cotinga* 13: 66.
- 6716 Norton, R. L. (1999) West Indies region. *North American Birds* 53: 110-111.
- 6720 Nebot, J. C. (1999) First report on the Rose-ringed Parakeet (*Psittacula krmari*) in Venezuela and preliminary observations on its behavior. *Orn. Neotrop.* 10: 115-117.
- 6724 Hornbuckle, J. (1999) The birds of Abra Patricia and the upper río Mayo, San Martín, north Peru. *Cotinga* 12: 11-28.
- 6728 Maijer, S., Herzog, S. K., Kessler, M., Friggins, M. T. and Fjeldsa, J. (1998) A distinctive new subspecies of the Green-cheeked Parakeet (*Pyrrhura molinae*, Psittacidae) from Bolivia. *Orn. Neotrop.* 9: 185-191.
- 6730 Donegan, T. M. and Dávalos, L. M. (1999) Ornithological observations from Reserva Natural Tambito, Cauca, southwest Colombia. *Cotinga* 12: 48-55.
- 6734 Fraga, R. M. and Clark, R. (1999) Notes on the avifauna of the upper Bermejo River (Argentina and Bolivia) with a new species for Argentina. *Cotinga* 12: 77-78.
- 6735 ffrench, R. and White, G. (1999) Verification of rare bird records from Trinidad & Tobago. *Cotinga* 12: 80-82.

- 6740 Sánchez, J. E., Naoki, K. and Zook, J. (1998) New information about Costa Rican birds. *Orn. Neotrop.* 9: 99-102.
- 6741 Angehr, G. (1999) The FieldEditor's report(s). *El Tucán* 25: 3-4.
- 6742 Angehr, G. (1999) Rapid long-distance colonization of Lake Gatun, Panama, by Snail Kites. *Wilson Bulletin* 111: 265-268.
- 6743 Robbins, M. B., Faucett, R. C. and Rice, N. H. (1999) Avifauna of a Paraguayan cerrado locality: Parque Nacional Serranía San Luis, depto. Concepción. *Wilson Bulletin* 111: 216-228.
- 6746 Carriquiry, A. (1998) Aguila de cola blanca (*Buteo albicaudatus*). Nuevas citas para varios departamentos. *Achará* 1: 15.
- 6753 Clay, R. P. (1999) A record of the *belizensis* subspecies of Yellow-headed Amazon *Amazona oratrix* from the Petén, northern Guatemala. *Cotinga* 11: 20.
- 6754 Kirwan, G. M., Williams, R. S. R. and Bradshaw, C. G. (1999) Interesting avifaunal records from the Dominican Republic. *Cotinga* 11: 27-29.
- 6755 Mazariegos H., L. A. and Salaman, P. G. W. (1999) Rediscovery of the Colourful Puffleg *Eriocnemis mirabilis*. *Cotinga* 11: 34-38.
- 6756 Salaman, P. G. W., López-Lanús, B. and Krabbe, N. (1999) Critically endangered: Yellow-eared Parrot *Ognorhynchus icterotis* in Colombia. *Cotinga* 11: 39-41.
- 6762 Vasconcelos, M. F. de. (1999) Natural history notes and conservation of two species endemic to the Espinhaço Range, Brazil: Hyacinth Visorbearer *Augastes scutatus* and Grey-backed Tachuri *Polystictus superciliaris*. *Cotinga* 11: 75-78.
- 6767 Lars Bodin. (ed.) (2001) Grå Jaco - Psittacus erithacus. <http://www.lars-bodin.dk/Fugle/Psittacus/index.html> (Swedish)
- 6768 Hallchurch, T. T. (1982) Exercise King Vulture: Belize: 23 February -16 March 1982. *Adjutant* 12: 3-36.
- 6769 Miller, B. W. and Miller, C. M. (1998) Ornithology in Belize since 1960. *Wilson Bulletin* 110: 544-558.
- 6775 Schuchmann, K.-L. and Züchner, T. (1997) *Coeligena violifer albicaudata* (Aves, Trochilidae): a new hummingbird subspecies from the southern Peruvian Andes. *Orn. Neotropical* 8: 247-253.
- 6776 Olmos, F., Martuscelli, P. and Silva e Silva, R. (1997) Distribution and dry-season ecology of Pfrimer's Conure *Pyrrhura pfrimeri*, with a reappraisal of Brazilian *Pyrrhura leucotis*. *Orn. Neotropical* 8: 121-132.
- 6783 Salaman, P. G. W. and Mazariegos H., L. A. (1998) The hummingbirds of Nariño, Colombia. *Cotinga* 10: 30-36.
- 6784 Herzog, S. K. and Kessler, M. (1998) In search of the last Horned Curassows *Pauxi unicornis* in Bolivia. *Cotinga* 10: 46-48.
- 6785 Bencke, G. A. (1998) Notes on the breeding of Blue-bellied Parrot *Trichilaria malachitacea*. *Cotinga* 10: 71-78.
- 6791 Iliff, M. (1998) Bird observations from a visit to Anguilla, Lesser Antilles, 28 December 1995 to 4 January 1996. *El Pitirre* 11(1): 1-4.
- 6809 Seutin, G. (1998) Two bird species new for Panama and Central America: White-whiskered Hermit *Phaethornis yaruqui* and White-winged Swallow *Tachycineta albiventer*. *Cotinga* 9: 22-23.
- 6810 Boesman, P. (1998) Some new information on the distribution of Venezuelan birds. *Cotinga* 9: 27-39.
- 6812 Mazar Barnett, J., Clark, R., Bodrati, A., Bodrati, G., Pugnali, G. and della Seta, M. (1998) Natural history notes on some little-known birds in north-west Argentina. *Cotinga* 9: 64-75.
- 6819 Erickson, R. A. and Wurster, T. E. (1998) Confirmation of nesting in Mexico for four bird species from the Sierra San Pedro Martir, Baja California. *Wilson Bulletin* 110: 118-120.
- 6827 Becker, C. D. and López-Lanús, B. (1997) Conservation value of a *Garua* forest in the dry season: a bird survey in Reserva Ecológica de Loma Alta, Ecuador. *Cotinga* 8: 66-74.

- 6828 Ryan, R. (1997) First record of Little Egret *Egretta garzetta* for Guyana. *Cotinga* 7: 92.
- 6832 Angehr, G. (1997) The Fieldeditor's report. *El Tucan* 23(8): 4-5.
- 6835 Mazar Barnett, J., Kirwan, G. M. and Williams, R. S. R. (1997) Neotropical Notebook. *Cotinga* 8: 90-97.
- 6841 Arndt, T. (1995) *Lexicon of parrots*. Part 7. Arndt Verlag. - Bretten, Germany
- 6842 Stotz, D. F., Fitzpatrick, J. W., Parker, T. A. III and Moskovits, D. K. (1996) *Neotropical birds: ecology and conservation*. University of Chicago Press. - Chicago
- 6845 Sharpe, C., Ascanio, D. and Restall, R. (1997) Three species of exotic passerine in Venezuela. *Cotinga* 7: 43-44.
- 6849 Thorstrom, R. (1997) A description of nests and behavior of the Gray-headed Kite. *Wilson Bulletin* 109: 173-177.
- 6851 Kirwan, G. and Hornbuckle, J. (1997) Neotropical Notebook. *Cotinga* 7: 75-82.
- 6853 Saibene, C. A., Castelino, M. A., Rey, N. R., Herrera, J. and Calo, J. (1996) *Inventario de las aves del Parque Nacional "Iguazu"*, Misiones, Argentina. L.O.L.A. - Buenos Aires.
- 6854 Schulenberg, T. S. and Awbrey, K (eds.) (1997) *The Cordillera del Cóndor region of Ecuador and Peru: a biological assessment*. Conservation International. - Washington, D.C.
- 6859 Stiles, F. G. (1996) A new species of emerald hummingbird (Trochilidae, *Chlorostilbon*) from the Sierra de Chiribiquete, southeastern Colombia, with a review of the *C. mellisugus* complex. *Wilson Bulletin* 108(1): 1-27.
- 6862 Begazo, A. J. (1996) Ecology and conservation of the Yellow-faced Parrotlet. *Cotinga* 6: 20-23.
- 6863 Krabbe, N. and Molina, F. S. (1996) The last Yellow-eared Parrots *Ognorhynchus icterotis* in Ecuador? *Cotinga* 6: 25-26.
- 6866 Howell, S. N. G. and Robbins, M. B. (1995) Species limits of the Least Pygmy-Owl (*Glaucidium minutissimum*) complex. *Wilson Bulletin* 107: 7-25.
- 6875 Prince, P. A. and Croxall, J. P. (1996) The birds of South Georgia. *Bulletin of the British Ornithologists' Club* 116(2): 81-104.
- 6876 Brown, C. J., Robson, N. and Yates, M. (1995) Distribution, status and first breeding record of the Grey Kestrel in southern Africa. *J. African Raptor Biology* 10: 52-57.
- 6877 Claffey, P. (1997) Western Red-footed Falcon *Falco vespertinus*, a new addition to the Republic of Benin list. *Malimbus* 19: 95-96.
- 6881 Robel, D. (1997) Records of the Grey Hornbill *Tockus nasutus*, Crimson-rumped Waxbill *Estrilda rhodopyga* and African Silverbill *Lonchura cantans* in Egypt. *Zoology in the Middle East* 15: 33-35.
- 6882 Masatomi, H. (1999) A pair of White-naped Cranes nested in Hokkaido in 1985, the first confirmed record for Japan. *Japanese Journal of Ornithology* 47: 69-71.
- 6883 Woo, Y.-T. and Lee, J.-N. (1996) Newly recorded birds of 6 species and subspecies in Korea. *Korean Journal of Ornithology* 3: 59-61.
- 6886 Riley, J., Hicks, D. and Wardill, J. C. (1998) The identity of *Eos histrio challengerii* Salvadori, 1891. *Bulletin of the British Ornithologists' Club* 118: 193-196.
- 6887 Zyskowski, K., Peterson, A. T. and Kluza, D. A. (1998) Courtship behaviour, vocalizations, and species limits in *Atthis* hummingbirds. *Bulletin of the British Ornithologists' Club* 118: 82-90.
- 6888 Gamauf, A. and Preleuthner, M. (1998) A new taxon of the Barred Honeybuzzard *Pernis celebensis* from the Philippines. *Bulletin of the British Ornithologists' Club* 118: 90-101.
- 6892 Mauricio, G. N. and Dias, R. A. (1998) Range extensions and new records for forest birds in southern Rio Grande do Sul, Brazil. *Bulletin of the British Ornithologists' Club* 118: 14-25.
- 6906 Spierenburg, P. (2000) Nouvelles observations de six espèces d'oiseaux au Mali. *Malimbus* 22: 23-28. (French)

- 6907 van der Akker, M. (2000) Red-tailed Greenbul *Criniger calurus* and Chestnut-breasted Negrofinch *Nigrita bicolor*, new to Bénin. *Bulletin of the African Bird Club* 7: 133.
- 6909 Salewski, V., Bobek, M., Peske, L. and Pojer, F. (2000) Status of the Black Stork *Ciconia nigra* in Ivory Coast. *Malimbus* 22: 92-93.
- 6910 Haugaard, J. (1999) The Shoebill *Balaeniceps rex* in Malawi: myth, ghost or grain of truth? *Vocifer* 2(16): 3-4.
- 6911 Pope, R., Pope, J. and Gurney, M. (1999) New to Zambia: Rüppell's Vulture *Gyps rueppellii*. 1998 *Zambia Bird Report* 85-86.
- 6913 Le Corre, M. (2000) Le Rossignol du Japon *Leiothrix lutea* (Sylviidés, Timaliinés), nouvelle espèce introduite à la Réunion (Ocean Indien). *Alauda* 68: 58-71.
- 6924 Gregory, P. (1997) Range extensions and unusual sightings from Western Province, Papua New Guinea. *Bulletin of the British Ornithologists' Club* 117(4): 304-311.
- 6925 Barrowclough, G. F., Lentino R., M. and Sweet, P. R. (1997) New records of birds from Auyán-Tepui, Estado Bolívar, Venezuela. *Bulletin of the British Ornithologists's Club* 117: 194-198.
- 6927 Madroño N., A. and Esquivel, E. Z. (1977) Noteworthy records and range extensions of some birds from the Reserva Natural del Bosque Mbaracayú (Mbaracayú Forest Nature Reserve), Departamento de Canindeyú, Paraguay. *Bulletin of the British Ornithologists' Club* 117: 166-176.
- 6929 Brooks, T. and Dutson, G. (1997) Twenty-nine new island records of birds from the Philippines. *Bulletin of the British Ornithologists' Club* 117: 32-37.
- 6930 Frith, C. B. and Frith, D. W. (1997) The taxonomic status of the bird of paradise *Paradigalla carunculata intermedia* (Paradisaeidae) with notes on the other *Paradigalla* taxa. *Bulletin of the British Ornithologists' Club* 117: 38-48.
- 6932 Ericson, P. G. P. and Amarillo, L. A. (1997) First observations and new distributional data for birds in Paraguay. *Bulletin of the British Ornithologists' Club* 117: 60-67.
- 6946 Devillers,P., Ouellet,H., Benito-Espinal,É., Beudels,R., Cruon,R., David,N., Érard,C., Gosselin,M., Seutin,G (comps.)(1993) *Noms français des oiseaux du Monde*. (*French Names of the Birds of the World*). (1) Multimondes Inc. eds. -Sainte-Foy, Quebec & Chabaud eds, Bayonne, France (French)
- 6947 Sibley,C. G. and Monroe, B. L (eds.) (1990) *Distribution and Taxonomy of Birds of the World*. Yale University Press. -New Haven
- 6950 Taylor, R. H., Heatherbell, E. G. and Heatherbell, E. M. (1986) The Orange-fronted Parakeet (*Cyanoramphus malherbi*) is a colour morph of the Yellow-crowned Parakeet (*C. auriceps*). *Notornis* 33: 17-22.
- 6951 Coates, B. J. (1985) *Birds of Papua New Guinea*. Volume 1. Dove Publications. -Alderley, Australia
- 6985 World Conservation Monitoring Centre. (1992) *Global Biodiversity. status of the earth's living resources*. 206-214 Chapman & Hall. -London
- 6986 Anon. (1995) *Lista de las aves de Bolivia*. Asociación Armonía. - Santa Cruz, Bolivia
- 7041 Cruon, R., Erard, C., Lebreton, J-D and Nicolau-Guillaumet, P. (1992) Liste des oiseaux de France. *Oiseau et R.f.O.* 62: 97-116 (French)
- 7046 Zinner, D. (2001) Ornithological notes from a primate survey in Eritrea. *Bulletin of the African Bird Club* 8(2): 95-106.
- 7047 Ottosson, U., Hjort, C. and Hall, P. (2001) The Lake Chad Bird Migration Project: Malamfatori revisited. *Bulletin of the African Bird Club* 8(2): 121-126.

- 7051 Clark, W. S. and Edelstam, C. (2001) First record of Cassin's Hawk-Eagle *Spizaetus africanus* for Kenya. *Bulletin of the African Bird Club* 8(2): 138-139.
- 7054 Toyne, E. P. and Flanagan, J. N. M. (1996) First nest record of Red-faced Parrot *Hapalopsittaca pyrrhops*. *Cotinga* 5: 43-45.
- 7055 Lousada, S. A. and Howell, S. N. G. (1996) Distribution, variation and conservation of Yellow-headed Parrots in northern Central America. *Cotinga* 5: 46-53.
- 7056 Kirwan, G. M. (1996) Records of Amazonian Pygmy-owl *Glaucidium hardyi* from south-east Venezuela. *Cotinga* 5: 71-72.
- 7068 Howell, S. N. G. and Webb, S. (1994) Additional information on the birds of Guerrero, Mexico. *Bulletin of the British Ornithologists' Club* 114(4): 232-243.
- 7070 Dickerman, R. W. (1994) Notes on birds from Africa with descriptions of three new subspecies. *Bulletin of the British Ornithologists' Club* 114(4): 274-278.
- 7072 Davis, S. E., Rocha O., O., Sarmiento, J. and Hanagarth, W. (1994) New departmental records and notes for some Bolivian birds. *Bulletin of the British Ornithologists' Club* 114(2): 73-85.
- 7075 McGowan, P. J. K. and Panchen, A. L. (1994) Plumage variation and geographical distribution in the Kalij and Silver Pheasants. *Bulletin of the British Ornithologists' Club* 114(2): 113-123.
- 7076 Barrowclough, G. F., Escalante-Pliego, P., Aveledo-Hostos, R. and Pérez-Chinchilla, L. A. (1995) An annotated list of the birds of the Cerro Tamacuari region, Serranía de Tapiarepecó, Federal Territory of Amazonas, Venezuela. *Bulletin of the British Ornithologists' Club* 115(4): 211-219.
- 7077 Straube, F. C. and Bornschein, M. R. (1995) New or noteworthy records of birds from northwestern Paraná and adjacent areas (Brazil). *Bulletin of the British Ornithologists' Club* 115(4): 219-225.
- 7079 Pacheco, J. F. and Whitney, B. M. (1995) Range extensions for some birds in northeastern Brazil. *Bulletin of the British Ornithologists' Club* 115(3): 157-163.
- 7087 Gibbs, D. (1996) Notes on Solomon Island birds. *Bulletin of the British Ornithologists' Club* 116(1): 18-25.
- 7090 Krabbe, N., Poulsen, B. O., Frolander, A., Hinojosa B., M. and Quiroga O., C. (1996) Birds of montane forest fragments in Chuquisaca Department, Bolivia. *Bulletin of the British Ornithologists' Club* 116(4): 230-243.
- 7092 Helme, N. A. (1996) New departmental records for Dpto. La Paz, Bolivia, from the Pampas del Heath. *Bulletin of the British Ornithologists' Club* 116(3): 175-177.
- 7095 Bornschein, M. R. (1996) Extralimital record of the Spotted-winged Falconet *Spizapteryx circumcinctus*. *Bulletin of the British Ornithologists' Club* 116(3): 197-198.
- 7097 Waltert, M. and Mühlenberg, M. (1999) Notes on the avifauna of the Noyau Central, Forêt Classée de la Lama, Republic of Benin. *Malimbus* 21: 82-92.
- 7098 Waltert, M., Yakokore-Beibro, K. H., Mühlenberg, M. and Waitkuwait, W. E. (1999) Preliminary check-list of the birds of the Bossematié area, Ivory Coast. *Malimbus* 21: 93-109.
- 7101 Künzel, T. and Künzel, S. (1999) First Nigerian record of Red-fronted Parrot *Poicephalus gulielmi*, and other notable records from SE Nigeria. *Malimbus* 21(2): 111-113.

- 7106 Cisneros-Palacios, E. and Bonilla-Ruz, C. (1993) New distributional information on Mexican birds. III. Northern Oaxaca. *Bulletin of the British Ornithologists' Club* 113(4): 213-215.
- 7109 Gregory, P. A. and Johnston, G. R. (1993) Birds of the cold tropics: Dokfuma, Star Mountains, New Guinea. *Bulletin of the British Ornithologists' Club* 113(3): 139-145.
- 7110 Walters, R. (1993) Some records of birds from Belize, Central America, including three first records. *Bulletin of the British Ornithologists' Club* 113(3): 145-147.
- 7111 Howell, S. N. G. (1995) A critique of Walters' (1993) new bird records from Belize. *Bulletin of the British Ornithologists' Club* 115(3): 177-180.
- 7113 Wilmé, L. (1993) A recent record of the Madagascar Pochard *Aythya innotata* on Lake Alaotra, Madagascar. *Bulletin of the British Ornithologists' Club* 113(3): 188-189.
- 7118 Willis, E. O. and Oniki, Y. (1993) New and reconfirmed birds from the state of São Paulo, Brazil, with notes on disappearing species. *Bulletin of the British Ornithologists' Club* 113(1): 23-34.
- 7120 Kitchener, A. C., Macdonald, A. A. and Howard, P. (1993) First record of the Blue Crowned Pigeon *Goura cristata* on Seram. *Bulletin of the British Ornithologists' Club* 113(1): 42-43.
- 7121 Schodde, R. (1993) Geographic forms of the Regent Parrot *Polytelis anthopeplus* (Lear), and their type localities. *Bulletin of the British Ornithologists' Club* 113(1): 44-47.
- 7122 Teixeira, D. M., Otoch, R., Luigi, G., Raposo, M. A. and Almeida, A. C. C. de. (1993) Notes on some birds of northeastern Brazil (5). *Bulletin of the British Ornithologists' Club* 113(1): 48-52.
- 7126 Poulsen, B. O. (1992) Range extensions of Orange-cheeked Parrot and White-browed Purpletuft in Amazonian Venezuela. *Bulletin of the British Ornithologists' Club* 112(4): 276-277.
- 7142 Louette, M. (1991) The red-tailed buzzards of Zaire. *Bulletin of the British Ornithologists' Club* 111(1): 51-55.
- 7144 Lousada, S. (1989) *Amazona europalliata caribaea*: a new subspecies of parrot from the Bay Islands, northern Honduras. *Bulletin of the British Ornithologists' Club* 109: 232-235.
- 7145 Parkes, K. C. (1990) A critique of the description of *Amazona europalliata caribaea* Lousada, 1989. *Bulletin of the British Ornithologists' Club* 110(4): 175-179.
- 7148 Kennedy, R. S. (1990) Notes on Philippine birds, 16. First records of the Red-tailed Tropicbird *Phaethon rubricauda* and Merlin *Falco columbarius* from the Philippines. *Bulletin of the British Ornithologists' Club* 110(2): 107-109.
- 7152 Rinke, D. (1989) The relationships and taxonomy of the Fijian parrot genus *Prosopeia*. *Bulletin of the British Ornithologists' Club* 109(4): 185-195.
- 7154 Holyoak, D. T. and Seddon, M. B. (1989) Distributional notes on the birds of Burkina Faso. *Bulletin of the British Ornithologists' Club* 109(4): 205-216.
- 7158 Teixeira, D. M., Nacinovic, J. B. and Luigi, G. (1989) Notes on some birds of northeastern Brazil (4). *Bulletin of the British Ornithologists' Club* 109(3): 152-157.
- 7161 Wilson, J. D. (1989) Range extensions of some bird species of Cameroon. *Bulletin of the British Ornithologists' Club* 109(2): 110-115.
- 7164 Rasmussen, P. C. and López H., N. (1988) Notes on the status of some birds of Region X, Chile. *Bulletin of the British Ornithologists' Club* 108(4): 154-159.
- 7166 Cabot, J. and Serrano, P. (1988) Distributional data on some non-passerine species in Bolivia. *Bulletin of the British Ornithologists' Club* 108(4): 187-193.

- 7170 Teixeira, D. M., Nacinovic, J. B. and Luigi, G. (1988) Notes on some birds of northeastern Brazil (3). *Bulletin of the British Ornithologists' Club* 108(2): 75-79.
- 7174 Clancey, P. A. (1987) Subspeciation in the Afrotropical Gabar Goshawk *Micronisus gabar*. *Bulletin of the British Ornithologists' Club* 107(4): 173-177.
- 7214 King, B., Buck, H., Ferguson, R., Fisher, T., Goblet, C., Nickel, H. and Suter, W. (2001) Birds recorded during two expeditions to north Myanmar (Burma). *Forktail* 17: 29-40.
- 7217 King, M. (2000) Noteworthy records from Ginak Island, The Gambia. *Malimbus* 22(2): 77-85.
- 7218 Debout, G., Meister, P. and Ventelon, M. (2000) Notes complémentaires sur l'avifaune du Niger. *Malimbus* 22(2): 87-88.
- 7219 King, M. (2000) Breeding of Swallow-tailed Kite *Chelictinia riocourii* in Senegal. *Malimbus* 22(2): 90-91.
- 7262 Riley, J. and Mole, J. (2001) The birds of Gunung Ambang Nature Reserve, North Sulawesi, Indonesia. *Forktail* 17: 57-66.
- 7263 Rasmussen, P. C. (1999) A new species of hawk-owl *Ninox* from North Sulawesi, Indonesia. *Wilson Bulletin* 111(4): 457-464.
- 7264 Anderson, R. C. and Baldock, M. (2001) New records of birds from the Maldives, with notes on other species. *Forktail* 17: 67-73.
- 7265 Choudhury, A. (2001) Some bird records from Nagaland, north-east India. *Forktail* 17: 91-103.
- 7266 Naoroji, R. and Forsman, D. (2001) First breeding record of the Upland Buzzard *Buteo hemilasius* for the Indian subcontinent in Changthang, Ladakh, and identification characters of Upland Buzzard and Long-legged Buzzard *Buteo rufinus*. *Forktail* 17: 105-108.
- 7267 Shankar Raman, T. R. (2001) Observations on the Oriental Bay Owl *Phodilus badius* and range extension in the Western Ghats, India. *Forktail* 17: 110-111.
- 7268 Roadhouse, A. (2001) Merlin *Falco columbarius*, the first record for Thailand. *Forktail* 17: 114.
- 7271 Mauro, I. (2001) Cinnabar Hawk Owl *Ninox ios* at Lore Lindu National Park, Central Sulawesi, Indonesia, in December 1998. *Forktail* 17: 118-119.
- 7325 Juniper, T. and Parr, M. (1998) *Parrots, a guide to the parrots of the world*. Pica Press. -Sussex
- 7359 Whittaker, A. (2001) Notes on the poorly-known Buckley's Forest Falcon *Micrastur buckleyi* including voice, range and first Brazilian records. *Bulletin of the British Ornithologists' Club* 121(3): 198-208.
- 7416 Davidson, P. (2000) Twenty six further new species for Cambodia. *Cambodia Bird News* 6: 37-43.
- 7417 Anon. (2000) Twelve new species for Cambodia. *Cambodia Bird News* 4: 30-32.
- 7418 Poole, C. (2000) Mountain Hawk-Eagle confirmed in Cambodia. *Cambodia Bird News* 4: 33.
- 7419 Collar, N.J., Andreev, A.V., Chan, S., Crosby, M.J., Subramanya, S., Tobias, J.A (eds.) (2001) *Threatened Birds of Asia. The BirdLife International Red Data Book*. 3068 BirdLife International. -Cambridge
- 7650 Renner, S. C. and Schuchmann, K.-L. (2001) The Fawn-breasted Brilliant *Heliodoxa rubinoides*, a hummingbird species new to Bolivia. *Bulletin of the British Ornithologists' Club* 121(4): 252-255.
- 7652 Eriksen, H., Eriksen, J., Al-Saadi, S. and Sargeant, D. E. (2001) The discovery of Oriental White-eye *Zosterops palpebrosa* in Arabia. *Sandgrouse* 23(2): 130-133.
- 7680 Fiebig, J. (1993) Dreijährige ornithologische Studien in Nordkorea. I. Allgemeiner Teil und Non-Passeriformes. *Mitteilungen aus dem Zoologischen Museum in Berlin, Supplement: Annalen für Ornithologie* (17) 93-146.
- 7681 Austin, O. L. Jr. (1948) The birds of Korea. *Bulletin of the Museum of Comparative Zoology* 101: 1-301.

- 7682 O Myong Sok. (1984) Wiederentdeckung der Schopfkasarka, *Tadorna cristata* in der Koreanischen Demokratischen Volksrepublik. *Journal für Ornithologie* 125: 102-103.
- 7683 Fiebig, J. (1995) Dreijährige ornithologische Studien in Nordkorea. Nachtrag zum I. Teil (Non-Passerines) und II. Teil Passeriformes. *Mitteilungen aus dem Zoologischen Museum in Berlin, Suppl.: Annalen für Ornithologie* (19) 43-99.
- 7684 Tomek, T. (1999) The birds of North Korea. Non-Passeriformes. *Acta zool. cracov.* 42(1): 1-217.
- 7701 Schuchmann, K.-L., Weller, A.-A. and Heynen, I. (2001) Systematics and biogeography of the Andean genus *Eriocnemis* (Aves: Trochilidae). *Journal für Ornithologie* 142: 433-481.
- 7702 Weller, A.-A. (2000) Biogeography, geographic variation and habitat preference in the *Amazilia* Hummingbird, *Amazilia amazilia* Lesson (Aves: Trochilidae), with notes on the status of *Amazilia altilcola* Gould. *Journal für Ornithologie* 141: 93-101.
- 7721 Simmons, R. E. (2000) Decline and movements of Lesser Flamingos in Africa. *Waterbirds (Special Publication)* 23(1): 4046.
- 7722 Nasirwa, O. (2000) Conservation status of flamingos in Kenya. *Waterbirds (Special Publication)* 23(1): 47-51.
- 7723 Tuite, C. H. (2000) The distribution and density of Lesser Flamingos in East Africa in relation to food availability and productivity. *Waterbirds (Special Publication)* 23(1): 52-63.
- 7724 Baldassarre, G. A. and Arengo, F. (2000) A review of the ecology and conservation of Caribbean Flamingos in Yucatán, Mexico. *Waterbirds (Special Publication)* 23(1): 70-79.
- 7725 Espinoza, F., Parra, L., Aranguren, J., Martino, A., Quijada, M., Pirela, D., Rivero, R., Gutierrez, T., Jimenez, N., Leal, S. and Leon, E. (2000) Numbers and distribution of the Caribbean Flamingo in Venezuela. *Waterbirds (Special Publication)* 23(1): 80-86.
- 7726 Valqui, M., Caziani, S. M., Rocha O., O. and Rodriguez, R., E. (2000) Abundance and distribution of the South American altiplano flamingos. *Waterbirds (Special Publication)* 23(1): 110-113.
- 7727 The Indonesian Ornithological Society. (2000) The birds of Indonesia. *Kukila checklist No. 1, additions, corrections and notes - 2.* *Kukila* 11: 3-12.
- 7728 Andrew, P. (1993) The birds of Indonesia. *Kukila checklist No. 1, additions, corrections and notes - 1.* *Kukila* 6(2): 47-52.
- 7729 Walters, M. (1998) What is *Psittacus borneus* Linnaeus? *Forktail* 13: 124-125.
- 7735 Wirminghaus, J. O., Downs, C. T., Perrin, M. R. and Symes, C. T. (2002) Taxonomic relationships of the subspecies of the Cape Parrot *Poicephalus robustus* (Gmelin). *Journal of Natural History* 36: 361-378.
- 7774 Penhallurick, J. (2001) *Primolius* Bonaparte, 1857 has priority over *Propyrrhura* Ribeiro, 1920. *Bulletin of the British Ornithologists' Club* 121(1): 38-39.
- 7775 Rasmussen, P. C. and Collar, N. J. (1999) On the hybrid status of Rothschild's Parakeet *Psittacula intermedia* (Aves, Psittacidae). *Bull. nat. Hist. Mus. Lond. (Zool.)* 65(1): 31-50.
- 7776 Boon, W. M., Daugherty, C. H. and Chambers, G. K. (2001) The Norfolk Island Green Parrot and New Caledonian Red-crowned Parakeet are distinct species. *Emu* 101: 113-121.
- 7784 Rasmussen, P. C. (1998) Is the imperial pheasant *Lophura imperialis* a hybrid? Work in progress and a call for information. *Tragopan* 9: 8-10.
- 7806 David, N. and Gosselin, M. (2002) Gender agreement of avian species names. *Bulletin of the British Ornithologists' Club* 122(1): 14-49.
- 7810 Showler, D. A. (2002) Bird observations on the Indian Ocean island of Rodrigues, March-June 1999. *Bulletin of the African Bird Club* 9(1): 17-24.

- 7812 Mikkola, A. and Mikkola, H. (2002) First record of Red-footed Falcon *Falco vespertinus* in The Gambia. *Bulletin of the African Bird Club* 9(1): 45.
- 7813 Ottoson, U., Bengtsson, D., Gustafsson, R., Hall, P., Hjort, C., Leventis, A. P., Neumann, R., Pettersson, J., Rhönnstad, P., Rumsey, S. et al. (2002) New birds for Nigeria observed during the Lake Chad Bird Migration Project. *Bulletin of the African Bird Club* 9(1): 52-55.
- 7814 Betts, M. (2002) A systematic list of the birds of Aldabra. *Bulletin of the African Bird Club* 9(1): 32-41.
- 7815 Skerrett, A. (1996) The first report of the Seychelles Bird Records Committee. *Bulletin of the African Bird Club* 3(1): 45-50.
- 7816 Mullié, W. C. and Mullié-Mbézellé, G. (2001) First breeding record of Hadada *Bostrychia hagedash* from Senegal. *Malimbus* 23: 59-62.
- 7821 Hille, S. and Thiollay, J.-M. (2000) The imminent extinction of the kites *Milvus milvus fasciicauda* and *M. m. migrans* on the Cape Verde Islands. *Bird Conservation International* 10: 361-369.
- 7822 McCann, K. I. (2001) Population status of South Africa's three crane species as of the end of 1999 based on a National Crane Census and regional aerial surveys. *Ostrich Supplement* 15: 126-129.
- 7823 Muheebwa-Muhoozi, J. (2001) The status of the Grey Crowned Crane *Balearica regulorum* in Uganda, with special reference to breeding. *Ostrich Supplement* 15: 122-125.
- 7825 Goar, J.-L. and Rutkowski, T. (2000) Reproduction de l'Aigle royal *Aquila chrysaetos* au Mali. *Alauda* 68: 327-328.
- 7827 McGowan, P. (2001) Status, management and conservation of the African Grey Parrot *Psittacus erithacus* in Nigeria. Prepared for the CITES Secretariat
- 7834 Naurois, R. de. (1969) Peuplements et cycles de reproduction des oiseaux de la côte occidentale d'Afrique, du Cap Barbas, Sahara Espagnol, à la frontière de la République de Guinée. *Mém. Mus. Nat. Hist. Paris* sér. A, Zool. 56: 1-312.
- 7836 Monard, A. (1940) Résultats de la Mission scientifique du Dr Monard en Guinée Portugaise 1937-1938. V Oiseaux. *Arq. Mus. Bocage, Lisboa* 11: 1-75.
- 7847 White, C. M. N. (1963) A revised check list of African flycatchers, tits, tree creepers etc. Govt Printer. -Lusaka
- 7848 Payne, R. B. (1973) Behavior, mimetic songs and song dialects, and relationships of the parasitic indigobirds (*Vidua*) of Africa. *Ornithological Monographs* 11: 333 pp.
- 7849 Rodwell, S. P. (1996) Notes on the distribution and abundance of birds observed in Guinea-Bissau, 21 February to 3 April 1992. *Malimbus* 18: 25-43.
- 7850 Poorter, E. and Zwarts, L. (1984) *Résultats d'une première mission ornitho-écologique de l'IUCN/WWF en Guinée-Bissau*. Privately published. -Groningen
- 7851 Altenburg, W. and van der Kamp, J. (1986) *Oiseaux d'eau dans les zones humides de la Mauritanie du Sud, du Sénégal et de la Guinée-Bissau; octobre-décembre 1983*. Research Institute for Nature Management (Contrib. 86-1). -Leersum
- 7852 Altenburg, W., Wymenga, E. and Zwarts, L. (eds.) (1992) *Ornithological importance of the coastal wetlands of Guinea-Bissau*. Working Group International Wader and Waterfowl Research (Rep. 26). -Zeist
- 7853 Hazevoet, C. J. (1996) Birds observed in Guinea-Bissau, January 1986, with a review of current ornithological knowledge of the country. *Malimbus* 18: 10-24.
- 7854 Bouet, G. (1914) Liste des oiseaux recueillis ou observés au Dahomey de 1908 à 1911. *Rev. fr. Orn.* 3: 265-269, 305-308.
- 7855 Cheke, R. A. (1996) Historical records of birds from the Republic of Benin. *Malimbus* 18: 58-59.

- 7856 Helsens, T. (1996) New information on birds in Ghana, April 1991 to October 1993. *Malimbus* 18: 1-9.
- 7857 Araújo, A. M. P. de. (1994) A importânciâ ornitológica da Região da Cufada na Guiné-Bissau. ICN (Estud. de Biol. e Conserv. da Natureza 13). - Lisbon
- 7859 Ferreira, J. A. (1973) *Bichos da Guiné: caça, fauna, natureza.*
- 7860 Scott, D. A. and Pineau, O. (1990) Promotion of Ramsar Convention and survey of Lagoa de Cufada, Guinea Bissau. Unpublished report to IUCN. - Bissau
- 7861 Safford, R. J. and Smart, L. M. (1996) The continuing presence of Macgregor's Bird of Paradise *Macgregoria pulchra* on Mount Albert Edward, Papua New Guinea. *Bulletin of the British Ornithologists' Club* 116: 186-188.
- 7862 Betleja, J. (1996) [First record of Cattle Egret (*Bubulcus ibis*) in Poland]. *Notatki Orn.* 37: 141-143. (Polish)
- 7863 Clark, W. S. (1995) Specimen of Eurasian Sparrowhawk *Accipiter nisus* from South Africa verified. *Journal of African Raptor Biology* 10: 39.
- 7864 Collar, N. J. and Pitman, A. J. (1996) *Amazona kawalli* is a valid name for a valid species. *Bulletin of the British Ornithologists' Club* 116: 256-265.
- 7865 Djahida, B. (1996) Status and conservation of the White-headed Duck in Algeria. *Oxyura* 8: 21-24.
- 7866 Dodman, T. (1995) A survey to investigate the status and distribution of the Black-cheeked Lovebird *Agapornis nigrogenis* in south-west Zambia. *Bulletin of the African Bird Club* 2: 103-105.
- 7867 Emison, W. B., Beardsell, C. M. and Temby, I. D. (1994) The biology and status of the Long-billed Corella in Australia. *Proc. West. Found. Vert. Zool.* 5: 211-247.
- 7868 Frith, C. B. (1995) Range extension of a Splendid Astrapia *Astrapia splendidissima*, a sighting of an *A. mayeri* x *A. stephaniae* hybrid, or an unidentified *Astrapia* sp. (Paradisaeidae)? *Muruk* 7: 49-52.
- 7869 Galetti, M., Martuscelli, P., Pizo, M. A. and Simão, I. (1997) Records of Harpy and Crested Eagles in the Brazilian Atlantic forest. *Bulletin of the British Ornithologists' Club* 117: 27-?
- 7870 Handrinos, G. I. (1996) The White-headed Duck *Oxyura leucocephala* in Greece. *Oxyura* 8: 31-35.
- 7871 Hays, C. (1995) The Ring-necked Parakeet *Psittacula krameri* in Jordan. *Bulletin of the Ornithological Society of the Middle East* 35: 25-28.
- 7872 Ivanovsky, V. V. and Tischecko, A. K. (1993) Monitoring of Lesser Spotted Eagle (*Aquila pomarina*) in Belorussia. *Ring* 15: 267-273.
- 7873 Kirwan, G. M., Williams, R. S. R. and Bradshaw, C. G. (1996) West Indian Whistling Duck in the Dominican Republic. *Threatened Waterfowl Specialist Group News* 9: 10-11.
- 7874 LeDreff, A. and Raynaud, P. A. (1993) First record of the Eurasian Kestrel (*Falco tinnunculus*) in French Guiana. *Journal of Raptor Research* 27: 125.
- 7875 Manners, G. R. and Diekmann, J. (1996) Long-eared Owl *Asio Otus* breeding in north-west Syria. *Sandgrouse* 18: 62.
- 7876 Mills, E. D. and Rogers, D. T. Jr. (1988) First record of the Blue-throated Goldentail (*Hylocharis eliciae*) in Belize. *Wilson Bulletin* 100: 510.
- 7877 Staus, N. (1994) Observations on the West Indian Whistling-duck in the Bahamas. *IWRB Threatened Waterfowl Research Group Newsletter* 5: 13-14.
- 7878 Hilton, G. M., Williams, E. G., Murray, T. and Cleeves, T. (2000) West Indian Whistling-ducks in the Turks and Caicos Islands. *Threatened Waterfowl Specialist Group News* 12: 9-10.

- 8140 Castell, P., Coburn, J., Pleasance, B., Quittenden, T. and Shobrak, M. (2002) Further notes on the breeding biology of some birds in Saudi Arabia. *Sandgrouse* 24(1): 33-37.
- 8142 Karakas, R. and Kılıç, A. (2002) Birds of Göksu Dam (Diyarbakir) and new records in south-east Turkey. *Sandgrouse* 24(1): 38-43.
- 8143 Ananian, V., Busuttil, S. and Finn, M. (2002) Recent observations of some rare breeding birds in Armenia. *Sandgrouse* 24(1): 46-48.
- 8149 Sultanov, E. H. (2001) Status of White-headed Duck in Azerbaijan. *Threatened Waterfowl Research Group News* 13: 44-45.
- 8150 Kreuzberg-Mukhina, E., Lanovenko, Y., Filatov, A. and Zagrabin, S. (2001) Status and distribution of the White-headed Duck in Uzbekistan. *Threatened Waterfowl Research Group News* 13: 46-48.
- 8151 Drilling, N. (2001) Ecology and conservation of the White-winged Duck in Sumatra. *Threatened Waterfowl Research Group News* 13: 14-15.
- 8152 Zöckler, C. and Syroechkovski, E. E. Jr. (2001) Status of the Baikal Teal in the lower Indigirka basin, Siberia. *Threatened Waterfowl Research Group News* 13: 21-23.
- 8153 Azafzaf, H. (2001) White-headed Ducks in Tunisia. *Threatened Waterfowl Research Group News* 13: 37-42.
- 8154 Torres, J. (2001) New records of White-headed Duck from Morocco. *Threatened Waterfowl Research Group News* 13: 43.
- 8155 Petkov, N. and Mittev, D. (2001) Ferruginous Ducks at Durankulak Lake complex, Bulgaria, 1995-2001. *Threatened Waterfowl Research Group News* 13: 49-55.
- 8156 Trolliet, B. and Girard, O. (2001) Record counts of Ferruginous Duck in Sahelian Africa. *Threatened Waterfowl Research Group News* 13: 56-57.
- 8157 Garnett, S. and Crowley, G. M. (2001) Action plan for Australian birds. *Threatened Waterfowl Research Group News* 13: 58-68.
- 8158 Vasiliev, V. I. and Gauzer, M. (2001) Status of threatened waterfowl in the south-east Caspian region of Turkmenistan. *Threatened Waterfowl Research Group News* 13: 68-71.
- 8159 Vasiliev, V. I. and Gauzer, M. (2001) Status of waterbirds in the Caspian region of Turkmenistan, 1970-2000. *Threatened Waterfowl Research Group News* 13: 72-73.
- 8161 Dimitrov, M., Profirov, L., Nyagolov, K. and Michev, T. (2000) Record counts of White-headed Duck in Bulgaria. *Threatened Waterfowl Research Group News* 12: 18-20.
- 8162 Gustin, M. Rizzi, V. and Gallo-Orsi, U. (2000) White-headed Duck reintroduction in Apulia, southern Italy: 1999 update. *Threatened Waterfowl Research Group News* 12: 21-25.
- 8163 Talukdar, B. K. and Bhattacharjee, P. C. (2000) Status of wintering Ferruginous Duck in the Brahmaputra valley, Assam, India. *Threatened Waterfowl Research Group News* 12: 39-41.
- 8164 Saporetti, F. (2000) Breeding Ferruginous Duck at Palude Brabbia Regional Reserve, northern Italy. *Threatened Waterfowl Research Group News* 12: 42-43.
- 8165 Petkov, N. (2000) Population trends of breeding Ferruginous Duck in Bulgaria. *Threatened Waterfowl Research Group News* 12: 44-48.
- 8167 Gummer, H. (2000) A progress report on the conservation of the Campbell Island Teal in New Zealand. *Threatened Waterfowl Research Group News* 12: 54-56.
- 8168 Kreuzberg-Mukhina, E., Kashkarov, D. Yu., Lanovenko, Y. N., Nazarov, O. P. and Shernazarov, E. S. (2000) Status of threatened Anatidae in Uzbekistan. *Threatened Waterfowl Research Group News* 12: 70-75.
- 8178 Eames, J. C. (2002) Eleven new sub-species of babbler (Passeriformes: Timaliinae) from Kon Tum Province, Vietnam. *Bulletin of the British Ornithologists' Club* 122(2): 109-141.

- 8181 Clark, W. S. and Paulson, D. R. (2002) Specimen record of Short-toed Snake Eagle for Kenya is invalid. *Bulletin of the British Ornithologists' Club* 122(2): 156-157.
- 8231 Willard, D. E., Foster, M. S., Barrowclough, G. F., Dickerman, R. W., Cannell, P. F., Coats, S. L., Cracraft, J. L. and O'Neill, J. P. (1991) The birds of Cerro de la Neblina, Territorio Federal Amazonas, Venezuela. *Fieldiana Zoology* (2)(66) 80
- 8615 Barnett, A., Shapley, R., Benjamin, P., Henry, E. and McGarrell, M. (2002) Birds of the Potaro Plateau, with eight new species for Guyana. *Cotinga* 18: 19-36.
- 8616 Walker, B. (2002) Observations from the Tumbes Reserved Zone, dpto. Tumbes, with notes on some new taxa for Peru and a checklist of the area. *Cotinga* 18: 37-43.
- 8617 Howell, S. N. G. (2002) Additional information on the birds of Ecuador. *Cotinga* 18: 62-65.
- 8618 Verhelst, J. C., Pfeifer, A. M., Orrego, O and Botero, J. E. (2002) Observaciones sobre la ecología del Periquito Frentirrufo *Bolborhynchus ferrugineifrons* en zonas cercanas a la Laguna del Otún. *Cotinga* 18: 66-70.
- 8623 Castaño R., A. M. and Colorado Z., G. J. (2002) First records of Red-tailed Hawk *Buteo jamaicensis* in Colombia. *Cotinga* 18: 102.
- 8632 Jones, H. L., Balderamos, P., Caulfield, J., Caulfield, A., Crawford, G., Donegan, T. M., McRae, E., Meadows, M., Muschamp, M., Saqui, P. et al. (2002) Fourteen new bird species for Belize. *Cotinga* 17: 33-42.
- 8634 Ribon, R., Whitney, B. M. and Pacheco, J. F. (2002) Discovery of Bahia Spinetail *Synallaxis cinerea* in north-east Minas Gerais, Brazil, with additional records of some rare and threatened montane Atlantic Forest birds. *Cotinga* 17: 46-50.
- 8636 López-Lanús, B. (2002) Notes on Chestnut-bellied Hummingbird *Amazilia castaneiventris*: a new record for Boyacá, Colombia. *Cotinga* 17: 51-52.
- 8639 Högsås, T. E., Málaga-Arenas, E. and Neyra, J. P. (2002) Noteworthy bird records for south-west Peru. *Cotinga* 17: 60-61.
- 8641 Schuchmann, K. L., Weller, A.-A. and Heynen, I. (2001) Biogeography and geographic variation of the Andean hummingbird taxon *Boissonneaua Reichenbach, 1854* (Aves: Trochilidae). *Orn. Neotrop.* 12: 93-108.
- 8643 Weller, A.-A. and Renner, S. C. (2001) A new subspecies of *Heliodoxa xanthogonyx* (Aves: Trochilidae) from the southern Pantepui highlands, with biogeographical and taxonomic notes. *Ararajuba* 9: 1-5.
- 8649 Norton, R. (2000) West Indies region. *North American Birds* 54: 109-111.
- 8654 Kirwan, G. M. (2000) Rose-ringed Parakeet (*Psittacula krameri*) recorded in the West Indies. *El Pitirre* 13: 42.
- 8662 Pérez-Rivera, R. (2001) Comments on Kirwan's first record of the Rose-ringed Parakeet (*Psittacula krameri*) in the West Indies. *El Pitirre* 14: 9.
- 8663 Forcey, J. M. (2001) Breeding of Cooper's Hawk (*Accipiter cooperii*) in Oaxaca. *Huitzil* 2: 21-23.
- 8666 Whitney, B. M. and Oren, D. C. (2001) First record of Amazonian Parrotlet (*Nannopsittaca dachilleae*) in Brazil. *Nattereria* 2: 26.
- 8667 Whitney, B. M. and Oren, D. C. (2001) Physical evidence for the occurrence of Scarlet-hooded Barbet (*Eubucco tucinkae*) in Brazil. *Nattereria* 2: 27.
- 8674 Hayes, F. E. (2001) First sight records of Swainson's Hawk (*Buteo swainsoni*) for Trinidad and Chacachacare Island, with comments on its status and trans-Caribbean migration. *El Pitirre* 14: 63-65.
- 8709 Frade, F. and Bacelar, A. (1959) Catalogo das aves da Guiné Portuguesa. II - Passeres. *Memórias da Junta de Investigações do Ultramar* 7: 116
- 8725 Anon. (1993) European News. 33. *British Birds* 86: 278-293.

- 8757 Jones, H. L. (2002) Erroneous and unconfirmed bird records from Belize: setting the record straight. *Bulletin of the British Ornithologists' Club* 122(3): 201-216.
- 8997 Andryushchenko, Y. (2002) Current state of the Great Bustard *Otis tarda* wintering population in south Ukraine. *Sandgrouse* 24(2): 109-116.
- 9127 Meininger, P. L., Wolf, P. A., Hadoud, D. A. and Essghaier, M. F. A. (1996) Notes on the coastal birds of Libya, July 1993. *Sandgrouse* 18(1): 53-60.
- 9133 Nial Moores and East Chunnam Institute for Community Studies. (2001) Gageo Island and other islands in the Huksan Do Chain: a summary abstract of their importance to the study of bird migration.
<http://www.wbkenglish.com/gageo%20do.asp>
- 9147 Lichard, M., Matousek, B. and Psota, A. (1997) [Houbara Bustard (*Chlamydotis undulata*)--a new species of the bird fauna in Slovakia.]. *Tichodroma* 10: 162--163.
- 9173 Benson, C. W. (1970) A Blue-winged Pitta on Christmas Island, eastern Indian Ocean. *Bulletin of the British Ornithologists' Club* 90: 24-25.
- 9220 Salaman, P., Donegan, T. M. and Cuervo, A. M. (2002) New distributional bird records from Serranía de San Lucas and adjacent Central Cordillera of Colombia. *Bulletin of the British Ornithologists' Club* 122(4): 285-303.
- 9221 Weller, A.-A. (2002) First confirmed record of *Agyrtria versicolor* (Trochilidae) for Peru. *Bulletin of the British Ornithologists' Club* 122(4): 314-317.
- 9222 King, B. (2002) Species limits in the Brown Boobook *Ninox scutulata* complex. *Bulletin of the British Ornithologists' Club* 122(4): 250-257.
- 9223 Anon. (2002) First insights in the ecology and implementation of conservation actions: the El Oro Parakeet. *Cyanopsitta* (66) 20-22.
- 9306 Daugherty, C. H., Williams, M. and Hay, J. M. (1999) Genetic differentiation, taxonomy and conservation of Australasian teals *Anas* spp. *Bird Conserv. Int.* 9: 29-42.
- 9307 Tishechkin, A. K. et al. (1997) *Breeding population of the Great Gray Owl (Strix nebulosa) in Belarus: summary of recent knowledge*. USDA, For. Serv. Gen. Tech. Rep. NC-GTR-190 449--455.
- 9308 Clouet, M., Barrau, C. and Goar, J.-L. (1999) The Golden Eagle (*Aquila chrysaetos*) in the Balé Mountains, Ethiopia. *J. Raptor Res.* 33: 102-109.
- 9309 Bretagnolle, V. et al. (2000) Distribution, population size, and habitat use of the Réunion Marsh Harrier, *Circus m. maillardi*. *J. Raptor Res.* 34: 8-17.
- 9310 Frith, C. B., and Poulsen, M. K. (1999) Distribution and status of the Paradise Crow *Lycocorax pyrrhocopterus* and Standardwing Bird of Paradise *Semioptera wallacii*, with notes on biology and nidification. *Emu* 99: 229-238.
- 9311 Aguilera, X. G. et al. (1999) Population size of Cuban Parrots *Amazona leucocephala* and Sandhill Cranes *Grus canadensis* and community involvement in their conservation in northern Isla de la Juventud, Cuba. *Bird Conserv. Int.* 9: 97--112.
- 9312 De Juana, E., and Martínez, C. (1996) Distribution and conservation status of the Little Bustard, *Tetrax tetrax*, in the Iberian Peninsula. *Ardeola* 43(2): 157-167.
- 9313 Martín, A. et al. (1997) Distribution, status and conservation of the Houbara Bustard, *Chlamydotis undulata fuertaventurae*, Rothschild & Hartert, 1894, in the Canary Islands, November-December 1994. *Ardeola* 44(1): 61-69.
- 9314 Butynski, T. M., Agenonga, U., Ndera, B. and Hart, J. F. (1997) Rediscovery of the Congo Bay (Itombwe) Owl *Phodilus prigoginei*. *Bull. Afr. Bird Club* 4: 32--35.

- 9315 Rabarisoa, R., Watson, R. T., Thorstrom, R. and Berkelman, J. (1997) Status of the Madagascar Fish Eagle *Haliaeetus vociferoides* in 1995. *Ostrich* 68: 8-12.
- 9316 Lourdes Avila Hernández, M. de. (1998) The Quetzal and its conservation in the Mexican Southeast. *Wilson Bull.* 110: 559.
- 9318 Baha el Din, S. and Baha el Din, M. (1997) Crested Honey Buzzard *Pernis ptilorhynchus*, a new species for Egypt and the African continent. *Bull. Afr. Bird Club* 4: 31.
- 9324 Walker, J. S., and Cahill, A. J. (2000) Population size and status of the Yellow-breasted Racquet-tail Parrot *Prioniturus flavicans*. *Bird Conservation International* 10: 131--136.
- 9325 Garnett, S. T. and Crowley, G. M. (2000) Action Plan for Australian Birds 2000: the Psittacids. *Eclectus* 9: 7--38.
- 9326 Garnett, S. T. and Crowley, G. M. (2000) Action Plan for Australian Birds 2000: the Psittacids. (contd.). *Eclectus* 10: 11-20.
- 9327 Hassell, C. J. and Boyle, A. N. (2000) Abbott's Booby: first record for mainland Australia. *Australian Bird Watcher* 18: 255-258.
- 9329 Basnet, S., Holt, P. and Karki, R. (2000) Jerdon's Baza *Aviceda jerdoni*: a new species for Nepal. *Forktail* 16: 170--171.
- 10018 Ridgely, R. S. and Greenfield, P. J. (2001) *The birds of Ecuador, status, distribution and taxonomy*. Christopher Helm. - London
- 10021 Rodner, C., Lentino, M. and Restall, R. (2000) *Checklist of the birds of northern South America. An annotated checklist of the species and subspecies of Ecuador, Colombia, Venezuela, Aruba, Curaçao, Bonaire, Trinidad & Tobago, Guyana, Suriname and French Guiana*. Pica Press. -Sussex, U.K.
- 10037 Gilbert, M., Virani, M. Z., Watson, R. T., Oaks, J. L., Benson, P. C., Khan, A. A., Ahmed, S., Chaudhry, J., Arshad, M., Mahmood, S. and Shah, Q. A. (2002) Breeding and mortality of Oriental White-backed Vulture *Gyps bengalensis* in Punjab Province, Pakistan. *Bird Conserv. Internatn.* 12: 311-326.
- 10038 Williams, R. and Santander, T. (2003) Conservation of the Black-breasted Puffleg *Eriocnemis nigrivestis*; a review of the species' range and ecology, mapping of remaining habitat and proposal for the species' conservation. Unpublished.
- 10073 Marín, M. (2000) El aguilucho langostero *Buteo swainsoni* una nueva especie que se debe agregar a la lista de aves Chilenas. *Boletín Chileno de Ornitología* 7: 26.
- 10078 Akker, M. van den. (2003) Birds of Niaouli forest, southern Benin. *Bulletin of the African Bird Club* 10(1): 16-22.
- 10082 Claffey, P. M. (2003) Parasitic weaver *Anomalospiza imberbis*, new to Benin. *Bulletin of the African Bird Club* 10(1): 49-50.
- 10114 Sultanov, E. and Agayeva, N. (2003) The current breeding status of Ferruginous Duck *Aythya nyroca* in Azerbaijan. *Sandgrouse* 25(1): 41-49.
- 10115 Kreuzberg-Mukhina, E. (2003) Some unusual patterns of bird migration in Uzbekistan, spring 2002. *Sandgrouse* 25(1): 59-62.
- 10120 Cuervo, A. M., Stiles, F. G., Cadena, C. D., Toro, J. L. and Londoño, G. A. (2003) New and noteworthy bird records from the northern sector of the Western Andes of Colombia. *Bulletin of the British Ornithologists' Club* 123: 7-24.
- 10121 Braun, M. J., Robbins, M. B., Milensky, C. M., O'Shea, B. J., Barber, B. R., Hinds, W. and Prince, W. S. (2003) New birds for Guyana from Mts Roraima and Ayanganna. *Bulletin of the British Ornithologists' Club* 123: 24-33.
- 10140 Simic, D. (2001) Accepted sightings of the Egyptian Vulture *Neophron percnopterus* in Botswana. *Vulture News* 44: 31-32.

- 10142 Irwin, M. T. and Samonds, K. E. (2002) Range extension of the Madagascar Red Owl *Tyto soumagnei* in Madagascar: the case of a rare widespread species? *Ibis* 144: 680-683.
- 10145 Ostrowski, S., Massalatehi, M. S. and Mamana, M. (2001) Evidence of a dramatic decline of the Red-necked Ostrich *Struthio camelus camelus* in the Air and Tenere National Nature Reserve, Niger. *Oryx* 35: 349-352.
- 10146 Warburton, L. (2002) Black-cheeked Lovebird, Africa's most threatened lovebird. *Africa-Birds & Birding* 7(1): 52-59.
- 10152 Alonso, J. C., Palacín, C. and Martín, C. A. (2003) Status and recent trends of the great bustard (*Otis tarda*) population in the Iberian peninsula. *Biol. Conserv.* 110: 185-195.
- 10153 Bueser, G. L. L., Bueser, K. G., Afan, D. S., Salvador, D. I., Grier, J. W., Kennedy, R. S. and Miranda, H. C. (2003) Distribution and nesting density of the Philippine Eagle *Pithecopaga jefferyi* on Mindanao Island, Philippines: what do we know after 100 years. *Ibis* 145: 130-135.
- 10158 Harrison, J. M. (1955) The first occurrence of the Bateleur and Red Kite in Iraq. *Bulletin of the British Ornithologists' Club* 75: 59-60.
- 10161 Al-Dabbagh, K. Y., Mohammed, S. M and Jiad, J. H. (1992) First breeding records of Palm Dove *Streptopelia senegalensis* and Starling *Sturnus vulgaris* in Iraq. *Sandgrouse* 14: 53-54.
- 10169 Georg, P. V. and Vielliard, J. (1970) Midwinter observations on birds of central and south Iraq. *Bull. Iraq Nat. Hist. Mus.* 4(4): 61-85.
- 10170 Scott, D. A. and Carp, E. (1982) A midwinter survey of wetlands in Mesopotamia, Iraq: 1979. *Sandgrouse* 4: 60-69.
- 10172 Ctyroky, P. (1987) Ornithological observations in Iraq. *Beiträge Vogelkundliche* 33: 141-204.
- 10173 Georg, P. V. (1969) Systematic list of Iraqi vertebrates - Aves. *Iraq Nat. Hist. Mus. Publ.* (26) 34-63.
- 10174 Sage, B. L. (1959) Some comments on autumn migration in eastern Iraq. *Bulletin of the British Ornithologists' Club* 79: 132-135.
- 10175 Marchant, S. (1963) Notes on five species of Iraqi birds. *Bulletin of the British Ornithologists' Club* 83: 52-56.
- 10176 Harrison, J. M. (1959) Notes on a collection of birds made in Iraq by Flight Lieutenant David L. Harrison. *Bulletin of the British Ornithologists' Club* 79: 9-13, 31-36, 49-50.
- 10177 Kinzelbach, R. (1986) New records of Alexander's Parrot, *Psittacula krameri*, from Egypt and the Levant countries. *Zoology in the Middle East* 1: 69-72.
- 10249 Barnett, J. M. and Pearman, M. (2001) *Lista Comentada de las Aves Argentinas/Annotated Checklist of the Birds of Argentina*. Lynx Edicions. - Barcelona
- 10250 Barré, N. and Bachy, P. (2003) Compléments à la liste commentée des oiseaux de Nouvelle-Calédonie. *Alauda* 71(1): 31-39.
- 10251 Chammem, M., Khorchani, T., Boukhris, M., Combreau, O., Chiniti, L. and Hammadi, M. (2003) L'Outarde houbara *Chlamydotis undulata undulata* en Tunisie : statut actuel et distribution géographique. *Alauda* 71(1): 41-47.
- 10252 Ingels, J., Cleere, N. and Pelletier, V. (2003) Noteworthy observations on some French Guianan birds. *Alauda* 71(1): 59-67.
- 10289 Imberti, S. (2003) Notes on the distribution and natural history of some birds in Santa Cruz and Tierra del Fuego provinces, Patagonia, Argentina. *Cotinga* 19: 15-24.
- 10290 Hennessey, A. B. and Gomez, M. I. (2003) Four bird species new to Bolivia: an ornithological survey of the Yungas site Tokoaque, Madidi National Park. *Cotinga* 19: 25-33.
- 10292 Cooper, D. S. (2003) New distributional and ecological information on birds in southwestern Guatemala. *Cotinga* 19: 61-63.

- 10293 Williams, R. S. R. and Beadle, D. D. (2003) Eurasian Wigeon *Anas penelope* in Venezuela: a new bird for South America. *Cotinga* 19: 71.
- 10294 ffrench, R. and Kenefick, M. (2003) Verification of rare bird records from Trinidad and Tobago. *Cotinga* 19: 75-79.
- 10295 Navarrete, L. (2003) White-breasted Parakeet *Pyrrhura albipectus*: a new record for Peru. *Cotinga* 19: 79.
- 10297 Wingate, D. B. (2002) Mississippi Kite - new record for Bermuda. *Bermuda Audubon Soc. Newsletter* 13(3): 2-3.
- 10300 Childress, R. B. and Hughes, B. (2001) The status of the West Indian Whistling-duck (*Dendrocygna arborea*) in St. Kitts-Nevis, January-February 2000. *El Pitirre* 14: 107-112.
- 10301 Anon. (2002) Four new bird records for Nicaragua and the rediscovery of the Golden-cheeked Warbler (*Dendroica chrysoparia*). *La Tangara* 40.
- 10302 Pugnali, G. and Pearman, M. (2001) Confirmación de la presencia del Colibrí Rubí (*Chrysolampis mosquitus*) en Argentina. *Hornero* 16: 93-95.
- 10327 Bagyura, J., Szitta, T., Haraszthy, L., Firmánszky, G., Viszló, L., Kovács, A., Demeter, I. and Horváth, M. (2002) Population increase of Imperial Eagle (*Aquila heliaca*) in Hungary between 1980 and 2000. *Aquila* ?: 107-108, 133-144.
- 10333 Pinho, J. B. and Nogueira, F. M. B. (2003) Hyacinth Macaw (*Anodorhynchus hyacinthinus*) reproduction in the Northern Pantanal, Mato Grosso, Brazil. *Orn. Neotrop.* 14(1): 29-38.
- 10364 Brooks, T. (2002) Birds collected in the Philippines by the Noona Dan Expedition, August to December 1961. *Steenstrupia* 27(1): 29-46.
- 10522 Skerrett, A. and Roest, L. (2003) Pallid Harrier *Circus macrourus*: the first record for Seychelles. *Bulletin of the African Bird Club* 10(2): 126-127.
- 10579 King, J. M. B. (2003) Baillon's Crake *Porzana pusilla*, new to The Gambia, with notes on seven other species. *Malimbus* 25: 59-61.
- 10580 Velmala, W. and Gustafsson, R. (2003) Two new raptors for Nigeria and other raptor observations at Lake Chad. *Malimbus* 25: 52-55.
- 10581 Crisler, T., Jameson, C. and Brouwer, J. (2003) An updated overview of the birds of W National Park, southwest Niger. *Malimbus* 25: 4-30.
- 10589 Demsey, R. (1995) Notes on the birds of the coastal and Kindia areas, Guinea. *Malimbus* 17: 85-99.
- 10590 Nikolaus, J. (2000) The birds of the Parc National du Haut Niger, Guinea. *Malimbus* 22: 1-22.

Index

A

abbotti, Papasula.....4
abbotti, Sula.....
.....4, 277, 278, 300
abeillei, Abeillia.....199
Abeillia.....199
Abejero colilargo.....63
Abejero de Célebes....72
Abejero Europeo.....72
Abejero negro.....63
Abejero oriental.....73
Aborófila de Fujian....98
Abyssinian long-eared owl.....171
Abyssinian Lovebird..124
Abyssinian Owl.....171
abyssinicus, Asio.....171
abyssinicus, Turtur..122
acadicus, Aegolius...170
Accipiter.....
28, 29, 30, 31, 32,
33, 34, 35, 56, 68,
281, 290, 293, 295,
298, 299, 309, 312,
331, 333
ACCIPITRIDAE ... 3, 28
accipitrinus, Deroptodus.....141, 319
Aceros.....
235, 236, 237, 293,
320
Acuá.....91
acuta, Anas15
acuticaudata, Aratinga.....
131
adalberti, Aquila.36, 284
adela, Oreotrochilus.225
adelaidae, Platycercus.....
151
Adelaide Parakeet....151
Adelaide Rosella.....151
Adelomyia.....199
Admiralty Hawk-Owl 183
Admiralty island Hawk-owl.....183
adorabilis, Lophornis 222
adorabilis, Paphosia.222
Adorable Coquette... 222
adscitus, Platycercus 151
Aegolius.....170, 171
Aegypius.....36, 74,
78, 298, 308, 316
aegyptiacus, Alopochen.....
14, 308
aenea, Glaucis215
aeneocauda, Metallura.....
223

aequatorialis, Androdon.....202
aequinoctialis,
Buteogallus48
aeruginosus, Circus.....
51, 52, 53, 55
aestiva, Amazona124
aethiopicus, Threskiornis.....
12, 315
Afep Pigeon117
afer, Euplectes260
afer, Turtur.....122
affinis, Ninox.....183
affinis, Penelopides ..238
afra, Eupodotis.....110
afraoides, Eupodotis.110
African Barred Owlet 178
African Bay Owl.....167
African Baza.....41
African Black Eagle ... 40
African Collared-Dove....
.....119
African Crowned Eagle.....
77
African Cuckoo-Falcon 41
African Cuckoo-Hawk 41
African Eagle.....64, 174
African Eagle-Owl174
African Firefinch254
African Fish-Eagle 61
African Goshawk..... 35
African Grass-Owl169
*African Green-Pigeon*121
African Gymnogene... 73
African Harrier-Hawk. 73
African Hawk-Eagle ... 64
African Hobby83
African Little Sparrowhawk32
African Long-tailed Hawk.....
78
African Marsh Owl....171
African Marsh-Harrier 54
African Mourning Dove.....
119
African Orange-bellied Parrot.....153
African Penguin ... 2, 294
African Pitta242
African Pygmy Falcon 94
African Pygmy-goose. 24
African Quailfinch....257
African Red-tailed Buzzard.....43
African Scops-Owl....192
African Serpent-Eagle 55
*African Silverbill*255, 324
African Swallow-tailed Kite.....49
African White-backed Vulture58
African Wood-Owl198
African Wood-Pigeon 117
africanus, Bubo..... 174
africanus, Gyps..... 58
africanus, Spizaetus
75, 326
Agapornis. 123, 124, 331
Agelaius..... 250
Agelastes..... 98
agilis, Amazona..... 124
Aglaeactis199, 200
Aglaicocercus..... 200
Agriocharis..... 98
Aguila arpía..... 62
Aguila audaz..... 36
Aguila blanca..... 67
Aguila blanquinegra ... 77
Aguila cabeciblanca ... 60
Aguila cabeza blanca . 60
Aguila cafre 40
Aguila calzada 64
Aguila castaña 72
Aguila colorada 41
Aguila comemonos 73
Aguila copetuda africana.....
.....67
Aguila coronada ...62, 77
Aguila coronada rabuda.....
.....77
Aguila crestada 71
Aguila cretilarga 67
Aguila culebrera.....
.....49, 50, 55
Aguila culebrera colilarga.....
.....55
Aguila culebrera culiblanca 49
Aguila culebrera de Brown 50
Aguila de Azara..... 62
Aguila de Bonelli 63
Aguila de Copete 72
Aguila de Penacho 76
Aguila de Walberg ... 40
Aguila elegante..... 76
Aguila escudada..... 57
Aguila Esteparia 39
Aguila harpía 62
Aguila imperial....36, 38
Aguila imperial ibérica 36
Aguila Imperial Oriental.....
.....38
Aguila marcial..... 73
Aguila milana..... 65
Aguila moluqueña..... 38
Aguila monera 71
Àguila monera 73
Aguila mora..... 57
Aguila Moteada 37
Aguila negra..... 48
Aguila perdicera ...63, 64
Aguila perdicera africana.....
.....64

Aguila Pescadora	27	Aguilucho lagunero del pacifico.....	52	Aigle mangeur de singes	73
Aguila poma	72	Aguilucho lagunero etiópico	54	Aigle martial.....	73
Aguila Pomerana	39	Aguilucho lagunero malgache	53	Aigle montagnard.....	76
Aguila Rapáz.....	39	Aguilucho lagunero occidental	51	Aigle nain.....	64
Aguila real.....	57	Aguilucho lagunero oriental.....	55	Aigle noir	65, 77
Aguila Real	37	Aguilucho langostero .	47	Aigle noir et blanc	77
Aguila sangual	27	Aguilucho Lanunero del Pacifico	52	Aigle orné	76
Aguila solitaria	62	Aguilucho moteado ...	52	Aigle pêcheur	27, 61
Aguila tirana	77	Aguilucho negro.....	53	Aigle pêcheur africain	61
Aguila volatinera	77	Aguilucho Pálido	52	Aigle pomarin	39
Aguila-azor africana...	64	Aguilucho Papialbo	53	Aigle ravisseur.....	39
Aguila-azor blanca....	76	Aguilucho pío	54	Aigle royal.....	37, 330
Aguila-azor blanquinegra	77	Aguilucho puna.....	46	Aigle serpentaire ..	55, 56
Aguila-azor chica.....	77	Aguilucho sabanero... .	48	Aigle tyran	77
Aguila-azor congoleña	75	Aguilucho vari	46, 52	Aigle-autour fascié ..	64
Aguila-azor de Ayres..	63	Aguilucho variado	46	Aigrette garzette	7
Aguila-azor de Célebes	76	Aguilucho-caricalvo común	73	Akun Eagle-Owl	176
Aguila-azor de Java ...	75	Aguilucho-caricalvo malgache	73	Ala de sable anteado	205
Aguila-azor de Wallace	76	<i>Agyrtria</i>	200, 201, 334	Ala de sable gris	206
Aguila-azor filipina....	76	Aigle à épaules blanches	36	Ala de sable pechivioleta	206
Aguila-azor galana....	76	Aigle à tête blanche ..	60	Ala de sable rufo	206
Aguila-azor Indonesia	75	Aigle à ventre roux ..	64	Ala de sable verde ...	205
Aguila-azor montañesa	76	Aigle blanchard.....	77	Alagoas Curassow	96
Aguila-azor negra	77	Aigle botté	64	Alasable azulino	206
Aguila-azor Perdicera .	63	Aigle couronné	77	Alazafiro grande	230
Aguila-azor variable...	76	Aigle criard	37	<i>alba</i> , <i>Ardea</i>	6
Aguila-azor ventrirroja	64	Aigle d'Australie.....	36	<i>alba</i> , <i>Cacatua</i> ..	135, 295
Aguililla blanca	66	Aigle d'Ayres	63	<i>alba</i> , <i>Egretta</i>	6
Aguililla aluda	46	Aigle de Blyth.....	75	<i>alba</i> , <i>Tyto</i> 168, 169, 283	
Aguililla artica	45	Aigle de Bonelli.....	63	Albatros	3
Aguililla aura	43	Aigle de Cassin	75	Albatros à queue courte	3
Aguililla australiana ..	64	Aigle de Gurney	38	Albatros colicorto	3
Aguililla Calzada	64	Aigle de Java.....	75	Albatros de Steller.....	3
Aguililla caminera	45	Aigle de Nouvelle-Guinée	62	Albatros rabón	3
Aguililla coliblanca	42	Aigle de Verreaux	40	<i>albatrus</i> , <i>Diomedea</i>	
Aguililla colicorta	43	Aigle de Wahlberg.....	40	3, 280, 289	
Aguililla colirroja	45	Aigle de Wallace	76	<i>albatrus</i> , <i>Phoebastria</i> ...	3
Aguililla de Harris	72	Aigle des Célèbes.....	76	<i>alberti</i> , <i>Crax</i>	95
Aguililla de Swainson .	47	Aigle des Philippines	73, 76	<i>alberti</i> , <i>Pteridophora</i> 273	
Aguililla gris.....	40	Aigle des singes.....	73	Albertine Owlet	177
Aguililla langostera	42	Aigle des steppes.....	38	<i>albertinum</i> , <i>Glaucidium</i>	177
Aguililla negra mayor .	48	Aigle d'Isidore	72	<i>albertisi</i> , <i>Drepanornis</i>	270
Aguililla negra menor .	48	Aigle doré	37	<i>albertisi</i> , <i>Epimachus</i> . 270	
Aguililla pechirroja.....	45	Aigle fascié	64	<i>albicaudatus</i> , <i>Buteo</i>	
Aguililla real	46	Aigle harpie	62	42, 323	
Aguilucho cabecinegro	42	Aigle huppard.....	67	<i>albicilla</i> , <i>Haliaeetus</i>	
Aguilucho Cenizo	54	Aigle huppé.....	76	59, 286, 290	
Aguilucho chico	42	Aigle ibérique	36	<i>albicollis</i> , <i>Leucochloris</i>	222
Aguilucho cola colorada	47	Aigle impérial	36, 38	<i>albicollis</i> , <i>Leucopeternis</i>	
Aguilucho cola corta...	43	Aigle impérial espagnol	36	66	
Aguilucho colorada	48			<i>albidinuchus</i> , <i>Lorius</i> . 146	
Aguilucho común.....	46			<i>albifacies</i> , <i>Sceloglaux</i>	
Aguilucho de azara	52			194	
Aguilucho de ciénaga .	52			<i>albifrons</i> , <i>Amazona</i> .. 124	
Aguilucho gris.....	40			<i>albifrons</i> , <i>Amblyospiza</i>	
Aguilucho lagunero	51, 52, 53, 54, 55			259	

<i>albigula</i> , <i>Buteo</i>	42
<i>albinucha</i> , <i>Ploceus</i> ...	263
<i>albipectus</i> , <i>Pyrrhura</i>	
.....	160, 336
<i>albibennis</i> , <i>Penelope</i>	
....	97, 285, 300, 301
<i>albirostris</i> ,	
<i>Anthracoceros</i>	237
<i>albirostris</i> , <i>Bubalornis</i>	
.....	260
<i>albitarsus</i> , <i>Ciccaba</i> ...	195
<i>albitarsus</i> , <i>Strix</i>	195
<i>albocoronata</i> , <i>Microchera</i>	
.....	224
<i>albogularis</i> , <i>Accipiter</i> ..	28
<i>albogularis</i> , <i>Otus</i>	186
<i>albogularis</i> ,	
<i>Phalcoboenus</i>	93
<i>albogularis</i> , <i>Zosterops</i> ...	
.....	248
<i>alboniger</i> , <i>Spizaetus</i> ..	75
<i>albonotatus</i> , <i>Buteo</i>	43
<i>albus</i> , <i>Casmerodius</i>	6
Alcaraván Americana	114
Alcaraván Venozolano	
.....	114
Alcatraz de Abbott	4
<i>alcinus</i> ,	
<i>Machaerhamphus</i> ...	68
<i>alcinus</i> , <i>Macheiramphus</i>	
.....	68
Alcotán	81, 83, 84, 88,
89	
Alcotán africano	83
Alcotán australiano	84
Alcotán cuellirrojo.....	81
Alcotán europeo	89
Alcotán filipino	88
Alcotán turumti	81
Alder Parrot.....	128
Alecto à bec blanc ...	260
<i>alector</i> , <i>Crax</i>	95
Aleutian Canada Goose .	
.....	20
Aleutian Goose.....	20
<i>alexanderi</i> , <i>Falco</i>	89
<i>alexandri</i> , <i>Polytelis</i>	153
<i>alexandri</i> , <i>Archilochus</i> ...	
.....	203
<i>alexandri</i> , <i>Psittacula</i> .	156
Alexandrine Parakeet	
.....	157
<i>alice</i> , <i>Chlorostilbon</i> ..	208
<i>aliciae</i> , <i>Aglaeactis</i>	199
Alimoche.....	71
Alimoche Común	71
Alimoche sombrío	71
<i>alinae</i> , <i>Eriocnemis</i> ...	213
<i>Alisterus</i>	124
<i>alius</i> , <i>Otus</i>	186
<i>alopex</i> , <i>Falco</i>	79
<i>Alopochen</i>	14, 308
<i>altaicus</i> , <i>Falco</i>	81
<i>alticola</i> , <i>Amazilia</i>	201,
329	
<i>aluco</i> , <i>Strix</i>	196
<i>amabilis</i> , <i>Amazilia</i>	229
<i>amabilis</i> , <i>Charmosyna</i>	
.....	138
<i>amabilis</i> , <i>Loriculus</i>	
.....	144, 145
<i>amabilis</i> , <i>Polyerata</i> ...	229
<i>Amadina</i>	252
Amadina gorgirroja ..	252
Amadine cou-coupé..	252
<i>Amandava</i>	252
Amani Sunbird	248
<i>Amapola</i>	129
Amarante à ventre noir	
.....	254
Amarante commun ..	254
Amarante du Sénégal	
.....	254
Amarante flambé	254
Amarante foncé	254
Amarante masqué....	255
Amarante pointé.....	254
Amarante rare.....	254
Amarante vineux	255
<i>amauropteryx</i> , <i>Vidua</i>	
.....	267
<i>Amazilia</i> 200, 201, 202,	
221, 222, 229, 230,	
231, 321, 322, 329,	
333	
Amazilia amable	229
Amazilia andina	200
Amazilia berilina	230
Amazilia bronzeada	
<i>coliazul</i>	231
Amazilia cándida.....	200
Amazilia canela	201
Amazilia capiazul	231
Amazilia coliazul	231
Amazilia colimorada ..	231
Amazilia colirrufa	201
Amazilia coroniazul ..	200
Amazilia coronivioleta	
.....	201
Amazilia costeña.....	201
Amazilia de Edward..	231
Amazilia de manglar.	229
Amazilia de Rosenberg	
.....	229
Amazilia de Tobago ..	231
Amazilia frentiverde ..	201
Amazilia gorjibrillante	
.....	229
Amazilia Hondureña ..	229
Amazilia Hummingbird	
.....	201, 329
Amazilia listada	229
Amazilia pechiazul ..	229
Amazilia pechiblanca	200
Amazilia pechimorada	
.....	229
Amazilia tzacatl	201, 322
Amazilia ventriblanca....	
.....	200
Amazilia ventricastaña	
.....	201
Amazilia ventrirrufa .	201
Amazilia verdiazul ...	231
Amazilia versicolor ..	201
Amazilia yucateca....	202
Amazilia zafirina.....	229
<i>amazilia</i> , <i>Amazilia</i>	
.....	201, 329
<i>Amazona</i>	
124, 125, 126, 127,	
128, 129, 279, 280,	
281, 285, 292, 295,	
296, 299, 304, 305,	
306, 310, 318, 320,	
323, 327, 331, 334	
Amazona alinaranja .	125
Amazona cabecirroja	128
Amazona cabenazul.	125
Amazona cabeza azul	
.....	125
Amazona cariazul	126
Amazona charao	128
Amazona colirroja ...	125
Amazona coronirroja	128
Amazona crestirroja	128
Amazona Cubana	127
Amazona de cara	
amarilla	129
Amazona de Cuba ...	127
Amazona de espalda	
amarilla	125
Amazona de Kawall .	126
Amazona de la Española	
.....	128
Amazona de Puerto Rico	
.....	129
Amazona de San	
Vincente.....	126
Amazona de Santa Lucía	
.....	128
Amazona del cerrado	129
Amazona festiva	126
Amazona frentialba .	124
Amazona frentiazul..	124
Amazona frentirroja.	125
Amazona gorgirroja .	125
Amazona guayabera	126
Amazona harinosa...	126
Amazona hombrogualda	
.....	125
Amazona imperial	
.....	126, 285
Amazona Jamaicana	
piquioclara	125
Amazona Jamaicana	
piquioscura.....	124
Amazona mercenaria	127
Amazona pechivinosa	
.....	128

Amazona Portorriqueña	129
Amazona real	127
Amazona Tamaulipecana	129
Amazona tucumana .	128
Amazona vinosa	128
Amazona Yucateca ..	129
Amazone à ailes oranges	125
Amazone à ailes vertes	125
Amazone à bandeau rouge.....	129
Amazone à cou rouge	125
Amazone à couronne lilas	126
Amazone à cronne rouge	128
Amazone à épaulettes jaunes.....	125
Amazone à face jaune	129
Amazone à front blanc	124
Amazone à front bleu	124
Amazone à front jaune	127
Amazone à joues bleues	125, 126
Amazone à joues jaunes	125
Amazone à joues vertes	129
Amazone à lores jaunes	129
Amazone à nuque d'or	127
Amazone à queue rouge	125
Amazone à sourcils rouges	128
Amazone à tête blanche	127
Amazone à tête jaune	127
Amazone agile	124
Amazone aourou	125
Amazone bourgogne	128
Amazone de Bouquet	125
Amazone de Cuba ..	127
Amazone de Dufresne	126
Amazone de Finsch..	126
Amazone de Guilding	126
Amazone de Kawall .	126
Amazone de la Barbade	125
Amazone de la Jamaïque	125
Amazone de Porto Rico	129
Amazone de Prêtre... Amazone de Sainte-Lucie	128
Amazone de Saint-Vincent.....	126
Amazone de San Domingo.....	128
Amazone de Tucuman	128
Amazone d'Hispaniola....	128
Amazone diadème ...	125
Amazone du Brésil ...	125
Amazone du Yucatan	129
Amazone farineuse ..	126
Amazone festive	126
Amazone impériale ..	126
Amazone mercenaire	127
Amazone poudrée	126
Amazone sasabé.....	125
Amazone tavoua.....	126
Amazone versicolore	128
Amazone verte	124
Amazone vineuse.....	128
Amazonian Parakeet.	147
Amazonian Parrotlet.....	147, 333
Amazonian Umbrellabird	241
<i>amazonica</i> , <i>Amazona</i>	125
Amazonico activo.....	124
Amazonico jamaica ..	124
Amazonico todo verde	124
<i>amazonina</i> , <i>Hapalopsittaca</i>	144, 319
<i>ambigua</i> , <i>Ara</i>	130, 319, 322
<i>Amblyospiza</i>	259
Amblyospize à front blanc.....	259
<i>amboinensis</i> , <i>Alisterus</i>	124
Ambon King-Parrot ..	124
American Flamingo ...	13
American Harpy Eagle	62
American Kestrel	88
American Swallow-tailed Kite.....	55
<i>americana</i> , <i>Grus</i>	105
<i>americana</i> , <i>Rhea</i>	1
<i>americanus</i> , <i>Daptrius</i>	79
<i>americanus</i> , <i>Ibycter</i> ..	79
Amethyst Woodstar..	204
<i>amethysticollis</i> , <i>Helianzelus</i>	216
<i>amethystina</i> , <i>Calliphlox</i>	204
<i>amethystinus</i> , <i>Lampornis</i>	220
Amethyst-throated Hummingbird	220
Amethyst-throated Sunangel.....	216
<i>amherstiae</i> , <i>Chrysolophus</i>	99
Amur Falcon	79
<i>amurensis</i> , <i>Falco</i>	79
Anade malgache	18
Anade rabudo	15
Anade silbón.....	18
<i>Anaplectes</i>	260
<i>Anas</i>	15,
16, 17, 18, 19, 290, 294, 334, 336	
ANATIDAE	3, 14
Andaman Boobook ..	183
Andaman Dark Serpent-Eagle	74
Andaman Hawk-Owl	183
Andaman Scops-Owl	187
Andaman Serpent-Eagle	74
Andean Cock-of-the-rock	242
Andean Condor	26, 308, 312
Andean Emerald.....	200
Andean Flamingo	12
Andean Hillstar	225
Andean Parakeet.....	134
Andean Pygmy-Owl .	179
<i>Andigena</i>	240
<i>andinus</i> , <i>Phoenicoparrus</i>	12
<i>andinus</i> , <i>Phoenicopterus</i>	12
<i>andrewsi</i> , <i>Fregata</i>	298
..... 4, 297,	
<i>Androdon</i>	202
Angel de Sol amatista	216
Angel de Sol cuelliocre	217
<i>angelinae</i> , <i>Otus</i>	186, 275, 277
<i>angolensis</i> , <i>Gypohierax</i>	57
<i>angolensis</i> , <i>Pitta</i>	242
<i>anna</i> , <i>Archilochus</i>	205
<i>anna</i> , <i>Calypte</i>	205
<i>Anodorhynchus</i>	
129, 130, 279, 281, 289, 306, 312, 318, 337	
<i>Anomalospiza</i> ..	260, 335
Anomalospize parasite	260
<i>Anopetia</i>	202
<i>Anorrhinus</i>	237
Anserelle naine	24
ANSERIFORMES ..	3, 14
<i>Anthocephala</i>	202

<i>anthopeplus</i> , <i>Polytelis</i>	153, 327	<i>Ardea</i>	4, 5, 6, 277, 283,
<i>anthophilus</i> , <i>Phaethornis</i>	226		284, 305, 309
<i>anthracinus</i> , <i>Buteogallus</i>	48	ARDEIDAE	3, 4
<i>Anthracoceros</i> ..	237, 238	<i>ardens</i> , <i>Coliuspasser</i>	261
<i>Anthracothorax</i> 202, 203		<i>ardens</i> , <i>Euplectes</i>	261
<i>Anthreptes</i>	248	<i>ardens</i> , <i>Selasphorus</i>	231
<i>antigone</i> , <i>Grus</i>	106	<i>Ardeotis</i> 109, 289, 299,	
<i>Antillean Crested</i>		306	
Hummingbird	225	<i>ardosiaceus</i> , <i>Falco</i>	80
<i>Antillean Mango</i>	202	<i>Arfak Astrapia</i>	269
<i>Antipodes Green</i>		<i>Arfak Parotia</i>	273
Parakeet.....	140	<i>arfaki</i> , <i>Oreopsittacus</i>	149
<i>Antipodes Parakeet</i> ..	140	<i>argentauris</i> , <i>Leiothrix</i>	
<i>apivorus</i> , <i>Pernis</i>	72	246
<i>Aplomado Falcon</i>	84	<i>Argos gigante</i>	98
<i>apoda</i> , <i>Paradisaea</i> ...	272	<i>Argos real</i>	98
APODIFORMES . 3, 199		<i>Argus géant</i>	98
<i>approximans</i> , <i>Circus</i> ..	52	<i>Argus ocellé</i>	103
<i>Aprosmictus</i>	130	<i>Argus Pheasant</i>	98
<i>Aquila</i>	36, 37, 38,	<i>argus</i> , <i>Argusianus</i>	98
	39, 40, 281, 282,	<i>Argusianus</i>	98
	284, 285, 287, 289,	<i>Ariane à couronne azur</i>	
	298, 302, 304, 308,	200
	310, 330, 331, 334,	<i>Ariane à couronne</i>	
	337	violette	201
<i>Aquila Esteparia</i>	38	<i>Ariane à front bleu</i> ..	231
<i>Aquila imperiale iberica</i>	<i>Ariane à front vert</i> ...	201
	36	<i>Ariane à poitrine blanche</i>	
<i>aquila</i> , <i>Eutoxeres</i>	215	200
<i>Ara</i>		<i>Ariane à queue bleue</i>	
129, 130, 131, 139,		231
141, 149, 154, 155,		<i>Ariane à ventre blanc</i>	
278, 281, 291, 295,		221
299, 306, 319, 322		<i>Ariane à ventre gris</i> .	201
<i>Ara à collier jaune</i> ...	154	<i>Ariane à ventre roux</i> 201	
<i>Ara à face grise</i>	139	<i>Ariane à ventre vert</i> . 231	
<i>Ara à gorge bleue</i>	130	<i>Ariane aimable</i>	229
<i>Ara à nuque d'or</i>	154	<i>Ariane beryl</i>	230
<i>Ara azul</i>	129	<i>Ariane candide</i>	200
<i>Ara bleu</i>	129, 130	<i>Ariane cannelle</i>	201
<i>Ara canindé</i>	130	<i>Ariane de Boucard</i> ...	229
<i>Ara chloroptère</i>	130	<i>Ariane de Félicie</i>	231
<i>Ara cobalt</i>	130	<i>Ariane de Francia</i>	200
<i>Ara de Buffon</i>	130	<i>Ariane de Lesson</i>	201
<i>Ara de Coulon</i>	155	<i>Ariane de Linné</i>	229
<i>Ara de Fresnaye</i>	131	<i>Ariane de Lucy</i>	229
<i>Ara de Lafresnaye</i> ...	131	<i>Ariane de Rosenberg</i> 229	
<i>Ara de Lear</i>	130, 306	<i>Ariane de Sophie</i>	231
<i>Ara de Spix</i>	139	<i>Ariane d'Edward</i>	231
<i>Ara d'Illiger</i>	155	<i>Ariane du Pérou</i>	222
<i>Ara glauque</i>	129	<i>Ariane du Yucatan</i> ...	202
<i>Ara hyacinthe</i>	129	<i>Ariane saphirine</i>	229
<i>Ara jacinthe</i>	129	<i>Ariane versicolore</i>	201
<i>Ara macao</i>	131	<i>Ariane vert-doré</i>	200
<i>Ara macavouanne</i>	149	<i>Arpía</i>	62, 71
<i>Ara militaire</i>	131	<i>Arpía mayor</i>	62
<i>Ara miracana</i>	155	<i>Arpía menor</i>	71
<i>Ara noble</i>	141	<i>Arpía papúa</i>	62
<i>Ara rouge</i>	131	<i>ascalaphus</i> , <i>Bubo</i>	175
<i>Ara sévère</i>	131	<i>Ashy-faced Owl</i>	169

Asian Black Eagle	65
Asian Black Hornbill .	237
Asian Black Vulture....	74
Asian Crested Goshawk	35
Asian King Vulture.....	74
Asian White-backed Vulture.....	58
Asian White-crested Hornbill	235
<i>Asio</i> ..171, 172, 173, 331	
<i>asio</i> , <i>Otus</i>	186, 189
Assam Brown-backed Hornbill	237
<i>assimilis</i> , <i>Chlorostilbon</i>	208
<i>assimilis</i> , <i>Circus</i>	52
<i>assimilis</i> , <i>Haplophaedia</i>	216
<i>Astrapia</i>	269, 331
<i>Astrapia Astrapia</i>	331
<i>astreans</i> , <i>Acestrura</i> ..	207
<i>astreans</i> , <i>Chaetocercus</i>	207
Astrild à joues oranges	253
Astrild caille.....	257
Astrild cendré	253
Astrild fourmilier	258
Astrild mésange	258
Astrild ondulé	253
Astrild queue-de-vinaigre.....	253
Astrild vert pointillé ..	256
<i>astrild</i> , <i>Estrilda</i>	253
Astrilda aperdizada..	257
Astrilda carirroja	253
Astrilda ceniza del Senegal.....	253
Astrilda común.....	253
Astrilda culinegra	253
Astrilda pechigualda.	252
Astrild-caille à lunettes	257
<i>astur</i> , <i>Eutriorchis</i>	
..... 56, 284, 306, 309	
<i>Asturina</i>	40
<i>ater</i> , <i>Daptrius</i>	79
<i>aterrimus</i> , <i>Probosciger</i>	154
<i>Athene</i>	
173, 174, 195, 287, 308, 320	
Atitlan Grebe	2, 291
<i>atra</i> , <i>Afrotis</i>	110
<i>atra</i> , <i>Chalcopsitta</i>	137
<i>atra</i> , <i>Manucodia</i>	271
<i>atricapillus</i> , <i>Otus</i>	186
Atrichorne bruyant ..	244
<i>Atrichornis</i>	244
ATRICHORNITHIDAE	3, 244
<i>atricollis</i> , <i>Ortygospiza</i>	
.....	257
<i>atrimonialis</i> , <i>Phaethornis</i>	226
<i>atrocaudata</i> ,	
<i>Terpsiphone</i>	247
<i>atrogularis</i> , <i>Textu</i>	264
<i>atropurpurea</i> , <i>Xipholena</i>	242
<i>Atthis</i>	203, 325
<i>aucklandica</i> , <i>Anas</i> 16,	
290	
<i>audax</i> , <i>Aquila</i>	36
<i>Augastes</i> 203, 204, 288,	
323	
<i>Augur Buzzard</i>	43
<i>augur</i> , <i>Buteo</i>	43
<i>auguralis</i> , <i>Buteo</i>	43
<i>augusti</i> , <i>Phaethornis</i> .	226
<i>aurantia</i> , <i>Tyto</i>	169
<i>aurantiifrons</i> , <i>Loriculus</i>	145
<i>aurantius</i> , <i>Ploceus</i>	264
<i>auratus</i> , <i>Chlorostilbon</i> ...	
.....	209
<i>aurea</i> , <i>Aratinga</i>	131
<i>aureliae</i> , <i>Haplophaedia</i>	216
<i>aureoventris</i> ,	
<i>Chlorostilbon</i>	208
<i>aurescens</i> , <i>Heliodoxa</i> 217	
<i>aurescens</i> , <i>Polyplancta</i>	217
<i>auricapilla</i> , <i>Aratinga</i> ..	131
<i>auriceps</i> , <i>Cyanoramphus</i>	140
<i>auricollis</i> , <i>Ara</i>	154
<i>auricollis</i> , <i>Primolius</i> ..	154
<i>auricollis</i> , <i>Propyrrhura</i>	154
<i>aurifrons</i> , <i>Bolborhynchus</i>	156
<i>aurifrons</i> , <i>Psilopsiagon</i>	156
<i>aurita</i> , <i>Heliothryx</i>	219
<i>auritus</i> , <i>Nettapus</i>	24
<i>europalliata</i> , <i>Amazona</i>	
.....	127, 327
Aurora Finch	259
<i>austeni</i> , <i>Anorrhinus</i> ..	237
Austral Conure	141
Austral Parakeet	141
Austral Pygmy-Owl ..	179
Australasian Goshawk	30
Australasian Harrier ..	52
Australian Black-shouldered Kite.....	55
Australian Bustard	
.....	109, 289, 311
Australian Hobby	84
Australian Kestrel	81
Australian King-Parrot	124
Australian Masked-Owl	170
Australian Ringneck ..	134
<i>australis</i> , <i>Ardeotis</i>	109, 289
<i>australis</i> , <i>Choriotis</i> ..	109
<i>australis</i> , <i>Phalcoboenus</i>	93
<i>australis</i> , <i>Treron</i>	121
<i>australis</i> , <i>Vini</i>	164
Autillo 182, 186, 187,	
188, 189, 190, 191,	
192, 193	
Autillo Africano	192
Autillo barbudo	187
Autillo bigotudo	193
Autillo Californiano ..	189
Autillo capirogado	186
Autillo cariblanco	189
Autillo chino	187
Autillo chóliba	187
Autillo Cubano	189
Autillo de Andamán ..	187
Autillo de Célebes	190
Autillo de Guernsey ...	182
Autillo de Java	186
Autillo de Koepcke ...	189
Autillo de la Mantanani	190
Autillo de la Sangihe	188
Autillo de la Simeulue	193
Autillo de la Sonda ..	187
Autillo de las Comores	191
Autillo de las Mentawai	190
Autillo de las Palau ..	191
Autillo de Luzón	190
Autillo de Marshall ...	190
Autillo de Mindanao ..	191
Autillo de Mindoro ...	190
Autillo de Moheli	191
Autillo de Nicobar	186
Autillo de Palawan ...	188
Autillo de Santa Catarina	192
Autillo de Santo Tomé	188
Autillo de Soko	189
Autillo de Wallace	193
Autillo del Amazonas	193
Autillo elegante	188
Autillo europeo	192
Autillo Filipino	190
Autillo flamulado	188
Autillo frentiblanco ..	192
Autillo gorgiblanco ...	186
Autillo Indio	187
Autillo Malgache	192
Autillo Moluqueño	190
Autillo montano	193
Autillo Oriental	192

Autillo pálido..... 188
 Autillo Persa 187
 Autillo peruano 191
 Autillo piquigualdo... 188
 Autillo Portorriqueño 191
 Autillo Rajá..... 187
 Autillo roborado 191
 Autillo rojizo 191
 Autillo serrano 188
 Autillo vermiculado .. 193
 Autillo yanqui..... 186
 Autour à ailes grises .. 69
 Autour à flancs roux .. 29
 Autour à longue queue..
 78
 Autour à manteau noir
 32
 Autour à tête grise 33
 Autour à ventre blanc 31
 Autour à ventre gris... 34
 Autour australien..... 30
 Autour blanc..... 33
 Autour bleu et gris.... 32
 Autour chanteur..... 68
 Autour de Bürger..... 56
 Autour de Doria 68
 Autour de Henst..... 31
 Autour de Mayr 34
 Autour de Meyer 32
 Autour de Toussenel .. 35
 Autour des Célèbes.... 31
 Autour des Fidji..... 34
 Autour des Moluques . 31
 Autour des palombes . 30
 Autour gabar 68
 Autour huppé..... 35
 Autour imitateur..... 31
 Autour minulle 30
 Autour noir..... 32
 Autour pie 28
 Autour rouge 56
 Autour sombre..... 69
 Autour tachiro..... 35
 Autour unibande 66
 Autruche d'Afrique..... 1
autumnalis, *Amazona*
 125
autumnalis,
 Dendrocygna..... 22
 Ave de anteojos de
 pecho blanco..... 248
AVES 3, 1
 Avestruz 1
 Avestruz de Magallanes 1
Aviceda 41, 277, 307,
 335
 Avutarda 109, 110, 112,
 113
 Avutarda árabe 109
 Avutarda australiana 109
 Avutarda bengalí..... 110
 Avutarda cafre 112
 Avutarda común..... 113

Avutarda de Bengala 110
 Avutarda de Burchell 112
 Avutarda de Denham 112
 Avutarda de Heuglin. 113
 Avutarda de la India. 109
 Avutarda de Ludwig . 113
 Avutarda de Namibia 113
 Avutarda de Savile... 112
 Avutarda euroasiática....
 113
 Avutarda hubara..... 109
 Avutarda india..... 109
 Avutarda índica 109
 Avutarda kori 109
 Avutarda núbica 113
 Avutarda somalí 113
axillaris, *Elanus* 55
aymara, *Bolborhynchus*
 156
aymara, *Psilopsiagon* 156
ayresii, *Hieraetus* 63
Aythya 20, 327, 335
 Azer semicollarejo.... 29
 Azor 28, 30, 31, 32,
 33, 34, 35, 56, 57,
 68, 69, 73, 78
 Azor australiano 30
 Azor bicolor 28
 Azor blanquinegro.... 32
 Azor chico..... 34
 Azor común 30
 Azor culebrero 73
 Azor de Bürgers..... 56
 Azor de Doria 68
 Azor de Meyer 32
 Azor de Nueva Bretaña
 34
 Azor de Toussenel.... 35
 Azor gris..... 35
 Azor lagartijero oscuro
 69
 Azor malgache 31
 Azor moluqueño 31
 Azor moñudo 35
 Azor pechigrís 34
 Azor pechillano 35
 Azor rabilargo 78
 Azor rojo 56
 Azor tachiro 35
 Azor variable..... 33
 Azor ventigrís..... 34
 Azor zancón 57
 Azor-lagartijero claro. 68
 Azor-lagartijero somalí
 69
 Aztec Parakeet 133
 Azure Jay 274
azurea, *Cochoa* 245
 Azurebreasted pitta.. 243
 Azure-breasted Pitta. 243
 Azure-crowned
 Hummingbird 200
 Azure-rumped Parrot 162

B

badius, *Accipiter*
 28, 281, 295, 299
badius, *Phodilus* 167, 328
baeri, *Leucippus*..... 221
 Bahama Woodstar ... 204
 Bahamas Parrot 127
 Baikal Teal .18, 279, 332
bailloni, *Baillonius* ... 240
Baillonius 240
 Baka Indigobird 267
bakkamoena, *Otus*
 187, 188, 190
Balaeniceps. 8, 289, 325
BALAEINICIPITIDAE 3,
 8
 Balbugard fluviatile.... 27
 Balbuzard pêcheur.... 27
 Bald Eagle 60
 Bald Ibis
 11, 275, 284, 294,
 297
Balearica..... 105, 330
 Baléniceps roi 8
 Bali Myna 268
 Bali Starling 268, 276,
 290
balli, *Otus* 187
 Band-bellied Owl 194
 Banded Cotinga 242
 Banded Eagle-Owl ... 177
 Banded Kestrel 91
 Banded Pitta 242
 Banded Snake-Eagle.....
 49, 50
 Banded Sunbird 248
 Band-tailed Barbsthroat
 234
 Band-tailed Fish-Eagle ..
 60
 Band-tailed Owl 194
banksii, *Calyptorhynchus*
 137
bannermani, *Buteo*.... 44
bannermani, *Tauraco* 165
 Bar-backed Partridge . 98
barbadensis, *Amazona*
 125, 304, 306
barbarus, *Otus*..... 187
 Barbary Falcon..... 86
barbatus, *Gypaetus* ... 57
 Barbita colibandeada 234
 Barbita colipalida.... 233
 Bar-breasted Firefinch...
 254
 Bar-breasted Waxbill
 254
 Barbu bigarré 239
 Bare-eyed Cockatoo 136
 Bare-headed Rockfowl
 247
 Bare-legged Owl 189

Bare-legged Owlch-Owl	189
Bare-shanked Screech-Owl	188
Bare-throated Bellbird	242
Barking Owl.....	183
<i>barklyi, Coracopsis</i> ..	139
Barn Owl	168, 280, 283, 308
Barnacla cuellirroja....	20
Barnacla de las Aleutianas	20
Barnacla hawaiana	21
Barnacla nené.....	21
<i>barnardi, Barnardius</i> 133	
<i>barnardi, Platycercus</i> 133	
<i>Barnardius</i> 133, 134	
<i>baroni, Metallura</i>	
.....223, 301, 319	
Bar-pouched Wreathed Hornbill	236
Barraband Parakeet .	153
<i>barabandi, Pionopsitta</i>	150
Barred Eagle-Owl	177
Barred Forest-Falcon..	92
Barred Hawk.....	67
Barred Honey-buzzard	72
Barred Jungle Owlet.	180
Barred Kestrel.....	91
Barred Owl	178, 179, 198
Barred Owlet ...	178, 179
Barred Parakeet	134, 322
<i>barroti, Heliothryx</i> ...	219
<i>bartelsi, Spizaetus</i>	
.....75, 299	
Bar-throated Wreathed Hornbill	236
<i>Basilinna</i>	204
Bat Falcon	87
Bat Hawk	68
Bat Kite	68
<i>batavica, Touit</i>	163
Bateleur.....	77, 318, 336
Bateleur des savanes.	77
Bateleur Eagle	77
<i>baudinii,</i> <i>Calyptorhynchus</i> ..	137
Bay Owl	167, 328
Bay-winged Hawk.....	72
Baza africano.....	41
Baza australiano.....	41
Baza coucou	41
Baza de Jerdon	41
Baza huppard	41
Baza huppé	41
Baza malgache.....	41
Baza negro.....	41
Baza oriental	41
Bearded Helmetcrest	
.....226	
Bearded Mountaineer	225
Bearded Screech-Owl	187
Bearded Vulture	57
<i>beaudouini, Circaetus</i> 50	
Beaumarquet ...	258, 259
Beaumarquet à ailes jaunes	258
Beaumarquet aurore	259
Beautiful Hummingbird	205
Beautiful Parakeet....	156
Beautiful Parrot	150
<i>Bebrornis</i>	244
Bec de corail cendré	253
<i>beccarii, Otus</i>	190
Bec-en-fauchile aigle	215
Bec-en-fauchile de la Condamine.....	215
Bec-en-sabot	8
Bec-en-sabot du Nil.....	8
Bee Hummingbird	223
<i>bella, Goethalsia</i>	216
<i>bellicosus, Hieraaetus</i> 73	
<i>bellicosus, Polemaetus</i>	73
Bengal Bustard.....	110
Bengal Florican	110, 291, 293
<i>bengala, Estrilda</i>	259
<i>bengalensis, Bubo</i>	175
<i>bengalensis, Eupodotis</i>	110
<i>bengalensis, Gyps</i> 58,	335
<i>bengalensis,</i> <i>Houbaropsis</i> .110, 291	
Bengalí carinegro.....	255
Bengalí de Fraser.....	254
Bengalí de Lichtenstein	254
Bengalí senegalés	254
Bengali vert	252
Bengali zébré	252
<i>bengalus, Uraeginthus</i>	259
<i>benjamini, Urosticte</i> 234	
<i>bennetti, Casuarius</i>	2
<i>berigora, Falco</i>	80
<i>berlepschi, Acestrura</i> 207	
<i>berlepschi, Aglaiocercus</i>	200
<i>berlepschi, Chaetocercus</i>	207
Bernache à cou roux .	20
Bernache des Aléoutiennes	20
Bernache des Iles Sandwich	21
Bernache d'Hawaï	21
Bernache du Canada aléoute	20
Bernache néné.....	21
<i>bernieri, Anas</i>	16
<i>beryllina, Amazilia</i> ...	230
<i>beryllina, Saucerottia</i> 230	
Berylline Hummingbird	230
<i>beryllinus, Loriculus</i> .	145
Besra	35
Besra Sparrowhawk...	35
Besra-sperwer	35
Biak Red Lory	142
<i>biarmicus, Falco</i>	80
<i>bicalcaratum,</i> <i>Polyplectron</i>	102
<i>bicarunculus,</i> <i>Casuarius</i>	2
<i>bicolor, Accipiter</i>	28
<i>bicolor, Cyanophia</i> .	211
<i>bicolor, Dendrocygna</i>	
.....22, 320	
<i>bicolor, Lonchura</i>	255
<i>bicolor, Nigrita</i> .	256, 325
<i>bicolor, Spermestes</i> .	255
Bicolored Hawk	28
Bicolored Sparrowhawk	28
<i>bicornis, Buceros</i>	238
<i>bidentatus, Harpagus</i> .	62
<i>bilopha, Heliactin</i>	216
Bismarck Boobook...	185
Bismarck Hawk-Owl.	185
Bismarck Masked-Owl...	
.....169	
<i>bistriatus, Burhinus</i> .	114
Black Baza	41, 277
Black Bustard	110
Black Caracara.....	79
Black Chachalaca	97
Black Crowned-Crane	105
Black Cuckoo-dove ..	122
Black Curassow.....	95
Black Eagle .	40, 65, 287
Black Falcon	89
Black Goshawk	32
Black Harrier	53, 298
Black Hawk-Eagle.....	77
Black Honey-buzzard .	63
Black Hornbill	237
Black Inca	210
Black Jacobin.....	215
Black Kite	69, 289
Black Korhaan	110
Black Lory	137
Black Magpie	274
Black Metaltail	224
Black Munia.....	256
Black Pajuil	97
Black Parrot	139
Black Partridge	101
Black Penelopina	97
Black Sicklebill.....	270
Black Solitary Eagle ...	62

Black Sparrowhawk ...	32
Black Stork	8,
292, 295, 297, 309,	
318, 325	
Black Vulture	
..... 36, 74, 298, 308	
Black Wood-Partridge	101
Black-and-chestnut Eagle	72
Black-and-white Hawk-Eagle	75, 77
Black-and-white Mannikin	255
Black-and-white Munia	255
Black-and-white Owl ..	197
Black-backed Thornbill	230
Black-banded Owl....	196
Black-bellied Bustard	111
Black-bellied Firefinch	254
Black-bellied Hummingbird	215
Black-bellied Korhaan	111
Black-bellied Seedcracker.....	258
Black-bellied Thorntail	212
Black-bellied Waxbill	254
Black-bellied Whistling-Duck.....	22
Black-billed Amazon	124
Black-billed Hanging-Parrot	145
Black-billed Mountain-Toucan.....	240
Black-billed Parrot ...	124
Black-billed Sicklebill	270
Black-billed Streamertail	234
Black-billed Turaco ..	167
Black-billed Wood-Dove	122
Black-billed Wood-Duck	22
Black-breasted Buzzard	62
Black-breasted Buzzard-kite.....	62
Black-breasted Buzzard-Kite	62
Black-breasted Harrier-Eagle	51
Black-breasted Hillstar	225
Black-breasted Kite ...	62
Black-breasted Pitta.	243
Black-breasted Puffleg	214, 278, 335
Black-breasted Snake-Eagle.....	51
Black-breasted Thrush	247
Black-breasted Buzzard	62
Black-capped Conure.....	161
Black-capped Lory ...	146
Black-capped Parakeet	161
Black-capped Screech-Owl	186
Black-cheeked Lovebird	123, 331, 335
Black-chested Buzzard-Eagle.....	57
Black-chested Eagle ..	57
Black-chested Hawk ..	67
Black-chested Snake-Eagle.....	51
Black-chinned Hummingbird	203
Black-collared Hawk ..	41
Black-collared Lovebird	124
Black-crested Coquette	223
Black-eared Fairy....	219
Black-eared Kite	69
Black-eared Parrot	
..... 144, 163	
Black-eared Parrotlet.....	163
Black-faced Firefinch	
..... 255, 267	
Black-faced Firefinch Indigobird	267
Black-faced Hawk	67
Black-footed Penguin... 2	
Black-fronted Curassow	97
Black-fronted Hummingbird	204
Black-fronted Piping-Guan	97
Black-headed Caique	150
Black-headed Conure	147
Black-headed Parakeet	147
Black-headed Parrot.150	
Black-headed Tragopan	104
Black-headed Weaver....	
..... 264, 265	
Black-hooded Laughingthrush....	246
Black-hooded Sunbeam	200
Black-legged Dacnis	249
Black-legged Falconet	92
Black-lored Parrot....	162
Black-mantled Goshawk	32
Black-mantled Hawk..	32
Black-masked Lovebird	123
Black-necked Aracari	240
Black-necked Crane.....	
..... 107, 281, 305	
Black-necked Swan ...	22
Black-necked Weaver	
..... 265	
Black-rumped Waxbill	253
Black-shouldered Kite	55, 307
Black-sided Falconet..	92
Black-tailed Trainbearer	221
Black-thighed Falconet..	
..... 92	
Black-thighed Puffleg	
..... 213	
Black-throated Brilliant	218
Black-throated Hermit	226
Black-throated Malimbe	262
Black-throated Mango ...	
..... 202	
Black-tip Crested Turaco	166
Black-winged Bishop	261
Black-winged Kite.....	55
Black-winged Lory ...	142
Black-winged Lovebird	
..... 124	
Black-winged Parrot.	144
<i>blakistoni</i> , <i>Bubo</i>	181
<i>blakistoni</i> , <i>Ketupa</i> ...	181
Blaze-winged Conure	160
Blaze-winged Parakeet	
..... 160	
Bleeding Heart Dove	118
Bleeding Heart Pigeon	
..... 118	
<i>blewitti</i> , <i>Athene</i>	173
Blood Pheasant	100
Blood-eared Parakeet	
..... 160	
Blossomcrown	202
Blossom-headed Parakeet	158
Blue and White Flycatcher	245
Blue Bird-of-paradise	273
Blue Bustard.....	110
Blue Crane	108, 310
Blue Crowned-Pigeon	118
Blue Korhaan.....	110
Blue Lorikeet	164
Blue Plantain-eater..	165
Blue-and-gold Macaw....	

.....	130
Blue-and-grey Sparrowhawk	32
Blue-and-white Flycatcher	245
Blue-and-yellow Macaw	130
Blue-backed Parrot	162
Blue-bellied Parrot	164, 323
Blue-billed Curassow	95
Blue-billed Firefinch	254
Blue-billed Malimbe	262
Blue-billed Mannikin	255
Blue-billed Weaver	259
Bluebonnet	149
Blue-capped Hummingbird	215
Blue-capped Puffleg	213
Blue-cheeked Amazon	126
Blue-cheeked Parrot	126
Blue-chested Hummingbird	229
Blue-chested Parakeet	160
Blue-chinned Sapphire	209
Blue-collared Parrot	143
Blue-crowned Conure	131
Blue-crowned Hanging-Parrot	145
Blue-crowned Lorikeet	164
Blue-crowned Parakeet	131
Blue-crowned Racquet-tail	153
Blue-crowned Woodnymph	233
Blue-eared Lory	142
Blue-eyed Cockatoo	136
Blue-fronted Amazon	124
Blue-fronted Lancebill	212
Blue-fronted Lorikeet	139
Blue-fronted Parrot	124, 163
Blue-fronted Parrotlet	163
Blue-fronted Robin	244
Blue-headed Dove	122
Blue-headed Hummingbird	211
Blue-headed Macaw	155
Blue-headed Parrot	151
Blue-headed Racquet-tail	154
Blue-headed Sapphire	219
Blue-headed Wood-Dove	122
Blue-knobbed Curassow	95
Blue-mantled Thornbill	208
Blue-naped Parrot	162
Blue-naped Pitta	243
Blue-rumped Parrot	142, 159
Blue-rumped Parrotlet	142
Blue-spotted Wood-Dove	122
Blue-streaked Lory	142
Blue-tailed Emerald	208
Blue-tailed Hummingbird	231
Blue-tailed Pitta	242
Blue-throated Goldentail	219, 331
Blue-throated Hummingbird	220
Blue-throated Macaw	130, 293
Blue-throated Parakeet	160
Blue-throated Starfrontlet	210
Blue-topped Hanging-Parrot	145
Blue-tufted Starthroat	218
Blue-vented Hummingbird	231
Blue-winged Grass-Parakeet	148
Blue-winged Macaw	155
Blue-winged Parrot	142, 148, 321
Blue-winged Parrotlet	142, 321
Blue-winged Pitta	243, 334
Blue-winged Racquet-tail	154
<i>blumenbachii</i> , Crax	95, 308
<i>blythii</i> , Tragopan	104
<i>Boissonneaua</i>	204, 333
<i>Bolbopsittacus</i>	134
<i>Bolborhynchus</i>	134, 156, 288, 322, 333
<i>bolivianum</i> , <i>Glaucidium</i>	177
<i>bombus</i> , <i>Acestrura</i>	207
<i>bombus</i> , <i>Chaetocercus</i>	207
<i>Bombycilla</i>	244
BOMBYCILLIDAE	244
<i>bonapartei</i> , <i>Coeligena</i>	210
Bondrée à longue queue	63
Bondrée apivore	72
Bondrée des Célèbes	72
Bondrée noire	63
Bondrée orientale	73
<i>boobook</i> , <i>Ninox</i>	183
Booted Eagle	64
Booted Racket-tail	225
Boreal Owl	171, 290
<i>borealis</i> , <i>Numenius</i>	114
<i>bornea</i> , <i>Eos</i>	141
Bornean Falconet	93
Bornean Peacock-Pheasant	103
<i>Bostrychia</i>	10, 330
<i>boucardi</i> , <i>Amazilia</i>	229
<i>boucardi</i> , <i>Polyerata</i>	229
<i>bouqueri</i> , <i>Urochroa</i>	234
<i>bourbonnensis</i> , <i>Tchitrea</i>	247
<i>bourbonnensis</i> , <i>Terpsiphone</i>	247
<i>bourcieri</i> , <i>Phaethornis</i>	226
<i>bourkii</i> , <i>Neophema</i>	148
<i>bourkii</i> , <i>Neopsephotus</i>	148
<i>bouvieri</i> , <i>Scotopelia</i>	194
<i>boyiana</i> , <i>Ciconia</i>	8, 282
<i>brachylophus</i> , <i>Lophornis</i>	222
<i>brachypterus</i> , <i>Buteo</i>	43
<i>brachypterus</i> , <i>Dasyornis</i>	245
<i>brachyura</i> , <i>Pitta</i>	242, 243
<i>brachyurus</i> , <i>Accipiter</i>	28
<i>brachyurus</i> , <i>Buteo</i>	42, 43
<i>brachyurus</i> , <i>Graydidascalus</i>	144
Brahminy Kite	61
<i>brama</i> , <i>Athene</i>	174
<i>branickii</i> , <i>Heliodoxa</i>	217
<i>branickii</i> , <i>Leptosittaca</i>	144, 300
<i>Branta</i>	20, 21, 291, 308, 310
<i>brasiliianum</i> , <i>Glaucidium</i>	178
<i>brasiliensis</i> , <i>Amazona</i>	125, 305
Brazilian Merganser	23
Brazilian Pygmy-Owl	179
Brazilian Ruby	210
<i>brehmeri</i> , <i>Turtur</i>	122
<i>brehmii</i> , <i>Psittacella</i>	156
Brève à ailes bleues	243
Brève à capuchon	243
Brève à nuque bleue	243
Brève à nuque fauve	243
Brève à queue bleue	242
Brève azurine	242
Brève de Gurney	243

Brève de Koch	243	Bronzy Hermit	215	Buff-crested Bustard	110
Brève de l'Angola	242	Bronzy Inca	210	Buff-faced Pygmy-Parrot
Brève de Steere	243	<i>brookii</i> , <i>Otus</i>	187	147
Brève de Steerii	243	<i>Brotogeris</i>	134, 135	Buff-fronted Owl	171
Brève du Bengale	242	Brown Boobook	184, 334	<i>buffoni</i> , <i>Circus</i>	52
Brève du Japon	243	Brown Eared-Pheasant	<i>buffonii</i> , <i>Chalybura</i> ..	208
Brève migratrice	243	99	Buff-tailed Coronet ..	204
<i>brevicauda</i> , <i>Paradigalla</i>	Brown Falcon	80	Buff-tailed Sicklebill
.....	272	Brown Fish-Owl	182	215, 270
<i>brevipes</i> , <i>Accipiter</i>	29	Brown Goshawk.	30, 309	Buff-thighed Puffleg.	216
<i>brevipes</i> , <i>Aratinga</i> ...	132	Brown Harrier-Eagle..	50	Buff-winged Starfrontlet
<i>brevirostris</i> , <i>Agyrtia</i>	200	Brown Hawk-Owl	184	210
Brillant à bandeau bleu	Brown Hornbill	237	Buffy Fish-Owl	182
.....	217	Brown Inca	211	Buffy Hummingbird .	221
Brillant à couronne verte	Brown Lory	137	Buffy-fronted Seedeater
.....	218	Brown Parrot.....	152	249
Brillant à front violet.....	Brown Sicklebill	270	Buffy-throated
.....	218	Brown Snake-Eagle... 50	Seedeater.....	249
Brillant à gorge noire	Brown Teal	16, 290	Buhito en Pernetas ..	188
.....	218	Brown Violet-ear.....	211	Búho
Brillant à gorge rose 218	Brown Wood-Owl	197	171, 172, 173, 174,
Brillant de Branicki ..	217	Brown-backed Firefinch	175, 176, 177, 181,
Brillant fer-de-lance ..	218	182, 186, 194, 195,
Brillant impératrice ..	218	Brown-backed Parrotlet	196, 197, 198, 199
Brillant rubinoïde.....	218	163	Búho Abisinio.....	171
Brillante alicanela	217	Brown-breasted	Búho Africano	174
Brillante coroniverde 218	Parakeet	160	Búho Africano chico .	174
Brillante de Tepui	218	Brown-headed Parrot	Búho Americano.....	177
Brillante emperador .	218	152	Búho barrado... 177, 198
Brillante frentivioleta 218	Brown-hooded Parrot	Búho Bengalí	175
Brillante gorgirrosado....	150	Búho blanquinegro ..	197
.....	218	Brown-necked Parrot.....	Búho café.....	198
Brillante gorjinegro.. 218	153	Búho campestre.....	172
Brillante pechianteado...	Brown-throated Conure	Búho Chico.....	173
.....	218	133	Búho corniblanco.....	182
Brillante pechicastaño	Brown-throated Parakeet	Búho cornudo ..	177, 182
.....	217	133	Búho de Akún.....	176
Brillante pechigamuza	Bruant bleu.....	249	Búho de anteojos	194
.....	218	<i>brucei</i> , <i>Otus</i>	187	Búho de Coromandel	176
Brillante ventinegro . 218	<i>bruijnii</i> , <i>Drepanornis</i> .	270	Búho de Crin	181
<i>broadbenti</i> , <i>Dasyornis</i>	<i>bruijnii</i> , <i>Epimachus</i> ..	270	Búho de El Cabo.....	175
.....	245	<i>bruijnii</i> , <i>Micropsitta</i> ..	146	Búho de Guinea 176, 181
Broad-billed	<i>bryantae</i> , <i>Calliphlox</i> ..	204	Búho de Jamaica	194
Hummingbird	211	<i>bryantae</i> , <i>Philodice</i> ...	204	Búho de las Salomón 182
Broad-tailed	<i>Bubalornis</i>	260	Búho de Mindanao...	182
Hummingbird	232	<i>Bubo</i>	Búho de Usambara ..	177
Broad-tipped Hermit	202	174, 175, 176, 177,	Búho desértico.....	175
Broad-winged Hawk...	46	181, 182, 292	Búho Filipino	176
<i>brodiei</i> , <i>Glaucidium</i> ..	178	<i>bubo</i> , <i>Bubo</i>	175	Búho fulvo	196
Brolga	108	<i>Bubulcus</i>	5, 331	Búho Gavilán	199
Bronze Mannikin.....	255	<i>Buceros</i>	238	Búho gritón	172
Bronze Munia.....	255	BUCEROTIDAE .. 3, 235	Búho Jamaicano	194
Bronze-tailed Barpthroat	<i>buckleyi</i> , <i>Micrastur</i>	Búho lechoso	176
.....	233	91, 328	Búho llanero	195
Bronze-tailed Comet	229	<i>buergersi</i> , <i>Accipiter</i> ...	56	Búho Malayo.....	177
Bronze-tailed	Búho Malgache	173
Plumeleteer	208	<i>Erythrotriorchis</i>	56	Búho manchado	197
Bronze-tailed Thornbill	Buff-backed Heron	5	Búho Manchú	181
.....	207	Buff-bellied Hermit... 228	Búho moro	171
Bronze-winged Mannikin	Buff-bellied	Búho negruzco	173
.....	255	Hummingbird	202	Búho Nepalí	176
Bronze-winged Parrot	Buff-breasted Sabrewing	Búho Nival	186
.....	150	205	Búho orejicorto	172

Búho pequeño de bigotes alargados	199
Búho pescador	
.....181, 182, 195	
Búho pescador de Ceilán	182
Búho pescador leonado	181
Búho pescador Malayo	182
Búho pescador rojizo	195
Búho Real	175
Búho-cornudo cariblanco	172
Búho-cornudo caricafe	173
Búho-cornudo oscuro	173
Buitre cabeciblanco....	78
Buitre cabecirrojo	74
Buitre común	58
Buitre del Himalaya ...	59
Buitre dorsiblanco africano.....	58
Buitre dorsiblanco bengalí.....	58
Buitre el cabo	58
Buitre Leonado.....	58
Buitre leonado bengalés	58
Buitre leonado común	58
Buitre moteado	59
Buitre negro	36
Buitre orejudo.....	78
Buitre palmero	57
Buitre picofino	59
Buitre piquirrojo	78
Bulbul à tête jaune ..	244
Bulbul bigotudo	244
Bulbul orphée	244
<i>bulweri</i> , <i>Lophura</i>	100
Bumblebee Hummingbird	203
<i>burchellii</i> , <i>Neotis</i>	112
BURHINIDAE	3, 114
<i>Burhinus</i>	114
<i>burmeisteri</i> , <i>Microstilbon</i>	224
Burmese Hornbill.....	236
Burrowing Owl	195
Burrowing Parakeet .	139
Buru Racquet-tail	154
Busard bariolé	52
Busard cendré.....	54
Busard de Buffon.....	52
Busard de Gould.....	52
Busard de Maillard.....	53
Busard de montagne..	54
Busard de Wilson	49
Busard des roseaux ...	51
Busard d'Orient.....	55
Busard grenouillard ...	54
Busard maure	53
Busard pâle	53
Busard Saint-Martin ..	52
Busard tacheté	52
Busard tchoug	54
Busardo aliencho	46
Busardo alirrufo.....	42
Busardo augur meridional.....	47
Busardo augur oriental	43
Busardo augur somali....	43
Busardo aura	43
Busardo azoreño.....	67
Busardo blanco.....	66
Busardo blanquinegro	67
Busardo calzado	45
Busardo caminero	45
Busardo carigrís.....	42
Busardo carinegro.....	67
Busardo cejiblanco	66
Busardo chapulinero	47
Busardo coliblanco	42
Busardo colicorto	43
Busardo colirrojo	45
Busardo colorado	41
Busardo cuelliblanco	67
Busardo cuellirrojo	43
Busardo culiblanco	45
Busardo de Galápagos	44
Busardo de la española	46
Busardo de Wilson	49
Busardo dorsi.....	46, 67
Busardo dorsigrís.....	67
Busardo dorsirrojo	46
Busardo gavilán.....	66
Busardo gorgiblanco	42
Busardo gris	40
Busardo hawaiano.....	47
Busardo herrumbroso	46
Busardo hombrorrojo	45
Busardo langostero	42
Busardo malgache	43
Busardo mixto	72
Busardo mongol	44
Busardo montañés	46
Busardo moro	47
Busardo patagón	47
Busardo pizarroso	67
Busardo plomizo	67
Busardo puneño	46
Busardo Ratonero	44
Busardo sabanero	48
Busardo semiplomizo	67
Busardo tisa	42
Busardo-negro del atlántico	48
Busardo-negro del pacífico	48
Busardo-negro norteño	48
Busardo-negro	48
Busautour à joues grises	42
Busautour aux yeux blancs	42
Busautour des sauterelles	42
Busautour pâle	42
Buse à dos gris	67
Buse à épaulettes	45
Buse à face noire	67
Buse à gorge blanche	42
Buse à gros bec	45
Buse à queue barrée	43
Buse à queue blanche	42
Buse à queue courte	43
Buse à queue rousse	43, 45
Buse à sourcils blancs	66
Buse à tête blanche	41
Buse aguia	57
Buse ardoisée	67
Buse augure	43
Buse barrée	67
Buse blanche	66
Buse buson	48
Buse cendrée	40
Buse couronnée	62
Buse cul-blanc	45
Buse d'Afrique	43
Buse d'Archer	43
Buse de Chine	44
Buse de Harris	72
Buse de Madagascar	43
Buse de Patagonie	47
Buse de Ridgway	46
Buse de Swainson	47
Buse des Galapagos	44
Buse des îles Galapagos	44
Buse des mangroves	48
Buse d'Hawaï	47
Buse du puna	46
Buse échasse	57
Buse féroce	47
Buse grise	40
Buse lacernulée	67
Buse mantelée	67
Buse montagnarde	46
Buse noire	48
Buse pattue	45
Buse plombée	67
Buse rouilleuse	46
Buse rounoir	47
Buse roussâtre	48
Buse semiplombée	67
Buse solitaire	62
Buse tricolore	46
Buse urubu	48
Buse variable	44

Bush Petronia	263
Bush Sparrow	263
Bushy-crested Hornbill	237
<i>Butastur</i>	42
<i>Buteo</i>	40, 42,
43, 44, 45, 46, 47, 281, 285, 296, 301, 303, 310, 311, 317, 318, 323, 328, 333, 335	
<i>buteo</i> , <i>Buteo</i>	44, 296
<i>Buteogallus</i>	48
<i>butleri</i> , <i>Accipiter</i>	29
<i>butleri</i> , <i>Strix</i>	196, 276, 316
Buton Hornbill.....	235
Buzzard	42, 43, 44, 45, 46, 47, 62, 66, 72, 296, 328

C

Caatinga Parakeet ...	132
Cabézon de Carabaya	239
Cabézon toucan	239
<i>caboti</i> , <i>Tragopan</i>	104, 312
Caburé	92, 178, 179
Caburé patagónico...	179
Cacapo	162
Cacatoès à bec gracile	136
Cacatoès à huppe blanche	135
Cacatoès à huppe jaune	135
Cacatoès à huppe rouge	136
Cacatoès à lores rouges	136
Cacatoès à oeil bleu.	136
Cacatoès à oreilles blanches.....	137
Cacatoès à oreilles jaunes.....	137
Cacatoès à rectrices blanches.....	137
Cacatoès à tête brune	137
Cacatoès à tête rouge	137
Cacatoès à ventre rouge	136
Cacatoès aux yeux bleus	136
Cacatoès aux yeux nus	136
Cacatoès banksien...	137
Cacatoès blanc.....	135
Cacatoès casqué	137

Cacatoès corella	136
Cacatoès de Banks...	137
Cacatoès de Baudin..	137
Cacatoès de Ducorps.....	135
Cacatoès de Goffin...	135
Cacatoès de Latham	137
Cacatoès de Leadbeater	136
Cacatoès des Moluques	136
Cacatoès des Philippines	136
Cacatoès funèbre	137
Cacatoès laboureur	136
Cacatoès nasique.....	136
Cacatoès noir	154
Cacatoès rosalbin.....	141
Cacatoès soufré	136
<i>Cacatua</i>	135, 136, 141, 280, 295
Cacatúa alba	135
Cacatúa blanca	135
Cacatúa de alas doradas	155
Cacatúa de cabeza roja	137
Cacatúa de cola roja.	137
Cacatúa de cola sangrante	136
Cacatúa de cresta amarilla grande....	135
Cacatúa de Ducorps	135
Cacatúa de Forbes	140
Cacatúa de Goffin	135
Cacatúa de las Molucas	136
Cacatúa de Leadbeater	136
Cacatúa de pico afilado	136
Cacatúa de pico afilado anaranjada.....	136
Cacatúa de vientre naranja.....	148
Cacatúa del collar de Mauricio.....	157
Cacatúa del paraíso..	156
Cacatúa dorada	144
Cacatúa enlutada	154
Cacatúa Inca.....	136
Cacatúa negra de cola amarilla	137
Cacatúa negra de cola roja.....	137
Cacatúa negra de Latham	137
Cacatúa nocturna.....	143
Cacatúa oftálmica	136
Cacatúa rosada	141
Cacatúa terrera	149
<i>cachinnans</i> , <i>Herpetotheres</i>	91
<i>cactorum</i> , <i>Aratinga</i>	132
Cactus Conure	132
Cactus Parakeet	132
Caebézon toucan.....	239
<i>caerulescens</i> , <i>Estrilda</i>	253
<i>caerulescens</i> , <i>Eupodotis</i>	110
<i>caerulescens</i> , <i>Geranospiza</i>	57
<i>caerulescens</i> , <i>Microhierax</i>	92
<i>caeruleus</i> , <i>Cyanocorax</i>	274
<i>caeruleus</i> , <i>Elanus</i>	55, 56
<i>cafra</i> , <i>Neotis</i>	112
Caica Parrot	150
<i>caica</i> , <i>Pionopsitta</i>	150
Caïque à ailes noires	144
Caïque à capuchon ..	150
Caïque à face rouge ..	144
Caïque à joues roses	150
Caïque à queue courte	144
Caïque à tête noire ..	150
Caïque à ventre blanc	149
Caïque de Barraband	150
Caïque de Bonaparte	150
Caïque de Fuertes	144
Caïque de Salvin	144
Caïque maïpourri.....	150
Caïque mitré	150
Caïque vautourin	150
<i>Cairina</i>	21, 25, 291, 293, 300, 301
Calao à casque	235, 238
Calao à casque plat ..	238
Calao à casque rond ..	238
Calao à casque rouge	235
Calao à cimier	235
Calao à cou roux	236
Calao à gorge claire ..	236
Calao à poche unie ..	236
Cálao arrugado	235
Calao bicolore	238
Cálao bicolore	238
Calao brun	237
Cálao cariblanco	237
Calao charbonnier ..	237
Cálao chico de Célebes	239
Cálao chico de Luzón	239
Cálao chico de Mindanao	238
Cálao chico de Mindoro	239
Cálao chico de Panay ..	239

- Calao coiffé 235
 Cálar crestado 237
 Cálar crestiblanco ... 235
 Cálar de casco 238
 Cálar de la Narcondam 236
 Cálar de la Sumba .. 235
 Cálar de las Sulu..... 238
 Calao de Malabar..... 237
 Calao de Manille..... 239
 Calao de Mindanao .. 238
 Calao de Mindoro 239
 Calao de montagne.. 236
 Calao de Narcondam 236
 Calao de Palawan 238
 Cálar de Palawan 238
 Calao de Samar 239
 Calao de Sumba..... 235
 Calao de Vieillot 236
 Calao de Walden 237
 Cálar de yelmo 238
 Cálar del Nepal 236
 Calao des Célèbes ... 239
 Calao des Philippines 238
 Calao des Sulu..... 238
 Calao festonné 236
 Cálar Filipino grande 238
 Cálar gorgiclaro 236
 Cálar gorginegro..... 236
 Cálar grande 235, 236, 237, 238
 Cálar grande de Célebes 235
 Cálar grande de Mindanao 236
 Cálar grande de Panay 237
 Calao largup 237
 Cálar Malayo 237
 Calao papou 236
 Cálar pardo de Tickell... 237
 Calao pie..... 237
 Calao rhinocéros 238
 Cálar rinoceronte 238
 Cálar rojipardo 238
 Calao tarictic 239
 Calaos 239
 Calaos à canelure des Célèbes 239
caledonicus, *Platycercus* 151
 California Condor..... 26, 293, 294, 298, 311, 321
californianus, *Gymnogyps* 26
californicum, *Glaucidium* 178
 Calliope Hummingbird 232
calliope, *Archilochus* 232
calliope, *Stellula*..... 232
Calliphlox 204, 205
calliptera, *Pyrrhura* ..160
 Calliste superbe 250
 Calliste tacheté..... 250
Callocephalon 137
Caloenas 115
calolaema, *Lampornis*.... 220
Caloperdix 98
Calothorax..... 205, 212
calthropae, *Psittacula* 157
calva, *Treron*..... 121
calvus, *Aegypius*..... 74
calvus, *Geronticus*11, 297
calvus, *Sarcogyps*..... 74
calvus, *Torgos*..... 74
Calypte 205, 223
Calyptorhynchus..... 137
 Calzadito admirable.. 214
 Calzadito canoso..... 216
 Calzadito cobrizo 213
 Calzadito colilargo norteño 213
 Calzadito de Mosquera 214
 Calzadito frentiazul .. 213
 Calzadito patinegro ..213
 Calzadito pechiblanco 213
 Calzadito pechinegro 214
 Calzadito reluciente.. 214
 Calzadito turquesa ... 213
 Calzadito verdoso norteño 216
 Calzonario colibronceado 208
camelus, *Struthio* 1, 312, 335
 Campbell Island Teal 332
Campetherus 241
 Campyloptère à queue blanche 205
 Campyloptère à ventre gris 206
 Campyloptère de Wetmore..... 206
 Campyloptère des Santa Marta 206
 Campyloptère du Napo 206
 Campyloptère lazulite 206
 Campyloptère montagnard 205
 Campyloptère pampa 205
 Campyloptère rougeâtre 206
 Campyloptère roux ..206
 Campyloptère violet .206
Campylopterus.205, 206
canadensis, *Branta*.... 20
canadensis, *Grus*106, 334
 Canard à ailes blanches 21
 Canard à bosse 25
 Canard à bosse bronzé 25
 Canard à tête rose.... 25
 Canard aberrant..... 18
 Canard armé 25
 Canard coronculé 25
 Canard de Barbarie.... 21
 Canard de Bernier 16
 Canard de Hartlaub ... 25
 Canard de Laysan..... 18
 Canard de Meller 18
 Canard des Mariannes 18
 Canard d'Oustalet 18
 Canard du Cap..... 16
 Canard musqué..... 21
 Canard musqué à ailes blanches 21
 Canard pilet 15
 Canard siffleur 18
 Canard souchet..... 16
 Canario de Mozambique 251
 Canary-winged Parakeet 135
candida, *Agyrtria*.... 200
candida, *Amazilia* 200
canicapilla, *Nigrita*... 257
canicapillus, *Serinus* 251
caniceps, *Psittacula* . 157
canicularis, *Aratinga* 132
canivetii, *Chlorostilbon* 208
canorus, *Garrulax*.... 245
canorus, *Melierax*.68, 69
cantans, *Euodice*..... 255
cantans, *Lonchura* 255, 324
canus, *Agapornis*.... 123
 Cape Eagle-Owl 175
 Cape Griffon 58
 Cape Parrot..... 153, 329
 Cape Teal..... 16
 Cape Vulture 58, 278, 279, 302, 304, 310
 Cape Wigeon 16
capense, *Glaucidium*.... 178, 179, 180
capensis, *Anas*..... 16
capensis, *Asio*..... 171
capensis, *Bubo*. 175, 292
capensis, *Oena* 119, 320
capensis, *Tyto* 169
capistrata, *Nesocharis*... 256
capitalis, *Ploceus*.... 265
capitata, *Paroaria*.... 249

CAPITONIIDAE .. 3, 239
capnodes, *Otus* 192
 Capuchino pecho blanco 250
 Capucin bec-d'argent 255
 Capucin bicolore 255
 Capucin de Nevermann 256
 Capucin noir 256
 Capucin nonnette 255
 Capucin pie 256
 Cárbabo 194, 195, 196, 197, 198, 199
 Cárbabo Africano 198
 Cárbabo árabe 196
 Cárbabo bataraz 197
 Cárbabo blanquinegro 197
 Cárbabo Brasileño 197
 Cárbabo café 198
 Cárbabo Californiano 197
 Cárbabo común 196
 Cárbabo de Hume 196
 Cárbabo de las pagodas 198
 Cárbabo de Sichuán 196
 Cárbabo de Sudamérica 197
 Cárbabo gavilán 199
 Cárbabo Guatemalteco 196
 Cárbabo Lapón 197
 Cárbabo negro 196
 Cárbabo norteamericano 198
 Cárbabo ocelado 197
 Cárbabo oriental 197
 Cárbabo patiblanco 195
 Cárbabo pescador común 195
 Cárbabo pescador rojizo 195
 Cárbabo pescador vermiculado 194
 Cárbabo Uralense 198
 Caracara à gorge blanche 93
 Caracara à gorge rouge 79
 Caracara à tête jaune 93
 Caracara à ventre rouge 79
 Caracara andino 94
 Caracara araucano 93
 Caracara austral 93
 Caracara carancho 94
 Caracara caronculé 93
 Caracara carunculado 93
 Caracara chimachima 93
 Caracara chimango 93
 Caracara comecacao 79
 Caracara commun 94

Caracara común 94
 Caracara de Guadalupe 94
 Caracara funèbre 93
 Caracara gorgirrojo 79
 Caracara huppé 94
 Caracara montagnard 94
 Caracara negro 79
 Caracara noir 79
 Caracolero 74
 Caracolero plomizo 74
 Carancho 79, 94
 Carancho andino 94
 Carancho de Guadalupe 94
 Carancho negro 79
 Carancho ventri-blanc 79
 Carapaico 131
 Carburé acanelado 171
 Carcoramphé roi 26
 Cardenal amarillo 249
 Cardenal cabecirrojo 249
 Cardenal copetón 249
 Cardenalito 250
 Cardinal gris 249
 Cardinal Lory 137
 Cardinal vert 249
cardinalis, *Chalcopsitta* 137
Carduelis 250
caribaea, *Columba* 116
 Caribbean Amazon 127
 Caribbean Flamingo 285, 329
 Caricare encrestado 94
 Caricare sabanero 93
 Carnifex à ailes tachetées 94
 Carnifex à collier 92
 Carnifex à cou roux 92
 Carnifex à gorge cendrée 91
 Carnifex ardoisé 91
 Carnifex barré 92
 Carnifex de Buckley 91
 Carnifex de Traylor 91
 Carnifex plombé 92
 Carocolero común 74
carolae, *Parotia* 273
caroli, *Polyonymus* 229
carolinensis, *Anas* 17
 Carouge safran 250
 Carpintero gigante 241
Carpodacus 251
 Carpophage de Mindoro 118
 Carpophage de Pickering 118
carunculata, *Paradigalla* 272, 325
 Carunculated Caracara 93
carunculus, *Bugeranus* 106, 318
carunculus, *Grus* 106
carunculus, *Phalcoboenus* 93
caryophyllacea, *Rhodonessa* 25
Casmerodus 6
 Casoar à casque 2
 Casoar de Bennett 2
 Caspian Snowcock 104
caspius, *Tetraogallus* 104
cassidix, *Aceros* 235
cassidix, *Lichenostomus* 249
cassidix, *Meliphaga* 249
cassidix, *Rhyticeros* 235
cassini, *Malimbus* 262
castaneiventris, *Amazilia* 201, 333
castaneoventris, *Lampornis* 220
castaneum, *Glaucidium* 178
castanilius, *Accipiter* 29
castanonotum, *Glaucidium* 178
castanops, *Tyto* 169
castanopterum, *Glaucidium* 178
castanotis, *Pteroglossus* 240
castelnauii, *Aglaeactis* 199
CASUARIIDAE 3, 2
CASUARIIFORMES 3, 2
 Casuario común 2
 Casuario menor 2
Casuarius 2
casuarius, *Casuarius* 2
catamene, *Loriculus* 145
CATHARTIDAE 3, 26
 Catita aimará 156
 Catita aliamarilla 135
 Catita aliazul 134
 Catita alidorada 134
 Catita andina 134
 Catita barrada 134
 Catita chiriri 134
 Catita churica 134
 Catita común 147
 Catita enana 142
 Catita frentidorada 156
 Catita frentigualda 135
 Catita frentirrufa 134
 Catita macareña 135
 Catita serrana común 156
 Catita serrana verde 156
 Catita tirica 135
 Catita versicolor 135
Catreus 99, 287
 Cattle Egret. 5, 290, 331

cayanensis, *Leptodon*. 66
 Cayenne Kite 66
celebensis, *Pernis* 72,
 325
 Celebes Crested
 Goshawk 31
 Celebes Hornbill 235, 239
 Celebes Maleo 95
 Celebes Scops-Owl .. 190
 Celebes Serpent-Eagle ..
 75
 Celebes Sparrowhawk
 32
 Celebes Tarictic Hornbill
 239
 Celestial Parrotlet 142
cenchorides, *Falco* 81
centralis, *Vidua* 267
Cephalopterus.. 241, 322
 Cerceta alicorta de
 Auckland 16
 Cerceta aliverde 17
 Cerceta Carretona 19
 Cerceta cejiblanca 19
 Cerceta común 17
 Cerceta de Madagascar
 16
 Cerceta del Baikal 18
 Cerceta del Cabo 16
 Cerceta malgache 16
 Cerceta malgache de
 Bernier 16
 Cerceta Maorí 16
 Cerise-throated
 Hummingbird 231
 Cernícalo 57, 79, 80,
 81, 83, 84, 85, 87,
 88, 89, 90, 91
 Cernícalo americano .. 88
 Cernícalo australiano . 81
 Cernícalo común 89
 Cernícalo de Aldabra .. 85
 Cernícalo de Dickinson
 83
 Cernícalo de la isla
 Aldabra 85
 Cernícalo de la Mauricio
 87
 Cernícalo de las Molucas
 84
 Cernícalo de las
 Seychelles 80
 Cernícalo de Madagascar
 85
 Cernícalo de Mauricio . 87
 Cernícalo del Amur 79
 Cernícalo dorsinegro .. 83
 Cernícalo gris 80
 Cernícalo malgache ... 91
 Cernícalo Moluqueño.. 84
 Cernícalo ojiblanco 88
 Cernícalo ojiblanco de
 Africa 88

Cernícalo Patirrojo 90
 Cernícalo pizarroso ... 80
 Cernícalo Primilla 85
 Cernícalo primito 88
 Cernícalo vulgar 89
 Cernícalo zorruno..... 79
 Ceylon Hanging-Parrot
 145
 Chacaraco 133
 Chachalaca 96, 97
 Chachalaca cornuda .. 96
 Chachalaca de la
 Trinidad 97
 Chachalaca de los Llenos
 96
 Chachalaca de remiges
 blancas 97
 Chachalaca manchada 97
 Chachalaca negra 97
 Chachalaca norteña... 96
chacoensis, *Strix* 197
Chaetocercus 207
Chalcopsitta....137, 138
chalcopterus, *Pionus* 150
*Chalcostigma*207, 208,
 305
chalybata, *Manucodia*....
 271
chalybeata, *Hypochera*
 267
chalybeata, *Vidua* 267
chalybeus, *Lophornis*222
Chalybura.....208
 Changeable Hawk-Eagle
 76
 Channel-billed Toucan ...
 241
 Chanteur d'Afrique...251
CHARADRIIFORMES ...
 3, 114
 Chardonneret de Yarrell
 250
 Chardonneret rouge .. 250
charltonii, *Arborophila* 98
charltonii, *Tropicoperdix*
 98
Charmosyna....138, 139
 Chatham Island Yellow-
 fronted Parakeet ..140
 Chattering Lory 146, 295
cheela, *Spilornis* .. 74, 75
 Cheer Pheasant
 99, 287, 295, 312
Chelictinia..... 49, 328
cheriway, *Caracara* ... 94
cherrug, *Falco* 81
 Chestnut Hawk-Owl..185
 Chestnut Owlet.....178
 Chestnut-backed Owl
 178
 Chestnut-bellied Hawk-
 Eagle..... 64
 Chestnut-bellied
 Hummingbird201, 333
 Chestnut-bellied
 Sparrowhawk 29
 Chestnut-breasted
 Coronet 204
 Chestnut-breasted
 Negrofinch... 256, 325
 Chestnut-breasted Tree-
 Partridge 98
 Chestnut-crowned
 Sparrow-Weaver . 263
 Chestnut-eared Aracari
 240
 Chestnut-faced Babbler
 247
 Chestnut-flanked
 Sparrowhawk 29
 Chestnut-fronted Macaw
 131
 Chestnut-mantled
 Goshawk 56
 Chestnut-necklaced
 Partridge 98
 Chestnut-shouldered
 Goshawk 56
 Chestnut-shouldered
 Hawk 56
 Chevalier à gouttelette
 115
 Chevalier tacheté 115
 Chevêche brame 174
 Chevêche d'Athéna.. 174
 Chevêche des terriers
 195
 Chevêche forestière. 173
 Chevêchette à collier 178
 Chevêchette à dos
 marron 178
 Chevêchette à pieds
 jaunes 181
 Chevêchette à queue
 barrée..... 181
 Chevêchette australe179
 Chevêchette brune .. 178
 Chevêchette cabouré 179
 Chevêchette châtaigne....
 178
 Chevêchette cuculoïde
 179
 Chevêchette d'Amazonie
 179
 Chevêchette de Cuba....
 181
 Chevêchette de jungle
 180
 Chevêchette de Ngami
 179
 Chevêchette de Parker
 180
 Chevêchette de Scheffler
 180

Chevêchette des Andes	179
Chevêchette des Rocheuses	178
Chevêchette des saguaros	182
Chevêchette des yungas	177
Chevêchette d'Europe	180
Chevêchette du Cap.	178
Chevêchette du Graben	177
Chevêchette du Pérou ...	180
Chevêchette naine...	179
Chevêchette nimbée 199	
Chevêchette perlée.. 180	
Chevêchette spadicee ..	178
Chevêchette-elfe	182
<i>chicquera</i> , <i>Falco</i> .81, 282	
Chilean Flamingo.....13	
Chilean Woodstar	224, 301
<i>chilensis</i> , <i>Accipiter</i>28	
<i>chilensis</i> , <i>Phoenicopterus</i>	13
Chillón de Sundevall 263	
Chimachima	93
<i>chimachima</i> , <i>Milvago</i> ..93	
Chimango	93
Chimango Caracara ...93	
<i>chimango</i> , <i>Milvago</i>93	
chimborazo, <i>Oreotrochilus</i>	225
Chinalinda	93
Chinese Barred-backed Pheasant	103
Chinese Goshawk	34
Chinese Impeyan	100
Chinese Monal .100, 296	
Chinese Sparrowhawk 34	
Chinese Thrush	247
<i>chionogaster</i> , <i>Accipiter</i>	29
<i>chionogaster</i> , <i>Amazilia</i>	221
<i>chionogaster</i> , <i>Leucippus</i>	221
<i>chionopectus</i> , <i>Amazilla</i>	200
<i>chionura</i> , <i>Elvira</i>213	
Chir Pheasant	99
Chiribiquete Emerald	209
Chirica	147
Chiripepé común	160
Chiripepé salteño	161
<i>chiriri</i> , <i>Brotogeris</i>134	
Chivito de los Páramos	226
<i>Chlamydotis</i>	
109, 282, 301, 334, 336	
<i>chlorocercus</i> , <i>Leucippus</i>	221
<i>chlorocercus</i> , <i>Lorius</i> .146	
<i>chlorolepidotus</i> , <i>Trichoglossus</i>163	
<i>chloroptera</i> , <i>Ara</i>	130
<i>chloroptera</i> , <i>Aratinga</i> 132	
<i>chloropterus</i> , <i>Alisterus</i>	124
<i>Chlorostilbon</i> 208, 209, 324	
<i>chlorotis</i> , <i>Anas</i>	16
<i>choliba</i> , <i>Otus</i>187	
<i>Chondrohierax</i>49	
CHORDATA 3, 1	
Chorlito esquimal....114	
Chorlo polar	114
Chouette à collier....194	
Chouette à joues blanches	194
Chouette à lignes noires	197
Chouette à lunettes..194	
Chouette à sourcils jaunes	194
Chouette africaine....198	
Chouette baie.....167	
Chouette boobok183	
Chouette boobok de l'île Norfolk	183
Chouette Chevêche ..174	
Chouette chevêchette	180
Chouette coucou.....183	
Chouette de Butler...196	
Chouette de Cuba189	
Chouette de Harris...171	
Chouette de Koeniswald	194
Chouette de l'Oural ..198	
Chouette de Nouvelle- Guinée	199
Chouette de Sitchouan	196
Chouette de Tengmalm	171
Chouette de terrier ..195	
Chouette des forêts..173	
Chouette des îles Salomons.....182	
Chouette des Moluques	185
Chouette des pagodes	198
Chouette dryade.....197	
Chouette du Sitchouan	196
Chouette d'Ussher....195	
Chouette effraie.....168	
Chouette épervière	185, 199
Chouette épervière de l'île Christmas	185
Chouette fasciée	195
Chouette fauve	196
Chouette harfang186	
Chouette huhul	196
Chouette hulotte	196
Chouette hulotte de Hume	196
Chouette lapone.....197	
Chouette leptogramme	197
Chouette masquée ..197	
Chouette mouchetée 198	
Chouette noire et blanche	197
Chouette ocellée .. 197	
Chouette pêcheuse.. 195	
Chouette rayée .. 198	
Chouette tachetée ...197	
Chouette-pêcheuse de Bouvier	194
Chouette-pêcheuse de Pel	195
Chouette-pêcheuse rousse	195
Christmas Frigatebird...4	
Christmas Hawk-Owl 185	
Christmas Island Frigatebird4, 297, 298	
Christmas Island Hawk- Owl	185, 300
<i>chrysaetos</i> , <i>Aquila</i>	
.....37, 287, 330, 334	
<i>chrysogaster</i> , <i>Neophema</i>	
.....148, 292, 296	
<i>Chrysolampis</i> ... 209, 337	
<i>Chrysolophus</i>99	
<i>chrysopterus</i> , <i>Brotogeris</i>	
.....134	
<i>chrysopterygius</i> , <i>Psephotus</i> ... 155, 311	
<i>chrysostoma</i> , <i>Neophema</i>	
.....148	
<i>chrysura</i> , <i>Hylocharis</i> 219	
<i>Chrysuronia</i> 209	
Chupacacao negro....79	
Chupacacao ventriblanco	79
Churica..... 134	
Churiquita	163
<i>Cincinnurus</i> 269, 270	
<i>Ciconia</i> 8, 9, 282, 295, 318, 325	
<i>ciconia</i> , <i>Ciconia</i>8	
CICONIIDAE 3, 8	
CICONIIFORMES .. 3, 4	
Cicupa	194
Cigogne à bec noir	8
Cigogne blanche de Corée	8

Cigogne blanche du Japon.....	8		221
Cigogne blanche orientale.....	8		Colibri à gorge lilas..	220
Cigogne de Storm.....	9		Colibri à gorge noire	203
Cigogne noire	8		Colibri à gorge rubis	203
Cigogne orientale	8		Colibri à menton bleu....	209
Cigüeña blanca coreana	8		221
Cigüeña de Storm.....	9		Colibri à petit bec....	230
Cigüeña del Japón	8		Colibri à plastron noir	225
Cigüeña ensillada	9		222
Cigüeña Negra	8		Colibri à poitrine violette	232
Cigüeña oriental.....	8		223
<i>Cinclidium</i>	244		Colibri à queue bronzée	208
<i>cincta cincta</i> , <i>Poephila</i> ...	258		224
<i>cinerascens</i> , <i>Bubo</i> ...	174		Colibri à queue courte	224
<i>cinerascens</i> , <i>Circaetus</i> ...	49		224
<i>cinerea</i> , <i>Mycteria</i> 10, 310			Colibri à queue en	
<i>cinereicauda</i> , <i>Lampornis</i>	220		ciseaux	220
Cinereous Harrier	52		Colibri à queue large	232
Cinereous Vulture	36,		Colibri à queue mi-	
316			blanche	229
<i>cinereus</i> , <i>Circaetus</i>	50		Colibri à queue	
<i>cinereus</i> , <i>Circus</i>	52		singulière	212
Cinnabar Hawk-Owl .	183		Colibri à queue verte	221
Cinnamon Hummingbird	201		Colibri à sous-caudales	
Cinnamon-throated Hermit	227		rousses	234
Circaète à poitrine noire	51		Colibri à tête bleue ..	211
Circaète barré.....	50		Colibri à tête cuivrée	213
Circaète brun.....	50		Colibri à tête noire...	234
Circaète cendré.....	49		Colibri à tête rose....	202
Circaète Jean-le-Blanc...	50		Colibri à tête violette	220
<i>Circaetus</i>	49, 50, 51, 276, 321		Colibri à ventre blanc....	
<i>circumcinctus</i> ,			211
<i>Spizapteryx</i> ...94, 326			Colibri à ventre châtain	
<i>Circus</i>			220
51, 52, 53, 54, 55,			Colibri à ventre noir.	215
320, 334, 337			Colibrí abejorro	207
<i>cirrhatus</i> , <i>Spizaetus</i> ...76			Colibri adèle	225
<i>cirrocephalus</i> , <i>Accipiter</i>	29		Colibrí admirable	222
<i>cirrochloris</i> ,			Colibrí aliazul.....	230
<i>Aphantochroa</i>	205		Colibrí alicastaño.....	221
<i>cirrochloris</i> ,			Colibrí amatista.....	204
<i>Campylopterus</i>	205		Colibrí amatistino	220
Cisne coscoroba	21		Colibrí améthyste	204
Cisne cuellinegro	22		Colibri anaïs	211
<i>Cissa</i>	274		Colibrí ante	221
<i>clamator</i> , <i>Asio</i>	172		Colibrí anteado	221
<i>clamator</i> , <i>Rhinoptynx</i>	172		Colibrí apagado	205
<i>clamosus</i> , <i>Atrichornis</i>	244		Colibrí ardent.....	231
<i>clanga</i> , <i>Aquila</i>	37		Colibrí ardiente	231
			Colibrí astral.....	207
			Colibrí aterciopelado	220
			Colibrí austral	232
			Colibri aux huppés d'or	
			216
			Colibri avocette.....	202
			Colibri avocettin	225
			Colibrí barbiesmeralda	
			199
			Colibrí barbinegro....	203
			Colibrí bicolor	211
			Colibrí blancioliva	221
			Colibrí blanquiverde.	222
			Colibrí bonito	205

Colibri bourdon	207
Colibrí cabeciazul	220
Colibrí cabecidorado.	204
Colibrí cabecivioleta .	220
Colibrí calíope	232
Colibri calliope	232
Colibrí canelo.....	201
Colibrí capirrufo	208
Colibrí caribeño gorgimorado	214
Colibrí caribeño gorgiverde.....	214
Colibri casqué	226
Colibrí centelleante ..	232
Colibri charmant.....	205
Colibrí chivito.....	226
Colibri circé	211
Colibrí cobrizo	199
Colibrí cola de hoja ..	225
Colibrí cola de oro ...	209
Colibrí colaceleste....	204
Colibrí coliancho.....	232
Colibrí coliazul	231
Colibrí coliblanco	205
Colibrí colibronce.....	229
Colibrí colicorto	224
Colibrí colihabano	204
Colibrí colilargo mayor	221
Colibrí colilargo menor	221
Colibrí colipinto Ecuatoriano	229
Colibrí colipinto Peruano	228
Colibrí colirraro	212
Colibrí colirrayado ...	215
Colibrí colirrojo	210
Colibrí colirrufo	201
Colibrí colipinto	234
Colibrí coludo azul ...	200
Colibrí coludo verde ..	221
Colibrí cometa.....	230
Colibri comète.....	232
Colibrí condecorado .	199
Colibrí copetón.....	232
Colibri cora.....	233
Colibrí cora.....	233
Colibrí cordillerano...	225
Colibri corinne.....	218
Colibrí cornudito.....	216
Colibrí corona-verde	201
Colibrí corona-violeta	201
Colibrí coroniazul.....	200
Colibrí coroniblanco .	224
Colibrí crestado	225
Colibrí cuellcastaño .	217
Colibri d'Abeillé	199
Colibri d'Alice	199
Colibri d'Allen	232
Colibri d'Angèle.....	218
Colibri d'Anna	205
Colibri d'Arica	224
Colibrí de Alicia.....	199
Colibrí de Allen	232
Colibrí de Anna.....	205
Colibrí de Arica	224
Colibrí de Barbijo	218
Colibri de Benjamin..	234
Colibrí de Berilo	230
Colibri de Berlepsch .	207
Colibri de Bouguer ..	234
Colibrí de Bouguer ..	234
Colibri de Bourcier ..	229
Colibri de Buffon.....	208
Colibrí de Buffon.....	208
Colibri de Burmeister.....	224
Colibrí de Burmeister.....	224
Colibri de Castelneau.....	199
Colibrí de Cochabamba	225
Colibri de Constant...	218
Colibri de Costa	205
Colibrí de Costa	205
Colibri de Cuvier	205
Colibrí de Cuvier	205
Colibri de Delalande	232
Colibri de Delphine...	211
Colibri de Dohrn	216
Colibrí de Dupont.....	234
Colibrí de Elisa	212
Colibrí de Elliot	203
Colibrí de Eloísa.....	203
Colibrí de Esmeraldas	207
Colibri de Geoffroy ...	203
Colibrí de Goldman...	216
Colibri de Goudot.....	221
Colibrí de Goudot.....	221
Colibrí de Guerrero...	215
Colibri de Hartert	228
Colibrí de Herrán	207
Colibri de Jardine	204
Colibri de Jourdan	207
Colibrí de Jourdan	207
Colibrí de Juan Fernández.....	232
Colibrí de Julia.....	212
Colibri de Lafresnaye	220
Colibrí de las Bahamas	204
Colibri de Lillian.....	221
Colibrí de Marte	217
Colibri de Matthews..	204
Colibri de Mitchell	205
Colibrí de Mitchell	205
Colibri de Mulsant	207
Colibrí de Mulsant	207
Colibrí de Perijá	224
Colibrí de pico recurvado	216
Colibrí de raquetas...225	
Colibri de Rivoli	214
Colibrí de Santa Marta	206
Colibrí de Sibila.....	220
Colibrí de Stanley	208
Colibri de Sybil	220
Colibri de Taczanowski	222
Colibrí de Taczanowski	222
Colibrí de tepui	230
Colibrí de Teresa	230
Colibri de Tumbes ...	221
Colibrí de Tumbes ...	221
Colibrí de Xantus.....	204
Colibrí del Atacama .	230
Colibrí del Chimborazo	225
Colibrí del Duida.....	205
Colibrí del Napo	206
Colibrí del Pirre	216
Colibri d'Elliot	203
Colibri demi-deuil	215
Colibri d'Équateur....	202
Colibri des Bahamas	204
Colibri des Santa Marta	207
Colibri des tépuis	230
Colibri d'Helen	223
Colibri d'Oaxaca	215
Colibri du Chili	232
Colibri du Chimborazo	225
Colibri du Guerrero..	215
Colibri du Pirré.....	216
Colibri élise	212
Colibri elvire	213
Colibrí escamoso	219
Colibri estelle.....	225
Colibrí estrella picolargo	218
Colibri étincelant	199
Colibri falle-vert	214
Colibri fanny.....	224
Colibri faux-saphir	221
Colibri féérique	219
Colibri flammule	231
Colibri flavescent	204
Colibrí florido	202
Colibrí frentiverde ...	218
Colibrí gargantidorado...	229
Colibrí gargantilla	222
Colibri géant.....	226
Colibrí gigante	226
Colibrí golondrina	206
Colibrí gorgiamatista	216
Colibrí gorgiazul	220
Colibrí gorgiescamoso	220
Colibrí gorgirrubí	203
Colibrí gorgivioleta ..	220
Colibrí gorgizafiro....	221
Colibrí gorjirrubí.....	203

Colibrí grande colinegro	208	Colibrí pantalón verde	214	Colibri superbe.....	204
Colibri grivelé	222	Colibrí pardo	211	Colibri tacheté	230
Colibri guaïnumbi	229	Colibrí patirrojo	208	Colibrí terciopelo	220
Colibrí guainumbí	229	Colibrí pechiazul	232	Colibri thalassin	211
Colibrí guerrerense ..	215	Colibrí pechigrís.....	206	Colibrí tijereta.....	220
Colibrí hada occidental	219	Colibrí pechinegro	225	Colibrí topacio.....	234
Colibrí hada orejazul 219		Colibrí pechirrojo	204	Colibri topaze	234
Colibrí hada oriental. 219		Colibrí pecho canela .	216	Colibri tout-vert	230
Colibri héliodore	207	Colibrí pectoral	217	Colibrí trompeur.....	221
Colibrí heliodoro	207	Colibrí pico de cuña..	203	Colibrí turmalina	217
Colibri héloïse	203	Colibrí pico espina....	230	Colibrí variable.....	220
Colibri hirondelle	206	Colibrí pico lezna	202	Colibrí ventigrís.....	232
Colibri huppé	225	Colibrí picocuña	203	Colibrí ventrinegro ...	215
Colibrí inca acollarado ...	210	Colibrí picoespada....	213	Colibrí ventriníveo ...	221
Colibrí inca bronceado...	210	Colibrí picoespina.....	207	Colibrí ventrívioleta .	212
Colibrí inca dorado... 210		Colibrí picolanza mayor		Colibrí ventrizafiro ...	221
Colibrí inca ventrivioleta	210	213	Colibrí verde colirrojo	
Colibri insigne	226	Colibrí picolanza menor	224
Colibrí insigne	226	212	Colibrí verdecito	209
Colibri jacobin.....	215	Colibrí picolezna	225	Colibrí verdemar	211
Colibrí jaspeado	199	Colibrí picos Sierra chico	Colibri vert et gris ...	205
Colibri julie	212	216	Colibri vert-d'eau	220
Colibrí lacero	217	Colibrí piquiancho	211	Colibri vesper	230
Colibrí lazulita	206	Colibrí piquiavoceta..	225	Colibrí vientre-canelo	
Colibri lucifer	205	Colibrí piquicorto común	202
Colibrí lucifer	205	230	Colibrí violeta	217
Colibri lumachelle	203	Colibrí piquicorto		Colibrí volcanero	231
Colibrí lumaquela	203	230	Colibri zémès.....	234
Colibri madère	214	Colibrí dorsinegro	230	Colibrí zumbadorcito	223
Colibri magenta.....	204	Colibrí piquicunna	203	Colibrí zunzuncito....	223
Colibrí magenta.....	204	Colibrí piquidentado .	202	Colibrí-serrano	
Colibrí magnífico	214	Colibrí piquilargo	218	
Colibri médiastin	219	Colibrí pochotero	218	gorjiamatisto	220
Colibrí morado	206	Colibrí portacintas....	234	Colibrí-serrano gorjiazul	
Colibrí moteado.....	222	Colibrí portacintas		220
Colibri moucheté	199	234	Colibrí-serrano	
Colibrí multipunteado....	222	Colibrí piquinegro.....	234	
Colibrí myrtis	224	Colibri porte-épée	213	Colibrí-serrano gorjiverde.....	220
Colibri nain.....	223	Colibrí prieto	211	Colibrí-serrano pechiverde.....	220
Colibrí negrito	200	Colibrí puneño	225	Colin de Ridgway.....	99
Colibrí negro.....	215	Colibrí puntablanca		Colin de Virginie masqué	
Colibrí noble	225	234	99
Colibrí noble	225	Colibrí puntablanca		Colín virginiano de	
Colibrí nuquiblanco ..	215	234	Ridgway	99
Colibrí Oaxaqueño ..	215	Colibrí real	217	Colinus	99
Colibrí oliváceo	207	Colibri robinson	232	Collared Falconet	92
Colibrí olivipunteado	221	Colibrí rojizo Mexicano	Collared Fishing Hawk	
Colibrí oreillard	219	206	41
Colibrí orejiblanco....	204	Colibrí rojizo Venezolano	Collared Forest-Falcon ..	
Colibrí orejimorado ..	211	206	91, 92
Colibrí orejivioleta		Colibri roux	232	Collared Inca	210
..... grande	211	Colibrí rubí.....	209	Collared Lory	149
Colibrí orejivioleta verde	211	Colibri rubis-émeraude	Collared Owlet	178
Colibri paméla.....	200	210	Collared Pygmy-Owl	178
Colibrí pantalón cobrizo		Colibrí rubis-topaze ..	209	Collared Scops-Owl..	187
..... 213		Colibrí rufo.....	232	Collared Sparrowhawk ..	
		Colibrí ruiseñor	205	29
		Colibrí rutilante	211	collari, <i>Otus</i>	188
		Colibri sapho	230	collaria, <i>Amazona</i>	125
		Colibrí scintillant	232	collaris, <i>Accipiter</i>	29
		Colibrí serrano		Colombar à front nu	121
			Colombar de Siebold	121
		gargantiazul	199	Colombar waalia	121
		Colibrí sietecolores...	204	Colombe de Geoffroy	115
		Colibri sombre	211		

Colombe de Grenade	118
Colombe poignardée	118
Colombian Screech-Owl	
.....	188
<i>colombianus</i> , <i>Otus</i>	188
<i>colombica</i> , <i>Thalurania</i>	
.....	233
Colorful Puffleg	214
<i>coloria</i> , <i>Erythrura</i>	252
Colourful Puffleg	214,
.....	323
<i>colubris</i> , <i>Archilochus</i>	203
<i>Columba</i>	116, 117, 320,
.....	322
<i>columbarius</i> , <i>Falco</i>	
.....	82, 327, 328
COLUMBIDAE 3, 115
COLUMBIIFORMES	,
.....	115
<i>columboides</i> , <i>Psittacula</i>	
.....	157
<i>comatus</i> , <i>Aceros</i>	235
<i>comatus</i> , <i>Berenicornis</i>	
.....	235
Comb Duck	25
Combassou de Baka	267
Combassou de	
Jambandu 268
Combassou de Wilson	
.....	268
Combassou du Sénégal	
.....	267
Combassou noir	268
Commandeur huppé	249
Common Barn-Owl	.. 168
Common Bay-Owl 167
Common Black-Hawk	. 48
Common Buzzard 44
Common Caracara 94
Common Chachalaca	.. 96
Common Cock-of-the-	
Rock 242
Common Crane	106, 299
Common Crowned	
Pigeon 118
Common Hill Myna	.. 268
Common Kestrel 89
Common Peacock	
Pheasant 102
Common Pigeon 116
Common Pintail 15
Common Rhea 1
Common Scops-Owl	. 192
Common Teal 17
Common Waxbill 253
Comoro Scops-Owl	.. 191
Compact Weaver 263
<i>comrii</i> , <i>Manucodia</i>	... 271
Concave-casqued	
Hornbill 238
<i>concinna</i> , <i>Glossopsitta</i>	
.....	143
<i>concolor</i> , <i>Falco</i>	
.....	
.....	82, 287, 302
<i>condamini</i> , <i>Eutoxeres</i>	
.....	215
<i>conditicius</i> , <i>Tricholimnas</i>	
.....	108
Condor 26, 324
Condor andino 26
Condor californiano	... 26
Condor de California	.. 26
Condor de Californie	.. 26
Condor de los Andes	. 26
Condor des Andes 26
Congo Bay-Owl 167
Congo Serpent-Eagle	. 55
<i>connivens</i> , <i>Ninox</i> 183
<i>conspicillatus</i> , <i>Forpus</i>	
.....	142
<i>constantii</i> , <i>Heliomaster</i>	
.....	218
Conure à cape noire	. 161
Conure à col blanc	... 160
Conure à front brun	. 162
Conure à front rouge	132
Conure à gorge bleue	
.....	160
Conure à gros bec 162
Conure à joues d'or	.. 149
Conure à long bec 141
Conure à oreilles jaunes	
.....	149
Conure à oreillons 160
Conure à pinceaux d'or	
.....	144
Conure à poitrine brune	
.....	160
Conure à tête bleue	.. 131
Conure à tête d'or 131
Conure à tête rouge	. 132
Conure à ventre rouge	
.....	161
Conure aile-de-feu	... 160
Conure aztèque 133
Conure couronnée 131
Conure cuivrée 133
Conure de Cuba 132
Conure de Deville 160
Conure de Finsch 132
Conure de Hoffmann	160
Conure de la Reine de	
Bavière 144
Conure de Molina 161
Conure de Patagonie	139
Conure de Socorro	... 132
Conure de Souancé	.. 161
Conure de Vieillot 160
Conure de Wagler 133
Conure de Weddell	... 133
Conure des cactus 132
Conure des rochers	.. 147
Conure des Santa Marta	
.....	162
Conure d'Orcès 161
Conure dorée 144
Conure emma 161
Conure jandaya 132
Conure magellanique	
.....	141
Conure maîtresse 132
Conure mitrée 133
Conure nanday 147
Conure pavouane 132
Conure perlée 160
Conure soleil 133
Conure tête-de-feu	.. 161
Conure tiriba 160
Conure versicolore	.. 161
Conure verte 132
Conure veuve 147
<i>conversii</i> , <i>Discosura</i>	. 212
<i>conversii</i> , <i>Popelairia</i>	. 212
<i>convexus</i> , <i>Anthracoceros</i>	
.....	237
<i>cookii</i> , <i>Cyanoramphus</i>	
.....	140
<i>cooperi</i> , <i>Otus</i> 189
<i>cooperii</i> , <i>Accipiter</i>	29,
.....	333
Copper-rumped	
Hummingbird 231
Copper-tailed	
Hummingbird 230
Coppery Emerald 209
Coppery Metaltail 224
Coppery Thorntail 212
Coppery-bellied Puffleg	
.....	213
Coppery-headed	
Emerald 213
Coppery-naped Puffleg	
.....	214
<i>coprotheres</i> , <i>Gyps</i>	58,
.....	304
<i>Copsychus</i> 245
Coq de Bois 247
Coq de Sonnerat 99
Coq-de-roche de Guyane	
.....	242
Coq-de-roche orange	242
Coq-de-roche péruvien	
.....	242
Coqueta abanico canela	
.....	223
Coqueta abanico pavo	
real 223
Coqueta abanico	
puntiblanco 222
Coqueta adorable 222
Coqueta adornada	... 223
Coqueta cola de Lira	212
Coqueta cola raqueta	
.....	212
Coqueta coronada	... 223
Coqueta cresticorta	.. 222
Coqueta crestinegra	. 223
Coqueta crestirrufa	.. 222
Coqueta de Guerrero	222

Coqueta festiva	222	
Coqueta lentejuelada		
.....	223	
Coqueta magnifica...	223	
Coqueta moteada	222	
Coqueta pavonina....	223	
Coqueta verte	222	
Coquette à queue fine		
.....	212	
Coquette à raquettes	212	
Coquette adorable ...	222	
Coquette chalybée...	222	
Coquette de Delattre	222	
Coquette de Gould...	222	
Coquette de Langsdorff		
.....	212	
Coquette de Létitia ..	212	
Coquette de Popelaire		
.....	212	
Coquette d'Hélène ...	223	
Coquette du Guerrero ...		
.....	222	
Coquette huppe-col .	223	
Coquette magnifique	223	
Coquette pailletée ...	223	
Coquette paon	223	
<i>cora, Thaumastura</i> ..	233	
CORACIFORMES3,		
235		
Coracine casquée	241	
Coracine ornée.....	241	
<i>Coracopsis</i>	139	
Corcovado gorgiblanco		
.....	101	
Cordon bleu à joues		
rouges	259	
Cordonbleu.....	259	
Cordonbleu à joues		
rouges	259	
Corneille de paradis .	271	
<i>cornutus, Eunymphicus</i>		
.....	142	
Corocoro colorado	11	
Corocoro rojo.....	11	
<i>coromandus, Bubo</i> ...	176	
<i>coronata, Paroaria</i> ...	249	
<i>coronatus,</i>		
<i>Anthracoceros</i>	237	
<i>coronatus,</i>		
<i>Harpyhaliaetus</i> 62,		
296		
<i>coronatus, Spizaetus</i> ..	77	
<i>coronatus,</i>		
<i>Stephanoaetus</i>	77	
Coronita aterciopelada		
.....	204	
Coronita colihabana .	204	
Coronita pechicastaña ...		
.....	204	
Corredor chillón	244	
<i>corrugatus, Aceros</i> ..	235	
<i>corrugatus, Rhyticeros</i>		
.....	235	
<i>coruscans, Colibri</i>	211	
CORVIDAE	4, 274	
Coryllis à front orange		
.....	145	
Coryllis à gorge jaune....		
.....	145	
Coryllis à tête bleue .	145	
Coryllis de Ceylan	145	
Coryllis de Wallace...	145	
Coryllis del Sula.....	145	
Coryllis des Bismarck	146	
Coryllis des Célèbes .	145	
Coryllis des Moluques		
.....	144	
Coryllis des Philippines		
.....	145	
Coryllis des Sangi	145	
Coryllis vernal	146	
Coryllis vert	145	
<i>Corythaeola</i>	165	
<i>corythaix, Tauraco</i>		
.....	166, 167	
<i>Coscoroba</i>	21	
Coscoroba blanc	21	
Coscoroba Swan	21	
<i>coscoroba, Coscoroba</i> 21		
<i>costae, Calypte</i>	205	
<i>costaricensis, Touit</i> ..	163	
<i>Cotinga</i>		
242,		
321, 322, 323, 324,		
326, 333, 336		
Cotinga à ailes blanches		
.....	242	
Cotinga à bandeau ...	242	
Cotinga aliblanca	242	
Cotinga cordonbleu ..	242	
Cotinga de corbata...	242	
Cotinga maculé	242	
Cotinga manchado ...	242	
Cotinga porphyrium ..	242	
COTINGIDAE	3, 241	
Cotorra		
125, 126, 128,		
131, 132, 133, 141,		
144, 147, 150, 151,		
156, 157, 158, 160,		
161, 162		
Cotorra alejandrina ..	157	
Cotorra amarilla	144	
Cotorra Argentina	147	
Cotorra austral	141	
Cotorra Boliviana	147	
Cotorra cabeciamarilla		
.....	125	
Cotorra cabeciazul ...	151	
Cotorra cabeciblanca	151	
Cotorra cabecinegra .	147	
Cotorra cachaña	141	
Cotorra capirotada ..	161	
Cotorra cariparda....	161	
Cotorra carirroja	133	
Cotorra carirrosa	158	
Cotorra catana	160	
Cotorra chiripepé ..	160	
<i>couloni, Ara</i>	155	
Cotorra choroy.....	141	
Cotorra ciruela.....	157	
Cotorra colilarga	158	
Cotorra colinegra	161	
Cotorra colirroja.....	160	
Cotorra coronirroja ..	161	
Cotorra cucha	125	
Cotorra cuelliblanca .	160	
Cotorra de ceilán.....	157	
Cotorra de Derby	157	
Cotorra de Deville ...	160	
Cotorra de El Oro	161	
Cotorra de Finsch	157	
Cotorra de Kramer ..	158	
Cotorra de los Palos.	131	
Cotorra de Malabar..	157	
Cotorra de Mauricio .	157	
Cotorra de Molina....	161	
Cotorra de Nicobar ..	157	
Cotorra de Santa Marta		
.....	162	
Cotorra del Himalaya		
.....	157	
Cotorra egregia.....	160	
Cotorra frente roja ..	126	
Cotorra frentidorada	131	
Cotorra intermedia ..	158	
Cotorra morada	150	
Cotorra negra	150	
Cotorra pechiparda..	160	
Cotorra pechirroja ...	156	
Cotorra perlada.....	160	
Cotorra pintada.....	161	
Cotorra tiriba.....	160	
Cotorra ventrirroja ..	161	
Cotorra verde	132	
Cotorra-serrana		
occidental.....	162	
Cotorra-serrana oriental		
.....	162	
Cotorrita aliazul	142	
Cotorrita alipinta	163	
Cotorrita alirroja	163	
Cotorrita amazónica	147	
Cotorrita cariazul....	163	
Cotorrita carigualda .	143	
Cotorrita Costarricense		
.....	163	
Cotorrita culiverde... ..	143	
Cotorrita de Anteojos....		
.....	142	
Cotorrita de Piura....	142	
Cotorrita de Sclater .	143	
Cotorrita dorsinegra.	163	
Cotorrita Mexicana ..	142	
Cotorrita purpurada .	163	
Cotorrita sietecolores....		
.....	163	
Cotorrita sorda	163	
Cotorrita tepuí	147	
Cotunto	189	
Cou-coupé	252	
<i>couloni, Ara</i>	155	

<i>couloni</i> , <i>Primolius</i>	155
<i>couloni</i> , <i>Propyrrhura</i> 155	
Count Raggi's Bird-of-paradise	272
Courlis à bec grêle... 115	
Courlis esquimau.... 114	
CRACIDAE 3, 95	
Crane	
57, 105, 106, 107, 108, 294, 301, 310, 330	
Crane Hawk..... 57	
<i>crassirostris</i> , <i>Forpus</i> . 142	
<i>crassus</i> , <i>Poicephalus</i> 152	
<i>Crax</i> 95, 96, 308	
<i>crecca</i> , <i>Anas</i> 17	
Crécerelle américaine.... 88	
Crécerelle australienne 81	
Crécerelle aux yeux blancs 88	
Crécerelle d'Aldabra... 85	
Crécerelle d'Amérique 88	
Crécerelle d'Australie . 81	
Crécerelle de Maurice. 87	
Crécerelle des Moluques 84	
Crécerelle des Seychelles 80	
Crécerelle katitie 80	
Crécerelle malgache .. 85	
Crécerelle renard..... 79	
Crested Argus 103	
Crested Baza 41	
Crested Bird-of-paradise 270	
Crested Caracara 94, 322	
Crested Eagle 71, 278, 331	
Crested Fireback 101	
Crested Goshawk 31, 35	
Crested Guan..... 97	
Crested Hawk-Eagle... 76	
Crested Ibis..... 11, 285, 296, 306	
Crested Korhaan 112	
Crested Malimbe 262	
Crested Owl..... 182	
Crested Partridge 103	
Crested Peacock- Pheasant 103	
Crested Serpent-Eagle 74	
Crested Shelduck 26	
Crested Turaco 166	
Crestless Fireback ... 100	
Crestless Monal..... 100	
Crick à ventre bleu .. 164	
Crimson Horned- Pheasant 105	
Crimson Rosella 151	
Crimson Shining-Parrot 155	
Crimson Topaz 234	
Crimson-bellied Conure 161	
Crimson-bellied Parakeet 161	
Crimson-fronted Conure 132	
Crimson-fronted Parakeet..... 132	
Crimson-winged Pytilia 259	
<i>Crinifer</i> 165	
<i>criniger</i> , <i>Gallicolumba</i> 118	
Crinkle-collared Manucode 271	
<i>crispus</i> , <i>Pelecanus</i> 3, 283, 305	
<i>cristata</i> , <i>Corythaëola</i> 165	
<i>cristata</i> , <i>Goura</i> 118, 296, 327	
<i>cristata</i> , <i>Gubernatrix</i> 249	
<i>cristata</i> , <i>Lophostrix</i> ..182	
<i>cristata</i> , <i>Tadorna</i> 26, 329	
<i>cristatus</i> , <i>Orthorhyncus</i> 225	
<i>cristinae</i> , <i>Threnetes</i> .233	
<i>Crossoptilon</i> 99	
<i>crossoptilon</i> , <i>Crossoptilon</i> 99	
Crowned Eagle 62, 77	
Crowned Hawk-Eagle 77	
Crowned Solitary Eagle 62	
<i>cruentata</i> , <i>Pyrrhura</i> ..160	
<i>cruentus</i> , <i>Ithaginis</i> ...100	
<i>crumeniferus</i> , <i>Leptoptilos</i> 9, 299	
<i>cryptoxanthus</i> , <i>Poicephalus</i>152	
Cuban Amazon127	
Cuban Black Hawk 48	
Cuban Conure132	
Cuban Emerald.....209	
Cuban Hook-billed Kite 49	
Cuban Parakeet132	
Cuban Parrot....127, 334	
Cuban Pygmy-Owl ...181	
Cuban Sandhill Crane 106	
Cuban Screech-Owl..189	
Cuban Tree-Duck..... 22	
Cuchara Común..... 16	
Cuckoo Owlet.....179	
Cuckoo Weaver260	
Cuco 189	
Cucú 195	
CUCULIFORMES 3, 165	
<i>cucullata</i> , <i>Andigena</i> ..240	
<i>cucullata</i> , <i>Carduelis</i> ..250	
<i>cucullata</i> , <i>Lonchura</i> . 255	
<i>cucullatus</i> , <i>Ploceus</i> .. 264	
<i>cucullatus</i> , <i>Spermestes</i> 255	
<i>cucullatus</i> , <i>Spinus</i> 250, 302, 303	
<i>cuculoides</i> , <i>Aviceda</i> ...41	
<i>cuculoides</i> , <i>Glaucidium</i> 179	
Cuervo calvo de cuello blanco..... 247	
Cuervo calvo de cuello gris 247	
Cúiu cúiu 150	
Culebrera azor 56	
Culebrera barreada.... 50	
Culebrera chífla..... 74	
Culebrera coliblanca ..49	
Culebrera congoleña .. 55	
Culebrera de Andamán 74	
Culebrera de Célebes .75	
Culebrera de Nicobar .75	
Culebrera del Kinabalu 75	
Culebrera europea..... 50	
Culebrera filipina..... 75	
Culebrera pechinegra .51	
Culebrera sombría 50	
<i>cunicularia</i> , <i>Athene</i> .. 195	
<i>cunicularia</i> , <i>Speotyto</i> 195, 322	
<i>cupido</i> , <i>Tympanuchus</i> 105	
<i>cupreicauda</i> , <i>Saucerottia</i> 230	
<i>cupreiceps</i> , <i>Elvira</i> 213	
<i>cupreoventris</i> , <i>Eriocnemis</i> 213	
<i>cupripennis</i> , <i>Aglaeactis</i> 199	
Curl-crested Manucode 271	
Currucu bigotuda piquilarga 245	
Currucu bigotuda rojiza 245	
Curucucú barriga amarilla 171	
Curucucú común 187	
Curucucú gargantiblanco 186	
Curucucú orejudo 193	
Curucucú pálido 188	
Curucucú vermiculado 186	
<i>curvipennis</i> , <i>Campylopterus</i> 205	
Cut-throat..... 252	
<i>cuvierii</i> , <i>Campylopterus</i> 205	
<i>cuvierii</i> , <i>Falco</i> 83	
<i>cuvierii</i> , <i>Phaeochroa</i> 205	

cyaneus, *Circus*..... 52
cyanifrons, *Amazilia*. 231
cyanifrons, *Saucerottia*
..... 231
cyanocephala, *Agyrtria*
..... 200
cyanocephala, *Amazilia*
..... 200
cyanocephala, *Psittacula*
..... 157
Cyanocorax 274
cyanogenia, *Eos* 142
Cyanoliseus 139
cyanomelana, *Cyanoptila*
..... 245
cyanopectus, *Sternoclyta*
..... 232
Cyanophaia 211
cyanophrys, *Eupherusa*
..... 215
Cyanopsitta
139, 289, 293, 309,
334
cyanoptera, *Brotogeris*
..... 134
cyanopterus,
Pterophanes..... 230
Cyanoptila 245
cyanopygius, *Forpus* 142
Cyanoramphus.....
..... 140, 308, 325
cyanura, *Amazilia*.... 231
cyanura, *Saucerottia* 231
cyanurus, *Psittinus* .. 159
cyanus, *Hylocharis*... 219
Cyclopsitta 140, 141
Cygne à cou noir..... 22
Cygne chanteur..... 22
Cygne coscoroba 21
Cygnus 22
Cynanthus..... 211
Cyornis 245

D

dachilleae,
*Nannopsittaca*147,
333
Dacnis 249
Dacnis à pattes noires
..... 249
Dalmatian Pelican.....
..... 3, 283, 305
Damara Korhaan 111
Damophila..... 212
Daptrius..... 79
Dara..... 114
Dark Chanting-Goshawk
..... 69
Dark Serpent-Eagle ... 74
Dasyorne à long bec 245

Dasyornerousse de
l'Ouest..... 245
Dasyornis 245
daubentoni, *Crax* 95
davidi, *Niltava* 246
davidi, *Strix* 196
decipiens, *Streptopelia*
..... 119
decora, *Amazilia* 229
decora, *Paradisaea*... 272
defilippii, *Sturnella*... 250
deiroleucus, *Falco*83,
292
delattrei, *Lophornis*.. 222
delphinae, *Colibri*.... 211
demersus, *Spheniscus*
2, 279, 282, 283,
294, 299, 303, 312
Demoiselle Crane..... 108
Demoiselle de Numidie
..... 108
Dendrocygna.....
22, 23, 295, 320, 336
Dendrocygne à bec noir
..... 22
Dendrocygne à bec
rouge 22
Dendrocygne à ventre
noir..... 22
Dendrocygne des
Antilles 22
Dendrocygne fauve ... 22
Dendrocygne veuf.... 23
denhami, *Neotis* 112
dentata, *Petronia*.... 263
derbiana, *Psittacula*.. 157
derbianus, *Oreophasis* ...
..... 96, 287, 288
Derbyan Parakeet 157
derbyi, *Eriocnemis* .. 213
Deroptyus..... 141, 319
Desert Owl..... 196
desmarestii,
Psittaculirostris 158
detorta, *Tyto*..... 168
devillei, *Pyrrhura* 160
diadema, *Charmosyna*
..... 138
Diamant à bavette ... 258
Diamant à face rouge
..... 258
Diamant aurore 259
Diamant de Luçon.... 252
Diamant de Mindanao
..... 252
Diamante colidorado 200
Diamante de pecho
negro 258
Diamante gargantiverde
..... 229
Diamante multicolor. 201
Diamante pechizafiro....
..... 229

Diamante ventriblanco
..... 200
diardi, *Lophura* 100
dickeyi, *Cyanocorax*. 274
dickinsoni, *Falco*..... 83
dicolorus, *Ramphastos*
..... 240
Diduncule strigiostre....
..... 117
Didunculus 117
directive, *Touit* ... 163
dimorpha, *Uroglaux*. 199
Dindon ocellé..... 98
diodon, *Harpagus*..... 62
Diomedea ... 3, 280, 289
DIOMEDEIDAE..... 3
diophthalma, *Cyclopsitta*
..... 140, 141
diophthalma, *Oropsitta*
..... 140, 141
diophthalma,
Psittaculirostris.... 140
Diopsittaca 141
Diostedé pico acanelado
..... 241
discolor, *Lathamus* .. 144
Discosura 212
discurus, *Prioniturus*
..... 153, 154
dissimilis, *Psephotus* 155
dissimilis, *Turdus* 247
dohrnii, *Glaucis*..... 216
dohrnii, *Ramphodon* 216
domicella, *Lorius*..... 146
Dominican Mango.... 202
dominiculus,
Anthracothorax ... 202
doriae, *Accipiter*..... 68
doriae, *Megatriorchis* . 68
Doricha..... 212
dorsale, *Ramphomicron*
..... 230
Doryfera 212, 213
Dos-vert à joues
blanches 256
Dot-eared Coquette . 222
Dotted Tanager..... 250
doubledayi, *Cynanthus*
..... 211
Double-eyed Fig-Parrot
..... 140, 141
Double-striped Thick-
knee 114
Double-toothed Kite .. 62
Dragón 250
Drépanornis d'Albertis...
..... 270
Drépanornis de Bruijn
..... 270
Dryade à queue
fourchue 233
Dryade couronnée ... 233
Dryade de Fanny 233

Dryade de Waterton. 233
 Dryade du Mexique.. 233
 Dryade glaucope 233
Dryocopus..... 241
Dryotriorchis..... 55
dubius, Hieraaetus.....
 63, 276
dubius, Leptoptilos 10
 Duc à aigrettes 182
 Duc à crinière 181
 Duchess Lorikeet..... 138
 Duck Hawk..... 86
ducorsii, Cacatua... 135
Ducula..... 118
 Dúcula de Mindoro... 118
 Dúcula gris..... 118
dufresniana, Amazona
 126, 128
duidae, Campylopterus
 205
duivenbodei,
Chalcopsitta..... 137
dupontii, Philodice ... 234
dupontii, Tilmatura .. 234
 Dusky Eagle-Owl..... 176
 Dusky Hummingbird 211
 Dusky Lory 156
 Dusky Parrot 150
 Dusky-billed Parrotlet....
 143
 Dusky-headed Conure...
 133
 Dusky-headed Parakeet
 133
 Dusky-throated Hermit
 228
 Dwarf Cassowary 2
 Dwarf Fig-Parrot..... 140

E

Eagle Owl.....
175, 292, 297, 310
 Eastern Black-capped
 Lory..... 146
 Eastern Chanting-
 Goshawk 69
 Eastern Grass-Owl... 169
 Eastern Imperial Eagle ..
 38
 Eastern Long-tailed
 Hermit 228
 Eastern Marsh-Harrier 55
 Eastern Parotia 273
 Eastern Red-footed
 Falcon 79
 Eastern Riflebird..... 273
 Eastern Rosella 151
 Eastern Screech-Owl 186
ecaudatus, Terathopius
 77, 318
echo, Psittacula..... 157

Eclectus.....141, 335
 Eclectus Parrot141
 Ecuadorian Hillstar ...225
 Ecuadorian Piedtail...229
edward, Amazilia231
edward, Saucerottia. 231
edwardsi, Lophura ...100
edwardsii,
Psittaculirostris158
 Effraie africaine168
 Effraie de Manus.....169
 Effraie de Minahassa 169
 Effraie de prairie169
 Effraie de Soumagne 170
 Effraie de Taliabu.....170
 Effraie de Tasmanie ..169
 Effraie des Célèbes...170
 Effraie des clochers..168
 Effraie des Tanimbar 170
 Effraie d'Hispaniola ..169
 Effraie dorée169
 Effraie du Cap169
 Effraie masquée170
 Effraie ombrée170
 Effraie piquetée170
 Effraie rousse de
 Madagascar.....170
egregia, Pyrrhura....160
Egretta.... 6, 7, 290, 324
 Egyptian Goose 14
 Egyptian Vulture 71, 335
 El Oro Conure161
 El Oro Parakeet 161, 334
 Élançon blanc..... 55
 Elanio australiano 55
 Elanio azul 55
 Elanio bidentado 62
 Elanio blanco..... 56
 Elanio chico 57
 Elanio Común..... 55
 Elanio del Mississipi..... 65
 Elanio enano 57
 Elanio escrito 56
 Elanio golondrina 49
 Elanio maromero 56
 Elanio muslirrufo 62
 Elanio plomizo 66
 Elanio tijereta..... 55
 Élanion à queue blanche
 56
 Élanion blanc 55
 Élanion d'Australie 55
 Élanion lettré 56
 Élanion naucler..... 49
 Élanion perle..... 57
Elanoides..... 55
Elanus.....49, 55, 56
elegans, Neophema..148
elegans, Otus...188, 306
elegans, Platycercus.151
 Elegant Grass-Parakeet
148
 Elegant Parrot148

Elegant Scops-Owl .. 188
eleonorae, Falco.83, 298
 Elf Owl..... 182
elgini, Spilornis 74
eliciae, Hylocharis ..
 219, 331
eliza, Calothorax 212
eliza, Doricha..... 212
elliotti, Atthis..... 203
elliotti, Selasphorus .. 203
elliotti, Syrmaticus ... 103
 Elliot's Pheasant103, 294
Elvira 213
EMBERIZIDAE ...4, 249
 Emei Shan Liocichla . 246
 Emerald Lorikeet..... 148
 Emerald-bellied Puffleg
 213
 Emerald-chinned
 Hummingbird 199
 Emerald-collared
 Parakeet 157
 Émeraude à queue
 courte 209
 Émeraude à queue
 étroite 209
 Émeraude alice 208
 Émeraude cuivrée ... 209
 Émeraude de Canivet....
 208
 Émeraude de Porto Rico
 208
 Émeraude de Ricord 209
 Émeraude d'Hispaniola
 209
 Émeraude d'Olivares 209
 Émeraude orvert 208
 Émeraude splendide 208
 Emerauldine à bec noir
 122
 Emerauldine à bec rouge
 122
*emmae, Aglaiaocercus*200
 Emouchel des Seychelles
 80
 Emperor Bird-of-
 paradise 272
 Emperor of Germany's
 Bird-of-paradise .. 272
emphanum, Polyplectron
 102, 280
 Empress Brilliant..... 218
enganensis, Gracula 268
 Engoulevent d'Europe ...
 171
Enicognathus..... 141
enicura, Calothorax . 212
enicura, Doricha..... 212
Ensifera 213
ensifera, Ensifera 213
ensipennis,
Campylopterus.... 205
Eolophus..... 141

<i>Eos</i>	141, 142, 280, 295, 324	
<i>eos, Coeligena</i>	210	
Éperonnier chinquis	102	
Éperonnier de Bornéo	103	
Éperonnier de Germain	102	
Éperonnier de Hardwick	103	
Éperonnier de Malaisie	103	
Éperonnier de Palawan	102	
Éperonnier de Rothschild	102	
Éperonnier gris	102	
Éperonnier malais	103	
Éperonnier Napoléon	102	
Épervier à collier interrompu	29	
Épervier à collier roux	29	
Épervier à cuisses rouges	30	
Épervier à cuisses rousses	30	
Épervier à gorge grise	30	
Épervier à gorge rayée	35	
Épervier à pieds courts	29	
Épervier à poitrine blanche	29	
Épervier à poitrine rousse	34	
Épervier à queue tachetée	35	
Épervier besra	35	
Épervier bicolore	28	
Épervier brun	34	
Épervier de Cooper	29	
Épervier de Cuba	31	
Épervier de Frances	30	
Épervier de Hartlaub	30	
Épervier de Horsfield	34	
Épervier de l'Ovampo	33	
Épervier de Madagascar	32	
Épervier de Nouvelle- Bretagne	28	
Épervier des Célèbes	32	
Épervier des Nicobar	29	
Épervier d'Europe	33	
Épervier du Japon	31	
Épervier menu	34	
Épervier minule	32	
Épervier nain	35	
Épervier pie	32	
Épervier shikra	28	
<i>Ephippiorhynchus</i>	9, 310	
<i>Epimachus</i>	270	
Epimaque de Mayer	270	
Epimaque fastueux	270	
<i>episcopus, Ciconia</i>	9	
<i>eques, Psittacula</i>	157	
<i>eremita, Geronticus</i>	11, 275, 278, 284, 294, 302, 304	
<i>Eriocnemis</i>	213, 214, 323, 329, 335	
Érione à front bleu	213	
Érione à poitrine d'or	214	
Érione à robe noire	214	
Érione à ventre cuivré	213	
Érione Catherine	213	
Érione d'Aline	213	
Érione d'Aurélie	216	
Érione de Derby	213	
Érione givrée	216	
Érione multicolore	214	
Érione pattue	214	
Érione turquoise	213	
Érismature à tête blanche	24	
<i>erithacus, Psittacus</i>	159, 323, 330	
Ermitaño barbigrís	226	
Ermitaño gargantifusco	228	
Ermitaño pequeño	227	
Ermitaño rufo	228	
Ermitaño barbiblanco	227	
Ermitaño barbigris	226	
Ermitaño barbudo	234	
Ermitaño barbudo colibandeado	234	
Ermitaño bigotiblanco	228	
Ermitaño Boliviano	228	
Ermitaño bronceado	215	
Ermitaño carinegro	226	
Ermitaño chico	227	
Ermitaño coliancho	202	
Ermitaño colilargo	227, 228	
Ermitaño colilargo común	228	
Ermitaño colilargo norteño	227	
Ermitaño de Espírito Santo	216	
Ermitaño de Koepcke	227	
Ermitaño de Natterer	227	
Ermitaño de picorrecto	226	
Ermitaño escamoso	226	
Ermitaño esculárido	228	
Ermitaño frentinegro	227	
Ermitaño gorgiestriado	228	
Ermitaño guayanés	228	
Ermitaño hirsuto	216	
Ermitaño limpiacasa	226	
Ermitaño manchado	226	
Ermitaño ocráceo	228	
Ermitaño pechicanelo	216	
Ermitaño picoaguja	227	
Ermitaño picogrande	227	
Ermitaño picosierra	230	
Ermitaño pigmeo	227	
Ermitaño piquirrecto	226	
Ermitaño rojizo	228	
Ermitaño ventrihabano	228	
Ermitaño ventripáldido	226	
Ermitaño verde	226	
Ermita à brins blancs	228	
Ermita à gorge grise	226	
Ermita à gorge rayée	228	
Ermita à long bec	227	
Ermita à longue queue	227	
Ermita à queue blanche	233	
Ermita à ventre fauve	228	
Ermita anthophile	226	
Ermita bronzé	215	
Ermita d'Auguste	226	
Ermita de Bourcier	226	
Ermita de Dohrn	216	
Ermita de Dohrnou à bec incurvé	216	
Ermita de Filippi	227	
Ermita de Gounelle	202	
Ermita de Koepcke	227	
Ermita de Natterer	227	
Ermita de Prêtre	227	
Ermita de Rucker	234	
Ermita de Stuart	228	
Ermita d'Idalie	227	
Ermita d'Osery	227	
Ermita eurynome	226	
Ermita hirsute	216	
Ermita nain	227	
Ermita ocre	228	
Ermita roussâtre	228	
Ermita terne	228	
Ermita vert	226	
Ermita yaruqui	228	
<i>erythrauchen, Accipiter</i>	30	
<i>erythrogenys, Aratinga</i>	132	
<i>erythrogenys,</i> <i>Microhierax</i>	92	
<i>erythrolophus, Tauraco</i>	166	

erythronemius, *Accipiter* 30
erythrophthalma,
 Lophura 100
erythrops, *Quelea*.... 266
erythropterus,
 Aprosmictus..... 130
erythropus, *Accipiter*.. 30
erythropygia, *Sturnia*....
..... 268
erythropygius, *Sturnus*
..... 268
Erythrotiorchis 56
Erythrura 252
Eskimo Curlew
 114, 282, 285, 287,
 292
Esmeralda bronceada....
..... 209
Esmeralda capirotada
..... 213
Esmeralda cola de
 alambre 209
Esmeralda coliazul... 208
Esmeralda colicorta . 209
Esmeralda colifina ... 209
Esmeralda coliverde. 208
Esmeralda de Canivet ...
..... 208
Esmeralda de la
 Española 209
Esmeralda del
 Chiribiquete 209
Esmeralda elvira 213
Esmeralda gorgiazul 209
Esmeralda Hondureña
..... 229
Esmeralda Portorriqueña
..... 208
Esmeralda ventridorada
..... 208
Esmeralda viente-blanco
..... 200
Esmeralda zunzún ... 209
Esmeraldas Woodstar
..... 207
Esmerejón 82
Esparvero bicolor 28
Esparvero chico..... 34
Esparvero gris..... 35
Esparvero pechigrís ... 34
Espátula..... 11
Espátula blanca..... 11
Espátula común 11
Espermófaga hematina
..... 259
Espolonero chinquis . 102
Espolonero de Borneo ...
..... 103
Espolonero de Germain
..... 102
Espolonero de Palawan
..... 102

Espontero de Rothschild
..... 102
Espontero Malayo ...103
Espulgabueyes 5
estella, *Oreotrochilus*....
..... 225
Estornino de Rothschild
..... 268
Estrella coliblanca ...234
Estrella cuellirrojo207
Estrella ecuatoriana . 225
Estrellita amatista....204
Estrellita chica207
Estrellita colicorta224
Estrellita de gorquera
..... 207
Estrellita esmeraldeña ...
..... 207
Estrellita gargantillada
..... 224
Estrellita gorjipúrpura
..... 205
Estrellita ventriblanca
..... 207
*Estrilda*252, 253, 259,
 324
Estrilda verde..... 252
ESTRILDIDAE.... 4, 252
Étourneau à tête blanche
..... 268
Étourneau de Rothschild
..... 268
Étourneau soyeux269
Eubucco239, 333
Eudocimus.....
 11, 278, 286, 296,
 297
Eugenés214
Eulampis214
Eunymphicus142
euops, *Aratinga*132
eupatria, *Psittacula* ..157
Euperusa215
Euplecte à dos d'or ..262
Euplecte de Jackson . 261
Euplecte franciscain . 261
Euplecte monseigneur ...
..... 261
Euplecte veuve-noire....
..... 261
Euplecte vorabé.....260
Euplectes. 260, 261, 262
Euplectes alinegro....261
Euplectes amarillo....260
Euplectes rojo261
Eupodotis 110, 111, 112
eupogon, *Metallura* ..223
Eurasian Buzzard 44
Eurasian Eagle-Owl ..175
Eurasian Griffon..... 58
Eurasian Griffon Vulture
..... 58
Eurasian Hobby 89
Eurasian Kestrel. 89, 331
Eurasian Marsh-Harrier .
..... 51
Eurasian Pygmy-Owl 180
Eurasian Scops-Owl . 192
Eurasian Sparrowhawk
..... 33, 331
Eurasian Spoonbill..... 11
Eurasian Wigeon
..... 18, 292, 336
European Honey-buzzard
..... 72
European Turtle-Dove
..... 120
eurynome, *Phaethornis*
..... 226
epyptera, *Opisthoproraa*
..... 225
euteles, *Trichoglossus*...
..... 163
Eutoxeres 215
Eutriorchis.....
..... 56, 284, 306, 309
evelynae, *Calliphlox*. 204
evelynae, *Philodice*.. 204
everetti, *Aceros*235, 293
everetti, *Rhyticeros* . 235
Everglade Kite 74
exarhatus, *Penelopides*
..... 239
excellens,
 Campylopterus.....
..... 205, 206
exilis, *Loriculus* 145
eximia, *Euperusa*... 215
eximus, *Platycercus* 151
exortis, *Heliangelus* . 217

F

Fairy Lorikeet 138
Fairy Pitta 243
Faisan à queue barrée...
..... 103
Faisan à queue rousse
..... 100
Faisán argos 98
Faisán chir 99
Faisán coliblanco 100
Faisán colicanelo 100
Faisan de Birmanie.. 103
Faisan de Bulwer..... 100
Faisán de Bulwer..... 100
Faisán de carúncula azul
..... 100, 101
Faisán de carúncula azul
 crestado 101
Faisán de cola ocelada
 de Germain..... 102
Faisán de cola ocelada
 gris 102

Faisán de cola ocelada	
indómito.....	102
Faisán de cola ocelada	
malayo.....	103
Faisan de cuerno rojo.	96
Faisán de Edwards...	100
Faisán de Elliot.....	103
Faisán de espolones de	
Borneo	103
Faisán de espolones de	
Germain.....	102
Faisán de espolones de	
Palawan	102
Faisán de espolones gris	
.....	102
Faisán de espolones	
malayo.....	103
Faisán de Formosa...	101
Faisan de Formose...	101
Faisan de Hume	103
Faisán de Hume	103
Faisan de Lady Amherst	
.....	99
Faisán de Lady Amherst	
.....	99
Faisan de l'Himalaya ..	99
Faisán de Rheinard ..	103
Faisan de Salvadori .	101
Faisan de Sumatra ..	101
Faisan de Swinhoe...	101
Faisán de Swinhoe...	101
Faisan de Wallich.....	99
Faisán de Wallich.....	99
Faisan d'Edwards....	100
Faisan d'Elliot	103
Faisán dorado	99
Faisan doré	99
Faisan du Vietnam...	101
Faisán ensangrentado ...	
.....	100
Faisan impérial	101
Faisán imperial	101
Faisán kálíj.....	101
Faisan leucomèle.....	101
Faisan mikado.....	104
Faisán mikado.....	104
Faisán monal chino..	100
Faisán monal de Slater	
.....	100
Faisán monal del	
Himalaya	100
Faisan noble	101
Faisán noble	101
Faisan oreillard blanc .	99
Faisan oreillard brun ..	99
Faisán orejudo blanco	99
Faisán orejudo de	
Manchuria.....	99
Faisán orejudo pardo .	99
Faisán orejudo tibetano	
.....	99
Faisan prélat.....	100
Faisán real de Germain	
.....	102
Faisán real de Palaguán	
.....	102
Faisán real gris.....	102
Faisán real malayo...	103
Faisán sangrante	100
Faisan sanguin	100
Faisán sanguineo	100
Faisán sencillo	101
Faisán Siamés	100
Faisán venerado	104
Faisan vénéré.....	104
<i>falcatus</i> , <i>Campylopterus</i>	
.....	206
<i>falcirostris</i> , <i>Sporophila</i>	
.....	249
<i>Falco</i>	
79, 80, 81, 82, 83,	
84, 85, 86, 87, 88,	
89, 90, 91, 282, 285,	
286, 287, 292, 298,	
300, 302, 320, 322,	
324, 327, 328, 330,	
331	
Falconete acollarado..	92
Falconete de Borneo..	93
Falconete filipino.....	92
Falconete indonesio...	92
Falconete pío.....	93
FALCONIDAE	3, 79
FALCONIFORMES 3, 26	
<i>fallax</i> , <i>Leucippus</i>	221
Falsa viuda dorsigualda	
.....	262
Falsa viuda pechirroja....	
.....	261
Fandangero colicina	205
Fandangero colilargo	206
Fandangero morado .	206
Fandangero	
pechiescamosa	205
Fandangero rufo	206
<i>fanny</i> , <i>Myrtis</i>	224
<i>fannyi</i> , <i>Thalurania</i>	233
<i>farinosa</i> , <i>Amazona</i> ...	126
<i>fasciata</i> , <i>Amadina</i>	252
Fasciated Snake-Eagle...	
.....	50
<i>fasciatus</i> , <i>Accipiter</i>	30
<i>fasciatus</i> , <i>Hieraetus</i>	
.....	63, 64, 316
<i>fasciicauda</i> , <i>Milvus</i>	70
<i>fasciinucha</i> , <i>Falco</i>	84
<i>fasciolatus</i> , <i>Circaetus</i> .	50
<i>fastuosa</i> , <i>Tangara</i>	250
<i>fastuosus</i> , <i>Epimachus</i>	
.....	270
Faucon à cou roux	81
Faucon à ventre rayé.	91
Faucon aldrovandin...	88
Faucon aplomado.....	84
Faucon ardoisé	80
Faucon bérígora	80
Faucon chicquera	81
Faucon concolore	82
Faucon crécerelle	
.....	80, 85, 89
Faucon crécerelle des	
Seychelles	80
Faucon crécerellette ..	85
Faucon de Barbarie....	86
Faucon de Cuvier	83
Faucon de Dickinson ..	83
Faucon de l'Amour.....	79
Faucon de l'île Maurice ..	
.....	87
Faucon de Newton	
d'Aldabra.....	85
Faucon de Nouvelle-	
Zélande.....	86
Faucon d'Éléonore	83
Faucon des chauves-	
souris	87
Faucon des prairies ...	84
Faucon émerillon.....	82
Faucon gerfaut.....	88
Faucon gris	84
Faucon hobereau.....	89
Faucon kobezi	90
Faucon laggar.....	84
Faucon lanier.....	80
Faucon noir	89
Faucon orangé	83
Faucon pèlerin	86
Faucon sacre	81
Faucon taita	84
Faucon-coucou.....	41
Fauconnet à collier	92
Fauconnet à pattes	
jaunes	94
Fauconnet d'Afrique...	94
Fauconnet d'Amérique ..	
.....	94
Fauconnet de Bornéo .	93
Fauconnet des	
Philippines	92
Fauconnet moineau ...	92
Fauconnet noir-et-blanc	
.....	93
Faucon-renard	79
Fauvette à long bec .	245
Fauvette brune à long	
bec.....	245
Fauvette rousse de	
l'Ouest	245
Fawn-breasted Brilliant	
.....	218, 328
Fawn-breasted	
Hummingbird	202
Fearful Owl.....	182
Feather-toed Hawk-	
Eagle	76
<i>femoralis</i> , <i>Falco</i>	84
Feral Pigeon	116

fernandensis,
 Sephanoides 232, 308
ferrugineifrons,
Bolborhynchus
..... 134, 288, 333
ferrugineus,
Enicognathus 141
Ferruginous Duck
..... 20, 332, 335
Ferruginous Hawk 46
Ferruginous Partridge. 98
Ferruginous Pochard .. 20
Ferruginous Pygmy-Owl
..... 178
Ferruginous Wood-
Partridge 98
festiva, *Amazona*.... 126
Festive Amazon 126
Festive Coquette 222
Festive Parrot 126
Fiery-shouldered Conure
..... 160
Fiery-shouldered
Parakeet 160
Fiery-tailed Awlbill ... 202
Fiery-throated
Hummingbird 226, 308
Fiji Goshawk 34
Fiji Sparrowhawk 34
fimbriata, *Amazilia*... 229
fimbriata, *Polyerata* . 229
fimbriatum,
Callocephalon..... 137
finschi, *Amazona*.... 126
finschi, *Aratinga*..... 132
finschii, *Micropsitta*.. 146
finschii, *Psittacula*.... 157
Fire-crowned Bishop 261
Firethroat 246
Fire-throated Metaltail...
..... 223
fischeri, *Agapornis*... 123
fischeri, *Tauraco*..... 166
Flamant de Cuba 13
Flamant de James 13
Flamant des Andes 12
Flamant du Chili 13
Flamant nain 13
Flamant rose 13, 310
Flamant rouge 13
Flame-breasted Fruit-
dove 119
Flamenco 12, 13
Flamenco andino . 12, 13
Flamenco andino chico ..
..... 13
Flamenco Chileno 13
Flamenco común 13
Flamenco común de
Chile 13
Flamenco de Cuba 13
Flamenco de James ... 13
Flamenco enano 13

Flamenco rojo 13
Flame-winged Conure....
..... 160
Flame-winged Parakeet
..... 160
flammeolus, *Otus*....188
flammeus, *Asio*.....172
flammula, *Selasphorus*
..... 231
Flammulated Owl....188
flaveolus, *Platycercus*....
..... 152
flavescens,
Boissonneaua204
flavicans, *Prioniturus*....
..... 154, 334
flavifrons, *Poicephalus*
..... 152
flavipes, *Bubo*181
flavipes, *Ketupa*.....181
flavoviridis,
Trichoglossus.....164
flavus, *Agelaius*250
flavus, *Xanthopsar*...250
Flightless Teal 16
Flores Hanging-Parrot....
..... 145
floriceps, *Anthocephala*
..... 202
Florisuga215
flosculus, *Loriculus*...145
forbesi, *Cyanoramphus*
..... 140
forbesi, *Leptodon*..... 66
Forest Buzzard 46
Forest Eagle-Owl176
Forest Little Owl173
Forest Owlet173, 320
Forest Spotted Owlet.....
..... 173
forficatus, *Chlorostilbon*
..... 208
forficatus, *Elanoides* .. 55
Fork-tailed Emerald..208
Fork-tailed Woodnymph
..... 233
formosa, *Amandava* .252
formosa, *Anas*..... 18
formosa, *Estrilda*252
formosus, *Garrulax* ..245
Forpus 142, 143, 303
Fou d'Abbott 4
Fox Kestrel 79
Fragata de las islas
Christmas 4
francesii, *Accipiter*.... 30
franciae, *Agyrtria*....200
franciae, *Amazilia*200
franciscanus, *Euplectes*
..... 261
Freckled Duck 26
Fregata 4, 297, 298
Frégate d'Andrews 4
Frégate de l'île
Christmas 4
FREGATIDAE 3, 4
Frentiestrella alihabano
..... 210
Frentiestrella arcoiris 210
Frentijoya 217
Frilled Coquette 223
fringillarius, *Microhierax*
..... 92
FRINGILLIDAE ..4, 250
fringilloides, *Lonchura*...
..... 256
fringilloides, *Spermestes*
..... 256
frommi, *Pyrenestes* . 258
frontale, *Cinclidium* . 244
frontalis, *Pyrrhura* ... 160
frontalis, *Sporophila* 249
frontalis, *Sporopipes* 266
fuertesi, *Hapalopsittaca*
..... 144
Fujian Niltava 246
fulgens, *Eugenes*.... 214
fulgidus, *Psittrichas* . 159
fuliginosus, *Otus* 188
Fuligule de Madagascar
..... 20
Fuligule nyroca 20
fulva, *Dendrocygna* ... 22
fulvescens, *Strix* 196
Fulvous Owl 196
Fulvous Tree-Duck 22
Fulvous Whistling-Duck
..... 22
fulvus, *Gyps*58, 284,
316
funereus, *Aegolius*... 171
funereus,
Calyptorhynchus.. 137
furcata, *Thalurania*.. 233
furcifer, *Heliomaster* 218
fusca, *Florisuga*..... 215
fuscata, *Lonchura*.... 257
fuscata, *Padda* 257
fuscata, *Pseudeos* ... 156
fusconota, *Nigrita*.... 257
fuscus, *Melanotrichilus*
..... 215
fuscus, *Pionus*..... 150

G

Gabar Goshawk . 68, 328
gabar, *Melierax*..... 68
gabar, *Micronisus*68,
328
Gafudo gorgiblanco . 248
Galah 141
galapagoensis, *Buteo*....
..... 44, 285, 310

Galapagos Hawk	245	Garrulax	246	Gavilán gargantiblanco..	42
.....44, 285, 310		Garrulaxe à gorge jaune	246	Gavilán grande	52
galbanus, <i>Garrulax</i> ..	246246		Gavilán griego	29
galerita, <i>Cacatua</i>	135	Garrulaxe à queue rouge	246	Gavilán gris	40
galeritus, <i>Anorrhinus</i>	237246		Gavilán habado	45
.....237		Garrulaxe de l'Omei .246		Gavilán imitador.....	31
galgulus, <i>Loriculus</i> ... 145		Garrulaxe de Millet...246		Gavilán langostero....	47
Gallicolombe de Barlett	118	Garrulaxe élégant245		Gavilán malgache.....	32
.....118		Garrulaxe hoamy245		Gavilán maromero....	56
Gallicolombe de Bartlett	118	<i>garrulus</i> , <i>Lorius</i> 146, 295		Gavilán mixto	72
.....118		Garza blanca real..... 6		Gavilán negro	45, 48
Gallicolombe poignardée	118	Garza ganadera	5	Gavilán negro común .48	
.....118		Garza goliat	4	Gavilán negro grande. 48	
<i>Gallicolumba</i> 118		Garzetta grande	6	Gavilán pajarero	34
<i>gallicus</i> , <i>Circaetus</i> 50,		<i>garzetta</i> , <i>Egretta</i>		Gavilán palomero	66
276	7, 290, 324		Gavilán pantalón	28
GALLIFORMES 3, 95		Garzón soldado	9	Gavilán papirrufo	34
Gallinazo rey	26	Gavilán acollarado 29		Gavilán patilargo	57
<i>Gallirallus</i> 108		Gavilán albonotatus .. 43		Gavilán pechiblanco... 29	
Gallito de las Rocas .242		Gavilán alirrojizo..... 45		Gavilán pechirrojo 29, 34	
Gallito de las Sierras 242		Gavilán americano 34		Gavilán pechirroseo ... 35	
Gallito de pradera.... 105		Gavilán andapié..... 72		Gavilán pescador..... 27	
Gallito de roca		Gavilán andino	35	Gavilán pico de Hoz ... 74	
anaranjado	242	Gavilán arrastrador ... 34		Gavilán pico ganchudo ..	
Gallito de roca peruano	242	Gavilán azor..... 30	49	
.....242		Gavilán azul	67	Gavilán pío..... 28	
Gallo de Sonnerat..... 99		Gavilán bebehumo 46		Gavilán pita venado... 48	
Gallo gris	99	Gavilán besra	35	Gavilán pizarroso	67
Gallo lira	104, 113	Gavilán bicolor	28	Gavilán plomizo ...66, 67	
Gallo lira del Caspio .104		Gavilán bidente	62	Gavilán principe	67
Gallo lira del Tíbet ... 104		Gavilán blanco..... 66		Gavilán punenno	46
Gallo salvaje del Caspio	104	Gavilán cabecigrís	33	Gavilán rabadilla blanca	
.....104		Gavilán cangrejero.... 48	45	
Gallo salvaje del Tibet	104	Gavilán caracolero 74		Gavilán ranero	34
.....104		Gavilán carinegro..... 67		Gavilán rastrero	52
<i>Gallus</i> 99		Gavilán ceniciente.... 52		Gavilán rufinegro	32
<i>gambensis</i> , <i>Plectropterus</i>	25	Gavilán chikra	28	Gavilán sabanero	48
.....25		Gavilán cola corta	43	Gavilán semiplomizo .. 67	
<i>Gampsnyx</i>	57	Gavilán colifajeado.... 43		Gavilán tejé..... 42	
Gan-Gan	137	Gavilán colipinto	35	Gavilán tijereta	55
Gang-gang Cockatoo		Gavilán colorado	41	Gavilán ventriblanco .. 29	
.....137		Gavilán común 33, 45		Gavilán vientrigris .. 34	
Gansito Africano..... 24		Gavilán cubano..... 31		Gavilán zancón	57
Ganso blanco	21	Gavilán cueillirojo	92	Gavilán zancudo..... 57	
Ganso canadiense		Gavilán de Célebes.... 31		Gavilancito americano 35	
aleutiana	20	Gavilán de collar	91	Gavilancito chico	32
Ganso de Gambia	25	Gavilán de Cooper 29		Gavilancito de Célebes ..	
Ganso del Nilo	14	Gavilán de Frances.... 30	32	
Ganso espolonado	25	Gavilán de Galapagos 44		Gavilancito de Hartlaub	
Ganso né	21	Gavilán de las Fiji	3430	
Garceta común	7	Gavilán de Manglares 48		Gavilancito de Nueva	
Garceta grande	6	Gavilán de Nicobar.... 29		Bretaña	28
Garcilla bueyera	5	Gavilán de Nueva		Gavilancito japonés ... 31	
Garcilla grande..... 6	32		Gavilancito moluqueño..	
Garcita resnera	5	Gavilán de Caledonia..... 31	30	
Garganey	19	Gavilán de Ovampo... 33		Gavilancito muslirrojo ...	
Garganey Teal	19	Gavilán de Traylor.... 91	30	
Garganta de oro		Gavilán dorsigris..... 67		Gavilancito torcاز	29
coliverde	230	Gavilán enano	35	Gavilán-reloj	92
Garganta lanza		Gavilán flanquirrojo... 29		Gaviota de Mongolia 115	
coliblanca	233	Gavilán gabar..... 68		Gaviota relicta	115
Garnet-throated					
Hummingbird	221				

Geai à ailes blanches	274
Geai azuré.....	274
Geai panaché.....	274
Geelvink Pygmy-Parrot	147
<i>geelvinkiana, Micropsitta</i>	147
<i>gentilis, Accipiter</i>	30
<i>geoffroyi, Augastes</i> ..	203
<i>geoffroyi, Geoffroyus</i>	143
<i>geoffroyi, Schistes</i> ...	203
<i>Geoffroyus</i>	143
<i>Geopsittacus</i>	143, 298
<i>Geranoaetus</i>	57
<i>Geranospiza</i>	57
Gerfaut	
88, 288, 291, 295,	
303, 305	
germaini, <i>Polyplectron</i>	102
Geronticus	11, 275,
278, 284, 294, 297,	
302, 304	
Giant Eagle-Owl	176
Giant Grebe.....	2, 294
Giant Hummingbird	
226, 319	
Giant Ibis	12
Giant Nuthatch.....	248
Giant Pied-billed Grebe.	2
Giant Scops-Owl.....	182
gibsoni, <i>Chlorostilbon</i>	
208	
gigantea, <i>Melampitta</i>	
271	
gigantea, <i>Pseudibis</i>	12
gigantea, <i>Thaumatibis</i>	12
gigas, <i>Patagona</i>	226, 319
gigas, <i>Podilymbus</i>	2
Gilded Hummingbird	219
gilvicollis, <i>Micrastur</i> ...	91
gindiana, <i>Eupodotis</i> .	110
gingica, <i>Arborophila</i> ...	98
Giririri de pico negro ..	22
Glaucomys	
177, 178, 179, 180,	
181, 275, 317, 324,	
326	
Glaucis	215, 216
glaucogularis, <i>Ara</i>	130
glaucopis, <i>Thalurania</i>	233
glaucopoides, <i>Eriocnemis</i>	213
glaucops, <i>Tyto</i>	169
Glaucous Macaw	129,
318	
glaucus, <i>Anodorhynchus</i>	129, 281
Glittering-bellied	
Emerald	208
Glittering-throated	
Emerald	229
Globose Curassow.....	96
<i>globulosa, Crax</i>	95
<i>Glossopsitta</i>	143
<i>Glossy Black-cockatoo</i>	
.....	137
<i>Glossy-mantled</i>	
<i>Manucode</i>	271
<i>Glowing Puffleg</i>	214
<i>Glow-throated</i>	
<i>Hummingbird</i>	231
<i>gnoma, Glaucidium</i>	
.....	178, 179
<i>Gobemouche bleu</i>	245
<i>Gobemouche bleu de Rueck</i>	
.....	245
<i>Gobemouche de David</i>	
.....	246
<i>Gobemouche de Rueck</i>	
.....	245
<i>Gobemouches</i>	247
<i>godefrida, Claravis</i> ...)	115
<i>godini, Eriocnemis</i>	213
<i>Goéland de Mongolie</i>	115
<i>Goéland relique</i>	115
<i>Goethalsia</i>	216
<i>goffini, Cacatua</i> 135, 280	
<i>Goldbreast Indigobird</i>	
.....	268
<i>Golden Bishop</i>	260
<i>Golden Conure</i>	144
<i>Golden Eagle</i> 37, 287,	
334	
<i>Golden Owl</i>	169
<i>Golden Parakeet</i> 144,	
301	
<i>Golden Pheasant</i>	99
<i>Golden Starfrontlet</i> ..	210
<i>Golden-backed Weaver</i>	
.....	265
<i>Golden-bellied</i>	
<i>Starfrontlet</i>	210
<i>Golden-breasted Puffleg</i>	
.....	214
<i>Golden-breasted Waxbill</i>	
.....	252
<i>Golden-capped Conure</i>	
.....	131
<i>Golden-capped Parakeet</i>	
.....	131
<i>Golden-collared Macaw</i>	
.....	154
<i>Golden-crowned Conure</i>	
.....	131
<i>Golden-fronted Parakeet</i>	
.....	156
<i>Golden-headed Fig-Parrot</i>	158
<i>Golden-mantled</i>	
<i>Racquet-tail</i>	154
<i>Golden-mantled Rosella</i>	
.....	151
<i>Golden-plumed Conure</i>	
.....	144
<i>Golden-plumed Parakeet</i>	
.....	144
<i>Golden-shouldered Parrot</i>	
.....	155, 311
<i>Golden-tailed Parrotlet</i>	
.....	163
<i>Golden-tailed Sapphire</i>	
.....	209
<i>Golden-winged Parakeet</i>	
.....	134
<i>goldiei, Psitteuteles</i> .	159
<i>goldiei, Trichoglossus</i>	
.....	159
<i>goldii, Ninox</i>	185
<i>Goldmania</i>	216
<i>Goliath Heron</i>	4
<i>goliath, Ardea</i>	4
<i>Golondrina de anteojos</i>	
.....	244
<i>Gargeted Sunangel</i> ..	217
<i>Gargeted Wood-Quail</i>	
.....	101
<i>Gargeted Woodstar</i> .	207
<i>Gorrión de Java</i>	258
<i>Gorrión pardillo</i>	263
<i>Goshawk</i>	
28, 30, 31, 32, 33,	
34, 35, 56, 68, 297	
<i>goudoti, Lepidopyga</i> 221	
<i>gouldii, Lophornis</i>	222
<i>gounellei, Anopetia</i> ..	202
<i>gounellei, Phaethornis</i> ...	
.....	202
<i>Goura</i>	118, 296, 327
<i>Goura couronné</i>	118
<i>Goura de Scheepmaker</i>	
.....	118
<i>Goura de Slater</i>	118
<i>Goura de Victoria</i>	118
<i>Gracula</i>	268
<i>gramineus, Tanygnathus</i>	
.....	162
<i>grammicus, Pseudoscops</i>	
.....	194
<i>Gran autillo veliblanco</i>	
.....	189
<i>Gran búho etiópico</i> ..	176
<i>Grand cacatoès à huppe jaune</i>	135
<i>Grand Comoro Scops-Owl</i>	
.....	191
<i>Grand Éclectus</i>	141
<i>Grand hocco</i>	96
<i>Grand hocco à bec rasoir</i>	
.....	96
<i>Grand paradisier</i>	272
<i>Grand-duc à aigrettes</i> ...	
.....	176
<i>Grand-duc africain</i> ...	174
<i>Grand-duc ascalaphe</i>	175
<i>Grand-duc bruyant</i> ..	177
<i>Grand-duc d'Amérique</i>	
.....	177

Grand-duc de Blakiston	181
Grand-duc de Coromandel	176
Grand-duc de Shelley	177
Grand-duc de Verreaux	176
Grand-duc des Philippines	176
Grand-duc des Usambara.....	177
Grand-duc d'Europe	175
Grand-duc du Cap ...	175
Grand-duc du désert	175
Grand-duc du Népal.	176
Grand-duc indien.....	175
Grand-duc tacheté...	176
Grande aigrette.....	6
Grande mélampitte..	271
Grande Outarde	113
Grande outarde arabe ...	109
<i>granti</i> , <i>Ptilopsis</i>	189
Grass Owl 169, 170, 309	
Grasshopper Buzzard .42	
Grasshopper Buzzard-Eagle	42
<i>Graydiascalus</i>	144
<i>grayi</i> , <i>Hylocharis</i>	219
Great Argus	98
Great Black-Hawk.....	48
Great Blue Turaco ...	165
Great Bustard	
113, 280, 282,	
284, 285, 286, 293,	
294, 301, 320, 333	
Great Curassow.....	96
Great Egret	6
Great Goura	118
Great Green Macaw	
130, 319	
Great Grey Owl	197
Great Hornbill	238
Great Horned Owl....	177
Great Indian Bustard	109, 294, 303
Great Indian Hornbill	238
Great Philippine Eagle	73
Great Pied Hornbill ..	238
Great Sapphirewing .	230
Great Sparrowhawk ...	32
Great White Egret.....	6
Great-billed Hermit..	227
Great-billed Parrot...	162
Greater Adjutant	10
Greater adjutant stork	10
Greater Bird-of-paradise	272
Greater Flamingo	
13, 292, 293, 301,	
320	
Greater Kestrel	88
Greater Melampitta	271
Greater Rhea	1
Greater Sooty-Owl ...	170
Greater Spotted Eagle	37
Greater Streaked Lory	138
Greater Sulawesi Hornbill	235
Greater Sulphur-crested Cockatoo	135
Grèbe de l'Atitlan.....	2
Grèbe du lac Atitlan ...	2
Grèbe géant.....	2
Green Aracari.....	240
Green Avadavat.....	252
Green Conure.....	132
Green Hanging-Parrot	145
Green Hermit	226
Green Indigobird	267
Green Leek Parrot....	153
Green Mango	203
Green Parakeet	
132, 140, 304	
Green Peafowl	102, 290
Green Racquet-tail ...	154
Green Rosella.....	151
Green Singing Finch	251
Green Thorntail	212
Green Twinspot	256
Green Violet-ear	211
Green-and-white Hummingbird	222
Green-backed Firecrown	232
Green-backed Twinspot	256
Green-bellied Hummingbird	231
Green-breasted Mango	202
Green-breasted Mountain-gem	220
Green-cheeked Amazon	129, 281
Green-cheeked Conure	161
Green-cheeked Parakeet	161, 323
Green-cheeked Parrot....	129
Green-crowned Brilliant	218
Green-crowned Racket-tailed Parrot	154
Green-crowned Woodnymph	233
Green-faced Parrotfinch	252
Green-fronted Hanging-Parrot.....	146
Green-fronted Hummingbird	201, 318
Green-fronted Lancebill	213
Green-headed Hillstar	225
Green-headed Racket-tailed Parrot.....	154
Greenish Puffleg.....	216
Green-naped Lorikeet	164
Green-necked Peafowl	102
Green-rumped Parrotlet	143
Green-tailed Emerald....	208
Green-tailed Goldenthroat.....	230
Green-tailed Trainbearer	221
Green-throated Carib....	214
Green-throated Mango	203
Green-throated Mountain-gem.....	220
Green-winged King-Parrot	124
Green-winged Macaw....	130
Green-winged Teal	17
Grenada Dove.....	118
Grenedera.....	97
Grey Buzzard-Eagle ...	57
Grey Canary	251
Grey Crowned-Crane	
105	
Grey Falcon.....	84, 300
Grey Frog Hawk	34
Grey Goshawk	33
Grey Hawk	40
Grey Imperial-Pigeon....	
118	
Grey Junglefowl	99
Grey Kestrel	80, 324
Grey Owl	197
Grey Parrot	159, 330
Grey Peacock-Pheasant	102
Grey Pelican	3
Grey Plantain-eater .	165
Grey Sea Eagle	59
Grey Singing Finch ..	251
Grey Wood-Pigeon...	117
Grey-and-chestnut Seedeater.....	249
Grey-backed Hawk	67
Grey-bellied Comet..	232
Grey-bellied Goshawk	34
Grey-bellied Hawk	34
Grey-bellied Tragopan...	
104	
Grey-breasted Mountain-Toucan.....	240

Grey-breasted Parakeet	147
Grey-breasted Partridge	98
Grey-breasted Sabrewing	206
Grey-cheeked Parakeet	135
Grey-chinned Hermit.....	226
Grey-chinned Sunbird ...	248
Grey-crowned Munia	256
Grey-crowned Negrofinch	257
Grey-faced Buzzard ...	42
Grey-faced Buzzard- Eagle	42
Grey-headed Fish-eagle	65
Grey-headed Fishing Eagle	65
Grey-headed Goshawk ..	33, 34
Grey-headed Kite	66
Grey-headed Lovebird...	123
Grey-headed Negronit	257
Grey-headed Oliveback	256
Grey-headed Parakeet	157
Grey-headed Sparrow ...	33, 263
Grey-headed Sparrowhawk	33
Grey-hooded Parakeet	156
Grey-lined Hawk	40
Grey-necked Picathartes	247
Grey-necked Rockfowl	247
Grey-throated Goshawk	33
Griffon Vulture58, 59, 307	
griseiceps, <i>Accipiter</i> ... griseiceps, <i>Glaucidium</i>	31
griseiceps, <i>Pyrrhura</i> ... griseipectus, <i>Taphrolesbia</i>	179
griseiventris, <i>Taphrolesbia</i>	161
griseogularis, <i>Accipiter</i> .. griseogularis, <i>Phaethornis</i>	33
griseogularis, <i>Passer</i>	226
Grive de Verreaux ...	247
Grive montagnarde..	247
Grosbeak Weaver	259
Gros-bec à front blanc	259
Gros-bec ponceau à ventre noir	258
Gros-bec sanguin....	259
Grosse cateau verte de Maurice	157
Ground Parakeet.....	149
Ground Parrot	149
Grue à cou blanc	108
Grue à cou noir	107
Grue antigone	106
Grue antigone tropicale	106
Grue blanche ...	105, 107
Grue blanche américaine	105
Grue blanche asiatique	107
Grue blanche d'Amérique	105
Grue blanche d'Asie .	107
Grue blanche du Japon	107
Grue bleue.....	108
Grue brolga	108
Grue canadienne.....	106
Grue canadienne de Cuba	106
Grue canadienne du Mississippi.....	106
Grue caronculée	106
Grue cendrée	106
Grue couronnée.....	105
Grue couronnée de Cap	105
Grue couronnée de l'Afrique del'Ouest et du Soudan	105
Grue couronnée de l'Afrique du Sud et de l'Est	105
Grue d'Australie.....	108
Grue de Mandchourie	107
Grue de paradis.....	108
Grue de Sibérie	107
Grue demoiselle.....	108
Grue du Canada	106
Grue du Japon	107
Grue grise	106
Grue moine.....	107
Grue royale.....	105
GRUIDAE	3, 105
GRUIFORMES	3, 105
Grulla americana	105
Grulla australiana	108
Grulla azul	108
Grulla blanca asiática	107
Grulla blanco cuello..	106
Grulla brolga.....	108
Grulla canadiense....	106
Grulla carunculada ..	106
Grulla cenicienta	106
Grulla cenicienta de Cuba	106
Grulla cenicienta del Misisíp.....	106
Grulla Común	106
Grulla coronada	105
Grulla coronada cuelligris	105
Grulla coronada cuellinegra.....	105
Grulla coronada del Africa Occidental .	105
Grulla coronada sudafricana.....	105
Grulla cuelliblanca ...	108
Grulla cuellinegra	107
Grulla damisela.....	108
Grulla de Cuba.....	106
Grulla de Manchuria.	107
Grulla de paraíso.....	108
Grulla gritona	105
Grulla manchú	107
Grulla monje	107
Grulla monjita.....	107
Grulla moruna	108
Grulla sarus.....	106
Grulla siberiana.....	107
Grulla siberiana blanca	107
Grulla trompetera....	105
Grulla zarzo.....	106
<i>Grus</i>	105, 106, 107, 108, 281, 305, 334
<i>grus</i> , <i>Grus</i>	106
<i>gryphus</i> , <i>Vultur</i>	26, 308, 312
<i>grzimeki</i> , <i>Threnetes</i> . 216	
Guacamayito azul....	139
Guacamayo acollarado	154
Guacamayo aliverde	130
Guacamayo amarillo	130
Guacamayo ambiguo	130
Guacamayo azul129, 130	
Guacamayo azul y amarillo	130
Guacamayo azulamarillo	130
Guacamayo bandera	131
Guacamayo barbazul	130
Guacamayo barriga roja	149
Guacamayo cabeciazul	155
Guacamayo caninde	130
Guacamayo cobalto .	130

Guacamayo de
 Cochabamba 131
 Guacamayo de Illiger 155
 Guacamayo de Lear. 130
 Guacamayo de Spix. 139
 Guacamayo enano... 141
 Guacamayo frentirroja
 131
 Guacamayo glauco .. 129
 Guacamayo jacinto .. 129
 Guacamayo macao .. 131
 Guacamayo maracaná...
 155
 Guacamayo militar .. 131
 Guacamayo noble.... 141
 Guacamayo rojo..... 130
 Guacamayo severo .. 131
 Guacamayo ventrirrojo
 149
 Guacamayo verde ..
 130, 131
 Guacamayo verde mayor
 130
 Guacamayo violáceo 129
 Guadalupe Caracara .. 94
 Guaiabero 134
guainumbi, *Polytmus*
 229
guajana, *Pitta* 242
 Guajolote ocelado..... 98
 Guan aliblanco 97
 Guan comun de Trinidad
 97
 Guan cornudo 96
 Guan de frente negre. 97
 Guan negro 97
 Guaraguao 45
 Guarahuau cordillerano
 93
Guarouba 144
guarouba, *Aratinga*.....
 144, 301
guarouba, *Guarouba* 144
guatemalae, *Otus*.....
 186, 193
Gubernatrix 249
guerinii, *Oxypogon* .. 226
 Guianan Cock-of-the-
 rock..... 242
 Guianan Crested Eagle..
 71
guianensis, *Morphnus* ...
 71, 278
guildingii, *Amazona* ..
 126, 280, 292, 295
guilhelmi, *Paradisaea* 272
guimeti, *Klais*..... 220
 Guincho 27
 Guinea Turaco 167
guinea, *Columba* 116,
 320
 Guirirí..... 22
gularis, *Accipiter* 31

gularis, *Heliodoxa* 218
gularis, *Serinus* 251
gulielmi, *Poicephalus*.....
 152, 326
gulielmitertii, *Cyclopsitta*
 141
gulielmitertii, *Oropsitta*
 141
gundlachi, *Accipiter*.....
 31, 312
 Gura occidental 118
 Gura sureña..... 118
 Gura Victoria..... 118
gurneyi, *Aquila* .. 38, 287
gurneyi, *Mimizuku* ... 182
gurneyi, *Otus* 182
gurneyi, *Pitta*
 ... 243, 282, 288, 304
guttifer, *Tringa*. 115, 291
guy, *Phaethornis*.... 226
gymnocephalus,
 Picathartes... 247, 281
 Gymnogene 73
 Gymnogène d'Afrique 73
 Gymnogène de
 Madagascar 73
Gymnogyps 26
 Gypaète barbu 57
Gypaetus..... 57
Gypohierax 57
Gyps
 58, 59, 284, 304,
 316, 325, 335
 Gyps africain 58
Gyr Falcon 88
Gyrfalcon..... 88

H

habroptilus, *Strigops*
 162, 296, 298
 Haco piguirojo 95
 Hada coronimorada.. 219
 Hada gorrimorada.... 219
 Hada orejinegro..... 219
 Hadada Ibis 10
haematina,
 Spermophaga 259
haematodus,
 Trichoglossus..... 164
haematogaster,
 Northiella..... 149
haematogaster,
 Psephotus 149
haematonotus,
 Psephotus 155
haematotis, *Pionopsitta*
 150
haematuropygia,
 Cacatua 136
hagedash, *Bostrychia*
 10, 330

hagedash, *Hagedashia* 10
 Halcón abejero..... 72
 Halcón alete 84
 Halcón aplomado..... 84
 Halcón azulado 84
 Halcón berigora 80
 Halcón blancuzco 86
 Halcón borní..... 80
 Halcón común..... 86
 Halcón cuellirrufo 92
 Halcón de Berbería 86
 Halcón de cabeza roja...
 81
 Halcón de Cuvier..... 83
 Halcón de Eleonor 83
 Halcón de Eleonora.... 83
 Halcón de las praderas..
 84
 Halcón de lomo
 pizarreño..... 91
 Halcón de Nueva
 Zelandia..... 86
 Halcón enano de la India
 92
 Halcón gerifalte..... 88
 Halcón golondrina 87
 Halcón gris 84
 Halcón gris de Australia
 84
 Halcón guaco 91
 Halcón guairurú 91
 Halcón macagua 91
 Halcón maori 86
 Halcón mejicano 84
 Halcón migratorio..... 82
 Halcón murcielaguero 87
 Halcón negro 89
 Halcón negro de
 Australia 89
 Halcón palomero
 82, 91, 92
 Halcón palomero del sur
 91
 Halcón pardo 82
 Halcón pechianaranjado
 83
 Halcón pechirrojo 83
 Halcón pechirrufo 83
 Halcón perdiguero 84
 Halcón Peregrino 86
 Halcón peregrino de
 Babilonia 86
 Halcón pizarroso 82
 Halcón plomizo 83, 87
 Halcón plomizo menor 87
 Halcón pradeño..... 84
 Halcón primito 88
 Halcón real 86
 Halcón reidor 91
 Halcón sacre..... 81
 Halcón semiacollarado ..
 92
 Halcón taita 84

Halcón viajero.....	86
Halcón yággar.....	84
Halconcito	
..... 84, 88, 92, 93, 94	
Halconcito africano ..	94
Halconcito argentino ..	94
Halconcito asiático....	94
Halconcito australiano	84
Halconcito colilargo de	
Asia	94
Halconcito común	88
Halconcito de Borneo .	93
Halconcito de las	
Filipinas.....	92
Halconcito gris	94
Halconcito gris	
americano	94
Halconcito malayo	92
Halcón-montés	
agavilanado	92
Halcón-montés	
cabecigrís	91
Halcón-montés collarejo	
..... 92	
Halcón-montés de	
Buckley	91
Halcón-montés dorsigrís	
..... 91	
Halcón-montés plomizo	
..... 92	
Halcón-selvático	
collarejo	92
<i>Haliaeetus</i>	
59, 60, 61, 286,	
290, 295, 296, 305,	
334	
<i>haliaetus</i> , <i>Pandion</i>	27
<i>Haliastur</i>	61
<i>hamatus</i> , <i>Helicolestes</i> ...	
..... 74	
<i>hamatus</i> , <i>Rostrhamus</i> ...	
..... 74	
<i>Hamirostra</i>	62
<i>handleyi</i> , <i>Amazilia</i> ...	201
<i>Hapalopsittaca</i>	
....144, 317, 319, 326	
<i>haplochrous</i> , <i>Accipiter</i> ...	
..... 31, 309	
<i>Haplophaedia</i> ... 216, 322	
<i>hardyi</i> , <i>Glaucidium</i>	
..... 179, 326	
Harfang des neiges..	186
Harle huppard.....	23
<i>harmani</i> , <i>Crossoptilon</i> 99	
<i>Harpagus</i>	62
<i>Harpia</i>	62
Harpía	62
Harpie	62, 71
Harpie féroce	62
Harpie huppée	71
Harpy Eagle.....	62
<i>Harpyhaliaetus</i> ...62, 296	
<i>harpys</i> , <i>Harpia</i>	62
<i>Harpyopsis</i>	62
<i>harrisii</i> , <i>Aegolius</i>171	
<i>harterti</i> , <i>Phlogophilus</i>	
.....228	
<i>hartlaubi</i> , <i>Otus</i>	188
<i>hartlaubi</i> , <i>Tauraco</i>166	
<i>hartlaubii</i> , <i>Cairina</i>	25
<i>hartlaubii</i> , <i>Eupodotis</i> 111	
<i>hartlaubii</i> , <i>Lissotis</i>111	
<i>hartlaubii</i> , <i>Pteronetta</i> . 25	
<i>hastata</i> , <i>Aquila</i>	39
<i>hatinhensis</i> , <i>Lophura</i> 101	
Hausse-col à queue	
rubanée	269
Hausse-col de Rothschild	
.....269	
Hausse-col doré.....	269
Hausse-col splendide	269
Haut-de-chausses à	
palettes	225
Hawaiian Goose.....	21
Hawaiian Hawk.....	47
Hawk Owl	199, 328
Hawk-headed Parrot.141	
<i>helenae</i> , <i>Calyptra</i>223	
<i>helenae</i> , <i>Lophornis</i> ...223	
<i>helenae</i> , <i>Mellisuga</i> ...223	
<i>helenae</i> , <i>Paphosia</i>223	
<i>helenae</i> , <i>Parotia</i>	273
<i>heliaca</i> , <i>Aquila</i>	
36, 38, 287, 289,	
302, 337	
<i>Heliaictin</i>	216
Héliange à gorge	
améthyste.....	216
Héliange à queue bleue	
.....217	
Héliange clarisse.....	216
Héliange mars	217
Héliange menu	217
Héliange royale	217
Héliange tourmaline .217	
Héliange violette.....	217
<i>Heliangelus</i> 216, 217,	
315	
<i>helianthea</i> , <i>Coeligena</i>	
.....210	
<i>heliodor</i> , <i>Acetistrura</i> ...207	
<i>heliodor</i> , <i>Chaetocercus</i>	
.....207	
<i>Heliodoxa</i>	
... 217, 218, 328, 333	
Heliodoxa frentiazul .218	
<i>Heliomaster</i> 218, 219,	
322	
Heliomaster piquilargo	
.....218	
<i>Heliothryx</i>219	
Heliotrope-throated	
Hummingbird	231
Helmeted Curassow ..	96
Helmeted Honeyeater....	
.....249	
Helmeted Hornbill ...	238
Helmeted Turaco.....	166
<i>heloisa</i> , <i>Atthis</i>	203
<i>heloisa</i> , <i>Selasphorus</i> 203	
<i>hemilasius</i> , <i>Buteo</i> 44,	
328	
<i>hemileucus</i> ,	
<i>Campylopterus</i> 206	
<i>hemileucus</i> ,	
<i>Phlogophilus</i>	229
<i>hemileucus</i> , <i>Lampornis</i>	
.....220	
Hen Harrier	52
Henderson Lorikeet .	164
<i>henicogrammus</i> ,	
<i>Accipiter</i>	31
<i>Henicopernis</i>	63
<i>henstii</i> , <i>Accipiter</i>	31
Hermit Ibis.....	11
Héron garde-bœufs	5
Héron goliath.....	4
<i>Herpetotheres</i>	91
<i>herrani</i> , <i>Chalcostigm</i> <i>a</i>	
..... 207	
<i>heteroclitus</i> , <i>Geoffroyus</i>	
..... 143	
<i>heteropogon</i> ,	
<i>Chalcostigma</i>	207
<i>heterurus</i> , <i>Tanygnathus</i>	
..... 162	
<i>heudei</i> , <i>Paradoxornis</i>	
..... 246	
<i>heuglini</i> , <i>Ploceus</i>	264
<i>heuglinii</i> , <i>Neotis</i>	113
Hibou à bec jaune ...	181
Hibou à casque	182
Hibou brachyote.....	172
Hibou criard	172
Hibou d'Abyssinie	171
Hibou de la Jamaïque....	
..... 194	
Hibou de Madagascar	173
Hibou de Tweeddale	182
Hibou des marais	172
Hibou du Cap.....	171
Hibou grand-duc	175
Hibou maître-bois....	173
Hibou malgache	173
Hibou moyen-duc....	173
Hibou pêcheur roux .	181
Hibou petit-duc.....	192
Hibou redoutable.....	182
Hibou strié	172
<i>Hieraetus</i>	
....63, 64, 73, 276, 316	
Highland Guan	97
Hill Myna.....	268
Himalayan Griffon	59
Himalayan Griffon	
Vulture.....	59
Himalayan Monal.....	100
Himalayan Quail.....	102

himalayana, Psittacula 157
himalayensis, Gyps 59
hiogaster, Accipiter 33
 Hirondelle à lunettes 244
hirsuta, Glaucis 216
HIRUNDINIDAE 3, 244
 Hispaniolan Amazon 128
 Hispaniolan Conure.. 132
 Hispaniolan Emerald 209
 Hispaniolan Hawk 46
 Hispaniolan Parakeet 132
 Hispaniolan Parrot ... 128
hispidus, Phaethornis 227
histrio, Eos 142, 324
 Hoary Puffleg 216
 Hobby83, 84, 88, 89,
 303
 Hobereau à poitrine
 rousse..... 88
 Hobereau africain 83
 Hocco à bec bleu 95
 Hocco à bec rouge 95
 Hocco à pierre 96
 Hocco alector..... 95
 Hocco d'Albert 95
 Hocco de Blumenbach ... 95
 Hocco de Daubenton .. 95
 Hocco globuleux 95
 Hocco huppé..... 96
 Hocco mitou 96
 Hocco piguiazul 95
 Hocco unicorné 96
 Hoco barbado 95
 Hoco caroncule 95
 Hoco de casco..... 96
 Hoco de Daubenton ... 95
 Hoco de pico navaja... 96
 Hoco grande 96
 Hoco mitu 96
 Hocofaisan 96
hoematotis, Pyrrhura 160
hoffmanni, Pyrrhura. 160
 Hoffmann's Conure.. 160
 Hoki blanco 99
 Hoki pardo 99
 Hokki blanc 99
 Hokki brun 99
 Hokki de Harman 99
 Hokki du Tibet 99
holochlora, Aratinga. 132
holosericeus, Eulampis 214
holosericeus, Sericotes 214
holospilus, Spilornis... 75
 Honduran Emerald... 229

Honey Buzzard 72, 320, 334
 Hooded Crane 107
 Hooded Mountain-
 Toucan 240
 Hooded Parrot 155
 Hooded Pitta 243
 Hooded Visorbearer.. 203
 Hooded Vulture 71
hoogerwerfi, Lophura 101
 Hook-billed Hermit..... 216, 282
 Hook-billed Kite 49
hordeaceus, Euplectes 261
 Horned Curassow96, 323
 Horned Guan..... 96
 Horned Parakeet..... 142
 Horned Sungem 216
hoskinsii, Glaucidium 179
 Houbara
 109, 280, 282, 288,
 297, 299, 301, 304,
 307, 334
 Houbara Bustard..... 109, 280, 282, 288,
 297, 299, 301, 304,
 307, 334
 Houbara ondulé 109
hoysi, Otus..... 186
 Hubara 109
huetii, Touit 163
huhula, Ciccaba..... 196
huhula, Strix 196
 Hulotte africaine 198
 Hulotte chathuant.... 196
 Humboldt Penguin 2, 276, 290
humboldti, Spheniscus... 2, 303
humboldtii, Hydrocharis 219
humiae, Syrmaticus . 103
humilis, Eupodotis... 111
humilis, Ichthyophaga 65
 Huon Astralia 269
 Hwamei..... 245
 Hyacinth Macaw
 129, 281, 289, 299,
 306, 337
 Hyacinth Visorbearer..... 204, 323
hyacinthinus,
 Anodorhynchus 129, 289, 337
hydrocorax, Buceros 238
Hydrocharis 204, 219, 331
Hylomyrpha..... 220
hylophila, Strix..... 197
hyperythrus,
 Campylopterus ... 206
hypochroma, Sporophila 249
hypoglaeca, Andigena... 240
hypogrammica, Pytilia... 258
hypoinochrous, Loriculus... 146
hypoleucus, Falco 84,
 300
hypostictus, Leucippus 222
hypostictus,
 Taphrospilus 222
hypoxantha, Pyrrhura ... 161

I

Ibis à crête du Japon . 11
 Ibis blanc 11
 Ibis blanc du Japon.... 11
 Ibis blanco japonés.... 11
 Ibis calvo 11
 Ibis calvo de África del
 Sur 11
 Ibis chauve 11
 Ibis chauve de l'Afrique
 du Sud 11
 Ibis du Cap 11
 Ibis eremita 11
 Ibis escarlata 11
 Ibis géant 12
 Ibis gigante 12
 Ibis hadada 10
 Ibis hagedash 10
 Ibis moñudo japonés . 11
 Ibis moteado 10
 Ibis nipón 11
 Ibis nippon 11
 Ibis noir 11
 Ibis rara 10
 Ibis rouge 11
 Ibis sacré 12
 Ibis sagrado 12
 Ibis vermiculé 10
ibis, Ardea 5
ibis, Ardeola 5
ibis, Bubulcus 5, 331
ichthaetus,
 Ichthyophaga 65
Ichthyophaga 65
ICTERIDAE 4, 250
 Ictéride à tête jaune 250
icterorhynchus, Otus 188
icterotis, Ognorhynchus 149, 323, 324
icterotis, Platycercus 152
Ictiniaetus 65
Ictinia 65, 66, 322
idaliae, Phaethornis . 227
 Ignicolor 261

Ignicolore..... 261
ignita, *Lophura*..... 101
imberbis, *Anomalospiza* 260, 335
 Imitator Sparrowhawk 31
imitator, *Accipiter*..... 31
impejanus, *Lophophorus* 100
imperatrix, *Heliodoxa*.... 218
 Imperial Amazon..... 126
 Imperial Eagle 36, 38, 287, 288, 289, 302, 337
 Imperial Parrot..... 126
 Imperial Pheasant ... 101
 Imperial Woodpecker 241
imperialis, *Amazona* 126, 285
imperialis, *Campephilus* 241
imperialis, *Lophura*..... 101, 329
 Impeyan Pheasant... 100
 Inca à collier..... 210
 Inca à gemme bleue 210
 Inca à queue blanche.... 210
 Inca acollarado 210
 Inca alihabano 210
 Inca arcoiris 210
 Inca bronzeado 210
 Inca brun 211
 Inca café..... 211
 Inca céleste..... 210
 Inca coliblanco..... 210
 Inca de Bonaparte... 210
 Inca de Gould 210
 Inca gorgimorado 211
 Inca iris 210
 Inca negro 210
 Inca noir 210
 Inca pardo..... 211
 Inca porphyre 210
 Inca ventridorado.... 210
 Inca ventrivoleta 210
 Inca violifère 211
inca, *Coeligena* 210
incognita, *Vidua* 268
 Indian Black Eagle..... 65
 Indian Black Vulture .. 74
 Indian Bustard 109
 Indian Concave-casqued Hornbill 238
 Indian Hornbill 238
 Indian King Vulture.... 74
 Indian Pied Hornbill . 237
 Indian Pitta 242
 Indian Scops-Owl 187
 Indian Tragopan..... 105
indica, *Eupodotis*.... 111
indica, *Gracula*..... 268

indica, *Syphoetides*..111
indicus, *Butastur*..... 42
indicus, *Gyps* 59
 Indigo Macaw...130, 312
 Indigo-capped Hummingbird 231
 Indigo-winged Parrot..... 144
indus, *Haliastur* 61
inxpectatus,
Chlorostilbon 209
inxspectata, *Tyto* 169, 320
infuscatus, *Henicopernis* 63
ingens, *Otus* 188
innotata, *Aythya* 20, 327
inopinatum, *Polyplectron* 102
inornata, *Lophura*101
 Inséparable à collier noir 124
 Inséparable à face rose 123
 Inséparable à joues noires.....123
 Inséparable à tête grise 123
 Inséparable à tête rouge 123
 Inseparable Abisinio.124
 Inseparable acollarado 124
 Inseparable cabecinegro 123
 Inseparable cachetón123
 Inseparable carirrojo 123
 Inséparable d'Abyssinie 124
 Inseparable de collera 124
 Inseparable de Fischer 123
 Inséparable de Fischer 123
 Inséparable de Lilian 123
 Inseparable de Namibia 123
 Inséparable de Swindern 124
 Inseparable del Nyasa ... 123
 Inseparable malgache ... 123
 Inséparable masqué.123
 Inséparable rosegorge 123
insignis, *Panterpe*226,
 308
insignis, *Polihierax* 94
intercedens, *Ptiloris*..273
interjecta, *Vidua* 267
intermedia, *Psittacula* ...
 158, 305, 329
 Intermediate Parakeet 158
ios, *Ninox*..... 183, 328
iracunda, *Metallura*.. 224
ireneae, *Otus*..... 189
iriditorques, *Columba*.... 116
iriditorques, *Turturoena* 116
 Iris Lorikeet..... 159
 Iris Lory 159
 Iris Peacock-Pheasant... 102
iris, *Coeligena*..... 210
iris, *Psitteuteles* 159
iris, *Trichoglossus*.... 159
isidori, *Oraetus*..... 72
isidori, *Spizaetus*..... 72
isura, *Lophoictinia* 68
 Ithagine ensanglantée 100
 Ithagini 100
Ithaginis 100
 Itombwe Owl 167

J

Jabiru 9, 295, 310
 Jabirú 9
 Jabiru africain..... 9
 Jabirú Africano..... 9
 Jabiru américain..... 9
 Jabirú Americano 9
 Jabiru d'Afrique..... 9
 Jabiru d'Amérique 9
 Jabiru du Sénégal..... 9
 Jackal Buzzard..... 47
 Jackass Penguin 2,
 279, 282, 283, 293,
 299, 303, 312
 Jacko..... 159
jacksoni, *Euplectes*.. 261
 Jacobino collarejo.... 215
 Jacobino nuquiblanco.... 215
 Jacutinga 97
jacquinoti, *Ninox*.... 183
 Jacquot..... 125, 159
jacula, *Heliodoxa*.... 218
jacutinga, *Aburria*.... 97
jacutinga, *Pipile* 97
 Jamaican Mango 202
 Jamaican Owl 194
jamaicensis, *Buteo*
 45, 333
 Jambandu Indigobird
 268
jamesi, *Phoenicoparrus* 13

jamesi, Phoenicopterus 13
Jandaya Conure 132
Jandaya Parakeet 132
jadaya, Aratinga 132
Japanese Crane 107
Japanese Crested Ibis 11, 285, 312
Japanese Lesser Sparrowhawk 31
Japanese Paradise-flycatcher 247
Japanese Sparrowhawk 31
Japanese Waxwing 244
Japanese White Stork .. 8
japonensis, Grus 107
japonica, Bombycilla 244
japonica, Ninox 184
jardini, Boissonneaua 204
jardinii, Glaucidium.. 179
Jaseur du Japon 244
Java Sparrow 258
Javan Cochlea 245
Javan Hawk-Eagle 75
Javan Owl 178
Javan Scops-Owl 186
javensis, Dryocopus. 241
jefferyi, Pithecophaga 73, 294, 336
jerdoni, Aviceda 41, 307, 335
Jilguero cara amarilla.... 250
Jilguero de Yarrell.... 250
Jilguero rojo 250
Jobi Manucode 271
jobiensis, Manucodia..... 271
jocosus, Pycnonotus 244
johannae, Doryfera.. 212
johnstoniae, *Trichoglossus* 164
jonquillaceus, *Aprosmictus*..... 130
josefinae, Charmosyna 138
Jote real 26
Joues-oranges 253
jourdanii, Chaetocercus 207
Juan Fernández Firecrown 232
jubatus, Rhynochetos.... 109, 279
Jubula 181
jugger, Falco 84
jugularis, Brotogeris 134
jugularis, Eulampis.. 214
julie, Damophila..... 212
Jungle Boobook 185
Jungle Hawk-Owl.... 185

Jungle Owlet 180

K

Kagou 109
Kagou huppé..... 109
Kagu 109, 279, 291
Kagú 109
Kaka 149, 277
Kakapo 162, 276, 277, 278, 293, 296, 298
Kalij Pheasant 101
Karoo Bustard 112
Karoo Korhaan .112, 310
katsumatae, *Polyplectron* 102
Kaupifalco..... 66
kawalli, Amazona 126, 320, 331
Kea 149
Keel-billed Toucan .. 240
keiensis, Micropsitta 147
kennicottii, Otus 189
keraudrenii, Manucodia 271
keraudrenii, *Phonygammus*.... 271
Kestre 179, 80, 81, 83, 84, 85, 87, 88, 89, 91, 310
Kétoupa brun 182
Kétoupa de Blakiston..... 181
Kétoupa malais..... 182
Kétoupa roux 181
Ketupa 181, 182, 297
ketupu, Bubo 182
ketupu, Ketupa..... 182
kienerii, Hieraaetus... 64
Kinabalu Serpent-Eagle 75
kinabaluensis, Spilornis 75
King Bird-of-paradise 269
King Vulture 26, 74, 277, 323
kingi, Aglaiocercus...200
King-of-Saxony Bird-of-paradise 273
Klais 220
Knobbed Hornbill235
Knob-billed Goose.... 25
Knysna Turaco166
kochi, Pitta 243
koeniswaldiana, Pulsatrix 194
koepckeae, Otus..... 189
koepckeae, Phaethornis 227, 311
Kokomo..... 236

*Kori Bustard*109, 299, 304
kori, Ardeotis... 109, 299
kori, Choriotis..... 109
krameri, Psittacula 157, 158, 331, 333, 336
kreyenborgi, Falco..... 86, 285, 298
kuhli, Leucopternis 66
kuhlii, Vini..... 164

L

Laborioso cabecirrojo 266
lacernulata, Leucopternis 67, 297
lactea, Amazilia..... 229
lactea, Polyerata 229
lacteus, Bubo..... 176
Lady Amherst's Pheasant 99
Lafresnaya 220
lafresnayi, Lafresnaya 220
Laggar Falcon 84
Lagonosticta.... 254, 255
lagopus, Buteo..... 45
lalandi, Stephanoxis 232
Lammergeier 57
Lamponis..... 220
Lamprolaima 221
lanceolatus, Spizaetus... 76
langsdorffi, Discosura 212
langsdorffi, Popelairia 212
Lanner 80
Lanner Falcon 80
Lapa azul 131
Lapland Owl 197
Lapp Owl 197
Lappet-faced Vulture 78, 287
Large Fig-Parrot 158
largipennis, *Campylopterus*.... 206
LARIDAE 3, 115
*Larus*115, 294, 312, 314, 322
larvata, Lagonosticta 255
larvaticola, Vidua 267
lathami, *Calyptorhynchus*.. 137
Lathamus..... 144
latifrons, Microhierax .93
latirostris, *Calyptorhynchus*.. 137
latirostris, Cynanthus.... 211

- Latoucheornis* 249
 Laughing Dove 120
 Laughing Falcon 91
 Laughing Owl 194
 Lavender Firefinch 253
 Lavender Waxbill 253
lawesii, Parotia 273
lawrencei, Cynanthus
 211
lawrencii, Gymnoglaux 189
lawrencii, Otus 189
 Laysan Duck 18
 Laysan Teal 18
laysanensis, Anas 18
 Lazuline Sabrewing 206
leadbeateri, Cacatua 136
leadbeateri, Heliodoxa 218
leari, Anodorhynchus
 130, 279, 306, 312
 Least Pygmy-Owl
 179, 324
 Lechucita acanelada 171
 Lechucita común 187,
 195
 Lechucita de las
 viscacheras 195
 Lechucita rojiza 186
 Lechuza Australiana 170
 Lechuza bataraz 197
 Lechuza baya de
 Madagascar 167
 Lechuza blanquinegra ...
 197
 Lechuza Campestre 172
 Lechuza colilarga
 195, 198
 Lechuza Común 168
 Lechuza copetona 182
 Lechuza cornuda 167
 Lechuza de campanario
 168
 Lechuza de Célebes 170
 Lechuza de El Cabo 169
 Lechuza de la Española
 169
 Lechuza de la Manus 169
 Lechuza de la Taliabu
 170
 Lechuza de las Tanimbar
 170
 Lechuza de Madagascar
 170
 Lechuza de Minahassa
 169
 Lechuza de Tengmalm
 171
 Lechuza del Congo 167
 Lechuza dorada 169
 Lechuza estigia 173
 Lechuza gavilana
 183, 185, 199
- Lechuza gavilana de las
 Molucas 185
 Lechuza gavilana de
 Norfolk 183
 Lechuza listada 172, 197
 Lechuza Malgache 170
 Lechuza mora 171
 Lechuza moteada 170
 Lechuza negra 196
 Lechuza orejicorta 172
 Lechuza orejita de
 Madagascar 173
 Lechuza patiblanca 195
 Lechuza patilarga 169
 Lechuza pescadora 195
 Lechuza tenebrosa 170
 Lechuzón
 172, 173, 177, 194,
 198
 Lechuzón acollarado
 chico 194
 Lechuzón acollarado
 grande 194
 Lechuzón anteojos 194
 Lechuzón anteojos menor
 194
 Lechuzón campestre 172
 Lechuzón cariblanco 194
 Lechuzón de Anteojos
 194
 Lechuzón de Woodford
 198
 Lechuzón negruzco 173
 Lechuzón orejas largas
 172
 Lechuzón orejudo
 172, 177
 Lechuzón pardo menor
 194
Leiothrix 246, 325
 Léiothrix à joues argent
 246
 Léiothrix jaune 246
lempiji, Otus 187
lepida, Pyrrhura 160
Lepidopyga 221
Leptodon 66
leptogrammica, Strix
 197
Leptoptilos 9, 10, 299
leptorhynchus,
 Enicognathus 141
Leptosittaca 144, 300
Leptotila 118
Lesbia 221
 Lesser Bird-of-paradise
 272
 Lesser Black-Hawk 48
 Lesser Collared Forest-
 Falcon 91
 Lesser Eagle-Owl 182
 Lesser Fish-eagle 65
 Lesser Fishing Eagle .. 65
- Lesser Flamingo
 13, 295, 329
 Lesser Florican
 ... 111, 288, 297, 305
 Lesser Kestrel
 85, 278, 290, 320
 Lesser Masked-Owl .. 170
 Lesser Melampitta ... 272
 Lesser Red-breasted
 Meadowlark 250
 Lesser Rhea 1, 280
 Lesser Rufous Bristlebird
 245
 Lesser Sooty-Owl 170
 Lesser Spotted Eagle
 39, 304, 331
 Lesser Sulphur-crested
 Cockatoo 136
 Lesser Sunda Scops-Owl
 193
letitiae, Discosura 212
letitiae, Popelairia 212
 Letter-winged Kite 56
lettii, Jubula 181
lettii, Lophostrix 181
Leucippus 221, 222
leucocephala, Amazona
 127, 334
leucocephala, Mycteria ..
 10
leucocephala, Oxyura ...
 24, 331
leucocephalus, Aceros
 236, 237
leucocephalus,
 Haliaeetus 60
leucocephalus,
 Rhyticeros ... 236, 237
Leucochloris 222
leucogaster, Agyrtia 200
leucogaster, Amazilia
 200
leucogaster, Haliaeetus
 60
leucogaster, Pionites 149
 Leucogéranne 107
leucogeranus, Grus .. 107
leucolophus, Tauraco 166
leucomelanos, Lophura
 101
leucophthalmus,
 Aratinga 132
leucopleurus,
 Oreotrochilus 225, 303
Leucopsar 268, 321
Leucopternis 66, 67, 297
leucopterus, Platysmurus
 274
leucopygius, Serinus 251
leucorodia, Platalea
 11, 292, 297
leucorrhous, Buteo 45

<i>leucoryphus</i> , <i>Haliaeetus</i>	60, 305
<i>leucostictus</i> , <i>Bubo</i> ...	176
<i>leucotis</i> , <i>Basilinna</i>	204
<i>leucotis</i> , <i>Hylocharis</i> ..	204
<i>leucotis</i> , <i>Otus</i>	189
<i>leucotis</i> , <i>Ptilopsis</i>	189
<i>leucotis</i> , <i>Pyrrhura</i>	161
<i>leucotis</i> , <i>Tauraco</i>	166
<i>leucurus</i> , <i>Elanus</i>	56
<i>leucurus</i> , <i>Threnetes</i> .	233
<i>leuphotes</i> , <i>Aviceda</i>	41, 277
Levant Sparrowhawk	.29
<i>lhuyssii</i> , <i>Lophophorus</i>	100, 296
<i>Lichenostomus</i>	249
Likh.....	111
Lilac-crowned Amazon	126
Lilac-crowned Parrot	126
Lilac-tailed Parrotlet.	163
<i>lillianae</i> , <i>Agapornis</i> ...	123
<i>illiae</i> , <i>Lepidopyga....</i>	221
Limpiacasa	226
<i>lineatus</i> , <i>Buteo</i>	45
<i>lineatus</i> , <i>Milvus</i>	69
Lined Forest-Falcon ...	91
<i>lineola</i> , <i>Bolborhynchus</i>	134, 322
<i>Liocichla</i>	246
Liocicla del Monte Omei	246
Little Banded Sparrowhawk	28
Little Blue Macaw	139
Little Brown Bustard	111
Little Bustard	113,
275, 277, 293, 302,	
305, 334	
Little Cockatoo	136
Little Corella	136
Little Eagle	64
Little Egret ..	7, 290, 324
Little Falcon	84
Little Guan	97
Little Hermit	227
Little Lorikeet	143
Little Owl .	173, 174, 308
Little Red Lorikeet ...	138
Little Sparrowhawk....	32
Little Sunangel.....	217
Little Weaver	264
Little Woodstar	207
<i>liventer</i> , <i>Butastur</i>	42
<i>livia</i> , <i>Columba</i>	116
<i>livingstonii</i> , <i>Tauraco</i> .	166
Lizard Buzzard	66
<i>Loboparadisea</i> .	270, 321
<i>Loddigesia</i> 222, 308, 322	
Loddigésie admirable	222
<i>loehkeni</i> , <i>Threnetes</i> .	233
Lofóforo chino	100
Lofóforo de Sclater...100	
Lofóforo del Himalaya	100
Loja Hummingbird ..	201
<i>Lonchura</i>	255, 256, 257, 258,
324	
Long-billed Black-	Cockatoo
Long-billed Bristlebird....	137
Long-billed Corella	245
Long-billed Griffon	59
Long-billed Partridge	103
Long-billed Starthroat	218, 322
Long-billed Thrush ...	247
Long-billed Vulture....	59
Long-crested Eagle ...	67
Long-crested Hornbill	235
Long-eared Owl 173, 331	
<i>longicauda</i> , <i>Discosura</i>	212
<i>longicauda</i> , <i>Henicopernis</i>	63
<i>longicauda</i> , <i>Psittacula</i>	158
<i>longicornis</i> , <i>Otus</i>	190
<i>longimembris</i> , <i>Tyto</i> ..	169
<i>longipennis</i> , <i>Falco</i>	84
<i>longirostris</i> , <i>Dasyornis</i>	245
<i>longirostris</i> , <i>Heliomaster</i>	218, 322
<i>longirostris</i> , <i>Phaethornis</i>	227
<i>longirostris</i> , <i>Rhizothera</i>	103
Long-legged Buzzard.....	47, 328
Long-tailed Dove	119
Long-tailed Hawk.....	78
Long-tailed Hermit	227, 228
Long-tailed Honey-	buzzard
Long-tailed Paradigalla	63
Long-tailed Paradise-	272
Whydah	267
Long-tailed Parakeet	158
Long-tailed Sabrewing	206
Long-tailed Sylph....	200
Long-tailed Woodnymph	233
Long-tufted Screech-Owl	192
<i>longuemareus</i> ,	
<i>Phaethornis</i>	227
<i>longuemareus</i> , <i>Pygmornis</i>	227
Long-wattled Umbrellabird	241, 322
Long-whiskered Owlet	199
Long-winged Harrier ..	52
<i>Lophaetus</i>	67
<i>Lophoictinia</i>	68
Lophophore de Lhuys	100
Lophophore de Sclater	100
Lophophore resplendissant.....	100
<i>Lophophorus</i> ...	100, 296
<i>Lophorina</i>	271
<i>Lophornis</i>	222, 223
<i>Lophostrix</i>	181, 182
<i>Lophura</i> ... 100, 101, 329	
Lora de cara roja.....	128
Lord Derby's Mountain Pheasant	96
Lord Howe Island Rail ...	108
Lord Howe Island Woodhen.....	108
Lord Howe Rail.....	108
<i>lorenzi</i> , <i>Vidua</i>	268
Lori à bandeau rouge....	143
Lori à collier jaune... 146	
Lori à couronne pourpre	143
Lori à diadème.....	138
Lori à front rouge	139
Lori à gorge rouge... 138	
Lori à joues bleues ..	142
Lori à masque rouge 143	
Lori à menton rouge 139	
Lori à nuque blanche 146	
Lori à ventre violet .. 146	
Lori acollarado	146
Lori adornado	164
Lori alinegro	142
Lori almizclero	143
Lori arcoiris	164
Lori arlequin	142
Lori barbirrojo.....	139
Lori bigotudo	149
Lori bridé	149
Lori cardenal	137
Lori cardinal	137
Lori carirrojo	143
Lori chispeado	138
Lori coquet	138
Lori coronipúrpura ...	143
Lori croquet	138
Lori damisela	146
Lori de Buru	139
Lori de Duyvenbode. 137	
Lori de Goldie	159
Lori de Josefina.....	138
Lori de Joséphine	138

Lori de Kuhl	164	Lori sombre	156	Lorito dorsiazul	159
Lori de las Tanimbar	142	Lori sombrio.....	156	Lorito ecuatoriano ...	144
Lori de l'île Buru	139	Lori splendide.....	138	Lorito emmascarado de	
Lori de Margaret.....	138	Lori strié.....	138	Coxen	141
Lori de Margarita.....	138	Lori tricolor.....	146	Lorito encapuchado .	150
Lori de Marguerite ...	138	Lori tricolore	146	Lorito frentirrojo	152
Lori de Meek.....	138	Lori ultramar.....	165	Lorito guayabero	134
Lori de Mindanao.....	164	Lori ultramarín	165	Lorito heteróclito.....	143
Lori de Musschenbroek	148	Lori ventrивинoso	146	Lorito niam-niam.....	152
Lori de Nouvelle-		Lori verdigualdo.....	164	Lorito orejudo	150
Calédonie	138	Lori versicolor	159	Lorito pechinaranja..	141
Lori de Papouasie ...	138	<i>loriae, Cnemophilus.</i> ...	270	Lorito pileado.....	150
Lori de Ponapé	164	<i>loriae, Loria</i>	270	Lorito robusto	153
Lori de Rimitara	164	Lorículo amable	144	Lorito rubio	149
Lori de Samoa	164	Lorículo coroniazul ...	145	Lorito Senegalés	153
Lori de Sangir	142	Lorículo de Ceilán ...	145	Lorito ventrirrojo	153
Lori de Seram	142	Lorículo de Célebes ..	145	Lorito vulturino	150
Lori de Stephen.....	164	Lorículo de Flores....	145	Lorito-momoto	
Lori de Wilhelmina...	139	Lorículo de Java.....	145	amarillento	154
Lori des dames	146	Lorículo de la Sangihe ...	145	Lorito-momoto	
Lori des Fidji.....	149	Lorículo de las Bismarck	146	coroniazul.....	153
Lori des Moluques....	146	Lorículo de las Sula ..	145	Lorito-momoto de Buru	
Lori des montagnes .	149	Lorículo exiguo	145	154
Lori des palmiers.....	138	Lorículo Filipino	145	Lorito-momoto de las	
Lori diadema	138	Lorículo papú	145	Sulu	154
Lori écaillé.....	142	Lorículo vernal.....	146	Lorito-momoto de Luzón	
Lori écarlate	141	<i>Loriculus</i> 144, 145, 146,	301	154
Lori émeraude	148	Loriculus malais.....	145	Lorito-momoto de	
Lori escamoso.....	142	Loriquet à tête bleue	164	Mindanao	154
Lori escuamiverde ...	163	Loriquet de Goldie....	159	Lorito-momoto de	
Lori estriado	138	Loriquet de Johnstone ...	164	Palawan	154
Lori féérique	138	Loriquet de Ponapé ..	164	Lorito-momoto	
Lori flamméché	138	Loriquet eutèle	163	dorsidorado	154
Lori flanquirrojo	138	Loriquet iris	159	Lorito-momoto montano	
Lori frentirrojo	139	Loriquet jaune et vert....	164	154
Lori fringillaire	164	Loriquet orné	164	Lorito-tigre de Brehm ...	
Lori gárrulo	146	Loriquet versicolore..	159	156
Lori gorgirrojo.....	138	Loriquet vert	163	Lorito-tigre de Madarasz	
Lori humilde	163	Lorito acollarado	143	156
Lori iris	159	Lorito alinegro	144	Lorito-tigre modesto	156
Lori lindo.....	138	Lorito amazonino	144	Lorito-tigre pintado..	156
Lori masqué	142	Lorito cabecigualdo ..	150	<i>Lorius</i>	146, 295
Lori monjita	164	Lorito cabecipardo ..	152	Loro aguileño	159
Lori montano chico ..	148	Lorito caica	150	Loro alibronceado....	150
Lori montano grande	148	Lorito carigualdo.....	152	Loro alisero	128
Lori musc	143	Lorito carinaranja	150	Loro barranquero	139
Lori negro	137	Lorito carirrojo .	143, 150	Loro brasileño.....	125
Lori noir.....	137, 146	Lorito carirrosado....	150	Loro burrón	126
Lori noira	146	Lorito chirlecrés.....	150	Loro cabeciamarillo..	127
Lori nonnette	164	Lorito colicorto	144	Loro cabeciazul	151
Lori nuquiblanco.....	146	Lorito de Coxen	141	Loro cabecirrojo	128
Lori orange sombre..	156	Lorito de Desmarest.	158	Loro cabeza amarilla	127
Lori palmero	138	Lorito de Edwards ..	158	Loro cabeza azul	126
Lori papou	138	Lorito de Fuertes	144	Loro cabeza roja	129
Lori pardo	137	Lorito de Meyer	152	Loro cachtirrosa	150
Lori pigmeo	139	Lorito de Rüpell	153	Loro cacique	141
Lori rabilargo	138	Lorito de Salvadori...159		Loro cariazul....	125, 126
Lori réticulé	142	Lorito dobleojos	140	Loro caroniblanco	151
Lori rojo	141			Loro choclero	151
Lori solitaire des îles				Loro colicorto.....	144
Fidji.....	149			Loro corona-violeta..	126
Lori solitario	149			Loro de banda roja ..	129
				Loro de Barbados	125

Loro de Buru..... 162
 Loro de cabeza blanca...
 127
 Loro de cabeza roja . 128
 Loro de Hispaniola ... 128
 Loro de Jamaica 125
 Loro de mejillas azules
 128
 Loro de Müller..... 162
 Loro de San Vicente. 126
 Loro del paraíso 156
 Loro ecléctico..... 141
 Loro famaulipeco.... 129
 Loro frente blanca ... 124
 Loro frente roja..... 125
 Loro frentirrojo 125
 Loro guaro 125
 Loro hablador 124
 Loro hombroamarillo 155
 Loro imperial 126
 Loro lomirrojo 126
 Loro malva 128
 Loro mona amarilla.. 127
 Loro morado..... 150
 Loro multicolor..... 128
 Loro negro 139
 Loro nocturno 143
 Loro nuca amarilla... 127
 Loro nuquiamarillo... 127
 Loro nuquiazul 162
 Loro orejirrojo..... 150
 Loro pechivinoso 128
 Loro pecho vinoso ... 128
 Loro picogordo 162
 Loro piquigordo..... 162
 Loro piquirrojo 151
 Loro rabudo collar ... 158
 Loro real 127
 Loro senil 151
 Loro tumultuoso..... 151
 Loro vasa 139
 Loro ventriazul..... 164
 Loro ventrinaranja... 148
 Loro verde..... 126, 127
 Loro yaco 159
 Loro yucateci 129
 Loro yucateco 129
lory, Lorius..... 146
loweryi, Xenoglaux .. 199
luchsi, Myiopsitta.... 147
luciae, Amazilia..... 229
luciae, Polyerata..... 229
luciani, Eriocnemis... 213
 Lucifer Hummingbird....
 205
lucifer, Calothorax ... 205
lucionensis, Tanygnathus
 162
luconensis, Prioniturus
 154
ludovicae, Doryfera.. 213
ludwigii, Neotis 113
 Lúgano cardenalito .. 250

Lúgano de Yarrell..... 250
 Lúgano encapuchado 250
lugens, Haplophaedia
 216
lugubris, Melampitta. 272
*lumachella, Augastes*203
lunulatus, Bolbopsittacus
 134
Lusciniia..... 246
lutea, Leiothrix.246, 325
luteifrons, Nigrita.... 257
luteola, Sitagra..... 264
luteolus, Ploceus..... 264
luteoschistaceus,
 Accipiter 32
lutetiae, Coeligena ...210
lutosus, Caracara..... 94
lutosus, Polyborus.... 94
 Luzon Bleeding-heart
 118
 Luzon Hornbill 239
 Luzon Racquet-tail ... 154
 Luzon Scops-Owl 190
 Luzon Tarictic Hornbill ...
 239
Iuzonica, Gallicolumba
 118
Lycocorax271, 334

M

Macagua rieur 91
macao, Ara 131
Macgregoria....271, 331
macgregorii,
 Cnemophilus 270, 321
Macheiramphus 68
macqueenii, Chlamydotis
 109
Macrocephalon
 95, 283, 318, 321
macrocerca,
 Hylomyrpha.....220
macrorhynchus, Tauraco
 166
macroura, Eupetomena
 206
macroura, Vidua....267
macrourus,
 Campylopterus206
macrourus, Circus.....
 53, 320, 337
macrourus, Coliuspasser
 262
macrourus, Euplectes....
 262
macrourus, Urotriorchis
 78
 Macuco..... 2, 278
maculata, Cotinga....242
maculirostris, Selenidera
 241

mada, Prioniturus.... 154
 Madagascar Baza 41
 Madagascar Buzzard .. 43
 Madagascar Cuckoo-
 Falcon 41
 Madagascar Cuckoo-
 Hawk 41
 Madagascar Fish-Eagle..
 61
 Madagascar Grass Owl
 170
 Madagascar Gymnogene
 73
 Madagascar Harrier
 53, 73
 Madagascar Harrier-
 Hawk 73
 Madagascar Hawk-Owl
 185
 Madagascar Kestrel ... 85
 Madagascar Lovebird 123
 Madagascar Marsh-
 Harrier 53
 Madagascar Owl170,
 173
 Madagascar Pochard
 20, 327
 Madagascar Red Owl....
 170, 335
 Madagascar Scops-Owl
 192
 Madagascar Serpent-
 Eagle 56
 Madagascar
 Sparrowhawk..... 32
 Madagascar Teal 16
madagascariensis,
 Accipiter..... 32
madagascariensis, Asio
 173
madagascariensis,
 Aviceda..... 41
madagascariensis, Otus
 192
madaraszi, Psittacella ...
 156
madens, Falco 86
magellanicus, Bubo . 177
 Magenta-throated
 Woodstar 204
magicus, Otus 190
magna, Sitta 248
 Magnificent Bird-of-
 paradise 269
 Magnificent
 Hummingbird 214
 Magnificent Quetzal . 235
 Magnificent Riflebird 273
magnificus,
 Calyptorhynchus.. 137
magnificus, Cicinnurus
 269

<i>magnificus</i> , <i>Diphyllodes</i>	269
<i>magnificus</i> , <i>Lophornis</i>	223
<i>magnificus</i> , <i>Ptiloris</i> ..	273
<i>magnirostris</i> , <i>Buteo</i> ...	45
Magpie Mannikin	256
Magpie Munia	256
Mahali à calotte marron	263
<i>maillardi</i> , <i>Circus</i>	53
Mailmbo capirotado ..	260
Mainate	268
Mainate de Rothschild	268
Mainate religieux.....	268
Major Mitchell's Cockatoo	136
Malabar Parakeet	157
Malabar Pied-Hornbill	237
<i>malabarica</i> , <i>Lonchura</i>	255
<i>malabaricus</i> , <i>Anthracoceros</i>	237
<i>malabaricus</i> , <i>Copsychus</i>	245
<i>malacense</i> , <i>Polyplectron</i>	103
<i>malachitacea</i> , <i>Tricilaria</i>	164, 323
<i>malagae</i> , <i>Metallura</i> ..	223
Malagasy Marsh-Harrier	53
Malagasy Scops-Owl1	92, 317
<i>malaris</i> , <i>Phaethornis</i>	227, 298
Malay Fish-Owl	182
<i>malayanus</i> , <i>Anthracoceros</i>	237
<i>malayensis</i> , <i>Ictinaetus</i>	65
Malaysian Black Hornbill	237
Malaysian Pied-Hornbill	237
Malee Fowl	95
Maleo 95, 276, 283, 318	
Maléo	95
Maleo Fowl	95
Maleo Megapode	95
<i>maleo</i> , <i>Macrocephalon</i> 95, 283, 318, 321	
<i>malherbi</i> , <i>Cyanoramphus</i>	140, 308, 325
Malimbe à bec bleu..	262
Malimbe à gorge noire	262
Malimbe à queue rouge	262
Malimbe à tête rouge	262
Malimbe de Cassin... 262	
Malimbe huppé.....	262
<i>malimbicus</i> , <i>Malimbus</i> ...	262
Malimbo cabecinegro	262
Malimbo cuellirrojo...	262
Malimbo culirrojo	262
Malimbo moñudo	262
<i>Malimbus</i> 260, 262, 276, 279, 280, 281, 284, 287, 288, 291, 294, 299, 300, 302, 303, 309, 310, 324, 325, 326, 328, 330, 337	
Mallee Ringneck.....	133
Malure occidental....	245
Malvasía	24
Malvasía Cabeciblanca ...	24
<i>manadensis</i> , <i>Otus</i>	190
Manchot de Humboldt..	2
Manchot du Cap.....	2
Manchurian Crane....	107
Manchurian Eared-Pheasant.....	99
Manchurian Red-footed Falcon	79
<i>Mandingoa</i>	256
Maned Owl.....	181
Mango.....	202, 203
Mango à cravate noire	202
Mango à cravate verte	203
Mango Antillano.....	202
Mango de la Jamaïque ...	202
Mango de Prévost	202
Mango de Veragua ...	203
Mango doré.....	202
Mango gargantiverde	203
Mango gorginegro....	202
Mango gorgiverde	203
Mango Jamaicano	202
Mango pechinegro....	202
Mango pechiverde....	202
Mango picolezna	202
Mango portorriqueño	203
Mango vert	203
<i>mango</i> , <i>Anthracothorax</i>	202
Mangrove Black-Hawk ...	48
Mangrove Hummingbird	229
<i>manilata</i> , <i>Ara</i>	149
<i>manilata</i> , <i>Orthopsittaca</i>	149
<i>manillae</i> , <i>Penelopides</i>	239
<i>mantananensis</i> , <i>Otus</i>	190
Mantanani Scops-Owl ...	190
<i>mantchuricum</i> , <i>Crossoptilon</i>	99
Mantled Hawk.....	67
Manucaude de Comrie...	271
Manucaude de Jobi ..	271
Manucaude de Keraudren	271
Manucaude noir	271
Manucaude vert	271
<i>Manucodia</i>	271
Manus Boobook.....	183
Manus Hawk-Owl	183
Manus Masked-Owl..	169
<i>manusi</i> , <i>Tyto</i>	169
Many-coloured Parakeet	156
Many-spotted Hummingbird.....	222
Marabou Stork	9, 299
Marabout	9, 10
Marabout africain	9
Marabout argala.....	10
Marabout d'Afrique	9
Marabú	9, 10
Marabú Africano	9
Marabú argala	10
Maracana cuellidorada	154
Maracana dorsirroja.	155
<i>maracana</i> , <i>Ara</i>	155
<i>maracana</i> , <i>Primolius</i>	155
<i>maracana</i> , <i>Propyrrhura</i>	155
<i>maranhensis</i> , <i>Phaethornis</i>	227
<i>marchei</i> , <i>Anthracoceros</i>	238
<i>marchei</i> , <i>Ptilinopus</i> ..	119
<i>margarethae</i> , <i>Charmosyna</i>	138
<i>margarettae</i> , <i>Phaethornis</i>	227
Marianas Island Duck.	18
Marianas Mallard	18
Maroon-bellied Parakeet	160
Maroon-breasted Crowned-Pigeon ..	118
Maroon-faced Parakeet	161
Maroon-fronted Parrot	162, 295
Maroon-rumped Hanging-Parrot....	145
Maroon-tailed Conure	161
Maroon-tailed Parakeet	161
Marsh Harrier	51, 334
Marsh Hawk	52

Marsh Owl	171
Marsh Seedeater	250
<i>marshalli, Otus</i>	190, 311
Martial Eagle	73
Martin de Rothschild	268
Marvellous Spatuletail	222, 278, 322
Mascarene Paradise-Flycatcher	247
Masked Bobwhite	99
Masked Dove	119
Masked Goura	118
Masked Hawk	67
Masked Lovebird	123
Masked Owl	170
Masked Shining-Parrot	155
Matamico blanco	93
Matamico cordillerano	94
Matamico estriado	93
Matamico grande	93
<i>matthewsii, Boissonneaua</i>	204
<i>maugaeus, Chlorostilbon</i>	208
Mauritius Kestrel	87
Mauritius Parakeet	157
Mauritius Ring-necked Parakeet	157
<i>maurus, Circus</i>	53
<i>mavors, Heliangelus</i>	217
<i>maximiliani, Pionus</i>	151
<i>maximus, Pyrenestes</i>	258
<i>mayeri, Astrapia</i>	269
<i>mayeri, Columba</i>	117
<i>mayeri, Nesoenas</i>	117
<i>mayottensis, Otus</i>	192
Mealy Amazon	126
Mealy Parrot	126
Mealy Rosella	151
<i>meeki, Charmosyna</i>	138
<i>meeki, Micropsitta</i>	147
<i>meeki, Ninox</i>	183
Megalaima	239
<i>megalopterus, Phalcoboenus</i>	93, 94
<i>megalorynchos, Tanygnathus</i>	162
<i>megalotis, Otus</i>	190
Mégapode de Wallace	95
Mégapode maléo	95
MEGAPODIIDAE	3, 95
Megapodio maleo	95
<i>Megapodius</i>	95
Megápodo cabecigrande	95
<i>Megatriorchis</i>	68
<i>Melampitta</i>	271, 272
<i>melanocephala, Pionites</i>	150
<i>melanocephala, Sitagra</i>	265
<i>melanocephalus, Ploceus</i>	265
<i>melanocephalus, Tragopan</i>	104, 287, 300
<i>melanochlamys, Accipiter</i>	32
<i>melanocorypha, Cygnus</i>	22
<i>melanogaster, Eupodotis</i>	111
<i>melanogaster, Lissotis</i>	111
<i>melanogaster, Oreotrochilus</i>	225
<i>melanogenys, Adelomyia</i>	199
<i>melanoleuca, Seleucidis</i>	274
<i>melanoleucus, Circus</i>	54
<i>melanoleucus, Microhierax</i>	93
<i>melanoleucus, Accipiter</i>	32
<i>melanoleucus, Geranoaetus</i>	57
<i>melanoleucus, Microhierax</i>	93
<i>melanoleucus, Spizastur</i>	77
<i>melanonota, Touit</i>	163
<i>Melanoperdix</i>	101
<i>melanops, Leucophaeus</i>	67
<i>melanops, Lichenostomus</i>	249
<i>melanorhynchus, Chlorostilbon</i>	208
<i>melanosternon, Hamirostra</i>	62
<i>melanota, Pulsatrix</i>	194
<i>melanotis, Anaplectes</i>	260
<i>melanotis, Hapalopsittaca</i>	144
<i>melanotos, Sarkidiornis</i>	25
<i>melanura, Pyrrhura</i>	161
<i>meleagrides, Agelastes</i>	98
Melero de casco	249
<i>Melierax</i>	68, 69
Mélifago de casco	249
Méliophage casqué	249
Méliophage cornu	249
MELIPHAGIDAE	4, 249
<i>melleri, Anas</i>	18
<i>Mellisuga</i>	223
<i>mellisugus, Chlorostilbon</i>	208
<i>mellivora, Florisuga</i>	215
Melodious Laughingthrush	245
<i>melpoda, Estrilda</i>	253
<i>menstruus, Pionus</i>	151
Mentaur Scops-Owl	193
Mentawai Scops-Owl	190
Mentawai Serpent-Eagle	74
<i>mentawi, Otus</i>	190
<i>mercenaria, Amazona</i>	127
<i>Mergus</i>	23
<i>meridionalis, Buteogallus</i>	48
<i>meridionalis, Heterospizias</i>	48
<i>meridionalis, Nestor</i>	149
Merle à poitrine noire	247
Merles des Indes	268
Merlin	82, 98, 327, 328
Mésangette rayée	258
<i>Mesía</i>	246
<i>Mésia</i>	246
Messager sagitaire	79
<i>metabates, Melierax</i>	69
<i>Metallura</i>	223, 224, 301, 319
Métallure à gorge feu	223
Métallure à queue bronzée	207
Métallure à queue d'airain	223
Métallure à tête rousse	208
Métallure arc-en-ciel	207
Métallure de Baron	223
Métallure de Stanley	208
Métallure de Thérèse	224
Métallure dorée	224
Métallure du Chinguela	224
Métallure émeraude	224
Métallure olivâtre	207
Métallure phébé	224
Métallure verte	224
Metatura barbafüego	223
Metalura de Azuay	223
Metalura de Teresa	224
Metalura del Chinguela	224
Metalura escamosa	223
Metalura gorjivioleta	223
Metalura iracunda	224
Metalura negra	224
Metalura tiria	224
Metalura verde	224
Mexican Chachalaca	96
Mexican Curassow	96
Mexican Parrotlet	142
Mexican Sheartail	212

Mexican Woodnymph	233	Milano acollarado.....	66	Mindoro Scops-Owl..	190
<i>mexicanus</i> , <i>Falco</i>	84	Milano bidentado	62	Mindoro Zone-tailed	
<i>mexicanus</i> , <i>Phaethornis</i>	228	Milano blanquigrís.....	66	Pigeon	118
<i>meyeri</i> , <i>Epimachus</i> ..	270	Milano brahmán.....	61	<i>minima</i> , <i>Mellisuga</i> ...	223
<i>meyeri</i> , <i>Poicephalus</i> . 152		Milano cabecigris	66	<i>minimus</i> , <i>Spilornis</i>	75
<i>meyerianus</i> , <i>Accipiter</i> . 32		Milano caracolero.....	74	<i>minor</i> , <i>Paradisaea</i> ...	272
<i>micraster</i> , <i>Heliangelus</i>	217	Milano coliblanco	56	<i>minor</i> , <i>Phoeniconaias</i> . 13	
<i>Micrastur</i>	91, 92, 328	Milano colicuadrado...	68	<i>minor</i> , <i>Phoenicopterus</i> ..	
<i>Micrathene</i>	182	Milano del Misisipi	6513, 295	
<i>Microchera</i>	224	Milano dentado.....	62	<i>minullus</i> , <i>Accipiter</i>	32
<i>Microglosse noir</i>	154	Milano misisipero	65	Minute Hermit.....	227
<i>Microhierax</i>	92, 93	Milano murcielaguero	68	<i>minutissimum</i> ,	
<i>Microloro de Finsch</i> ..	146	Milano muslirrufo	62	<i>Glaucidium</i> ..	179, 324
<i>Microloro de Geelvink</i>	147	Milano negro	69	<i>mirabilis</i> , <i>Eriocnemis</i>	
<i>Microloro de las Kai</i> .	147	Milano pechinegro.....	62214, 323	
<i>Microloro de Meek</i> ...	147	Milano picogarfio	49	<i>mirabilis</i> , <i>Loddigesia</i>	
<i>Microloro pechiporro</i> .	146	Milano plomizo	66222, 308, 322	
<i>Microloro pusio</i>	147	Milano real.....	70	<i>mirandollei</i> , <i>Micrastur</i> 91	
<i>Micropsitta</i>	146, 147	Milano silbador	61	Mirlo americano	
<i>Micropsitte à tête fauve</i>	147	Milano tijereta	55	pechiamarillo	250
<i>Micropsitte de Bruijn</i> 146		<i>Milanus nigro</i>	69	<i>mirus</i> , <i>Otus</i>	191
<i>Micropsitte de Finsch</i> 146		<i>militaris</i> , <i>Ara</i>131, 319		Mississippi Kite	
<i>Micropsitte de Geelvink</i>	147	<i>militaris</i> , <i>Sturnella</i> ...250	65, 306, 322, 336	
<i>Micropsitte de Meek</i> .147		Military Macaw	131	Mississippi Sandhill	
<i>Micropsitte pygmée</i> . 147		Milky Eagle-Owl.....	176	Crane	106
<i>microrhyncha</i> , <i>Amazilia</i>	200	Milky Stork 10, 310, 312		<i>mississippiensis</i> , <i>Ictinia</i>	
<i>microrhynchum</i> ,		<i>milleri</i> , <i>Polytmus</i>230	65, 322	
<i>Ramphomicron</i> ...	230	<i>milletti</i> , <i>Garrulax</i>246		<i>mitchellii</i> , <i>Calliphlox</i> . 205	
<i>Microstilbon</i>	224	<i>milnei</i> , <i>Garrulax</i>246		<i>mitchellii</i> , <i>Philodice</i> .. 205	
<i>micrura</i> , <i>Myrmia</i>	224	<i>Milvago</i>	93	<i>mitrata</i> , <i>Aratinga</i> 133	
<i>migrans</i> , <i>Milvus</i> ..69, 289		<i>Milvus</i> 69, 70, 289, 299,	330	Mitred Conure.....	133
<i>Mikado Pheasant</i>	104, 306	<i>Milvus</i> , <i>Milvus</i> 70, 299,		Mitred Parakeet.....	133
<i>mikado</i> , <i>Syrmaticus</i> . 104		330		<i>Mitu</i>	96
Milan à long bec	74	<i>Mimizuku</i>	182	<i>mitu</i> , <i>Crax</i>	96
Milan à plastron	62	Miná de la India.....	268	<i>mitu</i> , <i>Mitu</i>	96
Milan à queue carrée..	68	Miná de Rothschild...268		Mochelo de Sjöstedt	181
Milan à queue fourchue	55	Miná religioso.....268		Mochuelín perlado ...	180
Milan bec-en-croc	49	Minahassa Barn-Owl.169		Mochuelo acollarado	178
Milan bidenté	62	Minahassa Masked-Owl	169	Mochuelo alpino	180
Milan bleuâtre	66	Minahassa Owl .169, 320		Mochuelo Amazónico	179
Milan brun	69	Mindanao Bleeding-heart	118	Mochuelo andino	179
Milan de Cayenne	66	Mindanao Eagle-Owl.182		Mochuelo Boliviano..	177
Milan de Cuba	49	Mindanao Hornbill238		Mochuelo boreal.....	171
Milan de Forbes	66	Mindanao Lorikeet....164		Mochuelo brahmán ..	174
Milan de Wilson	49	Mindanao Parrotfinch.....	252	Mochuelo cabezón ..	170
Milan des chauves-souris	68	Mindanao Racquet-tail	154	Mochuelo caburé	178
Milan des marais	74	Mindanao Scops-Owl 191		Mochuelo Californiano...	178
Milan diodon	62	Mindanao Tarictic		Mochuelo canela	171
Milan du Mississippi ...	65	Hornbill	238	Mochuelo castaño....	178
Milan noir	69	Mindanao Wrinkled		Mochuelo chico ..	180, 181
Milan royal	70	Hornbill	236	Mochuelo Común.....	174
Milan sacré	61	<i>mindorensis</i> , <i>Ducula</i> .118		Mochuelo cuco	179
Milan siffleur	61	<i>mindorensis</i> , <i>Otus</i>190		Mochuelo cucú	183
		<i>mindorensis</i> ,		Mochuelo de Blewitt.	173
		<i>Penelopides</i>239		Mochuelo de Ceilán..	178
		Mindoro Hornbill	239	Mochuelo de El Cabo	178
		Mindoro Imperial-Pigeon	118	Mochuelo de Hoyo ...	195
				Mochuelo de Java ..	178
				Mochuelo de jungla..	180
				Mochuelo de las Molucas	185

Mochuelo de los bosques 173
 Mochuelo de los saguaros 182
 Mochuelo de Madriguera 195
 Mochuelo de Parker . 180
 Mochuelo del Alberto 177
 Mochuelo del Congo. 181
 Mochuelo duende 182
 Mochuelo Europeo ... 174
 Mochuelo forestal 173
 Mochuelo gномо 179
 Mochuelo minimo 179
 Mochuelo moreno 171
 Mochuelo Patagón ... 179
 Mochuelo pechirrojo. 181
 Mochuelo peludo 199
 Mochuelo perlado 180
 Mochuelo Peruano ... 180
 Mochuelo sjú..... 181
mocinno, Pharamachrus 235
 Modest Tiger-Parrot . 156
modesta, Psittacula. 156
modesta, Turacoena 122
 Moheli Scops-Owl 191
moheliensis, Otus.... 191
 Moineau gris..... 263
 Moineau quadrillé 266
 Moineau-tisserin..... 263
molinae, Pyrrhura..... 161, 323
 Moluccan Barred Sparrowhawk..... 31
 Moluccan Boobook... 185
 Moluccan Cockatoo .. 136
 Moluccan Goshawk 31
 Moluccan Hanging-Parrot 144
 Moluccan Hawk-Owl. 185
 Moluccan Kestrel 84
 Moluccan King-Parrot124
 Moluccan Lory..... 141
 Moluccan Red Lory... 142
 Moluccan Scops-Owl 190
 Moluccan Scrubfowl ... 95
 Moluccan Sparrowhawk 30
moluccensis, Cacatua.... 136
moluccensis, Falco.... 84
moluccensis, Pitta.... 243
molybdophanes, Struthio 1
monacha, Grus 107
monachus, Aegypius.... 36, 298, 308, 316
monachus, Myiopsitta ... 147
monachus, Necrosyrtes 71
 Monal birman..... 100

Monal chinois 100
 Monal coliblanco 100
 Monal colirrojo 100
 Monal coliverde 100
 Monal de l'Himalaya . 100
 Monal Pheasant 100
 Monjita pico-de-plata 255
 Monk Parakeet 147
 Monkey-eating Eagle . 73
monogrammicus,
Kaupifalco..... 66
 Monseigneur 261
 Montane Racquet-tail 154
montani, Anthracoceros 238
montanus, Prioniturus ... 154
monticola, Zoothera 247
 Morepork..... 183
morphnoides, Hieraaetus 64
Morphnus 71, 278
moschata, Cairina.... 21
mosquera, Eriocnemis ... 214
mosquitus, Chrysolampis 209, 337
 Mottled Owl 198
 Mottled Wood-Owl ...197
 Mouette relique 115
 Mount Omei Liocichla 246
 Mountain Avocetbill..225
 Mountain Buzzard46,
 297
 Mountain Caracara.... 94
 Mountain Eagle-Owl .175
 Mountain Hawk-Eagle.... 76, 328
 Mountain Parakeet ...156
 Mountain Peacock-
 pheasant 102
 Mountain Pygmy-Owl 179
 Mountain Scops-Owl.193
 Mountain Serpent-Eagle 75
 Mountain Velvetbreast 220
 Mourning Collared-Dove 119
 Moustached Parakeet 156
mozambicus, Serinus 251
 Mrs Hume's Pheasant 103
 Muitú mamaco 95
 Mulga Parrot 156
mulsant, Acestrura...207
mulsant, Chaetocercus 207
multipunctata, Tyto . 170
multistriata,
Charmosyna 138
mupinensis, Turdus . 247
MUSCICAPIDAE .4, 244
 Muscovy Duck..... 21
 Musk Lorikeet 143
Musophaga..... 165
MUSOPHAGIDAE 3, 165
musschenbroekii,
Neopsittacus..... 148
muticus, Pavo.. 102, 290
 Mutum..... 95
 Mutum-do-nordeste... 96
 Mutum-do-sudeste 95
Mycteria..... 10, 310
mycteria, Jabiru...9, 295
Myiopsitta 147
Myrmia 224
Myrtis..... 224

N

Nacurutú..... 177
naevius, Ramphodon 230
naevosa, Stictonetta.. 26
 Naked-faced
 Spiderhunter..... 248
 Namaqua Dove 119, 320
nana, Aratinga..... 133
nana, Ichthyophaga... 65
 Nanday Conure 147
 Nanday Parakeet..... 147
Nandayus..... 147
 Nandou américain 1
 Nandou commun 1
 Nandou d'Amérique 1
 Nandou de Darwin..... 1
 Nandou gris..... 1
 Ñandú 1
 Ñandú común 1
 Ñandú cordillerano 1
 Ñandú de Darwin 1
 Ñandú petizo 1
 Nankeen Kestrel..... 81
Nannopsittaca.. 147, 333
nanum, Glaucidium . 179
nanus, Accipiter 32
nanus, Spizaetus..... 76
 Napo Sabrewing..... 206
 Napoleon Weaver.... 260
napoleonis, Polyplectron 102
 Narcondam Hornbill 236, 291
narcondami, Aceros . 236
narcondami, Rhyticeros 236, 291

Narrow-tailed Emerald	209
<i>natalis</i> , <i>Ninox</i>	185
<i>nattereri</i> , <i>Phaethornis</i> ...	
.....	227
Natuna Serpent-Eagle	74
<i>naumanni</i> , <i>Falco</i> .85,	320
Né.....	21
Neblina Metaltail	224
<i>nebulosa</i> , <i>Strix</i> .197,	334
<i>Necrosyrtes</i>	71
NECTARINIIDAE 4, 248	
Needle-billed Hermit	227
<i>neglectus</i> , <i>Falco</i>	89
Negrita bronceada	255
Negrita cana	257
Negrita frentigualda ..	257
Negrita pechiblanca ..	257
Negrita pechirroja....	256
Negrita picanza	256
<i>nenday</i> , <i>Nandayus</i> ...147	
Nene	21, 278, 291
Neophema	148, 292, 296
Neophron.....	71, 335
Neopsephotus.....	148
Neopsittacus.....	148
Neotis.....	112, 113
Nesasio.....	182
<i>nesiotis</i> , <i>Anas</i>	16
Nesocharis	256
Nestor	149
Nestor kéa	149
Nestor superbe	149
Nettapus.....	24
Nette à cou rose.....	25
neumannii, <i>Vidua</i>	267
nevermanni, <i>Lonchura</i>	
.....	256
New Britain Goshawk .34	
New Britain Hawk-Owl	
.....	184
New Britain Honey-buzzard.....	63
New Britain Masked-Owl	
.....	169
New Britain Sparrowhawk	28
New Caledonia Goshawk	
.....	31
New Caledonian Lorikeet	
.....	138
New Guinea Eagle	62
New Guinea Grey-headed Goshawk ...	33
New Guinea Harpy Eagle	
.....	62
New Guinea Hornbill	236
New Guinea Wreathed Hornbill	
.....	236
New Ireland Hawk-Owl	
.....	185
New Zealand Falcon...86	
New Zealand Kaka...149	
New Zealand Parakeet	
<i>newtoni</i> , <i>Falco</i>	85
Ngami Owlet	179
<i>ngamiense</i> , <i>Glaucidium</i>	
.....	179
Niam-niam Parrot	152
Nias Serpent-Eagle ...	74
Nicobar à camail	115
Nicobar Dove	115
Nicobar Parakeet	157
Nicobar Pigeon	115
Nicobar Scops-Owl...186	
Nicobar Serpent-Eagle ...	
.....	75
Nicobar Shikra.....	29
Nicobar Sparrowhawk....	
.....	29
<i>nicobarica</i> , <i>Caloenas</i> .115	
Nifa mexicana	233
<i>niger</i> , <i>Threnetes</i>	233
<i>nigerrimus</i> , <i>Ploceus</i> ..265	
Night Parrot	143, 298
<i>nigra</i> , <i>Astrapia</i>	269
<i>nigra</i> , <i>Ciconia</i>	
.....	8, 295, 318, 325
<i>nigra</i> , <i>Coracopsis</i>	139
<i>nigra</i> , <i>Melanoperdix</i> ..101	
<i>nigra</i> , <i>Penelopina</i>	97
<i>nigrescens</i> , <i>Rheinardia</i>	
.....	103
Nigrette à calotte grise	
.....	257
Nigrette à front jaune	
.....	257
Nigrette à ventre blanc	
.....	257
Nigrette à ventre roux	
.....	256
<i>nigriceps</i> , <i>Ardeotis</i> ...109	
<i>nigriceps</i> , <i>Choriotis</i> ..109	
<i>nigriceps</i> , <i>Ploceus</i>264	
<i>nigricollis</i> , <i>Anthracothorax</i>202	
<i>nigricollis</i> , <i>Busarellus</i> . 41	
<i>nigricollis</i> , <i>Grus</i>	
.....	107, 281, 305
<i>nigricollis</i> , <i>Ploceus</i>265	
<i>nigrigenis</i> , <i>Agapornis</i>	
.....	123, 331
<i>nigripes</i> , <i>Dacnis</i>249	
<i>nigrirostris</i> , <i>Andigena</i>	
.....	240
<i>nigrirostris</i> , <i>Phaethornis</i>	
.....	226
<i>Nigrita</i> 256, 257, 325	
<i>nigriventris</i> , <i>Eupherusa</i>	
.....	215
<i>nigrivestis</i> , <i>Eriocnemis</i>	
.....	214, 335
<i>nigrobrunnea</i> , <i>Tyto</i> ..170	
<i>nigrolineata</i> , <i>Ciccaba</i> 197	
<i>nigrolineata</i> , <i>Strix</i>197	
<i>Niltava</i> 245, 246	
<i>Ninfa coronada</i>	233
<i>Ninox</i>	
.....	183, 184, 185, 300,
.....	328, 334
<i>Nínox Australiano</i> 183	
<i>Nínox de Andamán</i> .. 183	
<i>Nínox de la Manus</i> ... 183	
<i>Nínox de las Bismarck</i> ...	
.....	185
<i>Nínox de las Solomón</i> ...	
.....	183
<i>Nínox de Nueva Bretaña</i> ..	
.....	184
<i>Nínox de Sumba</i> 184	
<i>Nínox Filipino</i> 184	
<i>Nínox halcón</i>	199
<i>Nínox ladrador</i>	183
<i>Nínox Malgache</i> 185	
<i>Nínox Maorí</i> 183	
<i>Nínox Moluqueño</i> 185	
<i>Nínox ocráceo</i> 184	
<i>Nínox Papú</i> 185	
<i>Nínox pardo</i>	184
<i>Nínox punteado</i> 184	
<i>Nínox reidor</i>	194
<i>Nínox robusto</i>	185
<i>Nínox rojizo</i>	184
<i>Ninoxe à sourcils blancs</i>	
.....	185
<i>Ninoxe aboyeuse</i> 183	
<i>Ninoxe bariolée</i> 185	
<i>Ninoxe boubouk</i>	183
<i>Ninoxe boubouk de l'île Norfolk</i> 183	
<i>Ninoxe brune</i> 185	
<i>Ninoxe d'Australie</i> ... 183	
<i>Ninoxe de Jacquinot</i> . 183	
<i>Ninoxe de l'Amirauté</i> 183	
<i>Ninoxe de Sumba</i> 184	
<i>Ninoxe des Andaman</i> ..	
.....	183
<i>Ninoxe des Moluques</i>	
.....	185
<i>Ninoxe des Philippines</i>	
.....	184
<i>Ninoxe hirsute</i>	184
<i>Ninoxe ocrée</i>	184
<i>Ninoxe odieuse</i>	184
<i>Ninoxe papoue</i>	199
<i>Ninoxe pointillée</i>	184
<i>Ninoxe puissante</i> 185	
<i>Ninoxe rieuse</i>	194
<i>Ninoxe rousse</i>	184
<i>nipalensis</i> , <i>Aceros</i> 236	
<i>nipalensis</i> , <i>Aquila</i> 38, 281	
<i>nipalensis</i> , <i>Bubo</i> 176	
<i>nipalensis</i> , <i>Pitta</i>	243
<i>nipalensis</i> , <i>Spizaetus</i> .76	
<i>nippon</i> , <i>Nipponia</i> 11, 306	
<i>Nipponia</i>	11, 306
<i>nitus</i> , <i>Accipiter</i> ..33, 331	
<i>nitens</i> , <i>Malimbus</i> 262	

nitida, *Asturina* 40
nitidula, *Hypargos* ... 256
nitidula, *Mandingoa* . 256
nitidus, *Buteo* 40
nobilis, *Ara* 141
nobilis, *Diopsittaca* .. 141
nobilis, *Oreonympha* 225
 Noble Macaw 141
noctua, *Athene*
 174, 287, 308
 Noisy Scrub-bird
 244, 283, 307
 Norfolk Boobook..... 183
 Norfolk Island Boobook
 Owl 183, 304
 Northern Bald Ibis 11
 Northern Goshawk.... 30
 Northern Harrier..... 52
 Northern Hawk Owl . 199
 Northern Helmeted
 Curassow 96
 Northern Hobby 89
 Northern Little Owl .. 174
 Northern Paradise-
 Whydah..... 267
 Northern Pied-Hornbill
 237
 Northern Pintail.....
 15, 284, 290
 Northern Pygmy-Owl 178
 Northern Rosella 152
 Northern Saw-whet Owl
 170
 Northern Shoveler
 16, 279
 Northern Waved Hornbill
 236
Northiella 149
notabilis, *Nestor*..... 149
notatus, *Chlorestes*.. 209
notatus, *Chlorostilbon*...
 209
notatus, *Elanus*..... 55
 Notodèle à front bleu
 244
novaeguineae,
 Harpyopsis..... 62
novaehollandiae,
 Accipiter..... 33
novaehollandiae, *Tyto*
 169, 170
novaeseelandiae, *Falco*..
 86
novaeseelandiae, *Ninox*
 183, 184, 300
novaezelandiae,
 Cyanoramphus 140
nuba, *Neotis*..... 113
 Nubian Bustard 113
 Nubian Vulture..... 78
nubicola, *Glaucidium* 179
nudicollis, *Procnias* .. 242
nudipes, *Otus* 191

Numenius 114, 115, 286
nuna, *Lesbia* 221
 Nyasa Lovebird..... 123
 Nyctale de Harris 171
 Nyctale de Tengmalm
 171
 Nyctale immaculée... 171
Nyctea 186
nympha, *Pitta* 243
nyroca, *Aythya* .. 20, 335
nyroca, *Nyroca* 20

O

Oasis Hummingbird.. 230
oatesi, *Pitta* 243
 Oaxaca Hummingbird
 215
 Obscure Hermit 227
 Oca del Nilo 14
occidentalis,
 Geopsittacus 143, 298
occidentalis,
 Leucopternis..... 67
occidentalis, *Pezoporus*
 143
occidentalis, *Strix* 197
occipitalis, *Aegypius* .. 78
occipitalis, *Lophætus* 67
occipitalis, *Spizaetus* .. 67
occipitalis, *Trigonoceps*
 78
ocellata, *Agriocharis* .. 98
ocellata, *Meleagris* 98
ocellata, *Rheinardia*.. 103
ocellata, *Strix*..... 197
 Ocellated Pheasant .. 103
 Ocellated Turkey 98, 307
ochracea, *Ninox*..... 184
 Ochre-bellied Boobook
 184
 Ochre-bellied Hawk-Owl
 184
 Ochre-marked Parakeet
 160
ochrocephala, *Amazona*
 127, 128, 310
Ocreatus 225
octosetaceus, *Mergus* 23
oculea, *Caloperdix* 98
odiosa, *Ninox* 184
odomae, *Metallura* ... 224
Odontophorus 101
 Oedicnème américain
 114
 Oedicnème bistrié 114
Oena..... 119, 320
oenone, *Chrysuronia* 209
oenops, *Columba*117,
 322

Ognorhynchus
 149, 323, 324
 Oie d'Egypte..... 14
 Oie néné 21
 Oie-armée de Gambie 25
 Oiseau bruyant des
 buissons..... 244
okavangoensis, *Vidua* ...
 267
 Olivaceous Thornbill 207
olivaceum, *Chalcostigma*
 207
olivaresi, *Chlorostilbon*
 209
 Olive-headed Lorikeet...
 163
 Olive-shouldered Parrot
 130
 Olive-spotted
 Hummingbird..... 221
 Olive-throated Conure...
 133
 Olive-throated Parakeet
 133
 Olivino cariblanco 256
 Omei Shan Liocichla 246
omeiensis, *Liocichla* .. 246
Ophrysia 102
 Ophrysie de l'Himalaya
 102
ophthalmica, *Cacatua* ...
 136
Opisthoprora 225
 Orange Bishop 261
 Orange Cock-of-the-rock
 242
 Orange Weaver 261, 264
 Orange-bellied Parakeet
 148
 Orange-bellied Parrot....
 148, 153, 279, 292,
 296
 Orange-billed Lorikeet...
 148
 Orange-breasted Falcon
 83, 289, 292
 Orange-breasted Fig-
 Parrot 141
 Orange-breasted Waxbill
 252
 Orange-cheeked Parrot
 150, 327
 Orange-cheeked Waxbill
 253
 Orange-chinned
 Parakeet 134
 Orange-fronted Conure
 132
 Orange-fronted Hanging-
 Parrot 145
 Orange-fronted Parakeet
 ... 132, 140, 308, 325

Orange-throated
 Sunangel 217
 Orange-winged Amazon
 125
 Orange-winged Parrot...
 125
oratrix, *Amazona*.....
 127, 281, 318, 323
orbygnesius,
 Bolborhynchus 134
orcesi, *Pyrrhura* 161
oreas, *Picathartes*.....
 247, 276
 Orejavioleta café 211
 Orejivioleta marrón.. 211
Oreonympha..... 225
 Oréophase cornu 96
Oreophasis.96, 287, 288
oreophilus, *Buteo* 46
Oreopsittacus 149
Oreotrochilus.... 225, 303
 Oricou 78
 Oriental Bay-Owl..... 167
 Oriental Hobby..... 88
 Oriental Honey-buzzard
 73
 Oriental Pied-Hornbill237
 Oriental Scops-Owl.. 192
 Oriental Stork 8, 286
 Oriental White Stork ..
 8, 282
 Oriental White-backed
 Vulture.....58, 335
 Oriental White-eye
 248, 328
orientalis, *Aquila* 38
orientalis, *Arborophila* 98
orientalis, *Vidua*267, 268
orina, *Coeligena* 210
orix, *Euplectes* 261
ornata, *Heliactin*..... 216
 Ornate Hawk-Eagle.... 76
 Ornate Lorikeet..... 164
 Ornate Lory 164
 Ornate Umbrellabird 241
ornatus, *Cephalopterus*
 241
ornatus, *Lophornis*... 223
ornatus, *Spizaetus*.... 76
ornatus, *Trichoglossus*
 164
Oraetus..... 72
 Ortalide chacamel..... 96
 Ortalide commune 96
 Ortalide du Mexique... 96
Ortalis 96
Orthopsisittaca..... 149
Orthorhyncus..... 225
Ortygospiza 257
oryzivora, *Lonchura* . 258
oryzivora, *Padda* 258
 Osprey..... 27, 283

Ostrich 1,
 283, 298, 310, 312,
 330, 334, 335
ostrinus, *Pyrenestes*.258
OTIDIDAE 3, 109
Otis 113, 277, 280,
 282, 286, 294, 301,
 304, 309, 312, 320,
 321, 333, 335
Otus 182, 186, 187, 188,
 189, 190, 191, 192,
 193, 275, 277, 286,
 306, 311, 317, 331
otus, *Asio*.....171, 173
 Ouette d'Égypte..... 14
oustaleti, *Anas* 18
 Outarde à miroir blanc
 110
 Outarde à tête noire.109
 Outarde à ventre noir....
 111
 Outarde arabe109
 Outarde australienne 109
 Outarde barbecue113
 Outarde canepetière.113
 Outarde d'Australie ..109
 Outarde de Burchell .112
 Outarde de Denham.112
 Outarde de Hartlaub.111
 Outarde de Heuglin ..113
 Outarde de l'Inde.....109
 Outarde de Ludwig...113
 Outarde de Nubie.....113
 Outarde de Rüppell ..111
 Outarde de Savile112
 Outarde de Vigors....112
 Outarde d'Oustalet...110
 Outarde du Bengale .110
 Outarde du Sénégal .112
 Outarde houbara109,
 336
 Outarde houppette...112
 Outarde korhaan110
 Outarde kori109
 Outarde naine ..111, 112
 Outarde naine de l'Inde
 111
 Outarde noire.....110
 Outarde nubienne113
 Outarde passarage...111
 Outarde plombée110
 Outarde somalienne .111
 Ovambo Sparrowhawk...
 33
ovampensis, *Accipiter* 33
 Ovampo Sparrowhawk...
 33
 Owl Parrot162
Oxypogon.....226
Oxyura..... 24, 331

P

Pachyphantes 263
pachyrhyncha,
 Rhynchositta
 162, 295, 296
 Pacific Baza 41
 Pacific Black Hawk.... 48
 Pacific Marsh-Harrier.. 52
 Pacific Parrotlet..... 142
 Pacific Pygmy-Owl ... 180
Padda..... 257, 258
 Padda de Java 258
 Padda de Timor..... 257
 Painted Conure 161
 Painted Parakeet 161
 Painted Stork..... 10
 Painted Tiger-Parrot. 156
 Pájaro de los matorrales
 244
 Pájaro paraguas
 bigotudo..... 241
 Pájaro-paraguas
 amazónico 241
 Pájaro-paraguas
 longuipendulo 241
 Pájaros paraguas 241
 Palau Owl..... 191
 Palawan Hornbill 238
 Palawan Peacock-
 pheasant..... 102
 Palawan Racket-tailed
 Parrot 153
 Palawan Scops-Owl . 188
 Pale Chanting-Goshawk
 68
 Pale Harrier 53
 Pale-bellied Hermit .. 226
 Pale-billed Sicklebill . 270
 Pale-fronted Negrofinch
 257
 Pale-headed Rosella 151
 Pale-tailed Barbthroat...
 233
 Palette à couronne bleue
 153
 Palette à manteau d'or
 154
 Palette de Buru 154
 Palette de Cassin..... 154
 Palette de Mindanao 154
 Palette de Palawan .. 154
 Palette des Sulu 154
 Palette momot 154
 Palette verte..... 154
 Pale-winged Indigobird
 268
 Pallid Harrier53, 320,
 337
 Pallid Scops-Owl 187
pallidigaster, *Anthreptes*
 248

<i>pallidigaster</i> , <i>Hedydipna</i>	248	Panterpe	226, 308
Palm Cockatoo	154	<i>panychlora</i> , <i>Nannopsittaca</i>	147
Palm Dove.....	120, 336	Paon spicifère.....	102
Palm Lorikeet.....	138	Paon vert.....	102
<i>palmarum</i> , <i>Charmosyna</i>	138	<i>papa</i> , <i>Sarcoramphus</i>	26, 277
<i>palmarum</i> , <i>Glaucidium</i>	179	Papagayo alirrojo.....	130
Palmiste africain.....	57	Papagayo australiano	124
Palm-nut Vulture	57	Papagayo de cara roja	125
Paloma afep	117	Papagayo de Gulielm ..	152
Paloma apuñalada ...	118	Papagayo de Timor ..	130
Paloma apuñalada de Luzón.....	118	Papagayo enmascarado	155
Paloma apuñalada de Mindanao	118	Papagayo escarlata ..	155
Paloma Bravía.....	116	Papagayo granate	155
Paloma calva	115	Papagayo Moluqueño ..	124
Paloma crestada azul ..	118	Papagayo papú.....	124
Paloma crestada de Scheepmaker	118	Papagayo robusto	153
Paloma crestada victoria	118	Papagayo senegalés ..	153
Paloma de Guinea ...	116	Papamoscas	245, 247
Paloma de Mauricio..	117	Papamoscas de Rueck ...	245
Paloma de Mindoro ..	118	Papamoscas piquilargo	245
Paloma de Nicobar...	115	Papamoscas rosa occidental	245
Paloma de Timor	122	<i>Papasula</i>	4
Paloma del Congo....	117	Papegeai maillé	141
Paloma Doméstica ...	116	<i>papou</i> , <i>Charmosyna</i> ..	138
Paloma Jamaicana ...	116	Papuan Boobook	199
Paloma manumea....	117	Papuan Goshawk	32
Paloma montaraz de Granada	118	Papuan Hanging-Parrot	145
Paloma nuquibronceada	116	Papuan Harrier	55
Paloma Peruana	117	Papuan Hawk-Owl....	199
Palomita aliazul.....	122	Papuan Honey-buzzard	63
Palomita cabeciazul .	122	Papuan Hornbill	236
Palomita especulada abisinica.....	122	Papuan King-Parrot ..	124
Palomita especulada africana.....	122	Papuan Lorikeet.....	138
Palomita especulada capense	119	Papuan Scops-Owl ...	190
Palomita especulada cobriza.....	122	<i>Parabuteo</i>	72
Palomita Saheliana ..	122	<i>Paradigalla</i>	272, 325
Palomita tamborilera	122	Paradigalle à queue courte	272
<i>palpebrosus</i> , <i>Zosterops</i>	248	Paradigalle caronculée	272
<i>palustris</i> , <i>Sporophila</i> 250		<i>Paradisaea</i>	272, 273
<i>pamela</i> , <i>Aglaeactis</i> ..	200	<i>paradisaea</i> , <i>Vidua</i>	267
Pampas Meadowlark	250	PARADISAEIDAE4 , 269	
Panay Tarctic Hornbill	239	Paradise Parrot.....	156
Panay Wrinkled Hornbill	237	Paradise Riflebird	274
<i>Pandion</i>	27	<i>paradisea</i> , <i>Anthropoides</i>	108
PANDIONIDAE ... 3, 27		<i>paradisea</i> , <i>Grus</i>	108
<i>panini</i> , <i>Penelopides</i>	238, 239	Paradise-Crow	271
		<i>paradiseus</i> , <i>Ptiloris</i> ...	274
		Paradisier à bec blanc....	270
		Paradisier à gorge noire	269
		Paradisier à queue courte	272
		Paradisier à rubans..	269
		Paradisier bleu	273
		Paradisier caronculé.	272
		Paradisier corvin	271
		Paradisier d'Albert	273
		Paradisier d'Albertis .	270
		Paradisier de Carola.	273
		Paradisier de Goldie.	272
		Paradisier de Guillaume	272
		Paradisier de Jobi	271
		Paradisier de Keraudren	271
		Paradisier de la princesse Stéphanie	269
		Paradisier de Lawes .	273
		Paradisier de l'empereur Guillaume.....	272
		Paradisier de Loria...	270
		Paradisier de Macgregor	271
		Paradisier de Meyer .	270
		Paradisier de Raggi..	272
		Paradisier de Rodolphe	273
		Paradisier de Rothschild	269
		Paradisier de Stéphanie	269
		Paradisier de Victoria	274
		Paradisier de Wahnes....	273
		Paradisier de Wallace....	274
		Paradisier d'Entrecasteaux...	271
		Paradisier d'Helena..	273
		Paradisier du comte Raggi.....	272
		Paradisier du prince Albert	273
		Paradisier fastueux..	270
		Paradisier festonné..	274
		Paradisier gorge-d'acier	273
		Paradisier grand- émeraude.....	272
		Paradisier huppé	270
		Paradisier loria.....	270
		Paradisier magnifique	269
		Paradisier multifil	274
		Paradisier noir	271
		Paradisier petit- émeraude.....	272

Paradisier républicain	15
..... 270	
Paradisier rouge	18, 21
Paradisier royal	18
Paradisier sifilet	18
Paradisier soyeux	18
Paradisier splendide.	269
Paradisier superbe....	22
Paradisier vert	22
<i>Paradoxornis</i>	22
Paradoxornis du Yangtsé	22
..... 246	
Parasitic Weaver	260
Pariah Kite	69
Parihuana.....	13
Parina chica	13
Parina grande	12
Pariona	13
<i>parkeri, Glaucidium</i> .	180
<i>Parmoptila</i>	258
Parmoptile à front rouge	258
Paroare à bec jaune.	249
Paroare cardinal à bec jaune	249
Paroare huppé	249
<i>Paroaria</i>	249
<i>Parotia</i>	273
<i>Passer</i>	263
PASSERIFORMES3,	
241	
<i>passerinum, Glaucidium</i>	180
<i>passerinus, Forpus</i> ..	143
<i>pastinator, Cacatua</i> ..	136
<i>Patagona</i>	226, 319
Patagonian Conure ..	139
<i>patagonus, Cyanoliseus</i>	139
Patito Africano	24
Pato aliblanco	21
Pato almizclero aliblanco	21
Pato cabecirrosa.....	25
Pato chucara.....	16
Pato crestado.....	25
Pato crestón	25
Pato crestudo	25
Pato criollo	21
Pato cuchara.....	16
Pato cucharón norteño	16
Pato de Bernier	16
Pato de cabeza rosa... <td>25</td>	25
Pato de Hartlaub	25
Pato de jungla.....	21
Pato de Laysan	18
Pato de moco.....	25
Pato de monte	25
Pato de Oustalet.....	18
Pato golondrino norteño	15
Pato pecoso	26
Pato rabudo	15
Pato real.....	18, 21
Pato real de Laysan...	18
Pato real marismeno .	18
Pato silbón.....	18, 22, 23
Pato silbón cariblanco	23
Pato silbón común....	22
Pato silbón de Cuba ..	22
Pato silbón ventrinegro..	22
<i>Paují copete de Piedra</i> ..	
..... 96	
Paují cornudo	96
Paují de Alagoas	96
Paují de Copete	95
Paují de pico azul.....	95
Paují de yelmo	96
Paují menor	96
Paují piquirrojo.....	95
Paují unicornio	96
<i>pauliani, Otus</i>	191
<i>Pauxi</i>	96, 323
Pauxi pierre	96
<i>pauxi, Crax</i>	96
<i>pauxi, Pauxi</i>	96
Pava aliblanca ...	97, 301
Pava cojolita	97
Pava crestiblanca	97
Pava culirroja	97
Pava de Trinidad	97
Pava pajuil.....	96, 97
Pava rajadora.....	97
Pava yacutinga	97
Pavita andina	179
Pavita ferruginea	178
<i>Pavo</i>	98, 102, 290
Pavo mudo	102
Pavo ocelado.....	98
<i>Pavón</i>	95, 96, 288
Pavón carunculado....	95
Pavón cornudo	96
Pavón grande	96
Pavón Guayanés	95
Pavón norteño	96
Pavón piquiazul	95
Pavón piquirrojo	95
Pavón poría.....	95
Pavón porú	95
<i>pavonina, Balearica</i> ..	105
<i>pavoninus, Lophornis</i>	
..... 223	
Pavo-real cuelliverde	
..... 102	
Pavo-real verde	102
Peach-faced Lovebird	
..... 123	
Peach-fronted Conure....	
..... 131	
Peach-fronted Parakeet	
..... 131	
Peacock Coquette	223
Pearl Kite.....	57
Pearl-spotted Owlet..	180
Pearly Conure	160
Pearly Parakeet.....	160
<i>pectardens, Erythacus</i> ..	
..... 246	
<i>pectardens, Luscinia</i> 246	
<i>pectoralis, Circaetus</i> ..	51
<i>pelagicus, Haliaeetus</i> ..	
..... 60, 296	
PELECANIDAE	3
PELECANIFORMES	3
<i>Pelecanus</i> 3, 283, 305,	
318	
<i>pelegrinoides, Falco</i> ... 86	
<i>peli, Scopelia</i> 195, 279	
Pélican à bec tacheté ...	3
Pélican dalmate	3
Pélican frisé.....	3
Pélican gris.....	3
Pelícano Ceñudo.....	3
Pelícano oriental.....	3
Pelícano rizado.....	3
<i>pella, Topaza</i>	234
<i>pelzelnii, Ploceus</i>	265
Pemba Scops-Owl ...	192
<i>penduliger,</i>	
<i>Cephalopterus</i> 241,	
322	
<i>Penelope</i> 97, 285, 300,	
301	
Pénélope à ailes	
blanches	97
Pénélope à Crete	97
Pénélope à front noir .	97
Pénélope à plastron ...	97
Pénélope à poitrine	
rousse	97
Pénélope à ventre blanc	
..... 97	
Pénélope cornue	96
Pénélope de Derby	96
Pénélope huppée.....	97
Pénélope noire	97
Pénélope pajuil	97
Pénélope panachée....	97
Pénélope siffleuse.....	97
Pénélope siffleuse a	
gorge bleue	97
<i>penelope, Anas</i>	
..... 18, 294, 336	
<i>Penelopides</i>	238, 239
<i>Penelopina</i>	97
<i>pennata, Pterocnemia</i> ..	1
<i>pennata, Rhea</i>	1
<i>pennatus, Hieraaetus</i> . 64	
Percnoptère brun	71
Percnoptère d'Égypte.	71
<i>pernix, Neophron</i>	
..... 71, 335	
Perdicilla herrumbrosa ..	
..... 98	
Perdicilla Himalaya ..	102
Perdigallo caspio	104
Perdigallo del Caspio	104

Perdigallo Tibetano ..	104
Perdiz de bosque	
crestada	103
Perdiz de bosque de	
Charlton	98
Perdiz de bosque de pico	
largo.....	103
Perdiz de bosque	
ferruginosa	98
Perdiz de bosque negra	
.....	101
Perdiz negra	101
Perdiz piquilarga	103
Perdiz real del Caspio....	
.....	104
Perdiz real del Tibet.	104
Perdiz rulrul.....	103
Perdrix à long bec ...	103
Perdrix des neiges de la	
Caspienne	104
Perdrix des neiges du	
Tibet.....	104
Perdrix noire.....	101
Peregrine ...	86, 285, 319
Peregrine Falcon	
.....	86, 285, 319
peregrinus, Falco.....	
.....	86, 285, 322
Perfect Lorikeet.....	163
Perico	
124, 132, 133, 134,	
135, 140, 142, 143,	
144, 149, 150, 151,	
152, 153, 155, 156,	
159, 160, 161, 163	
Perico aligualdo.....	155
Perico barreteado	134
Perico cabecidorado .	150
Perico cabecinegro...	150
Perico cabecioscuro .	133
Perico cabecirrojo	161
Perico cabecirrosado	161
Perico cachete amarillo	
.....	150
Perico cachetigris ..	135
Perico calzoncito	150
Perico capelo	159
Perico capiotado.....	155
Perico cara sucia	133
Perico caretirrojo.....	132
Perico cariazul	149
Perico carigualdo	152
Perico cola negra.....	161
Perico cola roja	160
Perico colimorado	160
Perico cornudo	142
Perico de Adelaida ..	151
Perico de Barnard....	133
Perico de El Oro	161
Perico de las Antípodas	
.....	140
Perico de las Chatham	
.....	140
Perico de Port Lincoln	
.....	134
Perico de Tasmania	151
Perico del Paraíso	156
Perico dorado	133
Perico dorsirrojo	155
Perico elegante.....	151
Perico frentinaranja..	132
Perico gracioso	152
Perico grande	160
Perico gualda	152
Perico macareño	135
Perico manglero.....	124
Perico maori	
cabecigualdo	140
Perico maori cabecirrojo	
.....	140
Perico maori montano ...	
.....	140
Perico multicolor	144,
151	
Perico nocturno	143
Perico ojo blanco	132
Perico pálido	151
Perico pechiblanco ...	160
Perico pechisucio	133
Perico pico rojo.....	151
Perico pintado	161
Perico princesa	153
Perico regente	153
Perico siete colores ..	163
Perico soberbio	153
Perico terrestre.....	149
Perico tui	135
Perico variado	156
Perico verde.....	132
Perijá Metaltail	224
Periquito	
134, 140, 142, 143,	
144, 148, 149, 155,	
158, 162, 163, 333	
Periquito ala dorada ..	134
Periquito aliazul	142
Periquito alipunteado	163
Periquito azul ...	134, 163
Periquito azul alirrojo	163
Periquito barbinaranja ...	
.....	134
Periquito barrado.....	134
Periquito cabecirrojo	140
Periquito crisóstomo.	148
Periquito de collar	
africano	158
Periquito de espalda	
dorada.....	155
Periquito de pico grueso	
.....	162
Periquito de tierra ...	149
Periquito del Pacífico	142
Periquito elegante....	148
Periquito encapuchado	
.....	155
Periquito espléndido .	148
Periquito frentiamarillo	
de Forbes	140
Periquito frentiazul	163
Periquito mexicano ..	142
Periquito migrador...	144
Periquito obscuro	143
Periquito ojiazul	142
Periquito orejiamarillo...	
.....	149
Periquito rabadilla	
púrpura.....	163
Periquito roquero	148
Periquito rosado	148
Periquito turquesa ...	148
Periquito ventrinaranja	
.....	148
perlata, <i>Pyrrhura</i>	
.....	161, 276
perlatum, <i>Glaucidium</i>	
.....	180
Pernis	72, 73, 320, 325,
334	
Perroquet à calotte	
rouge.....	152
Perroquet à couronne	
.....	162
Perroquet à face jaune	
.....	152
Perroquet à oreilles .	150
Perroquet à tête brune	
.....	152
Perroquet à tête grise	
.....	153
Perroquet à ventre rouge	
.....	153
Perroquet de Meyer .	152
Perroquet de Rüppell	
.....	153
Perroquet des niam-	
niam.....	152
Perroquet du Cap	153
Perroquet gris.....	159
Perroquet jaco	159
Perroquet masqué	
.....	140, 141
Perroquet masqué de	
Coxen	141
Perroquet nocturne..	162
Perroquet noir	139
Perroquet petit vasa	139
Perroquet robuste ...	153
Perroquet vaza	139
Perroquet vert à calotte	
rouge.....	152
Perroquet vert du Congo	
.....	152
Perroquet youyou....	153
Perroquet-hibou	162
Perruche à ailes d'or	155
Perruche à ailes vertes	
.....	124
Perruche à bandeau	
rouge.....	140

Perruche à bec de sang	162
Perruche à bec gracieux	141
Perruche à bonnet bleu	149
Perruche à bouche d'or	148
Perruche à calotte bleue	153, 162
Perruche à capuchon	155
Perruche à capuchon noir	155
Perruche à col bleu ..	143
Perruche à collier	134, 157, 158
Perruche à collier de Maurice	157
Perruche à collier jaune	134
Perruche à croupion bleu	159
Perruche à croupion rouge	155, 156
Perruche à dos rouge	155
Perruche à épaules dorées	155
Perruche à face rose ..	123
Perruche à front doré	131
Perruche à front jaune	140
Perruche à front jaune de Forbes	140
Perruche à gros bec ..	162
Perruche à joue noire	123
Perruche à longs brins	158
Perruche à lunettes vertes	148
Perruche à moustaches	156
Perruche à oreilles jaunes	152
Perruche à poitrine écarlate	148
Perruche à tête ardoisée	157
Perruche à tête d'or ..	140
Perruche à tête d'or de Forbes	140
Perruche à tête pâle ..	151
Perruche à tête pourpre	159
Perruche à tête prune	157
Perruche à tête rose ..	158
Perruche à tête rouge	123
Perruche à ventre bleu	164
Perruche à ventre jaune	151
Perruche à ventre orange	148
Perruche alexandre ..	157
Perruche ara	162
Perruche aux ailes bleues	143
Perruche aux ailes d'or	155
Perruche aux oreilles jaunes	149
Perruche calédonienne	151
Perruche cornue ..	142
Perruche d'Adélaïde ..	151
Perruche d'Alexandra ..	153
Perruche d'Aymara ..	156
Perruche de Barnard ..	133
Perruche de Barraband	153
Perruche de Bourke ..	148
Perruche de Branicki ..	144
Perruche de Brehm ..	156
Perruche de Buru ..	162
Perruche de Derby ..	157
Perruche de Finsch ..	157
Perruche de Fischer ..	123
Perruche de Geoffroy ..	143
Perruche de Jenday ..	132
Perruche de Latham ..	144
Perruche de Layard ..	157
Perruche de l'Himalaya	157
Perruche de l'île Maurice	157
Perruche de Lilian ..	123
Perruche de Luçon ..	162
Perruche de Madarasz	156
Perruche de Malabar ..	157
Perruche de Malherbe	140
Perruche de Maurice ..	157
Perruche de Müller ..	162
Perruche de Nouvelle-Zélande	140
Perruche de paradis ..	156
Perruche de Pennant ..	151
Perruche de Sparrman	140
Perruche de Stanley ..	152
Perruche de Swindern	124
Perruche de terre ..	149
Perruche des Antipodes	140
Perruche des écueils ..	148
Perruche des îles Chatham	140
Perruche des Nicobar	157
Perruche des rochers	148
Perruche dorée ..	144
Perruche du soleil ..	133
Perruche écarlate ..	155
Perruche élégante ..	148
Perruche émeraude ..	141
Perruche érythroptère	130
Perruche flavéole ..	152
Perruche gracieuse ..	152
Perruche hétéroclite ..	143
Perruche huppée ..	142
Perruche intermédiaire	158
Perruche jonquille ..	130
Perruche lunulée ..	134
Perruche magnifique ..	156
Perruche masqué	123, 155
Perruche masquée ..	155
Perruche mélanure ..	153
Perruche modeste ..	156
Perruche multicolore ..	156
Perruche Nanday ..	147
Perruche nocturne ..	143
Perruche omnicolore ..	151
Perruche orangé ..	135
Perruche palliceps ..	151
Perruche peinte ..	156
Perruche pompadour ..	155
Perruche princesse ..	153
Perruche pygmée de Brujin	146
Perruche pygmée de Meek	147
Perruche pygmée de Salvadori	147
Perruche pygmée de Schlegel	147
Perruche pygmée de Sclater	147
Perruche royale ..	124
Perruche splendide ..	148
Perruche terrestre ..	149
Perruche tiriba ..	160
Perruche tovi ..	134
Perruche tricolore ..	124
Perruche turquoise ..	148
Perruche unicolore ..	140
Perruche-souris ..	147
<i>persa, Tauraco.</i> ..	166, 167
<i>personata, Prosopeia</i> ..	155
<i>personatus, Agapornis perspicillata, Pulsatrix</i> ..	123
<i>pertinax, Aratinga</i> ..	133
<i>peruanum, Glaucidium</i> ..	180
Peruvian Cock-of-the-Rock ..	242

Peruvian Penguin	2
Peruvian Piedtail	228
Peruvian Pigeon	117, 322
Peruvian Pygmy-Owl	180
Peruvian Screech-Owl ...	
.....	191
Peruvian Sheartail	233
<i>peruviana</i> , <i>Rupicola</i> .	242
<i>peruviana</i> , <i>Vini</i>	164
<i>perversa</i> , <i>Ninox</i>	184
<i>petersoni</i> , <i>Otus</i> 190, 286	
Petit cacatoès à huppe jaune	136
Petit faucon	84
Petit flamant.....	13
Petit lori musc.....	143
Petit Moineau.....	263
Petit moineau soucie	
.....	263
Petit moineau soulie	263
Petit paradisier.....	272
Petit perruche-ara ..	141
Petit serpentaire.....	73
Petit-duc à aigrettes longues	192
Petit-duc à bec jaune	
.....	188
Petit-duc à collier	187
Petit-duc à face blanche	189
Petit-duc à front blanc	192
Petit-duc à gorge blanche	186
Petit-duc à mèches noires	186
Petit-duc à moustaches	193
Petit-duc africain	192
Petit-duc bridé	187
Petit-duc choliba	187
Petit-duc de Bruce	187
Petit-duc de Clark....	188
Petit-duc de Cuba....	189
Petit-duc de Gurney .	182
Petit-duc de Horsfield....	
.....	187
Petit-duc de Java.....	186
Petit-duc de Koepcke	189
Petit-duc de Luçon... ..	190
Petit-duc de Manado	190
Petit-duc de Mantanani	190
Petit-duc de Marshall	190
Petit-duc de Mindanao	191
Petit-duc de Mindoro	190
Petit-duc de Mohéli..	191
Petit-duc de Nicobar	186
Petit-duc de Palawan	188
Petit-duc de Porto Rico	191
Petit-duc de Salvin ..	188
Petit-duc de Sangihe	188
Petit-duc de Sao Tomé	188
Petit-duc de Simalur.	193
Petit-duc de Wallace.	193
Petit-duc de Watson .	193
Petit-duc des Andaman	187
Petit-duc des Mentawai	190
Petit-duc des montagnes	189
Petit-duc des Palau ..	191
Petit-duc d'Irène.....	189
Petit-duc du Karthala	191
Petit-duc du Pérou ...	191
Petit-duc élégant	188
Petit-duc géant.....	182
Petit-duc indien	187
Petit-duc longicorne .	190
Petit-duc maculé.....	186
Petit-duc malgache ..	192
Petit-duc mystérieux	190
Petit-duc nain.....	188
Petit-duc radjah.....	187
Petit-duc roussâtre... ..	191
Petit-duc scops.....	192
Petit-duc tacheté	193
Petit-duc vermiculé ..	193
Petite buse	46
Petite mélampitte ..	272
Petite nyctale	170
<i>Petronia</i>	263
<i>petrophila</i> , <i>Neophema</i>	148
<i>Pezoporus</i>	143, 149
<i>pfrimeri</i> , <i>Pyrrhura</i>	
.....	161, 323
<i>Phaethornis</i>	
.....	202, 226, 227, 228,
	298, 311, 323
<i>phainopeplus</i> ,	
	<i>Campylopterus</i>206
<i>Phalcoboenus</i>	93, 94
<i>phalerata</i> , <i>Coeligena</i>	210
<i>Pharaoh</i> Eagle-Owl...	175
<i>Pharomachrus</i>	235
<i>Phasianelle</i> modeste.	122
PHASIANIDAE	3, 98
<i>Phigys</i>	149
<i>philippensis</i> , <i>Bubo</i>	176
<i>philippensis</i> , <i>Loriculus</i>	
.....	145
<i>philippensis</i> , <i>Ninox</i> ...	184
<i>philippensis</i> , <i>Pelecanus</i> 3	
<i>philippensis</i> ,	
	<i>Pseudoptynx</i>176
<i>philippensis</i> , <i>Spizaetus</i> ..	
.....	76
<i>philippii</i> , <i>Phaethornis</i>	
.....	227
Philippine Boobook...	184
Philippine Cockatoo ..	136
Philippine Eagle.....	
.....	73, 176, 294, 311,
	336
Philippine Eagle-Owl	176
Philippine Falconet.....	92
Philippine Hanging-	
Parrot	145, 301
Philippine Hawk-Eagle	76
Philippine Hawk-Owl	184
Philippine Scops-Owl	190
Philippine Serpent-Eagle	
.....	75
<i>Phlogophilus</i>	228, 229
<i>Phodile calong</i>	167
Phodile de Prigogine	167
<i>Phodilus</i> ... 167, 328, 334	
<i>phoebe</i> , <i>Metallura</i> ...	224
<i>phoenicoptera</i> , <i>Pytilia</i>	259
PHOENICOPTERIDAE	
.....	3, 12
<i>Phoenicopterus</i>	
.....	12, 13, 293, 295,
	310, 320
<i>Pholdornis</i>	258
Piapoco pico rojo.....	241
Piapoco pico verde ..	240
Pic à ventre blanc de Corée	241
Pic de Tristram	241
Pic impérial	241
Picaflor abanico verde...	222
Picaflor amatista	204
Picaflor bronceado...	219
Picaflor cabeciazul ...	219
Picaflor cabeza granate	
.....	232
Picaflor coliverde	229
Picaflor coludo rojo..	230
Picaflor común	208
Picaflor copetón	232
Picaflor corona azul .	233
Picaflor cuelliblanco .	222
Picaflor de Barbijo ...	218
Picaflor dorado.....	219
Picaflor enano	224
Picaflor escamado ...	219
Picaflor frentivioleta.	213
Picaflor gargantiazul	199
Picaflor gargantiverde...	
.....	233
Picaflor gigante	226
Picaflor negro	215
Picaflor orejiazul	211
Picaflor pechiazel	219
Picaflor pequeño verde	
.....	201
Picaflor serrano	
ventricanela.....	225
Picaflor serrano	
ventrinegro.....	225
Picaflor ventriazul....	211

Picaflor ventriblanco	221
Picaflor ventrinegro	. 202
Picaflor ventriverde..	211
Picartes cuelliblanco...	
.....	247
Picartes cuelligris..	247
Picatharte à cou blanc...	
.....	247
Picatharte à cou gris	247
Picatharte à tête rouge	
.....	247
Picatharte chauve....	247
Picatharte de Guinée	247
Picatharte du Cameroun	
.....	247
<i>Picathartes</i>	247, 276, 281
Picathartes Picathartes	
.....	281
PICIDAE	3, 241
PICIFORMES	3, 239
<i>pickeringii</i> , <i>Ducula</i>	118
Pico de Coral 253
Pico espina bronceado...	
.....	207
Pico lanza frentiazul.	212
Pico lanza frentiverde....	
.....	213
Pico-de-Hoz colihabano	
.....	215
Pico-de-Hoz puntiblanco	
.....	215
Picoespina arcoiris	207
Picoespina dorsiazul.	208
Picoespina dorsipurpura	
.....	230
Picoespina gorrirrufa.....	
.....	208
Picohoz colicanela....	215
Picohoz coliverde....	215
Picolargo coroniazul.	218
Picolargo coronioscuro	
.....	218
Picozapato.....	8
<i>picta</i> , <i>Psittacella</i>	156
<i>picta</i> , <i>Pyrrhura</i>	161
<i>pictus</i> , <i>Chrysolophus</i>	99
Pied Falconet 93
Pied Goshawk 28
Pied Harrier 54
Pied Hornbill 237, 238
Pied Mannikin 256
Pied Sparrowhawk 28
Pied-billed Azurecrown	
.....	200
Pigargo 59, 60, 61
Pigargo americano 60
Pigargo cabeciblanco..	60
Pigargo cabeciblanco	
meridional 60
Pigargo coliblanco.....	59
Pigargo coliblanco de	
Groenlandia 59
Pigargo común 59
Pigargo de las Salomón	
.....	61
Pigargo de Madagascar..	
.....	61
Pigargo de Pallas 60
Pigargo de Sanford	... 61
Pigargo de Steller 60
Pigargo de vientre	
blanco 60
Pigargo Europeo 59
Pigargo gigante 60
Pigargo malgache 61
Pigargo oriental 60
Pigargo vocinglero 61
Pigarguillo común 65
Pigarguillo menor.....	65
Pigeon à camail 115
Pigeon à colerette	... 115
Pigeon à nuque bronzée	
.....	116
Pigeon biset 116
Pigeon de Guinée....	116
Pigeon de la Jamaïque	
.....	116
Pigeon de Mindoro	...118
Pigeon de Nicobar115
Pigeon domestique	...116
Pigeon du Pérou117
Pigeon gris.....	117
Pigeon gris écailleux	.117
Pigeon Hawk 82
Pigeon rose.....	117
Pigeon roussard.....	116
Pigeon vert à épaulettes	
violettes121
Pigeon vert à front nu....	
.....	121
Pigeons à épaulettes	
violettes121
Pijiji aliblanco 22
Pijiji canelo 22
<i>pileata</i> , <i>Penelope</i> 97
<i>pileata</i> , <i>Pionopsitta</i>	..150
Pileated Parakeet159
Pileated Parrot150
Pilet.....	15
Pinguino de Humboldt	. 2
Pinguino del Cabo 2
Pink Cockatoo136
Pink Pigeon117
Pink-cheeked Parakeet	
.....	158
Pink-cheeked Waxbill	
.....	253
Pink-headed Dove119
Pink-headed Duck 25
Pink-throated Brilliant....	
.....	218
Pintada de pechuga	
blanca 98
Pintada pechiblanca ..	98
Pintade à poitrine	
blanche 98
Pintado de pecho blanco	
.....	98
Pintail 15
Pin-tailed Whydah	... 267
Pione à bec rouge....	151
Pione à couronne	
blanche 151
Pione à tête bleue ...	151
Pione de Maximilien.	151
Pione noire.....	150
Pione pailletée ..	151
Pione violette.....	150
<i>Pionites</i> 149, 150
<i>Pionopsitta</i> 150
<i>Pionus</i> 150, 151, 318
<i>Pipile</i>	97
<i>pipile</i> , <i>Aburria</i>	97
<i>pipile</i> , <i>Pipile</i>	97
Piquero de Abbott.....	4
Pirenestes ventrinegro	
.....	258
Pirolle à queue courte ...	
.....	274
<i>piscator</i> , <i>Crinifer</i> 165
Pita coliazul 242
Pita de Gurney 243
Pita de Koch 243
Pita nymph 243
Pita rayada.....	242
<i>Pithecophaga</i>	73, 294, 336
Pithéophagie des	
Philippines 73
Pitilia alirroja 259
Pito de vientre blanco de	
Corea 241
Pito imperial 241
Pito ventriblanco de	
Corea 241
Pitorreal ocotero 241
<i>Pitta</i>	242, 243, 282, 288, 304
Pitta Pitta	..282, 288, 304
PITTIIDAE3, 242
<i>placentis</i> , <i>Charmosyna</i>	
.....	138
<i>plagiata</i> , <i>Asturina</i> 40
Plain Chachalaca 96
Plain Parakeet.....	135
Plain-backed Sunbird	
.....	248
Plain-bellied Emerald	
.....	200
Plain-breasted Hawk..	35
Plain-capped Starthroat	
.....	218
Plain-pouched Hornbill	
.....	236, 320
Plain-pouched Wreathed	
Hornbill 236
Planalto Hermit.....	227

plancus, Caracara..... 94
plancus, *Polyborus*..... 94
Platalea..... 11, 292, 297
plateneae, *Prioniturus* 154
platurus, *Prioniturus* 154
Platycercus.....
.... 133, 134, 151, 152
platycercus, *Selasphorus*
..... 232
platypterus, *Buteo*..... 46
platyrhynchos, *Anas* .. 18
platyrhynchos, *Anas* .. 18
Platysmurus 274
Plectropterus 25
Plicated Hornbill 236
plicatus, *Aceros*..... 236
plicatus, *Rhyticeros* . 236
PLOCEIDAE..... 4, 259
Plocepasser 263
*Ploceus*263, 264, 265,
266
Plovercrest 232
plumbea, *Ictinia* 66
plumbea, *Leucopternis* ..
..... 67
Plumbeous Forest-falcon
..... 92
Plumbeous Hawk..... 67
Plumbeous Kite 66
plumbeus, *Micrastur* ..92
Plum-crowned Parrot
..... 151
Plum-faced Lorikeet. 149
Plum-headed Parakeet
..... 157
Poc de Atitlán 2
podargina, *Pyrroglaux*...
..... 191
podarginus, *Otus*..... 191
PODICIPEDIDAE... 3, 2
PODICIPEDIFORMES3,
2
Podilymbus..... 2
poecilochrous, *Buteo*.. 46
poensis, *Bubo* .. 176, 177
Poephila..... 258
Pohnpei Lorikeet 164
Pohnpei Lory..... 164
Pocephalus
.... 152, 153, 326, 329
Polemaetus 73
Poliherax 94
poliocephalus, *Accipiter*
..... 33
poliocerca, *Eupherusa* ...
..... 215
poliogaster, *Accipiter*
..... 34, 290
polionota, *Leucopternis*
..... 67
poliopterus, *Melierax*.. 69
Polyboroides..... 73
Polyborus..... 94

Polyerata..... 229
Polyonymus 229
polyosoma, *Buteo*46,
318
*Polyplectron*102, 103,
280
Polytelis 153, 327
Polytmus 229, 230
polytmus, *Trochilus*.. 234
pomarina, *Aquila*
.... 39, 281, 304, 331
Pondicherry Vulture... 74
poortmani, *Chlorostilbon*
..... 209
popelairii, *Discosura* 212
popelairii, *Popelairia* 212
Porcula Hermit..... 226
porcullae, *Phaethornis* ...
..... 226
porphyreolopha,
Musophaga..... 165
porphyreolophus,
Gallirex..... 165
porphyreolophus,
Tauraco 165
porphyrocephala,
Glossopsitta 143
Porrón Malgache 20
Porrón Pardo 20
Port Lincoln Ringneck
..... 134
Porte-lance de Jeanne ...
..... 212
Porte-lance de Louise
..... 213
Porte-traine lesbie ...221
Porte-traine nouna...221
Poule de prairie
d'Attwater 105
Powerful Owl..... 185
Prairie Falcon 84
pretrei, *Amazona*
..... 128, 306
pretrei, *Phaethornis* .227
preussi, *Ploceus*..... 265
prevostii,
Anthracothorax... 202
prigoginei, *Phodilus*.....
..... 167, 334
Prince Albert's Curassow
..... 95
Prince Ruspoli's Turaco
..... 167
princeps, *Accipiter* 34
princeps, *Leucopternis*67
Princess of Wales
Parakeet 153
Princess Parrot 153
Princess Stephanie's
Bird-of-paradise...269
*Prioniturus*153, 154, 334
Probosciger..... 154

PROCELLARIIFORMES
..... 3
Procnias..... 242
Proméfil 273
*Propyrrhura*154, 155,
329
Prosopeia..... 155, 327
prunellei, *Coeligena* . 210
Psephotus
.... 149, 155, 156, 311
Pseudeos 156
Pseudibis 12
Pseudochelidon 244, 307
Pseudolangrayen d'Asie
..... 244
Pseudoscops 194
Psilopsagon 156
Psittacula 156
PSITTACIDAE3, 123
PSITTACIFORMES3,
123
Psittacula
156, 157, 158, 305,
322, 329, 331, 333,
336
Psittacule à double-oeil
de Coxen..... 141
Psittacule à poitrine
orange 141
Psittacule de Desmarest
..... 158
Psittacule de Salvadori
..... 159
Psittacule d'Edwards 158
Psittacule double-oeil....
..... 140
Psittaculirostris
..... 140, 158, 159
*Psittacus*159, 323, 329,
330
Psitteuteles 159
Psittinus 159
Psittrichas 159
Psittrichas de Pesquet...
..... 159
Pteridophora..... 273
Pteroglossus 240
Pteronetta 25
Pterophanes 230
Ptilinopus 119
Ptilope de Marche.... 119
ptilorhyncus, *Pernis* ... 73
Ptiloris 273, 274
Ptiloris de Victoria ... 274
Ptiloris paradis 274
*Puerto Rican Amazon*129
Puerto Rican Emerald...
..... 208
Puerto Rican Parrot.....
129, 279, 296, 299,
307
Puerto Rican Screech-
Owl 191

<i>pulchella, Charmosyna</i> 138
<i>pulchella, Neophema</i>	148
<i>pulcher, Calothorax</i>	205
<i>pulcherimus, Psephotus</i> 156
<i>pulchra, Macgregoria</i> 271, 331
<i>pulchra, Pionopsitta</i>	. 150
<i>pullarius, Agapornis</i>	. 123
<i>pullicauda, Neopsittacus</i> 148
<i>Pulsatrix</i> 194
Puna Flamingo 13
Puna Hawk 46
Puna Rhea 1
<i>punctatus, Falco</i> 87
<i>punctulata, Ninox</i> 184
Punta blanca 234
Purple Cochoa 245
Purple Guan 97
Purple-backed Sunbeam 199
Purple-backed Thornbill 230
Purple-barred Ground-Dove 115
Purple-bellied Lory	... 146
Purple-bellied Parrot	164
Purple-bibbed Whitetip 234
Purple-capped Lory	.. 146
Purple-chested Hummingbird 229
Purple-collared Woodstar 224
Purple-crested Turaco	...
 165
Purple-crowned Fairy
 219
Purple-crowned Lorikeet 143
Purple-naped Lory	... 146
Purple-throated Carib
 214
Purple-throated Mountain-gem 220
Purple-throated Sunangel 217
Purple-throated Woodstar 205
Purple-winged Ground-Dove 115
Purplish Guan 97
<i>purpurascens, Penelope</i> 97
<i>purpurata, Touit</i> 163
<i>purpurea, Cochoa</i> 245
<i>Purpureicephalus</i> 159
<i>pusilla, Glossopsitta</i>	.. 143
<i>pusillus, Loriculus</i> 145
<i>pusio, Micropsitta</i> 147
PYCNONOTIDAE	3, 244

<i>Pycnonotus</i> 244
Pygargue à queue blanche 59
Pygargue à tête blanche 60
Pygargue à tête grise	65
Pygargue à ventre blanc 60
Pygargue blagre 60
Pygargue commun 59
Pygargue de Madagascar 61
Pygargue de Pallas 60
Pygargue de Sanford	. 61
Pygargue de Steller	... 60
Pygargue empereur 60
Pygargue nain 65
Pygargue vocifer 61
Pygargue vocifère 61
<i>pygargus, Circus</i> 54
Pygmy Falcon 94
Pygmy Hanging-Parrot 145
Pygmy Lorikeet 139
Pygmy Owl 180
<i>pyra, Topaza</i> 234
Pyréneste ponceau	... 258
Pyrenestes 258
<i>pyrrilia, Pionopsitta</i>	... 150
<i>pyrrhops, Hapalopsittaca</i> 144, 317, 326
<i>pyrrhopterus, Brotogeris</i> 135
<i>pyrrhopterus, Lycocorax</i> 271, 334
<i>Pyrrhura</i>	
	160, 161, 162, 276,
	323, 336
<i>Pytilia</i> 258, 259

R

Rabihorcado de la Christmas 4
Rabihorcado ventriblanco 4
Rabudito cobrizo 212
Rabudito crestado	... 212
Rabudito de raquetas 212
Rabudito ventrinegro 212
Rabudito verde 212
Racket-tailed Coquette 212
<i>radiatum, Glaucidium</i> 178, 180
<i>radiatus, Accipiter</i> 56
<i>radiatus, Erythrociorchis</i> 56
<i>radiatus, Polyboroides</i> 73
<i>rafflesii, Megalaima</i> 239
Raggiana Bird-of-paradise 272
<i>raggiana, Paradisaea</i> 272
Rainbow Lorikeet 164
Rainbow Lory 164
Rainbow Starfrontlet	210
Rainbow-bearded Thornbill 207
Rajah Scops-Owl 187
Râle de l'île Lord Howe 108
Râle sylvestre 108
RALLIDAE 3, 108
RAMPHASTIDAE	3, 240
<i>ramphastinus, Semnornis</i> 239
<i>Ramphastos</i>	240, 241, 280
<i>Ramphodon</i> 216, 230
<i>Ramphomicron</i> 230
<i>randi, Ninox</i> 184
<i>ranivorus, Circus</i> 54
<i>rapax, Aquila</i> 38, 39
<i>rara, Bostrychia</i> 10
<i>rara, Lagonosticta</i> 254
<i>rara, Lampribis</i> 10
<i>raricola, Vidua</i> 268
Rascón de la isla de Lord Howe 108
Rascón de la Lord Howe 108
Ratonero calzado 45
Ratonero común 44
Ratonero cuellirrojo	... 43
Ratonero moro 47
Rayito brillante 199
Razor-billed Curassow 96

<i>rectirostris</i> , <i>Anthreptes</i>	248
<i>recurvirostris</i> , <i>Anthracocephala</i> ...	202
<i>recurvirostris</i> , <i>Avocettula</i>	202
Red Bird-of-paradise	272
Red Cock-of-the-rock....	242
Red Goshawk.....	56
Red Kite.....	70, 285, 287, 299, 336
Red Lory	141, 142
Red Shining-Parrot ..	155
Red Siskin.....	250, 282, 286, 288, 313
Red-and-blue Lory ...	142
Red-and-green Macaw	130
Red-backed Hawk.....	46
Red-backed Kite.....	61
Red-backed Sea Eagle...	61
Red-bellied Conure ..	160
Red-bellied Macaw ...	149
Red-bellied Parrot....	153
Red-billed Curassow	95, 308
Red-billed Firefinch..	254
Red-billed Hanging- Parrot	145
Red-billed Leiothrix..	246
Red-billed Mesia.....	246
Red-billed Parrot	151
Red-billed Starling...	269
Red-billed Toucan....	241
Red-billed Whistling- Duck.....	22
Red-billed Wood-Dove	122
Red-breasted Conure	160
Red-breasted Goose ..	20
Red-breasted Parakeet	156
Red-breasted Pygmy- Parrot	146
Red-breasted Toucan	240
Red-browed Amazon	128
Red-browed Parrot ..	128
Red-capped Parrot.....	150, 159
Red-cheeked Cordonbleu	259
Red-cheeked Parrot .	143
Red-chested Goshawk	35
Red-chested Hawk....	35
Red-chested Owl ..	181
Red-chinned Lorikeet....	139
Red-collared	
Sparrowhawk	28
Red-collared Whydah	261
Red-collared Widowbird	261
Red-crested Bustard.	112
Red-crested Cardinal.....	249
Red-crested Turaco ..	166
Red-crowned Amazon....	129
Red-crowned Barbet.	239
Red-crowned Crane..	107
Red-crowned Parakeet	140, 329
Red-crowned Parrot	129, 152
Reddish Hermit.....	228
Reddish Scops-Owl ..	191
Reddish-bellied Parakeet	160
Red-eared Conure....	160
Red-eared Parakeet ..	160
Red-eared Parrotfinch....	252
Red-eared Waxbill....	253
Red-eyed Dove.....	119
Red-faced Lovebird ..	123
Red-faced Parrot.....	144, 317, 326
Red-faced Pytilia.....	258
Red-fan Parrot..	141, 319
Red-flanked Lorikeet	138
Red-footed Falcon.....	79, 90, 330
Red-fronted Amazon	129
Red-fronted Antpecker	258
Red-fronted Conure..	133
Red-fronted Kakariki	140
Red-fronted Lorikeet	139
Red-fronted Macaw	131, 281, 295
Red-fronted Parakeet	140
Red-fronted Parrot	152, 163, 326
Red-fronted Parrotlet	163
Red-headed Dioch....	266
Red-headed Falcon ...	81
Red-headed Lovebird....	123
Red-headed Malimbe.....	262
Red-headed Merlin....	81
Red-headed Quelea..	266
Red-headed Rockfowl	247
Red-headed Vulture ..	74
Red-headed Weaver.....	260, 262
Red-knobbed Hornbill ...	235
Red-legged Falconet ..	92
Red-lored Amazon...	125
Red-lored Parrot ..	125
Red-masked Conure	132
Red-masked Parakeet...	132
Red-necked Amazon	125
Red-necked Buzzard ..	43
Red-necked Falcon	81, 282
Red-necked Parrot.....	125, 285
Red-rumped Parrot..	155
Red-shouldered Hawk	45
Red-shouldered Macaw	141
Red-spectacled Amazon ..	128
Red-spectacled Parrot...	128
Red-spotted Lorikeet	139
Red-tailed Amazon ..	125
Red-tailed Black- Cockatoo	137
Red-tailed Buzzard	43
Red-tailed Comet	230
Red-tailed Hawk.....	45, 47, 333
Red-tailed	
Laughingthrush ...	246
Red-tailed Parrot	125
Red-thighed Falconet.	92
Red-thighed Hawk....	30
Red-thighed	
Sparrowhawk.....	30
Red-throated Caracara ..	79
Red-throated Lorikeet	138
Red-throated Parakeet	133
Red-topped Amazon	128
Red-topped Parrot... ..	128
Red-vented Cockatoo....	136
Red-vented Malimbe	262
Red-vented Parrot... ..	151
Red-whiskered Bulbul	244
Red-winged	
Laughingthrush ...	245
Red-winged Parrot... ..	130
Red-winged Pytilia... ..	259
Reed Parrotbill	246
<i>reesii</i> , <i>Syrmaticus</i>	104
<i>regalis</i> , <i>Buteo</i>	46
<i>regalis</i> , <i>Heliangelus</i>	217, 315
Regent Parrot ..	153, 327
<i>regius</i> , <i>Cicinnurus</i> ...	269

<i>regulorum</i> , <i>Balearica</i>	268	Rouloul noir.....	101
.....105, 330		Rouloul ocellé	98
<i>reichenowi</i> , <i>Anthreptes</i>	153, 329	<i>rouloul</i> , <i>Rollulus</i>	103
.....248		Roulroul.....	103
Relict Gull	115, 286	Rousserolle de Rodriguez	
<i>relictus</i> , <i>Larus</i>	115, 294, 312244	
<i>religiosa</i> , <i>Gracula</i>	268	Royal Sunangel 217, 315	
Resplendent Quetzal 235		<i>ruber</i> , <i>Eudocimus</i>	
<i>respublica</i> , <i>Cicinnurus</i> ...	270	11, 278, 286, 296,	
.....270		297	
<i>respublica</i> , <i>Diphyllodes</i>	270	<i>ruber</i> , <i>Phaethornis</i> ... 228	
.....270		<i>ruber</i> , <i>Phoenicopterus</i> ...	
<i>reticulata</i> , <i>Eos</i> .. 142, 280	13, 293, 310, 320	<i>rubicunda</i> , <i>Grus</i> 108	
Réunion Harrier.....53		<i>rubiginosus</i> ,	
Réunion Marsh-Harrier ..	53 <i>Trichoglossus</i> 164	
<i>rex</i> , <i>Balaeniceps</i>	8, 289, 325	<i>rubinoides</i> , <i>Heliodoxa</i> ...	
Rey zamuro	26218, 328	
<i>rhami</i> , <i>Lamprolaima</i> . 221		<i>rubra</i> , <i>Crax</i>	96
<i>Rhea</i>	1	<i>rubra</i> , <i>Eos</i>	141
RHEIDAE	3, 1	<i>rubra</i> , <i>Paradisaea</i> 272	
RHEIFORMES	3, 1	<i>rubicata</i> , <i>Lagonosticta</i>	
<i>Rheinardia</i>	103254	
Rheinarte ocellé	103	<i>rubricauda</i> , <i>Clytolaema</i>	
Rhinoceros Hornbill.. 238	210	
<i>rhinoceros</i> , <i>Buceros</i> . 238		<i>rubriceps</i> , <i>Anaplectes</i>	
<i>Rhizothera</i>	103260	
<i>rhodocephala</i> , <i>Pyrrhura</i>	161	<i>rubriceps</i> , <i>Malimbus</i> . 260	
.....161		<i>rubricollis</i> , <i>Malimbus</i> 262	
<i>rhodocorytha</i> , <i>Amazona</i>	128	<i>rubrifrons</i> , <i>Parmoptila</i> ...	
.....128	258	
<i>rhodogaster</i> , <i>Accipiter</i> 34		<i>rubrigularis</i> ,	
<i>rhodogaster</i> , <i>Pyrrhura</i>	161, 276 <i>Charmosyna</i>	139
.....161, 276		<i>rubritorques</i> , <i>Anthreptes</i>	
<i>Rhodonessa</i>	25248	
<i>Rhodopis</i>	230	<i>rubritorquis</i> , <i>Aratinga</i> ...	
<i>Rhynchositta</i>	162, 295, 296133	
RHYNOCHETIDAE ,	109	<i>rubritorquis</i> ,	
<i>Rhynchochetos</i> 109, 279	 <i>Trichoglossus</i> 164	
Ribbon Finch.....	252	<i>rubrogenys</i> , <i>Ara</i>	
Ribbon-tailed Astrapia...	269	131, 278, 281, 295,	
.....269		299	
Ribbon-tailed Bird-of-		<i>rubronotata</i> ,	
paradise	269 <i>Charmosyna</i>	139
<i>ricordii</i> , <i>Chlorostilbon</i> 209		<i>Ruby-throated</i>	
<i>ridgwayi</i> , <i>Aegolius</i> ... 171		Hummingbird..... 203	
<i>ridgwayi</i> , <i>Buteo</i> ..46, 311		<i>Ruby-topaz</i>	
<i>ridgwayi</i> , <i>Thalurania</i> 233		Hummingbird..... 209	
Ring-necked Parakeet		<i>ruckeri</i> , <i>Threnetes</i> ... 234	
.....157, 158, 331		<i>rickii</i> , <i>Cyornis</i>	245
Ring-tailed Pigeon ... 116		<i>rudolfi</i> , <i>Ninox</i> 184	
<i>riocourii</i> , <i>Chelictinia</i>	49, 328	<i>rudolphi</i> , <i>Paradisaea</i> 273	
.....49		<i>rueckii</i> , <i>Muscicapa</i> 245	
<i>riocourii</i> , <i>Elanus</i>	49	<i>rueckii</i> , <i>Niltava</i>	245
River Eagle.....	61	<i>ruepellii</i> , <i>Eupodotis</i> 111	
Roadside Hawk	45	<i>ruepellii</i> , <i>Gyps</i> .. 59, 325	
<i>roboratus</i> , <i>Otus</i> 191		<i>ruepellii</i> , <i>Poicephalus</i> ...	
<i>roborowskii</i> , <i>Carpodacus</i>	251153	
.....251		<i>rufa</i> , <i>Ninox</i> 184	
		<i>rufescens</i> , <i>Otus</i> 191	
		Rufescent Screech-Owl	
	188	

ruficeps, Chalcostigma 208, 305
ruficollis, Branta 20, 308, 310
ruficollis, Micrastur 91, 92
ruficollis, Rufibrenta ... 20
ruficrissa, Urosticte .. 234
ruficrista, Eupodotis 110, 112
ruficrista, Lophotis... 112
rufigularis, Falco..... 87
rufinus, Buteo....47, 328
rufipectus, Spilornis... 75
rufipennis, Butastur ... 42
rufipes, Strix 197
rufitorques, Accipiter.. 34
rufiventris, Accipiter... 34
rufiventris, Poicephalus 153
rufofuscus, Buteo 47
rufopicta, Lagonosticta 254
 Rufous Bristlebird 245
 Rufous Crab-Hawk.... 48
 Rufous Fishing-owl .. 195
 Rufous Hornbill 238
 Rufous Hummingbird 232
 Rufous Owl..... 184
 Rufous Sabrewing ... 206
 Rufous-banded Owl . 195
 Rufous-bellied Eagle .. 64
 Rufous-breasted Hermit 216
 Rufous-breasted
 Sabrewing 206
 Rufous-capped Thornbill 208, 305
 Rufous-cheeked Hornbill 236
 Rufous-cheeked
 Hummingbird 216
 Rufous-chested
 Sparrowhawk 34
 Rufous-crested Coquette 222
 Rufous-fronted Parakeet 134, 288
 Rufous-headed
 Bristlebird..... 245
 Rufous-headed Hornbill 237
 Rufous-legged Owl .. 197
 Rufous-necked Hornbill 236
 Rufous-necked
 Sparrowhawk 30
 Rufous-rumped
 Seedeater..... 249
 Rufous-shafted
 Woodstar..... 207
 Rufous-tailed Hawk.... 47

Rufous-tailed
 Hummingbird201, 322
 Rufous-tailed Pheasant 100
 Rufous-thighed Hawk 30, 45
 Rufous-thighed Kite .. 62
 Rufous-throated
 Sapphire.....219
 Rufous-vented Whitetip 234
 Rufous-webbed Brilliant 217
 Rufous-winged Buzzard 42
 Rufous-winged Buzzard-Eagle..... 42
rufus, Campylopterus.... 206
rufus, Selasphorus...232
 Ruißeñor del bambú . 246
Rupicola 242
rupicola, Pyrrhura161
rupicola, Rupicola242
rupicoloides, Falco 88
rupurumii, Phaethornis 228
rushiae, Pholidornis..258
ruspolii, Tauraco.....167
russatus, Chlorostilbon 209
 Russet Boobook.....184
 Russet Hawk-Owl....184
rusticolus, Falco..... 88
 Rusty-barred Owl..... 194, 197
 Rusty-faced Parrot ...144
 Rusty-naped Pitta243
rutila, Amazilia201
*rutilus, Otus*191, 192, 317
 Ryukyu Scops-Owl ...188
 Ryukyu Serpent-Eagle ... 74

S

Sacred Ibis 12
 Saddlebill Stork ... 9, 276
 Saddle-billed Stork..... 9
 Saffron Toucanet240
 Saffron-cowled Blackbird 250
 Saffron-headed Parrot ... 150
SAGITTARIIDAE..3, 79
Sagittarius..... 79
sagittatus, Otus.....192
 Saint Helena Waxbill 253
 Saint Lucia Amazon..128
 Saint Lucia Parrot 1 28, 280

Saint Vincent Amazon ...
 126
 Saint Vincent Parrot. 126
saisseti, Cyanoramphus 140
 Saker 81
 Saker Falcon 81
 Salmon-crested
 Cockatoo 136
salvadorii,
Psittaculirostris.... 159
salvini, Chlorostilbon.... 208
 Samar Hornbill..... 239
 Samar Tarctic Hornbill 239
samarensis, Penelopides 239
*sanchezi, Glaucidium*179
sanctaecatarinae, Otus 192
sanctithomae, Brotogeris 135
 Sandhill Crane 106, 291, 334
sandvicensis, Branta..... 21, 291
sandvicensis, Nesothen 21
 Sandy Scops-Owl 188
sanfordi, Haliaeetus... 61
 Sangihe Hanging-Parrot 145
 Sangihe Scops-Owl.. 188
sanguinea, Cacatua . 136
 Sansonnet de Rothschild 268
 Santa Barbara Screech-owl 187
 Santa Marta Conure. 162
 Santa Marta Parakeet ... 162
 Santa Marta Sabrewing 206
 Santa Marta Woodstar 207
 Sao Tomé Scops-Owl 188
 Saphir à gorge rousse... 219
 Saphir à oreilles
 blanches 204
 Saphir à queue d'or . 219
 Saphir azuré..... 219
 Saphir de Xantus.... 204
 Saphir d'Elicia 219
 Saphir oenome 209
 Saphir ulyssse..... 219
 Sapphire-bellied
 Hummingbird..... 221
 Sapphire-rumped
 Parrotlet..... 163

Sapphire-spangled	
Emerald	229
Sapphire-throated	
Hummingbird	221
Sapphire-vented Puffleg	
.....	213
<i>sapphirina</i> , <i>Hylocharis</i> ...	
.....	219
<i>sapphiropygia</i> ,	
<i>Eriocnemis</i>	214
<i>Sappho</i>	230, 287
Sarcelle à oreillons	24
Sarcelle aptère.....	16
Sarcelle brune.....	16
Sarcelle de Bernier	16
Sarcelle de Laysan.....	18
Sarcelle de Madagascar	
.....	16
Sarcelle de Nouvelle-	
Zélande.....	16
Sarcelle d'été.....	19
Sarcelle d'hiver	17
Sarcelle du Cap.....	16
Sarcelle élégante.....	18
Sarcelle formose	18
Sarcelle malgache de	
Bernier.....	16
Sarcelle terrestre des	
îles Auckland.....	16
Sarcidiorne à crête	25
<i>Sarcogyps</i>	74
Sarcoramphe roi	26
<i>Sarcorampus</i> ...26, 277	
<i>Sarkidiornis</i>	25
Sarus Crane	106
<i>sasin</i> , <i>Selasphorus</i> ... 232	
Satyr Tragopan	105
<i>satyra</i> , <i>Tragopan</i>	105
<i>Saucerottia</i> 230, 231,	
322	
<i>saucerottei</i> , <i>Amazilia</i> ...	
.....	231
<i>saucerottei</i> , <i>Saucerottia</i>	
.....	231
Savanna Hawk.....	48
<i>savilei</i> , <i>Eupodotis</i>	112
<i>savilei</i> , <i>Lophotis</i>	112
Saw-billed Hermit....	230
Saw-whet Owl.. 170, 171	
Scaled Metaltail.....	223
Scale-throated Hermit...	
.....	226
Scaly-breasted	
Hummingbird	205
Scaly-breasted Lorikeet	
.....	163
Scaly-fronted Weaver ...	
.....	266
Scaly-headed Parrot 151	
Scaly-naped Amazon 127	
Scaly-naped Parrot.. 127	
<i>scandiaca</i> , <i>Nyctea</i>	186
<i>scapularis</i> , <i>Alisterus</i> . 124	
Scarlet Cock-of-the-rock	
.....	242
Scarlet Ibis	
11, 275, 278, 284,	
286, 296, 297	
Scarlet Macaw	131
Scarlet-breasted	
Lorikeet	164
Scarlet-chested Parrot	
.....	148
Scarlet-fronted Parakeet	
.....	133
Scarlet-hooded Barbet	
.....	239, 333
Scarlet-shouldered	
Parrotlet	163
<i>Sceloglaux</i>	194
<i>schalowi</i> , <i>Tauraco</i>	167
<i>scheepmakeri</i> , <i>Goura</i> 118	
<i>scheffleri</i> , <i>Glaucomys</i>	
.....	180
<i>schistacea</i> , <i>Leucosticte</i>	
.....	67
<i>schleiermacheri</i> ,	
<i>Polyptilus</i>	103
<i>schreibersii</i> , <i>Heliodoxa</i>	
.....	218
<i>schuettii</i> , <i>Tauraco</i>	167
<i>scintilla</i> , <i>Selasphorus</i>	
.....	232
Scintillant Hummingbird	
.....	232
<i>scintillata</i> , <i>Chalcopsitta</i>	
.....	138
Scissor-tailed	
Hummingbird	220
Scissor-tailed Kite	49
<i>scitulus</i> , <i>Trochilus</i>	234
<i>sclateri</i> , <i>Forpus</i>	143
<i>sclateri</i> , <i>Lophophorus</i> 100	
<i>sclateri</i> , <i>Loriculus</i>	145
SCOLOPACIDAE. 3, 114	
Scops géant de Guerne	
.....	182
Scops Owl	
192, 277, 285, 290,	
306	
<i>scops</i> , <i>Otus</i>	
... 188, 190, 191, 192	
<i>Scotopelia</i> 194, 195, 279	
<i>scriptus</i> , <i>Elanus</i>	56
<i>scutatus</i> , <i>Augastes</i>	
.....	204, 323
<i>scutatus</i> , <i>Malimbus</i> ..262	
<i>scutulata</i> , <i>Cairina</i>	
21, 291, 293, 300,	
301	
<i>scutulata</i> , <i>Ninox</i> 184, 334	
Secrétaire des serpents	
.....	79
Secretario.....	79
Secretarybird	79
Secretary-bird	79
<i>seductus</i> , <i>Otus</i>	189
<i>sefilata</i> , <i>Parotia</i>	273
<i>Selasphorus</i> 203, 231,	
232	
<i>Selenidera</i>	241
<i>Seleucidis</i>	274
<i>seloputo</i> , <i>Strix</i>	198
Semi-collared Hawk... 29	
Semi-collared	
Sparrowhawk.....	29
<i>semilarvata</i> , <i>Eos</i>	142
<i>Semioptera</i> 274, 278,	
334	
<i>semiplumbea</i> ,	
<i>Leucosticte</i>	67
Semiplumbeous Hawk...	
.....	67
<i>semitorquata</i> ,	
<i>Streptopelia</i>	119
<i>semitorquatus</i> , <i>Micrastur</i>	
.....	92
<i>semitorquatus</i> ,	
<i>Polihierax</i>	94
<i>Semnornis</i>	239
Senegal Bustard.....	112
Senegal Combassou 267	
Senegal Dove	120
Senegal Firefinch....	254
Senegal ondulé	253
Senegal Parrot.....	153
<i>senegala</i> , <i>Lagonosticta</i>	
.....	254
<i>senegalensis</i> ,	
<i>Ephippiorhynchus</i>	
.....	9, 310
<i>senegalensis</i> , <i>Eupodotis</i>	
.....	112
<i>senegalensis</i> , <i>Otus</i> ..	192
<i>senegalensis</i> ,	
<i>Streptopelia</i> . 120, 336	
Sénégal brun à ventre	
blanc	257
Sénégal brun à ventre	
roux	256
Sénégal nègre.....	257
Sénégal nègre à front	
jaune	257
Sénégal sanguin....	259
Sénégal vert.....	256
Sénégal vert à joues	
blanches	256
<i>senegalus</i> , <i>Poicephalus</i>	
.....	153
<i>senilis</i> , <i>Pionus</i>	151
<i>seniloides</i> , <i>Pionus</i>	151
<i>sephanioides</i> ,	
<i>Sephanoides</i>	232
<i>Sephanoides</i> 232, 308	
<i>sericea</i> , <i>Loboparadisea</i>	
.....	270, 321
<i>sericeus</i> , <i>Sturnus</i>	269
Serin à croupion blanc	
.....	251

Serín culiblanco.....	251
Serin de Mozambique....	
.....	251
Serin du Mozambique....	
.....	251
Serin gris à tête blanche	
.....	251
Serín mofletudo	251
Serin ouest-africain .	251
<i>Serinus</i>	251
Serpentaire	
.... 55, 56, 74, 75, 79	
Serpentaire bacha	74
Serpentaire de	
Madagascar	56
Serpentaire des	
Andaman.....	74
Serpentaire des Célèbes	
.....	75
Serpentaire des Kinabalu	
.....	75
Serpentaire des Nicobar	
.....	75
Serpentaire des	
Philippines	75
Serpentaire du Congo	55
Serpentario	79
<i>serpentarius, Sagittarius</i>	
.....	79
Serreta Brasileña.....	23
<i>serrirostris, Colibri</i> ...	211
Seven-colored Parrotlet	
.....	163
Seven-colored Tanager	
.....	250
<i>severa, Ara</i>	131
Severe Macaw.....	131
<i>severus, Falco</i>	88
Seychelles Kestrel	80
Shama à croupion blanc	
.....	245
Sharp-shinned Hawk..	34
<i>shellyi, Bubo</i>	177
Shikra	28, 29, 281, 295,
299	
Shining Sunbeam	199
Shining-green	
Hummingbird	221
Shoebill	
8, 276, 289, 304, 325	
Short-billed Black-	
Cockatoo	137
Short-crested Coquette	
.....	222, 291
Short-eared Owl	172,
308	
Short-tailed Albatross ...	
.....	3, 280, 289
Short-tailed Emerald	209
Short-tailed Green	
Magpie.....	274
Short-tailed Hawk	43
Short-tailed Magpie .	274
Short-tailed Paradigalla	
.....	272
Short-tailed Parrot ...	144
Short-tailed Woodstar ...	
.....	224
Short-toed Eagle	50, 276
Short-toed Snake-Eagle	
.....	50
Shoveler.....	16
Siamese Fireback.....	100
Siberian Crane	107
Siberian White Crane.....	
.....	107, 297
Sichuan Wood-Owl...	196
<i>sieboldii, Sphenurus</i>	121
<i>sieboldii, Treron</i>	121
<i>siemsseni, Latoucheornis</i>	
.....	249
Sierra Parakeet	156
Siffleuse de la Trinité.	97
Sifilet d'Arfak	273
Sifilet de Carola.....	273
Sifilet de Lawe.....	273
Sifilet de Wahnes.....	273
Sifilet d'Hélène	273
Siju	181, 189
Siju cotunto	189
<i>siju, Glaucidium</i>	181
Sijucito	181
Silbón Europeo	18
Silfo celeste	200
Silfo colilargo	200
Silfo colivioleta	200
Silfo de King	200
Silky-Crow	271
Silver-eared Mesia ...	246
<i>silvicola, Otus</i>	193
Simeulue Scops-Owl.	193
Simeulue Serpent-Eagle	
.....	74
<i>simoni, Selasphorus</i>	231
<i>simplex, Geoffroyus</i>	143
Singing Parrot	143
<i>sirintarae, Pseudochelidon</i>	
.....	244, 307
Sisón 110, 111, 112, 113	
Sisón azul.....	110
Sisón azulado.....	110
Sisón bengali	110
Sisón Común.....	113
Sisón de Damaraland	
.....	111
Sisón de Hartlaub	111
Sisón de penacho.....	111
Sisón de Rüpell.....	111
Sisón de Vigors	112
Sisón del karroo	112
Sisón indio.....	111
Sisón moñirrojo.....	112
Sisón moñudo austral....	
.....	112
Sisón moñudo de	
saheliano.....	112
Sisón moñudo etiope	110
Sisón negro	110
Sisón negro aliclaro .	110
Sisón negro aloscuro	110
Sisón senegalés	112
Sisón somalí.....	111
Sisón ventrinegro	111
Sisón ventrinegro común	
.....	111
Sisón ventrinegro de	
Hartlaub.....	111
Sitagra de Pelzeln ...	265
Sitelle géante	248
Sitragra chico común	
.....	264
<i>Sitta</i>	248
Sittelle géante	248
SITTIDAE	4, 248
Six-plumed Parotia ..	273
<i>sjostedti, Glaucidium</i>	181
Slate-colored Hawk ...	67
Slaty Bunting.....	249
Slaty-backed Forest-	
Falcon	91
Slaty-backed Goshawk	
.....	32
Slaty-headed Parakeet	
.....	157
Slaty-mantled	
Sparrowhawk	32
Slender Sheartail	212
Slender-billed Black-	
Cockatoo	137
Slender-billed Conure	
.....	141
Slender-billed Curlew....	
.....	115, 276, 288
Slender-billed Kite	74
Slender-billed Parakeet	
.....	141
Slender-billed Weaver...	
.....	265
Slender-tailed Woodstar	
.....	224
Small Serpent-Eagle ..	75
Small Sparrowhawk...	32
Smaller Banded Snake-	
Eagle	49
Smaller Cock-of-the-rock	
.....	242
Snail Kite	74, 323
Snow Crane.....	107
Snowcap	224
Snowy Owl	186
Snowy-breasted	
Hummingbird	231
<i>sociabilis, Rostrhamus</i> ...	
.....	74
Socorro Parakeet.....	132
Sokoke Scops-Owl...	189

Solangel de gorguera	217
Solangel gorjiamatista	216
Solangel gorjipurpura....	217
Solangel turmalino ..	217
<i>solitarius, Buteo</i>	47
<i>solitarius,</i>	
<i>Harpyhaliaetus</i>	62
<i>solitarius, Phigys</i>	149
<i>solitarius, Tinamus</i> 2,	
278	
Solitary Eagle	62
Solitary Tinamou	2
<i>soloensis, Accipiter</i>	34
Solomon Fish-Eagle ...	61
Solomon Hawk-Owl .	183
Solomon Islands	
Boobook.....	183
Solomon Sea-Eagle....	61
<i>solomonensis, Nesasio</i>	
.....	182
<i>solomonis, Ninox</i>	185
<i>solstitialis, Aratinga</i> .	133
Sombre Hummingbird ...	
.....	205
Somormujo de Atitlán ..	2
Somormujo del lago	
Atitlán.....	2
<i>sonneratii, Gallus</i>	99
Sooty Eagle-Owl.....	176
Sooty Falcon	82, 287,
302	
Sooty Owl	170
Sooty-backed Hawk-Owl	
.....	185
Sooty-capped Hermit	
.....	226
<i>sordida, Pitta</i>	243
<i>sordidus, Cynanthus</i>	211
<i>sordidus, Pionus</i>	151
<i>sororcula, Tyto</i>	170
Souchet	16
Souimanga à col rouge	
.....	248
Souimanga d'Amani .	248
Souimanga de	
Reichenow	248
<i>soumagniei, Tyto</i> 170,	
335	
South African Crowned	
Crane.....	105
Southern Bald Ibis.....	11
Southern Banded Snake-	
eagle	50
Southern Black-throated	
Finch	258
Southern Boobook ...	183
Southern Caracara.....	94
Southern Cassowary	2
Southern Crowned-	
Pigeon.....	118
Southern Helmeted	
Curassow	96
Spangled Coquette...223	
Spanish Imperial Eagle	
.....	36, 298
<i>sparganura, Sappho</i>	
.....	230, 287
Sparkling Violet-ear .	211
Sparkling-tailed	
Barbthroat	234
Sparkling-tailed	
Hummingbird	234
Sparrowhawk	28, 29,
30, 31, 32, 33, 34,	
35, 56, 286	
<i>sparverius, Falco</i>	88
Spatule blanche.....	11
Speckled Boobook....	184
Speckled Hawk-Owl .	184
Speckled Hummingbird	
.....	199
Speckled Pigeon	116
Speckled Rock Pigeon....	
.....	116
Speckle-fronted Weaver	
.....	266
<i>spectabilis, Dryotriorchis</i>	
.....	55
Spectacled Owl.....	194
Spectacled Parrotlet .	142
<i>spencei, Heliangelus</i> .	217
<i>Speotyto</i>	195, 322
Spermète à bec bleu	255
Spermète nonnette ..	255
Spermète pie	256
<i>Spermophaga</i>	259
SPHENISCIDAE	3, 2
SPHENISCIIFORMES 3,	
2	
<i>Pheniscus</i>	2, 279,
282, 283, 294, 299,	
303, 312	
<i>sphenurus, Haliastur</i> .	61
<i>spilocephalus, Otus</i>	
.....	186, 193
<i>spilogaster, Hieraaetus</i> ..	
.....	64
<i>spilonotus, Circus</i>	55
<i>Spilornis</i>	74, 75
<i>spixii, Cyanopsitta</i>	
...	139, 289, 293, 309
<i>Spizaetus</i>	67, 72,
75, 76, 77, 299, 326	
<i>Spizastur</i>	77
<i>Spizapteryx</i>	94, 326
<i>splendens, Prosopeia</i>	155
Splendid Astrapia.....	
.....	269, 331
Splendid Grass-Parakeet	
.....	148
<i>splendida, Neophema</i>	
.....	148
<i>splendidissima, Astrapia</i>	
.....	269, 331
Spoonbill....	11, 292, 297
<i>Sporophila</i>	249, 250
Sporophile à croupion	
roux	249
Sporophile à front blanc	
.....	249
Sporophile de Temminck	
.....	249
Sporophile des marais...	
.....	250
Sporopipe quadrillé..	266
<i>Sporopipes</i>	266
Spot-backed Weaver.....	
.....	264
Spot-bellied Eagle-Owl	
.....	176
Spot-billed Pelican.....	3
Spot-billed Toucanet.....	
.....	241
Spot-breasted Ibis....	10
Spot-tailed Goshawk..	35
Spot-tailed Sparrowhawk	
.....	35
Spotted Cotinga	242
Spotted Eagle	37, 39,
174	
Spotted Eagle-Owl...	174
Spotted Greenshank	115
Spotted Harrier	52
Spotted Kestrel	84
Spotted Little Owl....	174
Spotted Marsh-Harrier	55
Spotted Owl	
173, 174, 197, 289,	
311	
Spotted Owlet..	173, 174
Spotted Scops-Owl ..	193
Spotted Wood-Owl ..	198
Spotted-backed Harrier	
.....	55
Spot-throated	
Hummingbird	222
Spot-winged Falcon	
.....	94, 326
Spot-winged Falconet ...	
.....	94, 326
Spot-winged Parrotlet ...	
.....	163
<i>spurius,</i>	
<i>Purpureicephalus</i> .	159
Spur-winged Goose ...	25
<i>squalidus, Phaethornis</i>	
.....	228
<i>squamata, Eos</i> .	142, 295
<i>squamipila, Ninox</i>	
.....	185, 300
<i>squamosus, Heliomaster</i>	
.....	219
Square-tailed Kite	68
Sri Lanka Hanging-	
Parrot	145

St Lucia Amazon	128
St Lucia Parrot .	128, 292
St Vincent Amazon ..	126
<i>Stachyris</i>	247
Standardwing	
.....	274, 278, 334
Standard-wing Bird-of-paradise	274
Stanley Bustard	112
Stanley Crane.....	108
Stanley Parakeet.....	152
<i>stanleyi, Chalcostigma</i>	
.....	208
Steely-vented	
Hummingbird	231
<i>steerii, Pitta</i>	243
<i>Stellula</i>	232
<i>stenurus, Chlorostilbon</i>	
.....	209
<i>stephaniae, Astrapia</i>	269
<i>Stephanoaetus</i>	77
<i>Stephanoxis</i>	232
<i>stepheni, Vini</i>	164
Steppe Eagle	38, 290
<i>Sternoclyta</i>	232
<i>stictolophus, Lophornis</i>	
.....	223
<i>Stictonetta</i>	26
Stictonette tachetée... <td>26</td>	26
<i>stictoptera, Touit</i>	163
<i>stigmatus, Loriculus</i>	
.....	145, 146
<i>stolzmanni,</i>	
<i>Oreotrochilus</i>	225
<i>stormi, Ciconia</i>	9
Straight-billed Hermit ...	
.....	226
Straw-crowned Bulbul ...	
.....	244
Straw-headed Bulbul.....	
.....	244
Streaked Lorikeet....	138
Streak-throated Hermit	
.....	228
Streamertail	234
<i>strenua, Aratinga</i>	132
<i>strenua, Ninox</i>	185
<i>Streptopelia</i>	
119, 120, 121, 289, 299, 312, 336	
Striated Caracara	93
Striated Lorikeet	138
Striated Scops-Owl ..	187
<i>striatus, Accipiter</i>	
.....	29, 30, 34, 35
STRIGIDAE	3, 170
STRIGIFORMES 3, 167	
<i>strigirostris, Didunculus</i>	
.....	117
<i>Strigops</i> ...162, 296, 298	
Strigops kakapo	162
<i>striigularis, Phaethornis</i>	
.....	228
<i>striigularis, Pygmornis</i> ...	
.....	227
Stripe-breasted	
Starthroat	219
Striped Owl.....	172
Stripe-tailed	
Hummingbird	215
Stripe-throated Hermit	
.....	228
<i>Strix</i>	
195, 196, 197, 198, 276, 316, 334	
<i>strophianus, Heliangelus</i>	
.....	217
<i>strophium,</i>	
<i>Odontophorus</i>	101
<i>Struthio</i>	1, 312, 335
STRUTHIONIDAE .. 3, 1	
STRUTHIONIFORMES .	
.....	3, 1
<i>stuarti, Phaethornis</i> ..	228
<i>Sturnella</i>	250
Sturnelle des pampas....	
.....	250
STURNIDAE	4, 268
<i>Sturnus</i> ... 268, 269, 336	
<i>stygia, Lonchura</i>	256
Stygian Owl	173
<i>stygius, Asio</i>	173
<i>subbuteo, Falco</i> . 89, 286	
<i>subcristata, Aviceda</i> ..	41
<i>subflava, Amandava</i> ..252	
<i>subflava, Estrilda</i>252	
<i>subflavus, Sporaeginthus</i>	
.....	252
<i>subniger, Falco</i>	89
<i>subochraceus,</i>	
<i>Phaethornis</i>	228
<i>subruficollis, Aceros</i>	
.....	236, 320
<i>subruficollis, Rhyticeros</i>	
.....	236
<i>subtilis, Buteogallus</i> ..	48
Subtropical Pygmy-Owl	
.....	180
Suirirí bicolor	22
Suirirí cariblanco.....	23
Suirirí leonado.....	22
Suirirí piquirrojo	22
Suirirí yaguaza	22
Sula Barn-Owl	170
Sula Hanging-Parrot.	145
Sulawesi Dwarf Hornbill	
.....	239
Sulawesi Goshawk	31
Sulawesi Hanging-Parrot	
.....	145
Sulawesi Hawk-Eagle	76
Sulawesi Hornbill	
.....	235, 239
Sulawesi Owl.....	170
Sulawesi Scops-Owl	.
.....	190
Sulawesi Serpent-Eagle	
.....	75
Sulawesi Tarictic Hornbill	
.....	239
Sulawesi Wrinkled	
Hornbill	235
<i>sulfuratus, Ramphastos</i>	
.....	240
SULIDAE	3, 4
Sulphur-crested	
Cockatoo.....	135, 136
<i>sulphurea, Cacatua</i>	
.....	136, 280
Sulphur-winged Parakeet	
.....	160
Sulu Hornbill.....	238
Sumatran Pheasant .	101
<i>sumatranus, Bubo</i> ...	177
<i>sumatranus,</i>	
<i>Tanygnathus</i>	162
Sumba Boobook.....	184
Sumba Hornbill	235, 293
Sumba Wreathed	
Hornbill	235
Sun Conure	133
Sun Parakeet.....	133
Sunda Hawk-Eagle	76
Sunda Pied Hornbill .	237
Sunda Scops-Owl	
.....	187, 193
Sunda Wrinkled Hornbill	
.....	235
<i>sunia, Otus</i>	192
Superb Bird-of-paradise	
.....	271
Superb Parrot	153
<i>superba, Lophorina</i> ..	271
<i>superciliaris, Ninox</i> ..	185
<i>superciliosa, Ophrysia</i> ...	
.....	102
<i>superciliosus, Accipiter</i>	
.....	35
<i>superciliosus,</i>	
<i>Pachyphantes</i>	263
<i>superciliosus,</i>	
<i>Phaethornis</i>	228
<i>superciliosus,</i>	
<i>Plocepasser</i>	263
<i>superciliosus, Ploceus</i>	
.....	263
<i>surda, Touit</i>	163
<i>Surnia</i>	199
<i>swainsoni, Buteo</i>	
.....	47, 317, 333, 335
<i>swainsonii, Chlorostilbon</i>	
.....	209
<i>swainsonii, Gampsonyx</i>	
.....	57
<i>swainsonii, Polytelis</i> . 153	
Swallow-tailed	
Hummingbird.....	206
Swallow-tailed Kite.....	
.....	49, 55, 328

- Swamp Harrier..... 52
 Swamp Parakeet 149
 Swift Parrot 144
swindernianus,
 Agapornis 124
swinhoii, *Lophura* 101
 Sword-billed
 Hummingbird 213
swynnertoni,
 Pogonocichla..... 247
swynnertoni,
 Swynnertonia..... 247
Swynnertonia 247
sybillae, *Lampornis*.. 220
 Sylphe à queue d'azur
 200
 Sylphe à queue violette
 200
sylvestris, *Gallirallus* 108
sylvestris, *Tricholimnas*
 108
Syrmaticus..... 103, 104
syrmatophorus,
 Phaethornis 228

T

- tabuensis*, *Prosopeia* 155
tachardus, *Buteo*..... 46
tachiro, *Accipiter* 35
taczanowskii, *Leucippus*
 222
Tadorna..... 26, 329
 Tadorne de Corée..... 26
 Tahitian Lorikeet 164
 Taita Falcon..... 84
 Talégalo de Wallace ... 95
 Talégalo maleo..... 95
 Taliabu Masked-owl . 170
 Taliabu Owl 170
 Tambourine Dove 122
Tangara 250, 337
 Tángara fastuosa.... 250
 Tanimbar Cockatoo.. 135
 Tanimbar Corella.....
 135, 281
 Tanimbar Owl 170
 Tantale blanc..... 10
 Tantale indien 10
 Tantale italien 10
 Tántalo Indio 10
 Tántalo Malayo..... 10
Tanygnathus..... 162
Taphrolesbia..... 232
taranta, *Agapornis*... 124
tarda, *Otis*
 113, 277, 280, 282,
 286, 294, 301, 320,
 321, 333, 335
 Tarictic Hornbill 238, 239
 Tarin de Yarell 250

- Tarin rouge du
 Venezuela 250
 Tarro crestado 26
 Tasmanian Masked-Owl
 169
 Tasmanian Rosella ... 151
 Tatin de Yarrell..... 250
 Tatin rouge du
 Venezuela 250
Tauraco
 165, 166, 167, 284,
 309, 316
 Tawny Eagle 39, 318
 Tawny Fish-owl 181
 Tawny Owl 196, 276, 316
 Tawny Wood-Owl..... 196
 Tawny-bellied Hermit
 228
 Tawny-bellied Screech-
 Owl 193
 Tawny-browed Owl .. 194
 Tchitrec des
 Mascaréignes..... 247
 Tchitrec du Japon.... 247
 Teal. 16, 17, 18, 19, 312
 Tecolote barbudo 187
 Tecolote bigotudo 193
 Tecolote flameado.... 188
 Tecolote occidental .. 189
 Tecolote oriental..... 186
 Tecolote-abetero
 norteño 170
 Tecolotito común 178
 Tecolotito del cabo... 178
 Tecolotito enano 182
 Tecolotito serano 179
teesa, *Butastur*..... 42
 Teita Falcon 84
 Tejedor bruñido de
 Wilson 268
 Tejedor bruñido verdoso
 267
 Tejedor cabecinegro . 265
 Tejedor cogullado 264
 Tejedor cuellinegro .. 265
 Tejedor de Heuglin... 264
 Tejedor naranja..... 264
 Tejedor negro albinuca
 263
 Tejedor negro de Vieillot
 265
 Tejedor pardal
 capirotado..... 263
 Tejedor picogordo 259
 Tejedor rollizo 263
 Tejedor tricolor..... 266
 Tejedor velado 266
 Tejedorcito punteado.....
 266
temminckii, *Tragopan*....
 105
tenebricosa, *Tyto*.... 170
tener, *Loriculus* 146
- tenuirostris*, *Cacatua* 136
tenuirostris, *Numenius*
 115
tephronotum,
 Glaucidium .. 181, 317
 Tepui Goldenthroat.. 230
 Tepui Parakeet..... 147
 Tepui Parrotlet 147
Terathopius..... 77, 318
Terpsiphone 247
terri, *Rhynchopsitta*....
 162, 295
 Tétraogalle de Perse 104
 Tétraogalle du Tibet. 104
Tetraogallus 104
 Tétras cupidon
 d'Attwater 105
 Tétridas des neiges de la
 Caspienne 104
 Tétridas des neiges du
 Tibet 104
Tetrapax 113, 334
tetrax, *Otis*..... 113
tetrax, *Tetrapax* .. 113, 334
 Tétrogalle de la
 Caspienne 104
thalassina, *Cissa* 274
thalassinus, *Colibri* .. 211
Thalurania..... 233, 285
Thaumastura 233
theomacha, *Ninox* ... 185
theresiae, *Metallura*. 224
theresiae, *Polytmus* . 230
 Thick-billed Parrot ..
 162, 293, 294, 295,
 296
 Thick-billed Weaver . 259
Threnetes
 ... 216, 233, 234, 304
Threskiornis 12, 315
THRESKIORNITHIDAE
 3, 10
 Tibet Owlet 174
 Tibetan Crane 107
 Tibetan Eared-Pheasant
 99
 Tibetan Rosefinch.... 251
 Tibetan Snowcock ... 104
tibetanus, *Tetraogallus*
 104
tibialis, *Lorius* 146
tickelli, *Anorrhinus*... 237
tickelli, *Ptilolaemus*.. 237
 Tijereta centroamericana
 212
 Tijereta nortena 205
 Tijereta Oaxaqueña . 205
 Tijereta yucateca 212
 Tilingo cuellinegro ... 240
 Tilingo limón..... 240
Tilmatura 234
 Tilopo de Marche..... 119

Timalie de Whitehead....	247
Timor Red-winged Parrot	130
Timor Sparrow	257
TINAMIDAE	3, 2
TINAMI FORMES	3, 2
Tinamou solitaire.....	2
Tinamu grande.....	2
Tinamu macuco.....	2
Tinamú solitario	2
<i>Tinamus</i>	2, 278
<i>tinnunculus, Falco</i>	89, 331
Tiny Hawk	35
Tiny Sparrowhawk	35
<i>tirica, Brotogeris</i>	135
Tisserin à ailes rouges...	260
Tisserin à cou noir ...	265
Tisserin à dos doré ..	265
Tisserin à lunettes ...	265
Tisserin à tête noire .	265
Tisserin à tête rouge 266	
Tisserin à tête rousse....	266
Tisserin coucou	260
Tisserin covcau	260
Tisserin de Maxwell..	263
Tisserin de Pelzeln ...	265
Tisserin de Preuss ...	265
Tisserin écarlate.....	260
Tisserin gendarme ...	264
Tisserin gros-bec.....	263
Tisserin masqué	264
Tisserin minule.....	264
Tisserin nain	265
Tisserin noir	263, 265
Tisserin noir de Maxwell	263
Tisserin noir de Vieillot	265
Tisserin orangé	264
Tisserin tricolore	266
Tisserin vitellin.....	266
Tit-hylia	258
Tiuque cordillerano	93
<i>tobaci, Amazilia</i>	231
<i>tobaci, Saucerottia</i>	231
Toco Toucan	240
<i>toco, Ramphastos</i>	240
Tococo.....	13
Tocro à miroir	101
Togo Paradise-Whydah	268
<i>togoensis, Vidua</i>	268
Tooth-billed	
Hummingbird	202
Tooth-billed Pigeon..	117
Topacio candela	
colicanelo	234
Topacio carmesi	234
<i>Topaza</i>	234
Tordo amarillo	250
Tordo de cabeza amarilla	250
<i>Torgos</i>	74, 78, 287
<i>torquata, Coeligena</i> ..	210
Torquéole à poitrine	
brune	98
Torquéole à poitrine	
châtaigne	98
Torquéole de Gingi....	98
Torquéole de Merlin... Torquéole de Sumatra ...	98
Torquéole des bois....	98
<i>torridus, Selasphorus</i>	231
Tórtola Común	120
Tórtola del Senegal ..	120
Tórtola engañosa	119
Tórtola Europea.....	120
Tórtola ojirroja	119
Tórtola Reidora.....	120
Tórtola rizum	119
Tórtola rosigrís	119
Tórtola Senegalesa ..	120
Tórtola tamborilera ..	122
Tórtola vinosa	121
Tortolita alipúrpura ..	115
Tortolita rabilarga	119
Toucan à bec noir	240
Toucan à bec rouge..	241
Toucan à capuchon ..	240
Toucan à carène	240
Toucan à gorge jaune et	241
Toucan à ventre rouge	240
Toucan ariel	241
Toucan barbet	239
Toucan bleu	240
Toucan de Baillon	240
Toucan toco	240
Toucanet à bec tacheté	241
Toui à ailes jaunes ...	134
Toui à ailes variées ..	135
Toui à bandeau jaune....	
.....	156
Toui à dos noir	163
Toui à front bleu	163
Toui à front d'or	135
Toui à front roux.....	134
Toui à lunettes	142
Toui à menton d'or... Toui à queue d'or.....	134
Toui à queue pourprée	163
Toui à sept couleurs ..	163
Toui à tête jaune	143
Toui aymara.....	156
Toui catherine	134
Toui céleste	142
Toui de D'Achille	147
Toui de Deville	134
Toui de Huet.....	163
Toui de Sclater	143
Toui de Spix	142
Toui des tépuis	147
Toui d'Orbigny	134
Toui du Costa Rica...	163
Toui du Mexique.....	142
Toui été	143
Toui flamboyant.....	135
Toui para	134
Toui tacheté	163
Toui tirica.....	135
<i>Touit</i>	163
Touraco à bec noir... Touraco à gros bec..	167
Touraco à huppe blanche	166
Touraco à huppe	
pourprée	165
Touraco à huppe	
splendide	165
Touraco à huppe violette	165
Touraco à joues	
blanches	166
Touraco de Bannerman	165
Touraco de Fischer ..	166
Touraco de Hartlaub	166
Touraco de Livingstone	166
Touraco de Ruspoli ..	167
Touraco de Schalow.	167
Touraco doré	165
Touraco géant	165
Touraco gris	165
Touraco louri	166
Touraco lourie.....	166
Touraco pauline	166
Touraco vert....	166, 167
Touraco vert d'Afrique	
du Sud.....	166
Touraco violet.....	165
Tourmaline Sunangel	
.....	217
Tourtelette améthystine	
.....	122
Tourtelette d'Abyssinie	
.....	122
Tourtelette demoiselle	
.....	122
Tourtelette masquée	119
Tourtelette tambourette	
.....	122
Tourterelle à collier..	119
Tourterelle à masque de	
fer.....	119
Tourterelle à tête bleue	
.....	122
Tourterelle des bois .	120

Tourterelle des palmiers	120
Tourterelle du Cap ...	119
Tourterelle maillée... ...	120
Tourterelle masquée 119	
Tourterelle pleureuse	119
Tourterelle rieuse ...	119
Tourterelle tambourette ..	122
Tourterelle vineuse.. ...	121
<i>toussenelii, Accipiter...</i> ...	35
<i>toxopei, Charmosyna...</i> ..	139
<i>tracheliotus, Aegypius...</i> ..	78
<i>tracheliotus, Torgos</i> ..	78, 287
<i>Tragopan</i> ...	104, 105,
276, 287, 294, 300,	
312, 329	
Tragopan à tête noire....	104
Tragopan arlequin ...	104
Tragopán arlequín ...	104
Tragopán cariazul....	105
Tragopán Chino.....	104
Tragopan de Blyth ...	104
Tragopán de Blyth ...	104
Tragopán de cabeza	
negra.....	104
Tragopan de Cabot ..	104
Tragopán de Cabot ..	104
Tragopan de Hastings	
.....	104
Tragopan de Molesworth ..	104
Tragopan de Temminck ..	105
Tragopán dorsigrís... ...	104
Tragopan occidental. 104	
Tragopán occidental. 104	
Tragopan oriental....	104
Tragopán oriental....	104
Tragopán sátiro.....	105
Tragopan satyre.....	105
Tragopan Tragopan	287,
312	
Traro	94
Travailleur à tête rouge ..	266
<i>Treron</i>	121
Triangular-spotted	
Pigeon.....	116
<i>Trichoglossus</i>	
.....	159, 163, 164
<i>trichopsis, Otus</i>	193
<i>Triclaria</i>	164, 323
<i>tricolor, Ploceus</i>	266
<i>Trigonocephs</i>	78
<i>Tringa</i>	115, 291
Trinidad Piping-Guan .	97
Trinidad White-headed	
Curassow	97
Trinidad White-headed	
Piping Guan.....	97
<i>trinotatus, Accipiter</i>	35
<i>trivirgatus, Accipiter</i> ..	35
TROCHILIDAE ... 3, 199	
<i>Trochilus</i>	234, 305
<i>troglodytes, Estrilda</i> ..	253
Trogon couroucou ...	235
TROGONIDAE 3, 235	
TROGONIFORMES 3,	
235	
Tropical Screech-Owl.....	
.....	187
Trumpet Manucode ..	271
Trumpetbird.....	271
Tucán de pico acanalado	
.....	241
Tucán de pico verde ..	240
Tucán grande	240
Tucán pico-multicolor ..	
.....	240
Tucán piquirrojo	241
Tucán rojo y amarillo.....	
.....	240
Tucán tilingo	240
Tucán verde	240
Tucancito picomaculado	
.....	241
Tucán-Tilingo verde..	240
<i>tucanus, Ramphastos</i>	
.....	241
<i>tucinkae, Eubucco</i>	
.....	239, 333
Tucuman Amazon ...	128
Tucuman Parrot.....	128
<i>tucumana, Amazona</i> ...	128
Tucusito amatista	204
Tucusito cabeza azul ..	
.....	220
Tucusito garganta rosa	
.....	207
Tucusito moradito ...	233
Tucusito pico curvo ..	221
Tucusito rubí.....	209
Tucusito de Barba	234
Tufted Coquette.....	223
Tufted Jay	274
Tui Parakeet.....	135
Tumbes Hummingbird ...	
.....	221
<i>tumultuosus, Pionus</i> ..	151
Tunqui	242
Turaco azul	165
Turaco capucha-blanca	
.....	166
Turaco capucha-	
franjeada	166
Turaco capucha-verde	
de Guinea	167
Turaco cariblanco....	166
Turaco crestiblanco ..	166
Turaco crestimorado 165	
Turaco crestirrojo....	166
Turaco crestivioleta .	165
Turaco de Bannerman...	
.....	165
Turaco de Crin	
occidentale	165
Turaco de Fischer....	166
Turaco de Guinea	167
Turaco de Hartlaub..	166
Turaco de Knysna....	166
Turaco de Livingstone...	
.....	166
Turaco de Ruspoli....	167
Turaco de Schalow ..	167
Turaco de Schuett ...	167
Turaco gigante.....	165
Turaco gris occidental ..	
.....	165
Turaco persa	167
Turaco piquigualdo ..	166
Turaco piquinegro ...	167
Turaco sudafricano ..	166
Turaco violáceo.....	165
<i>Turacoena</i>	122
<i>Turdus</i>	247
Turquoise Grass-	
Parakeet	148
Turquoise Parrot	148
Turquoise-fronted Parrot	
.....	124
Turquoise-throated	
Puffleg	213
Turtle Dove	120, 289,
312	
<i>Turtur</i>	122
<i>turtur, Streptopelia</i>	
... 120, 289, 299, 312	
Twelve-wired Bird-of-	
paradise	274
Twenty-eight Parakeet	
.....	134
<i>tympanistria, Turtur</i> ...	122
<i>tympanistria,</i>	
<i>Tympanistria</i>	122
<i>Tympanuchus</i>	105
<i>typus, Polyboroides</i> ...	73
<i>tyrannus, Spizaetus</i>	77
Tyrant Hawk-Eagle	77
Tyrian Metaltail	224
<i>tyrianthina, Metallura</i>	
.....	224
<i>Tyto</i>	
168, 169, 170, 283,	
320, 335	
TYTONIDAE 3, 167	
<i>tzacatl, Amazilia</i> 201,	
322	

U

- Uelle Paradise-Whydah 267
 ultramarina, *Vidua*.... 267
 ultramarina, *Vini* 165
Ultramarine Lorikeet 165
Ultramarine Lory 165
 ulula, *Surnia*..... 199
 umbra, *Otus*..... 193
Umbrella Cockatoo .. 135
uncinatus,
 Chondrohierax..... 49
underwoodii, *Ocreatus* 225
undulata, *Chlamydotis* 109, 282, 301, 334, 336
undulatus, *Aceros*.... 236
undulatus, *Rhyticeros* 236
unicincta, *Columba*.. 117
unicinctus, *Parabuteo*.72
unicolor, *Cyanoramphus* 140
unicornis, *Crax*..... 96
unicornis, *Pauxi*.. 96, 323
Unspotted Saw-whet Owl 171
Upland Buzzard..44, 328
Uraeginthus..... 259
Ural Owl..... 198
uralensis, *Strix*. 196, 198
Urochroa..... 234
urochrysa, *Chalybura* 208
Uroglaux..... 199
Urosticte 234
Urotriorchis 78
urubitinga, *Buteogallus* 48
Usambara Eagle-Owl 177
ussheri, *Scotopelia* .. 195
usta, *Otus*..... 193
uvaeensis, *Eunymphicus* 142
-

V

- varia*, *Strix*..... 196, 198
varia, *Tangara* 250
Variable Goshawk..... 33
Variable Hawk..... 46
Variable Mountain-gem 220
Variable Screech-Owl.... 186
Varied Lorikeet..... 159
variegata, *Ninox*..... 185
varius, *Psephotus*.... 156
Vasa géant 139

- Vasa Parrot.....139
vasa, *Coracopsis*.....139
Vautour à tête blanche 78
Vautour africain 58
Vautour charognard .. 71
Vautour chassefiente. 58
Vautour chaugoun.... 58
Vautour de l'Himalaya 59
Vautour de Rüppell ... 59
Vautour fauve ... 58, 284
Vautour huppé 78
Vautour indien..... 59
Vautour moine 36
Vautour oricou 78
Vautour page 26
Vautour percnoptère . 71
Vautour royal 26, 74
velatus, *Ploceus*.....266
Velvet-browed Brilliant 218
Velvet-crowned Brilliant 218
Velvet-purple Coronet 204
Venezuelan Sylph200
ventralis, *Accipiter* 35
ventralis, *Amazona* ..128
ventralis, *Buteo*. 47, 281
Ventre orange252
venustus, *Platycercus*.... 152
Veraguan Mango.....203
veraguensis,
 Anthracothorax...203
Vermiculated Fishing-
 Owl194
Vermiculated Screech-
 Owl193
vermiculatus, *Otus*...193
Vernal Hanging-Parrot 146
vernalis, *Loriculus*....146
verreauxii, *Aquila*40, 285
versicolor, *Agyrtria*..... 201, 334
versicolor, *Amazilia* ..201
versicolor, *Amazona*..... 128, 280, 292
versicolor, *Psitteuteles* 159
versicolor, *Trichoglossus* 159
Versicolored Emerald 201
versicolorus, *Brotogeris*134, 135
verticalis, *Prioniturus*.... 154
Vervain Hummingbird.... 223
vesper, *Rhodopis*....230
vespertinus, *Falco* 90, 324, 330
vestitus, *Eriocnemis*. 214
vetula, *Ornithodoris*..... 96
Veuve261, 262, 267, 268
Veuve à collier d'or.. 267
Veuve à dos d'or 262
Veuve à queue large 267
Veuve de Jackson.... 261
Veuve dominicaine .. 267
Veuve du Togo..... 268
Veuve nigérienne 267
Veuve paradisier 267
Veuve-noire 261
Victoria Crowned-pigeon 118
Victoria Goura..... 118
victoria, *Goura*..... 118
victoriae, *Lesbia*..... 221
victoriae, *Ptiloris* 274
*Vidua*267, 268, 302, 330
viduata, *Dendrocygna* 23
Vietnamese Fireback 101
Vietnamese Pheasant.... 101
vigil, *Buceros*..... 238
vigil, *Rhinoplax* 238
vigorsii, *Eupodotis*... 112
Village Indigobird 267
Village Weaver..... 264
villaviscensio,
 Campylopterus.... 206
vinacea, *Amazona*... 128
vinacea, *Lagonosticta* 255
vinacea, *Streptopelia*121
Vinaceous Amazon .. 128
Vinaceous Dove 121
Vinaceous Firefinch.. 255
Vinaceous Parrot 128
Vinaceous Waxbill ... 255
Vinago Africano..... 121
Vinago Japonés..... 121
Vinago obeng 121
Vinago waalia 121
vindhiana, *Aquila* 39
Vini 164, 165
Vinous-breasted
 Sparrowhawk..... 34
viola, *Heliangelus*.... 217
violacea, *Musophaga* 165
Violet Plantain-eater 165
Violet Sabrewing 206
Violet Turaco 165
Violet-bellied
 Hummingbird 212
Violet-capped
 Hummingbird..... 216
Violet-capped
 Woodnymph 233
Violet-chested
 Hummingbird..... 232

Violet-crested Turaco 165
 Violet-crowned
 Hummingbird 201
 Violet-fronted Brilliant...
 218
 Violet-headed
 Hummingbird 220
 Violet-necked Lory... 142
 Violet-tailed Sylph ... 200
 Violet-throated Metaltail
 223, 301
 Violet-throated
 Starfrontlet..... 211
violiceps, *Agyrtria*.... 201
violiceps, *Amazilia* ... 201
violiceps, *Goldmania* 216
violifer, *Coeligena*.....
 211, 323
vipio, *Grus* 108
virgata, *Ciccaba* 198
virgata, *Strix* 198
virgatus, *Accipiter* 31, 35
virginianus, *Bubo* 177
virginianus, *Colinus* ... 99
virgo, *Anthropoides* . 108
virgo, *Grus* 108
 Viridian Metaltail 224
viridicata, *Pyrrhura*.. 162
viridicauda, *Amazilia* 222
viridicauda, *Leucippus*...
 222
viridifacies, *Erythrura*....
 252
viridifrons, *Agyrtria*.. 201
viridifrons, *Amazilia* . 201
viridigaster, *Amazilia* 231
viridigaster, *Saucerottia*
 231, 322
viridigenalis, *Amazona*
 129
viridigula,
 Anthracothorax ... 203
viridipallens, *Lampornis*
 220
viridis, *Anthracothorax*
 203
viridis, *Pteroglossus*. 240
viripallens, *Lampornis* ...
 220
 Visayan Hornbill 239
 Visayan Wrinkled
 Hornbill 237
 Vitelline Masked-Weaver
 266
vitellinus, *Ploceus*.... 266
vitellinus, *Ramphastos*
 241
vittata, *Amazona*.....
 129, 279, 296, 299
 Viuda colicinta 267
 Viuda del paraíso
 oriental 267
 Vo Quy's Pheasant... 101

vocifer, *Haliaeetus*
 61, 295, 334
vociferoides, *Haliaeetus*
 61, 295, 334
 Volcano Hummingbird ...
 231
 Vorabé 260
vosseleri, *Bubo*..... 177
Vultur 26, 308, 312
vulturina, *Gypopsitta* 150
vulturina, *Pionopsitta* 150
 Vulturine Fish-Eagle .. 57
 Vulturine Parrot 150, 159

W

waalia, *Treron* 121
wagleri, *Aratinga* 133
wagneri, *Amazilia* 201
wahlbergi, *Aquila* 40
wahnesi, *Parotia*..... 273
waldeni, *Aceros* 237
 Waldrap 11, 294, 302,
 304
wallacei, *Eulipoa* 95
wallacei, *Megapodius*. 95
wallacii, *Semioptera*.....
 274, 278, 334
wallachii, *Catreus* 99, 287
wallicus, *Pezoporus*..149
waterstradti, *Prioniturus*
 154
watertonii, *Thalurania*....
 233
watsonii, *Otus* 193
 Wattle-billed Bird-of-
 paradise 270
 Wattled Crane
 106, 294, 297, 308,
 311, 317, 318
 Wattled Curassow..... 95
weddelli, *Aratinga* ...133
 Wedge-billed
 Hummingbird203
 Wedge-tailed Eagle ... 36
 Wedge-tailed Hillstar.....
 225
 Wedge-tailed Sabrewing
 205
wellsi, *Leptotila*118
 West African Crowned
 Crane 105
 West African Seedeater
 251
 West African Streaky-
 headed Seedeater.....
 251
 West Indian Tree-Duck ..
 22
 West Indian Whistling-
 duck..... 22, 331, 336

West Peruvian Screech-
 Owl 191
 Western Black-capped
 Lory..... 146
 Western Bluebill 259
 Western Bristlebird.....
 245, 298
 Western Bronze-naped
 Pigeon 116
 Western Corella 136
 Western Crowned-
 pigeon 118
 Western Grey Plantain-
 eater 165
 Western Horned-
 Pheasant 104
 Western Long-tailed
 Hermit 227
 Western Marsh-Harrier..
 51
 Western Parotia 273
 Western Red-footed
 Falcon 90, 324
 Western Rosella 152
 Western Rufous
 Bristlebird 245
 Western Screech-Owl....
 189
 Western Scrub-bird . 244
 Western Tragopan
 ... 104, 287, 291, 292
 Western Turtle-Dove 120
 Whale-headed Stork
 8, 284
 Whiskered Lorikeet.. 149
 Whiskered Pitta..... 243
 Whiskered Screech-Owl
 193
 Whistling Eagle 61
 Whistling Hawk 61
 Whistling Kite 61
 White Cockatoo 135, 295
 White Eared-Pheasant...
 99
 White Goshawk 33
 White Hawk..... 66
 White Spoonbill..... 11
 White Starling..... 268
 White-backed Vulture 58
 White-bearded Hermit...
 227
 White-bellied Bustard....
 112
 White-bellied Caique 149
 White-bellied Emerald...
 200
 White-bellied Fish-Eagle
 60
 White-bellied Goshawk
 31, 309
 White-bellied Green-
 pigeon 121

White-bellied	
Hummingbird	221
White-bellied Korhaan...	
.....	112
White-bellied Mountain-gem.....	220
White-bellied Parrot .	149
White-bellied Sea-Eagle	60
White-bellied Woodstar	207
White-billed Buffalo-Weaver	260
White-billed Sicklebill....	
.....	270
White-breasted	
Guineafowl	98
White-breasted Hawk.	29
White-breasted	
Negrofinch	257
White-breasted Parakeet	160, 336
White-breasted Silvereye	248
White-breasted White-eye.....	248, 304
White-browed Boobook	185
White-browed Hawk...66	
White-browed Hermit....	
.....	228
White-browed Owl ...	185
White-capped Parrot	151
White-cheeked Olive Weaver	256
White-cheeked Turaco	166
White-chested Emerald	200
White-chested White-eye	248
White-chinned Owl ..	194
White-chinned Sapphire	219
White-collared Kite66	
White-crested Coquette	222
White-crested Guan ...97	
White-crested Hornbill	235
White-crested Turaco	166
White-crowned Hornbill	235
White-crowned Parrot ...	
.....	151
White-eared Conure. 161	
White-eared	
Hummingbird	204
White-eared Parakeet ...	
.....	161
White-eyed Buzzard...42	
White-eyed Conure..132	
White-eyed Kestrel ...88	
White-eyed Parakeet	
.....	132
White-eyed Pochard ..	20
White-eyed River-Martin	
.....	244
White-faced Amazon	
.....	126
White-faced Owl	194
White-faced Scops-Owl	
.....	189
White-faced Tree-Duck ..	
.....	23
White-faced Whistling-Duck	
.....	23
White-fronted Amazon	
.....	124
White-fronted Falconet ..	
.....	93
White-fronted Grosbeak	
.....	259
White-fronted Parrot	124
White-fronted Scops-Owl	
.....	192
White-headed Duck.....	
24, 288, 297, 331,	
332	
White-headed Eagle ..	60
White-headed Hornbill	
.....	236
White-headed Sea Eagle	
.....	61
White-headed Starling	
.....	268
White-headed Vulture....	
.....	78
<i>whiteheadi, Stachyris</i>	
.....	247
White-naped Crane	
.....	108, 324
White-naped Lory ..	146
White-naped Weaver.....	
.....	263
White-necked Conure	
.....	160
White-necked Crane	108
White-necked Hawk ..	67
White-necked Jacobin....	
.....	215
White-necked Parakeet	
.....	160
White-necked	
<i>Picathartes</i>	
.....	247, 281, 309
White-necked Rockfowl	
.....	247
White-necklaced	
<i>Partridge</i>	
.....	98
White-quilled Bustard	
.....	110
White-rumped Falcon	94
White-rumped Falconet	
.....	94
White-rumped Hawk .	45
White-rumped Kestrel ...	
.....	83
White-rumped Seedeater	
.....	251
White-rumped Shama...	
.....	245
White-rumped Vulture...	
.....	58
White-shouldered Eagle	
.....	36
White-sided Hillstar .	225
White-tailed Black-Cockatoo	
.....	137
White-tailed Eagle	59
White-tailed Emerald	
.....	213
White-tailed	
Goldenthroat.....	229
White-tailed Hawk	42
White-tailed Hillstar.	234
White-tailed	
Hummingbird.....	215
White-tailed Kite	56, 302
White-tailed Sabrewing	
.....	205
White-tailed Starfrontlet	
.....	210
White-tailed Wattled Pheasant	
.....	100
White-throated Caracara	
.....	93
White-throated Hawk .	42
White-throated	
Hummingbird.....	222
White-throated	
Mountain-gem.....	220
White-throated Screech-Owl	
.....	186
White-tipped Sicklebill	
.....	215
White-tufted Sunbeam	
.....	199
White-vented	
<i>Plumeleteer</i>	
.....	208
White-vented Violet-ear	
.....	211
White-whiskered Hermit	
.....	228, 323
White-winged Cotinga...	
.....	242
White-winged Duck	
.....	21, 289, 332
White-winged Guan	
.....	97, 284, 285, 300
White-winged Wood Duck	21, 288, 293,
301	
<i>whitneyi, Micrathene</i>	182
Whooping Crane	
.....	105, 276, 284
Wigeon	16, 18
<i>wilhelminae, Charmosyna</i>	
.....	139

<i>williami</i> , <i>Metallura</i> ...	224
<i>wilsoni</i> , <i>Coeligena</i>	211
<i>wilsoni</i> , <i>Hypochera</i> ..	268
<i>wilsoni</i> , <i>Vidua</i>	268
<i>wilsonii</i> , <i>Chondrohierax</i>	49
Wine-throated Hummingbird	203
Winking Owl	183
Wire-crested Thorntail	212
Witoogaratinga	132
<i>woodfordii</i> , <i>Ciccaba</i> ..	198
<i>woodfordii</i> , <i>Strix</i>	198
<i>woodhousei</i> , <i>Parmoptila</i>	258
Wreathed Hornbill	235, 236
Wrinkled Hornbill.....	235, 236, 237
Writhed Hornbill.....	236
Writhed-billed Hornbill	237

X

<i>xanthogonyx</i> , <i>Heliodoxa</i>	218, 333
<i>xantholaemus</i> , <i>Icterus</i>	250
<i>xantholora</i> , <i>Amazona</i> 129	
<i>xanthops</i> , <i>Amazona</i> .129	
<i>xanthops</i> , <i>Forpus</i>	143, 303
<i>xanthopterygius</i> , <i>Forpus</i>	142
<i>xantusii</i> , <i>Basilinna</i> ...	204
<i>xantusii</i> , <i>Hylocharis</i> .204	
<i>Xenoglaux</i>	199
<i>Xipholena</i>	242

Y

Yaco	159
Yacutinga cariazul	97
Yacutingá frentinegra.	97
Yagouaso cariblanco ..	23
Yaguaso colorado ..	22
<i>yarrellii</i> , <i>Carduelis</i> ...	250
<i>yarrellii</i> , <i>Eulidia</i> 224, 301	
<i>yarrellii</i> , <i>Myrtis</i>	224
<i>yarrellii</i> , <i>Spinus</i>	250
<i>yaruqui</i> , <i>Phaethornis</i>	228, 323
Yellow Cardinal	249
Yellow Rosella.....	152
Yellow-and-green Lorikeet.....	164
Yellow-backed Lory..	146
Yellow-backed Weaver	265

Yellow-backed Whydah	262
Yellow-bellied Green-Pigeon	121
Yellow-bibbed Lory...146	
Yellow-billed Amazon.....	125
Yellow-billed Cardinal	249
Yellow-billed Kite	69
Yellow-billed Lorikeet	148
Yellow-billed Parrot ..125	
Yellow-billed Tragopan	104
Yellow-billed Turaco .166	
Yellow-breasted Bird-of-paradise	270
Yellow-breasted Racquet-tail .154, 334	
Yellow-capped Pygmy-Parrot.....	147
Yellow-capped Weaver	265
Yellow-chevroned Parakeet	134
Yellow-collared Lovebird	123
Yellow-collared Macaw	154
Yellow-crested Cockatoo	136
Yellow-crowned Amazon	127
Yellow-crowned Bishop	260
Yellow-crowned Parakeet	140, 308, 325
Yellow-crowned Parrot	127
Yellow-eared Conure	149
Yellow-eared Parrot.....	149, 323, 324
Yellow-faced Amazon	129
Yellow-faced Parrot.....	1
Yellow-faced Parrotlet	29, 143, 324
Yellow-faced Siskin ..250	
Yellow-fronted Amazon	127
Yellow-fronted Canary ...	251
Yellow-fronted Kakariki	140
Yellow-fronted Parakeet	140
Yellow-fronted Parrot.....	152
Yellow-headed Amazon	127, 323
Yellow-headed Caracara	93
Yellow-headed Parakeet	132
Yellow-headed Parrot....	127, 326
Yellow-headed Rockfowl	247
Yellowish-breasted Racquet-tail	154
Yellow-knobbed Curassow	95
Yellow-legged Owlet 181	
Yellow-lored Amazon	129
Yellow-lored Parrot ..129	
Yellow-mantled Weaver	266
Yellow-mantled Whydah	262
Yellow-mantled Widowbird	262
Yellow-naped Amazon...	127
Yellow-naped Parrot 127	
Yellow-shouldered Amazon	125
Yellow-shouldered Parrot	125
Yellow-shouldered Widowbird	262
Yellow-streaked Lory	138
Yellow-tailed Black-Cockatoo	137
Yellow-throated Caracara	79
Yellow-throated Hanging-Parrot....	145
Yellow-throated Laughingthrush ...	246
Yellow-winged Pytilia	258
Youyou	153
Yucatan Parrot	129
<i>yucatanensis</i> , <i>Amazilia</i>	202
Yungas Pygmy-Owl..	177

Z

Zafiro barbiazul.....	209
Zafiro bronceado....	219
Zafiro cabeciazul	219
Zafiro cabecimorado	219
Zafiro capirotado.....	233
Zafiro colidorado	209
Zafiro colilargo.....	233
Zafiro coroniazul	233
Zafiro coroniverde ...	233
Zafiro de Elicia	219
Zafiro gargantirrufo .	219

Zafiro golondrina.....	233	Zambullidor de Atitlán .	2	<i>zoniventris</i> , <i>Falco</i>	91
Zafiro gorgiblanco ...	219	Zampullín del Atitlán ...	2	<i>Zoothera</i>	247
Zafiro gorgirrojo.....	219	Zarapito boreal.....	114	Zopilote rey.....	26
Zafiro gorjiazul	219	Zarapito esquimal	114	ZOSTEROPIDAE .4,	248
Zafiro Mexicano.....	233	Zarapito fino	115	<i>Zosterops</i>	248, 328
Zamarrito canoso	216	Zarapito polar	114	Zostérops à gorge	
Zamarrito colilargo ..	213	Zebra Waxbill.....	252	blanche de l'île de	
Zamarrito gorjiturquesa		<i>zeylanicus</i> , <i>Pycnonotus</i>		Norfolk.....	248
.....	213	244	Zostérops à poitrine	
Zamarrito luciente...	214	<i>zeylonensis</i> , <i>Bubo</i>	182	blanche	248
Zamarrito muslinegro		<i>zeylonensis</i> , <i>Ketupa</i>		Zosterops de l'île de	
.....	213	182, 297	Norfolk.....	248
Zamarrito pechiblanco		Zimbador		Zostérops oriental ...	248
.....	213	centroamericano ..	203	Zumbador 202, 209, 232	
Zamarrito pechidorado		Zimbador mexicano .	203	Zumbador coliancho 232	
.....	214	<i>zonarius</i> , <i>Barnardius</i> 134		Zumbador de Allen .. 232	
Zamarrito pechinegro....		<i>zonarius</i> , <i>Platycercus</i>		Zumbador grande ... 202	
.....	214	134	Zumbador rufo..... 232	
Zamarrito verdoso... 216		Zone-tailed Hawk	43	Zumbadorcito	223