

Guide for Reporting to the National Pollutant Release Inventory

2001

Canadian Environmental Protection Act, 1999



Environment Environnement
Canada Canada

Canada

National and Regional NPRI Offices

Headquarters

National Pollutant Release Inventory
Environment Canada
9th Floor, Place Vincent Massey
351 St. Joseph Blvd.
Hull, QC
K1A 0H3
Tel: (819) 953-1656
Fax: (819) 994-3266
E-mail: NPRI@ec.gc.ca

Newfoundland and Labrador, Prince Edward Island, New Brunswick and Nova Scotia

National Pollutant Release Inventory
Environment Canada
16th Floor, Queen Square
45 Alderney Drive
Dartmouth, NS
B2Y 2N6
Tel: (902) 426-4482 / 426-4805
Fax: (902) 426-8373
E-mail: NPRI_ATL@ec.gc.ca

Quebec

National Pollutant Release Inventory
Environment Canada
105 McGill Street, 4th Floor
Montreal, QC
H2Y 2E7
Tel: (514) 283-7303 / 283-0248
Fax: (514) 496-6982
E-mail: INRP_QC@ec.gc.ca

Ontario

National Pollutant Release Inventory
Environment Canada
4905 Dufferin Street, 2nd Floor
Downsview, ON
M3H 5T4
Tel: (416) 739-5891 / 739-4602 /
739-4608 / 739-4707
Fax: (416) 739-4326
E-mail: NPRI_ONTARIO@ec.gc.ca

Manitoba, Saskatchewan, Alberta, Northwest Territories and Nunavut

National Pollutant Release Inventory
Environment Canada
Twin Atria #2, Room 200
4999-98 Avenue
Edmonton, AB
T6B 2X3
Tel: (780) 951-8726 / 951-8730
Fax: (780) 495-2615
E-mail: NPRI_PNR@ec.gc.ca

National Pollutant Release Inventory
Environment Canada
123 Main Street, Suite 150
Winnipeg, MB
R3C 4W2
Tel: (204) 983-4814
Fax: (204) 983-0960

National Pollutant Release Inventory
Environment Canada
Room 300, Park Plaza
2365 Albert Street
Regina, SK
S4P 4K1
Tel: (306) 780-6465
Fax: (306) 780-6466


National Pollutant Release Inventory
Environment Canada
3rd Floor, Diamond Plaza
5204 - 50th (Franklin) Avenue
Yellowknife, NT
X1A 2R2
Tel: (867) 669-4727
Fax: (867) 920-6648

National Pollutant Release Inventory
Environment Canada
P.O. Box 607
Iqaluit, NU
X0A 0H0
Tel: (867) 979-3660
Fax: (867) 979-8608

British Columbia and Yukon

National Pollutant Release Inventory
Environment Canada
224 West Esplanade
North Vancouver, BC
V7M 3H7
Tel: (604) 666-3890 / 666-3221
Fax: (604) 666-6800
E-mail: NPRI_PYR@ec.gc.ca

National Pollutant Release Inventory
Environment Canada
91782 Alaska Highway
Whitehorse, YT
Y1A 5B7
Tel: (867) 667-3402
Fax: (867) 667-7962
E-mail: Benoit.Godin@ec.gc.ca



Guide for Reporting to the National Pollutant Release Inventory

2001

Canadian Environmental Protection Act, 1999

Canada



Environment
Canada

Environnement
Canada

Acknowledgments

Prepared by: Michelle Raizenne

In collaboration with: Environment Canada Offices

Atlantic	Angie Giammario Chris Roberts
Quebec	Catherine Coutu René Damecour Veronique Lacombe Chantal Ménard
Ontario	Christine Brunski Lora Ward James Yacoumidis
Prairie and Northern	Art Beckett Nancy Taschuk Dan Woo
Pacific and Yukon	Michael DeAbreu Benoit Godin Henry Quon
Headquarters	David Allingham François Cadoret Nicole Folliet Terri Inwood Wilfrid Jan François Lavallée Harriet Nicholls Patricia Pelletier John Zaluski

Adobe and Acrobat are trademarks of Adobe Systems Incorporated.

D-U-N-S is a trademark of Dun & Bradstreet, Inc.

Microsoft, MS, MS DOS, Windows and Windows NT are trademarks of the Microsoft Corporation.

Other brand and product names are trademarks or registered trademarks of the respective holders.

The Chemical Abstracts Service (CAS) Registry Number is the property of the American Chemical Society and any use or redistribution, except as required in supporting regulatory requirements and/or for reports to the government when the information and the reports are required by law or administrative policy, is not permitted without the prior, written permission of the American Chemical Society.

Disclaimer

Should any inconsistencies be found between this Guide and the official *Canada Gazette* notice and its amendment, the notice published on March 24, 2001, the erratum of April 7, 2001, and the amendment published on December 29, 2001, in the *Canada Gazette*, Part I, will prevail.



© Minister of Public Works and Government Services Canada
Catalogue # En40-495/2001E
ISBN 0-662-31545-6 (print) (0-662-31546-4 - on-line edition)
ISSN 1204-5675

Table of Contents

Preface	vii
Highlights and Important Changes for 2001	1
Reporting to the National Pollutant Release Inventory for 2001	5
Introduction	5
The Legal Basis for the NPRI – Understanding the <i>Canada Gazette</i> Notice.....	5
Step 1 – Determine whether a report is required for your facility	7
Overview of Reporting Criteria	7
Facility Criteria	7
Exempt Facilities	7
Exclusions	10
Employee Criteria	10
20 000-Hour Employee Threshold	10
Activities to Which the 20 000-hour Employee Threshold Does Not Apply	10
Reporting Criteria for Schedule 1, Part 1, Substances	13
Substances	13
Units	14
Reporting Criteria	14
Nature of Activities	15
Calculating the 10-tonne Reporting Threshold	17
Reporting Criteria for Schedule 1, Part 2, Substance – Mercury (and its compounds)	20
Overview	20
Substance	20
Units	20
Reporting Criteria	20
Definitions	20
Article	21
Reporting Criteria for Schedule 1, Part 3, Substances – Polycyclic Aromatic Hydrocarbons (PAHs)	22
Overview	22
Substances	22
Units	22
Reporting Criteria	23
Reporting Criteria for Schedule 1, Part 4, Substances – Dioxins/Furans and Hexachlorobenzene (HCB)	25
Overview	25
Substances	25
Units	26
Reporting Criteria	26
Description of Activities Listed in Tables 6 and 7	29
Step 2 – Estimate releases and transfers and collect the information required for the NPRI report	33
Sources of Information	33
Method Detection Limit	33
Retain Information Collected	34
Methods of Estimation	34
Schedule 1, Part 1, Substances	34
Schedule 1, Part 2, Substance – Mercury (and its compounds)	34
Schedule 1, Part 3, Substances – Polycyclic Aromatic Hydrocarbons (PAHs)	35

Schedule 1, Part 4, Substances – Dioxins/Furans and Hexachlorobenzene (HCB)	35
What Are Toxic Equivalents (TEQs) of Dioxins/Furans?	37
Methods of Estimation	38
Step 3 – Install the reporting software and upload data	43
Install and Open/Start the NPRI Reporting Software	43
Hardware and Software Requirements	43
Install the NPRI Reporting Software	43
Open the NPRI Reporting Software	43
Using the NPRI Reporting Software	44
Opening Screens	44
Select Inventory Program	44
Global Contacts Menu	45
Entering Data / Main Menu	45
Import Data / Maintain System	46
View / Enter / Edit Data	46
Print Reports	48
Step 4 – Enter or update the facility information	51
Facility Identification	51
A1.0 NPRI ID, Web Site Address, Dun and Bradstreet Number	51
A2.0 Facility Identification and Site Address	52
A3.0 Identification of Parent Companies	52
A4.0 Facility Public Contact	53
A5.0 Facility Public Contact Address	53
A6.0 Facility Technical Contact	53
A7.0 Facility Technical Contact Address	53
A8.0 Company Coordinator	53
A9.0 Company Coordinator Address	53
A10.0 Primary Industrial Classification Codes	53
A11.0 Employee Criteria	55
A12.0 Activities Relevant to the Reporting of Dioxins/Furans and Hexachlorobenzene	56
A13.0 Activity Relevant to the Reporting of Polycyclic Aromatic Hydrocarbons (PAHs)	57
A14.0 Other Environmental Regulations or Permits (optional)	58
A15.0 Comments	58
A16.0 Company Official Certifying this Submission	59
A17.0 Company Official Address	59
Step 5 – Enter or update the NPRI substance information	61
Units of Measure	61
“Basis of Estimate” Codes	61
Dioxins/Furans and HCB	62
B1.0 Substance Identity	63
B2.0 Nature of Activities	63
On-site Releases to the Environment	66
B10.0 Do You Release This Substance On Site?	66
B11.0 Releases of Less than One Tonne	66
B12.0 On-site Releases of the Substance to the Environment	66
B13.0 Yearly Breakdown of Releases by Percentage in Each Quarter	68
B14.0 Reasons for Changes in Quantities Released from Previous Year	68
B15.0 Anticipated Releases	68
Off-site Transfers for Disposal or Recycling	69
B20.0 Transfers of the Substance to Off-site Locations	69
B21.0 Reasons why Substances were Transferred Off Site for Disposal or Recycling	69
B22.0 Off-site Transfers for Disposal	70
B23.0 Reasons for Changes in Quantities Disposed from Previous Year	71

B24.0 Anticipated Disposals	71
B25.0 Off-site Transfers for Recycling	71
B26.0 Reasons for Changes in Quantities Recycled from Previous Year	73
B27.0 Anticipated Recycling	73
B30.0 Pollution-Prevention (P2) Activities	73
B40.0 Production Ratio and Activity Index (optional)	75
Step 6 – Check errors and export data	79
Check for Reporting Errors	79
View / Print Reporting Errors.	79
Export a Report	79
Step 7 – Sign the Statement of Certification and submit the report	81
Sign the Statement of Certification	81
Submitting an NPRI Report by Mail	81
Submitting an NPRI Report by E-mail	81
Retain a Copy of the Information on which your NPRI Report was based	82
Request for Confidentiality	82
Section 52 of the <i>CEPA, 1999</i>	83
Questions and Answers	85
Index	85
Questions and Answers	89
References and Bibliography	101
References	101
Publications of the U.S. Environmental Protection Agency	102
Guidance Documents for Reporting to the Toxics Release Inventory	102
Locating and Estimating (L&E) Documents	104
Other Documents from the U.S. EPA	105
Documents Produced by Industry Associations	105
Guidance Document for the Wood-Preservation Industry	106
General Information	106
Appendices	107
1 – Alphabetical Listing of NPRI Substances for 2001	107
2 – NPRI Substances for 2001, Listed by Chemical Abstracts Service Registry Number	111
3 – Definition of Biomedical Waste	115
4 – Definition of Hazardous Waste	117
5 – Examples of How to Estimate Releases	119
6 – Examples of Estimating Releases of Alternate-Threshold Substances	123
7 – Four-digit North American Industry Classification System (NAICS) Codes	129
8 – Two-digit 1980 Canadian Standard Industrial Classification (SIC) Codes	133
9 – Two-digit 1987 U.S. Standard Industrial Classification (SIC) Codes	135
10 – Reported Mercury Content of Various Products and Materials	137
11 – NPRI Emission Factor Database for Alternate-Threshold Substances	143

Preface

The National Pollutant Release Inventory (NPRI) is at the centre of the Government of Canada's efforts to track toxic substances. It is the only nation-wide, publicly-accessible program of its type in Canada that provides information on pollutants being released to the environment and transferred for disposal. Since its inception in 1992, the role of the NPRI has expanded to include the collection of information on NPRI substances being recycled and pollution-prevention activities.

All non-confidential information collected through the NPRI is available to the public on Environment Canada's Web site at <www.ec.gc.ca/pdb/npri> in the form of downloadable databases, reports and analyses, and through a query site which allows the user to view information submitted by an individual facility.

For the 2001 reporting year, there were 265 substances listed in the NPRI, 61 of which had been declared toxic under the *Canadian Environmental Protection Act, 1999*. There are 245 substances listed with the original NPRI reporting criteria (10-tonne, manufacture, process and other use reporting threshold with 1% concentration exemption, except for by-products). Twenty substances are listed with alternate reporting thresholds and criteria – mercury (and its compounds), 17 individual polycyclic aromatic hydrocarbons (PAHs), polychlorinated dibenzo-*p*-dioxins (dioxins) / polychlorinated dibenzofurans (furans), and hexachlorobenzene (HCB).

This Guide enables facility owners or operators to review the NPRI reporting criteria and determine if they are required to report to the NPRI for the 2001 reporting year. It also explains how to complete the reporting form and submit a report to Environment Canada.

In May 2001, the Ontario Ministry of the Environment (MOE) issued the *Airborne Contaminant Discharge Monitoring and Reporting Regulation* (O.Reg.127/01) under the authority of the *Ontario Environmental Protection Act*. To reduce reporting burden on industry, Environment Canada worked with the MOE to incorporate the annual MOE reporting form into the 2001 NPRI reporting software. A separate guidance document, *Guide for Reporting under O.Reg.127/01 Using the NPRI/MOE Software – 2001*, is available on the NPRI reporting software CD to explain the reporting requirements and the reporting form for those facilities in Ontario required to report under O.Reg.127/01.

Cette publication est aussi disponible en français sous le titre de « Guide de déclaration à l'Inventaire national des rejets de polluants – 2001 ».

Highlights and Important Changes for 2001

Report Due Dates

<i>Canada Gazette</i> Notice	Reporting Year	Reporting Deadline
March 24, 2001	2001 calendar year	June 1, 2002


An erratum was published on April 7, 2001, to correct a minor discrepancy in the French version of the *Canada Gazette* notice. An amendment to the *Canada Gazette* notice for the 2001 NPRI was published on December 29, 2001, to remove phosphoric acid from the NPRI List of Substances for 2001.

Correspondence

Correspondence from Environment Canada will be addressed to the company coordinator. If there is no coordinator, correspondence will be sent to the technical contact. Failure to provide correct telephone and facsimile numbers for the contacts could delay receipt of important notices from NPRI offices. See Step 4 – A4.0, A6.0 and A8.0.

Steps / Process for Reporting to the NPRI

This Guide has been organized to walk you through the seven steps required to report to the NPRI for 2001. Included are explanations of the reporting criteria, the reporting form, and how to use the software. The steps are outlined in the figure below.



Substances

The following changes were made to the NPRI List of Substances for 2001.

- addition of N,N-Dimethylformamide (CAS No. 68-12-2) to Schedule 1, Part 1, of the 2001 *Canada Gazette* notice
- amalgamation of the individual isomers of cresol (*m*-, *o*- and *p*-cresol) under the “cresol (all isomers)” listing
- changed qualifier for vanadium to “(except when in an alloy) and its compounds” from “fume or dust”, and
- de-listing of phosphoric acid (CAS No. 7664-38-2).

Retaining Copies of Information

New for the 2001 reporting year, persons reporting to the NPRI for 2001 are required to retain copies of all information upon which their NPRI report was based. This information must be kept at the facility or parent company in Canada, for three years. Refer to Step 7 for details.

Reporting to the Ontario Ministry of the Environment under Regulation 127/01

In May 2001, the Ontario Ministry of the Environment (MOE) issued the *Airborne Contaminant Discharge Monitoring and Reporting Regulation* (O.Reg.127/01) under the authority of the *Ontario Environmental Protection Act*. In response to requests from industry for a one-window approach to reporting to inventories, Environment Canada worked with the MOE to include the reporting form for O.Reg.127/01 within the NPRI reporting form. Refer to the *Guide for Reporting under O.Reg.127/01 Using the NPRI/MOE Software – 2001* for instructions on how to complete the reporting form for O.Reg.127/01. Reference material for reporting to the MOE is also provided on the 2001 NPRI reporting software CD.

Common Errors

- **Statement of Certification**
A number of facilities either neglect to provide a signed Statement of Certification or submit a Statement of Certification that has not been signed by the company official identified in Section A16.0 of the NPRI reporting form. Either error renders the report incomplete.
- **NPRI Identification Number**
A number of facilities do not report the NPRI identification number assigned to the facility. Your assigned NPRI ID number is provided in your NPRI correspondence. NPRI ID numbers are between 0001 and 9999. Contact your regional NPRI office if you cannot find your ID number.
- **Industrial Classification**
Many facilities report industrial classification codes that are inconsistent with their industrial activities. Facilities must verify that the Canadian Standard Industrial Classification (SIC), U.S. SIC and North American Industry Classification System (NAICS) Canada codes that they report best describe their activities. The NPRI software provides pick-lists for these codes. While there may be several choices because of differences in the classification systems, be certain to choose the classification that best describes the facility. If you have any questions about selecting industrial classification codes, contact your regional NPRI office.

- **Incorrect Units of Measure**

Not all releases and transfers of NPRI substances are reported in units of tonnes. The NPRI reporting form identifies the appropriate unit for each substance.

SCHEDULE/PART	SUBSTANCE	UNITS
Schedule 1, Part 1	245 Substances	tonnes
Schedule 1, Part 2	Mercury (and its compounds)	kilograms
Schedule 1, Part 3	Polycyclic aromatic hydrocarbons (PAHs)	kilograms
Schedule 1, Part 4	Hexachlorobenzene (HCB)	grams
Schedule 1, Part 4	Dioxins/furans	grams (TEQ)

- **Software Problems**

Some facilities do not install and test the NPRI reporting software early enough. Technical problems encountered in installing or running the software may result in submission of a late report. Facilities are urged to ensure that the software is correctly installed well in advance of the June 1 reporting deadline.

- **Administrative Problems**

Some facilities have replaced staff who prepared earlier NPRI reports and, as a result, new staff are unaware of the requirement to report, do not receive the NPRI reporting kit when it arrives at the facility, or cannot find the electronic data and records used to prepare the previous year's report. This may result in the facility submitting a late or incomplete report, or expending excess effort in completing the report on time. All facilities are encouraged to establish and maintain appropriate administrative procedures to ensure an orderly transition during staff and other corporate changes.

- **Problems Submitting the Report**

Some facilities have submitted their NPRI reports, either on disk or as an e-mail attachment, with incorrect data files. After completing the reporting forms for a facility, the export function of the NPRI software must be used to create the correct data files to be submitted to the NPRI (see Step 6). Disks must be formatted before exporting NPRI reports.

Reporting to the National Pollutant Release Inventory for 2001

Introduction

The NPRI changed significantly for the 2000 reporting year with the introduction of alternate-reporting thresholds. Certain substances are listed at alternate thresholds because they pose serious risks to human health or the environment in relatively low quantities, and very limited data, if any, would be reported to the NPRI for these substances at the original 10-tonne and 1% concentration reporting threshold. Substances with alternate-reporting thresholds include mercury (and its compounds), 17 polycyclic aromatic hydrocarbons (PAHs), and dioxins/furans and hexachlorobenzene (HCB).

This Guide explains the reporting criteria for the 2001 NPRI. The reporting criteria for NPRI substances are explained in Step 1. Steps 2 through 5 explain what information must be reported to Environment Canada and how to complete the reporting form. Steps 6 and 7 explain how to submit an NPRI report to Environment Canada.

This Guide should be consulted by owners and operators of facilities to determine if they must report for any NPRI substances.

The Legal Basis for the NPRI – Understanding the *Canada Gazette* Notice

The legal basis for the 2001 NPRI is the “Notice with Respect to Substances in the National Pollutant Release Inventory for 2001” published in the *Canada Gazette*, Part I, on March 24, 2001. The notice was published under the authority of subsection 46(1) of the *Canadian Environmental Protection Act, 1999 (CEPA, 1999)*. This notice specifies that any person who owned or operated a facility during the calendar year 2001, under the conditions prescribed in the notice, must provide certain information to the Minister of the Environment by no later than **June 1, 2002**. An erratum was published on April 7, 2001, to correct a minor discrepancy in the French version of the notice. An amendment to the *Canada Gazette* notice for the 2001 NPRI was published on December 29, 2001, to remove phosphoric acid from the NPRI List of Substances for 2001. Notices are published annually in the *Canada Gazette*, Part I.

The 2001 *Canada Gazette* notice encompasses a wide range of substances, reporting criteria and requirements. It is divided into four schedules with several parts in each, as outlined below.

If you have any difficulties interpreting the requirements of the NPRI notice, consult the “Questions and Answers” section of this Guide or contact your regional NPRI office listed inside the front cover.

OVERVIEW OF THE CANADA GAZETTE NOTICE FOR THE 2001 NPRI

SCHEDULE 1 – NATIONAL POLLUTANT RELEASE INVENTORY SUBSTANCES

Schedule 1 lists all substances in the NPRI, and is broken into four parts according to the reporting criteria for the substances:

- Part 1 lists the 245 substances to which the original NPRI reporting criteria apply (10-tonne, manufacture, process and other use reporting threshold with 1% concentration exemption, except for by-products)
- Part 2 lists mercury (and its compounds)
- Part 3 lists 17 individual PAHs, and
- Part 4 lists dioxins/furans and HCB.

SCHEDULE 2 – CRITERIA FOR REPORTING

- General - reporting deadline, exclusions and exemptions
- Part 1 - reporting criteria for substances listed in Schedule 1, Part 1
- Part 2 - reporting criteria for mercury (and its compounds) listed in Schedule 1, Part 2
- Part 3 - reporting criteria for the 17 PAHs listed in Schedule 1, Part 3
- Part 4 - reporting criteria for dioxins/furans and HCB listed in Schedule 1, Part 4, and
- Part 5 - five activities to which the 20 000-hour employee threshold does not apply.

SCHEDULE 3 – TYPES OF INFORMATION SUBJECT TO NOTICE

Schedule 3 outlines the information that must be submitted by facilities which met the reporting criteria defined in Schedule 2.

SCHEDULE 4 – DEFINITIONS

Schedule 4 provides definitions of several terms used in the notice.

Step 1 – Determine whether a report is required for your facility

The first step is to determine whether your facility is required to report to the NPRI for any substances. This section outlines the reporting criteria for all substances listed in the NPRI for 2001. If you are required to report, refer to the other sections in the Guide for a description of the reporting requirements and how to use the 2001 NPRI reporting software.

Refer to Step 2 for details on where to find guidance and information on the substances listed in the NPRI. The sources of information identified in Step 2 can be used to determine if you met the quantitative substance threshold and, if so, assist you to determine the quantities released and transferred that must be reported to the NPRI.

Overview of Reporting Criteria

The substances listed on the 2001 NPRI are divided into four groups, according to their differing set of reporting criteria. The complete list of NPRI substances is provided in Appendix 1, and is subdivided into these four parts.

It is the facility's obligation to review the NPRI reporting criteria and requirements annually as they are subject to change.

Figure 1 provides an overview of the reporting criteria for the 2001 NPRI. Detailed explanations of the reporting criteria and requirements for each group of substances follow the figure.

Facility Criteria

A “facility” refers to all buildings, equipment, structures and other stationary items that are located on a single site or on contiguous or adjacent sites that are owned or operated by the same person and function as a single integrated site.

Exempt Facilities


A facility is exempt from reporting a substance to the NPRI if the **only source or use** of that NPRI substance at the facility was one or more of the activities listed in Table 1.

In cases where a facility met the reporting criteria for a substance based on sources **other than** those listed in Table 1, it should not include the quantity of that same substance from any exempt activities (listed in Table 1) when reporting release or transfer quantities to the NPRI.

TABLE 1: ACTIVITIES NOT CONSIDERED WHEN REPORTING TO THE NPRI

- educating or training students, such as at universities, colleges and schools
- research or testing
- the maintenance and repair of transportation vehicles, such as automobiles, trucks, locomotives, ships or aircraft
- the distribution, storage or retail sale of fuels
- the wholesale or retail sale of articles or products which contain NPRI substances, provided that the substances are not released to the environment during normal use at the facility
- the retail sale of NPRI substances
- growing, harvesting or managing renewable natural resources, such as fisheries, forestry or agriculture, **but not** those facilities that process or otherwise use their products
- mining, **but not** those facilities that further process or otherwise use mined materials
- drilling or operating wells to obtain oil and gas products, **but not** those facilities that further process or otherwise use these oil and gas products, or
- the practice of dentistry.

FIGURE 1 -
CRITERIA FOR
REPORTING TO
THE NPRI FOR 2001



A facility is exempt from reporting a substance to the NPRI if the only source or use of that NPRI substance at the facility is from one or more of the activities listed below:

- educating or training students, such as at universities, colleges and schools
- research or testing
- the maintenance and repair of transportation vehicles, such as automobiles, trucks, locomotives, ships or aircraft
- the distribution, storage or retail sale of fuels
- the wholesale or retail sale of articles or products which contain NPRI substances, provided that the substances are not released to the environment during normal use at the facility
- the retail sale of NPRI substances
- growing, harvesting or managing renewable natural resources, such as fisheries, forestry or agriculture, **but not** those facilities that process or otherwise use their products
- mining, **but not** those facilities that further process or otherwise use mined materials
- drilling or operating wells to obtain oil and gas products, **but not** those facilities that further process or otherwise use these oil and gas products, or
- the practice of dentistry.

Was the facility used for any of the following activities to which the 20 000-hour employee threshold does not apply (listed in Schedule 2, Part 5, of the 2001 *Canada Gazette* notice)?:

- non-hazardous solid waste incineration of 100 tonnes or more of waste per year, including small combustion units, conical burners and beehive burners
- biomedical or hospital waste incineration of 100 tonnes or more of waste per year
- hazardous waste incineration
- sewage sludge incineration, or
- wood preservation.

Seventeen individual PAHs are listed in Schedule 1, Part 3, of the 2001 *Canada Gazette* notice:

- | | | | |
|------------------------|------------|----------------------------|------------|
| • Benzo(a)anthracene | (56-55-3) | • Dibenzo(a,h)anthracene | (53-70-3) |
| • Benzo(a)phenanthrene | (218-01-9) | • Dibenzo(a,i)pyrene | (189-55-9) |
| • Benzo(a)pyrene | (50-32-8) | • 7H-Dibenzo(c,g)carbazole | (194-59-2) |
| • Benzo(b)fluoranthene | (205-99-2) | • Fluoranthene | (206-44-0) |
| • Benzo(e)pyrene | (192-97-2) | • Indeno(1,2,3-c,d)pyrene | (193-39-5) |
| • Benzo(g,h,i)perylene | (191-24-2) | • Perylene | (198-55-0) |
| • Benzo(j)fluoranthene | (205-82-3) | • Phenanthrene | (85-01-8) |
| • Benzo(k)fluoranthene | (207-08-9) | • Pyrene | (129-00-0) |
| • Dibenz(a,j)acridine | (224-42-0) | | |

Was the facility engaged in one or more of the following activities (listed in Schedule 2, Part 4, paragraph 8(b) of the 2001 *Canada Gazette* notice)?:

- non-hazardous solid waste incineration of 100 tonnes or more of waste per year, including small combustion units, conical burners and beehive burners
- biomedical or hospital waste incineration of 100 tonnes or more of waste per year
- hazardous waste incineration
- sewage sludge incineration
- base metals smelting (copper, lead, nickel and zinc)
- smelting of secondary lead
- smelting of secondary aluminum
- manufacturing of iron using a sintering process
- operation of electric arc furnaces in steel manufacturing
- operation of electric arc furnaces in steel foundries
- production of magnesium
- manufacturing of portland cement
- production of chlorinated organic solvents or chlorinated monomers
- combustion of fossil fuel in a boiler unit, for the purpose of producing steam for the production of electricity, with a generating capacity of 25 megawatts or greater of electricity
- combustion of fuel in kraft liquor boilers used in the pulp and paper sector, or
- combustion of hog fuel originating from logs that were transported or stored in salt water in the pulp and paper sector.

Exclusions

A facility should not include the quantity of a substance from any sources listed in Table 2 when calculating the reporting thresholds or when reporting release or transfer quantities to the NPRI.

TABLE 2: SOURCES NOT CONSIDERED WHEN REPORTING TO THE NPRI

- **articles that are processed or otherwise used**
 - **materials used as structural components of the facility** – The exclusion of structural components of the facility from the reporting threshold is limited to buildings and other fixed structures but does not include process equipment.
 - **materials used in routine janitorial or facility grounds maintenance** – The maintenance of processing equipment is not considered “routine janitorial” or “facility grounds” maintenance. For example, if manufacturing or processing equipment is cleaned with a solvent, the amount of the NPRI substance(s) contained in the solvent should be included in the threshold calculation.
 - **materials used for personal use by employees or other persons**
 - **materials used for the purpose of maintaining motor vehicles operated by the facility**
 - **in intake water or intake air** – This refers to water used for process cooling or air used either as compressed air or for combustion.
-

Employee Criteria

Before determining whether the facility met the substance-specific threshold for any substances listed in the NPRI, the facility must determine if it met the employee criteria. A facility is not required to report to the NPRI if, during the 2001 calendar year:

- the total number of hours worked by all employees was less than 20 000 hours, **and**
- the facility was not used mainly or exclusively for one of the following activities:
 - non-hazardous solid waste incineration of 100 tonnes or more of waste per year, including small combustion units, conical burners and beehive burners
 - biomedical or hospital waste incineration of 100 tonnes or more of waste per year
 - hazardous waste incineration
 - sewage sludge incineration, or
 - wood preservation.

Both of these thresholds are further explained below.

20 000-hour Employee Threshold

This threshold depends specifically on the number of hours worked by all employees at the facility during the calendar year and not on the number of persons working. To determine if your facility met the 20 000-hour employee threshold, include all hours worked by:

- persons employed at the facility, including students, part-time and term employees
- owner(s) who performed work on site at the facility, and
- persons who performed work on site at the facility on a routine basis related to the normal operation of the facility, for the period of time the person performed that work, such as contractors.

The total number of hours worked includes paid vacation and sick leave.

Activities to Which the 20 000-hour Employee Threshold Does Not Apply

If your facility was used mainly or exclusively for one or more of the activities listed in Table 3, you must submit a report for any NPRI substance that met its respective reporting criteria, regardless of the number of hours worked by employees. The employee threshold does not apply because facilities used for these activities are known to release significant quantities of NPRI pollutants to the environment, but often were not required to report to the NPRI since they did not meet the 20 000-hour employee threshold.

Complete descriptions of these activities are provided below.

TABLE 3: ACTIVITIES TO WHICH THE 20 000-HOUR EMPLOYEE THRESHOLD DOES NOT APPLY

Waste Incineration Activities

- (a) non-hazardous solid waste incineration of 100 tonnes or more of waste per year, including small combustion units, conical burners and beehive burners
- (b) biomedical or hospital waste incineration of 100 tonnes or more of waste per year
- (c) hazardous waste incineration
- (d) sewage sludge incineration

Wood Preservation Activity

- (e) wood preservation (using heat or pressure treatment, or both)

Waste Incineration Activities

The first four activities listed in Table 3 are forms of waste incineration. **Waste incineration**, for the purposes of the NPRI, only includes incineration that takes place in a waste incinerator. Waste incineration does not include open burning of wastes.

A **waste incinerator** is a device, mechanism or structure constructed primarily to thermally treat (e.g., combust or pyrolyze) a waste for the purpose of reducing its volume, destroying a hazardous chemical present in the waste, or destroying pathogens present in the waste. This includes facilities where waste heat is recovered as a by-product from the exhaust gases from an incinerator (e.g., energy-from-waste incinerators). This also includes conical burners and beehive burners. This does not include industrial processes where fuel derived from waste is fired as an energy source, such as industrial boilers.

a) Non-hazardous solid waste incineration of 100 tonnes or more of waste per year, including small combustion units, conical burners and beehive burners

Non-hazardous solid waste means any waste, regardless of origin, which might normally be disposed of in a non-secure manner, such as at a sanitary landfill site, if not incinerated. It includes clean wood waste, i.e., waste from woodworking or forest product operations, including bark, where the wood waste has not been treated with preservative chemicals (e.g., pentachlorophenol) or decorative coatings. Non-hazardous solid waste incineration includes incineration of residential and other municipal wastes in conical burners, and clean wood waste in beehive burners.

A facility used for the incineration of 100 tonnes or more of non-hazardous solid waste per year is required to report to the NPRI if it met the substance criteria, regardless of the number of hours worked by employees.

b) Biomedical or hospital waste incineration of 100 tonnes or more of waste per year

Biomedical waste is defined fully in Appendix 3. Biomedical or hospital waste refers to waste that is generated by:

- human or animal health-care facilities
- medical or veterinary research and testing establishments
- health-care teaching establishments
- clinical testing or research laboratories, and
- facilities involved in the production or testing of vaccines.

Biomedical or hospital waste includes human anatomical waste and animal waste. It also includes microbiology laboratory waste, human blood and body fluid waste, and waste sharps that have not been disinfected or decontaminated. It does not include waste from animal husbandry, or waste that is controlled in accordance with the *Health of Animals Act* (Canada).

Wastes that are household in origin, or that are generated in the food production, general building maintenance and office administration activities of those facilities to which this definition applies, are not considered to be biomedical or hospital waste but rather to be non-hazardous solid waste.

A facility used for the biomedical or hospital waste incineration of 100 tonnes or more of waste per year is required to report to the NPRI if it met the substance criteria, regardless of the number of hours worked by employees.

c) Hazardous waste incineration

Hazardous waste is defined fully in Appendix 4. Hazardous waste includes those wastes that are potentially hazardous to human health and/or the environment because of their nature and quantity, and that require special handling techniques. Hazardous waste incinerators must be licensed or authorized by the responsible jurisdiction. Hazardous waste incinerated in a mobile incinerator temporarily located at your facility must be included as part of this activity.

A facility used for the incineration of hazardous waste is required to report to the NPRI if it met the substance criteria, regardless of the number of hours worked by employees or the quantities incinerated.

d) Sewage sludge incineration

Sludge means a semi-liquid mass removed from a liquid flow of wastes. Sewage sludge means sludge from a facility treating wastewater from a sanitary sewer system. The drying of sludge to reduce water content is part of the incineration stage.

A facility used for the incineration of sewage sludge is required to report to the NPRI if it met the substance criteria, regardless of the number of hours worked by employees or the quantities incinerated.

Wood Preservation Activities

Wood Preservation (using heat or pressure treatment, or both)

A facility used for wood preservation is required to report to the NPRI for Schedule 1, Part 1, substances and mercury (and its compounds) if it met the substance criteria, regardless of the number of hours worked by employees.

Wood Preservation Using Creosote

A facility used for wood preservation must report for any of the 17 individual PAHs released on site or transferred off site from a wood-preservation process using creosote, regardless of the number of hours worked by employees. This reporting criterion is found in Schedule 2, Part 3, of the 2001 *Canada Gazette* notice. Refer to “Reporting Criteria for Schedule 1, Part 3, Substances” for details.

Wood Preservation Using Pentachlorophenol

A facility used for wood preservation using pentachlorophenol must report for dioxins/furans and HCB, regardless of the number of hours worked by employees or the quantities of dioxins/furans and HCB released or transferred. This reporting criterion is found in Schedule 2, Part 4, of the 2001 *Canada Gazette* notice. Refer to “Reporting Criteria for Schedule 1, Part 4, Substances” for details.

Reporting Criteria for Schedule 1, Part 1, Substances

Substances

The changes to the NPRI List of Substances for 2001 include:

- the addition of N,N-Dimethylformamide (CAS No. 68-12-2) to Schedule 1, Part 1, of the 2001 *Canada Gazette* notice
- the amalgamation of the individual isomers of cresol (*m*-, *o*-, and *p*-cresol) under the “cresol (all isomers)” listing
- the change in the qualifier for vanadium to “(except when in an alloy) and its compounds” from “fume or dust”, and
- the de-listing of phosphoric acid (CAS No. 7664-38-2).

You must confirm that one or more of the 245 substances listed in Schedule 1, Part 1, were manufactured, processed or otherwise used at your facility. The NPRI substances are listed in alphabetical order in Appendix 1. Most of the substances have CAS numbers associated with them. The NPRI substances are listed by CAS number in Appendix 2. Substances that do not have a unique CAS number are noted with an asterisk (*).

Some groups of substances and individual substances are qualified in terms of their specific physical or chemical form, state or particle size. These qualifiers will determine whether your facility will be required to report for a given substance:

- **fume or dust**
This qualifier for aluminum refers to solids with particle diameters of 0.001 to 1 micron for fumes and 1 to 100 microns for dust particles.
- **fibrous forms**
This qualifier, applied to aluminum oxide, excludes the more common granular, powdered or fumed forms of alumina.
- **salts**
Weak acids and bases are listed with this qualifier. Although the CAS number that appears on the NPRI list is specific to the acid or base, all salts of these listed substances must be reported as an equivalent weight of the acid or base.
- **compounds**
Twelve NPRI Part 1 elements have this qualifier – antimony, arsenic, cadmium, chromium, cobalt, copper, lead, manganese, nickel, selenium, silver and zinc. The pure element and any substance, alloy or mixture must be reported as the equivalent weight of the element. No CAS number is provided for these substances.
Note that “tetraethyl lead” and “lead (and its compounds)” both appear on the NPRI list. Exclude tetraethyl lead when completing a report for lead (and its compounds). Complete a separate report for tetraethyl lead. Apply the reporting criteria to each substance separately.
- **(except when in an alloy) and its compounds**
This qualifier applies only to vanadium. The pure element and any substance or mixture must be reported as the equivalent weight of the element. No CAS number is provided for these substances. Do not include vanadium contained in an alloy. An alloy includes metal products containing two or more elements as a solid solution, intermetallic compounds and/or mixtures of metallic phases.
This change to the qualifier for vanadium was made, beginning in the 2001 reporting year, to capture all forms of vanadium and its compounds released from the combustion of fuel.
- **friable form**
Asbestos is the general name for several fibrous minerals and products. Only asbestos that is brittle and readily crumbled should be reported.

- **mixed isomers**
This qualifier is used for mixtures of isomers which have the same chemical formula but different chemical structures. The substances with this qualifier are dinitrotoluene, *n*-nonylphenol and toluenediisocyanate. Substances with this qualifier are usually found as mixtures. The total quantity of all isomers must be used in calculating the 10-tonne threshold quantity. Do not apply the 10-tonne reporting threshold to each individual isomer unless the pure isomer alone is manufactured, processed, otherwise used or is an NPRI by-product.
- **all isomers**
This qualifier is applied to cresol, xylene and three hydrochlorofluorocarbons (HCFC-122, HCFC-123 and HCFC-124). Each of these substances should be reported as an aggregate of the individual isomers that have the same chemical formula but different chemical structures. The total quantity of all isomers must be used in calculating the 10-tonne threshold. Refer to Appendices 1 and 2.
- **ionic**
This qualifier, applied to cyanides, includes the salts of hydrogen cyanide but excludes organocyanides, nitriles and organometallic cyanide compounds such as ferrocyanide. In the mining industry, ionic cyanide is equivalent to “weak acid dissociable” cyanide.
- **total**
For aqueous solutions of ammonia, this means both NH_3 and NH_4^+ expressed as ammonia.
- **yellow or white**
This qualifier is the general description for the common allotropes of elemental phosphorus.
- **in solution at a pH of 6.0 or greater**
This distinguishes nitrate ion in neutral or basic solution from nitric acid (pH of less than 6.0). If nitric acid is neutralized to a pH of 6.0 or greater, you must submit a report for both nitric acid and for nitrate ion in solution. Your release or transfer of nitric acid would be “zero” and your release or transfer of nitrate ion would reflect the quantity of neutralized nitric acid reported as nitrate ion in solution at a pH of 6.0 or greater.

In most cases, consider only the substances and the CAS numbers listed. For example, “styrene” is listed with its corresponding CAS number “100-42-5”. The chemical description which corresponds to this CAS number does not include “polystyrene”. There are no polymers on the NPRI list, only monomers.

Material Safety Data Sheets (MSDSs) are an important source of information on the composition of purchased products. Suppliers of hazardous materials are required, as part of the Workplace Hazardous Material Information System (WHMIS), to supply MSDSs on request.

Units

Report on-site releases and off-site transfers of NPRI Part 1 substances in units of tonnes.

Reporting Criteria

In general, any person who owns or operates a facility must submit a report to the NPRI for a substance listed in Schedule 1, Part 1, of the 2001 *Canada Gazette* notice **only** if **all** of the following criteria are met:

- employee criteria (see previous section)
- the facility manufactured, processed or otherwise used 10 tonnes (10 000 kg) or more of an NPRI Part 1 substance in the 2001 calendar year, and
- the NPRI Part 1 substance was manufactured, processed or otherwise used at a concentration greater than or equal to 1% by weight, with the exception of NPRI substances considered to be by-products. The total weight of by-products must also be included in the calculation of the 10-tonne threshold for each NPRI Part 1 substance.

Figure 2 illustrates the steps to follow to determine if your facility is required to submit a report to the NPRI for a given NPRI Part 1 substance. A facility must meet **all the reporting criteria** before it is required to report on-site releases and transfers off site for disposal or recycling of the Part 1 substance.

Once you have determined that your facility is required to submit a report for an NPRI Part 1 substance, all on-site releases and all off-site transfers for disposal or recycling of that substance are reportable, regardless of their concentration or quantity (including “zero” releases and transfers).

For guidance on estimating releases and transfers, refer to Step 2 and Appendix 5.

Nature of Activities


The terms “manufacture”, “process” and “other use” are defined in Schedule 4 of the 2001 *Canada Gazette* notice. These activities are part of the reporting criteria. An NPRI Part 1 substance at a concentration equal to or greater than 1% or an NPRI Part 1 by-product at a concentration of less than 1%, are only included in the calculation of the 10-tonne reporting threshold if they had been manufactured, processed or otherwise used. An NPRI report does not have to be submitted for a substance that was never manufactured, processed or otherwise used at the facility during the reporting year.

Manufacture

The term “manufacture” means to produce, prepare or compound an NPRI substance. It also includes the incidental production of an NPRI substance as a “by-product” resulting from the manufacture, processing or other use of other substances.

The production of chlorine dioxide by a chemical plant is an example of manufacturing. The production of hydrochloric acid during the manufacture of chlorofluorocarbons is an example of incidental production.

FIGURE 2 - REPORTING CRITERIA FOR SCHEDULE 1, PART 1, SUBSTANCES



Process

The term “process” means the preparation of an NPRI substance, after its manufacture, for distribution in commerce. Processing includes preparation of a substance with or without changes in physical state or chemical form. The term also applies to the processing of a mixture or formulation that contains an NPRI substance as one component, as well as the processing of “articles” (see below).

The use of chlorine (an NPRI substance) to manufacture hypochloric acid (not an NPRI substance) is an example of processing of chlorine. The use of toluene and xylenes to blend paint solvent mixtures is an example of processing without changes in chemical form.

Other Use

The terms “other use” and “otherwise used” encompass any use of an NPRI substance at a facility that does not fall under the definitions of “manufacture” or “process”. This includes the use of the substance as a chemical processing aid, manufacturing aid or some other ancillary use. The use of trichloroethylene in the maintenance of equipment used for manufacturing and processing is considered an “other use”. “Other use” does not include routine janitorial or facility grounds maintenance.

By-products

By-products are included in the calculation of the 10-tonne reporting threshold for Part 1 substances to capture large-volume, low-concentration releases and transfers. The inclusion of by-products when reporting affects facilities that release to the environment or transfer for disposal large quantities of NPRI Part 1 substances, but at concentrations of less than 1%. By-products are not included in the calculation of reporting thresholds for NPRI Part 2, 3 or 4 substances. Some examples of affected sectors include, but are not limited to, power generation, aluminum smelting, and pulp and paper production.

Normally, only NPRI Part 1 substances in concentrations equal to or greater than 1% are included in the threshold calculations. The 1% concentration limit is consistent with the reporting requirements under the WHMIS. Minor constituents (with some exceptions) are not included on MSDS. **However, NPRI Part 1 by-products at less than 1% concentration by weight must be included in the calculation of the 10-tonne reporting threshold.**

The NPRI applies to any person who possesses or who may reasonably be expected to have access to the types of information requested. This reasonable expectation limits the reporting liability of facilities which cannot easily determine minor amounts of NPRI substances in their feedstock or process.

To determine if an NPRI Part 1 substance is a by-product, all elements of the by-product definition must be considered.

A “by-product” is an NPRI substance that is incidentally manufactured, processed or otherwise used at the facility at a concentration of less than 1% by weight, and is released on site to the environment or transferred off site for disposal.

The NPRI Part 1 substance is not relevant to the manufacture, processing or other use of substances at the facility. It may be the product of an unwanted side-reaction or an impurity in a feedstock material. If the NPRI by-product was absent, there would be no effect on the process. As with substances reportable to the NPRI, it must have been manufactured, processed or otherwise used at the facility.

The NPRI Part 1 substance was manufactured, processed or otherwise used at a concentration of less than 1% by weight.

NPRI Part 1 substances which meet the above criteria are only considered by-products if they are released to the environment or transferred off site for disposal. Substances that are recycled or that remain in the final product are excluded from the by-product definition.

Example 1

Hydrogen fluoride is incidentally manufactured during aluminum smelting. For some large facilities, more than 10 tonnes may be released to the atmosphere at concentrations of less than 1%. The weight of the hydrogen fluoride by-product must be used in the calculation of the 10-tonne reporting threshold.

Example 2

Chromium and nickel are incidentally present in coal. During combustion, a portion of these metals is concentrated in the ash which is transferred off site for disposal and a portion of the metals is released in stack emissions. The weight of the heavy metal by-products must be included in the calculation of the 10-tonne reporting threshold.

Example 3

An NPRI Part 1 substance is present in trace amounts in a product that is repackaged for retail sale. The quantity of this substance released through spillage or through fugitive air emissions cannot be determined because the formulation of the product is proprietary or the substance concentration is not listed on the MSDS and more detailed information cannot be obtained from the supplier or manufacturer. Although this NPRI substance is considered a by-product, it is not included in the calculation of the 10-tonne reporting threshold because it is an unreasonable expectation that the facility could obtain information on the substance identity, concentration or quantity.

Article

An “article” is defined as a manufactured item that does not release an NPRI substance under normal conditions of processing or use. When articles such as metal sheets and bars are processed (punched, cut or sheared) and there are no releases, or the releases such as metal shearings or pieces are recycled 100% or with due care, the NPRI substances in that article need not be included in the threshold calculation. Exercising “due care” in ensuring 100% recycling means that the facility generated less than 1 kg of the NPRI Part 1 substance as waste during the calendar year. Materials that are welded lose their article status since there are releases from the article during welding.

Calculating the 10-tonne Reporting Threshold

The 10-tonne reporting threshold is based on the quantity of an NPRI Part 1 substance manufactured, processed or otherwise used at the facility at concentrations equal to or greater than 1% **plus** the quantity of the same NPRI Part 1 substance, at less than 1% concentration, that is considered to be a by-product which is released on site to the environment or transferred off site for disposal.

When calculating the 10-tonne reporting threshold, **include** the quantity of an NPRI Part 1 substance that is:

- manufactured at a concentration equal to or greater than 1%
- processed at a concentration equal to or greater than 1%
- otherwise used at a concentration equal to or greater than 1%
- a by-product, at less than 1% concentration, released on site to the environment
- a by-product, at less than 1% concentration, transferred off site for disposal.

Any NPRI substances that are recycled off site and returned to the facility should be treated as the equivalent of newly-purchased material for the purposes of NPRI threshold determinations. Since an NPRI Part 1 substance may undergo many processes in a facility, care should be taken not to double-count process streams when calculating the reporting threshold.

NPRI Part 1 Substances Equal to or Greater than 1% Concentration

The total quantity of an NPRI Part 1 substance manufactured, processed or otherwise used at concentrations greater than or equal to 1%, at any time or in any part of the facility, **must** be used in the calculation of the 10-tonne reporting threshold.

The quantity of a substance received by a facility at 30% concentration and then diluted to less than 1% for use, is included in the threshold calculation. A substance received at the facility at less than 1% and subsequently concentrated to 5% would also be included in the threshold calculation.

Facilities that blend or formulate NPRI Part 1 substances such as solvents, must include the total quantity of the substance blended or mixed in the reporting threshold calculation since blending, mixing and formulating are considered processing, which is a reportable activity.

Facilities that repackage or transfer NPRI Part 1 substances between containers need only consider the total quantity of the substance repackaged or transferred.

If only a range of concentrations is available for a substance present in a mixture, use the average of the range for threshold determinations.

NPRI Part 1 Substances of Less than 1% Concentration

The total quantity of a by-product released on site to the environment or transferred off site for disposal **must** be used in the calculation of the 10-tonne reporting threshold. This is the only circumstance under which the quantity of an NPRI Part 1 substance at a concentration of less than 1% is used in calculating the 10-tonne reporting threshold. **However, once the reporting criteria have been met, all on-site releases and off-site transfers for disposal or recycling must be reported, regardless of the substance's concentration.**

The following examples illustrate application of the by-product definition:

Example 1

A facility uses a pre-polymer mixture which contains unreacted di-*n*-octyl phthalate monomer at a concentration of less than 1%. The monomer remains in the final product after the processing is complete. The polymer is used to make articles sold for distribution. The unreacted monomer is not released and remains in the product distributed in commerce and therefore is not included in calculating the 10-tonne threshold.

Example 2

Gases produced during coking of coal are recovered and used to supply heat and are therefore not considered by-products. The quantity produced at concentrations of less than 1% should not be used in the calculation of the reporting threshold.

Example 3

Many industrial processes involve separation but not all create by-products. Distillation of crude oil, for example, produces a number of secondary substances intended for distribution in commerce or further use. These are not by-products for the purpose of reporting to the NPRI.

Example 4

Metal cuttings, transferred off site for disposal, contain alloyed chromium at a concentration of less than 1%. The chromium is an essential component of the alloy, therefore it is not incidentally processed and is not considered to be a by-product. The chromium in the metal cuttings is not included in the calculation of the 10-tonne reporting threshold.

Example of Calculating the Reporting Threshold

The following example illustrates the calculation of the 10-tonne reporting threshold. This facility has several processes in which an NPRI Part 1 substance is manufactured, processed or otherwise used.

1. In the first process, NPRI substance "A" is present at 5% concentration and is included in the threshold calculation.
2. In the second process, a raw material added to the process is pure substance "A". It is also included in the threshold calculation, regardless of any subsequent dilution in the process. This also applies to a substance received at the facility at less than 1% which is subsequently concentrated to more than 1% in the process.
3. The weight of substance "A" in the raw material used in process 3 is not included in the threshold calculation because the concentration is less than 1%. Note, however, that since the facility in this example must report because it meets the 10-tonne reporting threshold, it is required to take into account and report releases and transfers from all processes including those, such as process 3, which were not used in the threshold calculations.
4. The weight of substance "A" produced and released from process 4 is included in the calculation because it is a by-product. The concentration criterion does not apply to by-products.

MATERIAL CONTAINING SUBSTANCE "A"	TOTAL WEIGHT OF MATERIAL CONTAINING SUBSTANCE "A"	CONCENTRATION OF SUBSTANCE "A" IN THE MATERIAL	NET WEIGHT OF SUBSTANCE "A"
Process stream 1	150 tonnes	5.00%	7.5 tonnes
Raw material in process 2	2 tonnes	100.00%	2.0 tonnes
Raw material in process 3	45 tonnes	0.20%	n/a
By-product released from process 4	10 000 tonnes	0.01%	1.0 tonne
Total weight of substance "A"			10.5 tonnes

In this example, the facility would be required to submit a report to the NPRI (assuming it also met the 20 000-hour employee threshold) because the total amount of substance "A" manufactured, processed or otherwise used at the facility exceeded 10 tonnes for the calendar year.

Reporting Criteria for Schedule 1, Part 2, Substance – Mercury (and its compounds)

Overview

Mercury and mercury compounds are micro-pollutants which have significant environmental and human health impacts at relatively low levels. Mercury (and its compounds) occur naturally in the environment, but human activities can concentrate them to levels that are toxic to human health and the environment. Because minimal releases of mercury (and its compounds) may result in significant adverse effects and can reasonably be expected to significantly contribute to exceeding the lower thresholds, Environment Canada removed the 1% concentration exemption for mercury (and its compounds) and lowered the reporting threshold.

Substance

Mercury (and its compounds) are listed in Schedule 1, Part 2, of the 2001 *Canada Gazette* notice. The pure element and any substance, alloy or mixture must be reported as the equivalent weight of the element. No unique CAS number is provided for this listing.

Units

Report on-site releases and off-site transfers of mercury (and its compounds) in units of kilograms (kg).

Reporting Criteria

The reporting criteria for mercury (and its compounds) are outlined in Schedule 2, Part 2, of the 2001 *Canada Gazette* notice and in Figure 3.

A facility is required to report on-site releases and off-site transfers of mercury (and its compounds) if, during the 2001 calendar year:

- employees worked a total of 20 000 hours or more or the facility was used for an activity to which the 20 000-hour employee threshold does not apply (listed in Table 3),

AND

- mercury (and its compounds) were manufactured, processed or otherwise used at any concentration in a quantity of 5 kg or more.

The 1% concentration exemption included in the 10-tonne manufacture, process or other use threshold for Schedule 1, Part 1, substances **does not** apply to mercury (and its compounds).

A Material Safety Data Sheet (MSDS) is an important source of information on the composition of a purchased product. Suppliers of hazardous materials are required, as part of the Workplace Hazardous Materials Information System (WHMIS), to supply MSDSs on request.


Once you have determined that your facility is required to submit a report for mercury (and its compounds), all on-site releases and all off-site transfers for disposal or recycling of that substance are reportable, regardless of their concentration or quantity (including “zero” releases and transfers).

An example of estimating releases and transfers of mercury (and its compounds) is provided in Appendix 6. Appendix 10 lists various materials and products known to contain mercury. The emission factor database discussed in Appendix 11 contains a list of substances known to contain mercury and emission factors for mercury (and its compounds).

Definitions

The terms “manufacture”, “process” and “other use” are defined in the previous section (for Part 1 substances) and in Schedule 4 of the 2001 *Canada Gazette* notice.

FIGURE 3 - REPORTING CRITERIA FOR MERCURY (AND ITS COMPOUNDS)

**Article**

An “article” is defined as a manufactured item that does not release an NPRI substance under normal conditions of processing or use. This is further explained in the previous section for Part 1 substances. However, there is no quantitative measure of “due care” in recycling mercury (and its compounds) because even minimal releases of mercury can cause significant adverse effects and can reasonably be expected to contribute to exceeding the low threshold of 5 kg. Therefore, if an “article” containing mercury (and its compounds) is processed and there are releases, the mercury (and its compounds) **must** be included in the threshold calculation.

Example

A fluorescent lamp meets the definition of an article. The mercury content of a fluorescent lamp is only included in a facility’s calculation of the 5-kg reporting threshold if the item loses its article status, i.e., the lamp is broken, thus allowing a release of mercury. Therefore, as long as fluorescent lamps remain articles, they are not included in calculating the reporting threshold.

Reporting Criteria for Schedule 1, Part 3, Substances – Polycyclic Aromatic Hydrocarbons (PAHs)

Overview

Polycyclic aromatic hydrocarbons (PAHs) may be used as commercial chemicals or incidentally manufactured. PAHs are listed as a group on the List of Toxic Substances under the *CEPA, 1999*. PAHs as a group have been assigned Track 2 status under the *CEPA, 1999*, because many sources are natural rather than resulting from human activity.

The inclusion of these 17 PAHs in the NPRI is based on the PAHs classified as persistent, bioaccumulative and toxic substances by Environment Canada's Accelerated Reduction/Elimination of Toxics (ARET) program, known as ARET Group A. Since these 17 PAHs are predominantly incidentally manufactured and released or transferred from facilities, rather than used as commercial chemicals, Environment Canada set alternate reporting criteria based on releases and transfers resulting from incidental manufacture.

There continue to be two Part 1 substances in the NPRI that are considered PAHs – anthracene (CAS No. 120-12-7) and naphthalene (CAS No. 91-20-3). These substances are commercial chemicals used in significant quantities, and are less toxic than the 17 PAHs added to the NPRI at an alternate threshold in 2000. Environment Canada has retained the 10-tonne manufacture, process and other use reporting threshold for anthracene and naphthalene.

Substances

The 17 individual PAHs with an alternate reporting threshold are listed in Schedule 1, Part 3, of the 2001 *Canada Gazette* notice and in Table 4. These 17 PAHs are listed individually in the NPRI.

TABLE 4: SEVENTEEN PAH SUBSTANCES LISTED AT AN ALTERNATE THRESHOLD

CAS No.	Substance Name	CAS No.	Substance Name
56-55-3	Benzo(a)anthracene	224-42-0	Dibenz(a,j)acridine
218-01-9	Benzo(a)phenanthrene	53-70-3	Dibenzo(a,h)anthracene
50-32-8	Benzo(a)pyrene	189-55-9	Dibenzo(a,i)pyrene
205-99-2	Benzo(b)fluoranthene	194-59-2	7H-Dibenzo(c,g)carbazole
192-97-2	Benzo(e)pyrene	206-44-0	Fluoranthene
191-24-2	Benzo(g,h,i)perylene	193-39-5	Indeno(1,2,3-c,d)pyrene
205-82-3	Benzo(j)fluoranthene	198-55-0	Perylene
207-08-9	Benzo(k)fluoranthene	85-01-8	Phenanthrene
		129-00-0	Pyrene

The NPRI has added an additional substance listing in the NPRI reporting software – “PAHs, total Schedule 1, Part 3” – which refers to all 17 PAHs or any combination thereof listed in Schedule 1, Part 3, of the 2001 *Canada Gazette* notice. The 17 PAHs may be reported under the substance listing titled “PAHs, total Schedule 1, Part 3” **only** if you do not have information available to estimate releases and transfers for any of the individual PAHs.

Anthracene and naphthalene are listed in Schedule 1, Part 1, of the 2001 *Canada Gazette* notice and the reporting criteria differ from those discussed in this section. Anthracene and naphthalene must not be considered when you are determining whether your facility met the reporting criteria for the 17 alternate-threshold PAHs, nor in calculating on-site releases or off-site transfers of the 17 PAHs. Anthracene and naphthalene are not included under the “PAHs, total Schedule 1, Part 3” listing.

Units

Report on-site releases and off-site transfers of individual PAHs listed in Schedule 1, Part 3, or “PAHs, total Schedule 1, Part 3” in units of kilograms (kg).

Reporting Criteria

The 17 PAHs listed in Part 3 of the NPRI are predominantly incidentally manufactured and released or transferred from facilities, rather than used as commercial chemicals. For this reason, Environment Canada set alternate reporting criteria based on releases and transfers resulting from incidental manufacture.

Except for the activity of wood preservation using creosote, the reporting criteria for PAHs are different from other NPRI-listed substances in the following ways:

- reporting the 17 PAHs is based on the quantities of the substances incidentally manufactured and released or transferred, **not** on the quantities manufactured, processed, or otherwise used
- you must consider the quantities of **all** 17 individual PAHs incidentally manufactured together in determining if your facility met the reporting threshold, and
- the reporting threshold is 50 kg.

The substance-specific reporting criteria for the 17 PAHs listed in Table 4 are outlined in Schedule 2, Part 3, of the 2001 *Canada Gazette* notice and in Figure 4. On-site releases and off-site transfers must be reported for the individual PAH substances even though the 50-kg reporting threshold applies to the total releases and transfers of all 17 alternate-threshold PAHs.

With the exception of the activity of wood preservation (see below), you must submit substance reports on one or more of the 17 PAHs listed in Table 4 that were incidentally manufactured if, during the 2001 calendar year:

- employees worked a total of 20 000 hours or more, or the facility was used for an activity to which the 20 000-hour employee threshold does not apply (listed in Table 3)

AND

- any individual PAH (listed in Table 4) was incidentally manufactured, and the quantity of all of the PAHs incidentally manufactured and released on site or transferred off site together totalled 50 kg or more.

Wood Preservation Using Creosote

Wood preservation means the preservation of wood using heat or pressure treatment, or both. There is no 50-kg reporting threshold for PAHs released or transferred from a wood-preservation process using creosote because the PAHs are contained in the creosote and not incidentally manufactured.


PAHs can constitute up to 90% of creosote, and for this reason, may be released or transferred from most wood-preservation activities using creosote.

A facility used for wood preservation must submit a report for each/any of the 17 individual PAHs released on site or transferred off site from a wood-preservation process using creosote, regardless of the quantity of PAHs released or transferred or the number of hours worked by employees. All PAHs released on site or transferred off site from wood-preservation processes using creosote must be reported, regardless of the quantity.

Environment Canada has prepared a technical guide to assist facilities using creosote for wood preservation to estimate their releases. Refer to the “References and Bibliography” section of this Guide.

FIGURE 4 - REPORTING CRITERIA FOR THE 17 PAHS LISTED AT AN ALTERNATIVE THRESHOLD

Step 1



Reporting Criteria for Schedule 1, Part 4, Substances – Dioxins/Furans and Hexachlorobenzene (HCB)

Overview

Polychlorinated dibenzo-*p*-dioxins (PCDD or dioxins), polychlorinated dibenzofurans (PCDF or furans) and hexachlorobenzene (HCB) are released primarily as by-products of industrial and combustion processes, but are also found as contaminants in certain pesticides or chlorinated solvents. HCB may also be found as a contaminant in ferric chloride used for water or wastewater treatment. These substances have been identified as Track 1 toxic substances under the *CEPA, 1999*, and as such are slated for virtual elimination¹ of releases to the environment.

Because of the persistent and bioaccumulative nature of dioxins/furans and HCB, and their classification as Track 1 substances, Environment Canada has enhanced the reporting requirements for these substances. Environment Canada must be able to set priorities, to implement short-term management strategies, to determine which sectors and which facilities have to virtually eliminate these substances, and to track progress toward the long-term goal of virtual elimination. A quantitative reporting threshold for dioxins/furans and HCB does not address the two requirements related to virtual elimination; as a result, Environment Canada implemented an activity-based reporting threshold.

All facilities engaged in identified activities (see Tables 6 and 7) have the potential to incidentally manufacture dioxins/furans or HCB and are therefore required to submit a report to the NPRI. The identified activities were selected by Environment Canada to cover all main point sources of dioxins/furans and HCB releases being targeted by the Canada-Wide Standards initiatives for dioxins/furans and HCB. Reporting by limited sectors known to release these substances will capture all significant releases from such facilities, while minimizing reporting burden on other facilities reporting to the NPRI.

Substances

Dioxins/Furans

Dioxins/furans are listed in Schedule 1, Part 4, of the 2001 *Canada Gazette* notice as “polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans”. There is no CAS number provided for the dioxin/furan group since the listing includes the 17 most toxic dioxin and furan congeners. A congener is a compound belonging to a family of compounds having similar chemical skeletons, but differing in the number and position of hydrogen substitutes. The 17 congeners and their CAS numbers are referenced in Schedule 1, Part 4, of the 2001 *Canada Gazette* notice in a footnote to the “polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans” listing, and below in Table 5.

Because these 17 congeners have related toxic effects that are cumulative, report on-site releases and off-site transfers of dioxins/furans together as a group, in grams of toxicity equivalent (TEQ) to the most toxic congener of dioxin (2,3,7,8-tetrachlorodibenzo-*p*-dioxin). You estimate the quantity in grams of TEQ of dioxins/furans released or transferred by adding the individual units of TEQ for each congener. A more detailed description of TEQ and its calculation is provided in Step 2.

¹ Virtual elimination of a toxic substance released into the environment as a result of human activity, is defined in subsection 65(1) of the *CEPA, 1999*, as “the ultimate reduction in the quantity or concentration of the substance in the release below the level of quantification.”

TABLE 5: DIOXIN AND FURAN CONGENERS INCLUDED IN THE NPRI DIOXINS/FURANS GROUP

CAS No.	Name of Congener
1746-01-6	2,3,7,8-Tetrachlorodibenzo- <i>p</i> -dioxin
40321-76-4	1,2,3,7,8-Pentachlorodibenzo- <i>p</i> -dioxin
39227-28-6	1,2,3,4,7,8-Hexachlorodibenzo- <i>p</i> -dioxin
19408-74-3	1,2,3,7,8,9-Hexachlorodibenzo- <i>p</i> -dioxin
57653-85-7	1,2,3,6,7,8-Hexachlorodibenzo- <i>p</i> -dioxin
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo- <i>p</i> -dioxin
3268-87-9	Octachlorodibenzo- <i>p</i> -dioxin
51207-31-9	2,3,7,8-Tetrachlorodibenzofuran
57117-31-4	2,3,4,7,8-Pentachlorodibenzofuran
57117-41-6	1,2,3,7,8-Pentachlorodibenzofuran
70648-26-9	1,2,3,4,7,8-Hexachlorodibenzofuran
72918-21-9	1,2,3,7,8,9-Hexachlorodibenzofuran
57117-44-9	1,2,3,6,7,8-Hexachlorodibenzofuran
60851-34-5	2,3,4,6,7,8-Hexachlorodibenzofuran
67562-39-4	1,2,3,4,6,7,8-Heptachlorodibenzofuran
55673-89-7	1,2,3,4,7,8,9-Heptachlorodibenzofuran
39001-02-0	Octachlorodibenzofuran

Hexachlorobenzene (HCB)

Hexachlorobenzene (HCB) has the CAS No. 118-74-1 and is listed in Schedule 1, Part 4, of the 2001 *Canada Gazette* notice.

Units**Dioxins/Furans**

Report quantities of dioxins/furans released on site and transferred off site in units of grams of toxic equivalents (g TEQ) of the 17 congeners listed in Table 5. Units of grams TEQ are further discussed in Step 2.

HCB

You must report the quantities of HCB released on site and transferred off site in units of grams (g).

Reporting Criteria

The reporting criteria for dioxins/furans and HCB are outlined in Schedule 2, Part 4, of the 2001 *Canada Gazette* notice, and are summarized in Figure 5.

If a facility was “**used for**” one of the activities not required to meet the 20 000-hour employee threshold, that facility was used primarily or exclusively for that activity.


If a facility was “**engaged in**” an activity, then that facility was engaged in the activity at any time during the year, regardless of extent or the primary purpose of the facility.

You must submit substance reports for dioxins/furans and HCB if your facility met one or more of the following criteria, **regardless of the quantity of dioxins/furans or HCB released on site or transferred off site**:

- your facility was **used for** one or more of the activities in Table 6, **regardless** of the 20 000-hour employee threshold
- your facility was **engaged in** one or more of the activities in Tables 6 or 7, **and** your facility met the 20 000-hour employee threshold, and/or
- your facility was **used for** wood preservation using pentachlorophenol, **regardless** of the 20 000-hour employee threshold.

Table 6 lists the activities for which substance reports are required for dioxins/furans and HCB, regardless of the total number of hours worked by employees at the facility in the 2001 calendar year.

FIGURE 5 - REPORTING CRITERIA FOR DIOXINS/FURANS AND HCB



If your facility was used for one or more of the activities set out in Table 6, you must submit substance reports for dioxins/furans and HCB. Only report on-site releases and off-site transfers that resulted from the incidental manufacture of dioxins/furans or HCB while engaging in the listed activities. A description of the activities listed in Table 6 is provided below.

TABLE 6: ACTIVITIES FOR WHICH DIOXINS/FURANS AND HCB REPORTS ARE REQUIRED (20 000-HOUR EMPLOYEE THRESHOLD DOES NOT APPLY)

Activity

- a) Non-hazardous solid waste incineration of 100 tonnes or more of waste per year, including small combustion units, conical burners and beehive burners
- b) Biomedical or hospital waste incineration of 100 tonnes or more of waste per year
- c) Hazardous waste incineration
- d) Sewage sludge incineration

If your facility engaged in one or more of the activities set out in Table 7, and your facility met the 20 000-hour employee threshold in the 2001 calendar year, you must submit substance reports for dioxins/furans and HCB. A description of the activities listed in Table 7 is provided below.

TABLE 7: ACTIVITIES FOR WHICH DIOXINS/FURANS AND HCB REPORTS ARE REQUIRED (20 000-HOUR EMPLOYEE THRESHOLD APPLIES)

Activity

- a) Non-hazardous solid waste incineration of 100 tonnes or more of waste per year, including small combustion units, conical burners and beehive burners
- b) Biomedical or hospital waste incineration of 100 tonnes or more of waste per year
- c) Hazardous waste incineration
- d) Sewage sludge incineration
- e) Base metals smelting (this refers to copper, lead, nickel and zinc)
- f) Smelting of secondary lead
- g) Smelting of secondary aluminum
- h) Manufacturing of iron using a sintering process
- i) Operation of electric arc furnaces in steel manufacturing
- j) Operation of electric arc furnaces in steel foundries
- k) Production of magnesium
- l) Manufacturing of portland cement
- m) Production of chlorinated organic solvents or chlorinated monomers
- n) Combustion of fossil fuel in a boiler unit, for the purpose of producing steam for the production of electricity, with a generating capacity of 25 megawatts or greater of electricity
- o) Combustion of hog fuel originating from logs that were transported or stored in salt water in the pulp and paper sector
- p) Combustion of fuel in kraft liquor boilers used in the pulp and paper sector

A description of what and how you must report is given in Step 2; examples of estimation methods and reporting scenarios are provided in Appendix 6. There are **special reporting requirements** for dioxins/furans and HCB, outlined in Step 2.

Wood Preservation Using Pentachlorophenol

Wood preservation means the preservation of wood using heat or pressure treatment, or both. If your facility was used for wood preservation using pentachlorophenol, you must submit substance reports for dioxins/furans and HCB, **regardless of the number of hours worked by employees.**

Description of Activities Listed in Tables 6 and 7

Incineration Activities

The first four activities listed in Tables 6 and 7 are forms of waste incineration. Waste incineration, for the purposes of the NPRI, only includes incineration that takes place in a waste incinerator. Waste incineration does not include open burning of wastes.

A **waste incinerator** is a device, mechanism or structure constructed primarily to thermally treat (e.g., combust or pyrolyze) a waste for the purpose of reducing its volume, destroying a hazardous chemical present in the waste, or destroying pathogens present in the waste. This includes facilities where waste heat is recovered as a by-product from the exhaust gases from an incinerator (e.g., energy-from-waste incinerators). This also includes conical burners and beehive burners. This does not include industrial processes where fuel derived from waste is fired as an energy source, such as industrial boilers. Refer to Table 7 if you combust wastes in industrial boilers, as your facility may meet dioxins/furans and HCB reporting criteria for another activity.

a) Non-hazardous solid waste incineration of 100 tonnes or more of waste per year, including small combustion units, conical burners and beehive burners

Non-hazardous solid waste means any waste, regardless of origin, which might normally be disposed of in a non-secure manner, such as at a sanitary landfill site, if not incinerated. It includes clean wood waste, i.e., waste from woodworking or forest product operations, including bark, where the wood waste has not been treated with preservative chemicals (e.g., pentachlorophenol) or decorative coatings. Non-hazardous solid waste incineration includes incineration of residential and other municipal wastes in conical burners, and clean wood waste in beehive burners.

A facility engaged in the incineration of 100 tonnes or more of non-hazardous solid waste per year must submit substance reports for dioxins/furans and HCB.

b) Biomedical or hospital waste incineration of 100 tonnes or more of waste per year

Biomedical waste is defined fully in Appendix 3. Biomedical or hospital waste refers to waste that is generated by:

- human or animal health-care facilities
- medical or veterinary research and testing establishments
- health-care teaching establishments
- clinical testing or research laboratories, and
- facilities involved in the production or testing of vaccines.

Biomedical or hospital waste includes human anatomical waste and animal waste. It also includes microbiology laboratory waste, human blood and body fluid waste, and waste sharps that have not been disinfected or decontaminated. It does not include waste from animal husbandry, or waste that is controlled in accordance with the *Health of Animals Act* (Canada).

Wastes that are household in origin, or that are generated in the food production, general building maintenance and office administration activities of those facilities to which this definition applies are not considered to be biomedical or hospital waste but rather to be non-hazardous solid waste.

A facility engaged in the biomedical or hospital waste incineration of 100 tonnes or more of waste per year must submit substance reports for dioxins/furans and HCB.

c) Hazardous waste incineration

Hazardous waste is defined fully in Appendix 4. Hazardous waste includes those wastes that are potentially hazardous to human health and/or the environment because of their nature and quantity, and that require special handling techniques. Hazardous waste incinerators must be licensed or authorized by the responsible jurisdiction. Hazardous waste incinerated in a mobile incinerator temporarily located at your facility must be included as part of this activity.

A facility engaged in the incineration of hazardous waste must submit substance reports for dioxins/furans and HCB, regardless of the quantities incinerated.

d) Sewage sludge incineration

Sludge means a semi-liquid mass removed from a liquid flow of wastes. Sewage sludge means sludge from a facility treating wastewater from a sanitary sewer system. The drying of sludge to reduce water content is part of the incineration stage.

A facility engaged in the incineration of sewage sludge must submit substance reports for dioxins/furans and HCB, regardless of the quantities incinerated.

Smelting Activities

Smelting includes the melting of raw or scrap materials (containing metals) to produce metal for further processing into metal products (i.e., castings, ingots, sheets, etc.). The smelting process is typically accompanied by a chemical change in which impurities are removed (i.e., the addition of flux to separate metals from other contaminants).

e) Base metals smelting

Base metals refers to copper, lead, nickel and zinc. This activity does not include smelting of aluminum or any other metals. It also does not include the smelting of secondary lead, which is a separate activity listed in Table 7 (see description below).

f) Smelting of secondary lead

Secondary lead refers to lead-bearing scrap or lead-bearing materials, other than lead-bearing concentrates derived from a mining operation. Facilities engaged in smelting of lead-bearing concentrates derived from a mining operation are considered to be base metals smelters (see description above).

g) Smelting of secondary aluminum

Secondary aluminum refers to aluminum-bearing scrap or aluminum-bearing materials. Secondary aluminum smelting involves two processes – pre-cleaning and smelting – both of which may produce emissions of dioxins/furans.

Other Activities

h) Manufacturing of iron using a sintering process

Sintering is the welding together and growth of contact area between two or more initially distinct particles at temperatures below the melting point, but above one-half of the melting point (in degrees Kelvin). In sintering operations, dioxins/furans may be formed as unwanted by-products during high-temperature decomposition and combustion of raw materials containing chlorine and organic compounds.

i) Operation of electric arc furnaces in steel manufacturing

In an electric arc furnace, material is heated by the heat energy released from an electric arc. The electric arc is a component of an electric circuit, like a resistor, but with its own peculiar characteristics. Dioxins/furans may be formed as unwanted by-products during high-temperature decomposition and combustion of raw materials containing chlorine and organic compounds.

j) Operation of electric arc furnaces in steel foundries

In an electric arc furnace, material is heated by the heat energy released from an electric arc, during which dioxins/furans and HCB may be formed.

k) Production of magnesium

Production of magnesium from magnesium chloride by electrolysis may result in the generation of dioxins/furans and HCB.

l) Manufacturing of portland cement

Portland cement is a fine greyish powder consisting of four basic materials – lime, silica, alumina and iron compounds. Cement production involves heating (pyroprocessing) the raw materials to a very high temperature in a rotating kiln to induce chemical reactions that produce a fused material called clinker. The cement clinker is further ground into a fine powder, then mixed with gypsum to form portland cement.

m) Production of chlorinated organic solvents or chlorinated monomers

This activity is limited to the intentional manufacturing of chlorinated organic solvents or chlorinated monomers, and does not include coincidental production.

n) Combustion of fossil fuel in a boiler unit, for the purpose of producing steam for the production of electricity, with a generating capacity of 25 megawatts or greater of electricity

Fossil fuel means a fuel that is in a solid or liquid state at standard temperature and pressure, such as coal, petroleum or any liquid or solid fuel derived from such. This activity includes electric power-generation utilities and large industrial facilities co-generating electric power using waste heat from industrial processes. It does not include combustion of natural gas or other fuels that are gaseous in form at ambient pressure and temperature. It also does not include diesel generators, which are not boiler units.

o) Combustion of hog fuel originating from logs that were transported or stored in salt water in the pulp and paper sector

Pulp and paper boilers burning salt-laden wood are unique to British Columbia. Dioxins/furans are emitted from the burning of salt-contaminated hog fuel. Logs transported and stored in salt water take up chlorine into the bark. The bark is stripped from logs and ground up with other waste wood to produce hog fuel. The material is then used as boiler fuel to produce heat and electrical energy for pulp and paper processes. The *Canada-Wide Standards for Dioxins and Furans* state that every boiler covered by the Standards will be tested twice each year to determine the emissions of dioxins/furans to air for the years prior to 2003, and annually for the year 2003 and beyond.

p) Combustion of fuel in kraft liquor boilers used in the pulp and paper sector

A kraft liquor boiler burns black liquor, composed mostly of lignin, the residue from the digester in a kraft (sulphate) pulping process. The boiler recovers chemical products from the combusted black liquor, which are later recycled, and also produces steam which is used in mill process operations.

You now have completed Step 1 and should know whether you are required to report to the NPRI and, if so, for which substances.

Note that if your facility met the reporting criteria, you must submit a report even if the on-site releases or off-site transfers for disposal or recycling of NPRI substances were zero.

Threshold calculations do not need to be reported to the NPRI. Their purpose is to determine the substance for which a facility is required to report on-site releases and transfers off site for disposal or recycling. Keep this information in your files.

If You Are Not Required to Report

If you have concluded that you are not required to report for your facility, either because it is an exempt facility or it does not meet all the reporting criteria, advise your regional NPRI office (listed on the inside front cover) to update its records and mailing lists.

If You Are Required to Report

If you have concluded that you are required to report for your facility, continue with Steps 2 through 7 to complete and submit your NPRI report. You will need a copy of the NPRI reporting software, available on the NPRI reporting software CD. Contact your NPRI regional office (listed on the inside front cover) should you have any questions.

You are legally required to submit your NPRI report and a signed Statement of Certification to your regional NPRI office, postmarked, courier-dated or e-mailed no later than **June 1, 2002**. If you do not have access to a computer, a paper reporting form can be provided by your regional NPRI office. Extra copies of the reporting package can also be ordered from your regional NPRI office.

Step 2 – Estimate releases and transfers and collect the information required for the NPRI report

The second step is to estimate your releases and transfers and collect the information required to complete the NPRI report. This section outlines different methods and sources of information available to assist you in estimating releases and transfers of NPRI substances for which you are required to report.

Note that the reporting criteria for Parts 1 and 2 NPRI substances is “manufacture, process or otherwise use”. However, it is the quantity of releases and transfers of the substance that must be reported to the NPRI.

The 2001 *Canada Gazette* notice states that the information required by the NPRI need only be reported to the Minister of the Environment if the facility owner or operator possesses the information or may reasonably be expected to have access to the information. **Consequently, the NPRI does not require additional monitoring or measurement of the quantities or concentration of substances released to the environment, beyond those already required under the provisions of other laws or regulations.** You are, however, required to show “due diligence” in obtaining the information required by the 2001 *Canada Gazette* notice.

Sources of Information

Technical Guides

The References and Bibliography section contains a list of technical guidance documents that can be consulted for technical information on certain substances or processes. This includes technical guides prepared by Environment Canada, the U.S. Environmental Protection Agency (EPA) and industry associations.

In 2001, Environment Canada published a technical guide to assist facilities in the wood-preservation sector estimate their releases of certain substances. The document, *Guidance for Wood-Preservation Facilities Reporting to the National Pollutant Release Inventory (April 2001)*, provides a step-by-step methodology for estimating releases and transfers of NPRI substances from wood-preservation facilities, including PAHs, dioxins/furans and HCB. The guide is available on the NPRI reporting software CD and is posted on the NPRI Web site.

Material Safety Data Sheet (MSDS)

A Material Safety Data Sheet (MSDS) is an important source of information on the composition of a purchased product. Suppliers of hazardous materials are required, as part of the Workplace Hazardous Materials Information System (WHMIS), to supply MSDSs on request.

NPRI Emission Factor Database

Environment Canada has compiled emission factors for substances listed with alternate thresholds in the NPRI (Parts 2, 3 and 4 substances). The majority of emission factors are from the U.S. EPA’s “Factor Information Retrieval (FIRE) Data System” database, however there are some included from other sources. The database is further explained in Appendix 11.

The database is available on the NPRI reporting software CD or can be downloaded from the NPRI Web site.

Permits and Certificates of Approval

Another source of information on substances at your facility may be any municipal, provincial, territorial or regional operating permits and certificates of approval you have obtained.

Method Detection Limit

There are several situations in which the issue of measurements below the detection limit, or method detection limit (MDL), arises in NPRI reporting. The MDL is the smallest concentration of the substance under analysis (analyte) that produces an instrumental response and that meets all analyte detection and identification criteria of a specified test method.

Facilities must use reasonable judgment as to the presence and amount of an NPRI-listed substance based on the best readily-available information. An indication that a reportable substance is below the MDL is not equivalent to stating that the substance is not present. If it is known that the substance is present, a concentration equivalent to half of the MDL should be used. Persons at a facility should not estimate releases solely on measurement or monitoring devices; they should also rely on their knowledge of specific conditions at the site.

Where, during the year, multiple measurements of a substance in a given process stream are below the MDL, and the facility has no other reason to believe that the substance is present, the facility should assume that the concentration of the substance in that process stream is zero.

Where, over a year, multiple measurements are taken and some indicate that the substance is above and some are below the MDL, the facility has good reason to assume that the substance is present. The facility should, therefore, use a concentration value of half the MDL for those measurements where the concentration was below the MDL.

Retain Information Collected

Persons reporting to the NPRI for 2001 are required to retain copies of all information upon which their report was based, at the facility or parent company in Canada, for three years. Refer to Step 7 for details.

Methods of Estimation

Estimates of the quantity of a substance that was manufactured, processed or otherwise used, and the quantity that was released on site or transferred off site, may be based on one of the following methods, listed in declining order of expected accuracy:

- monitoring or direct measurements
- mass balance calculations
- emission factors, or
- engineering estimates.

When you report on-site releases to each environmental medium and off-site transfers for disposal or recycling, you will enter a “Basis of Estimate” code in the NPRI reporting software. Details of the methods of estimation and codes are provided in Step 5; examples are provided in Appendices 5 and 6.

Schedule 1, Part 1, Substances

If the reporting criteria are met for an NPRI Part 1 substance, then **all** on-site releases and off-site transfers for that substance must be reported **regardless of the concentration or quantity (including “zero” releases and transfers)**.

Examples of estimating releases and transfers are provided in Appendix 5; “Basis of Estimates” codes are explained in Step 5.

Schedule 1, Part 2, Substance – Mercury (and its compounds)

If the reporting criteria are met for mercury (and its compounds), then **all** on-site releases and off-site transfers of mercury (and its compounds) must be reported **regardless of the concentration or amount**. The facility is required to submit a substance report even if on-site releases or off-site transfers are zero. You must account for total releases of mercury (and its compounds) from your facility to each environmental medium (air, water, land and underground injection).

Examples of estimating releases and transfers of mercury (and its compounds) are provided in Examples 2 and 3 of Appendix 6; “Basis of Estimate” codes are explained in Step 5.

Schedule 1, Part 3, Substances – Polycyclic Aromatic Hydrocarbons (PAHs)

With the exception of the activity of wood preservation using creosote, if your facility met the 50-kg reporting threshold for the 17 PAHs, you must report on-site releases and off-site transfers **individually** for each of the 17 PAHs that were incidentally manufactured and released or transferred.

A facility used for wood preservation must submit a report for each/any of the 17 individual PAHs released on site or transferred off site from a wood-preservation process using creosote, regardless of the quantity of PAHs released or transferred or the number of hours worked by employees. All PAHs released on site or transferred off site from wood-preservation processes using creosote must be reported, regardless of the quantity.

If you do not have information available to estimate releases and transfers for any of the 17 individual PAHs, the PAHs may be reported together under the listing “PAHs, total Schedule 1, Part 3”. You may report for the 17 individual PAHs, or “PAHs, total Schedule 1, Part 3”, **but not both**. If you report under the listing of “PAHs, total Schedule 1, Part 3”, indicate in the “Comments” field which substances are included in the data, if known.

You must account for total releases of the 17 PAHs from your facility to each environmental medium (air, water, land and underground injection) and transfers off site for disposal or recycling.

An example of estimating releases and transfers of PAHs is provided in Example 2 of Appendix 6; “Basis of Estimate” codes are explained in Step 5.

Schedule 1, Part 4, Substances – Dioxins/Furans and Hexachlorobenzene (HCB)

A facility that met the criteria set out in Step 1 must provide substance reports for dioxins/furans and HCB. However, what you report for releases and transfers may differ from a typical NPRI substance report. The dioxins/furans or HCB substance report submitted to the NPRI will indicate, for on-site releases to each environmental medium and for each off-site transfer activity:

- the **quantity** released on site or transferred off site as the result of incidental manufacture during an activity listed in Tables 6 or 7
- the **quantity** released on site or transferred off site resulting from wood preservation using pentachlorophenol
- that **directly-measured releases to a specific medium or transfers off site** were at concentrations above, equal to or below the Level of Quantification (LoQ) concentrations set out in Table 10 (this option is available only if estimates were based on direct measurements)
- that there were **no releases to a specific medium or no transfers off site**, or
- that **no information** was available on which to base an estimate.

The use of “Basis of Estimate” and “Detail” codes for Part 4 substances is explained below.


Determine whether you must report quantities released on site to each environmental medium and transferred off site. You must report quantities released on site and transferred off site unless:

- you directly measure dioxins/furans and HCB resulting from incidental manufacture from an activity listed in Tables 6 or 7, and the concentrations are below the LoQ values as defined below, or
- you have no information available on which to base estimates of on-site releases and off-site transfers.

Use the flowchart in Figure 6 to determine what you must report to the NPRI for dioxins/furans and HCB. Read the flowchart for on-site releases to each environmental medium (i.e., air, water, land and underground injection) and for each type of off-site transfer. You must account for total releases of dioxins/furans and HCB from your facility to each environmental medium.

With the exception of facilities used for wood preservation using pentachlorophenol, **a facility should only consider quantities of dioxins/furans or HCB that were incidentally manufactured as the result of the activities listed in Tables 6 or 7**. Wood-preservation facilities using pentachlorophenol must consider **all** sources of releases or transfers of dioxins/furans or HCB arising from the use of pentachlorophenol for the purpose of wood preservation.

FIGURE 6 - WHAT YOU MUST REPORT FOR DIOXINS/FURANS AND HCB



Step 2

What Are Toxic Equivalents (TEQs) of Dioxins/Furans?

You must report on-site releases and off-site transfers of dioxins/furans in units of grams TEQ of the 17 congeners listed in Table 5. Dioxins and furans are often found in complex mixtures, typically at extremely low concentrations, making it difficult to determine the cumulative toxicity of the mixture. Accordingly, scientists have assigned toxic equivalency factors (TEFs) to each dioxin/furan congener as weighting factors. These TEFs are assigned relative to the toxicity of 2,3,7,8-TCDD, the most toxic congener, which is assigned a TEF of 1.

To apply and compare TEQs, the values must be calculated using the same set of TEFs. Most release data on dioxins/furans currently available in Canada are in units of international TEQs (North Atlantic Treaty Organization/Committee on the Challenges of Modern Society, NATO/CCMS, 1989). More recent work undertaken for the World Health Organization (van den Berg, 1998) has resulted in a revised set of TEFs, not just for humans, but for mammals, fish and birds. However, since most of the emission factors currently available are in international TEQs, the TEF values listed in Table 8, must be used for reporting to the NPRI.

To calculate the TEQ of a mixture, you must first multiply the concentration of an individual congener by its respective TEF, or weighting factor, to obtain the congener-specific TEQ concentration. The sum of the TEQ concentrations for the individual congeners is the TEQ concentration for the mixture.

TABLE 8: TOXIC EQUIVALENCY FACTOR (TEF) VALUES FOR DIOXINS AND FURANS

CAS No.	Congener	Abbreviation	TEF
	Dioxins		
1746-01-6	2,3,7,8-Tetrachlorodibenzo- <i>p</i> -dioxin	2,3,7,8-TCDD	1
40321-76-4	1,2,3,7,8-Pentachlorodibenzo- <i>p</i> -dioxin	1,2,3,7,8-PeCDD	0.5
39227-28-6	1,2,3,4,7,8-Hexachlorodibenzo- <i>p</i> -dioxin	1,2,3,4,7,8-HxCDD	0.1
57653-85-7	1,2,3,6,7,8-Hexachlorodibenzo- <i>p</i> -dioxin	1,2,3,6,7,8-HxCDD	0.1
19408-74-3	1,2,3,7,8,9-Hexachlorodibenzo- <i>p</i> -dioxin	1,2,3,7,8,9-HxCDD	0.1
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo- <i>p</i> -dioxin	1,2,3,4,6,7,8-HpCDD	0.01
3268-87-9	Octachlorodibenzo- <i>p</i> -dioxin	OCDD	0.001
	Furans		
51207-31-9	2,3,7,8-Tetrachlorodibenzofuran	2,3,7,8-TCDF	0.1
57117-31-4	2,3,4,7,8-Pentachlorodibenzofuran	2,3,4,7,8-PeCDF	0.5
57117-41-6	1,2,3,7,8-Pentachlorodibenzofuran	1,2,3,7,8-PeCDF	0.05
70648-26-9	1,2,3,4,7,8-Hexachlorodibenzofuran	1,2,3,4,7,8-HxCDF	0.1
72918-21-9	1,2,3,7,8,9-Hexachlorodibenzofuran	1,2,3,7,8,9-HxCDF	0.1
57117-44-9	1,2,3,6,7,8-Hexachlorodibenzofuran	1,2,3,6,7,8-HxCDF	0.1
60851-34-5	2,3,4,6,7,8-Hexachlorodibenzofuran	2,3,4,6,7,8-HxCDF	0.1
67562-39-4	1,2,3,4,6,7,8-Heptachlorodibenzofuran	1,2,3,4,6,7,8-HpCDF	0.01
55673-89-7	1,2,3,4,7,8,9-Heptachlorodibenzofuran	1,2,3,4,7,8,9-HpCDF	0.01
39001-02-0	Octachlorodibenzofuran	OCDF	0.001

(NATO/CCMS, 1989)

Example of a TEQ Calculation

The following table shows the different concentrations of four dioxin and furan congeners in an ash sample. If these concentrations were simply summed together, the sample would be reported as containing 80 nanograms (ng) of dioxins/furans in each kilogram (kg) of ash. However, 1,2,3,4,7,8-HxCDF is 10 times less toxic than 2,3,7,8-TCDD. By applying the TEFs to each congener and summing the values, the resulting toxic equivalent (TEQ) for the mixture is 25 ng TEQ of dioxins/furans in each kg of ash, or 25 ng TEQ/kg.

DIOXINS/FURANS CONGENER	SAMPLE CONCENTRATION (ng/kg)	TOXIC EQUIVALENCY FACTOR (TEF)	TOXIC EQUIVALENT (ng TEQ/kg ash)
2,3,7,8-TCDD	10	1	10
1,2,3,7,8-PeCDD	20	0.5	10
1,2,3,4,7,8-HxCDF	30	0.1	3
1,2,3,6,7,8-HxCDF	20	0.1	2
Total Concentration			25 ng TEQ/kg

Methods of Estimation

“Basis of Estimate” Codes

When you report on-site releases to each environmental medium and off-site transfers for disposal or recycling, you will enter a “Basis of Estimate” code in the NPRI reporting software. There are four methods of estimating releases, listed in declining order of expected accuracy:

- monitoring or direct measurement (Code M)
- mass balance (Code C)
- emission factors (Code E)
- engineering estimates (Code O)

Selecting Code “NA” (Not applicable) as the “Basis of Estimate” indicates that there were no releases from your facility to this medium, or no transfers off site.

In instances when no information is available, use the “Basis of Estimate” code “NI” when reporting dioxins/furans and HCB. Enter “NI” as your “Basis of Estimate” code if your facility met reporting criteria for dioxins/furans or HCB, but you have no information available on which to base an estimate of the quantity released or transferred.

“Detail” Codes

For dioxins/furans and HCB substance reports only, a “Detail” code field is available in the NPRI reporting software adjacent to the “Basis of Estimate” field. There are three “Detail” codes:

- concentrations at or above LoQ (Code AL)
- concentrations below LoQ (no quantity entered) (Code BL), and
- concentrations below LoQ (enter a quantity) (Code BQ).

These “Detail” codes only apply to data from monitoring or direct measurements (Code “M” in the “Basis of Estimate” field). If you enter the “AL” Detail code, you must enter the quantities released or transferred. If your concentrations are below LoQ, then reporting of quantities released or transferred is optional – you must select one of two Detail codes. If you enter the “BL” Detail code for concentrations below LoQ, you have chosen not to report the quantities released or transferred. If you enter the other Detail code for concentrations below LoQ (Code “BQ”), you have chosen to report the quantities released or transferred.

The use of “Basis of Estimate” and “Detail” codes is explained in the following sections and summarized in Table 9.

TABLE 9: HOW TO REPORT RELEASES AND TRANSFERS OF DIOXINS/FURANS AND HCB

Basis of Estimate Code	Detail Code	Quantity Field
Monitoring or Direct Measurement (Code M)	At or above LoQ (Code AL)	you must enter quantity released or transferred
Monitoring or Direct Measurement (Code M)	Below LoQ (no quantity entered) (Code BL)	n/a
Monitoring or Direct Measurement (Code M)	Below LoQ (quantity entered) (Code BQ)	you must enter quantity released or transferred
Mass Balance (Code C)	n/a	you must enter quantity released or transferred
Emission Factors (Code E)	n/a	you must enter quantity released or transferred
Engineering Estimate (Code O)	n/a	you must enter quantity released or transferred
No Information Available (Code NI)	n/a	n/a
Not Applicable (Code NA)	n/a	n/a

Direct Measurements

A direct measurement is based on measured concentrations of the substance in a waste stream and the volume/flow rate of that stream. Direct measurements should be made of on-site releases and off-site transfers representative of the facility's normal operating conditions or production levels.

If your facility has made direct measurements of dioxins/furans or HCB, then you should use these data to determine which releases and transfers, if any, you must report to the NPRI. Enter Code "M" in the "Basis of Estimate" field in the NPRI reporting software. Examples of how to estimate releases using measured data are provided in Appendix 6.

The following sections will help you determine if your measured concentrations are above, equal to or below the LoQ for each type of material that you release on site and transfer off site.

Level of Quantification (LoQ)

The level of quantification is defined in Section 65.1 of the *CEPA, 1999*, as "the lowest concentration that can be accurately measured using sensitive but routine sampling and analytical methods". Environment Canada determines LoQ values by carrying out statistical analyses of several sets of measurements from a variety of emission sources. The LoQ is calculated as 10 times the standard deviation of replicated measurements. The standard deviation is the variability of the test data associated with the sampling, analysis and actual source emission changes during testing, using standard test methods (Environment Canada, 1989).

Table 10 provides estimated LoQs for dioxins/furans and HCB for three types of material or waste streams that may be released on site or transferred off site – gaseous, liquid and solid. The LoQ values listed include both final and draft values published by Environment Canada. You must compare your measured concentrations to the appropriate LoQ for each type of on-site release and off-site transfer that you report to the NPRI. Containment in an off-site landfill is an example of a type of off-site transfer for disposal. Recovery of pollution-abatement residues is an example of a type of off-site transfer for recycling.

Environment Canada has published estimated LoQ values for dioxin/furan and HCB concentrations in gaseous releases (Environment Canada, 1999). You should use these values to determine whether concentrations in releases to air from stacks and other sources are above, equal to or below the LoQ.

TABLE 10: ESTIMATED LoQ VALUES FOR CONCENTRATIONS OF DIOXINS/FURANS AND HCB

State of Material	Estimated LoQ for Concentrations of Dioxins/Furans	Estimated LoQ for Concentrations of HCB
Gaseous	32 pg TEQ/m ³	6 ng/m ³
Liquid	20 pg TEQ/L	70 ng/L
Solid	9 pg TEQ/g	2 ng/g

Environment Canada has not published an LoQ for dioxin/furan concentrations in liquids, but has extrapolated a draft LoQ for dioxins/furans in liquids from the effective LoQ for 2,3,7,8-TCDD in the *Pulp and Paper Mill Effluent Chlorinated Dioxins and Furans Regulations*. Facilities should use 20 pg TEQ/L as the LoQ for concentrations of dioxins/furans in liquids.

Environment Canada has developed an estimated LoQ for concentrations of HCB in chlorinated solvents. Facilities should use 70 ng/L as the estimated LoQ for concentrations of HCB in all liquids.

Environment Canada published proposed LoQ values for dioxins/furans and HCB in soil in early 2000 (Environment Canada, 2000). You should use LoQ values of 9 pg TEQ/g for dioxins/furans and 2 pg/g for HCB to determine whether concentrations of dioxins/furans or HCB in solid materials are equal to or above the LoQ. Incinerator bottom ash, pollution-abatement residues and sludges are examples of solid materials containing dioxins/furans or HCB that may be released on site or transferred off site.

Are Your Measured Concentrations Equal to or Above LoQ?

When comparing measured concentrations to LoQ values, measurements should be made of on-site releases and off-site transfers representative of your facility's normal operating conditions or production levels. If you determine that your measured concentrations are equal to or above the LoQ, then you must estimate and report the quantities of on-site releases and off-site transfers for the 2001 calendar year using these concentrations. Enter Code "AL" (At or above LoQ) in the "Detail" code field in the NPRI reporting software.

Are Your Measured Concentrations Below LoQ?

When comparing measured concentrations to LoQ values, measurements should be made of on-site releases and off-site transfers representative of your facility's normal operating conditions or production levels. If you directly measure dioxins/furans and HCB in an on-site release or off-site transfer resulting from incidental manufacture from an activity listed in Tables 6 or 7, and the concentrations are below LoQ, reporting the quantities released on site and transferred off site is optional. You must select one of two Detail codes. If you enter Code "BL" for concentrations below LoQ, you are not required to enter the quantities released or transferred. If you enter Code "BQ" for concentrations below LoQ, you have chosen to report the quantities released or transferred.

Example

A facility has directly measured dioxins/furans resulting from incineration of non-hazardous solid waste (incidental manufacture of dioxins/furans from an activity listed in Table 6). The facility determined that dioxins/furans were released to air from a stack at a concentration of 20 pg TEQ/m³. The measured concentration is below the LoQ of 32 pg TEQ/m³, so the facility does not need to report the quantities of dioxins/furans released on site from stacks. The facility will report that releases to air of dioxins/furans from the stack are below LoQ (Detail code "BL").

Dealing with Multiple Data Points and Non-detected Values

If you have several sets of directly-measured concentrations for a given release or transfer, you should compare the average or mean value of all the concentrations with the appropriate LoQ. The method detection limit (MDL) is the smallest concentration of the substance under analysis (analyte) that produces an instrumental response and that meets all analyte detection and identification criteria of a specified test method. If some of the concentration data are below the MDL (i.e., they are non-detected), you should use a value of one-half the MDL to calculate the mean concentration for comparison with the LoQ and to calculate the quantities of dioxins/furans and HCB released on site or transferred off site.

Emission Factors

An emission factor is based on average measured emissions from several similar processes. Emission factors usually express releases as a ratio of quantity released to process or equipment throughput. In the absence of data from direct measurements, your facility should estimate on-site releases or off-site transfers of dioxins/furans or HCB as a result of incidental manufacture, using emission factors that you possess or to which you have reasonable access. Enter Code “E” in the “Basis of Estimate” field in the NPRI reporting software.

Emission factors may be developed for one or more facilities using measured data under similar process conditions. Environment Canada compiled many emission factors for activities in Tables 6 and 7 in the *Emission Factor Database for Alternate-Threshold Substances* (see Appendix 11). You should indicate, in the “Comments” field of the NPRI reporting software, the source of any emission factor used. If Environment Canada has included an emission factor for your activity in the *Emission Factor Database for Alternate-Threshold Substances*, but you choose not to use it, you should provide your reason in the “Comments” field.

If you use emission factors to estimate on-site releases and off-site transfers, you must report the quantities released or transferred. You cannot report that your concentrations for a specific on-site release or off-site transfer are below the LoQ.

No Information Available

If information is not available for releases to a specific medium or for an off-site transfer, either through direct measurements, emission factors or some other source to which the facility possesses or may reasonably be expected to have access, then the facility should report “No information available” for on-site releases to that medium or for that type of off-site transfer. Enter Code “NI” in the “Basis of Estimate” field in the NPRI reporting software. If you report “No information available” for an activity for which Environment Canada has included an emission factor in the *Emission Factor Database for Alternate-Threshold Substances*, you should provide your reason for not using the values in the emission factor database in the “Comments” field of the NPRI reporting software.

No On-site Releases to a Specific Medium or Transfers Off Site

If there are no dioxins/furans or HCB released on site to a given medium or transferred off site from the facility for the specified activity, the facility should report “Not applicable” for that medium or transfer category for that substance. Enter Code “NA” in the “Basis of Estimate” field in the NPRI reporting software, indicating that there were no releases to the given medium or transfers off site for that category.

For example, if dioxins/furans were only released to air from a combustion process of an activity listed in Tables 6 or 7, and there was no related process with releases to water as a result of that activity, the facility reports “Not applicable” for on-site releases of dioxins/furans to water. Similarly, if there were no off-site transfers of material from the activity that generates the dioxins/furans, report “Not applicable” for each off-site transfer category.

You now have completed Step 2 and should be ready to install the NPRI reporting software. Proceed to Step 3.

Step 3 – Install the reporting software and upload data

Step 3 is to install and open the NPRI reporting software. Details of how to check for errors and export your data once you have completed your report are provided in Steps 6 and 7 of this Guide.

You are encouraged to install and open the NPRI reporting software **when you receive it** to ensure that you do not have any technical difficulties that may result in late submission of your report. If you have questions about the reporting form or software, refer to this Guide or use the “Help” button in the bottom left-hand corner of each screen.

If you reported to the NPRI for 2000, you can upload the data from that report and update the information (see “Import Data / Maintain System”).

The three components of this step are:

1. Install the software – see description of system requirements and installation procedure below.
2. Open the software and familiarize yourself with the various screens and functions.
3. Import data (optional) – use this function if you want to upload an NPRI report from 2000 or a 2001 report from another facility.

Install and Open/Start the NPRI Reporting Software

Hardware and Software Requirements

The Windows-based reporting software is a 32-bit application that can only be used on computers running Microsoft Windows. The minimum requirements for using the electronic reporting form are:

- Intel Pentium II compatible personal computer
- Windows 9x (includes 95, 98, SE, ME) or Windows NT (includes 2000 and XP - may also require Administrative privilege to install)
- Microsoft Internet Explorer version 4 with service pack 5 (or higher) installed (IE5+)
- CD-ROM drive or a 3.5” high-density disk drive, and
- a hard disk drive with 30 or more megabytes (Mb) of available space

Install the NPRI Reporting Software

- Start Windows.
- Insert the NPRI CD into your CD-ROM drive. The NPRI CD browser will automatically launch if Autorun is enabled on your system. To install the NPRI reporting software, select “Install Reporting Software”. This will start the installation process.
- If the NPRI CD browser does not appear, open the Windows/NT Explorer, select the CD-ROM drive, change to the directory “EDR” and double-click on the file **EDR_Setup.exe**.
- Follow the installation instructions².

Open the NPRI Reporting Software

To open the NPRI reporting software, use one of the following three methods:

- Double-click on the NPRI-INRP icon on your desktop
- Go to... **Start, Programs, NPRI-INRP, 2001**, and click on **2001 Reporting Software**, or
- Open the Windows Explorer, select the drive and directory in which the software was installed, and double-click on **NPRI_WIN.exe**

2 The installation process will check for the presence of two system components provided by Microsoft. If your system is missing one or both of these components, the installation program will install them (Windows Installer v2.0 and Microsoft Data Access Components (MDAC) v2.6). This will result in your system restarting once or twice. It is possible that the installation process may not restart correctly, in which case you may need to manually restart the installation process as previously described.

Using the NPRI Reporting Software

Opening Screens

When you first open the software, you are required to select the language in which you want to work – French or English.

Select Inventory Program

The 2001 NPRI reporting software includes the annual reporting form for Ontario Regulation 127/01 (O.Reg.127/01) and the National Emissions Reduction Masterplan (NERM). These pollutant inventories are further defined below. You must select the inventory(s) to which you are reporting to activate the appropriate fields in the reporting form(s) and list(s) of substances.

You may return to this screen later if you choose to modify the inventory(s) to which you are reporting.
Warning: If you change your selection from “NPRI” (which includes O.Reg.127/01) to “O.Reg.127/01”, you will not have access to previously-entered NPRI data other than for those substances listed in O.Reg.127/01, Table 2C.

-
- **NPRI - National Pollutant Release Inventory**
 - Facilities required to report to Environment Canada for the NPRI
 - Ontario facilities required to report for BOTH the NPRI and MOE O.Reg.127/01
-

Select this button if you are required to report to Environment Canada for the NPRI. If you are reporting for a facility located in Ontario, select this button if you are required to report for both the NPRI and for Ontario Regulation 127/01.

If you are completing an NPRI report for multiple facilities, only some of which are in Ontario, select the “NPRI” button. The substances and fields for the O.Reg.127/01 reporting form will only appear for those facilities located in Ontario. Facilities outside Ontario will not see any of the fields required under O.Reg.127/01.

Refer to the Help file or the *Guide for Reporting under O.Reg.127/01 Using the NPRI/MOE Software – 2001* for descriptions of the fields in the O.Reg.127/01 reporting form.

-
- **MOE - O. Reg.127/01 - Ontario Regulation 127/01**
 - Ontario facilities ONLY required to report to the Ontario Ministry of the Environment for O.Reg.127/01 (Tables 2A and 2B substances)
-

Select this button if you are required to submit an annual report to the Ontario Ministry of the Environment under Ontario Regulation 127/01, but ARE NOT required to report to Environment Canada for the NPRI. (Therefore the facility is only reporting for substances listed in O.Reg.127/01, Tables 2A and 2B.)

If you are also required to report for any substances listed in Table 2C of O.Reg.127/01, you must also report those substances to the NPRI. In this case, select the “NPRI” button above.

Refer to the Help file or the *Guide for Reporting under O.Reg.127/01 Using the NPRI/MOE Software – 2001* for descriptions of the fields in the O.Reg.127/01 reporting form.

-
- **NERM - National Emissions Reduction Masterplan**
 - Facilities required to report to the Canadian Chemical Producers’ Association (CCPA) for NERM
 - This button enables reporting for NERM, NPRI and for Ontario facilities O.Reg.127/01
-

Select this button if you are reporting to both NERM and the NPRI. The reporting form for MOE O.Reg.127/01 will also be activated for facilities in Ontario.

NERM (National Emissions Reduction Masterplan) is an emissions reporting and reduction initiative of the Canadian Chemical Producers' Association (CCPA). A component of Responsible Care®, NERM applies to all chemical manufacturing facilities operated by CCPA-member companies. For further information, contact the CCPA at 613-237-6215 ext. 237.

The NERM reporting form is similar to the NPRI reporting form. Refer to this Guide for a description of each field in the reporting form. A summary of the changes to the NERM substance list for 2001 is included on the NPRI reporting software CD.

Global Contacts Menu

You are required to identify whether there is a contractor or company coordinator completing the NPRI report.

C1.0 Independent Contractor

A company or facility will often hire a contractor to complete its NPRI report. In this case, Environment Canada requires that the contact information for the contractor be provided.

If you answer “Yes” to the question in field C1.0, enter the name, telephone number and address of the contractor.

C2.0 Company Coordinator

Some companies may coordinate reports for several facilities through a central contact. If you are a company coordinator completing reports for more than one facility, you may enter your coordinates here, rather than repeatedly in each facility report.

If you answer “Yes” to the question in field C2.0, provide the name, position title, e-mail address, telephone and facsimile numbers for the company coordinator (see the description for fields A8.0 and A9.0 for further details).

Correspondence from Environment Canada will be addressed to the company coordinator.

Note: Editing this information will replace the information for all the coordinators (fields A8.0 and A9.0) in this report. For this reason, you are required to press the “Activate Edit Mode” button prior to being able to add to or edit Company Coordinator information.

Entering Data / Main Menu

The NPRI reporting software uses a menu-based system for navigation. The “Main Menu” is the starting point for completing an NPRI report. A typical procedure is to first select “Maintain System” and upload the data from your 2000 report. Next, choose “View / Enter / Edit Data” and update the information on reporting facilities, substances and off-site facilities. Finally, choose “Check Errors / Export Data” to export an NPRI report to disk and submit it with a signed Statement of Certification to your regional NPRI office. Note that the “Select Inventory Program” option should only be used if you need to change your original program selection.

MAIN MENU

- Select Inventory Program
 - Import Data / Maintain System
 - View / Enter / Edit Data
 - Check Errors / Export Data
 - Print Reports Menu
-

Import Data / Maintain System

IMPORT DATA / MAINTAIN SYSTEM

- Import Data
 - Clear Database Tables
 - Change Location of Data Directory
-

Importing Data

You may import your data from the previous reporting year that are on disks or stored on your hard drive. If you import data, you are required to update the facility and substance information where required, verify that all information is accurate and complete the fields that were not imported through the use of this function.

NPRI reports from other facilities can also be uploaded. This feature is useful for company coordinators who wish to combine reports from several facilities into one report. **The software will only upload reports from the 2000 and 2001 NPRI.**

Go to the “Main Menu” and select the “Import Data / Maintain System” option, followed by the “Import Data” button. At the prompt, choose the drive letter and path name of the NPRI data. The NPRI software can upload data from any drive or folder that contains a valid NPRI report. A status screen will indicate the year for which the data are being uploaded (2000 or 2001) and list the number of facilities, substances and off-site facilities that will be uploaded.

While the data are being uploaded, the program will display the number of records transferred and the number of duplicates found. The software will warn you if a duplicate facility is being uploaded and give you the option to:

- overwrite the existing record with the record on disk
- create a new facility with a different NPRI ID
- skip and not import the record on disk, or
- cancel all further imports.

Clear Database Tables

This feature is designed to delete all data that are currently in the reporting software. **Note: Once deleted, data cannot be recovered.**

Change Location of Data Directory

This feature allows you to store one or more NPRI reports in different folders. It is most useful for consultants who prepare reports for different clients or for company coordinators reporting for several facilities.

To use this feature, first use Windows Explorer to create a new folder(s) for the NPRI data. Then use the NPRI software to change the location of the data directory created. You have the option of creating a new empty database in the folder or opening an existing database.

Note: This function cannot be used to copy NPRI reports from one folder to another. You must use Windows Explorer to copy the NPRIDATA.MDB database file from one directory to another.

View / Enter / Edit Data

The software requires that you enter the identification information for a facility prior to entering substance-related information.

From the “Main Menu”, select “View / Enter / Edit Data”. From this screen, you can enter all the information required by the NPRI. **At any time, you can save the information you have entered or abandon the changes you have made.**

VIEW / ENTER / EDIT DATA

- Reporting Facilities
 - Substances
 - Surface Water Bodies
 - Off-site Facilities
 - View Global Contacts
-

Reporting Facilities

Information identifying the facility is entered in fields A1.0 to A17.0 of the “Reporting Facilities” section. The electronic reporting form allows NPRI reports for more than one facility to be entered. This is useful for company coordinators who are filing NPRI reports for several facilities. The “Facility/Substance Summary” screen provides a concise summary of on-site releases and off-site transfers. This summary is also available immediately prior to exporting the NPRI report to a disk.

Substances

Note: You must have entered the data for at least one facility before you can enter substance-related information.

Information on NPRI substances is entered in fields B1.0 to B40.0 of the “Substances” report. The substance screen lists the facilities and their associated substance reports. Substance reports can be added, modified and deleted. The “Facility/Substance Summary” screen provides a concise summary of on-site releases and off-site transfers. This summary is also available immediately prior to exporting the NPRI report to a disk.

If the pick-lists described below are incomplete or inaccurate, you can add or edit a surface water body name or an off-site facility. The following two sections describe a more direct way of identifying off-site facilities and water bodies.

Surface Water Bodies

Select this button to open the “Master Pick-list of Surface Water Bodies” table. The entries in this table become part of a pick-list available when in the “Water Bodies” column of field B12.3 of the substances report.

If you are reporting the release of an NPRI substance to surface waters (streams, rivers, lakes, bays, inlets, etc.), you must identify the receiving water body. To ensure that water bodies are consistently identified, the list of names in this table was assembled from data in the NPRI and from the *Gazetteer of Canada*. The names in this initial list cannot be modified. However, if you cannot find the name of a water body, you can add a new geographic feature to the list.

Do not add a new surface water body name unless it will be associated with at least one discharge to surface waters identified in field B12.3, otherwise the software will generate an “orphan water body” error. There are two ways to edit the “Master Pick-list of Surface Water Bodies” table:

- select “Surface Water Bodies” in the “View / Enter / Edit Data” menu, or
- select the button in the “# of Water Bodies” column in field B12.3, then select “Add a new water body to the pick-list”.

Once you have added a water body, you are required to report the quantity of the substance released to that water body.

Off-site Facilities

Select this button to open “Master Pick-list of Off-site Facilities”. The entries in this table become part of a pick-list which is available when in the “# of Off-sites” column of fields B22.1 and B25.1 of the substances report.

The NPRI identifies three different types of off-site facilities:

- facilities to which the reported substance is sent for final disposal or treatment prior to final disposal
- municipal sewage treatment plants (MSTPs) to which your facility discharges an **effluent** containing the reported substance, and
- facilities to which **materials** containing the reported substance are sent for **recycling**.

Discharges to sanitary sewers are reported as off-site transfers for disposal to an MSTP, regardless of the type or level of treatment offered at the MSTP.

If your facility transfers an NPRI substance off site for disposal or recycling, you must identify the receiving facility. To ensure that off-site facilities are consistently identified, a list of facilities was assembled from data in the NPRI. The information for the off-site facilities in this initial list cannot be modified. However, you can add a new off-site facility and its location to the list if you cannot find the name of the facility to which you transferred NPRI substances.

Do not identify an off-site facility unless it will be associated with at least one substance transfer, otherwise the software will generate an “orphan facility” error. There are two ways to edit the “Facility Off-site and MSTP Listing” table:

- select “Off-site Facilities” in the “View / Enter / Edit Data” menu, or
- select the button in the “# of Off-sites” column in field B22.1 or field B25.1 and then “Add an off-site facility to the pick-list”.

Once you have added an off-site facility, you are required to report the quantity of the substance transferred to that facility.

Print Reports

From this screen, you can set printer defaults, print all or part of your NPRI report and print a Statement of Certification for each of the programs to which you are reporting.

Note: It is not necessary to submit a printed copy of the NPRI report with your electronic copy. You are only required to submit the electronic copy and a signed Statement of Certification.

PRINT REPORTS MENU

- Print Facilities / Substances
 - Print Surface Water Bodies
 - Print Off-site Facilities
 - Print Summary Listings
 - Print Reporting Errors
 - Print Statement of Certification
 - Set Printer Defaults
-

Print Facilities / Substances

This report provides a detailed listing of all the information in the NPRI report. A series of check boxes allow you to select various options for printing. By default, the report will list all of the facilities and their substances. The off-site facilities and water bodies **must** be printed separately. You have the option of printing the facility information only, without the substance information, or printing specific sections of the facility and/or substance reports.

You may choose to print the report in the “language of entry”. This allows those reports completed in English to be printed in English while reports completed in French are printed in French. Or, the report headings can be printed in either French or English; information entered in the report will remain in the language of entry.

Print Surface Waters Bodies

This report provides a listing of all surface water bodies to which the facility reported the release of an NPRI substance.

Print Off-site Facilities

This report provides a listing of all off-site facilities and MSTPs to which the facility reported the transfer of an NPRI substance.

Print Summary Listings

This report provides a summary of the actual and anticipated releases and transfers reported for each NPRI substance.

Print Reporting Errors

This report provides a summary of all of the errors in the facility and substance reports which must be corrected before exporting the data.

Print Statement of Certification

A brief report summary is printed as part of the Statement of Certification. It lists the facilities, their substance reports and the total quantities released on site and/or transferred off site for disposal and recycling. The Statement of Certification includes the name and address of the company official identified in fields A16.0 and A17.0.

A signed and dated Statement of Certification must be submitted with the NPRI report.

Set Printer Defaults

You can either print to a printer (“P”) or to a file (“F”). The software can use any printer on your system or you can print to a file in cases where the printer is inaccessible. The resulting file is a simple text document that can be edited in Notepad, WordPad or any other PC-based word processing program. If you are having printing problems, try using the “print to a file” option and then printing from Notepad, WordPad or your preferred word processing program.

HINT: For best results, use a fixed-pitch font such as 10-point Courier or New Courier.

Follow Steps 4 and 5 to complete your report, then Steps 6 and 7 to export and submit your report to Environment Canada.

The NPRI electronic reporting form, and Steps 4 and 5 of this Guide, are organized as follows:

Step 4:

- Section A1 Facility Identification

Step 5:

- Section B1 Substance Information
- Section B10 On-site Releases to the Environment
- Section B20 Off-site Transfers for Disposal or Recycling
- Section B30 Pollution-Prevention Activities
- Section B40 Production Ratio and Activity Index

Please review the explanations provided for these sections before completing your NPRI report for 2001.

Step 4 – Enter or update the facility information

Steps 4 and 5 describe the information required and the procedures to follow to comply with the *Canada Gazette* notice for the 2001 NPRI. The electronic reporting form was developed to facilitate data input for reporters, to provide help files for the person completing the report and to reduce errors in data transcription. For ease of reference, Steps 4 and 5 follow the same order, titles and numbering system as the electronic reporting form.

If your facility is located in Ontario and you are required to report to the NPRI and the MOE, the software will display both the NPRI and MOE fields. Refer to the *Guide for Reporting under O.Reg.127/01 Using the NPRI/MOE Software – 2001* or Help file for a description of the MOE fields.

Facility Identification

From the “Main Menu” of the NPRI software, select the “View / Enter / Edit Data” menu and then select “Reporting Facilities”. The electronic reporting form allows NPRI reports for more than one facility to be created. This is useful for company coordinators who are submitting NPRI reports for several facilities. You can add, delete or edit a facility record from the facility list.

At any time while completing the report, you can save the information you have entered or abandon the changes you have made. Save your work often to avoid losing data if the hardware or software fail.

A1.0 NPRI ID, Web Site Address, Dun and Bradstreet Number

The “Reporting Year” field cannot be changed. This is the calendar year for which you are required to report to the NPRI and for which you will be providing information.

A1.1 NPRI ID

If an NPRI report was previously submitted for your facility, it was assigned a **permanent** NPRI identification number. The NPRI ID is specific to the facility and does not change even if ownership of the facility has changed. You will find this number on the mailing label of the 2001 NPRI package or on correspondence sent to your company/facility. If you cannot find your NPRI ID number, call your regional NPRI office (listed inside the front cover).

If this is your first year of reporting, place the cursor in the NPRI ID field marked “NEW REPORT”. Generate a temporary identification number by clicking on the “Generate a temporary NPRI ID” button. A permanent NPRI ID for your facility will be assigned by Environment Canada at a later date.

A1.2 Language

Correspondence from Environment Canada will be in the language identified, i.e., English or French. The language code determines which language is used by the software when printing reports.

A1.4 Web Site Address

This is an optional field for you to provide the Web site address of your facility or parent company. The address you provide will become part of the on-line NPRI database and will allow visitors to link directly to your Web site for more information.

A1.5 Dun and Bradstreet (D-U-N-S) Number

D-U-N-S is a nine-digit number that Dun and Bradstreet uses to identify companies in its financial database. This will allow the NPRI to identify the corporate structures relating facilities to their parent companies. A large organization is likely to have many D-U-N-S numbers, linking their various headquarters, subsidiaries, branches and facilities. Report the D-U-N-S number of the facility. This number may be available from your facility’s treasurer or financial officer. If the facility doesn’t have a D-U-N-S number, but the parent company does, report that number in field A3.0 “Identification of Parent Companies”. If you need to verify your D-U-N-S number or obtain a new one, call the Dun and Bradstreet Customer Service Centre at 1-800-463-6362, or (416) 463-6362; Fax: (905) 568-5815. For more information, you can visit the Dun and Bradstreet Web site at <www.dnb.com>.

A2.0 Facility Identification and Site Address

The NPRI database fully supports uppercase/lowercase text entry which improves legibility. DATA ENTRY IN ALL UPPERCASE CHARACTERS IS DISCOURAGED. Please take the time to correctly enter your facility identification as you wish it to appear in the publicly-accessible database. This information will be used to identify your facility in all Environment Canada reports and data products and should therefore be selected carefully to ensure that your facility is correctly identified.

Geographic coordinates for facilities are determined by Environment Canada. Facilities may be asked to provide the information needed to determine the geographic coordinates of the facility.

A2.1 Company Name

Enter your company name. **This field is mandatory.** If your company owns more than one reporting facility, please ensure that the company name is used consistently for all facilities.

A2.2 Facility Name

Enter the name of the facility or any other information which, in addition to the “Company Name”, completely identifies the facility. You may omit the “Facility Name” if the “Company Name” alone completely identifies the facility.

COMPANY NAME	FACILITY NAME
Specialty Pharmaceuticals	Liquids Plant
Trans Canada Airlines	Calgary
Canadian Refineries	Alberta Processing Plant
International Manufacturing	ABC Manufacturing Division

A2.3 and A2.4 Street Address

The “Street Address” is the site address of the facility. **Do not use a post office box or mailing address as the street address.** A mailing address can be given when identifying a public contact, technical contact or company coordinator. Enter the street name and number and other identifiers such as suite number or building designation. For rural addresses, where a street address is not available, enter the lot and concession numbers, and the township or its equivalent.

A2.5 City/District

Enter the name of the city, town, village, district or township in which the facility is located.

A2.6 Province or Territory

Enter the name of the province or territory in which the facility is located. Choose the name or abbreviation from the pick-list that is available while the cursor is in the “Province” field.

A2.7 Postal Code

Enter the postal code. It will be formatted automatically (e.g., V7M 3H7).

A3.0 Identification of Parent Companies

For the purposes of the NPRI, a parent company is defined as the highest level company or group of companies that directly control your facility. If your company is not owned or controlled by another parent company, select “No” in field A3.1, “Is the facility controlled by another company or companies?” Otherwise select “Yes” in field A3.1. This opens the “Identification of Parent Companies” screen in which you can report the names, addresses and percent ownership of controlling parent companies. The D-U-N-S number identifies the parent company and its corporate relationship to the reporting facility. Complete this field as described in A1.5. The province, territory or U.S. state codes can be found in pick-lists available while the cursor is in these fields. Field P1.8 “Zip Code or Other” is provided for addresses in the U.S. or in other countries. The “Country” field (P1.10) must be completed only if the address is outside Canada or the U.S.

A4.0 Facility Public Contact

Enter the name, position title, e-mail address, telephone and facsimile numbers of the facility's public contact. The public contact does not have to be the same person who prepares the report or signs the Statement of Certification and does not necessarily need to be someone at the reporting facility. However, this person should be able to answer questions from the public about the report. A position title alone, such as "Environmental Coordinator", can be used to identify the public contact. The facility public contact will be identified in the NPRI database available to the public. **If these fields are left blank, the technical contact (in field A6.0) will be listed as the public contact in the NPRI database.**

A5.0 Facility Public Contact Address

Complete this field if the mailing address for the public contact is different from the facility's site address (A2.0). The province, territory or U.S. state names can be found in pick-lists while the cursor is in these fields. Field A5.9 "Zip Code/Other" is provided for addresses in the U.S. or in other countries. The "Country" field (A5.10) must be completed only if the address is outside Canada or the U.S.

A6.0 Facility Technical Contact

Enter the name, position title, e-mail address, telephone and facsimile numbers of a technical representative who can be contacted by Environment Canada for clarification of the report. This person should be familiar with the details of the report and be able to answer questions about the information provided. **The technical contact will be listed as the public contact in the NPRI database if a public contact is not named in field A4.0.** Unless a company coordinator is identified in field A8.0, the technical contact will receive all information, mailings and inquiries from Environment Canada. **A consultant can be the technical contact as long as a company coordinator is identified in field A8.0.**

A7.0 Facility Technical Contact Address

If the mailing address for the technical contact is different from the facility's site address (A2.0), complete this field as described in A5.0.

A8.0 Company Coordinator

In addition to a facility technical contact, some companies may coordinate reports for several facilities through a central contact. If you answer "Yes" to the question "Would you like to have information sent to a central contact?", provide the name, position title, e-mail address, telephone and facsimile numbers for the company coordinator (fields A8.1 to A8.8). **Correspondence from Environment Canada will be addressed to the company coordinator. If there is no coordinator, correspondence will be sent to the technical contact. This field will already be completed if you entered this information in field C2.0 in the opening screens (see Step 3).**

A9.0 Company Coordinator Address

If the mailing address for the company coordinator is different from the facility's site address (A2.0), complete this field as described in A5.0.

A10.0 Primary Industrial Classification Codes

Industrial classifications are a means of identifying different types of businesses and industries. The NPRI has adopted the North American Industry Classification System (NAICS Canada) as the standard for identifying industrial sectors to enable better comparisons of NPRI data with similar inventories in the U.S. and Mexico. This year, the NPRI will also continue to collect Canadian and American Standard Industrial Classification (SIC) data to retain continuity with historical data.

North American Industry Classification System (NAICS)

The NAICS was developed by Statistics Canada, the U.S. Office of Management and Budget and Mexico's Instituto Nacional de Estadística Geografía e Informática, to enable the respective national agencies to collect comparable statistical data (Statistics Canada, 1998). It has replaced the 1980 SIC as the standard for classifying industries by Statistics Canada. Statistics Canada provides complete details of NAICS Canada on its Web site at www.statcan.ca/english/Subjects/Standard/index.htm.

You can order a copy of the NAICS Canada Manual (printed version, Catalogue No. 12-501-XPE; CD-ROM, Catalogue No. 12-501-XCB) on-line, toll free at 1-800-700-1033 (voice) or 1-800-889-9734 (fax), or through Statistics Canada Regional Reference Centres.

The NAICS Canada consists of 20 sectors, 99 subsectors, 321 industry groups, 734 industries and 921 national industries. Industries within these sectors are grouped according to their production processes rather than the goods or services produced. The numbering system that has been adopted is a six-digit code, of which the first five digits are used by the three countries to produce comparable data. The first two digits designate the sector, the third digit designates the subsector, the fourth digit designates the industry group and the fifth digit designates industries. For example, the first two digits “21” designate the utilities sector comprised of industries engaged in operating gas, electrical and water utilities. The four-digit NAICS code “2111” refers to the electric power generation, transmission and distribution industry group. Within this group, “21111” refers specifically to electric power generation while “21112” is electric power transmission, control and distribution. The sixth digit is used to designate national industries. At this level, the respective national agencies are free to define classifications relevant to their own economies. In this example, hydro-electric, fossil-fuel-electric and nuclear-electric power generation have the NAICS Canada codes “211111”, “211112”, and “211113”, respectively.

Sector and subsector NAICS classifications and their corresponding two-, three- and four-digit codes are listed in Appendix 7. The electronic reporting form provides a pick-list of the NAICS codes. If you are unsure about the correct NAICS code for your facility, contact your regional NPRI office.

Standard Industrial Classification (SIC) Codes

SIC codes are numerical identifiers for different types of businesses and industries (Statistics Canada, 1989). The first two digits of a four-digit SIC code define a major business sector, while the last two denote a facility’s specialty within that sector. For example, the first two digits (37) of the Canadian SIC code “3751” represent the chemical industry in general, and the last two digits (51) represent the paints and varnishes industry. Code “3741” represents the same major sector but denotes the pharmaceutical industry. Two-digit Canadian and American SIC codes are listed in Appendices 8 and 9, respectively. The electronic reporting form provides a pick-list of two-digit Canadian SIC codes. The software also provides concordance tables of four-digit Canadian SIC codes and their corresponding U.S. SIC codes. If you are unsure about the correct SIC code for your facility, contact your regional NPRI office.

A10.1 Two-digit Canadian SIC Code

Enter the two-digit Canadian SIC code that best represents your facility as found in Appendix 8 or access the pick-list and choose the appropriate number. Your facility may be engaged in several different activities that are described by more than one SIC code. If so, use the SIC code that describes the activity having the greatest value.

A10.2 Four-digit Canadian SIC Code

Based on the two-digit code entered in field A10.1, the software will provide a pick-list of four-digit codes associated with your industrial sector. Select the most appropriate Canadian SIC code for your facility according to the description provided.

A10.3 Four-digit U.S. SIC Code

Based on the Canadian SIC code entered in field A10.2, the software will provide a pick-list of corresponding four-digit U.S. codes. As some Canadian classifications are broader than the U.S. codes, there may be more than one U.S. code for each Canadian code. **A common error is to select the first choice offered by the software.** Be certain to select the appropriate U.S. SIC code for your facility.

A10.4 Two-digit NAICS Code

Choose the two-digit code or range of codes which best describes the industrial sector in which your facility operates. A pick-list of two-digit codes is available or you may refer to the NAICS codes in Appendix 7. Note that some sectors, such as manufacturing (31-33), span several two-digit codes. Use the pick-list to select the correct range of two-digit NAICS codes.

A10.5 Four-digit NAICS Code

Based on the two-digit NAICS code entered in field A10.4, the software will provide a pick-list of four-digit NAICS codes for the corresponding subsectors. A list of four-digit NAICS codes is also given in Appendix 7.

A10.6 Six-digit NAICS Canada Code

Based on the four-digit NAICS code entered in field A10.5, the software will provide a pick-list of six-digit NAICS Canada codes for the corresponding national industries.

A11.0 Employee Criteria

A11.1 Number of Full-time Employees

Enter the number of full-time (or equivalent) employees at your facility. This threshold depends specifically on the number of hours worked by all employees at the facility during the calendar year and not on the number of persons working. To determine the number of full-time employee equivalents, total the hours worked by:

- persons employed at the facility, including students, part-time and term employees
- owner(s) who performed work on site at the facility, and
- persons who performed work on site at the facility on a routine basis related to the normal operation of the facility, for the period of time the person performed that work, such as contractors,

and divide the total by 2 000 hours. The total number of hours worked includes paid vacation and sick leave.

A11.2 Activities to Which the 20 000-hour Employee Threshold does not Apply

The 20 000-hour employee threshold does not apply to facilities used for certain types of incineration and for wood preservation. Refer to Step 1 for more information on these activities.

If your facility was used exclusively or mainly for one of the incineration activities (A11.2.a - A11.2.d), you must submit an NPRI report for dioxins/furans and HCB. You may also have to submit a report for any NPRI Part 1 substances, mercury (and its compounds) or PAHs, provided their respective substance criteria are met. If any of the incineration activities (A11.2.a - A11.2.d) are chosen, the corresponding fields in A12.1 will be checked.

Wood preservation alone (A11.2.e) does not trigger NPRI reporting. You may also have to submit a report for any NPRI Part 1 substances and mercury (and its compounds) provided their respective substance criteria are met. If your facility used pentachlorophenol, select field A12.2. You must submit reports for dioxins/furans and HCB (see Step 2, “Schedule 1, Part 4, Substances”). If your facility used creosote for wood preservation, select field A13.1. You must submit NPRI reports for PAHs (see Step 2, “Schedule 1, Part 3, Substances”).

Was the facility used mainly or exclusively for:

A11.2.a Non-hazardous solid waste incineration (≥ 100 tonnes/year) – Non-hazardous solid waste means any waste, regardless of origin, which might normally be disposed of in a non-secure manner, such as at a sanitary landfill site, if not incinerated. It includes clean wood waste, i.e., waste from woodworking or forest product operations, including bark, where the wood waste has not been treated with preservative chemicals (e.g., pentachlorophenol) or decorative coatings. Non-hazardous solid waste incineration includes incineration of residential and other municipal wastes in conical burners, and clean wood waste in beehive burners.

A11.2.b Biomedical or hospital waste incineration (≥ 100 tonnes/year) – Biomedical waste is defined fully in Appendix 3. Biomedical or hospital waste refers to waste that is generated by:

- human or animal health-care facilities
- medical or veterinary research and testing establishments
- health-care teaching establishments
- clinical testing or research laboratories, and
- facilities involved in the production or testing of vaccines.

Biomedical or hospital waste includes human anatomical waste and animal waste. It also includes microbiology laboratory waste, human blood and body fluid waste, and waste sharps that have not been disinfected or decontaminated. It does not include waste from animal husbandry, or waste that is controlled in accordance with the *Health of Animals Act* (Canada).

Wastes that are household in origin, or that are generated in the food production, general building maintenance and office administration activities of those facilities to which this definition applies, are not considered to be biomedical or hospital waste but rather to be non-hazardous solid waste.

- A11.2.c Hazardous waste incineration** – Hazardous waste is defined fully in Appendix 4. Hazardous waste includes those wastes that are potentially hazardous to human health and/or the environment because of their nature and quantity, and that require special handling techniques. Hazardous waste incinerators must be licensed or authorized by the responsible jurisdiction. Hazardous waste incinerated in a mobile incinerator temporarily located at your facility must be included as part of this activity.
- A11.2.d Sewage sludge incineration** – Sludge means a semi-liquid mass removed from a liquid flow of wastes. Sewage sludge means sludge from a facility treating wastewater from a sanitary sewer system. The drying of sludge to reduce water content is part of the incineration stage.
- A11.2.e Wood preservation** – Select this if your facility was used mainly or exclusively for wood preservation, using heat or pressure treatment or both. If your facility used pentachlorophenol, also select field A12.2. If your facility used creosote, also select field A13.1.
- A11.2.f None of the above** – If your facility was not used for one of the activities described above, the 20 000-hour employee threshold applies when reporting to the NPRI for any NPRI substance.

A12.0 Activities Relevant to the Reporting of Dioxins/Furans and Hexachlorobenzene

The criteria for reporting NPRI Part 4 substances is based on specific activities in which a facility engaged, not quantities released or transferred. A facility may have engaged in one of these activities, even if it was not the sole activity at the facility. A facility engaged in one or more of the activities listed below (A12.1.a - A12.1.p) must submit reports for dioxins/furans and HCB if it also met the 20 000-hour employee threshold (see Step 1 “Reporting Criteria for Schedule 1, Part 4, Substances”). If, however, the facility was used mainly or exclusively for any of the incineration activities (A12.1.a - A12.1.d), or for wood preservation using pentachlorophenol (A12.1.q and A12.2), the facility must report releases and transfers of dioxins/furans and HCB regardless of the number of hours worked by employees. Information to be reported for dioxins/furans and HCB differs from that required in other NPRI substance reports. Refer to Step 2 “Schedule 1, Part 4, Substances” for further details.

- A12.1.a Non-hazardous solid waste incineration (≥ 100 tonnes/year)** – See A11.2.a.
- A12.1.b Biomedical or hospital waste incineration (≥ 100 tonnes/year)** – See A11.2.b.
- A12.1.c Hazardous waste incineration** – See A11.2.c.
- A12.1.d Sewage sludge incineration** – See A11.2.d.
- A12.1.e Base metals smelting (including copper, lead, nickel and zinc)** – refers to copper, lead, nickel and zinc. This activity does not include smelting of aluminum or any other metals. It also does not include the smelting of secondary lead or secondary aluminum which are identified in field A.12.1.f and A.12.1.g, respectively. Smelting is defined in Step 1 “Reporting Criteria for Schedule 1, Part 4, Substances”.
- A12.1.f Smelting of secondary lead** – refers to lead-bearing scrap or lead-bearing materials, other than lead-bearing concentrates derived from a mining operation. Facilities engaged in smelting of lead-bearing concentrates derived from a mining operation are considered to be base metals smelters (see A12.1.e).
- A12.1.g Smelting of secondary aluminum** – refers to aluminum-bearing scrap or aluminum-bearing materials. Secondary aluminum smelting involves two processes – pre-cleaning and smelting – both of which may produce dioxins/furans emissions.
- A12.1.h Manufacturing of iron using a sintering process** – Sintering is the welding together and growth of contact area between two or more initially distinct particles at temperatures below the melting point, but above one-half of the melting point (in degrees Kelvin). In sintering operations, dioxins/furans may be formed as unwanted by-products during high-temperature decomposition and combustion of raw materials containing chlorine and organic compounds.
- A12.1.i Operation of electric arc furnaces in steel manufacturing** – In an electric arc furnace, material is heated by the heat energy released from an electric arc. The electric arc is a component of an electric circuit, like a resistor, but with its own peculiar characteristics. Dioxins/furans may be formed as unwanted by-products during high-temperature decomposition and combustion of raw materials containing chlorine and organic compounds.
- A12.1.j Operation of electric arc furnaces in steel foundries** – In an electric arc furnace, material is heated by the heat energy released from an electric arc during which dioxins/furans and HCB may be formed.

- A12.1.k Production of magnesium** – Production of magnesium from magnesium chloride by electrolysis may result in the generation of dioxins/furans and HCB.
- A12.1.l Manufacturing of portland cement** – Portland cement is a fine greyish powder consisting of four basic materials – lime, silica, alumina and iron compounds. Cement production involves heating (pyroprocessing) the raw materials to a high temperature in a rotating kiln to induce chemical reactions that produce a fused material called clinker. The cement clinker is further ground into a fine powder, then mixed with gypsum to form portland cement.
- A12.1.m Production of chlorinated organic solvents or chlorinated monomers** – This activity is limited to the intentional manufacturing of chlorinated organic solvents or chlorinated monomers, and does not include coincidental production.
- A12.1.n Combustion of fossil fuel in a boiler unit to produce electricity (≥ 25 megawatts)** – This activity is limited to the combustion of a fossil fuel in a boiler unit, for the purpose of producing steam for the production of electricity, with a generating capacity of 25 megawatts or greater of electricity. Fossil fuel means a fuel that is in a solid or liquid state at standard temperature and pressure (such as coal, petroleum or any liquid or solid fuel derived from such). It does not include combustion of natural gas or other fuels that are gaseous in form at ambient pressure and temperature. It also does not include diesel generators, which are not boiler units.
- A12.1.o Combustion of salt-laden logs in pulp & paper sector** – Pulp and paper boilers burning salt-laden wood are unique to British Columbia. Dioxins/furans are emitted from the burning of salt-contaminated hog fuel. Logs transported and stored in salt water take up chlorine into the bark. The bark is stripped from logs and ground up with other waste wood to produce hog fuel. The material is then used as boiler fuel to produce heat and electrical energy for pulp and paper processes. The *Canada-Wide Standards for Dioxins and Furans* state that every boiler covered by the Standards will be tested twice each year to determine the level of dioxins/furans air emissions for the years prior to 2003, and annually for the year 2003 and beyond.
- A12.1.p Combustion of fuel in kraft liquor boilers in pulp & paper sector** – A kraft liquor boiler burns black liquor, composed mostly of lignin, the residue from the digester in a kraft (sulphate) pulping process. The boiler recovers chemical products from the combusted black liquor, which are later recycled, and also produces steam which is used in mill process operations.
- A12.1.q None of the above** – If your facility was not engaged in one of the activities described above, then your facility may not have to submit reports for dioxins/furans and HCB. The only other activity that would trigger reporting is if your facility was used for wood preservation using pentachlorophenol (see field A12.2).

A12.2 Was the Facility Used for Wood Preservation Using Pentachlorophenol?

Wood preservation means the preservation of wood using heat or pressure treatment, or both. If your facility was used for wood preservation using pentachlorophenol, you must submit substance reports for dioxins/furans and HCB, **regardless of the number of hours worked by employees**. If selected, field A11.2.e – Wood Preservation, will be automatically selected.

A13.0 Activity Relevant to the Reporting of Polycyclic Aromatic Hydrocarbons (PAHs)

A13.1 Was the Facility Used for Wood Preservation Using Creosote?

Wood preservation means the preservation of wood using heat or pressure treatment, or both. There is no 50-kg reporting threshold for PAHs released or transferred from a wood-preservation process using creosote, since the PAHs are contained in the creosote and not incidentally manufactured. A facility used for wood preservation must report any of the 17 individual PAHs incidentally manufactured and released on site or transferred off site from a wood-preservation process using creosote, **regardless of the number of hours worked by employees**. If selected, field A11.2.e – Wood Preservation, will be automatically selected.

A14.0 Other Environmental Regulations or Permits (optional)

This optional field identifies other government organizations, agencies or programs to which you report environmental data. These identifiers may be municipal, provincial, territorial or regional operating permit numbers, certificates of approval or numbers used to identify your facility for a survey on releases or transfers to the environment.

If you wish to provide the environmental identification numbers that exist for your facility, select “Yes” for question A14.1, “Do you report under other environmental regulations or permits?” The electronic form will present a pop-up screen after responding “Yes” to this question. Enter the identification number or permit number in the column entitled “ID Number” and the government and program requesting the data in the column entitled “Government Department, Agency or Program Name”.

If you do not report under any other environmental regulations, select “No”. If you choose not to complete this field, select “Decline to answer”.

Example 1

In **Ontario**, include the *Ontario Hazardous Waste Generator Registration Number* (OHWGRN). The OHWGRN is a nine-digit alphanumeric number (e.g., ON1234500) assigned to each facility under Ontario Regulation 347 (*Ontario Environmental Protection Act*).

Example 2

Facilities located in **Alberta** handling hazardous waste have to register for, and may have more than one, provincial ID number(s), assigned by Alberta Environmental Protection. Facilities receiving, consigning or transporting hazardous wastes are assigned provincial ID numbers. The ID number is an eight-digit alphanumeric number (e.g., ABR09999).

A15.0 Comments

A15.1 Comments (Facility)

This field is for comments regarding the facility information provided in this section or on any issue pertaining to your NPRI report in general. For example:

- an explanation of why a substance is no longer reported to the NPRI
- details of a plant closure that resulted in reduced releases and transfers of all substances reported by the facility, or
- details of a one-time site remediation program which dramatically increased the off-site transfers of several substances.

These comments will appear in the NPRI database available to the public and are your opportunity to provide context for the information reported to the NPRI. Comments specific to a substance being reported should be provided in the “Substances” report.

A15.2 Comments (Pollution Prevention)

In addition to the pollution-prevention (P2) activities reported for a specific substance in B30.0, information on general P2 activities such as water- and energy-conservation initiatives can be provided in this comments field. Facilities are encouraged to provide additional information describing their P2 initiatives and the results achieved (e.g., environmental results, economic benefits, etc.).

A16.0 Company Official Certifying this Submission

A “Statement of Certification” can be printed through the “Print Reports Menu”. **If you are unable to print a Statement of Certification, contact your regional NPRI office immediately.** A brief summary of the NPRI report is printed as part of the Statement of Certification. It lists the reporting facilities, their substances and the total quantities of substances released on site and/or transferred off site for disposal or recycling.

The NPRI report submitted to Environment Canada must include a Statement of Certification signed by an official of the company. Normally, the company official is the person identified in field A16.0. This person must have delegated powers to accept legal responsibility for the information provided. Some facilities may choose a CEO, the environmental coordinator or the plant manager. The person who signs this statement acknowledges that:

- he/she has reviewed the documents
- he/she has exercised due diligence to ensure that the information is true and complete, and
- the amounts and values are accurate, based on reasonable estimates using available data.

The name of the company official will not appear in the public database.

A17.0 Company Official Address

If the mailing address for the company official contact is different from the facility’s site address (A2.0), complete this field as described in A5.0.

This is the end of the first section of the reporting form. You have the options of saving the facility information, cancelling the changes or returning to the facility report.

Return to the “View / Enter / Edit Data” menu and proceed to Step 5.

To add or modify a substance report, choose “Substances” from the “View / Enter / Edit Data” menu. A substance report consists of the following sections:

- Section B1 Substance Information
 - Section B10 On-site Releases to the Environment
 - Section B20 Off-site Transfers for Disposal or Recycling
 - Section B30 Pollution-Prevention Activities
 - Section B40 Production Ratio and Activity Index
-

Step 5 – Enter or update the NPRI substance information

There have not been any changes to the substance reporting form for the 2001 NPRI. There are four different sets of substances and reporting criteria. Consult Step 1 to determine which substances you are required to report and Step 2 for how to report your data. **If you met the reporting criteria for a substance, you must submit a report for that substance even if there are no releases or transfers.**

If your facility is located in Ontario and you are required to report to the NPRI and the MOE, the software will display both the NPRI and MOE fields. Refer to the *Guide for Reporting under O.Reg.127/01 Using the NPRI/MOE Software – 2001* or Help file for a description of the MOE fields.

Units of Measure

The units of measure depend upon the substance being reported. Generally, release, disposal and recycling quantities are reported in tonnes. However, for substances with alternate reporting thresholds, these quantities are reported in kilograms or grams. Field B1.3 displays the units of measure. The software determines what units will be used once a substance has been selected and displays the appropriate units on each screen where quantity data are requested.

SCHEDULE/PART	SUBSTANCE	UNITS
Schedule 1, Part 1	245 Substances	tonnes
Schedule 1, Part 2	Mercury (and its compounds)	kilograms
Schedule 1, Part 3	Polycyclic aromatic hydrocarbons (PAHs)	kilograms
Schedule 1, Part 4	Hexachlorobenzene (HCB)	grams
Schedule 1, Part 4	Dioxins/furans	grams (TEQ)

“Basis of Estimate” Codes

You must report a “Basis of Estimate” code for each release or transfer quantity you report. This code provides information about how you determined the quantity of an NPRI substance that was released on site or transferred off site for disposal or recycling. There are four methods for estimating releases and transfers, listed below in declining order of expected accuracy. Reference documents that may assist with your estimates are listed in the Bibliography and examples of each estimation method are given in Appendix 6 of this Guide.

CODE	DESCRIPTION
M	Monitoring or direct measurement – This is the most accurate estimation method. An example is monthly monitoring of a substance in a waste stream and the volume flow rate of that stream. If you are reporting for dioxins/furans or HCB, the “Detail” codes field will be enabled (see below).
C	Mass balance – A mass balance is an accounting of the quantity of a substance going in and out of an entire facility, process or piece of equipment. Releases can be calculated as the difference between input and output.
E	Emission factors – An emission factor is based on average measured emissions from several similar processes. Emission factors usually express releases as a ratio of quantity released to process or equipment throughput.
O	Engineering estimates – This estimation method is based on physical/chemical properties (e.g., vapour pressure) of the substance and mathematical relationships (e.g., ideal gas law).
NA	Not applicable – This indicates that there were no releases or transfers from your facility to this medium.
NI	No information available – This is a new code that was added for 2000 only for dioxins/furans and HCB. Select this code only if your facility met the reporting criteria for dioxins/furans or HCB, but you have no information available on which to base an estimate of the quantity released or transferred.

The reporting software has a pick-list for choosing the “Basis of Estimate” codes. Select the letter code identifying the method that applies to the largest portion of the estimated releases or transfers.

Dioxins/Furans and HCB

The reporting requirements for dioxins/furans and HCB differ greatly from those for other substances in the NPRI. Refer to Step 1 “Reporting Criteria for Schedule 1, Part 4, Substances” for details. An NPRI substance report for dioxins/furans or HCB will indicate:

- the quantity released on site or transferred off site as the result of **incidental manufacture** from prescribed activities
- the quantity released on site or transferred off site resulting from **wood preservation using pentachlorophenol**
- **for direct measurements only**, that the measured concentrations were above, equal to or below the **Level of Quantification (LoQ)**
- that there were no releases to a specific medium or no transfers off site, or
- that **no information** was available on which to base an estimate.

Level of Quantification (LoQ)

The level of quantification is defined in Section 65 of the *CEPA, 1999*, as “the lowest concentration that can be accurately measured using sensitive but routine sampling and analytical methods”. Environment Canada determines LoQ values by carrying out statistical analyses of several sets of measurements from a variety of emission sources. The LoQ is calculated as 10 times the standard deviation of replicated measurements. For some media and some analytical methods, the detection limit may be lower than the LoQ recommended by Environment Canada. Table 10 in Step 2 lists the LoQ for dioxins/furans and HCB for three types of material or waste streams that may be released on site or transferred off site – gaseous, liquid and solid. The LoQ values listed include both final, draft and estimated values published by Environment Canada. In the reporting software, the “Detail” code is used to indicate if your measured concentrations were above, equal to or below the LoQ for each type of material that you released on site or transferred off site.

“Detail” Codes

“Detail” codes are required and are available only for dioxins/furans and HCB substance reports. A “Detail” code is required only if the release, disposal or recycling data were obtained through direct measurement or monitoring (code “M” in the “Basis of Estimate” field). The “Detail” code is used to indicate if your measured concentrations are above, equal to or below the LoQ. The “Detail” code field is adjacent to the “Basis of Estimate” field. Three “Detail” codes are available:

CODE	DESCRIPTION
AL	At or Above LoQ – The measured concentration was equal to or greater than the LoQ – If chosen, you must enter the quantity of the substance that was released on site or transferred off site for disposal or recycling.
BL	Below LoQ (no quantity entered) – The measured concentration was below the LoQ – This indicates that the substance may have been present but you did not quantify the amount that was released on site or transferred off site for disposal or recycling.
BQ	Below LoQ (quantity entered) – The measured concentration was below the LoQ – If chosen, this indicates that you have opted to report the quantity of the substance that was released on site or transferred off site for disposal or recycling based on a measured concentration that was less than Environment Canada’s LoQ.

How to Report Releases and Transfers of Dioxins/Furans and HCB

The use of “Basis of Estimate” and “Detail” codes is summarized in Step 2.

B1.0 Substance Identity

Enter the name of the NPRI substance and its CAS number. The reporting software provides pick-lists for the NPRI substances and their CAS numbers. Appendix 1 lists the NPRI substances alphabetically and Appendix 2 lists the NPRI substances by CAS number.

Report only NPRI substances. For example, if you use silver nitrate, do not report silver nitrate with its corresponding CAS number because the NPRI does not list silver nitrate as an individual compound. Report this substance as “silver (and its compounds)”. The reporting software will only accept the names and the CAS numbers of substances on the NPRI list.

The NPRI reporting form can be used to complete reports under Regulation 127/01 of the Ontario Ministry of the Environment and for the National Emissions Reduction Masterplan (NERM) of the Canadian Chemical Producers' Association. You will have selected the appropriate inventory(s) in the opening screens of the NPRI reporting software (Step 3). The pick-lists in fields B1.0, B1.1 and B1.2 display only the substances for the inventory(s) selected. Field B1.4 will show if the substance is an NPRI, O.Reg.127/01 or NERM substance.

B1.1 CAS Registry Number

Enter the CAS number of the NPRI substance for which you are reporting. A pick-list of NPRI substances, listed numerically by CAS number, is available. Once the CAS number is identified and selected in the pick-list, the program will automatically place the CAS number in field B1.1 **and** the substance name in field B1.2. Some NPRI substances, such as “ammonia (total)” or “(element) and its compounds”, do not have unique CAS numbers and are identified by “NA” on the pick-list. Indicators next to the CAS number will show if the substance is an acid, a PAH, a dioxin/furan or HCB.

B1.2 Substance Name

If you do not know the CAS number of the substance for which you are reporting, you can choose from a pick-list of substance names. The CAS number will automatically be inserted into field B1.1. The program will enter “NA” in the CAS number field for groups of NPRI substances which do not have unique CAS numbers, such as “zinc (and its compounds)”.

B1.3 Units of Measure

This field displays the units of measure. The units of measure will also be displayed wherever quantity data are reported (e.g., when entering on-site releases or anticipated disposals). The software determines what units will be used once a substance has been selected.

B1.4 This Substance is on the Following Program List(s):

Indicators will show if the substance is on the NPRI, MOE-2A, -2B or -2C, or NERM list(s).

B2.0 Nature of Activities

Indicate whether the NPRI substance was manufactured, processed or otherwise used, and the nature of such activities at the facility during the calendar year. For each substance, you may identify more than one activity.

B2.1 Manufacture the Substance

The term “manufacture” means to *produce, prepare or compound* an NPRI substance. This also includes the incidental production of an NPRI substance as a by-product as the result of the manufacture, processing, other use or treatment of other substances, products or materials. For example, certain NPRI substances may be manufactured as a result of wastewater treatment or other treatment processes.

Example of Manufacturing Activity

Your facility purchased chlorine and reacted it with sodium chlorite to form chlorine dioxide. Therefore, your company *processed* chlorine and manufactured chlorine dioxide. Both are NPRI substances. You are required to report both substances if you met the reporting criteria. Refer to “Calculating the 10-tonne Reporting Threshold” in Step 1.

Example of Incidental Manufacturing of By-products

Your facility manufactured aluminum. During the smelting process, hydrogen fluoride (HF) was released. The concentration of HF is 2 ppm but the quantity exceeded 10 tonnes per year. You are required to report your releases of HF because it was *produced as a by-product* and not subject to the 1% concentration criterion. You are not required to report solid aluminum because it is not an NPRI substance. You may have to report “aluminum (fume or dust)”, as well as other NPRI substances, if all other reporting criteria are met. Refer to “Calculating the 10-tonne Reporting Threshold” in Step 1.

If you manufactured the substance being reported, select at least one of the following:

- B2.1.a For on-site use/processing** – The substance was manufactured and then further processed or used at the same facility.
- B2.1.b For sale/distribution** – The substance was manufactured specifically for sale or distribution outside the facility. For example, a mine mill processed metal ore on site to manufacture ore concentrates, and then sold the metal concentrate(s) outside the facility.
- B2.1.c As a by-product** – The substance was produced incidentally and released to the environment or transferred off site for disposal. See Step 1 for a complete discussion of NPRI by-products.
- B2.1.d As an impurity** – The substance was produced incidentally and remained in the product destined to be distributed in commerce.

B2.2 Process the Substance

The term “process” means the *preparation* of a listed substance, after its manufacture, for distribution in commerce, or the use of a listed substance as part of a chemical or physical process. Processing includes the preparation of a substance **with or without change** in physical or chemical form. The term also applies to the processing of materials, mixtures or formulations that contain a listed substance as one component. During processing, the substance is generally not separated from the product.

If your facility processed the substance, select at least one of the following:

- B2.2.a As a reactant** – An NPRI substance used in chemical reactions for the manufacture or processing of another substance or product. This includes, but is not limited to, feedstock, raw materials, intermediates, catalysts and nutrients added to wastewater treatment systems.
- B2.2.b As a formulation component** – A substance added to a product (or product mixture) before further distribution of the product. Examples of substances used in this capacity include, but are not limited to, additives, dyes, reaction diluents, initiators, solvents, inhibitors, emulsifiers, surfactants, lubricants, flame retardants and rheological modifiers.
- B2.2.c As an article component** – A substance that became an integral component of an article distributed for industrial, trade or consumer use. An example is ethylene glycol added to vehicle radiators during assembly.
- B2.2.d Repackaging only** – Processing or preparation of a substance (or product mixture) for distribution in commerce. This also includes transferring NPRI substances to or from bulk containers.
- B2.2.e As a by-product** – The NPRI substance was incidentally processed and was released to the environment or was transferred off site for disposal. See Step 1 for a complete discussion of NPRI by-products.

B2.3 Otherwise Use the Substance

“Otherwise use” encompasses any use of an NPRI substance that is relevant to the purposes of the facility that does not fall under the definitions of “manufacture” or “process”. As an example, your facility cleaned equipment with a listed solvent; it *otherwise used* the substance (ancillary or other use). Note that such an activity is not considered “routine janitorial” or “facility grounds” maintenance.

If your facility otherwise used the substance, select at least one of the following:

- B2.3.a As a physical or chemical processing aid** – A substance that was added to a reaction mixture to aid in the manufacture or synthesis of another substance but was not intended to remain in or become part of the product or product mixture. Examples of such substances include, but are not limited to, process solvents, catalysts, inhibitors, initiators, reaction terminators and buffers.

- B2.3.b As a manufacturing aid** – A substance that aided the manufacturing process but did not become part of the resulting product and was not added to the reaction mixture during the manufacture or synthesis of another substance. Examples include process lubricants, metal-working fluids, coolants, refrigerants and hydraulic fluids.
- B2.3.c Ancillary or other use** – A substance in this category that was used at a facility for purposes other than as a chemical processing aid or manufacturing aid. This includes, but is not limited to, equipment cleaners, degreasers, fuels, flocculants and substances used for treating wastes.
- B2.3.d As a by-product** – The NPRI substance was incidentally present in a material that was otherwise used at the facility and released to the environment or transferred off site for disposal. See Step 1 for a complete discussion of NPRI by-products.

On-site Releases to the Environment

If the reporting criteria are met for an NPRI substance, then **all** releases of that substance must be reported **regardless of the concentration or amount**.

B10.0 Do You Release This Substance On Site?

To report the on-site releases of an NPRI substance, select “Yes” in field B10.1. If you select “No”, the program automatically brings you to field B14.0 “Reasons for Changes in Quantities Released from Previous Year”.

B11.0 Releases of Less than One Tonne

If the total of all your releases of an **NPRI Part 1 substance** to all media was less than one tonne, you have the option of reporting releases by environmental medium (B12.1 to B12.4 for releases to air, water, land and underground injection) or reporting only the total release to all media (B12.5). To report total releases to all media of less than one tonne of a substance, select “Yes” in field B11.1. This field is enabled only for NPRI Part 1 substances. The program will proceed directly to field B12.5 “Total Releases”. Otherwise, select “No” and enter specific releases to each environmental medium.

B12.0 On-site Releases of the Substance to the Environment

If your releases were greater than one tonne, you must account for total releases of the substance from your facility to each environmental medium (air, water, land and underground injection). **Report the “net” release of the substance, not the total release of a mixture containing the substance.**

Some NPRI substances are listed as “(element) and its compounds”. For these substances, report only the total amount of the element in the compounds released rather than the total amount of the compounds that contain the element. Total releases (B12.5) from your facility do not include transfers of the substance to off-site locations for disposal or recycling.

For each release by medium, enter a “Basis of Estimate” code. Selecting “NA” (Not applicable) indicates that there were no releases from your facility to this medium. Enter the letter code identifying the estimation method that applies to the largest portion of the releases. A pick-list is available for choosing the “Basis of Estimate” codes.

“Detail” codes are required and available only for dioxins/furans and HCB substance reports. A “Detail” code is required only if the release, disposal or recycling data were obtained through direct measurement or monitoring (code “M” in the “Basis of Estimate” field). The “Detail” code is used to indicate if your measured concentrations were above, equal to or below the LoQ.

B12.1 Air Releases

Report all air emissions of the NPRI substance, the basis of the estimate and the detail code, if applicable. Both routine releases, such as fugitive releases to air, and accidental or non-routine releases, such as a relief valve opening as a result of a process upset, should be included in your estimate of the quantity released.

B12.1.a Stack or point releases – Total releases from stack or point sources including stacks, vents, ducts, pipes or other confined process streams. Releases to air from pollution-control equipment generally fall into this category.

B12.1.b Storage or handling releases – The quantity of releases to air from storage or handling of a listed substance should be entered in this field.

B12.1.c Fugitive releases – Fugitive releases are the total of all releases to air that are not released through confined process streams. These releases include:

- fugitive equipment leaks from valves, pump seals, flanges, compressors, sampling connections, open-ended lines, etc.
- evaporative losses from surface impoundments and spills
- releases from building ventilation systems, and
- any other fugitive or non-point air emissions from land treatment, mine tailings, storage piles, etc.

B12.1.d Spills – Any accidental releases to air that do not qualify as point or non-point air releases should be entered in this field.

B12.1.e Other non-point releases – Any other non-point air releases not estimated in one of the above air-related release types should be entered in this field.

B12.2 Underground Injection

Report the quantity of the NPRI substance injected **on site**, the basis of the estimate and the detail code, if applicable.

B12.3 Releases to Surface Waters

Report all releases of the NPRI substance to surface waters, the basis of the estimate and the detail code, if applicable. Do not include water bodies that received the general plant waste stream if this waste stream did not contain an NPRI substance or if reportable acids in the waste stream had been neutralized to a pH of 6.0 or greater prior to release.

B12.3.a Direct discharges – Direct discharges do not include discharges to an MSTP or other off-site wastewater treatment facilities. These discharges are considered off-site transfers for disposal which are reported in field B22.1.f.

B12.3.b Spills – Spills into surface waters include any accidental releases which may have occurred at your facility.

B12.3.c Leaks – A leak to surface waters differs from a spill in terms of the time required for an event. Spills normally occur over a period of hours or days, whereas a leak is a chronic event which occurs over periods of days or months.

For each surface water discharge, you must identify the receiving water bodies. The button in the “# of Water Bodies” column shows the number of water bodies receiving the discharge. It displays a “?” if no water bodies have been identified. Select the button to open the “Master Pick-list of Surface Water Bodies” table. Here you must identify the surface water bodies that received the discharge, as well as the quantity discharged to each surface water body. The software provides a pick-list of standard water body names that is drawn from the NPRI database and the *Gazetteer of Canada*. The pick-list is sorted by province.

You may add the names of new surface water bodies to the pick-list if it is incomplete. There are two ways to edit the pick-list of surface water body names:

- select “Surface Water Bodies” in the “View / Enter / Edit Data” menu, or
- select the button in the “# of Water Bodies” column in field B12.3, then select “Add a new water body to the pick-list”.

If your total discharge to all media was less than one tonne, you are not required to report your releases by environmental media and may report only a total discharge. Do not include water bodies that receive the general plant waste stream if this waste stream did not contain an NPRI substance or if reportable acids in the waste stream have been neutralized to a pH of 6.0 or greater prior to release.

B12.4 Releases to Land

Report all releases of the NPRI substance to land **within** the boundaries of your facility, the basis of the estimate and the detail code, if applicable. Do not report land disposal at an off-site location in this field. Transfers of the substance for disposal are reported in B20.0.

B12.4.a Landfill – For the purposes of the NPRI, on-site landfilling is classified as a release. If the substance was transferred off site for disposal, enter the quantity in field B22.1.e, subset i) “Containment/Landfill”.

B12.4.b Land treatment – Land treatment is a disposal method in which a waste containing a listed substance is applied onto or incorporated into soil. If the substance is transferred off site for disposal, enter the quantity in field B22.1.h “Land Treatment”.

B12.4.c Spills – Releases classified as spills include any accidental release of a listed substance to land at your facility.

B12.4.d Leaks – Leaks differ from spills in that they are chronic events that occur over a comparatively long time. This includes leaking underground storage tanks.

B12.4.e Other – Releases to land could occur in forms other than those specified above, for example, encapsulation prior to on-site landfill.

B12.5 Total Quantity Released

The electronic form will calculate the sum of the on-site releases reported in fields B12.1 through B12.4 and place this total into field B12.5. If you chose to report only a total release of less than one tonne to all media for **an NPRI Part 1 substance only** (B11.1), enter the quantity, the basis of the estimate and the detail code, if applicable.

B13.0 Yearly Breakdown of Releases by Percentage in Each Quarter

This field is intended for facilities that have seasonal fluctuations in their releases. Releases for the four quarters must total 100%.

B14.0 Reasons for Changes in Quantities Released from Previous Year

Select one or more reasons why the on-site releases of the NPRI substance changed since 2000. This section must be completed, even if there were no on-site releases. You may use the “Comments” field to elaborate on your reasons. If this is your first reporting year, select B14.1.i “Not applicable”. Some of the reasons for change may also be considered as pollution-prevention activities. If you have selected B14.1.c “Pollution-prevention activities”, you must also complete Section B30.0 – “Pollution-Prevention Activities”.

B14.1.a Changes in production levels – A change in on-site releases may be the result of changes in production levels or some other activity at the facility. Changes in production levels can be caused by increased sales, a change in the economy affecting the facility, a strike or other plant closure, expansion or conversion of the facility, etc. Other examples are given in Section B40.0 – “Production Ratio and Activity Index”, which provides you the opportunity to provide a quantitative measure of the year-to-year fluctuations in production levels and on-site releases.

B14.1.b Changes in estimation methods – Choose this item if there was a change in the method of estimating the quantity of the NPRI substance transferred off site. For example, engineering estimates may have been replaced by direct measurement. Or, the engineering calculations were updated or corrected.

B14.1.c Pollution-prevention activities – If chosen, you must describe the pollution-prevention activities in Section B30.0. Refer to that section for examples of pollution-prevention activities. Pollution prevention does not include on-site treatment (pollution control) or off-site recycling or disposal.

B14.1.d Changes in on-site treatment – Examples include modification to or addition of new pollution-control devices, redirection or elimination of waste streams, expanded on-site recycling and other changes in on-site waste treatment.

B14.1.e Changes in off-site transfers for disposal – If chosen, you must report the off-site transfers for disposal in fields B20.0, B21.0, B22.0, B23.0 and B24.0.

B14.1.f Changes in off-site transfers for recycling – If chosen, you must report the off-site transfers for recycling in fields B20.0, B21.0, B25.0, B26.0 and B27.0.

B14.1.g Other – Some examples include accidents, spills or breakdowns. Provide details in field B14.2 “Comments”.

B14.1.h No significant change or no change – Choose this item if there has been no change or if the change was less than 10% from the previous year.

B14.1.i Not applicable – Choose this item if this is the first year you are reporting this substance.

B14.2 Comments (Releases)

Comments specific to the releases of this substance may be provided in this field. For example, provide details of a spill which dramatically affected the release of this substance. The comments will appear in the NPRI database available to the public and are an opportunity to provide context for the information reported to the NPRI.

B15.0 Anticipated Releases

Enter your estimates of total releases to all environmental media, for the years 2002, 2003 and 2004. Estimates for the years 2005 and 2006 are optional (select “Not applicable”). Factors that should be considered when making these estimates include future production levels, product or process changes, pollution-prevention measures, addition of pollution-control equipment, etc.

Off-site Transfers for Disposal or Recycling

Disposal and recycling activities are considered together under the common heading of off-site transfers. The reporting categories are based on the International Waste Identification Code (IWIC) (Environment Canada, 1993) developed by the Organization for Economic Cooperation and Development (OECD). Reporting is limited to those categories which are most applicable to NPRI reporters. People who report under the *Export and Import of Hazardous Wastes Regulations (EIHWR)* (Canada Gazette, 1992) will immediately recognize the format. Even if you do not handle hazardous wastes, the reporting format will enable you to describe your transfers more accurately.

“Disposal” is final disposal of the material (e.g., landfill) or storage and treatment (e.g., stabilization) prior to final disposal. “Recycling” refers to activities that keep a material or a component of the material from becoming a waste destined for final disposal. Recyclable materials may be reprocessed to their original specifications and reused for their original purpose or used for an entirely different purpose. Components may be recovered from the recyclable material or the material may be used as a fuel for energy recovery. The recyclable material may be used in the manufacture of another product. For the purposes of the NPRI, recycling also includes substances sent back to the manufacturer or supplier for reprocessing, repackaging, resale or for credit or payment.

B20.0 Transfers of the Substance to Off-site Locations

Indicate if you transferred the NPRI substance to off-site locations for disposal or recycling by selecting either “Yes” or “No” in fields B20.1 and B20.2, respectively. Depending on your selection, the software will automatically skip certain sections of the report. However, even if you did not transfer NPRI substances off site, you must still provide reasons for changes in quantities disposed/recycled and anticipated transfers for disposal/recycling (B23.0, B24.0, B26.0 and B27.0). You will also be able to provide comments on your transfers for disposal and your recycling activities in fields B23.2 and B26.2.

B21.0 Reasons why Substances were Transferred Off Site for Disposal or Recycling

Select one or more reasons why the NPRI substance or why a material containing the NPRI substance was transferred off site for disposal or recycling. **This category does not include on-site disposal or recycling.** For convenience, the equivalent IWIC Q-codes are listed in brackets after each item. Choose one or more of the following reasons:

- B21.1.a Production residues** – These are, for example, residues of industrial processes such as slags and still bottoms, residues from raw material processing such as mining residues and oil field slop. [Corresponds to codes Q1, Q8 and Q11 in the IWIC]
- B21.1.b Off-specification products** – These are products that were not suitable for commercial distribution or that could not be used by the facility and were destined for final disposal, reuse or recycling by another facility. [Corresponds to code Q2 in the IWIC]
- B21.1.c Expiration date passed** – Products for which the date for appropriate use expired and that were transferred off site for final disposal or reuse or recycling by another facility. [Corresponds to code Q3 in the IWIC]
- B21.1.d Contaminated materials** – For example, materials spilled or having undergone other mishap, including any materials contaminated as a result of the mishap; materials contaminated or soiled as a result of planned actions such as residues from cleaning operations, packing materials, containers, etc.; contaminated substances that no longer performed satisfactorily such as contaminated acids, solvents, exhausted tempering salts, etc.; adulterated materials. [Corresponds to codes Q4, Q5, Q7 and Q12 in the IWIC]
- B21.1.e Unusable parts or discards** – Describes items such as reject batteries, exhausted catalysts, etc. [Corresponds to code Q6 in the IWIC]
- B21.1.f Pollution-abatement residues** – Materials such as scrubber sludges, baghouse dusts, spent filters, etc., generated by pollution controls and on-site waste treatment. [Corresponds to code Q9 in the IWIC]
- B21.1.g Machining or finishing residues** – This includes lathe turnings, grinding dusts, sheet metal cuttings, mill scales, etc. [Corresponds to code Q10 in the IWIC]
- B21.1.h Site-remediation residues** – Materials, substances or products resulting from remedial actions with respect to contaminated land. [Corresponds to code Q15 in the IWIC]
- B21.1.i Other** – Any materials, substances or products not described above.

B22.0 Off-site Transfers for Disposal

In this field, report the quantity of the NPRI substance transferred to off-site locations for final disposal or storage and treatment prior to final disposal. If the reporting criteria are met for a listed substance, **all** off-site transfers of that substance for disposal must be reported **regardless of the concentration or amount**. Report the quantity of the NPRI substance that was sent to an off-site treatment facility and not the total weight of the mixture containing that substance. Report transfers to the first off-site location only and identify its name and location. You are not required to report any subsequent transfers by the waste disposal company. However, you must report the disposal method used. Disposal includes storage and treatment (e.g., stabilization) prior to final disposal. Do not report materials containing the NPRI substance which were recycled off site; they are reported in field B25.0.

Do not report off-site transfers of mineral acids if the acid had been neutralized to a pH of 6.0 or greater prior to its transfer off site for final disposal. In the case of nitric acid, the quantity of neutralized nitric acid would be reported as “nitrate ion in solution at a pH of 6.0 or greater”.

For each disposal activity chosen, enter a “Basis of Estimate” code. Selecting “NA” (Not applicable) indicates that there were no transfers from your facility for this disposal activity. Enter the letter code identifying the method that applies to the largest portion of the estimated transfers. A pick-list is available in each field for choosing the “Basis of Estimate” codes.

“Detail” codes are required and available only for dioxins/furans and HCB substance reports. A “Detail” code is required only if the release, disposal or recycling data were obtained through direct measurement or monitoring (code “M” in the “Basis of Estimate” field). The “Detail” code is used to indicate if your measured concentrations were above, equal to or below the LoQ.

B22.1 Disposal Method

Eight major off-site disposal methods are identified. Report the exact amounts of the NPRI substance transferred for that disposal method, the basis of the estimate and the detail code, if applicable. Facilities can obtain information about the ultimate treatment/disposal of their transfers by looking at their invoices, waybills, waste manifests or by contacting the transfer facility.

B22.1.a Physical treatment – e.g., drying, evaporation, encapsulation or vitrification.

B22.1.b Chemical treatment – e.g., precipitation, stabilization or neutralization.

B22.1.c Biological treatment – e.g., bio-oxidation or composting.

B22.1.d Incineration/thermal – This differs from energy recovery. Incineration occurs when the substance or the material containing the substance does not have sufficient fuel value to contribute toward energy recovery.

B22.1.e Containment – Two forms of containment are identified:

- i) landfill
- ii) other storage

B22.1.f Municipal Sewage Treatment Plant (MSTP) – Report discharges of the NPRI substance to a municipal sewer system, regardless of the level of treatment provided by the MSTP.

B22.1.g Underground injection – Report quantity injected underground at an off-site location.

B22.1.h Land treatment – Report the quantity transferred off site for the purpose of land application or land farming.

You must identify the off-site facilities which received the NPRI substance for disposal. If the transfer was split among several off-site facilities, specify the quantity of the NPRI substance that was transferred to each facility. Select the button in the “# of Off-sites” column to open the “Master Pick-list of Off-site Facilities” table. The software provides a pick-list of previously-identified, off-site facilities. The pick-list can be edited if it is incomplete or inaccurate. The pick-list of off-site facilities and MSTPs is based on the information provided in the table “Master Pick-list of Off-site Facilities”. There are two ways to edit the table:

- select “Off-site Facilities” in the “View / Enter / Edit Data” menu, or
- select the button in the “# of Off-sites” column in field B22.1 or field B25.1 and then “Add an off-site facility to the pick-list”.

B22.2 Total Quantity Disposed

The reporting software calculates the sum of the entries made in field B22.1 and places the result into this field.

B23.0 Reasons for Changes in Quantities Disposed from Previous Year

Select one or more reasons why off-site transfers for disposal of the NPRI substance have changed since 2000. This section must be completed, even if there were no off-site transfers. You may use the “Comments” field to elaborate on your reasons. If this is your first reporting year, select B23.1.i for “Not applicable”. Some of the reasons for change may also be considered as pollution-prevention activities. If you have selected B23.1.c “Pollution-prevention activities”, you must also complete Section B30.0 – “Pollution-Prevention Activities”. The reasons for changes include:

- B23.1.a Changes in production levels** – A change in off-site transfers for disposal may be the result of changes in production levels or some other activity at the facility. Changes in production levels can be caused by increased sales, a change in the economy affecting the facility, a strike or other plant closure, expansion or conversion of the facility. Other examples are given in Section B40.0 – “Production Ratio and Activity Index,” where you have the opportunity to provide a quantitative measure of the year-to-year fluctuations in production levels and off-site transfers.
- B23.1.b Changes in estimation methods** – Choose this item if there was a change in the method of estimating the quantity of the NPRI substance transferred off site. For example, engineering estimates may have been replaced by direct measurement or the engineering calculations may have been updated or corrected.
- B23.1.c Pollution-prevention activities** – If chosen, you must describe the pollution-prevention activities in Section B30.0. Refer to that section for examples of pollution-prevention activities. Pollution prevention does not include on-site treatment (pollution control) or off-site recycling or disposal.
- B23.1.d Changes in on-site treatment** – Examples include modification or addition of new pollution-control devices, redirection or elimination of waste streams, expanded on-site recycling and other changes in on-site waste treatment.
- B23.1.f Changes in off-site transfers for recycling** – If chosen, you must report the off-site transfers for recycling in fields B20.0, B21.0, B25.0, B26.0 and B27.0.
- B23.1.g Other** – Some examples include site remediation, accidents, spills or breakdowns which affect the quantity of the NPRI substance transferred off site for disposal. Provide details in field B23.2 “Comments”.
- B23.1.h No significant change or no change** – Choose this item if there has been no change or if the change was less than 10% from the previous year.
- B23.1.i Not applicable** – Choose this item if this is the first year reporting this substance.

B23.2 Comments (Disposal)

Comments specific to the off-site disposal of this substance may be provided in this section. For example, give details of a one-time site remediation which dramatically affected the off-site transfers of this substance. The comments will appear in the NPRI database available to the public and are an opportunity to provide context for the information reported to the NPRI.

B24.0 Anticipated Disposals

Enter your estimate of total transfers of the listed substance for disposal to off-site facilities for the years 2002, 2003 and 2004. Years 2005 and 2006 are optional fields (select “Not applicable”). Factors that should be considered when making these estimates include future production levels, product or process changes, pollution-prevention measures, addition of pollution-control equipment, site remediations, etc. This section must be completed, even if there were no off-site transfers.

B25.0 Off-site Transfers for Recycling

“Recycling” refers to activities that keep a material or a component of the material from becoming a waste destined for disposal. Recyclable materials may be cleaned, regenerated or reprocessed to their original specifications and reused for their original purpose. They may also be used for an entirely different purpose without any pretreatment or modification. Components may be recovered or reclaimed from the recyclable material or the material may be used as a fuel for energy recovery. The recyclable material may be used in the manufacture of another product. For the purposes of the NPRI, recycling also includes substances sent back to the manufacturer or supplier for reprocessing, repackaging, resale or for credit or payment. Report only the net weight of the NPRI substance

transferred off site for recycling, and **not the total amount of the mixture containing the substance**. For example, your facility submits an NPRI report for zinc. It sends zinc-coated steel for recycling to an off-site recycler. In this case, you must report the net weight of the zinc and not the total weight of the zinc-coated steel.

Ten types of recycling operations are listed, based on those set out in Part II of Schedule III of the *Export and Import of Hazardous Wastes Regulations* and are used as part of the IWIC code to classify hazardous recyclables. Choose the recycling operation which best describes how the NPRI substance or material containing the NPRI substance was recycled. The NPRI substance is considered to be recycled even when only a portion of the material in which it is contained is recycled. This recognizes the fact that recycling may only recover certain valuable components. For example, only the valuable metals may be recovered from a wastewater treatment sludge from an electroplating operation.

For each recycling activity chosen, enter a “Basis of Estimate” code. Selecting “NA” (Not applicable) indicates that there were no transfers from your facility for this recycling activity. Enter the letter code identifying the method that applies to the largest portion of the estimated transfers. A pick-list is available in each field for choosing the “Basis of Estimate” codes.

“Detail” codes are required and available only for dioxins/furans and HCB substance reports. A “Detail” code is required only if the release, disposal or recycling data were obtained through direct measurement or monitoring (code “M” in the “Basis of Estimate” field). The “Detail” code is used to indicate if your measured concentrations were above, equal to or below the LoQ.

B25.1 Recycling Activity

Ten major off-site recycling activities are identified. Report the net amounts of the NPRI substance transferred for that recycling activity, the basis of the estimate and the detail code, if applicable.

- B25.1.a Energy recovery** – The NPRI substance or the material containing it has sufficient energy content (BTU value) to allow its use as a fuel for energy recovery. If there had been no attempt to recover energy from the material, report it as an off-site transfer for incineration. [Corresponds to code R1 in the IWIC]
- B25.1.b Recovery of solvents** – The recovery or regeneration of NPRI substances or materials containing NPRI substances that have been used as solvents. For example, distillation of methanol after solvent extraction to recover pure solvent methanol. [Corresponds to code R2 in the IWIC]
- B25.1.c Recovery of organic substances (not solvents)** – Recovery of other organic substances that are not used as solvents. [Corresponds to code R3 in the IWIC]
- B25.1.d Recovery of metals and metal compounds** – Choose this recycling activity when a pure metal or a metal compound was being recovered. The NPRI list of substances includes 17 metals: aluminum, antimony, cadmium, chromium, cobalt, copper, lead, manganese, mercury, molybdenum, nickel, selenium, silver, thorium, titanium, vanadium and zinc. Some are listed as “(elements) and their compounds” while others are listed as specific inorganic or qualified inorganic compounds. [Corresponds to code R4 in the IWIC]
- B25.1.e Recovery of inorganic materials (not metals)** – The NPRI list of substances contains the inorganic substances: ammonia, arsenic, asbestos, boron trifluoride, bromine, carbon disulphide, chlorine, chlorine dioxide, fluorine, hydrazine, hydrogen sulphide, ionic cyanides, nitrate ion, phosphorus and sulphur hexafluoride. [Corresponds to code R5 in the IWIC]
- B25.1.f Recovery of acids or bases** – The following mineral acids are on the NPRI list: hydrochloric, nitric and sulphuric. This recycling activity also applies to the recovery of acids or bases that contain other NPRI substances as contaminants. [Corresponds to code R6 in the IWIC]
- B25.1.g Recovery of catalysts** – Choose this item if a catalyst containing an NPRI substance was transferred off site to be recovered, reactivated, regenerated or otherwise refurbished for reuse as a catalyst. Recovery of catalysts does not include the destruction of the catalyst to recover separate components. Choose B25.1.d if the catalyst was transferred off site for recovery of the metals in the catalyst. [Corresponds to code R8 in the IWIC]
- B25.1.h Recovery of pollution-abatement residues** – This includes the recycling of residues from pollution controls or site-remediation activities. [Corresponds to code R7 in the IWIC]

B25.1.i Refining or reuse of used oil – Lubricating oils are not on the NPRI list of substances. However, used oils are sometimes contaminated with NPRI substances, such as zinc additives. Choose this recycling activity if used oils containing NPRI substances were transferred off site for refining or reuse. If used oil was used as a fuel, choose B25.1.a. [Corresponds to code R9 in the IWIC]

B25.1.j Other – Other recovery, reuse and recycling activities not described above.

You must identify the off-site facilities which received the NPRI substance for recycling. If the transfer was split among several off-site facilities, specify the quantity of the NPRI substance that was transferred to each facility (see field B22.1 for instructions on using and editing the “Master Pick-list of Off-site Facilities” table).

B25.2 Total Quantity Recycled

The reporting software calculates the sum of the entries made in field B25.1 and places the result into this field.

B26.0 Reasons for Changes in Quantities Recycled from Previous Year

Indicate the changes, since 2000, in off-site transfers for recycling. This section must be completed, even if there were no off-site transfers. If this is your first reporting year, select B26.1.i for “Not applicable”. Otherwise, select at least one of the following reasons for changes in quantities transferred. If you have selected B26.1.c “Pollution-prevention activities”, you must complete Section B30.0 – “Pollution-Prevention Activities”. The reasons for changes include:

B26.1.a Changes in production levels – See field B23.1.a.

B26.1.b Changes in estimation methods – See field B23.1.b.

B26.1.c Pollution-prevention activities – See field B23.1.c.

B26.1.d Changes in on-site treatment – See field B23.1.d.

B26.1.e Changes in off-site transfers for disposal – If chosen, you must report the off-site transfers for disposal in fields B20.0, B21.0, B22.0, B23.0 and B24.0.

B26.1.g Other – See field B23.1.g.

B26.1.h No significant change – No change or a change of less than 10% from the previous year.

B26.1.i Not applicable – First year reporting this substance.

B26.2 Comments (Recycling)

Comments specific to the recycling of this substance may be provided in this section. The comments will appear in the NPRI database available to the public and are an opportunity to provide context for the information reported to the NPRI.

B27.0 Anticipated Recycling

Enter your estimate of total transfers of the listed substance for recycling for the years 2002, 2003 and 2004. Years 2005 and 2006 are optional fields (select “Not applicable”). This section must be completed, even if there were no off-site transfers.

B30.0 Pollution-Prevention (P2) Activities

In this section, facilities that have taken measures to prevent the generation of NPRI pollutants and wastes are required to indicate what P2 activities they have implemented.

Pollution prevention is defined as “the use of processes, practices, materials, products, substances or energy that avoid or minimize the creation of pollutants and waste, and reduce the overall risk to the environment or human health” (*CEPA, 1999*). P2 seeks to eliminate the causes of pollution rather than managing it after it has been created. It encourages the kinds of changes that are likely to lead to lower production costs, increased efficiencies and more effective protection of the environment.

Pollution prevention does not include waste-management measures such as on-site treatment (pollution control) activities or off-site recycling and disposal activities. Some examples follow:

- **Off-site recycling** – Off-site recycling (e.g., solvent recovery at a central distillation facility) is an excellent waste management option that is vastly preferable to other forms of waste handling because it helps to preserve raw materials and reduces the amount of material that will require disposal. However, it does create pollution during transport and during the recycling procedure. Compared with closed-loop recycling (or reuse), performed at the production site, there is likely to be more residual waste that will require disposal.
- **Waste treatment** – Waste treatment involves changing the form or composition of a waste stream through controlled reactions to reduce or eliminate the amount of pollutant. Waste treatment prior to disposal reduces the toxicity and/or disposal-site space requirements but does not prevent the creation of pollutants or eliminate all pollutant materials. Examples include volume reduction (e.g., dewatering), dilution, detoxification, incineration, decomposition, stabilization, and solidification or encapsulation.
- **Transferring hazardous or toxic constituents from one environmental medium to another** – Many waste-management, -treatment and -control practices used to date have simply collected pollutants and moved them from one environmental medium (air, water or land) to another. For example, bag houses are often used to collect particulates from waste streams. The collected particulate is often sent to landfill. This pollution-control measure reduces the potential for exposure and therefore the risk posed by the waste compared to a release to air, but it does not eliminate risk or reduce the amount of waste generated. Sending this material off site for recycling is preferable to landfill, but it too has risks associated with recovery operations and is not considered pollution prevention.

Qualitative reporting of P2 activities is a mandatory reporting requirement of the NPRI. If you have not implemented a P2 program at your facility, choose item B30.1.i. Otherwise, identify all of the P2 activities you have undertaken during the reporting year. If you selected “Pollution-prevention activities” in fields B14.1.c, B23.1.c or B26.1.c as a reason for changes in quantities released or transferred off site for disposal or recycling, you **must** identify the activity in this section.

- B30.1.a Materials or feedstock substitution** – e.g., using aqueous-based cleaners rather than solvent-based cleaners; using a non-toxic detergent to clean glassware rather than using chromic acid.
- B30.1.b Product design or reformulation** – e.g., reduce or eliminate the use of toxic substances by changing product specifications; modifying design or composition of products.
- B30.1.c Equipment or process modifications** – e.g., changing to mechanical stripping/cleaning devices from solvents; using more efficient spray-paint systems; instituting recirculation within a process.
- B30.1.d Spill and leak prevention** – e.g., measures to prevent releases such as installing splash guards and drip trays around equipment, such as solvent sinks, hot tanks and jet-spray washers, to collect and return drainage and contain leaks and spills.
- B30.1.e On-site reuse, recycling or recovery** – e.g., using a small distillation unit to reclaim solvents; recovering metals by ion exchange, reverse osmosis.
- B30.1.f Improved inventory management or purchasing techniques** – e.g., avoiding the unnecessary generation of waste by ensuring that materials do not stay in inventory beyond shelf life; instituting a clearinghouse to exchange materials that would otherwise be discarded.
- B30.1.g Good operating practices or training** – e.g., changing production schedules to minimize equipment and feedstock changeovers; improved maintenance scheduling; training staff to recognize pollution-prevention opportunities.
- B30.1.h Other** – Specify the pollution-prevention activities in field B30.2 “Comments”.
- B30.1.i No pollution-prevention activities.**

B30.2 Comments (Pollution Prevention)

Facilities are encouraged to provide additional information describing the P2 initiatives they have implemented during the year, including results achieved (e.g., environmental results, economic benefits, etc.). The comments will appear in the NPRI database available to the public and are an opportunity to provide context for the information reported to the NPRI. Information on general P2 activities, such as water- and energy-conservation initiatives, should be entered in the facility P2 “Comments” field (A15.2).

B40.0 Production Ratio and Activity Index (optional)

This section allows facilities, on a voluntary basis, to show the relationship between year-to-year fluctuations of their production levels and the relative decrease or increase in the sum of their on-site releases plus off-site transfers of the reported substance.

A “production ratio” is the ratio of “reporting-year production” to “prior-year production” that will permit year-to-year comparisons of changes in the total on-site releases plus off-site transfers. An “activity index” is based on a variable, other than production, that is the primary influence on the total, and that will in turn permit comparison of changes from year to year. While the use of a production ratio or activity index is not practical for some facilities, it does provide a means for facilities to report useful information to better understand trends in on-site releases and off-site transfers in a simple numerical format. Because changes in total on-site releases and off-site transfers may be the result of changes in production levels, a production ratio or activity index would help indicate, relatively speaking, whether a facility has, in fact, improved (or worsened) its environmental performance.

You are encouraged to provide a “ratio” of reporting-year production to prior-year production, or an “activity index” based on a variable other than production that was the primary influence on the total quantity of the reported substance released on site or transferred off site for final disposal or recycling. The ratio or index should be reported to two decimal places (i.e., two digits to the right of the decimal point). If the manufacture, processing or other use of the reported substance began during the current reporting year, enter **NA** (“Not applicable”) as the production ratio or activity index.

It must be noted that if your facility reports more than one substance, the production ratio or activity index may vary between substances. For facilities that manufacture the reported substance, the quantities produced in the current and previous year provide a good basis for the ratio because that is the primary business activity associated with the substance. However, in most cases, the production ratio or activity index must be based on some variable of production or activity rather than on the amount of substance manufactured, processed or otherwise used.

Select, from the following examples, the production ratio or activity index that is the most appropriate method of adjusting the sum of on-site releases plus off-site transfers of the reported substance. If your facility reports more than one NPRI substance, the production ratio or activity index may vary from substance to substance. However, for a given substance, the same method of calculating a production ratio or activity index must be used from year to year to allow comparison. If the substance was used in more than one production process, you must use a production ratio that is based on a weighted average of the individual production ratios. If this is the first year reporting a substance, enter **NA** (“Not applicable”) in field B40.1.

Determining a Production Ratio

The production ratio must be based on the variable that most directly affects the quantities of the substance released on site or transferred off site for final disposal or recycling. Examples of methods available include:

- amount of the substance manufactured divided by the amount of the substance manufactured in the preceding year, or
- amount of product produced divided by the amount of product produced in the preceding year.

Example 1

Your facility manufactured the reported NPRI substance and you have instituted a pollution-prevention program to reduce fugitive emissions of the substance during manufacture, storage, packaging and shipping. An appropriate production ratio would simply be the amount of the substance manufactured during the reporting year divided by the amount manufactured in the previous year.

Example 2

Your facility's only use of toluene was as a paint carrier for a painting operation. You painted 12 000 refrigerators in the current reporting year and 10 000 refrigerators during the preceding year. In this case, the production ratio for toluene was 1.2 ($12\,000 \div 10\,000$) because the number of refrigerators produced is the primary factor determining the quantity of toluene to be reported.

Example 3

A facility manufactured inorganic pigments, including titanium dioxide. Hydrochloric acid was produced as a waste during the production process. An appropriate production ratio for hydrochloric acid is the annual titanium dioxide production, not the amount of hydrochloric acid generated. During the reporting year, 20 tonnes of titanium dioxide was manufactured. If the facility produced 26 tonnes in the preceding year, the production ratio would be 0.77 ($20 \div 26$).

Determining an Activity Index

In some situations, an activity other than production is the primary influence on the total quantity of the reported substance released on site or transferred off site for final disposal or recycling.

Example 1

Your facility manufactured organic dyes in a batch process. Different colours of dyes were manufactured and, between colour changes, all equipment had to be thoroughly cleaned with solvent containing glycol ethers to reduce colour carryover. During the preceding year, the facility manufactured four different colours in separate batches, totalling 15 tonnes. During the reporting year, the facility manufactured two colours, in separate batches, totalling 20 tonnes. Since the main activity affecting usage of the glycol ether was the cleaning associated with colour changeovers, the activity index would be 0.5 (2 colour changeovers in reporting year \div 4 colour changeovers in previous year). The total quantity of dye manufactured has no bearing on the usage of the glycol ethers and, therefore, is inappropriate for normalizing your facility's annual changes in releases and transfers.

Example 2

A facility that manufactures thermoplastic composite parts for aircraft used toluene as a wipe solvent to clean moulds. The moulds were cleaned on an as-needed basis that was not necessarily a function of the parts' production rate. Operators cleaned 5 200 moulds during the reporting year, but only cleaned 2 000 molds in the previous year. An activity index of 2.6 ($5\,200 \div 2\,000$) represents the activities involving toluene usage in the facility. If the moulds were cleaned regularly after every 1 000 parts were manufactured, the production ratio would be equal to the activity index and either could be used.

Example 3

A facility manufactured surgical instruments and cleaned the metal parts with 1,1,1-trichloroethane in a vapour degreaser. The degreasing unit is operated in a batch mode and the metal parts were cleaned according to an irregular schedule. The activity index can be based upon the total time the metal parts were in the degreasing operation. If the degreasing unit operated 3 900 hours during the reporting year and 3 000 hours the previous year, the activity index would be 1.3 ($3\,900 \div 3\,000$).

Determining a Production Ratio Based on a Weighted Average

At many facilities, an NPRI substance is used in more than one production process. In these cases, a production ratio or activity index can be estimated by weighting the production ratio for each process based on the respective contribution of each process to the quantity of the substance released or transferred off site for final disposal or recycling.

Example

Your facility painted bicycles with paint containing toluene. Sixteen thousand (16 000) bicycles were produced in the reporting year and 14 500 were produced in the previous year. There were no significant design modifications that changed the total surface area to be painted for each bicycle. The production ratio would be 1.1 ($16\,000 \div 14\,500$). You estimate that 12.5 tonnes of toluene were released on site or transferred off site for final disposal or recycling as a result of bicycle production. Your facility also used toluene as a solvent in a glue that was used to make components and add-on equipment for the bicycles. Thirteen thousand (13 000) components were manufactured in the reporting year, compared to 15 000 in the previous year. The production ratio for the components using toluene was 0.87 ($13\,000 \div 15\,000$). You estimate that 1.0 tonne of toluene was released on site

or transferred off site for final disposal or recycling as a result of components' production. A production ratio can be calculated by weighting each of the production ratios based on the relative contribution each has on the quantities of toluene (13.5 tonnes during the reporting year) released on site or transferred off site for final disposal or recycling. The production ratio would be calculated as follows:

$$\text{Production ratio} = \left(\frac{12.5}{13.5} \times 1.1 \right) + \left(\frac{1.0}{13.5} \times 0.87 \right) = 1.08$$

You now have completed the 2001 reporting form for this substance. You have the options of saving the substance information, cancelling the changes or returning to the substance report.

Return to the “View / Enter / Edit Data” menu. From this menu, you can enter more substances for this facility or enter other facilities and other substances.

When all information concerning all of your facilities and all of your substances has been entered, proceed to Step 6.

Step 6 – Check errors and export data

You are required to check for and correct errors in your NPRI report before exporting the file. The reporting software will not create an export file until no errors are detected when this function is run.

From the “Main Menu”, select the “Check Errors / Export Data” function to check your NPRI report for errors and to create an export file that you can then send via e-mail or on disk to the appropriate inventory authority.

CHECK ERRORS / EXPORT DATA

- Check for Reporting Errors
 - View / Print Reporting Errors
 - Create an Export Data File
-

Check for Reporting Errors

This step is required by the software. The reporting software will not create an export file until no errors are detected when this function is run. This function will verify that you have correctly completed all sections of the report. A status screen will indicate the number of facility and substance records being verified and the number of warnings and errors found. The reporting software has data-verification features to provide warnings if the reported releases and transfers are unusually large. Warnings, unlike errors, will not prevent the report(s) from being exported to a disk.

If errors are found, you will be prompted to view the error and warning messages. **Correct the errors reported and run the “Check for Reporting Errors” function again to clear the previous error codes.** When you receive the message “No Errors Detected”, you will be able to create the appropriate export files.

View / Print Reporting Errors

Use this function to review the error and warning messages generated by the software. The error and warning messages identify the field in which the error occurred and provide a brief description of the error or warning. For example:

YEAR	NPRI ID	COMPANY NAME	CAS NO.	SUBSTANCE	REF.	FIELD NAME
						ERRORS DETECTED
YOU MUST GENERATE A NEW LIST OF POSSIBLE ERRORS AFTER YOUR CORRECTIONS.						
2001	5199	ABC MANUFACTURING	7782-50-5	CHLORINE	B 2.0	NATURE OF ACTIVITIES
SPECIFY EITHER MANUFACTURE, PROCESS OR OTHERWISE USE OF THE SUBSTANCE.						
2001	5199	ABC MANUFACTURING	7782-50-5	CHLORINE	B14.1	REASONS FOR CHANGE
PLEASE SPECIFY EITHER A, B, C, D, E, F, G, H OR I AS A REASON FOR CHANGE.						
2001	5199	ABC MANUFACTURING	7782-50-5	CHLORINE	B30.1	POLLUTION PREVENTION
PLEASE SPECIFY EITHER A, B, C, D, E, F, G, H OR I AS A REASON FOR CHANGE.						

Export a Report

To export your data, select the “Create an Export Data File” button on the “Check Errors / Export Data” menu. Read the “Create an Export Data File” screen carefully. Select the inventory (i.e., NPRI, MOE or NERM) to which you want to send your data. You must repeat this process for each inventory program for which you are required to report. The software will create an export file that contains **all** the substance reports and facility-related information appropriate for that program.

The “Create an Export Data File” function can also be used to send reports to a company coordinator who can then assemble all reports for a company for later submission. To export all of your reported data for all inventory(s) to a company coordinator, you must select the “X2CC - Export ALL Data to Company Coordinator” option in the pick-list.

A summary screen will be displayed so that you can review the data you have entered for the selected inventory program.

Review the information and data included in your report(s) carefully. Check that you reported your values in the correct units. If you reported to the NPRI for 2000, compare your data from 2000 to that in your 2001 report. Ensure that any significant changes in quantities reported from year to year are correct and not the result of a calculation error or the use of the wrong units.

After review, identify the destination for the export file – either a disk or a folder on your hard-drive. Press “Continue” for the export file to be created. Select the “Print Statement of Certification” button and select the appropriate inventory³.

You should also create a copy of your report on disk for your files. Essential information from this report can be imported into next year’s reporting software. Do not use other database programs to alter the data after export. This will result in your disk being rejected and will require resubmission of your report.

When you have exported your NPRI data and printed your Statement of Certification, proceed to Step 7.

3 The printing function of this software uses a fixed font to generate reports. For this reason, it is advisable that you go to the “Print Reports” menu of the “Main Menu” and do a few trial prints of a document after adjusting the printer defaults on the “Print Reports” screen. It is possible to print small portions of your entered data by adjusting the various optional settings available to you on many of the report screens.

Step 7 – Sign the Statement of Certification and submit the report

Sign the Statement of Certification

When submitting your NPRI report, you must include a signed Statement of Certification. The statement should be signed by the same person identified as the “Company Official” for the facility in field A16.0.

Submitting an NPRI Report by Mail

Send the disk and the signed Statement of Certification to your regional NPRI office, postmarked or courier-dated **no later than June 1, 2002**.

It is not necessary to provide a printed copy of the report with your disk.

Where disks contain reports for facilities in different regions of Canada, company coordinators are reminded that they are only required to send one report to the NPRI office in their region. For example, a company coordinator in Montreal, reporting for facilities in Edmonton, Vancouver and Toronto, is asked to send the reports to the NPRI regional office in Montreal.

Although rare, computer viruses have been detected on report disks submitted to the NPRI. If your disk is infected, you will be required to resubmit your report.

After making a copy on disk, slide the tab to open the “write protect” window on the corner of your 3.5” disk.

Indicate on your disk the name of your facility, NPRI ID number (provided with the reporting package) and the date of submission. First-time reporters who have not received a permanent NPRI ID number can use the temporary ID number (e.g., 9000000001) generated by the software.

If you need assistance, contact your regional NPRI office listed on the inside front cover of this Guide.

Submitting an NPRI Report by E-mail

Reports submitted by e-mail and the signed Statement of Certification must be received by Environment Canada **no later than June 1, 2002**.

If you choose to submit your NPRI report by e-mail:

- Use the NPRI software to export the NPRI report to a floppy disk or a hard disk folder. Do not copy the files that are in the NPRI software directory. A complete NPRI report consists of a single file – expodata.mdb
- Send this file as an attachment to an e-mail to your regional NPRI office. In the subject line, clearly indicate that it is an NPRI report and include the NPRI ID number for your facility and the name of your company. Company coordinators are reminded that they are only required to send one report to the NPRI office in their region. In your e-mail message, include your name, address, telephone and facsimile numbers and e-mail address. Retain a copy of this e-mail for future reference.
- Your signed Statement of Certification must be sent by facsimile to the same NPRI office to which you sent the e-mail. Keep the original signed Statement of Certification on file for future reference. Your report is considered incomplete until the signed Statement of Certification has been received by Environment Canada.

If you need assistance, contact your regional NPRI office listed on the inside front cover of this Guide.

Retain a Copy of the Information on which your NPRI Report was based

New for 2001, this is a legal requirement, pursuant to subsection 46(8) of the *CEPA, 1999*, and the *Canada Gazette* notice. The owner or operator of a facility is required to keep copies of the required information, together with any calculations, measurements and other data on which the information was based. This information must be kept at the facility to which it relates or at the facility's parent company (as identified in field A3.0) for a period of three years.

Request for Confidentiality

Reporting to the NPRI for 2001, is governed by the requirements of the *CEPA, 1999*, as well as the *Canada Gazette* notice, published March 24, 2001.

Pursuant to sections 51 and 313 of the *CEPA, 1999*, any person who provides information in response to the 2001 *Canada Gazette* notice may submit a written request that it be treated as confidential based on the reasons set out in section 52 of the *CEPA, 1999*. For each facility and each substance reported, the request for confidentiality must clearly indicate each field for which a request is being made. **The written request must accompany the report.**

To be treated as confidential, the company must demonstrate that it treats the information as confidential and wishes to continue to do so. It must also demonstrate that this information is not available to the general public through legal means, such as obtaining a public copy of a provincial waste permit.

A request for confidentiality is not determinative. A determination of whether the information is confidential will be based on an objective analysis of the facts.

It is recommended that you include with your request for confidential treatment, documentation that would be required to justify that the information submitted should be confidential as per the criteria outlined in section 52 of the *CEPA, 1999*.

If substantiation is not provided with the claim, or the substantiation provided doesn't support the claim, the Minister may follow the procedures with respect to publication of the information set out in section 53 of *CEPA, 1999*. Notwithstanding the above, the Minister may, in the appropriate circumstances, contact the person to inform them that the information may be disclosed as permitted under sections 315 through 317 of the *CEPA, 1999*.

A request for confidentiality will be denied if the data are already in the public domain.

Necessary precautions should be taken when submitting an NPRI report for which a request for confidentiality is being made. This includes, but is not limited to, the following:

- confidential materials are to be sent in double envelopes, excluding the courier outer envelope
- the outside envelope should be unmarked except for mailing and return addresses, and postage, and
- the inside envelope should be stamped on both sides with wording such as "Contains Confidential Information".

Should you have any questions concerning confidentiality requests, contact your regional NPRI office listed on the inside front cover.

Section 52 of the *CEPA, 1999*

With regards to information submitted to the NPRI, section 51 of the *CEPA, 1999*, allows any person to submit with the information, a written request, setting out the reason(s) referred to in section 52 (see below), that the information be treated as confidential.

Section 52 of the *CEPA, 1999*, provides that:

52. Despite Part 11, a request under section 51 may only be based on any of the following reasons:

- (a) the information constitutes a trade secret;
- (b) the disclosure of the information would likely cause material financial loss to, or prejudice to the competitive position of, the person providing the information or on whose behalf it is provided; and
- (c) the disclosure of the information would likely interfere with contractual or other negotiations being conducted by the person providing the information or on whose behalf it is provided.

You now have completed your NPRI report for 2001.

Ensure that you submit your report and signed Statement of Certification, postmarked, courier-dated or e-mailed, no later than June 1, 2002. Retain a copy of the report and information on which it was based at your facility or parent company.

You will be able to upload the data from your 2001 report next year if you are required to report to the 2002 NPRI.

Questions and Answers

Index

A

acids	20, 24
additional monitoring	10
adjacent/contiguous facilities	58, 60, 61
air conditioning	68
aluminum	47
ammonia	3, 63
anodes	26
antifreeze	67
arsenic	30
article	70
articles	19, 26, 27, 28, 35, 49, 54
asbestos	46, 71
available information	10, 43

B

baths - metal cleaning	44
batteries	54
bending	27
by-products	63

C

<i>Canadian Environmental Protection Act, 1999 (CEPA, 1999)</i>	59
CAS number	46
catalyst	70
CFC	68
change in ownership	9
chlorine	3, 53, 64
chlorine dioxide	53
chromium	30, 66
cleaning	4, 44, 48, 57
cold extrusion	27
company - multiple facilities	12, 14, 15, 58, 61
company coordinator	15
compounds - similar	39, 46
containers - transfer between	41, 42
contractors	5, 6, 8, 16
copper	30, 38
crushing	20, 34, 54, 66, 67
cutting	27
cyanides	37

D

degreasing	44, 50
disinfectants	36, 48, 64
distillation	55
dry grinding	27
due care	27, 28
dust	67

E	
electronic reporting	22
electroplating	26
emission factors	43
employee - full-time	6
employee - part-time	6
employees	4, 5, 6, 7, 68
energy recovery	56
enforcement	59
etching	27
exemptions	20, 29, 32, 33, 34, 40, 41, 48, 50, 51, 52, 62
F	
facility - adjacent/contiguous	14, 18, 58, 61
facility - closure	2
facility - definition	3, 14, 58, 61
facility - location	12
facility - mobile	3
fertilizers	48
fire suppression	69
fish processing	3
flotation beds	37
friable form	46, 71
fuels	20, 29, 36, 40, 48, 56
fugitive emissions	31
fume or dust	47
furnaces	35
G	
gases	47, 53
glues	28
greases	36, 48
grinding	49, 66
H	
halocarbons	68
halon	69
HCFC	68
hours	5, 6, 7, 8, 14
I	
ID number	12
L	
laboratory	51, 52
landfills	18, 33, 63
leachate	63
lead	26, 54
leaks	21, 69
legislation	59, 62
liability	10, 59
location	5, 12, 18
lubricants	36, 48

M	
machining	27
maintenance - equipment	36, 57
maintenance - grounds	48
maintenance - routine	48, 50, 57
maintenance - transportation vehicles	4
metals	19, 27, 28
methanol	15, 23
mining	20, 31, 32, 33, 34, 36, 37, 66, 67
mixtures	42
monomers	45
multiple owners	11
multiple use of substances	23
N	
neutralize	24
O	
oils	36, 48
operator	9, 10, 16, 59
ore	20, 31, 34, 36, 66, 67
other use	17, 26, 36, 44, 49, 50, 57, 69, 70
overtime	7
owner	8, 9, 10, 16, 59
P	
paint thinner	56
paints	28, 36, 48, 57
parent company	8, 11, 13, 60, 61
particulates	47
pesticides	48, 62
pH	24, 64
photo developing	52
pilot-plant	51
polymers	45
power generation	20, 29
process equipment - installation	26
process equipment - refilling	17, 44
punching	27
PVC	45
Q	
quality control	51
quenching	27
R	
recovery	25, 56
recycling	4, 25, 27, 28, 54, 55, 65, 70
refilling	17, 44, 65
refractory bricks	35
refrigerant	68
repackaging	42, 65
requirement to report	4, 3, 10
research	51, 52
re-use	25

S

sales staff 5
 scrap metal 19
 separate facilities 12, 14, 15, 60, 61
 shearing 27
 ships 3, 4, 58
 SIC Codes 58
 sick leave 7
 sludge 26, 32
 software 22
 soldering 27
 solid waste 63
 solutions 38, 53
 solvents 16, 20, 55, 56
 spills 4, 21, 70
 stamping 27
 stope filling 33
 storage 41, 65, 69
 subsidiary 11, 13
 substances used by contractors 16

T

tailings 20, 31, 32
 testing 51
 threshold criteria - employee 7, 8
 threshold criteria - substance 16, 17, 23, 25, 30, 38, 53, 55
 toluene 56
 torch cutting 27
 training 40
 transfer 17, 18, 19, 55, 56

V

vacation 7
 vapours 47
 vehicles 29, 72
 vinyl chloride 45

W

warehouse 12, 41, 65
 waste 18, 24, 56, 60, 63
 wastewater treatment 32, 60, 64
 water treatment 64
 wear 49
 welding 27, 28
 wholesale 41
 wood treatment 30

Z

zero releases 4, 37, 38, 43
 zinc 34, 39

1. Is a facility meeting the criteria described in the *Canada Gazette* notice required to report if there were no releases of NPRI substances during the calendar year?

Yes. The reporting requirements vary by substance. The criteria for most substances are based only on quantity processed, manufactured or otherwise used, number of employees and concentration of NPRI substances. The reporting criteria for mercury, PAHs, dioxins/furans and hexachlorobenzene differ from those previously mentioned, and details are provided in this Guide. Once you meet the substance-specific reporting criteria, you must report regardless of the amounts released or transferred.

2. Our facility closed part way through the calendar year. Are we required to submit an NPRI report?

Yes. If your facility met the reporting criteria and was in operation during any portion of the calendar year, you are required to report.

3. In British Columbia, several fish processors have factories on ships. They use ammonia and chlorine in their fish processing operations. Is each ship considered a “facility” under the *Canada Gazette* notice or is the whole group of ships (assume one company) a facility?

A facility is defined as all buildings, equipment, structures, and other stationary items which are located at a single site or adjacent or contiguous sites owned or operated by the same person. A ship is not a facility as defined under the notice. It is not stationary and it is not located on a single site. Therefore, there is no requirement to report.

4. A barge-repair facility cleans barges by vacuuming out residual products containing listed substances and recycling them. Must the facility report?

The facility is processing the chemicals. If the threshold criteria for reporting are met, the facility must file a report. Releases during vacuuming must be reported as well as releases from related activities such as spills and equipment cleaning.

Routine cleaning of the exterior of the barge is considered maintenance of a transportation vehicle and is therefore exempt.

5. Does the determination of a full-time employee “equivalent” include the hours worked by sales staff whose offices are located in the same building as the production staff, or who work outside the facility?

Yes. All staff employed at a facility, regardless of function or location, count toward the employee threshold determination.

This includes persons employed at the facility, owners who performed work on site at the facility, and persons such as contractors who performed on-site work related to the normal operation of the facility on a routine basis.

6. Would a facility with nine full-time employees and four part-time employees be required to report to the NPRI?

Total the hours worked by all people, including contractors who are performing work related to the operations of the facility. If the total is 20 000 hours or more per year, the criterion for the number of full-time employees has been met. However, the employee threshold does not apply to facilities engaged in incineration and wood preservation, as listed in the *Canada Gazette* notice. These facilities are required to report if they meet the remaining reporting criteria.

7. When calculating the total number of hours worked by all employees during the calendar year, should overtime, vacation and sick leave be included in the 20 000-hour threshold?

Yes. The facility must consider all overtime, paid vacation and sick leave in the 20 000-hour threshold.

8. When should an individual's time spent working at a facility be counted for purposes of determining whether or not a facility meets or exceeds the 20 000-hour threshold?

If an individual is employed by the facility or by the facility's parent company to work at the facility, then all of the hours worked by the individual must be counted toward the 20 000-hour threshold.

Contractors performing work related to the operations of the facility must also be included.

If an individual both owns and works for the facility, their hours must be applied to the 20 000-hour threshold.

9. Who is required to file the NPRI report for a given calendar year if the facility has changed ownership during that year?

The owner or operator of the facility as of December 31 of the calendar year is responsible for filing the report for that year if the facility met the criteria for reporting. Transfers of ownership must ensure that information for NPRI reporting for the entire calendar year is available.

10. Is the owner or the operator responsible for reporting?

The notice requires a person who owns or operates a facility to report information to which the person has access or can reasonably be expected to have access. This is usually the operator. However, both the owner and the operator are subject to the notice. If no report is received from a facility that met the reporting requirements, both persons may be held liable.

11. Which is the parent company for a 50/50 joint venture?

The reporting form allows a number of parent companies to be entered with the percentage of ownership for each.

12. A facility had been operating its manufacturing processes in a leased warehouse. In July, they bought their own warehouse and moved the manufacturing operations. These two locations are neither adjacent nor contiguous. The company did not shut down or close during this time. How should the facility make threshold determinations and report to the NPRI?

The company must consider the locations as two separate facilities because the operations were carried out at two distinctly separate physical sites. Threshold determinations must be made for the period of time during which each facility operated. A new NPRI ID number will be assigned to the new facility.

13. Acme Plastics is a wholly owned subsidiary of a major chemical company which is a wholly- owned subsidiary of XYZ Oil Corp. Which is the parent company?

XYZ Corporation is the parent company because it is the highest-level company that directly controls Acme Plastics.

14. Two manufacturing facilities, owned by the same company, are divided by a public railway. Is this considered adjacent facilities or two separate facilities?

Two facilities owned or operated by the same company that function as a single integrated site, but are separated by a railway, would be considered adjacent sites since they are physically adjacent to one another except for a public right-of-way. Therefore, reporting thresholds would be determined by the combined quantities of substances processed, manufactured or otherwise used at both facilities. The 20 000-hour threshold would be determined by the sum of hours worked by staff at both facilities.

- 15. A Vancouver-based company has a plant in Alberta which processes 12 tonnes of methanol, a plant in Ontario which processes 8 tonnes of methanol and a plant in Quebec which processes 11 tonnes of methanol. Do the three plants have to report as a company or can they report as separate facilities?**

A report is required for each facility that meets the reporting criteria; their activities cannot be combined. In this case, the plant in Ontario, because of the amount of ethanol processed, is not required to report but the other two are if they meet the other reporting criteria. The company may choose to report for each of the facilities meeting the reporting criteria on one disk, or to have each facility submit separate reports.

- 16. When contractors working at a facility supply their own materials and supplies, such as solvents containing NPRI substances, should these substances be included in the threshold determination and reported by the facility?**

Yes. The owner or operator of the facility must include in their threshold calculations the quantities of NPRI substances used by contractors if those uses are relevant to the purpose of the facility.

- 17. An NPRI substance is the working fluid in our heat transfer equipment. Must the quantity of the NPRI substance be accounted for in determining the reporting threshold?**

Yes. The fluid within the heat-transfer equipment is considered to be an “other use” of the NPRI substance, relevant to the purposes of the facility as defined in the *Canada Gazette* notice. All of the NPRI substance in the heat-transfer equipment must be included in the threshold calculation.

- 18. Our company disposes of some of its waste in a landfill site which belongs to the company, but is in a different location. Is this an off-site transfer or a release?**

It is a transfer if the landfill is not adjacent or contiguous with the facility. Otherwise, it is a release.

- 19. Our company sorts scrap metal and compresses it into bales to be sold to secondary metal producers. Most of the metal we recover contains some NPRI substances (Zn, Cr) in excess of 1% concentration. The process does not release any NPRI substances; it only compresses the pieces into bales. Are we required to file a report?**

No. In this case, the items being handled would retain their status as articles as long as there are no on-site releases to the environment or off-site transfers for disposal.

- 20. At what point in the processing of ore must mining companies report?**

The exemption for mining is for activities related to the actual removal of ore, rock or overburden, up to and including primary crushing. Any NPRI substances used in the further processing of the rock or ore, such as milling, concentrating, smelting and refining would be reportable if the thresholds are met.

This would include, but not be limited to, NPRI substances found in the processed ore – solvents, acids, flotation agents, flocculation agents, dust suppressants, and fuels used in power generation. Listed substances in tailings are not reported unless they leave the tailings impoundment or other forms of on-site containment.

- 21. If a substance is spilled one year, and will result in air emissions over time in the following year, how should it be reported?**

The portion of the spill not cleaned up must be reported as a release the year it occurred. It must be reported as a release to the environmental media affected (air, water, land). Further migration between media does not need to be reported.

22. Can a facility use its own software to report electronically to the NPRI?

Environment Canada supplies the software required for reporting and strongly recommends that this be used to submit an NPRI report.

However, if you choose to use other software and the report submitted cannot be read and verified by Environment Canada's own reporting software, the report will be considered incomplete and will be returned for correction.

Environment Canada reserves the right to change its software and file structure at any time.

23. We use a 50% methanol solution in one part of the plant. The annual consumption of methanol exceeds 10 tonnes. In another part of the plant, a completely separate process produces a few tonnes of methanol which are released through a stack. Do we have to estimate methanol releases from the stack even if they are from a different process?

Yes. Because your facility uses more than 10 tonnes of methanol, it is required to report all its releases of methanol, regardless of the process stream.

24. We have a provincial waste permit to discharge sulphuric acid at a pH between 5.8 and 6.6. How do we report our releases of sulphuric acid if we met all the reporting requirements?

Releases of mineral acids at a pH of 6.0 or greater are considered neutralized and must be reported as zero (0). The portion of acid discharged at a pH of less than 6.0 will constitute a reportable release and must be calculated and reported.

25. We send an NPRI substance to an outside company for recovery. The recovered substance is then sent back to us for re-use. Does the recovered substance count toward the threshold calculation?

Yes. If the recovered substance is being processed or used it would have to be included in the threshold calculation since it is the same as new material being processed or used.

26. A company engaged in electroplating is using equipment and lead anodes purchased and installed before the current reporting year. Fifteen tonnes of lead anodes were originally installed in the plating tanks. The lead anodes dissolve over time and the lead ends up in sludge and wastewater. During the calendar year, the company replaced 7 tonnes of lead anodes. Does the company have to submit an NPRI report for lead?

Yes. The entire electrode assembly is considered to be an "other use" of lead, relevant to the purposes of the facility as defined in the *Canada Gazette* notice. The entire quantity of lead in the electrode assembly, 15 tonnes, must be used in the threshold calculation, not just the 7 tonnes consumed in the process.

27. When do metal parts, sheets or wire containing NPRI substances lose their status as articles?

Metal parts, sheets or wire lose their article status when there are releases to the environment or transfers for disposal.

If all materials removed during processing, such as turnings or blanks, are completely recycled and due care has been exercised to ensure that the materials are 100% recycled within the facility, the materials retain their article status.

Due care is considered to have been exercised if no more than 1 kg (0.001 tonne) of an NPRI Part 1 substance is released in a given year as a result of the processing or other use of an article.

Typical metal-processing activities that violate article status include welding, torch cutting, quenching, etching and dry grinding.

Typical metal-processing activities that do not violate article status (assuming "due care" is exercised in ensuring 100% recycling of materials) include cutting, stamping, bending, punching, machining, shearing, soldering and cold extrusion.

28. Our company purchases metal parts and welds them together using welding rods. We then paint them and glue other parts to them. What would be required to report?

The original parts would lose their status as articles during welding because the welding process releases emissions to the air. The quantity of NPRI substances contained in the parts would be used to calculate the reporting threshold. The quantity of NPRI substances in the welding rods would also be included in the calculation of the reporting threshold.

NPRI substances contained in the paints and glues would be reportable if the threshold criteria were met.

29. Is the use of fuel exempt from reporting?

No. The use of fuel is not implicitly exempt from reporting. Use of fuel in a stationary system, such as for power generation, would be reportable if the threshold criteria are met.

Retail sale and fuel distribution are exempt. Refuelling of motor vehicles is also covered by this exemption even if the vehicle is refuelled from a tank on company property. Mobile sources such as vehicles and earth-moving equipment are not stationary items considered part of a facility. They are not to be included in the calculation of the reporting threshold.

30. Chromated copper arsenate (CCA), is used in the wood treatment industry but is not on the NPRI substance list. Do we have to report?

While CCA is not an NPRI substance, copper, chromium, arsenic and their compounds are on the list. A threshold calculation must be performed for each individual substance.

A typical bulk solution of CCA (50% concentrate) contains 12.3% Cr, 7.39% Cu, and 11.09% As, by weight. A company would have to use 81.3 tonnes of 50% concentrate of CCA to render Cr reportable. In this situation, As and Cu would not be reportable since they do not exceed the 10-tonne threshold.

31. Should fugitive dust from tailings dams and tailings impoundments be reported to the NPRI as releases?

Yes. NPRI substances released as fugitive emissions must be reported. The deposit of NPRI substances contained in the mineral portion of the ore or rock to a tailings pond is not reportable, but releases from the pond or dam are.

32. Our mine operates a wastewater-treatment system for tailings impoundment effluent. The treatment process generates a metal hydroxide sludge containing two NPRI substances. The sludge is pumped back into the tailings impoundment. Are the NPRI substances in the sludge considered releases?

Substances that are pumped back into a tailings impoundment are not considered releases. The amount of substances leaving the tailings impoundment would be reported as a release.

33. Should hydraulic backfill pumped underground and used for filling open stopes for ground control be reported?

No. Stope filling for ground control is part of the extraction process and is therefore included in the mining exemption.

34. We use zinc in our primary crusher as backing for concaves and shells. Is it reportable?

No. The mining exemption is for extraction up to and including primary crushing.

35. Do NPRI substances contained in a refractory brick furnace have to be reported?

No. Refractory bricks would retain their status as articles as long as they do not release any NPRI substances during normal use. However, the refractory bricks lose their article status if during normal conditions of use they degrade and release NPRI substances. In that event, the total quantity of NPRI substances in the refractory lining must be used in the calculation of the 10-tonne reporting threshold.

36. Our ore-processing facility uses greases and fuels in many machines used in the benefaction of the ore. Are NPRI substances in these greases and fuels reportable?

Yes. Process equipment maintenance using materials such as grease, oils or lubricants, disinfectants or paint etc., is not exempt and must be considered for the purposes of NPRI reporting. The use of greases and fuels in this situation would be considered as “other use”.

37. We use more than 10 tonnes of sodium cyanide in our flotation beds. The substance is entirely consumed and transformed to non-ionic cyanides in the process. We met all other reporting criteria. Are we required to report?

Yes. Reporting of NPRI Part 1 substances is based on quantity manufactured, processed or otherwise used, not on quantities released. You must perform your threshold calculations based on the amount of cyanide ion used or processed and file a report if you met or exceeded 10 tonnes. Since non-ionic forms of cyanide are not on the NPRI substance list, you would report a zero release of cyanide ion.

38. We use copper sulphate as a reagent. During the process, it attaches itself to other compounds and remains with the concentrate. There are no releases. Is it reportable?

Yes. If the amount of copper met or exceeded the threshold reporting requirements, you would file a report for “copper (and its compounds)” and report a release of zero for this process. All other releases of copper from your facility would also have to be reported.

39. We use zinc sulphate, zinc oxide and zinc stearate. How do we handle reporting of all these different metal compounds?

Report only the zinc portion of the compounds under the substance name “zinc (and its compounds)”.

40. Is fuel used for fire-training purposes reportable to the NPRI?

A facility used for the education or training of students is exempt from reporting. The use of fuels does not need to be reported.

41. We store products in our warehouse that don't belong to us. We do not use these products in the operation of our warehouse. Some of these products contain NPRI substances. Are we required to report?

No. A warehouse is not required to report if it does not manufacture, process or otherwise use NPRI substances. Transfer of NPRI substances between containers is considered processing. Wholesale distribution is exempt, provided there are no releases of NPRI substances.

42. We buy bulk NPRI substances in tanks and drums. Some of these substances are simply repackaged in smaller containers, e.g., tanks to drums, drums to 4-litre plastic bottles. However, some of the substances are mixed together and then repackaged. Are we required to report?

Transfer of substances between containers is considered processing and those quantities must be included in the threshold calculation. Mixing of substances together prior to packaging is considered processing.

43. We use an NPRI substance in our process that met all reporting criteria. Unfortunately, we have no data on possible releases and we cannot find any estimation factors. Is a release of zero acceptable in this case?

For substances other than dioxins/furans and HCB, you are required to report the information that you possess. You must report your facility information and identify the substances for which a report is required. If you met the reporting criteria for dioxins/furans and HCB, but have no data and cannot find emission factors, you are required to report “No information available” (“Basis of Estimate” code “NI”) for any releases and transfers expected to contain these substances (e.g., releases to air from a combustion process that generates dioxins/furans). You would report “zero” releases only if it is known that these substances were not released or transferred. A release of zero will be accepted, but the “Comments” section should include a statement that releases and transfers could not be estimated.

44. We purchased 12 tonnes of an NPRI substance to prepare a solution for our new metal-cleaning baths. The baths will be used this year. How do we calculate the “otherwise use” threshold for this year and future years?

The metal-cleaning bath is considered to be an “other use” of an NPRI substance, relevant to the purposes of the facility as defined in the *Canada Gazette* notice. The entire quantity of the NPRI substance in the metal cleaning bath and any quantity used to refill the bath must be used in the threshold calculation not just the quantity consumed in the process.

45. Are vinyl chloride and polyvinyl chloride (PVC) the same compound?

No. Polyvinyl chloride is a polymer made from vinyl chloride. It is not the same substance and is not listed in the NPRI; it is not reportable. Only free vinyl chloride monomer is reportable. Some formulations of pre-polymers may contain a percentage of free monomer. If you purchase pre-polymers which contain free vinyl chloride monomer, add this to the threshold calculation.

46. Asbestos is listed with the CAS number 1332-21-4. We use asbestos with the following names and CAS numbers: Azbolen (17068-78-9), Actinolite (77536-66-4), Amosite (12172-73-5), Anthrophyllite (77536-67-5), Tremolite (77536-68-6) and Serpentine. Are we required to report?

The CAS number 1332-21-4 is defined as: “Asbestos, a greyish, non-combustible fibrous material. It consists primarily of impure magnesium silicate”. Asbestos with the CAS number 1332-21-4 is the general CAS number for a number of specific types of asbestos including those mentioned. Those types of asbestos would be reportable if they are in friable form.

47. A facility coats materials using a vacuum deposition process. When it uses aluminum for coating, is it required to report for aluminum fumes?

In vacuum deposition, the metal is converted to a vapour state under low pressure. The vapour condenses on the material to be coated. Vapours are not fumes. A metal fume consists of finely divided particulate matter dispersed in a gas (like smoke). Because vapours and fumes are different, this process would not be considered a reportable activity unless the condensation creates fumes or dust.

48. What types of routine maintenance are exempt?

Routine janitorial or other facility grounds maintenance activities that may use NPRI substances which would be contained in cleaners, fertilizers or pesticides are exempt.

Process equipment maintenance using materials such as grease, oils or lubricants, disinfectants or paint etc., is not exempt and must be considered for the purposes of NPRI reporting.

49. Our process uses metal grinding wheels which suffer regular abrasion. Would NPRI substances in these wheels be reportable?

Yes. Items such as grinding wheels are, by their nature and use, intended to wear down and release substances. They are designed to be replaced and are subject to reporting.

50. Are degreasers used in a plant's maintenance shop reportable?

Yes. Degreasing of equipment for maintenance is not considered routine maintenance and is not exempt. It would be reported as "otherwise used".

51. Is our quality-control laboratory exempt from reporting under the research and testing exemption?

Yes, the laboratory is exempt from reporting if it does not perform pilot-scale studies or specialty chemical production.

52. Are photo development laboratories exempt?

No. The laboratory exemption includes research facilities that perform auxiliary functions to the manufacturing or processing activities of a facility. Photo development laboratories do not perform auxiliary functions, but rather perform activities essential to the development of their products (photographs, films, etc.).

53. We buy more than 10 tonnes of chlorine gas and use it in a reaction vessel to produce more than 10 tonnes of chlorine dioxide. We then dilute the chlorine dioxide to less than 1% concentration. What do we have to report?

Because you meet the reporting threshold for chlorine gas, you are required to report any releases and transfers of chlorine gas. Because you manufacture chlorine dioxide at a concentration greater than 1%, you are required to report any releases and transfers of chlorine dioxide. The subsequent dilution of the chlorine dioxide does not affect the threshold calculation.

54. How do we address NPRI substances contained in industrial and commercial batteries?

Items such as batteries, which contain NPRI substances that are not released during normal use, are considered articles and are not subject to reporting. However, the item loses its article status if NPRI substances were released. Also, if you recycle lead-acid batteries by crushing and removing the lead, then the batteries cease to be articles and the NPRI substances they contain must be considered in the threshold calculation.

55. How do we treat a solvent sent off site for distillation and then shipped back to us?

A solvent received from a recycling operation located off-site counts as new material and must be included in the threshold calculation. The quantity sent off site for distillation must be reported as material sent for recycling.

56. We use a paint thinner that contains toluene. We also use toluene in another part of our plant. In total, more than 10 tonnes of toluene are used annually. The waste thinner is sent to an off-site facility for blending in fuels. How do we report this activity?

NPRI substances sent off site for fuel blending or that add energy to a heat-recovery activity must be reported as a transfer for energy recovery. Other releases or transfers of toluene must also be reported.

57. Are NPRI substances used in maintenance activities such as paint-booth cleaning, reportable?

Paint-booth cleaning is not considered a routine janitorial activity and would be reportable under the classification "other use".

58. How does the NPRI definition of a facility apply to a multi-plant site?

“Facility” is defined in the *Canada Gazette* notice. It includes all buildings or structures located on a single site or on adjacent sites which are owned or operated by the same person and function as a single integrated site.

Plants must report separately if they manufacture or process unrelated products and if they do not share common manufacturing or processing operations. For example, a battery plant and a vehicle-assembly plant, located side-by-side, are two distinct manufacturing operations that have different SIC codes. In the case of the battery plant, it also ships products to other installations. Other examples are smelters and fertilizer plants, a refinery and a chemical plant.

59. Is reporting to the NPRI mandatory under the *Canadian Environmental Protection Act, 1999 (CEPA, 1999)*? If so, how will it be enforced?

It is the responsibility of each person who owns or operates a facility to determine whether they are required to report after examining the *Canada Gazette* notice and the *CEPA, 1999*. There is an enforcement and compliance policy under the *CEPA, 1999* which dictates how regulations and notices are enforced.

60. A pulp mill is connected to its waste-treatment facility by a 10-km pipeline. The pipe travels on land not owned by the company. The waste treatment facility employs only two full-time staff. How should they report?

A waste-treatment facility owned or operated by the company or parent company and connected to the pulp mill by any combination of a permanent continuous pipe, conveyor, tunnel or sluiceway, and which functions as part of a single integrated facility shall be considered part of the pulp mill for the purposes of reporting to the NPRI.

In this case, the treatment plant is an integral part of the pulp mill and is connected to it by a permanent, continuous connection. Both plants are operated by the same company as a single integrated facility. This represents a contiguous facility, and the company’s report to the NPRI must include activities at the waste-treatment facility.

61. A facility that previously reported to the NPRI has been split up and now is owned and operated by two separate companies. How should they report to the NPRI?

If the companies are owned by the same parent company AND function as a single integrated facility, they must report as one facility. If they do not meet both of the above conditions, they must perform separate threshold calculations and report separately.

62. Are substances regulated under other legislation (e.g., *Pest Control Products Act*) exempt from reporting to the NPRI?

There is no exemption for substances regulated under other legislation.

63. Is a solid-waste landfill required to report to the NPRI?

Solid-waste landfills process NPRI substances. If the facility met other threshold criteria, they are required to report. In addition, landfills can generate, as a consequence of their process, by-products such as ammonia in their leachate.

64. We use chlorine as an aqueous disinfectant in our facility. Will we have to report chlorine releases?

Assuming you met the 10-tonne threshold for chlorine, you must file a report. Chlorine, when added to water, will no longer exist as a reportable substance in most circumstances, resulting in a report of zero release. However, if the pH of the treated water falls below 6.5, you must consider the equilibrium of chlorine and HCl when performing the threshold calculation for each substance.

65. What activities at a chemical distribution facility would potentially trigger NPRI reporting?

Unloading, transferring, blending and repackaging are forms of processing which can trigger NPRI reporting. The filling and emptying of storage tanks is also considered processing. All releases and transfers off site for disposal or recycling resulting from these activities would be reportable. Substances that arrived in sealed containers and were only stored in a warehouse prior to distribution would not be included.

66. Our mine used 200 tonnes of steel grinding balls which contain 15-18% of chromium. These grinding balls are totally consumed during processing after primary crushing. Do we need to report for chromium?

Approximately 30-36 tonnes of chromium were used in processing the ore. The threshold criteria for reporting for chromium (and its compounds) has been met and you are required to report.

67. After primary crushing of ore at a mine, ethylene glycol was applied to the crushed ore as a dust suppressant or to prevent the ore from freezing. Does this use of an NPRI substance fall under the exemption for mining in the *Canada Gazette* notice?

No. Addition of ethylene glycol was done intentionally to aid in the further processing of ore or distribution of the ore in commerce. This is not related to the primary extraction of the mined materials and is a processing step that does not fall under the basic mining exemption and therefore must be reported to the NPRI.

68. My facility has heating, ventilation and air conditioning (HVAC) systems and refrigerant equipment that contain halocarbons listed on the NPRI substance list. Does this use have to be considered?

Yes. Reporting to the NPRI would be required if the HVAC systems and refrigerant equipment within a facility had a total holding capacity of 10 tonnes or greater (Note: this does not refer to the cooling capacity of the system which may also be expressed in tonnes. The equipment nameplate should also indicate the halocarbon capacity of each unit). The 10-tonne threshold calculation should be completed for each halocarbon within the facility (i.e., if the chillers contain CFC-11 but the condensers and evaporators contain HCFC-22 they are not to be included in the same calculation). Also, calculations should include the quantity of halocarbon that was in the system at the beginning of the year plus any additional halocarbons that were added (i.e., during annual leak test) throughout the calendar year. Halocarbons used in office and plant air conditioning systems must be included in the 10-tonne threshold calculation. Halocarbons used by employees for personal use (i.e., refrigerators in lunch rooms/cafeteria, water fountains, vending machines) are not to be included.

69. Our facility has a halon fire-suppression system. Am I required to report to the NPRI?

Halon in a fire-suppression system is considered to be an “other use” of an NPRI substance. If the fire-suppression system contains Halon 1211 or Halon 1301 in quantities equal to or greater than 10 tonnes and met other NPRI reporting criteria, the facility would be required to report. Calculations should include the quantity of halon in the system at the beginning of the year, as well as any additional halon added (i.e., after use or during maintenance). The type and quantity of halon will be listed on the equipment nameplate. Halons in storage are not in use and do not need to be included in a threshold calculation although any leaks from storage must be considered.

70. As part of its process equipment, a facility has installed a catalyst containing one or more listed NPRI substances. The catalyst has a fixed shape (pellets). Does the article exemption apply to catalysts and to the NPRI substances they contain?

No. The definition of an article is: “A manufactured item that does not release a substance, under normal conditions of processing or other use.” Even though the pellets themselves appear to meet the definition of an article, there will be releases (dust emissions, spills, etc.) as a result of normal handling in installation or charging, removal for disposal, regeneration or recycling, and operational use of the catalyst. Therefore the article exemption does not apply in this case. All NPRI substances present in the catalyst must be included in the threshold calculation for each substance.

71. This year, we removed asbestos, used as insulation, from our facility. Are we required to submit a report for asbestos?

If asbestos (friable form) is removed from any part of the facility, it must be included in determining whether the facility met the 10-tonne manufacture, process or otherwise use threshold for this substance. Once the facility meets the 10-tonne threshold, a report must be submitted for asbestos, and the quantity removed from any part of the facility must be reported.

References and Bibliography

References

Canada Gazette (March, 2001) "Notice with Respect to Substances in the National Pollutant Release Inventory for 2001", Department of the Environment, Extract *Canada Gazette*, Part I (March 24, 2001).

Canada Gazette (April, 2001) "Notice with Respect to Substances in the National Pollutant Release Inventory for 2001 – Erratum", Department of the Environment, Extract *Canada Gazette*, Part I (April 7, 2001).

Canada Gazette (December, 2001) "Notice with Respect to Substances in the National Pollutant Release Inventory for 2001 – Amendment", Department of the Environment, Extract *Canada Gazette*, Part I (December 29, 2001).

Canada Gazette (1992) "Export and Import of Hazardous Wastes Regulations", Department of the Environment, Extract *Canada Gazette*, Part II (December 2, 1992).

Canada Gazette (1991) "Domestic Substances List", Department of the Environment, Extract, Supplement *Canada Gazette*, Part I (January 26, 1991).

Environment Canada (2000) "Supplementary Guide for Reporting to the National Pollutant Release Inventory – Alternate Thresholds – 2000".

Environment Canada (2001) "Guidance for Wood Preservation Facilities Reporting to the National Pollutant Release Inventory", in collaboration with the Canadian Institute of Treated Wood (April, 2001).

Environment Canada (1993) "User's Guide to Hazardous Waste Classification".

Environment Canada (2000) "Determination of Level of Quantification for Measuring HCB and PCDD/PCDF in Soil", Analysis and Air Quality Division, Environmental Technology Centre, Draft (February, 2000).

Environment Canada (1997) "Determination of LoQs for Measuring Hexachlorobenzene in Selected Solvents", Draft Report AAQD 97-01, Analysis and Air Quality Division, Environmental Technology Centre (revised September, 1997).

Environment Canada (1999) "Level of Quantification Determination: PCDD/PCDF and Hexachlorobenzene", Analysis and Air Quality Division, Environmental Technology Centre (November, 1999).

"McGraw-Hill Encyclopedia of Science and Technology", New York, McGraw-Hill (1982).

NATO/CCMS (North Atlantic Treaty Organization/Committee on the Challenges of Modern Society) (1998) "Pilot Study on Internal Information Exchange on Dioxins and Related Compounds", International Toxicity Equivalency Factor (I-TEF), Method of Risk Assessment for Complex Mixtures of Dioxins and Related Compounds, Report No. 176. 26 pp.

Statistics Canada (1998) "North American Industry Classification System (NAICS) Canada Manual – 1997", Catalogue 12-501-XPE, Ottawa, ON.

Statistics Canada (1989) "Standard Industrial Classification – 1980", Standards Division, Catalogue 12-501E, Ottawa, ON.

van den Berg M., L. Birnbaum, B.T.C. Boseveld, B. Brunström, P. Cook, M. Feeley, J.P. Giessy, A. Hanberg, R. Hasegawa, S.W. Kennedy, T. Kubiak, J.C. Larsen, F.X. Rolaf van Leeuwen, A.K.D. Liem, C. Nolt, R.E. Peterson, L. Poellinger, S. Safe, D. Schrenk, D. Tillitt, M. Tysklind, M. Younes, F. Waern, T. Zackarewski (1998) "Toxic Equivalency Factors (TEFs) for PCBs, PCDDs, PCDFs for Humans and Wildlife". *Environ. Health Perspect.* 106:775-792 (December, 1998).

Publications of the U.S. Environmental Protection Agency

Guidance Documents for Reporting to the Toxics Release Inventory

In 1988 and 1990, the Office of Pollution Prevention and Toxics of the U.S. Environmental Protection Agency (U.S. EPA) developed many industry-specific guidance manuals to help industries estimate the releases for reporting to the Toxics Release Inventory (TRI). Since 1998, some of these manuals have been revised and some additional industry-specific guidance manuals have been prepared. These manuals, listed below, could also be used for reporting to the NPRI.

1. *Estimating Chemical Releases from Monofilament Fiber Manufacturing*, EPA 560/4-88-004a (January, 1988).
2. *Estimating Chemical Releases from Printing Operations*, EPA 560/4-88-004b (January, 1988).
3. *Estimating Chemical Releases from Electrodeposition of Organic Coatings*, EPA 560/4-88-004c (January, 1988).
4. *Estimating Chemical Releases from Spray Application of Organic Coatings*, EPA 560/4-88-004d (January, 1988).
5. *Estimating Chemical Releases from Semi-Conductor Manufacturing*, EPA 560/4-88-004e (January, 1988).
6. *Estimating Chemical Releases from Formulation of Aqueous Solutions*, EPA 560/4-88-004f (March, 1988).
7. *Estimating Chemical Releases from Electroplating Operations*, EPA 560/4-88-004g (January, 1988).
8. *Estimating Chemical Releases from Textile Dyeing*, EPA 560/4-88-004h (February, 1988).
9. *Estimating Chemical Releases from Presswood and Laminated Wood Products Manufacturing*, EPA 560/4-88-004i (March, 1988).
10. *Estimating Chemical Releases from Roller, Knife, and Gravure Coating Operations*, EPA 560/4-88-004j (February, 1988).
11. *Estimating Chemical Releases from Paper and Paperboard Production*, EPA 560/4-88-004k (February, 1988).
12. *Estimating Chemical Releases from Leather Tanning and Finishing*, EPA 560/4-88-004l (February, 1988).
13. *Estimating Chemical Releases from Wood Preserving Operations*, EPA 560/4-88-004p (February, 1988).
14. *Estimating Chemical Releases from Rubber Production and Compounding Operations*, EPA 560/4-88-004q (March, 1988).
15. *Issue Paper – Clarification and Guidance for the Metal Fabrication Industry*, (January, 1990).
16. *Guidance for Food Processors*, EPA 560/4-90-014 (June, 1990).
17. *EPCRA Section 313 Reporting Guidance For Food Processors (Update)*, EPA 745-R-98-011 (September, 1998).
18. *EPCRA Section 313 Reporting Guidance for Spray Application and Electrodeposition of Organic Coatings*, EPA 745-R-98-014 (December, 1998).
19. *Industry Guidance for Coal Mining Facilities*, EPA 745-B-99-002 (January, 1999).
20. *Industry Guidance for Electricity Generating Facilities*, EPA 745-B-99-003 (January, 1999).
21. *Industry Guidance for Metal Mining Facilities*, EPA 745-B-99-001 (January, 1999).

22. *Industry Guidance for Chemical Distribution Facilities*, EPA 745-B-99-005 (January, 1999).
23. *Industry Guidance for RCRA Subtitle C TSD Facilities and Solvent Recovery Facilities*, EPA 745-B-99-004 (January, 1999).
24. *Industry Guidance for Petroleum Terminals and Bulk Storage Facilities*, EPA 745-B-99-006 (January, 1999).
25. *EPCRA Section 313 Reporting Guidance for Semiconductor Manufacturing*, EPA 745-R-99-007 (July, 1999).
26. *EPCRA Section 313 Reporting Guidance for Leather Tanning and Finishing Industry*, EPA 745-B-00-012 (April, 2000).
27. *EPCRA Section 313 Reporting Guidance for the Printing, Publishing, and Packaging Industry*, EPA 745-B-00-005 (May, 2000).
28. *EPCRA Section 313 Reporting Guidance for Rubber and Plastics Manufacturing*, EPA 745-B-00-017 (May, 2000).
29. *EPCRA Section 313 Reporting Guidance for the Textile Processing Industry*, EPA 745-B-00-008 (May, 2000).
30. *EPCRA Section 313 Reporting Guidance for the Presswood and Laminated Products Industry*, EPA 260-B-01-013 (August, 2001)

In addition, the U.S. EPA has developed a group of guidance documents specific to individual chemicals and chemical categories. Some of these documents are relevant to be used for reporting to the NPRI and are listed below.

31. *Guidance for Reporting Aqueous Ammonia - Revised*, EPA 745-R-00-005 (December, 2000).
32. *List of Toxic Chemicals Within The Water Dissociable Nitrate Compounds Category and Guidance for Reporting - Revised*, EPA 745-R-00-006 (December, 2000).
33. *Guidance for Reporting Sulfuric Acid (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)*, EPA 745-R-97-007 (November, 1997 and updated March, 1998).
34. *Guidance for Reporting Toxic Chemicals within the Polycyclic Aromatic Compounds Category (Final)*, EPA 260-B-01-03 (August, 2001).
35. *List of Toxic Chemicals within the Polychlorinated Alkanes Category and Guidance for Reporting*, EPA 745-B-99-023 (June, 1999).
36. *Guidance for Reporting Hydrochloric Acid (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)*, EPA 745-B-99-014 (December, 1999)
37. *Guidance for Reporting Toxic Chemicals within the Dioxin and Dioxin-like Compounds Category (Final)*, EPA 260-B-01-004 (August, 2001).

Locating and Estimating (L&E) Documents

To assist groups interested in preparing inventories of air emissions of various potentially toxic substances, the U.S. EPA Office of Air Quality and Planning Standards has prepared a series of L&E documents that compiles available information on sources and emissions of these substances. Documents in this series are listed below.

SUBSTANCE	EPA PUBLICATION #	PUBLICATION DATE
38. Acrylonitrile	EPA-450/4-84-007a	1984
39. Arsenic and Arsenic Compounds	EPA-454/R-98-013	June 1998
40. Benzene	EPA-450/4-84-007q	1988
41. Benzene (Update)	EPA-450/R-98-011	June 1998
42. 1,3-Butadiene	EPA 450/2-89-021	1989
43. 1,3-Butadiene (Update)	EPA-454/R-96-008	November 1996
44. Cadmium and Cadmium Compounds	EPA-454/R-93-040	September 1993
45. Carbon Tetrachloride	EPA-450/4-84-007b	March 1984
46. Chlorobenzenes	EPA-450/4-84-007m	1986
47. Chlorobenzenes (Update)	EPA-454/R-93-044	March 1994
48. Chloroform	EPA-450/4-84-007c	March 1984
49. Chromium	EPA-450/4-84-007g	July 1984
50. Chromium (Supplement)	EPA-450/2-89-002	August 1989
51. Coal and Oil Combustion Sources	EPA 450/2-89-001	1989
52. Cyanide Compounds	EPA-454/R-93-041	September 1993
53. Dioxins and Furans	EPA-454/R-97-003	May 1997
54. Epichlorohydrin	EPA-450/4-84-007j	March 1984
55. Ethylene Dichloride	EPA-450/4-84-007d	March 1984
56. Ethylene Oxide	EPA-450/4-84-0071	September 1986
57. Formaldehyde	EPA-450/4-84-007e	1984
58. Formaldehyde (Update)	EPA-450/4-91-012	March 1991
59. Lead and Lead Compounds	EPA-454/R-98-006	May 1998
60. Manganese	EPA-450/4-84-007h	1986
61. Medical Waste Incinerators	EPA-454/R-93-053	1993
62. Mercury and Mercury Compounds	EPA-453/R-93-023	1993
63. Mercury and Mercury Compounds (Update)	EPA-454/R-97-012	December 1997
64. Methylene Chloride	EPA-454/R-93-006	February 1993
65. Methyl Ethyl Ketone	EPA-454/R-93-046	March 1994
66. Municipal Waste Combustion	EPA-450/2-89-006	1989
67. Nickel	EPA-450/4-84-007f	1984
68. Organic Liquid Storage Tanks	EPA-450/4-88-004	1988
69. Perc and Trichloroethylene	EPA 450/2-89-013	1989
70. Phosgene	EPA-450/4-84-007i	1986
71. Polycyclic Organic Matter	EPA-454/R-98-014	July 1998
72. Sewage Sludge Incinerators	EPA 450/2-90-009	1990
73. Styrene	EPA-454/R-93-011	April 1993
74. Toluene	EPA-454/R-93-047	March 1994
75. Vinylidene Chloride	EPA-450/4-84-007k	September 1985
76. Xylenes	EPA-454/R-93-048	March 1994

Other Documents from the U.S. EPA

77. *Compilation of Air Pollutant Emission Factors, Vol. 1: Stationary Point and Area Sources*, U.S. EPA, AP-42, 5th Edition (1996), and AP-42 Supplements A, B, C, D, E, and F (1996, 1997, 1998, 1999, and 2000).
78. *Toxic Air Pollutant Emission Factors – A Compilation for Selected Air Toxic Compounds and Sources, Second Edition*, U.S. EPA, EPA 450/2-90-011 (1990).
79. *Protocols for Equipment Leak Emission Estimates*, U.S. EPA, EPA 453/R-95-017 (November, 1995).
80. *Hot Mix Asphalt Plants - Emission Assessment Report (Draft)*, U.S. EPA, EPA 454/R-00-0XX (June, 2000). <www.epa.gov/ttn/emc/asphalt.html>.

Copies of the U.S. EPA documents are available from:

**U.S. Environmental Protection Agency
National Center For Environmental Publications and Information (NCEPI)
P.O. Box 42419
Cincinnati, OH 45242
U.S.A.**

**Tel: (513) 489-8190
Fax: (513) 489-8695**

U.S. EPA documents can be downloaded from the U.S. Toxics Release Inventory (TRI) Web site at <www.epa.gov/tri> or the U.S. EPA's Technology Transfer Network Web site at <www.epa.gov/ttn/chief/>.

Or, they can be ordered from:

**National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
U.S.A.**

**Tel: (703) 605-6000
Fax: (703) 605-6900
E-mail: orders@ntis.fedworld.gov
Web site: www.ntis.gov/**

Documents Produced by Industry Associations

81. *Evaporation Loss from External Floating Roof Tanks*, American Petroleum Institute, Publication 2517 (1994).
82. *Evaporation Loss from Fixed Roof Tanks*, American Petroleum Institute, Chapter 19.1 (1991).
83. *Evaporation Loss from Internal Floating Roof Tanks*, American Petroleum Institute, Publication 2519 (1996).
84. *Review of Air Toxic Emission Calculations from Storage Tanks, Air Toxic Emissions Calculation Validation Program: Analysis of Crude Oil and Refined Product Samples and Comparison of Vapor Composition to Model Predictions*, American Petroleum Institute, Publication 2525 (1992).

Copies of the above reports can be ordered from:

**American Petroleum Institute
Order Desk
1200 L Street Northwest
Washington, DC 20005
U.S.A.**

**Tel: (202) 682-8375
Fax: (202) 962-4776**

85. *NCASI Handbook of Chemical Specific Information for SARA Section 313 Form R Reporting – and yearly updates*, National Council of The Paper Industry for Air and Stream Improvement Inc. (1991).
86. *Handbook of Substance-Specific Information for National Pollutant Release Inventory (NPRI) Reporting*, National Council of the Paper Industry for Air and Stream Improvement Inc. (2000).

The reports can be ordered from either:

NCASI
P.O. Box 13318
Research Triangle Park, NC 27709-3318
U.S.A.

Canadian Pulp and Paper Association
1155 Metcalfe St., 19th Floor
Montreal, QC
H3B 4T6

Tel: (919) 558-1999
Fax: (919) 558-1998

Tel: (514) 866-6621
Fax: (514) 866-3035

Guidance Document for the Wood-Preservation Industry

87. Environment Canada (2001) "Guidance for Wood Preservation Facilities Reporting to the National Pollutant Release Inventory", in collaboration with the Canadian Institute of Treated Wood (April, 2001).

This document can be downloaded from the NPRI Web site at <www.ec.gc.ca/pdb/npri>.

General Information

88. Howard, P. H. and M. Neal, *Dictionary of Chemical Names and Synonyms*, Lewis Publishers, Chelsea, MI (1992).
89. Lide, David R., *CRC Handbook of Chemistry and Physics, 75th Edition*, CRC Press, Inc., Boca Raton, FL (1995) pp. 15-38, *Characteristics of Particles and Particle Dispersoids*.

Appendix 1 – Alphabetical Listing of NPRI Substances for 2001

The substances are listed in four parts as they appear in the 2001 *Canada Gazette* notice. **The changes in substance listings and the new substance added to the NPRI for 2001 are in bold lettering.** The reporting criteria for the substances listed in each Part differ and are explained in Step 1. Explanations of the footnotes and substance qualifiers are also provided in Step 1.

SCHEDULE 1, PART 1, SUBSTANCES

Name	CAS No. ¹	Name	CAS No. ¹
Acetaldehyde	75-07-0	Calcium cyanamide	156-62-7
Acetonitrile	75-05-8	Calcium fluoride	7789-75-5
Acetophenone	98-86-2	Carbon disulphide	75-15-0
Acrolein	107-02-8	Carbon tetrachloride	56-23-5
Acrylamide	79-06-1	Catechol	120-80-9
Acrylic acid ²	79-10-7	CFC-11	75-69-4
Acrylonitrile	107-13-1	CFC-12	75-71-8
Alkanes, C ₆₋₁₈ , chloro	68920-70-7	CFC-13	75-72-9
Alkanes, C ₁₀₋₁₃ , chloro	85535-84-8	CFC-114	76-14-2
Allyl alcohol	107-18-6	CFC-115	76-15-3
Allyl chloride	107-05-1	Chlorendic acid	115-28-6
Aluminum ³	7429-90-5	Chlorine	7782-50-5
Aluminum oxide ⁴	1344-28-1	Chlorine dioxide	10049-04-4
Ammonia (total) ⁵	*	Chloroacetic acid ²	79-11-8
Aniline ²	62-53-3	Chlorobenzene	108-90-7
Anthracene	120-12-7	Chloroethane	75-00-3
Antimony ⁶	*	Chloroform	67-66-3
Arsenic ⁶	*	Chloromethane	74-87-3
Asbestos ⁷	1332-21-4	3-Chloro-2-methyl-1-propene	563-47-3
Benzene	71-43-2	3-Chloropropionitrile	542-76-7
Benzoyl chloride	98-88-4	Chromium ⁶	*
Benzoyl peroxide	94-36-0	Cobalt ⁶	*
Benzyl chloride	100-44-7	Copper ⁶	*
Biphenyl	92-52-4	Cresol ^{2,8}	1319-77-3
<i>Bis</i> (2-ethylhexyl) adipate	103-23-1	Crotonaldehyde	4170-30-3
<i>Bis</i> (2-ethylhexyl) phthalate	117-81-7	Cumene	98-82-8
Boron trifluoride	7637-07-2	Cumene hydroperoxide	80-15-9
Bromine	7726-95-6	Cyanides ⁹	*
1-Bromo-2-chloroethane	107-04-0	Cyclohexane	110-82-7
Bromomethane	74-83-9	Cyclohexanol	108-93-0
1,3-Butadiene	106-99-0	Decabromodiphenyl oxide	1163-19-5
2-Butoxyethanol	111-76-2	2,4-Diaminotoluene ²	95-80-7
Butyl acrylate	141-32-2	2,6-Di- <i>t</i> -butyl-4-methylphenol	128-37-0
<i>i</i> -Butyl alcohol	78-83-1	Dibutyl phthalate	84-74-2
<i>n</i> -Butyl alcohol	71-36-3	<i>o</i> -Dichlorobenzene	95-50-1
<i>sec</i> -Butyl alcohol	78-92-2	<i>p</i> -Dichlorobenzene	106-46-7
<i>tert</i> -Butyl alcohol	75-65-0	3,3'-Dichlorobenzidine dihydrochloride	612-83-9
Butyl benzyl phthalate	85-68-7	1,2-Dichloroethane	107-06-2
1,2-Butylene oxide	106-88-7	Dichloromethane	75-09-2
Butyraldehyde	123-72-8	2,4-Dichlorophenol ²	120-83-2
C.I. Acid Green 3	4680-78-8	1,2-Dichloropropane	78-87-5
C.I. Basic Green 4	569-64-2	Dicyclopentadiene	77-73-6
C.I. Basic Red 1	989-38-8	Diethanolamine ²	111-42-2
C.I. Direct Blue 218	28407-37-6	Diethyl phthalate	84-66-2
C.I. Disperse Yellow 3	2832-40-8	Diethyl sulphate	64-67-5
C.I. Food Red 15	81-88-9	Dimethylamine	124-40-3
C.I. Solvent Orange 7	3118-97-6	<i>N,N</i> -Dimethylaniline ²	121-69-7
C.I. Solvent Yellow 14	842-07-9	<i>N,N</i>-Dimethylformamide	68-12-2
Cadmium ⁶	*	Dimethyl phenol	1300-71-6

Name	CAS No. ¹	Name	CAS No. ¹
Dimethyl phthalate	131-11-3	1,1-Methylenebis(4-isocyanatocyclohexane)	5124-30-1
Dimethyl sulphate	77-78-1	Methylenebis(phenylisocyanate)	101-68-8
4,6-Dinitro- <i>o</i> -cresol ²	534-52-1	<i>p,p'</i> -Methylenedianiline	101-77-9
2,4-Dinitrotoluene	121-14-2	Methyl ethyl ketone	78-93-3
2,6-Dinitrotoluene	606-20-2	Methyl iodide	74-88-4
Dinitrotoluene ¹⁰	25321-14-6	Methyl isobutyl ketone	108-10-1
Di- <i>n</i> -octyl phthalate	117-84-0	Methyl methacrylate	80-62-6
1,4-Dioxane	123-91-1	N-Methylolacrylamide	924-42-5
Diphenylamine	122-39-4	2-Methylpyridine	109-06-8
Epichlorohydrin	106-89-8	N-Methyl-2-pyrrolidone	872-50-4
2-Ethoxyethanol	110-80-5	Michler's ketone ²	90-94-8
2-Ethoxyethyl acetate	111-15-9	Molybdenum trioxide	1313-27-5
Ethoxynonyl benzene	28679-13-2	Naphthalene	91-20-3
Ethyl acrylate	140-88-5	Nickel ⁶	*
Ethylbenzene	100-41-4	Nitrate ion ¹⁵	*
Ethyl chloroformate	541-41-3	Nitric acid	7697-37-2
Ethylene	74-85-1	Nitrilotriacetic acid ²	139-13-9
Ethylene glycol	107-21-1	<i>p</i> -Nitroaniline	100-01-6
Ethylene oxide	75-21-8	Nitrobenzene	98-95-3
Ethylene thiourea	96-45-7	Nitroglycerin	55-63-0
Fluorine	7782-41-4	<i>p</i> -Nitrophenol ²	100-02-7
Formaldehyde	50-00-0	2-Nitropropane	79-46-9
Formic acid	64-18-6	N-Nitrosodiphenylamine	86-30-6
Halon 1211	353-59-3	Nonylphenol	104-40-5
Halon 1301	75-63-8	Nonylphenol hepta(oxyethylene) ethanol	27177-05-5
HCFC-22	75-45-6	Nonylphenol, industrial	84852-15-3
HCFC-122 and all isomers ¹¹	41834-16-6	Nonylphenol nona(oxyethylene) ethanol	27177-08-8
HCFC-123 and all isomers ¹²	34077-87-7	<i>n</i> -Nonylphenol ¹⁰	25154-52-3
HCFC 124 and all isomers ¹³	63938-10-3	Nonylphenol polyethylene glycol ether	9016-45-9
HCFC-141b	1717-00-6	<i>p</i> -Nonylphenol polyethylene glycol ether	26027-38-3
HCFC-142b	75-68-3	Nonylphenoxy ethanol	27986-36-3
Hexachlorocyclopentadiene	77-47-4	2-(<i>p</i> -Nonylphenoxy) ethanol	104-35-8
Hexachloroethane	67-72-1	2-(2-(<i>p</i> -Nonylphenoxy)ethoxy) ethanol	20427-84-3
Hexachlorophene	70-30-4	2-(2-(2-(<i>p</i> -Nonylphenoxy)ethoxy)ethoxy)ethoxy ethanol	7311-27-5
<i>n</i> -Hexane	110-54-3	4- <i>tert</i> -octylphenol	140-66-9
Hydrazine ²	302-01-2	Oxirane, methyl-, polymer with oxirane, mono(nonylphenyl)ether	37251-69-7
Hydrochloric acid	7647-01-0	Paraldehyde	123-63-7
Hydrogen cyanide	74-90-8	Pentachloroethane	76-01-7
Hydrogen fluoride	7664-39-3	Peracetic acid ²	79-21-0
Hydrogen sulphide	7783-06-4	Phenol ²	108-95-2
Hydroquinone ²	123-31-9	<i>p</i> -Phenylenediamine ²	106-50-3
Iron pentacarbonyl	13463-40-6	<i>o</i> -Phenylphenol ²	90-43-7
Isobutyraldehyde	78-84-2	Phosgene	75-44-5
Isophorone diisocyanate	4098-71-9	Phosphorus ¹⁶	7723-14-0
Isoprene	78-79-5	Phthalic anhydride	85-44-9
Isopropyl alcohol	67-63-0	Polymeric diphenylmethane diisocyanate	9016-87-9
<i>p,p'</i> -Isopropylidenediphenol	80-05-7	Potassium bromate	7758-01-2
Isosafrole	120-58-1	Propargyl alcohol	107-19-7
Lead ^{6, 14}	*	Propionaldehyde	123-38-6
Lithium carbonate	554-13-2	Propylene	115-07-1
Maleic anhydride	108-31-6	Propylene oxide	75-56-9
Manganese ⁶	*	Pyridine ²	110-86-1
2-Mercaptobenzothiazole	149-30-4	Quinoline ²	91-22-5
Methanol	67-56-1	<i>p</i> -Quinone	106-51-4
2-Methoxyethanol	109-86-4	Safrole	94-59-7
2-Methoxyethyl acetate	110-49-6	Selenium ⁶	*
Methyl acrylate	96-33-3	Silver ⁶	*
Methyl <i>tert</i> -butyl ether	1634-04-4		
<i>p,p'</i> -Methylenebis(2-chloroaniline)	101-14-4		

Name	CAS No. ¹	Name	CAS No. ¹
Sodium fluoride	7681-49-4	Toluene-2,6-diisocyanate	91-08-7
Sodium nitrite	7632-00-0	Toluenediisocyanate ¹⁰	26471-62-5
Styrene	100-42-5	1,2,4-Trichlorobenzene	120-82-1
Styrene oxide	96-09-3	1,1,2-Trichloroethane	79-00-5
Sulphur hexafluoride	2551-62-4	Trichloroethylene	79-01-6
Sulphuric acid	7664-93-9	Triethylamine	121-44-8
1,1,1,2-Tetrachloroethane	630-20-6	1,2,4-Trimethylbenzene	95-63-6
1,1,2,2-Tetrachloroethane	79-34-5	2,2,4-Trimethylhexamethylene diisocyanate	16938-22-0
Tetrachloroethylene	127-18-4	2,4,4-Trimethylhexamethylene diisocyanate	15646-96-5
Tetracycline hydrochloride	64-75-5	Vanadium ¹⁷	7440-62-2
Tetraethyl lead	78-00-2	Vinyl acetate	108-05-4
Thiourea	62-56-6	Vinyl chloride	75-01-4
Thorium dioxide	1314-20-1	Vinylidene chloride	75-35-4
Titanium tetrachloride	7550-45-0	Xylene ¹⁸	1330-20-7
Toluene	108-88-3	Zinc ⁶	*
Toluene-2,4-diisocyanate	584-84-9		

[See Step 1 for an explanation of these qualifiers.]

- * No single CAS number applies to this NPRI listing.
- 1 CAS Registry Number denotes the Chemical Abstracts Service Registry Number, as appropriate.
- 2 “and its salts” – The CAS number corresponds to the weak acid or base. However, the NPRI listing includes the salts of these weak acids and bases. When calculating the weight of these substances and their salts, use the molecular weight of the acid or base, not the total weight of the salt.
- 3 “fume or dust”
- 4 “fibrous forms”
- 5 “Ammonia (total)” means the total of both of ammonia (NH₃ – CAS No. 7664-41-7) and the ammonium ion (NH₄⁺) in solution.
- 6 “and its compounds”
- 7 “friable form”
- 8 “all isomers” including, but not limited to, the individual isomers of cresol: *m*-cresol (CAS No. 108-39-4), *o*-cresol (CAS No. 95-48-7) and *p*-cresol (CAS No. 106-44-5)
- 9 “ionic”
- 10 “mixed isomers”
- 11 The isomers include, but are not necessarily limited to, HCFC-122 (CAS No. 354-21-2).
- 12 The isomers include, but are not necessarily limited to, HCFC-123 (CAS No. 306-83-2) and HCFC 123a (CAS No. 90454-18-5).
- 13 The isomers include, but are not necessarily limited to, HCFC 124 (CAS No. 2837-89-0), and HCFC 124a (CAS No. 354-25-6).
- 14 This substance does not include tetraethyl lead (CAS No. 78-00-2)
- 15 “in solution at a pH of 6.0 or greater”
- 16 “yellow or white”
- 17 “(except when in an alloy) and its compounds”
- 18 “all isomers” including, but not limited to, the individual isomers of xylene: *m*-xylene (CAS No. 108-38-3), *o*-xylene (CAS No. 95-47-6) and *p*-xylene (CAS No. 106-42-3).

SCHEDULE 1, PART 2, SUBSTANCES

Name	CAS No. ¹
Mercury ⁶	*

SCHEDULE 1, PART 3, SUBSTANCES

Name	CAS No. ¹	Name	CAS No. ¹
Benzo(a)anthracene	56-55-3	Dibenzo(a,h)anthracene	53-70-3
Benzo(a)phenanthrene	218-01-9	Dibenzo(a,i)pyrene	189-55-9
Benzo(a)pyrene	50-32-8	7H-Dibenzo(c,g)carbazole	194-59-2
Benzo(b)fluoranthene	205-99-2	Fluoranthene	206-44-0
Benzo(e)pyrene	192-97-2	Indeno(1,2,3-c,d)pyrene	193-39-5
Benzo(g,h,i)perylene	191-24-2	Perylene	198-55-0
Benzo(j)fluoranthene	205-82-3	Phenanthrene	85-01-8
Benzo(k)fluoranthene	207-08-9	Pyrene	129-00-0
Dibenz(a,j)acridine	224-42-0		

SCHEDULE 1, PART 4, SUBSTANCES

Name	CAS No. ¹	Name	CAS No. ¹
Hexachlorobenzene	118-74-1	Polychlorinated dibenzo- <i>p</i> -dioxins and polychlorinated dibenzofurans ¹⁹	*

[See Steps 1 and 2 for an explanation of this footnote.]

19 This class of substances is restricted to the following congeners:

- 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (1746-01-6);
- 1,2,3,7,8-Pentachlorodibenzo-*p*-dioxin (40321-76-4);
- 1,2,3,4,7,8-Hexachlorodibenzo-*p*-dioxin (39227-28-6);
- 1,2,3,7,8,9-Hexachlorodibenzo-*p*-dioxin (19408-74-3);
- 1,2,3,6,7,8-Hexachlorodibenzo-*p*-dioxin (57653-85-7);
- 1,2,3,4,6,7,8-Heptachlorodibenzo-*p*-dioxin (35822-46-9);
- Octachlorodibenzo-*p*-dioxin (3268-87-9);
- 2,3,7,8-Tetrachlorodibenzofuran (51207-31-9);
- 2,3,4,7,8-Pentachlorodibenzofuran (57117-31-4);
- 1,2,3,7,8-Pentachlorodibenzofuran (57117-41-6);
- 1,2,3,4,7,8-Hexachlorodibenzofuran (70648-26-9);
- 1,2,3,7,8,9-Hexachlorodibenzofuran (72918-21-9);
- 1,2,3,6,7,8-Hexachlorodibenzofuran (57117-44-9);
- 2,3,4,6,7,8-Hexachlorodibenzofuran (60851-34-5);
- 1,2,3,4,6,7,8-Heptachlorodibenzofuran (67562-39-4);
- 1,2,3,4,7,8,9-Heptachlorodibenzofuran (55673-89-7); and
- Octachlorodibenzofuran (39001-02-0).

Appendix 2 – NPRI Substances for 2001, Listed by Chemical Abstracts Service Registry Number

The changes in substance listings and the new substance added to the NPRI for 2001 are in bold lettering. Explanations of the footnotes and substance qualifiers are provided in Step 1.

Name	CAS No. ¹	Name	CAS No. ¹
Ammonia (total) ²	*	Phosgene	75-44-5
Antimony ³	*	HCFC-22	75-45-6
Arsenic ³	*	Propylene oxide	75-56-9
Cadmium ³	*	Halon 1301	75-63-8
Chromium ³	*	<i>tert</i> -Butyl alcohol	75-65-0
Cobalt ³	*	HCFC-142b	75-68-3
Copper ³	*	CFC-11	75-69-4
Cyanides ⁴	*	CFC-12	75-71-8
Lead ³	*	CFC-13	75-72-9
Manganese ³	*	Pentachloroethane	76-01-7
Mercury ³	*	CFC-114	76-14-2
Nickel ³	*	CFC-115	76-15-3
Nitrate ion ⁵	*	Hexachlorocyclopentadiene	77-47-4
Polychlorinated dibenzo- <i>p</i> -dioxins and polychlorinated dibenzofurans ⁶	*	Dicyclopentadiene	77-73-6
Selenium ³	*	Dimethyl sulphate	77-78-1
Silver ³	*	Tetraethyl lead	78-00-2
Zinc ³	*	Isoprene	78-79-5
Formaldehyde	50-00-0	<i>i</i> -Butyl alcohol	78-83-1
Benzo(a)pyrene	50-32-8	Isobutyraldehyde	78-84-2
Dibenzo(a,h)anthracene	53-70-3	1,2-Dichloropropane	78-87-5
Nitroglycerin	55-63-0	<i>sec</i> -Butyl alcohol	78-92-2
Carbon tetrachloride	56-23-5	Methyl ethyl ketone	78-93-3
Benzo(a)anthracene	56-55-3	1,1,2-Trichloroethane	79-00-5
Aniline ⁷	62-53-3	Trichloroethylene	79-01-6
Thiourea	62-56-6	Acrylamide	79-06-1
Formic acid	64-18-6	Acrylic acid ⁷	79-10-7
Diethyl sulphate	64-67-5	Chloroacetic acid ⁷	79-11-8
Tetracycline hydrochloride	64-75-5	Peracetic acid ⁷	79-21-0
Methanol	67-56-1	1,1,2,2-Tetrachloroethane	79-34-5
Isopropyl alcohol	67-63-0	2-Nitropropane	79-46-9
Chloroform	67-66-3	<i>p,p'</i> -Isopropylidenediphenol	80-05-7
Hexachloroethane	67-72-1	Cumene hydroperoxide	80-15-9
N,N-Dimethylformamide	68-12-2	Methyl methacrylate	80-62-6
Hexachlorophene	70-30-4	C.I. Food Red 15	81-88-9
<i>n</i> -Butyl alcohol	71-36-3	Diethyl phthalate	84-66-2
Benzene	71-43-2	Dibutyl phthalate	84-74-2
Bromomethane	74-83-9	Phenanthrene	85-01-8
Ethylene	74-85-1	Phthalic anhydride	85-44-9
Chloromethane	74-87-3	Butyl benzyl phthalate	85-68-7
Methyl iodide	74-88-4	N-Nitrosodiphenylamine	86-30-6
Hydrogen cyanide	74-90-8	<i>o</i> -Phenylphenol ⁷	90-43-7
Chloroethane	75-00-3	Michler's ketone ⁷	90-94-8
Vinyl chloride	75-01-4	Toluene-2,6-diisocyanate	91-08-7
Acetonitrile	75-05-8	Naphthalene	91-20-3
Acetaldehyde	75-07-0	Quinoline ⁷	91-22-5
Dichloromethane	75-09-2	Biphenyl	92-52-4
Carbon disulphide	75-15-0	Safrole	94-36-0
Ethylene oxide	75-21-8	<i>o</i> -Dichlorobenzene	95-50-1
Vinylidene chloride	75-35-4	1,2,4-Trimethylbenzene	95-63-6

Name	CAS No. ¹	Name	CAS No. ¹
2,4-Diaminotoluene ⁷	95-80-7	2,4-Dichlorophenol ⁷	120-83-2
Styrene oxide	96-09-3	2,4-Dinitrotoluene	121-14-2
Methyl acrylate	96-33-3	Triethylamine	121-44-8
Ethylene thiourea	96-45-7	N,N-Dimethylaniline ⁷	121-69-7
Cumene	98-82-8	Diphenylamine	122-39-4
Acetophenone	98-86-2	Hydroquinone ⁷	123-31-9
Benzoyl chloride	98-88-4	Propionaldehyde	123-38-6
Nitrobenzene	98-95-3	Paraldehyde	123-63-7
<i>p</i> -Nitroaniline	100-01-6	Butyraldehyde	123-72-8
<i>p</i> -Nitrophenol ⁷	100-02-7	1,4-Dioxane	123-91-1
Ethylbenzene	100-41-4	Dimethylamine	124-40-3
Styrene	100-42-5	Tetrachloroethylene	127-18-4
Benzyl chloride	100-44-7	2,6-Di- <i>t</i> -butyl-4-methylphenol	128-37-0
<i>p,p'</i> -Methylenebis(2-chloroaniline)	101-14-4	Pyrene	129-00-0
Methylenebis(phenylisocyanate)	101-68-8	Dimethyl phthalate	131-11-3
<i>p,p'</i> -Methylenedianiline	101-77-9	Nitrilotriacetic acid ⁷	139-13-9
Bis(2-ethylhexyl) adipate	103-23-1	4- <i>tert</i> -octylphenol	140-66-9
2-(<i>p</i> -Nonylphenoxy) ethanol	104-35-8	Ethyl acrylate	140-88-5
Nonylphenol	104-40-5	Butyl acrylate	141-32-2
<i>p</i> -Dichlorobenzene	106-46-7	2-Mercaptobenzothiazole	149-30-4
<i>p</i> -Phenylenediamine ⁷	106-50-3	Calcium cyanamide	156-62-7
<i>p</i> -Quinone	106-51-4	Dibenzo(a,i)pyrene	189-55-9
1,2-Butylene oxide	106-88-7	Benzo(g,h,i)perylene	191-24-2
Epichlorohydrin	106-89-8	Benzo(e)pyrene	192-97-2
1,3-Butadiene	106-99-0	Indeno(1,2,3-c,d)pyrene	193-39-5
Acrolein	107-02-8	7H-Dibenzo(c,g)carbazole	194-59-2
1-Bromo-2-chloroethane	107-04-0	Perylene	198-55-0
Allyl chloride	107-05-1	Benzo(j)fluoranthene	205-82-3
1,2-Dichloroethane	107-06-2	Benzo(b)fluoranthene	205-99-2
Acrylonitrile	107-13-1	Fluoranthene	206-44-0
Allyl alcohol	107-18-6	Benzo(k)fluoranthene	207-08-9
Propargyl alcohol	107-19-7	Benzo(a)phenanthrene	218-01-9
Ethylene glycol	107-21-1	Dibenz(a,j)acridine	224-42-0
Vinyl acetate	108-05-4	Hydrazine ⁷	302-01-2
Methyl isobutyl ketone	108-10-1	Halon 1211	353-59-3
Maleic anhydride	108-31-6	4,6-Dinitro- <i>o</i> -cresol ⁷	534-52-1
Toluene	108-88-3	Ethyl chloroformate	541-41-3
Chlorobenzene	108-90-7	3-Chloropropionitrile	542-76-7
Cyclohexanol	108-93-0	Lithium carbonate	554-13-2
Phenol ⁷	108-95-2	3-Chloro-2-methyl-1-propene	563-47-3
2-Methylpyridine	109-06-8	C.I. Basic Green 4	569-64-2
2-Methoxyethanol	109-86-4	Toluene-2,4-diisocyanate	584-84-9
2-Methoxyethyl acetate	110-49-6	2,6-Dinitrotoluene	606-20-2
<i>n</i> -Hexane	110-54-3	3,3'-Dichlorobenzidine dihydrochloride	612-83-9
2-Ethoxyethanol	110-80-5	1,1,1,2-Tetrachloroethane	630-20-6
Cyclohexane	110-82-7	C.I. Solvent Yellow 14	842-07-9
Pyridine ⁷	110-86-1	N-Methyl-2-pyrrolidone	872-50-4
2-Ethoxyethyl acetate	111-15-9	N-Methylolacrylamide	924-42-5
Diethanolamine ⁷	111-42-2	C.I. Basic Red 1	989-38-8
2-Butoxyethanol	111-76-2	Decabromodiphenyl oxide	1163-19-5
Propylene	115-07-1	Dimethyl phenol	1300-71-6
Chlorendic acid	115-28-6	Molybdenum trioxide	1313-27-5
Bis(2-ethylhexyl) phthalate	117-81-7	Thorium dioxide	1314-20-1
Di- <i>n</i> -octyl phthalate	117-84-0	Cresol ^{7,8}	1319-77-3
Hexachlorobenzene	118-74-1	Xylene ⁹	1330-20-7
Anthracene	120-12-7	Asbestos ¹⁰	1332-21-4
Isosafrole	120-58-1	Aluminum oxide ¹¹	1344-28-1
Catechol	120-80-9	Methyl <i>tert</i> -butyl ether	1634-04-4
1,2,4-Trichlorobenzene	120-82-1	HCFC-141b	1717-00-6

Name	CAS No. ¹	Name	CAS No. ¹
Sulphur hexafluoride	2551-62-4	Calcium fluoride	7789-75-5
C.I. Disperse Yellow 3	2832-40-8	Nonylphenol polyethylene glycol ether	9016-45-9
C.I. Solvent Orange 7	3118-97-6	Polymeric diphenylmethane diisocyanate	9016-87-9
Isophorone diisocyanate	4098-71-9	Chlorine dioxide	10049-04-4
Crotonaldehyde	4170-30-3	Iron pentacarbonyl	13463-40-6
C.I. Acid Green 3	4680-78-8	2,4,4-Trimethylhexamethylene diisocyanate	15646-96-5
1,1-Methylenebis(4-isocyanatocyclohexane)	5124-30-1	2,2,4-Trimethylhexamethylene diisocyanate	16938-22-0
2-(2-(2-(2-(<i>p</i> -Nonylphenoxy)ethoxy)ethoxy)ethoxy) ethanol	7311-27-5	2-(2-(<i>p</i> -Nonylphenoxy)ethoxy) ethanol	20427-84-3
Aluminum ¹²	7429-90-5	<i>n</i> -Nonylphenol ¹⁵	25154-52-3
Vanadium¹³	7440-62-2	Dinitrotoluene ¹⁵	25321-14-6
Titanium tetrachloride	7550-45-0	<i>p</i> -Nonylphenol polyethylene glycol ether	26027-38-3
Sodium nitrite	7632-00-0	Toluenediisocyanate ¹⁵	26471-62-5
Boron trifluoride	7637-07-2	Nonylphenol hepta(oxyethylene) ethanol	27177-05-5
Hydrochloric acid	7647-01-0	Nonylphenol nona(oxyethylene) ethanol	27177-08-8
Hydrogen fluoride	7664-39-3	Nonylphenoxy ethanol	27986-36-3
Sulphuric acid	7664-93-9	C.I. Direct Blue 218	28407-37-6
Sodium fluoride	7681-49-4	Ethoxynonyl benzene	28679-13-2
Nitric acid	7697-37-2	HCFC-123 and all isomers ¹⁶	34077-87-7
Phosphorus ¹⁴	7723-14-0	Oxirane, methyl-, polymer with oxirane, mono(nonylphenyl)ether	37251-69-7
Bromine	7726-95-6	HCFC-122 and all isomers ¹⁷	41834-16-6
Potassium bromate	7758-01-2	HCFC 124 and all isomers ¹⁸	63938-10-3
Fluorine	7782-41-4	Alkanes, C ₆₋₁₈ , chloro	68920-70-7
Chlorine	7782-50-5	Nonylphenol, industrial	84852-15-3
Hydrogen sulphide	7783-06-4	Alkanes, C ₁₀₋₁₃ , chloro	85535-84-8

[See Step 1 for an explanation of the footnotes and substance qualifiers.]

* No single CAS number applies to this NPRI listing.

1 CAS Registry Number denotes the Chemical Abstracts Service Registry Number, as appropriate.

2 "Ammonia (total)" means the total of both of ammonia (NH₃ – CAS No. 7664-41-7) and the ammonium ion (NH₄⁺) in solution.

3 "and its compounds"

4 "ionic"

5 "in solution at a pH of 6.0 or greater"

6 This class of substances is restricted to the following congeners:

2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (1746-01-6);

1,2,3,7,8-Pentachlorodibenzo-*p*-dioxin (40321-76-4);

1,2,3,4,7,8-Hexachlorodibenzo-*p*-dioxin (39227-28-6);

1,2,3,7,8,9-Hexachlorodibenzo-*p*-dioxin (19408-74-3);

1,2,3,6,7,8-Hexachlorodibenzo-*p*-dioxin (57653-85-7);

1,2,3,4,6,7,8-Heptachlorodibenzo-*p*-dioxin (35822-46-9);

Octachlorodibenzo-*p*-dioxin (3268-87-9);

2,3,7,8-Tetrachlorodibenzofuran (51207-31-9);

2,3,4,7,8-Pentachlorodibenzofuran (57117-31-4);

1,2,3,7,8-Pentachlorodibenzofuran (57117-41-6);

1,2,3,4,7,8-Hexachlorodibenzofuran (70648-26-9);

1,2,3,7,8,9-Hexachlorodibenzofuran (72918-21-9);

1,2,3,6,7,8-Hexachlorodibenzofuran (57117-44-9);

2,3,4,6,7,8-Hexachlorodibenzofuran (60851-34-5);

1,2,3,4,6,7,8-Heptachlorodibenzofuran (67562-39-4);

1,2,3,4,7,8,9-Heptachlorodibenzofuran (55673-89-7); and

Octachlorodibenzofuran (39001-02-0).

7 "and its salts" – The CAS number corresponds to the weak acid or base. However, the NPRI listing includes the salts of these weak acids and bases.

When calculating the weight of these substances and their salts, use the molecular weight of the acid or base, not the total weight of the salt.

8 "all isomers" including, but not limited to, the individual isomers of cresol: *m*-cresol (CAS No. 108-39-4), *o*-cresol (CAS No. 95-48-7) and *p*-cresol (CAS No. 106-44-5).

9 "all isomers" including, but not limited to, the individual isomers of xylene: *m*-xylene (CAS No. 108-38-3), *o*-xylene (CAS No. 95-47-6) and *p*-xylene (CAS No. 106-42-3).

10 "friable form"

11 "fibrous forms"

12 "fume or dust"

13 "(except when in an alloy) and its compounds"

14 "yellow or white"

15 "mixed isomers"

16 The isomers include, but are not necessarily limited to, HCFC-123 (CAS No. 306-83-2) and HCFC 123a (CAS No. 90454-18-5).

17 The isomers include, but are not necessarily limited to, HCFC-122 (CAS No. 354-21-2).

18 The isomers include, but are not necessarily limited to, HCFC 124 (CAS No. 2837-89-0) and HCFC 124a (CAS No. 354-25-6).

Appendix 3 – Definition of Biomedical Waste

The following definition has been taken from the 1992 Canadian Council of Ministers of the Environment's *Guidelines for the Management of Biomedical Waste in Canada*.

Definition

This definition does not apply to microbiology laboratory waste, human blood and body fluid waste or waste sharps after these wastes have been disinfected or decontaminated.

Biomedical waste refers to waste that is generated by:

- human or animal health-care facilities
- medical or veterinary research and teaching establishments
- health care teaching establishments
- clinical testing or research laboratories, and
- facilities involved in the production or testing of vaccines.

The following are the types of biomedical waste:

- a) **Human Anatomical Waste**
This consists of human tissues, organs and body parts, but does not include teeth, hair and nails.
- b) **Animal Waste**
This consists of all animal tissues, organs, body parts, carcasses, bedding, fluid blood and blood products, items saturated or dripping with blood, body fluids contaminated with blood, and body fluids removed for diagnosis or removed during surgery, treatment or autopsy, unless a trained person has certified that the waste does not contain the viruses and agents listed in Risk Group 4 of the *Guidelines*. This excludes teeth, hair, nails, hooves and feathers.
- c) **Microbiology Laboratory Waste**
This consists of laboratory cultures, stocks or specimens of microorganisms, live or attenuated vaccines, human or animal cell cultures used in research, and laboratory material that has come into contact with any of these.
- d) **Human Blood and Body Fluid Waste**
This consists of human fluid blood and blood products, items saturated or dripping with blood, body fluids contaminated with blood and body fluids removed for diagnosis during surgery, treatment or autopsy. This does not include urine or feces.
- e) **Waste Sharps**
Waste sharps are clinical and laboratory materials consisting of needles, syringes, blades or laboratory glass capable of causing punctures or cuts.

Biomedical waste does not include waste that is:

- from animal husbandry
- household in origin
- controlled in accordance with the *Health of Animals Act* (Canada), formerly the *Animal Disease Protection Act* (Canada), or
- generated in the food production, general building maintenance and office administration activities of those facilities to which this definition applies.

Appendix 4 – Definition of Hazardous Waste

Cooperative efforts by federal and provincial environment departments and members of industry have led to the development of the following working definition of hazardous waste:

Hazardous wastes are those wastes that are potentially hazardous to human health and/or the environment due to their nature and quantity, and that require special handling techniques.

In the *Transportation of Dangerous Goods (TDG) Regulations*, hazardous wastes are any dangerous goods that meet the definition of waste. For international shipments subject to the *Export and Import of Hazardous Wastes (EIHWS) Regulations*, hazardous wastes can include all wastes controlled by the *TDG Regulations* as well as those listed in the list of Hazardous Wastes Requiring Export or Import Notification in Schedule III of the *EIHWS Regulations*.

A new definition of waste was added to Part I of the *TDG Regulations* in 1989. This definition covers dangerous goods that are no longer used for their original purpose and that are recyclable materials or intended for treatment or disposal.

The following materials are excluded from the definition – household waste, explosives, radioactive waste (other than low-level) and wastes that are returned directly to the manufacturer or supplier for reprocessing, repackaging or resale.

Since it is a part of the definition of waste, the definition of recyclable material in Part I of the *TDG Regulations* is also important in determining if a given substance is a hazardous waste. This definition was amended to maintain compatibility with the *EIHWS Regulations*.

The following materials are considered hazardous wastes:

- all discarded **specified** dangerous goods listed in Schedule II, List II of the *TDG Regulations* that are wastes
- all **not fully specified** waste mixtures/solutions listed in Schedule II, List II, that have hazardous properties described by the criteria in Part III of the *TDG Regulations*
- all industrial waste streams listed in Schedule II, List II of the *TDG Regulations*, and
- all recycled material that is a waste dangerous good according to the *TDG Regulations*.

If, after reading the above, you have determined that your facility's waste is "hazardous waste", there is further classification to be done. "Hazardous Waste" can be classified further into two streams:

Specified Wastes are listed in Schedule II, List II of the *TDG Regulations*

<www.tc.gc.ca/actsregs/TDG/english/part-i.html> and Schedule III, Parts I - IV of the *EIHWS Regulations*
<www.ec.gc.ca/tmd/regs.htm>.

Characteristic Wastes' criteria are found in Part III of the *TDG Regulations*

<www.tc.gc.ca/actsregs/TDG/english/part-i.html>.

Appendix 5 – Examples of How to Estimate Releases

Examples of how to estimate releases of substances with alternate reporting thresholds are explained fully in Appendix 6.

Direct Measurement (Code M)

This estimation method is the most accurate. The example is based on measured concentrations of the substance in a waste stream and the volume/flow rate of that stream.

Example

An electroplating facility discharges its wastewater to a nearby body of water. The electroplater is required to monitor this discharge once a month for various parameters, including release of total chromium. What is the annual release of total chromium to the wastewater by this electroplater?

Step 1

Gather wastewater flow and concentration data from the monitoring results done in compliance with the municipal by-law for wastewater discharges. Analytical results for total chromium for the year are presented in the table below.

Step 2

Calculate the mass loading for those days on which a chromium analysis was performed. This is done by multiplying the daily flow by the measured chromium concentration.

CONCENTRATION OF CHROMIUM IN WASTEWATER

DAY	WASTEWATER FLOW (10 ⁶ L/d)	X	CHROMIUM CONCENTRATION (µg/L)	=	RELEASES (Kg/d)
Jan. 8	1.57		918		1.44
Feb. 12	1.49		700		1.04
Mar. 10	1.58		815		1.28
Apr. 15	1.66		683		1.13
May 9	1.38		787		1.09
June 13	1.29		840		1.08
July 11	1.73		865		1.50
Aug. 10	1.60		643		1.03
Sept. 8	1.75		958		1.68
Oct. 12	1.56		681		1.06
Nov. 10	1.80		680		1.22
Dec. 8	1.63		627		1.02
Average					1.22

Step 3

Calculate annual releases.

Based on an average daily release of 1.22 kg over the year and 250 days of discharge during the year, the yearly total chromium discharged to water is:

$$1.22 \text{ kg/d} \times 250 \text{ d/yr} = 305 \text{ kg/yr} = 0.305 \text{ tonnes/yr (or 0.31 tonnes/yr after rounding)}$$

Mass Balance Calculations (Code C)

A mass balance is an accounting of the quantity of a substance going in and out of an entire facility, process or piece of equipment. Releases can then be calculated as the difference between input and output. Accumulation or depletion of the substance in the equipment should be accounted for in the calculation.

Example

In the example presented earlier, the same electroplating facility operates a vapour degreaser.

Suppose that 14 tonnes of trichloroethylene are used as a degreasing agent. Spent solvent and sludge that accumulate on the bottom of the degreaser are collected in drums for shipment to an off-site solvent reclaimer. Thirteen drums of solvent were sent to the reclaimer during the past year.

A known volume of representative sample taken from the drums is weighed, allowed to evaporate, and reweighed. From this, it is determined that the density of the sludge is 1.03 kg/L and that the trichloroethylene concentration in the sludge shipped to the reclaimer is 30%.

Step 1

The entire 14 tonnes of solvent is released from the facility either as an air emission or as a transfer in the sludge. If the quantity of spent solvent shipped to the reclaimer is known, then the quantity transferred can be calculated based on the volume of sludge and the density of the sludge as shown below:

$$\begin{aligned} \text{Volume of trichloroethylene to reclaimer} \\ = 13 \text{ drums} \times 210 \text{ L/drum} = 2730 \text{ L} \end{aligned}$$

$$\begin{aligned} \text{Mass of trichloroethylene to reclaimer:} \\ = \text{volume of sludge} \times \text{density of sludge} \times \% \text{ trichloroethylene in sludge} \\ = 2730 \text{ L} \times 1.03 \text{ kg/L} \times 0.30 \\ = 844 \text{ kg} \\ = 0.84 \text{ tonnes} \end{aligned}$$

Step 2

The quantity of trichloroethylene emitted to air can then be calculated by mass balance by subtracting the quantity shipped in sludge to the reclaimer from the quantity purchased:

$$14 \text{ tonnes (purchased)} - 0.84 \text{ tonnes (to reclaimer)} = 13.16 \text{ tonnes (or 13 tonnes after rounding)}$$

Emission Factor (Code E)

An emission factor is based on average measured emissions from several similar processes. Emission factors usually express releases as a ratio of quantity released to process or equipment throughput.

Example

Suppose the electroplater previously mentioned has no information about the spent solvent and sludge accumulating on the bottom of the degreaser.

Step 1

In this case, the emission factor is found in a U.S. Environmental Protection Agency Publication entitled “Toxic Air Pollutant Emission Factors – A Compilation for Selected Air Toxic Compounds and Sources” (Bibliography no. 78). For an open-top vapour degreaser without emission control equipment using trichloroethylene (TCE), the emission factor is given as 0.93 tonne/tonne TCE used.

Step 2

Calculate the annual releases to air from the vapour degreaser as follows:

$$\begin{aligned} 14 \text{ tonnes} \times 0.93 \text{ tonne/tonne} &= 13 \text{ tonnes (after rounding)} \\ (\text{TCE used} \times \text{emission factor (TCE released/tonne used)}) &= \text{TCE released} \end{aligned}$$

When emission control devices are used, atmospheric releases are estimated by multiplying the “uncontrolled” emission by the quantity $(1 - C/100)$, where C is the control device efficiency.

Engineering Calculations (Code 0)


This estimation method is based on physical/chemical properties (e.g., vapour pressure) of the substance and mathematical relationships (e.g., ideal gas law).

Example

In this example, rinse water from a copper-plating unit is treated separately from other process wastewater. Sodium hydroxide is added to precipitate the copper (Cu) in the wastewater. The precipitate formed from this reaction is removed as sludge from the facility's central clarification unit. Purchasing and inventory records indicate that 0.9 tonnes of sodium hydroxide were used for precipitating copper last year. The quantity of copper precipitated represents the quantity of copper released from this source as solid waste.

Step 1

For each mole of copper (Cu) present in the rinse water, two moles of sodium hydroxide (NaOH) must be added to precipitate the copper according to the following reaction:



Scientific literature indicates that this reaction would be complete at a pH of 7.7. Sodium hydroxide is added until a pH of 8 is maintained in the reaction mixture to ensure complete precipitation. It is also known that:

Molecular Weight of Cu	= 63.5 tonnes/tonne-mole
Molecular Weight of NaOH	= 40 tonnes/tonne-mole

Step 2

Calculate the quantity of copper released in the wastewater treatment sludge, as follows:

- 2 NaOH react with 1 Cu
- 2 tonne-moles NaOH = 1 tonne-mole Cu
- $\frac{40 \text{ tonnes NaOH}}{\text{tonne-mole NaOH}} \times 2 \text{ tonne-moles NaOH} = 1 \text{ tonne-mole Cu} \times \frac{63.5 \text{ tonnes Cu}}{\text{tonne-mole Cu}}$
- 80 tonnes NaOH = 63.5 tonnes Cu
- $\frac{80 \text{ tonnes NaOH}}{0.9 \text{ tonne NaOH}} = \frac{63.5 \text{ tonnes Cu}}{A}$
- $A = \frac{0.9 \times 63.5 \text{ tonnes Cu}}{80}$
- A = 0.71 tonnes Cu

The estimation method is valid only if the NaOH reacts only with the Cu present in the wastewater.

Appendix 6 – Examples of Estimating Releases of Alternate-Threshold Substances

This appendix provides examples of various reporting scenarios for alternate-threshold substances. With the exception of wood-preservation processes, PAHs, dioxins/furans and HCB are typically by-products formed during certain manufacturing and combustion processes, and as such the quantities released as a result of incidental manufacture cannot be determined using engineering calculations or a mass balance. Instead, direct measurements or emission factors must be used. Environment Canada has prepared a database with emission factors for all alternate-threshold substances, called the *NPRI Emission Factor Database for Alternate-Threshold Substances* (see Appendix 11).

Example 1: Reporting for a Hospital Waste Incinerator Using Stack Testing Data

At this facility, 200 tonnes of biomedical waste were incinerated during the year, with a waste feed rate of 100 kg/hr. The facility has stack testing data for dioxins/furans. The measured stack gas concentration of dioxins/furans in air was 2.1 ng TEQ/m³. The stack flow rate was 1.2 m³/s. The facility produced 20 tonnes of incineration ash in the year and has measured an average dioxin/furan concentration of 1.52 mg TEQ/tonne of ash. The ash was shipped off site for disposal in a landfill.

Step 1. Determine if the facility must report to the NPRI for any alternate-threshold substances.

Reporting is required by facilities used for the “biomedical or hospital waste incineration of 100 tonnes or more of waste per year”, regardless of the number of hours worked by employees. This facility incinerated 200 tonnes of biomedical waste, so a report is required for any substance that met the reporting criterion.

Step 2. Determine which substances and information must be reported.

Dioxins/furans

1. Determine if the measured concentration of dioxin/furan releases to air (2.1 ng TEQ/m³) was greater than the LoQ of 32 pg TEQ/m³.

$$\begin{aligned} \text{Concentration} &= \left(\frac{2.1 \text{ ng TEQ}}{\text{m}^3} \right) \times \left(\frac{1000 \text{ pg}}{1 \text{ ng}} \right) \\ &= 2100 \text{ pg TEQ/m}^3 \end{aligned}$$

This facility is required to report releases of dioxins/furans to air since the measured concentration of 2100 pg TEQ/m³ was greater than the LoQ of 32 pg TEQ/m³.

Calculate the hours of operation.

$$\begin{aligned} \text{Hours of operation} &= \left(\frac{200 \text{ tonnes waste}}{\text{yr}} \right) \times \left(\frac{\text{hr}}{100 \text{ kg waste}} \right) \times \left(\frac{1000 \text{ kg}}{\text{tonne}} \right) \\ &= 2000 \text{ hours/yr} \end{aligned}$$

Calculate the quantity of dioxins/furans released to the air.

Q = quantity of dioxins/furans released to air

Q = (measured concentration) × (flow rate) × (hours of operation/yr)

$$\begin{aligned} &= \left(\frac{2100 \text{ pg TEQ}}{\text{m}^3} \right) \times \left(\frac{1.2 \text{ m}^3}{\text{s}} \right) \times \left(\frac{2000 \text{ hr}}{\text{yr}} \right) \times \left(\frac{3600 \text{ s}}{\text{hr}} \right) \times \left(\frac{1 \text{ g}}{10^{12} \text{ pg}} \right) \\ &= 0.01814 \text{ g TEQ/yr} \end{aligned}$$

The substance report for dioxin/furan releases to air would indicate: *Basis of Estimate Code* - Monitoring or direct measurement (Code M); *Detail Code* - At or above LoQ (Code AL); *Quantity* - 0.018 g TEQ. The quantity is rounded to the nearest thousandth (i.e., 0.018 g TEQ), since the smallest unit that the NPRI reporting software will accept for dioxins/furans is 0.001 g TEQ.

- Determine if the measured concentration of dioxins/furans in the incineration ash (1.52 mg TEQ/tonne ash) was greater than the LoQ of 22 pg TEQ/g ash.

$$\begin{aligned} \text{Concentration} &= \left(\frac{1.52 \text{ mg TEQ}}{\text{tonne ash}} \right) \times \left(\frac{1 \text{ g}}{1000 \text{ mg}} \right) \times \left(\frac{10^{12} \text{ pg}}{\text{g}} \right) \times \left(\frac{1 \text{ tonne}}{10^6 \text{ g}} \right) \\ &= 1520 \text{ pg TEQ/g ash} \end{aligned}$$

The measured concentration of 1520 pg TEQ/g ash was greater than the LoQ for dioxins/furans in ash of 22 pg TEQ/g ash, therefore the quantity of dioxins/furans in ash transferred off site for disposal must be reported.

- Calculate the quantity of dioxins/furans contained in the incineration ash that was transferred off site for disposal.

$$\begin{aligned} \text{Quantity of dioxins/furans transferred off site} &= (\text{ash produced}) \times (\text{concentration of dioxins/furans in ash}) \\ &= \left(\frac{20 \text{ tonnes of ash}}{\text{yr}} \right) \times \left(\frac{1.52 \text{ mg TEQ}}{\text{tonnes of ash}} \right) \times \left(\frac{1 \text{ g}}{1000 \text{ mg}} \right) \\ &= 0.0304 \text{ g TEQ/yr} \end{aligned}$$

The substance report for dioxin/furan transfers off site would indicate: *Basis of Estimate Code* - Monitoring or direct measurement (Code M); *Detail Code* - At or above LoQ (Code AL); *Quantity* - 0.030 g TEQ. The quantity is rounded to the nearest thousandth (i.e., 0.030 g TEQ), since the smallest unit that the NPRI reporting software will accept for dioxins/furans is 0.001 g TEQ.

- Based on process operations, it is known that there were no on-site releases of dioxins/furans to land, water or underground injection resulting from the incineration process. The substance report for dioxin/furan releases to land, water and underground injection would indicate: *Basis of Estimate Code* - Not applicable (Code NA); *Detail Code* - not applicable; *Quantity* - not applicable.

HCB

- There were no direct measurements performed for HCB at this facility. Use the emission factors provided in the *NPRI Emission Factor Database for Alternate-Threshold Substances* (Environment Canada) to estimate the HCB releases to air.

$$\begin{aligned} \text{Quantity released to air} &= \left(\frac{0.857 \text{ g HCB}}{\text{tonne of waste incinerated}} \right) \times \left(\frac{200 \text{ tonnes waste incinerated}}{\text{yr}} \right) \\ &= 171.4 \text{ g HCB} \end{aligned}$$

The substance report for HCB releases to air would indicate: *Basis of Estimate Code* - Emission factors (Code E); *Detail Code* - not applicable; *Quantity* - 171.4 g.

- There was no information available on the concentration of HCB in incineration ash transferred off site for disposal. The substance report for HCB transferred off site for disposal would indicate: *Basis of Estimate Code* - No information available (Code NI); *Detail Code* - not applicable; *Quantity* - not applicable.

3. Based on unit operations, it is known that there were no on-site releases of HCB to land, water or underground injection resulting from the incineration process. The substance report for HCB releases to land, water and underground injection would indicate: *Basis of Estimate Code* - Not applicable (Code NA); *Detail Code* - not applicable; *Quantity* - not applicable.

Example 2: Reporting for a Cement Kiln

A facility operated a cement kiln and employed 25 full-time employees. Process throughput amounted to 2 500 000 tonnes of clinker produced during the year. The facility incidentally processed and released 9.4 kg of mercury to air from trace mercury contamination in the limestone processed in the kiln and from fossil fuels combusted. The concentration of dioxins/furans released to air was measured at 0.051 ng TEQ/m³, and the total quantity of dioxins/furans released to air from the stack was calculated to be 0.025 g TEQ. The average concentration of HCB released to air over the year was measured at 30.0 ng/m³, and the total quantity of HCB released to air from the stack was calculated to be 9 g.

Step 1. Determine if the facility must report to the NPRI for any alternate-threshold substances.

The facility met the 20 000-hour employee threshold and, as such, is required to report to the NPRI for substances which met the NPRI reporting criteria.

Step 2. Determine which substances and information must be reported.

Mercury (and its compounds)

The facility incidentally processed and released 9.4 kg of mercury to air. This quantity exceeded the 5-kg manufacture, process or other-use threshold for mercury, so the facility must report for mercury (and its compounds).

PAHs

- Determine if the facility met the NPRI reporting criteria for PAHs. PAHs are reported if the facility incidentally manufactured these substances and the quantity of the PAHs released on site or transferred off site totalled 50 kg or more.
- In this example, the facility uses the emission factors provided in the *Emission Factor Database for Alternate-Threshold Substances* (Environment Canada), to calculate the quantities of the *individual* PAHs that were incidentally manufactured and released or transferred. The quantity of each individual PAH released is added to determine whether the total of the PAHs listed in Schedule 1, Part 3, of the 2000 *Canada Gazette* notice met or exceeded the 50-kg threshold for total PAHs incidentally manufactured and released or transferred. For a throughput of 2 500 000 tonnes of clinker, the following quantities of individual PAHs are released to air.

INDIVIDUAL PAHs IN SCHEDULE 1, PART 3, FOR WHICH THERE IS AN EMISSION FACTOR	EMISSION FACTOR (mg PAHs/tonne CLINKER PRODUCED)	QUANTITY	
		(mg)	(kg)
Fluoranthene	2.42	6 050 000	6.05
Phenanthrene	16.9	42 250 000	42.25
Pyrene	1.46	3 650 000	3.65
		Total	51.95 kg

The quantity of the individual PAHs resulting from incidental manufacture totalled more than 50 kg, so the facility has met the reporting threshold for PAHs, and must report these substances.

- The facility must submit a substance report to the NPRI for *each* of the three PAH substances for which there are data. The substance reports and quantity reported for on-site releases to air are: 6.05 kg of fluoranthene, 42.25 kg of phenanthrene and 3.65 kg of pyrene. No report is required for the individual PAHs for which there are no emission factors (i.e., benzo(a)anthracene, benzo(a)phenanthrene, etc.). The releases are not reported under the listing "PAHs, total Schedule 1, Part 3" because the facility has information for some of the individual PAHs listed in Schedule 1, Part 3.

- There were no releases to water, land or underground injection of any incidentally manufactured PAHs, so the facility reports no releases to these media.
- There is no knowledge of the quantity of incidentally manufactured PAHs in the residue from the pollution control devices (e.g., electrostatic precipitator), so the facility reports no transfers of the three PAHs.

Note: “PAHs, total Schedule 1, Part 3” may only be reported if no information is available for the individual PAH substances listed in Schedule 1, Part 3. Such would be the case if the only emission factor available is for a group of PAH substances or if a monitoring or direct measurement only determined the quantity of a group of PAHs without any data for the individual PAH substances.

Dioxins/furans

- A direct measurement was used to determine the quantity of dioxins/furans released to air. Compare the measured concentration value to the LoQ for air. The LoQ for releases to air is 32 pg TEQ/m³.

$$\begin{aligned} \text{Concentration measured} &= \left(\frac{0.051 \text{ ng TEQ dioxins/furans}}{\text{m}^3 \text{ air}} \right) \times \left(\frac{10^3 \text{ pg}}{\text{ng}} \right) \\ &= 51.0 \text{ pg TEQ/m}^3 \end{aligned}$$

The concentration of 51 pg TEQ/m³ was above the LoQ for dioxins/furans for air of 32 pg TEQ/m³, therefore the facility *is* required to report the quantity of dioxins/furans released. The substance report for dioxins/furans released to air would indicate: *Basis of Estimate Code* - Monitoring or direct measurement (Code M); *Detail Code* - At or above LoQ (Code AL); *Quantity* - 0.025 g TEQ.

- There were no releases of dioxins/furans to water, land or underground injection, nor any transfers off site for disposal. The substance report for dioxin/furan releases to land, water and underground injection would indicate: *Basis of Estimate Code* - Not applicable (Code NA); *Detail Code* - not applicable; *Quantity* - not applicable.

HCB

- Direct measurement was used to determine releases to air. Compare the measured concentration value to the LoQ for air. The measured concentration of 30 ng/m³ was larger than the LoQ for HCB for air of 6 ng/m³, so the facility is required to report the quantity released. The substance report for HCB released to air would indicate: *Basis of Estimate Code* - Monitoring or direct measurement (Code M); *Detail Code* - At or above LoQ (Code AL); *Quantity* - 9 g.
- There were no on-site releases of HCB to water, land or underground injection, nor any transfers off site, so the facility reports no releases to these media or transfers. The substance report for HCB releases to land, water and underground injection would indicate: *Basis of Estimate Code* - Not applicable (Code NA); *Detail Code* - not applicable; *Quantity* - not applicable.

Example 3: Using the Manufacture, Process or Other-Use Threshold for Reporting Mercury (and its compounds)

The following example illustrates the calculation of the 5-kg manufacture, process or other-use reporting threshold applicable to mercury (and its compounds). This facility used several processes in which mercury (and its compounds) were manufactured, processed or otherwise used. There is no 1% concentration exemption for mercury (and its compounds). Mercury (and its compounds), at any concentration, must be considered when calculating the reporting threshold and subsequently when reporting.

The facility met the 20 000-hour employee threshold and the processes used were:

- In the first process, mercury was present in a mixture at a 1% concentration.*
- The facility received a raw material which contained 0.005% mercury, which was processed in stream 2.*
- In process stream 3, mercury was present at a concentration of 0.01%.*

MATERIAL CONTAINING MERCURY	TOTAL WEIGHT OF MATERIAL CONTAINING MERCURY (tonnes)	CONCENTRATION OF MERCURY IN THE MATERIAL	NET WEIGHT OF MERCURY (tonnes)
Process stream 1	1	1.0%	0.01
Process stream 2 (raw material)	50	0.005%	0.0025
Process stream 3	20	0.01%	0.02
		Total weight of mercury	0.0325 tonnes (32.5 kg)

In this example, the facility would be required to submit a report to the NPRI for mercury (and its compounds) because the total quantity manufactured, processed or otherwise used at the facility exceeded the 5-kg reporting threshold. The facility must report the quantity released on site and transferred off site.

Appendix 7 – Four-digit North American Industry Classification System (NAICS) Codes

11	Agriculture, Forestry, Fishing & Hunting	2325	Building Equipment Installation
111	Crop Production	2329	Other Special Trade Contracting
1111	Oilseed & Grain Farming		
1112	Vegetable & Melon Farming	31-33	Manufacturing
1113	Fruit & Tree Nut Farming	311	Food Mfg.
1114	Greenhouse, Nursery & Floriculture Production	3111	Animal Food Mfg.
1119	Other Crop Farming	3112	Grain & Oilseed Milling
112	Animal Production	3113	Sugar & Confectionery Product Mfg.
1121	Cattle Ranching & Farming	3114	Fruit & Veg. Preserving & Specialty Food Mfg.
1122	Hog & Pig Farming	3115	Dairy Product Mfg.
1123	Poultry & Egg Production	3116	Meat Product Mfg.
1124	Sheep & Goat Farming	3117	Seafood Product Preparation & Packaging
1125	Animal Aquaculture	3118	Bakeries & Tortilla Mfg.
1129	Other Animal Production	3119	Other Food Mfg.
113	Forestry & Logging	312	Beverage & Tobacco Product Mfg.
1131	Timber Tract Operations	3121	Beverage Mfg.
1132	Forest Nurseries & Gathering Forest Products	3122	Tobacco Mfg.
1133	Logging	313	Textile Mills
114	Fishing, Hunting & Trapping	3131	Fibre, Yarn & Thread Mills
1141	Fishing	3132	Fabric Mills
1142	Hunting & Trapping	3133	Textile & Fabric Finishing & Fabric Coating
115	Support Activities for Agriculture & Forestry	314	Textile Product Mills
1151	Support Activities for Crop Production	3141	Textile Furnishings Mills
1152	Support Activities for Animal Production	3149	Other Textile Product Mills
1153	Support Activities for Forestry	315	Clothing Mfg.
21	Mining & Oil & Gas Extraction	3151	Clothing Knitting Mills
211	Oil & Gas Extraction	3152	Cut & Sew Clothing Mfg.
2111	Oil & Gas Extraction	3159	Clothing Accessories & Other Clothing Mfg.
212	Mining (exc. Oil & Gas)	316	Leather & Allied Product Mfg.
2121	Coal Mining	3161	Leather & Hide Tanning & Finishing
2122	Metal Ore Mining	3162	Footwear Mfg.
2123	Non-Metallic Mineral Mining & Quarrying	3169	Other Leather & Allied Product Mfg.
213	Support Act.- Mining & Oil & Gas Extraction	321	Wood Product Mfg.
2131	Support Act.- Mining & Oil & Gas Extraction	3211	Sawmills & Wood Preservation
		3212	Veneer, Plywood & Eng'rd Wood Product Mfg.
		3219	Other Wood Product Mfg.
22	Utilities	322	Paper Mfg.
221	Utilities	3221	Pulp, Paper & Paperboard Mills
2211	Electricity Generation, Transmission & Dist.	3222	Converted Paper Product Mfg.
2212	Natural Gas Distribution	323	Printing & Related Support Activities
2213	Water, Sewage & Other Systems	3231	Printing & Related Support Activities
		324	Petroleum & Coal Products Mfg.
23	Construction	3241	Petroleum & Coal Products Mfg.
231	Prime Contracting	325	Chemical Mfg.
2311	Land Subdivision & Land Development	3251	Basic Chemical Mfg.
2312	Building Construction	3252	Resin, Synth. Rubber, & Fibre & Filament Mfg.
2313	Engineering Construction	3253	Pesticide, Fertilizer & Other Agr. Chem. Mfg.
2314	Construction Management	3254	Pharmaceutical & Medicine Mfg.
232	Trade Contracting	3255	Paint, Coating & Adhesive Mfg.
2321	Site Preparation Work	3256	Soap, Cleaning Compound & Toilet Prep. Mfg.
2322	Building Structure Work	3259	Other Chemical Product Mfg.
2323	Building Exterior Finishing Work	326	Plastics & Rubber Products Mfg.
2324	Building Interior Finishing Work	3261	Plastic Product Mfg.

3262	Rubber Product Mfg.	41	Wholesale Trade
327	Non-Metallic Mineral Product Mfg.	411	Farm Product Whl.
3271	Clay Product & Refractory Mfg.	4111	Farm Product Whl.
3272	Glass & Glass Product Mfg.	412	Petroleum Product Whl.
3273	Cement & Concrete Product Mfg.	4121	Petroleum Product Whl.
3274	Lime & Gypsum Product Mfg.	413	Food, Beverage & Tobacco Whl.
3279	Other Non-Metallic Mineral Product Mfg.	4131	Food Whl.
331	Primary Metal Mfg.	4132	Beverage Whl.
3311	Iron & Steel Mills & Ferro-Alloy Mfg.	4133	Cigarette & Tobacco Product Whl.
3312	Steel Product Mfg. from Purchased Steel	414	Personal & Household Goods Whl.
3313	Alumina & Aluminum Production & Processing	4141	Textile, Clothing & Footwear Whl.
3314	Non-Ferrous (exc. Al) Production & Processing	4142	Home Ent. Equip & Hhld. Appliance Whl.
3315	Foundries	4143	Home Furnishings Whl.
332	Fabricated Metal Product Mfg.	4144	Personal Goods Whl.
3321	Forging & Stamping	4145	Pharmaceuticals, Toiletries & Related Whl.
3322	Cutlery & Hand Tool Mfg.	415	Motor Vehicle & Parts Whl.
3323	Architectural & Structural Metals Mfg.	4151	Motor Vehicle Whl.
3324	Boiler, Tank & Shipping Container Mfg.	4152	New Motor Vehicle Parts & Accessories Whl.
3325	Hardware Mfg.	4153	Used Motor Vehicle Parts & Accessories Whl.
3326	Spring & Wire Product Mfg.	416	Building Material & Supplies Whl.
3327	Machine Shops, Turned Product & Related Mfg.	4161	Electrical, Plumbing, Heating & AC Equip. Whl
3328	Coating, Engraving & Heat Treating Activities	4162	Metal Service Centres
3329	Other Fabricated Metal Product Mfg.	4163	Lumber & Other Building Supplies Whl.
333	Machinery Mfg.	417	Machinery, Equipment & Supplies Whl.
3331	Agr., Construction & Mining Machinery Mfg.	4171	Farm, Lawn & Garden Machinery & Equip. Whl.
3332	Industrial Machinery Mfg.	4172	Construction, Forestry & Ind'l Machinery Whl.
3333	Commercial & Service Industry Machinery Mfg.	4173	Computer & Communications Equipment Whl.
3334	Ventilation, Heating, AC & Refrig. Equip. Mfg	4179	Other Machinery, Equipment & Supplies Whl.
3335	Metalworking Machinery Mfg.	418	Miscellaneous Wholesaler-Distributors
3336	Engine, Turbine & Power Transmission Mfg.	4181	Recyclable Material Whl.
3339	Other General-Purpose Machinery Mfg.	4182	Paper & Disposable Plastic Product Whl.
334	Computer & Electronic Product Mfg.	4183	Agricultural Supplies Whl.
3341	Computer & Peripheral Equipment Mfg.	4184	Chemical (exc. Agr.) & Allied Product Whl.
3342	Communications Equipment Mfg.	4189	Other Misc. Whl.
3343	Audio & Video Equipment Mfg.	419	Wholesale Agents & Brokers
3344	Semiconductor & Electronic Component Mfg.	4191	Wholesale Agents & Brokers
3345	Instruments Mfg.		
3346	Mfg. & Reproducing Magnetic & Optical Media	44-45	Retail Trade
335	Electric Equip., Appliance & Component Mfg.	441	Motor Vehicle and Parts Dealers
3351	Electric Lighting Equipment Mfg.	4411	Automobile Dealers
3352	Household Appliance Mfg.	4412	Other Motor Vehicle Dealers
3353	Electrical Equipment Mfg.	4413	Automotive Parts, Accessories & Tire Stores
3359	Other Electrical Equipment & Component Mfg.	442	Furniture & Home Furnishings Stores
336	Transportation Equipment Mfg.	4421	Furniture Stores
3361	Motor Vehicle Mfg.	4422	Home Furnishings Stores
3362	Motor Vehicle Body & Trailer Mfg.	443	Electronics & Appliance Stores
3363	Motor Vehicle Parts Mfg.	4431	Electronics & Appliance Stores
3364	Aerospace Product & Parts Mfg.	444	Building Material & Garden Equipment Dealers
3365	Railroad Rolling Stock Mfg.	4441	Building Material & Supplies Dealers
3366	Ship & Boat Building	4442	Lawn & Garden Equipment & Supplies Stores
3369	Other Transportation Equipment Mfg.	445	Food & Beverage Stores
337	Furniture & Related Product Mfg.	4451	Grocery Stores
3371	Household & Inst. Furniture & Cabinet Mfg.	4452	Specialty Food Stores
3372	Office Furniture (including Fixtures) Mfg.	4453	Beer, Wine & Liquor Stores
3379	Other Furniture-Related Product Mfg.	446	Health & Personal Care Stores
339	Miscellaneous Mfg.	4461	Health & Personal Care Stores
3391	Medical Equipment & Supplies Mfg.	447	Gasoline Stations
3399	Other Miscellaneous Mfg.	4471	Gasoline Stations
		448	Clothing & Clothing Accessories Stores
		4481	Clothing Stores
		4482	Shoe Stores

4483	Jewellery, Luggage & Leather Goods Stores	51	Information & Cultural Industries
451	Sporting Goods, Hobby, Book & Music Stores	511	Publishing Industries
4511	Sport, Hobby & Musical Instrument Stores	5111	Newspaper, Periodical, Book & DB Publishers
4512	Book, Periodical & Music Stores	5112	Software Publishers
452	General Merchandise Stores	512	Motion Picture & Sound Recording Industries
4521	Department Stores	5121	Motion Picture & Video Industries
4529	Other General Merchandise Stores	5122	Sound Recording Industries
453	Misc. Store Retailers	513	Broadcasting & Telecommunications
4531	Florists	5131	Radio & Television Broadcasting
4532	Office Supply, Stationery & Gift Stores	5132	Pay TV, Specialty TV & Program Distribution
4533	Used Merchandise Stores	5133	Telecommunications
4539	Other Misc. Store Retailers	514	Information & Data Processing Services
454	Non-Store Retailers	5141	Information Services
4541	Electronic Shopping & Mail-Order Houses	5142	Data Processing Services
4542	Vending Machine Operators		
4543	Direct Selling Establishments	52	Finance & Insurance
		521	Monetary Authorities - Central Bank
48-49	Transportation & Warehousing	5211	Monetary Authorities - Central Bank
481	Air Transportation	522	Credit Intermediation & Related Activities
4811	Scheduled Air Transportation	5221	Depository Credit Intermediation
4812	Non-Scheduled Air Transportation	5222	Non-Depository Credit Intermediation
482	Rail Transportation	5223	Activities Related to Credit Intermediation
4821	Rail Transportation	523	Securities, Commodity Contracts & Related
483	Water Transportation	5231	Securities & Commodity Contracts Intermed.
4831	Deep Water Transportation	5232	Securities & Commodity Exchanges
4832	Inland Water Transportation	5239	Other Financial Investment Activities
484	Truck Transportation	524	Insurance Carriers & Related Activities
4841	General Freight Trucking	5241	Insurance Carriers
4842	Specialized Freight Trucking	5242	Agencies, Brokerages & Other Insurance Act.
485	Transit & Ground Passenger Transportation	526	Funds and Other Financial Vehicles
4851	Urban Transit Systems	5261	Pension Funds
4852	Interurban & Rural Bus Transportation	5269	Other Funds and Financial Vehicles
4853	Taxi & Limousine Service		
4854	School & Employee Bus Transportation	53	Real Estate & Rental & Leasing
4855	Charter Bus Industry	531	Real Estate
4859	Other Transit & Ground Passenger Transport	5311	Lessors of Real Estate
486	Pipeline Transportation	5312	Offices of Real Estate Agents & Brokers
4861	Pipeline Transportation of Crude Oil	5313	Activities Related to Real Estate
4862	Pipeline Transportation of Natural Gas	532	Rental & Leasing Services
4869	Other Pipeline Transportation	5321	Automotive Equipment Rental & Leasing
487	Scenic & Sightseeing Transportation	5322	Consumer Goods Rental
4871	Scenic & Sightseeing Transportation, Land	5323	General Rental Centres
4872	Scenic & Sightseeing Transportation, Water	5324	Commercial & Ind'l Machinery Rental & Leasing
4879	Scenic & Sightseeing Transportation, Other	533	Lessors of Non-Financial Intangible Assets
488	Support Activities for Transportation	5331	Lessors of Non-Financial Intangible Assets
4881	Support Activities for Air Transportation		
4882	Support Activities for Rail Transportation	54	Professional, Scientific & Technical Services
4883	Support Activities for Water Transportation	541	Professional, Scientific & Technical Services
4884	Support Activities for Road Transportation	5411	Legal Services
4885	Freight Transportation Arrangement	5412	Accounting, Tax Prep. & Bookkeeping Services
4889	Other Support Activities for Transportation	5413	Architectural, Engineering & Related Services
491	Postal Service	5414	Specialized Design Services
4911	Postal Service	5415	Computer Systems Design & Related Services
492	Couriers & Messengers	5416	Mgmt., Scientific & Technical Consulting Serv.
4921	Couriers	5417	Scientific R&D Services
4922	Local Messengers & Local Delivery	5418	Advertising & Related Services
493	Warehousing & Storage	5419	Other Prof., Scientific & Technical Services
4931	Warehousing & Storage		

55	Management of Companies & Enterprises	7114	Agents & Managers for Public Figures
551	Management of Companies & Enterprises	7115	Independent Artists, Writers & Performers
5511	Management of Companies & Enterprises	712	Heritage Institutions
		7121	Heritage Institutions
56	Admin., Support, Waste Mgmt & Remed. Services	713	Amusement, Gambling & Recreation Industries
561	Administrative & Support Services	7131	Amusement Parks & Arcades
5611	Office Administrative Services	7132	Gambling Industries
5612	Facilities Support Services	7139	Other Amusement & Recreation Industries
5613	Employment Services		
5614	Business Support Services	72	Accommodation & Food Services
5615	Travel Arrangement & Reservation Services	721	Accommodation Services
5616	Investigation & Security Services	7211	Traveller Accommodation
5617	Services to Buildings & Dwellings	7212	RV Parks & Recreational Camps
5619	Other Support Services	7213	Rooming & Boarding Houses
562	Waste Management & Remediation Services	722	Food Services & Drinking Places
5621	Waste Collection	7221	Full-Service Restaurants
5622	Waste Treatment & Disposal	7222	Limited-Service Eating Places
5629	Remediation & Other Waste Mgmt. Services	7223	Special Food Services
		7224	Drinking Places (Alcoholic Beverages)
61	Educational Services	81	Other Services (exc. Public Administration)
611	Educational Services	811	Repair and Maintenance
6111	Elementary & Secondary Schools	8111	Automotive R&M
6112	Community Colleges & C.E.G.E.P.s	8112	Electronic & Precision Equipment R&M
6113	Universities	8113	Commercial & Ind'l Mach. & Equip. R&M
6114	Business Schools & Computer & Mgmt. Training	8114	Personal & Household Goods R&M
6115	Technical & Trade Schools	812	Personal & Laundry Services
6116	Other Schools & Instruction	8121	Personal Care Services
6117	Educational Support Services	8122	Funeral Services
		8123	Dry Cleaning and Laundry Services
62	Health Care & Social Assistance	8129	Other Personal Services
621	Ambulatory Health Care Services	813	Religious, Grant-Making, Civic & Similar Orgs.
6211	Offices of Physicians	8131	Religious Organizations
6212	Offices of Dentists	8132	Grant-Making & Giving Services
6213	Offices of Other Health Practitioners	8133	Social Advocacy Organizations
6214	Out-Patient Care Centres	8134	Civic & Social Organizations
6215	Medical & Diagnostic Laboratories	8139	Business, Prof., Labour & Other Member. Orgs.
6216	Home Health Care Services	814	Private Households
6219	Other Ambulatory Health Care Services	8141	Private Households
622	Hospitals		
6221	General Medical & Surgical Hospitals	91	Public Administration
6222	Psychiatric & Substance Abuse Hospitals	911	Federal Government Public Administration
6223	Specialty (exc. Psych., etc.) Hospitals	9111	Defence Services
623	Nursing & Residential Care Facilities	9112	Federal Protective Services
6231	Nursing Care Facilities	9113	Federal Labour, Employment & Immigration Serv.
6232	Res. Developmental Handicap, etc., Facilities	9114	Foreign Affairs & International Assistance
6233	Community Care Facilities for the Elderly	9119	Other Fed. Government Public Administration
6239	Other Residential Care Facilities	912	Prov. & Territorial Public Administration
624	Social Assistance	9121	Provincial Protective Services
6241	Individual & Family Services	9122	Provincial Labour & Employment Services
6242	Community Food & Housing & Emerg., etc. Serv.	9129	Other Prov. & Terr. Public Administration
6243	Vocational Rehabilitation Services	913	Municipal Public Administration
6244	Child Day-Care Services	9131	Municipal Protective Services
		9139	Other Municipal Public Administration
71	Arts, Entertainment & Recreation	914	Aboriginal Public Administration
711	Performing Arts, Spectator Sports & Related	9141	Aboriginal Public Administration
7111	Performing Arts Companies	919	Extra-Territorial Public Administration
7112	Spectator Sports	9191	Extra-Territorial Public Administration
7113	Promoters of Performing Arts, Sports, etc.		

Appendix 8 – Two-digit 1980 Canadian Standard Industrial Classification (SIC) Codes

01	Agricultural Industries	50	Farm Products Industries, Wholesale
02	Service Industries Incidental to Agriculture	51	Petroleum Products Industries, Wholesale
03	Fishing and Trapping Industries	52	Food, Beverage, Drug and Tobacco Industries, Wholesale
04	Logging Industry	53	Apparel and Dry Goods Industries, Wholesale
05	Forest Services Industry	54	Household Goods Industries, Wholesale
06	Mining Industries	55	Motor Vehicle, Parts and Accessories Industries, Wholesale
07	Crude Petroleum and Natural Gas Industries	56	Metals, Hardware, Plumbing, Heating and Building Materials Industries, Wholesale
08	Quarry and Sand Pit Industries	57	Machinery, Equipment and Supplies, Wholesale
09	Service Industries Incidental to Mineral Extraction	59	Other Products and Industries, Wholesale
10	Food Industries	60	Food, Beverage and Drug Industries, Retail
11	Beverage Industries	61	Shoe, Apparel, Fabric and Yarn Industries, Retail
12	Tobacco Products Industries	62	Household Furniture, Appliances and Furnishings Industries, Retail
15	Rubber Products Industries	63	Automotive Vehicles, Parts and Accessories, Sales and Service
16	Plastic Products Industries	64	General Retail Merchandising Industries
17	Leather and Allied Products Industries	65	Other Retail Store Industries
18	Primary Textile Industries	69	Non-store Retail Industries
19	Textile Products Industries	70	Deposit-accepting Intermediary Industries
24	Clothing Industries	71	Consumer and Business Financing Intermediary Industries
25	Wood Industries	72	Investment Intermediary Industries
26	Furniture and Fixture Industries	73	Insurance Industries
27	Paper and Allied Products Industries	74	Other Financial Intermediary Industries
28	Printing, Publishing and Allied Industries	75	Real Estate Operating Industries (except Developers)
29	Primary Metal Industries	76	Insurance and Real Estate Agent Industries
30	Fabricated Metal Products Industries (except Machinery and Transportation Equipment Industries)	77	Business Service Industries
31	Machinery Industries (except Electrical Machinery)	81	Federal Government Service Industries
32	Transportation Equipment Industries	82	Provincial and Territorial Government Service Industries
33	Electrical and Electronic Products Industries	83	Local Government Service Industries
35	Non-metallic Mineral Products Industries	84	International and Extra-territorial Government Service Industries
36	Refined Petroleum and Coal Products Industries	85	Educational Service Industries
37	Chemical and Chemical Products Industries	86	Health and Social Service Industries
39	Other Manufacturing Industries	91	Accommodation Service Industries
40	Building Developing and General Contracting Industries	92	Food and Beverage Industries
41	Industrial and Heavy (Engineering) Construction Industries	96	Amusement and Recreational Service Industries
42	Trade Contracting Industries	97	Personal and Household Service Industries
44	Service Industries Incidental to Construction	98	Membership Organization Industries
45	Transportation Industries	99	Other Service Industries
46	Pipeline Transport Industries		
47	Storage and Warehousing Industries		
48	Communication Industries		
49	Other Utility Industries		

Appendix 9 – Two-digit 1987 U.S. Standard Industrial Classification (SIC) Codes

01	Agricultural Production Crops	49	Electric, Gas, and Sanitary Services
02	Agricultural Production Livestock	50	Wholesale Trade Durable Goods
07	Agricultural Services	51	Wholesale Trade Non-durable Goods
08	Forestry	52	Building Materials and Garden Supplies
09	Fishing, Hunting and Trapping	53	General Merchandise Stores
10	Metal Mining	54	Food Stores
12	Coal Mining	55	Automotive Dealers and Service Stations
13	Oil and Gas Extraction	56	Apparel and Accessory Stores
14	Non-metallic Minerals, except Fuels	57	Furniture and Home Furnishings Stores
15	General Building Contractors	58	Eating and Drinking Places
16	Heavy Construction, except Building	59	Miscellaneous Retail
17	Special Trade Contractors	60	Depository Institutions
20	Food and Kindred Products	61	Non-depository Institutions
21	Tobacco Products	62	Security and Commodity Brokers
22	Textile Mill Products	63	Insurance Carriers
23	Apparel and Other Textile Products	64	Insurance Agents, Brokers, and Service
24	Lumber and Wood Products	65	Real Estate
25	Furniture and Fixtures	67	Holding and Other Investment Offices
26	Paper and Allied Products	70	Hotels and Other Lodging Places
27	Printing and Publishing	72	Personal Services
28	Chemicals and Allied Products	73	Business Services
29	Petroleum and Coal Products	75	Auto Repair, Services and Parking
30	Rubber and Miscellaneous Plastics Products	76	Miscellaneous Repair Services
31	Leather and Leather Products	78	Motion Pictures
32	Stone, Clay, and Glass Products	79	Amusement and Recreation Services
33	Primary Metal Industries	80	Health Services
34	Fabricated Metal Products	81	Legal Services
35	Industrial Machinery and Equipment	82	Educational Services
36	Electronic and Other Electric Equipment	83	Social Services
37	Transportation Equipment	84	Museums, Botanical, Zoological Gardens
38	Instruments and Related Products	86	Membership Organizations
39	Miscellaneous Manufacturing Industries	87	Engineering and Management Services
40	Railroad Transportation	88	Private Households
41	Local and Interurban Passenger Transit	89	Services, n.e.c.
42	Trucking and Warehousing	91	Executive, Legislative and General
43	U.S. Postal Service	92	Justice, Public Order and Safety
44	Water Transportation	93	Finance, Taxation and Monetary Policy
45	Transportation by Air	94	Administration of Human Resources
46	Pipelines, except Natural Gas	95	Environmental Quality and Housing
47	Transportation Services	96	Administration of Economic Programs
48	Communications	97	National Security and International Affairs

Appendix 10 – Reported Mercury Content of Various Products and Materials

The following table provides information on the mercury content of various products and materials. The table serves as a quick reference for sources of mercury. However, where possible, facilities should confirm with their suppliers the quantity of mercury contained in various products or materials. If only a range of concentrations is available for a substance present in a mixture, use the average of the range for threshold determinations. If no other information is available, use the information provided in this table to estimate the mercury content of the product or material. An item retains its article status if it is a manufactured item that does not release mercury under normal conditions of processing or other use. References are cited beneath this table.

PRODUCT/MATERIAL TYPE	MERCURY CONTENT			COMMENTS	REFERENCE
	MEAN	RANGE	UNITS		
Chemical/Preservative Materials					
Catalyst	-	-	-	Unknown current use of mercuric chloride catalyst for producing vinyl chloride monomer and phenyl-mercuric compound catalysts for producing polyurethane foams. Methyl mercury hydroxide has been used as an epoxidation catalyst and ethyl mercury chloride used as a polymerization catalyst.	U.S. EPA 1994, U.S. EPA 1997, U.S. NTP 2000
Caustic Soda Solution (50%)	< 0.25 ppm			Mercury is present as an impurity in a concentration of less than 0.25 ppm in the caustic soda solution (50%). In the chlorine-alkali process for industrial fabrication of caustic soda and gaseous chlorine, mercury is used in direct contact with the solution as a cathode, which explains the presence of mercury as an impurity in the caustic soda.	Environment Canada, personal communication
Explosive Detonator	-	-	-	Mercury fulminate was widely used as a detonator for explosives with unknown current use.	Spectrum 2000
Miscellaneous	-	-	-	Mercuric chloride has been used as an agent for brownning and etching steel and iron, intensifier in photography, electroplating aluminum, photocopy toners.	U.S. NTP 2000, Scorecard 2000
Paint Preservative	-	-	-	Mercury compounds were previously, but no longer, used as an interior and exterior paint preservative (e.g., phenylmercuric acetate, N-phenylmercury 2-ethylhexyl maleate, phenylmercuric oleate, etc.).	Poll. Probe 1996, U.S. EPA 1997
Pesticide	-	-	-	Various mercury compounds have been used as bactericides and fungicides (e.g., methyl mercury(II) chloride, methyl mercury hydroxide, ethylmercury chloride, phenylmercuric acetate, phenylmercuric nitrate, mercuric chloride, mercury ((o-carboxyphenyl)thio) ethyl sodium salt). Registration of all material fungicides was discontinued in December 1995.	U.S. NTP 2000, Env. Can. 1998

PRODUCT/MATERIAL TYPE	MERCURY CONTENT			COMMENTS	REFERENCE
	MEAN	RANGE	UNITS		
Pigment/Colouring Agent	-	-	-	Although mostly phased out, mercury (cadmium mercury sulphides) has been used to produce dark red pigments for inks, dyes and impregnation to plastic and rubber products.	Poll. Probe 1996 Env. Can. 1998
Preservative	-	-	-	Mercuric chloride has been used as a preservative for materials such as wood, leather tanning, white reserve in fabric printing and embalming anatomical specimens.	U.S. NTP 2000
Sulphuric Acid	-	-	-	Sulphuric acid is known to contain mercury. Please refer to the MSDS to determine the mercury content.	-
Electrical Equipment/Instruments					
Batteries					
- Alkaline	~ 0.1	-	g/unit	0.025% unit mass, type AAA – 9V dry cell	Env. Can. 1998, U.S. EPA 1998
- Alkaline (no mercury design)	-	-	-	type AAA – 9V dry cell	Env. Can. 1998
- Mercuric Oxide	1.35	-	g/unit	33.3% unit mass, button cell	Env. Can. 1998
- Silver Oxide	0.008	-	g/unit	0.6% unit mass, button cell	Env. Can. 1998
- Zinc Air	0.009	-	g/unit	1.0% unit mass, button cell	Env. Can. 1998, U.S. EPA 1998
- Zinc Carbon	-	-	-	1% unit mass, type AAA – 9V dry cell	U.S. EPA 1998
- Zinc Carbon (no mercury design)	-	-	-	type AAA – 9V dry cell	Env. Can. 1998
Fluorescent Lamps					
- Compact	0.010	-	g/unit		Poll. Probe 1996
- 4 ft. Lamp	0.023	-	g/unit	targetted reduction	Poll. Probe 1996
- 8 ft. Lamp	0.046	-	g/unit	targetted reduction	Poll. Probe 1996
- Various	-	-	-	fluorescent lamps contain 0.05% mercury	U.S. EPA 1994
- 40 Watt	-	< 0.01	g/unit	contained 0.027g in 1995, target < 0.012 by 2000	Env. Can. 1998
High Powered Lamps					
- High Pressure Sodium	-	< 0.01	g/unit		Env. Can. 1998
- Metal Halide	0.051	-	g/unit		Env. Can. 1998

PRODUCT/MATERIAL TYPE	MERCURY CONTENT			COMMENTS	REFERENCE
	MEAN	RANGE	UNITS		
- Mercury Vapour	0.075	-	g/unit	used in early 1990s	Env. Can. 1998
MCT Semiconductors	-	-	-	alloy of mercury-cadmium-telluride	U.S. EPA 1994
Other Electrical Equipment	-	-	-	mercury in rectifiers, oscillators, motor switches, cathode tubes	U.S. EPA 1994
Switches & Gauges					
- Accustat	1	-	g/unit	precise temperature control	Env. Can. 1998
- Float Control Tilt	-	0.5-1	g/unit	sump pump, septic tank	Env. Can. 1998
- Plunger/Displacement Relay	-	up to 160	g/unit	high current lighting and heating	Env. Can. 1998
- Reed	-	0.14-3	g/unit	high precision analytical	Env. Can. 1998
- Silent	2.6	-	g/unit	light switch prior to 1991	Env. Can. 1998
- Tilt	2	-	g/unit	freezer light, washing machine	Env. Can. 1998
Thermometers					
- Household	0.5	-	g/unit	typical fever thermometer	Env. Can. 1998
- Laboratory	2.25	-	g/unit	basal air temperature thermometer (5% usage)	U.S. EPA 1997
- Lab/Weather	-	up to 3	g/unit	typical lab or weather thermometer	Env. Can. 1998
- Medical	0.61	-	g/unit	oral, rectal, baby thermometers (95% usage)	U.S. EPA 1994
Thermostats					
- Mercury Switch	~ 3	-	g/unit		Env. Can. 1998
- Thermostat Probes	~ 2.5	-	g/unit	gas appliances	Env. Can. 1998
Various Instrumentation	-	-	-	barometers, manometers, pressure sensors, valves, calomel electrodes	U.S. EPA 1994
Extracted and Refined Fuels					
U.S. Coals					
- Clean Coal	-	0.08-0.34	ppm	mercury content in clean coal (U.S. Geol. Survey)	Poll. Probe 1996
- Raw Coal	-	0.09-0.44	ppm	mercury content in raw coal (U.S. Geol. Survey)	Poll. Probe 1996
- Minnesota Coal	-	0.02-0.09	ppm		Poll. Probe 1996
- Anthracite	0.23	0.16-0.3	ppm	by weight	U.S. EPA 1997
- Bituminous	0.21	< 0.01-3.3	ppm	by weight	U.S. EPA 1997
- Lignite	0.15	0.03-1.0	ppm	by weight	U.S. EPA 1997

PRODUCT/MATERIAL TYPE	MERCURY CONTENT			COMMENTS	REFERENCE
	MEAN	RANGE	UNITS		
- Subbituminous U.S. Oils	0.10	0.01-8.0	ppm	by weight	U.S. EPA 1997
- Residual Oil	0.13	-	ppm		Poll. Probe 1996
- Residual Oil	-	0.007-0.17	ppm	mercury content of typical #6 oil	U.S. EPA 1997
- Distillate Oil	0.07	-	ppm		Poll. Probe 1996
- Distillate Oil	-	< 0.12	ppm	mercury content of typical #2 oil	U.S. EPA 1997
Crude Oil	-	0.023-30	ppm		Poll. Probe 1996
Crude Oil	3.5	0.007-30	ppm		U.S. EPA 1997
Crude Oil	-	0.02-2	ppm		Spectrum 2000
Crude Oil	6	-	ppm	crude oil used in U.S. carbon black (oil furnace process)	U.S. EPA 1998
Bitumens, Asphalt, Solid Hydrocarbons	-	2-900	ppm		Spectrum 2000
Medical/Dental Materials					
Dental Amalgams	0.2	-	g/ amalgam	average mercury content per amalgam contains 50% metallic mercury in silver-copper-tin amalgam	Env. Can. 1998 Poll. Probe 1996
Various Medical Reagents	-	-	-	mercury used in various disinfectants, diagnostic reagents, antiseptics, pharmaceutical diuretics, stains, etc. (e.g., mercurous chloride, mercuric chloride, mercuric sulphide, thimerosal, Zenkers solution, immu-sal, carbosal, carbol-fushin)	Poll. Probe 1996
Miscellaneous Materials					
Cement Materials					
- Clinker Product	-	< 0.01	ppm	mercury content in U.S. cement production	U.S. EPA 1998
- Kiln Dust	-	< 0.5	ppm	mercury content in U.S. cement production	U.S. EPA 1998
- Raw Mix	-	< 0.01	ppm	mercury content in U.S. cement production	U.S. EPA 1998
- Waste Fuels	-	< 1.5	ppm	mercury content in U.S. cement production	U.S. EPA 1998
Lead Smelter Acid Plant	0.2	-	ppm	mercury content in Canadian smelter H ₂ SO ₄ acid plant	Env. Can. 1998
Metals and Alloys	-	-	-	may exist as trace component due to surface amalgamation	
Sewage Sludge	1.8	-	ppm	average from Minnesota study	Env. Can. 1998

PRODUCT/MATERIAL TYPE	MERCURY CONTENT			COMMENTS	REFERENCE
	MEAN	RANGE	UNITS		
Sewage Sludge	5.2	-	ppm	dry solids by weight	U.S. EPA 1997
Various Acids and Alkalis	-	-	-	may exist as trace component	
Raw Materials/Ores					
U.S. Metal Mine					
- Copper Ores	-	0.01-1	ppm	0.5 ppm mercury average	U.S. EPA 1998
- Gold Ores	-	0.1-1000	ppm		U.S. EPA 1998
- Lead Ores	0.004	-	lb Hg/ton		U.S. EPA 1998
- Lead (Missouri) Ore	-	< 2	ppm	lead smelter in Missouri	U.S. EPA 1997
- Miscellaneous Ores	-	-	-	unknown for silver, ferroalloy ores, etc.	U.S. EPA 1998
- Zinc Ores	-	0.1-10	ppm		U.S. EPA 1998
Various Mineral/Gangue Components					
- Aragonite	3.7	-	%	mercury content in CaCO ₃	Spectrum 2000
- Barite	0.5	-	%	mercury content in BaSO ₄	Spectrum 2000
- Calcite	0.03	-	%	mercury content in CaCO ₃	Spectrum 2000
- Cerussite	0.1	-	%	mercury content in PbCO ₃	Spectrum 2000
- Fluorite	0.01	-	%	mercury content in CaF ₂	Spectrum 2000
- Galena	0.02	-	%	mercury content in PbS	Spectrum 2000
- Graphite	0.01	-	%	mercury content in graphitic carbon	Spectrum 2000
- Grey Copper Ores	14	-	%	mercury content in (Cu,As,Sb)X _{sy}	Spectrum 2000
- Hydrated Iron Oxides	0.2	-	%	mercury content in Fe ₂ O ₃ nH ₂ O	Spectrum 2000
- Marcasite	0.07	-	%	mercury content in FeS ₂	Spectrum 2000
- Pyrite	2	-	%	mercury content in FeS ₂	Spectrum 2000
- Pyrolusite	2	-	%	mercury content in MnO ₂	Spectrum 2000
- Realgar	2.2	-	%	mercury content in AsS	Spectrum 2000
- Siderite	0.01	-	%	mercury content in FeCO ₃	Spectrum 2000
- Sphalerite	1	-	%	mercury content in ZnS	Spectrum 2000
- Stibnite	1.3	-	%	mercury content in Sb ₂ S ₃	Spectrum 2000

PRODUCT/MATERIAL TYPE	MERCURY CONTENT			COMMENTS	REFERENCE
	MEAN	RANGE	UNITS		
- Tetrahedrite	-	17.6-21	%	mercury content in $Cu_{12}Sb_4S_{13}$	Spectrum 2000
- Wurtzite	0.03	-	%	mercury content in ZnS	Spectrum 2000

References

- Environment Canada (1998) "Inventory of Uses and Releases of Mercury During Product Life Cycles", Report prepared for Environment Canada by C.C. Doiron & Associates and Charles E. Napier Company Ltd. (November, 1998).
- Sang S. and Lourie B.A. (1996) "Mercury in Ontario: An Inventory of Sources, Uses and Releases", Pollution Probe Report prepared for the Mercury Elimination and Reduction Challenge Project (September, 1996).
- Scorecard (2000) Environmental Defence Fund, Chemical Profiles <www.scorecard.org>
- Spectrum (2000) Chemical Fact Sheet <www.speclab.com>
- U.S. EPA (1998) "Locating and Estimating Air Emissions from Sources of Polycyclic Organic Matter (POM)", Office of Air Quality Planning and Standards, Report EPA-454/R-98-014 (July, 1998).
- U.S. EPA (1998) "Economic Analysis of the Proposed Rule to Modify Reporting of Persistent Bioaccumulative Toxic Chemicals Under EPCRA Section 313", Economic and Policy Analysis Branch (December, 1998).
- U.S. EPA (1997) "Locating and Estimating Air Emissions from Sources of Mercury and Mercury Compounds", Office of Air Quality Planning and Standards, Report EPA-454/R-97-012 (December, 1997).
- U.S. EPA (1997) "Mercury Study Report to Congress. Volume II: An Inventory of Anthropogenic Mercury Emissions in the United States", Office of Air Quality Planning and Standards, Report EPA-452/R-97-004 (December, 1997).
- U.S. EPA (1994) "Mercury Usage and Alternatives in the Electrical and Electronics Industries", Office of Research and Development, Report EPA/600/R-94-047 (January, 1994).
- U.S. NTP (2000) National Toxicology Program <<http://ntp-server-niehs.nih.gov>>

Appendix 11 – NPRI Emission Factor Database for Alternate-Threshold Substances

A database of emission factors has been developed to assist facilities reporting to the NPRI for substances with alternate thresholds. The electronic emission factor database is included in the NPRI reporting software CD for 2001 or can be downloaded from the NPRI Web site at <www.ec.gc.ca/pdb/npri>. A full paper copy of the database can also be printed from the NPRI CD. The following table provides a list of the sectors included in the database. The database is not a comprehensive compilation of relevant emission factors, but instead is designed to provide reporters with a quick reference. The emission factors were compiled from a number of sources, including the U.S. EPA's Factor Information Retrieval (FIRE) data system and its Locating and Estimating documents. Also included in the database is a table of the mercury content of various products and materials (Appendix 10) and a list of substances known to contain mercury.

Reports can be generated from the electronic database by searching the database by NAICS code, Canadian SIC code, sector description or by substance or CAS number. Details of how to use the database are included with the database on the NPRI reporting software CD. If you are aware of published emission factors that you feel should be added to the database, please advise your regional NPRI office, or send an e-mail to <NPRI@ec.gc.ca>.

