

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
-----	------	---	--------------------------	--	-----------------------	---	--------------------------------

JUAN DE FUCA STRAIT

180 G5288	Carmanah Point	On point. 48 36 42.4 124 45 04.8	FI W 5s	55.6	19	White octagonal tower. 9.1	Flash 0.1s; eclipse 4.9 s. Year round. Chart:3606
180.5 G5289	Bonilla Point Fisheries	On point. 48 35 43.8 124 43 04.1	FI W-R 4s	17.0	8	Orange tripod skeleton tower, red triangular slatwork daymark.	FI R to the E. of line between Bonilla Point and Tatoosh Island; FI W to the W. Fisheries light shown from June 1 to December 7 (approx.) each year. Seasonal. Chart:3606
180.8	<i>Juan de Fuca Traffic Lane Separation light buoy J (U.S.)</i>	48 29 36.8 125 00 00	FI Y 4s	Yellow, marked "J".	Year round. Chart:3606
	Racon --- (O) X Band						Chart:3606
180.9	<i>Juan de Fuca Traffic Lane Separation light buoy JA (U.S.)</i>	48 29 37.7 124 43 38.3	FI Y 2.5s	Yellow, marked "JA".	Year round. Chart:3606 Edn 08/04(P04-51)
181 G4756	Cape Flattery (U.S.)	48 23 29.7 124 44 12.3	FI(2) W 20s	50.0	18	White tower. 20.0	Flash 0.2 s; eclipse 4.8 s; flash 0.2 s; eclipse 14.8 s. Emergency light. Year round. Chart:3606 Edn 02/05
181.4	<i>Duntze Rock light and whistle buoy 2D (U.S.)</i>	48 24 52.6 124 44 58.9	FI R 4s	Red, marked "2D".	Year round. Chart:3606
182 G4760	Neah Bay (U.S.)	48 22 41.3 124 35 40	FI R 6s	14.0	7	Skeleton tower, red triangular daymark.	Flash every 6 s. Obscured from 114° to 196°. Year round. Horn - Blast 3 s; sil. 27 s. Chart:3606
183	<i>Port San Juan light and whistle buoy YK</i>	At entrance. 48 32 05 124 29 01	Mo(A) W 6s	Red and white vertical stripes, marked "YK".	Year round. Chart:3647
183.5 G5290	San Juan Point	On point. 48 31 53.9 124 27 23.8	FI R 5s	16.8	11	White cylindrical tower, red band at top.	Flash 0.15 s; eclipse 4.85 s. Year round. Chart:3647
186 G5292	Sheringham Point	On point. 48 22 36.1 123 55 15.9	FI G 15s	21.9	9	White hexagonal tower. 19.5	Year round. Chart:3606 Edn 04/05(P05-011)
187.5	<i>Juan de Fuca Traffic Lane Separation light buoy PA (U.S.)</i>	48 12 54 123 28 40.8	FI Y 4s	Yellow, marked "PA".	Year round. Chart:3461

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

JUAN DE FUCA STRAIT

188 G5296	Whiffin Spit	E. end of spit, Sooke Inlet. 48 21 30.1 123 42 41.3	Q W	1s	6.6	7	White cylindrical tower, green band at top.	Year round. Horn - Blast 3 s; sil. 27 s. Operated only on request to Victoria Coast Guard radio. Chart:3411
188.1 G5296.2	Sooke Harbour Outer range	48 21 36.1 123 42 23.8	F Y	2.7	9	Long pile of a 5-pile dolphin, white daymark, red vertical stripe.	Year round.
188.12 G5296.2 1		049°40' 100.7m from front.	F Y	5.6	9	Long pile of a 5-pile dolphin, white daymark, red vertical stripe.	Year round. Chart:3411
188.2 G5296.3	Sooke Harbour Inner range	48 21 45.6 123 42 34.5	F Y	3.3	9	Long pile of a 5-pile dolphin, white daymark, red vertical stripe.	Year round.
188.22 G5296.3 1		007°34' 34.7m from front.	F Y	4.8	9	Long pile of a 5-pile dolphin, white daymark, red vertical stripe.	Year round. Chart:3411
188.4 G5296.4	Sooke Harbour range	48 21 54.7 123 43 45	F Y	3.2	9	Long pile of a 7-pile dolphin, white daymark, red vertical stripe	Visible in line of range. Year round.
188.5 G5296.4 1		300° 37m from front.	F Y	4.7	9	Long pile of a 7-pile dolphin, white daymark, red vertical stripe.	Visible in line of range. Year round. Chart:3411
189 G5300	Race Rocks	Great Race Rock. 48 17 52.9 123 31 53.1	Fl W	10s	36.0	18	Cylindrical tower, black and white bands. 24.4	Flash 0.3 s; eclipse 9.7 s. Year round. Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 155°. Chart:3410
189.1	<i>Rosedale Rock light buoy V15</i>	SE. of rock. 48 17 26.3 123 31 33.7	Q G	1s	Green, marked "V15".	Year round. Chart:3410
189.5	<i>Race Rocks South Cautionary light buoy VF</i>	48 14 04.4 123 31 58.7	Fl Y	4s	Yellow, marked "VF".	Year round. Chart:3461
189.7	<i>Ediz Hook light buoy 4 (U.S.)</i>	48 09 48 123 28 24	Fl R	4s	Red, marked "4".	Year round. Chart:3461
190 G4768	Ediz Hook (U.S.) Radiobeacon	48 08 24.5 123 24 08	AL FIG +Fl (2)W	10s	15.2	13 19.2	White cylindrical tower. Flash green 0.1 s; eclipse 2.4 s; flash white 0.1s; eclipse 2.4s; flash white 0.1s; eclipse 4.9s. Year round. Horn - Blast 3 s; sil. 27 s. Chart:3461 Edn 08/05(P05-047)
190.2	<i>Ediz Hook light buoy 2 (U.S.)</i>	48 08 20.5 123 23 57.8	Fl R	4s	Red, marked "2".	Year round. Chart:3461
192	<i>Race Rocks East Cautionary light buoy VG</i>	48 16 04.4 123 27 49.7	Fl Y	4s	Yellow, marked "VG".	Year round. Chart:3461

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
-----	------	---	--------------------------	--	-----------------------	---	--------------------------------

JUAN DE FUCA STRAIT

196 G5307	Scroggs Rocks	S. side of rocks. 48 25 34.2 123 26 19.8	Fl R 4s	6.2	5	White cylindrical tower, red band at top.	Radar reflector. Year round. Chart:3419
<hr/>							
Esquimalt Harbour							
197 G5306	Fisgard Sector	On Fisgard Island, W. side of entrance to Esquimalt Harbour. 48 25 49.4 123 26 51.2	Iso W-R 2s	21.6	White cylindrical tower. 14.6	Red from 195° to 332°; white from 332° through W. to 195°. Floodlit below balcony. Year round. Chart:3419
198	<i>Fisgard Island light buoy V17</i>	<i>Off island. 48 25 49.8 123 26 40.7</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "V17".</i>	<i>Year round. Chart:3419</i>
199 G5308	Inskip Islands range	On island. 48 26 30.9 123 26 20.2	F Y	5.8	11	White mast, white daymark, red vertical stripe.	Year round.
200 G5308.1		015° 91.4m from front.	F Y	10.8	11	White tripod skeleton tower, white daymark, red vertical stripe.	Year round. Chart:3419
201	<i>Village Rocks West cardinal light buoy VL</i>	<i>Off N. end of rocks. 48 25 57.8 123 25 37.2</i>	<i>Q(9) W 15s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, black and yellow, marked "VL".</i>	<i>Year round. Chart:3419 Edn 02/06(P06-015)</i>
202	<i>Whale Rock light buoy VC</i>	<i>48 26 35.2 123 26 44.4</i>	<i>Fl R 6s (2+1)</i>	<i>.....</i>	<i>.....</i>	<i>Red, green and red marked "VC".</i>	<i>Year round. Chart:3419</i>
<hr/>							
Victoria Harbour							
203	<i>Victoria Harbour Cautionary light buoy VH</i>	<i>SW. of Brotchie Ledge light. 48 22 31.3 123 23 33.7</i>	<i>Fl Y 4s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, marked "VH".</i>	<i>Year round. Chart:3440</i>
204 G5312	Ogden Point Breakwater	On outer end of breakwater. 48 24 48.6 123 23 37.7	Q R 1s	12.2	White tower, red band at top. 6.7	Year round. Chart:3412 Edn 02/06(P06-007)
204.5	<i>Victoria Harbour Entrance light buoy V21</i>	<i>At entrance to harbour. 48 24 52.8 123 24 07</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked, "V21".</i>	<i>Year round. Chart:3415</i>
205 G5310	Brotchie Ledge	Off entrance to harbour. 48 24 23.9 123 23 12.1	Fl G 4s	12.0	7	White cylindrical tower, green band at top.	Radar reflector. Year round. Chart:3415 Edn 12/04(P04-076)

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
206 G5312.4	Berens Island Aeronautical beacon	On SE. extremity of island, W. of harbour entrance. 48 25 27 123 23 30	Q	G	1s	6.1	4	White cylindrical tower, green band at top.	Radar reflector. Year round. Operates for 60 seconds. Activated by the Flight Services Station for aircraft landings and take-offs. Chart:3415
207 G5320	Shoal Point Aeronautical beacon	W. of point. 48 25 24.4 123 23 20.2	Q	R	1s	5.8	4	White cylindrical tower, red band at top on 19-pile dolphin.	Radar reflector. Year round. Operates for 60 seconds. Activated by the Flight Services Station for aircraft landings and take-offs. Chart:3412 Edn 02/06(P06-011)
208 G5322	Pelly Island Aeronautical beacon	On S. extremity of island. 48 25 32.1 123 23 03.1	FI	G	4s	5.8	3	White cylindrical tower, green band at top. 6.3	Year round. Operates for 60 seconds when activated by the Flight Services Station for aircraft landings and take-offs. Chart:3412 Edn 02/06(P06-017)
208.2	<i>Victoria Harbour Traffic Scheme Cautionary light buoy #1</i>	48 25 28 123 22 54	<i>Fl</i>	<i>Y</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow.</i>	<i>Year round.</i> Chart:3415
208.4	<i>Victoria Harbour Traffic Scheme Cautionary light buoy #2</i>	48 25 27 123 22 47	<i>Fl</i>	<i>Y</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow.</i>	<i>Year round.</i> Chart:3415
208.6	<i>Victoria Harbour Cautionary light buoy #3</i>	48 25 27.9 123 22 40.1	<i>Fl</i>	<i>Y</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow.</i>	<i>Year round.</i> Chart:3415
208.8	<i>Victoria Harbour Traffic Scheme Cautionary light buoy #4</i>	48 25 27.1 123 23 05.6	<i>Fl</i>	<i>Y</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow.</i>	<i>Year round.</i> Chart:3412 Edn 02/06(P06-018)
208.9	<i>Victoria Harbour Traffic Scheme Cautionary light buoy #5</i>	48 25 27.1 123 23 13.1	<i>Fl</i>	<i>Y</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow.</i>	<i>Year round.</i> Chart:3412 Edn 02/06(P06-019)
209 G5324	Laurel Point Aeronautical beacon	NW. extremity of point. 48 25 28.9 123 22 33.4	Q	R	1s	5.6	3	White cylindrical tower, red band at top.	Radar reflector. Year round. Operates for 60 seconds. Activated by the Flight Services Station for aircraft landings and take-offs. Chart:3415
210 G5325	Tuzo Rock	On rock. 48 25 32.7 123 22 25	Q	G	1s	5.7	4	White cylindrical tower, green band at top.	Radar reflector. Year round. Chart:3415

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals	
212 G5328	Trial Islands	On S. side of southernmost island. 48 23 42.3 123 18 18.6	FI G	5s	28.3	13	White cylindrical tower. 10.2	Flash every 5 s. Year round. Chart:3424
213 G5330	Lewis Reef	On reef. 48 25 31.7 123 16 47.1	Q R	1s	6.7	4	White cylindrical tower, red band at top.	Radar reflector. Year round. Chart:3424
214 G5333	Mary Tod Island	SW. extremity of breakwater. 48 25 32.8 123 17 54.9	FI R	4s	6.1	4	Mast.	Year round. Chart:3424
215 G5332	Fiddle Reef Sector	On reef. 48 25 45.6 123 17 02.1	Q W-R	1s	7.1	7	White cylindrical tower.	Radar reflector. Red 170°30' through S. to 216°; white 216° through W. and N. to 013°20'; red 013°20' to 062°; white 062° through E. to 170°30'. Year round. Chart:3424
215.5	<i>Fulford Reef North Cardinal light buoy VK</i>	48 26 52.5 123 14 22.7	Q W	1s	<i>Black and yellow, marked "VK".</i>	<i>Year round.</i> Chart:3424
216 G5334	Discovery Island	On extremity of island, Haro Strait. 48 25 28.3 123 13 32.7	FI W	5s	28.3	15	Cylindrical tower.	Flash 0.1 s; eclipse 4.9 s. Year round. Chart:3424 Edn 09/04(P04-053)
216.3 G5334.5	Baynes Channel North	SSE. of Cadboro Point. 48 27 00.9 123 15 50	Q G	1s	6.4	4	White cylindrical tower, green band at top.	Radar reflector. Year round. Chart:3424
216.4	<i>Haro Strait South Cardinal light buoy VD</i>	48 27 05.3 123 10 50.7	Q(6) +LFI	W	15s	<i>Yellow and black, marked "VD".</i>	<i>Year round.</i> Chart:3440