

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

KOOTENAY LAKE

1	Two Mile Point	On E. side of W. Arm. 49 31 14 117 15 41	Fl R	4s	7.0	5	White cylindrical tower, red band at top on a 9-pile dolphin.	Radar reflector. Year round.	Chart:3050
1.3	Nelson East	W. Arm. 49 31 07 117 16 16	Fl G	4s	4.6	4	White cylindrical tower, green band at top on a 9- pile dolphin.	Year round.	Chart:3050
2	Five Mile Point	On point. 49 33 11 117 14 34.5	Q W	1s	9.1	3	Mast on top of a 3-pile dolphin, red and white triangular daymark.	Year round.	Chart:3050 Edn 02/06(P06-005)
3	Seven Mile Point	On S. side of W. Arm. 49 34 18 117 12 39	Fl R	4s	5.5	4	Long centre pile of red 9-pile dolphin, red and white triangular daymark.	Year round.	Chart:3050
4	Nine Mile Point	On S. side of W. Arm. 49 35 57.5 117 09 48	Q R	1s	6.1	3	Mast on top of a 3-pile dolphin, red and white triangular daymark.	Year round.	Chart:3050
5	Kokanee Narrows	On S. side of Narrows. 49 35 44.5 117 07 12	Q R	1s	6.1	3	White centre pile of a 9-pile dolphin, red and white triangular daymark.	Year round.	Chart:3050
5.3	Kokanee Point East	E. of Kokanee Narrows. 49 36 06 117 06 48	Q G	1s	5.2	3	Long pile of black 9-pile dolphin, black, white and green square daymark.	Year round.	Chart:3050
5.6	Strickland Creek East	West Arm. 49 36 26.5 117 05 07	Fl R	4s	6.1	4	Long pile of red 9-pile dolphin, red and white triangular daymark.	Year round.	Chart:3050
6	Harrop Point	On N. side of Narrows, near Harrop. 49 36 39 117 02 37	Fl G	4s	4.6	4	Long centre pile of black 9-pile dolphin, black, white and green square daymark.	Year round.	Chart:3050
6.4	Fraser Narrows	W. Arm of Kootenay Lake. 49 37 03 116 59 33.5	Fl R	4s	5.8	4	Mast on top of a 3-pile dolphin, red and white triangular daymark. 3.6	Year round.	Chart:3050
7	Procter Middle Ground	Entrance to W. Arm. 49 37 25.5 116 56 44	Q G	1s	6.1	4	White cylindrical tower, green band at top on a 9-pile dolphin. 3.6	Radar reflector. Year round.	Chart:3050

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
8	Procter range	S. side of entrance to Arm. 49 37 16 116 56 53	F	Y	7.6	15	White cylindrical tower, red band at top.	In operation 24 hours. Year round.
9		217° 99.1m from front.	F	Y	10.7	15	White cylindrical tower, red band at top.	In operation 24 hours. Year round.
10	Procter	Entrance to W. Arm. 49 37 32 116 56 19	FI	W	4s	6.1	6	White cylindrical tower, red band at top.	Radar reflector. Year round.
10.3	West Arm Approach	49 37 26 116 55 40	FI	W	4s	5.2	5	Mast, black, white and green square daymark.	Year round.
11.5	Sawmill Point	49 38 24 116 52 06	FI	R	4s	4.3	3	Mast, red and white triangular daymark. 3.0	Year round.
12	Kootenay Bay	49 40 31.1 116 52 27	FI	R	4s	4.1	5	Cylindrical mast, red and white triangular daymark.	Year round.
13.3	Kootenay Landing Outer	49 15 56.9 116 41 23.8	FI	W	4s	6.1	6	White centre pile of 19- pile dolphin.	Year round.
13.4	Kuskonook	On southern extremity of pile breakwater marking entrance. 49 17 59 116 39 42	FI	W	4s	4.6	6	Mast, atop pile breakwater, black, white and green square daymark.	Year round.
13.5	Twin Bays	On shore. 49 20 32.4 116 43 21	Q	R	1s	5.8	4	Mast, red and white triangular daymark.	Year round.
13.7	Banana Bay Reef	Kootenay Lake, E. shore. 49 29 21 116 46 43	FI	R	4s	5.5	4	Mast, red and white triangular daymark.	Year round.
14	Rhinoceros Point	NW. of Rhinoceros Point. 49 32 51 116 50 18	FI	G	4s	8.5	4	Mast.	Year round.
14.3	Cape Horn	Crawford Bay entrance. 49 36 12 116 49 06	FI	W	4s	15.2	5	Mast.	Year round.
15	Coffee Creek	On point S. of creek. 49 41 37 116 54 21	Q	G	1s	7.3	4	Mast, black, white and green square daymark.	Radar reflector. Year round.
16	Woodbury Point	On the bank. 49 47 14 116 53 12	FI	G	4s	7.6	4	White mast.	Year round.

Chart:3050

Chart:3050

Chart:3050

Chart:3050

Chart:3050

Chart:3050

Chart:3050

Chart:3050

Chart:3050

Chart:3050

Chart:3050

Chart:3050

Chart:3050

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

7	Kaslo	End of spit. 49 54 30 116 53 37	Fl G	4s	9.1	6	Single pile dolphin, black, white and green square daymark.	Year round.
---	-------	---------------------------------------	------	----	-----	---	---	-------------

Chart:3050
Edn 09/05(P05-054)

18	Kaslo North	On point N. of Kaslo. 49 55 53 116 53 37	Fl G	4s	6.0	4	Mast, black, white and green square daymark.	Year round.
----	-------------	--	------	----	-----	---	--	-------------

Chart:3050

19	Schroeder Point	On the point, W. shore of lake. 50 02 05 116 54 05	Fl W	4s	6.1	5	White centre pile of black 9-pile dolphin, black, white and green square daymark.	Year round.
----	-----------------	---	------	----	-----	---	---	-------------

Chart:3050

20	Lardeau	Near high water mark on end of spit. 50 08 40 116 56 55	Fl G	4s	4.6	4	Mast.	Year round.
----	---------	--	------	----	-----	---	-------	-------------

Chart:3050