

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
-----	------	---	--------------------------	--	-----------------------	---	--------------------------------

### HARO STRAIT

222.8	<i>Little Zero Rock light buoy V30</i>	<i>W. of rock.</i> 48 31 54.3 123 19 44.7	Q R	1s	.....	.....	<i>Red, marked "V30".</i>	<i>Year round.</i>	<b>Chart:3440</b>
223 G5336	Zero Rock	48 31 25.3 123 17 30.7	FI W	4s	8.5	7	White cylindrical tower, green band at top.	Radar reflector. Year round.	<b>Chart:3440</b>
224 G5337	Kelp Reefs	On the NE. reef, Haro Strait. 48 32 51.3 123 14 12.7	Q W	1s	10.7	10	White cylindrical tower.	Year round.	<b>Chart:3440</b>
225 G5339	Tom Point Sector	On small islet E. of point. 48 39 44.4 123 16 25.6	FI G-W	4s	6.4	7	White cylindrical tower, green band at top.	Green from 171° to 181°; white from 181° to 171°. Radar reflector. Year round.	<b>Chart:3441</b>
225.1	<i>Mandarte Island East Cardinal light buoy UT</i>	48 37 33.3 123 15 59.7	Q(3) W	10s	.....	.....	<i>Black, yellow and black, marked "UT".</i>	<i>Year round.</i>	<b>Chart:3441</b>
225.2 G5339.4	Mandarte Island North	48 38 18 123 17 51.6	FI G	4s	5.5	4	White cylindrical tower, green band at top.	Radar reflector. Year round.	<b>Chart:3441 Edn 12/04(P04-082)</b>
225.3	<i>South Cod Reef South Cardinal light buoy US</i>	48 38 59.4 123 18 04.7	Q(6) +LFI	W	15s	.....	<i>Yellow and black, marked "US".</i>	<i>Year round.</i>	<b>Chart:3441</b>
225.4 G5341	Forrest Island	48 39 17.8 123 19 24	FI R	4s	8.3	4	White cylindrical tower, red band at top.	Radar reflector. Year round.	<b>Chart:3441</b>
226 G5337.5	D'Arcy Island	On SW. side of island. 48 33 55.3 123 17 06.1	FI R	4s	7.9	7	White cylindrical tower, red band at top.	Year round.	<b>Chart:3441</b>
226.3	<i>D'Arcy Shoals light buoy U1</i>	48 34 14.3 123 18 06.8	FI G	4s	.....	.....	<i>Green, marked "U1".</i>	<i>Year round.</i>	<b>Chart:3441</b>
227 G5345	James Island	Off NW. point of island. 48 37 02.9 123 22 47.1	FI W	4s	5.5	5	Long pile of a 5-pile dolphin.	Year round.	<b>Chart:3441</b>
228	<i>Sidney Channel light buoy U2</i>	<i>SW. of western shoal, N. entrance to channel.</i> 48 37 27.3 123 20 46.7	FI R	4s	.....	.....	<i>Red, marked "U2".</i>	<i>Year round.</i>	<b>Chart:3441</b>
229 G5338	Kellett Bluff (U.S.)	On SW. of Henry Island. 48 35 17.4 123 12 04.7	FI W	4s	24.4	7	Small white building, white and black diamond daymark.	Year round.	<b>Chart:3441</b>
230 G5342	Dock Island	On E. end of NE. islet of Little Group. 48 40 17.8 123 21 19.9	Q G	1s	11.4	4	White cylindrical tower, green band at top. 3.7	Year round.	<b>Chart:3476 Edn 12/04(P04-089)</b>

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
-----	------	---	--------------------------	--	-----------------------	---	--------------------------------

### HARO STRAIT

230.3 G5341.4	Sidney Spit	On extreme NW. end of spit. 48 39 14.1 123 20 41	FI(3)	R	12s	6.9	4	White cylindrical tower, red band at top. 5.7	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round.	<b>Chart:3476</b>
230.5 G5342.4	Little Group Rock	Centre of passage between Coal and Ker Islands. 48 40 34.5 123 21 59.6	FI	W	4s	4.9	6	White cylindrical tower. 3.7	Radar reflector. Year round.	<b>Chart:3476</b>
230.7	Sidney Breakwater	On S. extremity of breakwater extension. 48 39 09.9 123 23 26.3	FI	R	4s	6.3	4	White cylindrical tower, red band at top. 4.6	Radar reflector. Year round.	<b>Chart:3476</b>
233 G5344.6	Tsehum Harbour	48 40 18.4 123 24 08.7	FI	R	4s	4.7	4	Long centre pile on a 4- pile dolphin, red and white triangular daymark.	Year round.	<b>Chart:3476</b>
234.1	Tsehum Harbour Entrance	48 40 20.6 123 24 15.1	Q	R	1s	6.6	4	Mast on a single pile, red and white triangular daymark.	Year round.	<b>Chart:3476</b>
234.3 G5344.7	Blue Heron Basin Entrance	At channel entrance. 48 40 24.2 123 24 40.2	FI	W	4s	5.0	5	Single pile dolphin, black, white and green square daymark.	Year round.	<b>Chart:3476</b>
234.5 G5344.7	Blue Heron Basin	Boat basin entrance. 48 40 25.2 123 25 02.7	Q	G	1s	4.8	2	Single pile dolphin, black, white and green square daymark.	Year round.	<b>Chart:3476</b>
235 G5343	Victoria Aero Beacon	48 38 43 123 25 16.8	FI	W	10s	.....	.....	.....	Flash every 10 s. Privately maintained. Year round.	<b>Chart:3441</b>
236 G5343.5	Fernie Island	On island, SE. of island. 48 40 43.6 123 23 24.8	FI	G	4s	6.7	4	White cylindrical tower, green band at top.	Radar reflector. Year round.	<b>Chart:3476</b>
237 G5345.3	Goudge Island	NW. of Goudge Island. 48 41 20 123 23 41	FI	W	4s	5.8	5	White cylindrical tower.	Radar reflector. Year round.	<b>Chart:3476</b>
238 G5345.2	Coal Island	On Fir Cone Point. 48 41 29 123 23 12.5	FI	G	4s	7.2	4	White cylindrical tower, green band at top.	Radar reflector. Year round.	<b>Chart:3476</b>
240	Coal Island light buoy U8	N. of island. 48 41 38 123 23 02	FI	R	4s	.....	.....	Red, marked "U8".	Year round.	<b>Chart:3476</b>
240.5	Celia Reefs light buoy U14	S. of reefs. 48 42 39 123 22 53	FI	R	4s	.....	.....	Red, marked "U14".	Year round.	<b>Chart:3476</b>
241 G5353	Kanaka Bluff	On W. point of Portland Island. 48 43 34.2 123 23 08.2	FI	W	4s	7.6	6	White cylindrical tower, red band at top.	Radar reflector. Year round.	<b>Chart:3476</b>

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
-----	------	---	--------------------------	--	--	--	-----------------------	---	--------------------------------

### HARO STRAIT

242 G5351	Isabella Island	On SE. extremity of island. 48 43 44 123 25 45	Q	W	1s	8.5	5	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3476</b> <b>Edn 12/04(P04-087)</b>
243 G5351.6	Jackson Rock	W. of rock. 48 45 19.3 123 26 03.3	Q	R	1s	5.8	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3478</b>
244 G5352	Fulford Harbour	On ferry landing slip. 48 46 10.8 123 27 06.7	FI	W	4s	6.1	.....	On dolphin.	Privately maintained. Year round.  <b>Horn</b> - Blast 2 s; sil. 18 s. Operated by Ferry personnel when required for ferry movements only.  <b>Chart:3478</b>
244.1	Fulford Harbour Dolphin	Off end of ferries wharf. 48 46 11.1 123 27 08	FI	Y	.....	.....	.....	On dolphin.	Privately maintained. Year round.  <b>Chart:3478</b>
245	<i>Piers Island light buoy U12</i>	48 42 15 123 23 54	<i>FI</i>	<i>R</i>	<i>4s</i>	.....	.....	<i>Red, marked "U12".</i>	<i>Year round.</i>  <b>Chart:3476</b>
246 G5345.7	Clive Island	On rock SE. of Piers Island. 48 42 05 123 24 13.6	Q	G	1s	5.3	4	White cylindrical tower, green band at top.	Year round.  <b>Chart:3476</b>
247	<i>Knapp Island light buoy U10</i>	W. of island. 48 41 57 123 24 12	Q	R	1s	.....	.....	<i>Red, marked "U10".</i>	<i>Year round.</i>  <b>Chart:3476</b>
247.3	<i>Gosse Passage light buoy U9</i>	48 42 01 123 24 14.5	<i>FI</i>	<i>G</i>	<i>4s</i>	.....	.....	<i>Green, marked "U9".</i>	<i>Year round.</i>  <b>Chart:3476</b>
248	<i>Colburne Passage light buoy U18</i>	S. of Piers Island. 48 41 54 123 25 14	<i>FI</i>	<i>R</i>	<i>4s</i>	.....	.....	<i>Red, marked "U18".</i>	<i>Year round.</i>  <b>Chart:3476</b>
248.1 G5345.8	Colburne Passage South	48 41 51 123 25 28	FI	G	4s	4.5	3	White cylindrical tower, green band at top.	Year round.  <b>Chart:3476</b> <b>Edn 09/05(P05-049)</b>
248.2	<i>Patrol Islet light buoy U16</i>	48 41 58 123 25 25	Q	R	1s	.....	.....	<i>Red, marked "U16".</i>	<i>Year round.</i>  <b>Chart:3476</b>
248.3 G5345.9	Shute Reef	On rock. 48 42 37.5 123 25 50.5	Q	R	1s	7.0	4	White cylindrical tower.	Year round.  <b>Chart:3476</b>
248.6 G5349	Wain Rock	48 41 14.4 123 29 22.7	FI	G	4s	7.0	4	White cylindrical tower, green band at top.	Year round.  <b>Chart:3441</b>
249 G5346	Patey Rock	On rock, entrance to Saanich Inlet. 48 42 02.7 123 31 15.2	FI(3)	W	12s	7.0	5	White cylindrical tower, green band at top.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round.  <b>Chart:3441</b>

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
-----	------	---	--------------------------	--	-----------------------	---	--------------------------------

### HARO STRAIT

249.1	Hatch Point NE	48 42 01.2 123 32 32	FI Y 4s	.....	.....	.....	Privately maintained, Year round.  <b>Chart:3441</b>
249.2	Hatch Point SW	48 42 00.4 123 32 33.7	FI Y 4s	.....	.....	.....	Privately maintained, Year round.  <b>Chart:3441</b>
249.8	Cowichan Bay West Breakwater	W. end of floating breakwater. 48 44 31.4 123 37 06	FI G 4s	0.7	3	Mast.  1.9	Year round.  <b>Chart:3478 Edn 02/06</b>
250 G5346.4	Separation Point	Outer extremity of point. 48 44 34.2 123 34 12.4	FI W 4s	6.1	7	White cylindrical tower.	Radar reflector. Year round.  <b>Chart:3478</b>
251 G5348	Burial Islet	On NE. corner of islet. 48 46 09.9 123 33 49	Q R 1s	8.5	3	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3478</b>
251.3	<i>Pat Bay ODAS light buoy 46134</i>	48 38 57 123 29 36.8	<i>Fl(5) Y</i>	<i>20s</i>	.....	.....	<i>Yellow, marked "46134".</i> Year round.  <b>Chart:3441</b>
251.5	Patricia Bay Breakwater	48 39 08.6 123 27 03.6	FI R 4s	5.1	4	Mast, red and white triangular daymark.	Year round.  <b>Chart:3441</b>
252 G5350	Senanus Island	On NW. extremity of island. 48 35 34 123 29 12.8	FI W 4s	8.5	6	White cylindrical tower.	Radar reflector. Year round.  <b>Chart:3441 Edn 12/04(P04-081)</b>
252.3 G5350.4	Brentwood Bay Ferry Fog Signal	End of Ferry Landing. 48 34 38.1 123 28 02.2	.....	.....	.....	.....	On structure. <b>Horn</b> - Blast 2 s; sil. 28 s. Operated by Ferry personnel when required for ferry movements only. Year round.  <b>Chart:3441</b>
252.5 G5350.6	Mill Bay Ferry Fog Signal	On end of ferry wharf. 48 36 51.6 123 31 03.9	.....	.....	.....	.....	<b>Horn</b> - Blast 2 s; sil. 28 s. Operated by Ferry personnel when required for ferry movements only. Year round.  <b>Chart:3441</b>
253 G5357.4	Gowland Point	S. of Pender Island. 48 44 09 123 10 57	FI W 4s	10.7	7	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3477</b>
254 G5357	Hay Point	On point, Bedwell Harbour. 48 44 41.8 123 13 42.3	Q R 1s	6.3	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3477 Edn 12/04(P04-085)</b>

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
254.3 G5340.4	Arachne Reef	On N. side of reef. 48 41 05.2 123 17 37.3	Fl G (2+1)	6s	5.8	4	White cylindrical tower, green band at top.  Radar reflector. Year round.  <b>Chart:3441</b> <b>Edn 12/04(P04-083)</b>
254.5 G5340.6	Point Fairfax	S. extremity of point. 48 41 57 123 17 55.3	Fl(3) W	12s	8.8	7	White cylindrical tower.  Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3441</b>
255 G5340	Turn Point (U.S.)	On NW. point of Stuart Island. 48 41 19.6 123 14 14.6	Fl W	2.5s	13.4	8	White tower.  Flash every 2.5 s. Obscured from 260°30' to 357°. Year round.  <b>Chart:3441</b> <b>Edn 09/05(P05-052)</b>
256 G5354	Canoe Rock	On the rock. 48 44 01.4 123 20 19.5	Fl(3) W	12s	5.9	6	White cylindrical tower, red band at top.  Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round.  <b>Chart:3476</b>
256.5	<i>Pellow Islets light buoy U15</i>	<i>East of Portland Islands. 48 43 21 123 20 58</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "U15". Year round.  <b>Chart:3476</b></i>
257 G5355	Beaver Point	On N. tip of point. 48 46 15.4 123 22 01.9	Fl G	4s	8.5	4	White cylindrical tower, green band at top.  Radar reflector. Year round.  <b>Chart:3441</b> <b>Edn 12/04(P04-084)</b>
257.5 G5355.4	Mouat Point	W. side of North Pender Island. 48 46 11.3 123 18 49.5	Fl R	4s	6.7	6	White cylindrical tower, red band at top.  Radar reflector. Year round.  <b>Chart:3441</b>
257.9	<i>Deep Ridge light buoy UN</i>	<i>SE. of Channel Island. 48 47 48.5 123 22 10.9</i>	<i>Fl G (2+1)</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Green, red and green, marked "UN". Year round.  <b>Chart:3478</b></i>
258 G5356	Channel Islands	On N. end of North Channel Islands. 48 48 06.6 123 22 55.7	Fl W	4s	8.8	7	White cylindrical tower.  Year round.  <b>Chart:3478</b>
258.2	<i>Acland Islands light buoy U60</i>	<i>W. of the islands. 48 48 37 123 22 54</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "U60". Year round.  <b>Chart:3478</b></i>
258.4	<i>Captain Passage light buoy U62</i>	<i>SE. of Annette Point. 48 49 42.3 123 24 22.8</i>	<i>Q R</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "U62". Year round.  <b>Chart:3478</b></i>
258.5	<i>Horda Shoals light buoy UD</i>	<i>SE. of shoals. 48 49 51.2 123 25 01.9</i>	<i>Fl G (2+1)</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Green, red and green horizontal bands, marked "UD". Year round.  <b>Chart:3478</b></i>
259 G5370	Nose Point	On extremity of point. 48 50 33.1 123 25 10.4	Q W	1s	8.5	5	White cylindrical tower.  Radar reflector. Year round.  <b>Chart:3478</b>
260 G5370.4	Long Harbour	On rock. 48 51 05.6 123 26 31.1	Q R	1s	5.5	2	White cylindrical tower, red band at top.  Year round.  <b>Chart:3478</b>

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
261 G5371	Ganges Harbour	On Second Sister Island. 48 50 12.4 123 27 12.8	FI R 4s	8.2	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3478</b>
262 G5372	Grace Islet	SE. extremity of islet. 48 51 05.4 123 29 34.9	FI G 4s	8.5	4	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3478</b>
Boundary Passage 263	Rosenfeld Rock light buoy U59  <b>Racon --. (C) X &amp; S Band</b>	N. extremity of reef. 48 48 11.4 123 01 38.7	FI G 4s	.....	.....	Green, marked "U59".	Year round.  <b>Chart:3462</b>
264 G5358	Saturna Island Sector	On East Point. 48 46 58.8 123 02 45	FI W 15s  F R .....	36.9  31.1	17  8	Red square skeleton tower.  13.7	Flash 0.15 s; eclipse 14.9 s.  Red from 156° through S. to 211°30'. Year round.  <b>Chart:3441</b>
264.5	Boundary Pass Shoal light and bell buoy DB (U.S.)	48 45 54.5 123 00 48.3	FI(2) W 5s	.....	.....	Black, red and black, marked "DB".	Year round.  <b>Chart:3462</b>
265 G5142	Patos Island Sector (U.S.)	On NW. extremity of island. 48 47 20 122 58 17	FI W-R 6s	16.0	6	White square tower on building.  11.6	Flash every 6 s. Red 011°30' to 059°30' and red from 097° to 114°. Year round.  <b>Horn - Blast 3 s; sil. 27 s.</b>  <b>Chart:3462</b>