

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
-----	------	---	--------------------------	--	-----------------------	---	--------------------------------

### HUDSON STRAIT AND BAY

Inland LL 2545 H34	Bear Island	On E. side of entrance to Coral Harbour. 64 00 30 83 13 01	FI W 5s	66.0	.....	Square tower, orange rectangular daymark. 11.8	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.	<b>Chart:5410 Edn 02/06</b>
Inland LL 2546 H35	Munn Bay	W. of Coral Harbour, Southampton Island. 64 07 33 83 15 13	FI W 5s	21.0	.....	Square tower, orange rectangular daymark. 11.5	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.	<b>Chart:5410 Edn 02/06</b>
Inland LL 2547 H33.4	Walrus Island (Fisher Strait)	Centre of island. 63 13 30 83 39 00	FI W 6s	54.9	8	Skeleton tower, orange rectangular daymark, black vertical stripe. 9.8	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.	<b>Chart:5449 Edn 02/06</b>
Inland LL 2548 H33	Cape Pembroke	NE. end of Coats Island. 62 54 30 81 53 30	FI W 5s	16.5	.....	Square tower, orange daymark. 10.9	Flash 1 s; eclipse 4 s. Seasonal.	<b>Chart:5449 Edn 02/06</b>
Inland LL 2549 H32	Coats Island <b>Racon - - - (C) X &amp; S Band</b>	On Carys Swan Nest, SE. point of island. 62 10 20 83 08 00	FI W 6s	12.5	7	Red and white skeleton tower, orange rectangular daymark. 11.2	Flash 1 s; eclipse 5 s. Shoal water surrounds this point and should not be approached nearer than 5 miles. Radar reflector. Seasonal.	<b>Chart:5449 Edn 02/06</b>
Inland LL 2550 H36	Mansel Island <b>Racon - - (K) X &amp; S Band</b>	N. extremity of island. 62 25 00 79 36 30	FI W 5s	18.6	.....	Square tower, orange rectangular daymark, black vertical stripe. 15.5	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.	<b>Chart:5449 Edn 02/06</b>
Inland LL 2551 H36.1	Cape Acadia (Mansel Island)	S. extremity of island. 61 35 00 79 48 30	FI W 5s	23.5	.....	Square tower, orange daymark. 19.2	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.	<b>Chart:5449 Edn 02/06</b>
Inland LL 2552 H36.4	Broomfield Island <b>Racon - - (N) X &amp; S Band</b>	55 40 24 79 14 18	FI R 6s	43.9	5	Square skeleton tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.	<b>Chart:5707 Edn 02/06</b>
Inland LL 2553 H38	Digges Islet	On NW. islet of the Digges Islands. 62 35 14 78 06 36.8	FI W 6s	27.7	10	Square tower, orange square daymark. 7.9	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.	<b>Chart:5412 Edn 02/06</b>

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals		
Inland LL 2554 H40	Nottingham Island  <b>Racon - . (N) X &amp; S Band</b>	On S. extremity of island. 63 05 10 77 57 00	FI W	6s	27.7	10	Square tower, orange rectangular daymark, black vertical stripe. 12.4	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.	<b>Chart:5449 Edn 02/06</b>
Inland LL 2555 H41	Arctic Island	On centre of island. 62 14 28 74 45 44	FI W	6s	29.6	8	Square tower, orange rectangular daymark. 6.7	Flash 1 s; eclipse 5 s. Seasonal.	<b>Chart:5457 Edn 02/06</b>
Inland LL 2556 H42	Charles Island West End	62 42 30 74 40 00	FI W	6s	20.7	10	Square tower, orange rectangular daymark. 16.1	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.	<b>Chart:5450 Edn 02/06</b>
Inland LL 2557 H44	Charles Island East End  <b>Racon - . . (C) X &amp; S Band</b>	62 36 28 73 56 12	FI W	6s	61.0	10	Square tower, orange rectangular daymark. 6.4	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.	<b>Chart:5450 Edn 02/06</b>
Inland LL 2558 H48	Wales Island	E. extremity of island. 61 51 38 71 58 00	FI W	6s	83.2	8	Square mast, orange rectangular daymark. 6.7	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.	<b>Chart:5390 Edn 02/06</b>
Inland LL 2559 H50	Ashe Inlet	E. end of Rabbit Island. 62 32 00 70 33 36	FI W	6s	73.2	10	Square skeleton mast, orange rectangular daymark. 6.0	Flash 1 s; eclipse 5 s. Seasonal.	<b>Chart:5316 Edn 02/06</b>
Inland LL 2560 H52	Cape Hopes Advance	61 04 41 69 33 32	FI W	6s	82.3	8	Square skeleton tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Seasonal.	<b>Chart:5452 Edn 02/06</b>
Inland LL 2565 H53	Radio Island (Resolution Island)	W. side of island. 61 18 40.6 64 53 17.2	FI W	6s	39.3	10	Square tower. 7.0	Flash 1 s; eclipse 5 s. Seasonal.	<b>Chart:5459 Edn 02/06</b>
<b>Iqaluit (Frobisher Bay)</b>									
Inland LL 2566 H53.4	Cape Poillon range	63 07 55.9 67 52 14.8	Iso W	2s	84.0	9	Square skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.	<b>Chart:7125 Edn 02/06</b>
Inland LL 2567 H53.41		149°28' 3427.9m from front.	Iso W	2s	203.5	9	Square tower, orange daymark.	Visible in line of range. Seasonal.	

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals		
Inland LL 2568 H53.5	Cape Poillon West	Pike Resor Channel, Frobisher Bay. 63 08 49.8 67 55 00.8	FI Y	6s	38.9	7	Square tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Seasonal.	<b>Chart:7125 Edn 02/06</b>
Inland LL 2569 H54	Basset Point	On Pike Island. 63 12 43.5 67 57 47.2	FI R	5s	18.3	6	Square tower, orange rectangular daymark.	Flash 1 s; eclipse 4 s. Seasonal.	<b>Chart:7125 Edn 02/06</b>
Inland LL 2570 H54.2	Pike Island range 1	Pike Resor Channel. 63 13 47.4 67 59 54.3	Iso W	2s	28.0	8	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.	<b>Chart:7125 Edn 02/06</b>
Inland LL 2571 H54.21		329°28' 385.4m from front .	Iso W	2s	44.4	8	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.	
Inland LL 2572 H54.3		63 15 04.1 68 01 46.8	Iso W	2s	20.9	8	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.	
Inland LL 2573 H54.31		146°04' 2463.2m from front.	Iso W	2s	52.0	8	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.	
Inland LL 2574 H54.4	Pike Island No. 2 range								<b>Chart:7125 Edn 02/06</b>
Inland LL 2574 H54.4	Quadrifid Island	63 18 13.8 68 07 47.2	FI G	5s	33.6	6	Square tower, orange rectangular daymark.	Flash 1 s; eclipse 4 s. Seasonal.	<b>Chart:7125 Edn 02/06</b>
Inland LL 2575 H54.6	Lapointe Rock	63 21 35.9 68 14 23.5	FI W	6s	14.0	10	Square tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Seasonal.	<b>Chart:7125 Edn 02/06</b>
Inland LL 2576 H56.4	Monument Island	On summit of island. 63 41 47.2 68 30 38	FI R	6s	47.9	.....	Square tower, orange rectangular daymark. 8.5	Flash 1 s; eclipse 5 s. Seasonal.	<b>Chart:7127 Edn 02/06</b>
Inland LL 2577	<i>White Top Ledge light buoy N22</i>	<i>SW. of ledge. 63 42 50.2 68 30 07.7</i>	<i>F R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "N22".</i>	<i>Seasonal.</i>	<b>Chart:7127 Edn 02/06</b>
Inland LL 2578	<i>Inuit light buoy N23</i>	<i>E. of reef. 63 43 01.2 68 30 42.5</i>	<i>F G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "N23".</i>	<i>Seasonal.</i>	<b>Chart:7127 Edn 02/06</b>

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
Inland LL 2579	<i>Polaris Reef light buoy N26</i>	<i>S. of reef. 63 43 19.3 68 30 46.4</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "N26".</i>	<i>Seasonal.</i>
									<b>Chart:7127 Edn 02/06</b>
Inland LL 2580 H55	Long Island	Koojesse Inlet. 63 43 24.1 68 30 31.6	Fl	W	6s	27.4	.....	Square tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Seasonal.
									<b>Chart:7127 Edn 02/06</b>
Inland LL 2581	<i>Black Ledge light buoy N30</i>	<i>W. of ledge. 63 43 40.1 68 31 08.3</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "N30".</i>	<i>Seasonal.</i>
									<b>Chart:7127 Edn 02/06</b>
Inland LL 2582 H55.5	Frobisher Bay (Iqaluit) range	W. of the bay. 63 43 32 68 32 17.1	Iso	R	2s	17.5	.....	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.
Inland LL 2583 H55.51		229°57' 576.2m from front.	Iso	R	2s	55.8	.....	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.
									<b>Chart:7127 Edn 02/06</b>
Inland LL 2584 H56	Frobisher Landing	Koojesse Inlet. 63 44 15.3 68 31 38.7	Fl	Y	6s	5.0	.....	Square tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Seasonal.
									<b>Chart:7127 Edn 02/06</b>
Inland LL 2585 H56.2	Koojesse Inlet range	63 44 36.8 68 31 50.9	F	G	.....	12.8	.....	Square tower, orange daymark. 12.4	Visible in line of range. Year round.
Inland LL 2586 H56.21		344°12' 418.5m from front.	F	G	.....	30.1	.....	Square tower, orange daymark. 15.5	Visible in line of range. Year round.
									<b>Chart:7127 Edn 02/06</b>
Inland LL 2590 H57	Button Islands	N. extremity of Button Islands. 60 41 45 64 37 36	Fl	W	6s	54.9	10	Square mast. 9.4	Flash 1 s; eclipse 5 s. Seasonal.
									<b>Chart:5456 Edn 02/06</b>
Inland LL 2591 H58	Koksoak River range	58 27 37.2 68 12 26.9	F	G	.....	18.0	.....	Square tower, orange daymark, black vertical stripe. 7.9	Visible in line of range. Operates at night only. Seasonal.
Inland LL 2592 H58.1		197°38' 613.6m from front.	F	G	.....	39.6	.....	Triangular tower, orange daymark, black vertical stripe. 24.7	Visible in line of range. Operates at night only. Seasonal.
									<b>Chart:5338 Edn 02/06</b>
Inland LL 2593 H58.4	Koksoak River East range	58 29 42 68 10 20.2	Iso	W	2s	19.7	.....	Square tower, orange daymark, black vertical stripe. 7.9	Visible in line of range. Operates at night only. Seasonal.
Inland LL 2594 H58.41		189°36' 651.4m from front.	Iso	W	2s	35.0	.....	Square tower, orange daymark, black vertical stripe. 20.1	Visible in line of range. Operates at night only. Seasonal.
									<b>Chart:5338 Edn 02/06</b>

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
Inland LL 2595 H59	Beacon Point (Inukshuktuyuk) range	58 33 04.2 68 11 32.6	F	W	.....	17.4	.....	Square tower, orange daymark. 7.9	Visible in line of range. Operates at night only. Seasonal.
Inland LL 2596 H59.1		219°49' 1025.2m from front.	F	W	.....	44.0	.....	Square tower, orange daymark. 7.9	Visible in line of range. Operates at night only. Seasonal.
<b>Chart:5338 Edn 02/06</b>									
Inland LL 2600 H35.4	Mission Lake	Chesterfield Inlet. 63 20 35.5 90 41 14	FI	W	6s	.....	.....	Black square mast, orange rectangular daymark. 9.7	Flash 1 s; eclipse 5 s. Seasonal.
<b>Chart:5620 Edn 02/06</b>									
Inland LL 2601 H24	Dunne Foxe Island	On Easternmost Island. 62 15 20 92 00 24	FI	W	6s	21.7	.....	Black square skeleton mast. 10.0	Flash 1 s; eclipse 5 s. Seasonal.
<b>Chart:5397 Edn 02/06</b>									
Inland LL 2602 H25	Walrus Island <b>Racon --- (Y) X Band</b>	Mistake Bay. 61 57 59.4 92 28 41.1	FI	W	6s	28.5	7	Black square skeleton mast, orange rectangular daymark. 11.0	Flash 1 s; eclipse 5 s. Seasonal.
<b>Chart:5642 Edn 02/06</b>									
Inland LL 2603 H25.5	Sentry Island <b>Racon --- (C) X &amp; S Band</b>	61 09 35.6 93 52 14.6	FI	W	6s	35.4	.....	Black square skeleton mast. 18.4	Flash 1 s; eclipse 5 s. Seasonal.
<b>Chart:5641 Edn 02/06</b>									
Churchill Harbour									
Inland LL 2605	Churchill Harbour light buoy C	58 49 40.3 94 06 16.5	Mo(A)	W	6s	.....	.....	Red and white vertical stripes, marked "C".	Seasonal.
<b>Chart:5640 Edn 02/06</b>									
Inland LL 2606	Merry Rock light buoy C1	NW. of rock. 58 47 31.5 94 12 23	Q	G	1s	.....	.....	Green, marked "C1".	Seasonal.
<b>Chart:5640 Edn 02/06</b>									
Inland LL 2607	Merry Rock light buoy C2	58 47 40.8 94 12 23.5	Q	R	1s	.....	.....	Red, marked "C2".	Seasonal.
<b>Chart:5640 Edn 02/06</b>									

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
Inland LL 2608 H28	Fort Prince of Wales range	58 47 39 94 12 56	F	W	.....	7.9	.....	Skeleton tower, orange daymark, black vertical stripe.	Seasonal.
Inland LL 2609 H28.1		343°50' 403.9m from front.	F	W	.....	10.9	.....	Tripod skeleton tower, orange daymark, black vertical stripe.	Seasonal.
Inland LL 2610 H29	Ship Point range	58 47 28.5 94 13 23	F	W	.....	12.1	.....	Square skeleton mast, orange daymark, black vertical stripe.	Seasonal.
Inland LL 2611 H29.1		317°35' 196.4m from front.	F	W	.....	13.3	.....	Tripod skeleton tower, orange daymark, black vertical stripe.	Seasonal.
Inland LL 2612 H27	Churchill range	58 47 00.9 94 13 59.2	F	W	.....	23.0	.....	Tripod skeleton tower, orange daymark.	Seasonal.
Inland LL 2613 H27.1	<b>Racon --. (G) X &amp; S Band</b>	236°25' 1632.7m from front.	F	W	.....	15.5	.....	Tripod skeleton tower, orange daymark.	Seasonal.
Inland LL 2614	<i>Merry Rock light buoy C4</i>	58 47 22.8 94 12 57	<i>Fl</i>	<i>R</i>	<i>4s</i>	.....	.....	<i>Red, marked "C4".</i>	<i>Seasonal.</i>
Inland LL 2615	<i>Cape Merry light buoy C3</i>	58 47 16.4 94 12 34.7	<i>Fl</i>	<i>G</i>	<i>4s</i>	.....	.....	<i>Green, marked "C3".</i>	<i>Seasonal.</i>
Inland LL 2616	<i>Cape Merry light buoy C5</i>	58 47 09.8 94 12 33	<i>Fl</i>	<i>G</i>	<i>4s</i>	.....	.....	<i>Green, marked "C5".</i>	<i>Seasonal.</i>
Inland LL 2617	<i>Cape Merry light buoy C6</i>	58 47 01.3 94 12 43	<i>Fl</i>	<i>R</i>	<i>4s</i>	.....	.....	<i>Red, marked "C6".</i>	<i>Seasonal.</i>
Inland LL 2618	<i>Churchill Wharf Approach light buoy C7</i>	58 46 50.8 94 12 12.9	<i>Fl</i>	<i>G</i>	<i>4s</i>	.....	.....	<i>Green, marked "C7".</i>	<i>Seasonal.</i>
Inland LL 2620	<i>Churchill Wharf light buoy C8</i>	58 46 44.6 94 12 15.2	<i>Fl</i>	<i>R</i>	<i>4s</i>	.....	.....	<i>Red, marked "C8".</i>	<i>Seasonal.</i>
Inland LL 2621	<i>Churchill Wharf light buoy C10</i>	<i>S. end of wharf.</i> 58 46 16.8 94 11 40	<i>Fl</i>	<i>R</i>	<i>4s</i>	.....	.....	<i>Red, marked "C10".</i>	<i>Seasonal.</i>

Chart:5596  
Edn 02/06

Chart:5596  
Edn 02/06

Chart:5640  
Edn 02/06

Chart:5640  
Edn 02/06

Chart:5640  
Edn 02/06

Chart:5640  
Edn 02/06

Chart:5640  
Edn 02/06

Chart:5640  
Edn 02/06

Chart:5640  
Edn 02/06

Chart:5640  
Edn 02/06