

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

STRAIT OF GEORGIA

265.2 G5359	Croker Point	On the point. 48 46 29 123 12 04.5	FI R	4s	4.6	4	Mast, red and white triangular daymark.	Year round. Chart:3477	
265.5	<i>Crispin Rock light buoy UJ</i>	<i>Lyall Harbour. 48 48 04 123 11 47</i>	<i>FI (2+1)</i>	<i>R</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red, green and red, marked "UJ".</i>	Year round. Chart:3477
265.8 G5359.5	Fane Island	48 48 25.8 123 15 59.5	FI G	4s	7.9	3	White cylindrical tower, green band at top.	Radar reflector. Year round. Chart:3477	
266 G5373	Conconi Reef	On reef. 48 49 27.2 123 17 27.5	Q W	1s	6.0	5	White cylindrical tower, red band at top.	Year round. Chart:3442	
266.5 G5368.5	Port Washington	On Boat Ilet. 48 48 42 123 19 20	FI(2) R	6s	7.0	3	White cylindrical tower, red band at top.	Year round. Chart:3442	
267 G5368	Portlock Point	On the point. 48 49 41 123 21 02	Q W	1s	15.5	7	White tower.	Year round. Chart:3442	
268 G5369	Peile Point	On the point. 48 50 59.7 123 24 18.8	FI W	4s	7.6	7	White cylindrical tower.	Year round. Chart:3478	
269 G5366	Phillimore Point	On extremity of point. 48 52 18.6 123 23 31.7	Q R	1s	7.3	4	White cylindrical tower, red band at top.	Year round. Chart:3473 Edn 05/04(P04-016)	
270	<i>Ben Mohr Rock light buoy UK</i>	<i>NE. of Peile Point light. 48 51 37.3 123 23 27.8</i>	<i>FI (2+1)</i>	<i>R</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red, green and red, marked "UK".</i>	Year round. Chart:3478
271 G5367	Enterprise Reef	On western rock of reef. 48 50 41.7 123 20 53.9	Q R F W R W	1s	5.9	5 9	White cylindrical tower, red band at top.	Radar reflector. White from 107°30' to 110°; red from 110° to 121°; white from 121° to 123°30'. Year round. Chart:3473 Edn 05/04(P04-017)	
<hr/>									
Active Pass									
272 G5364	Helen Point	On point. 48 51 27.6 123 20 42.1	Q W	1s	7.0	6	White cylindrical tower, red band at top.	Year round. Chart:3473 Edn 05/04(P04-019)	
273 G5365	Galiano	On drying rock. 48 51 42.9 123 20 55.7	Q G	1s	6.4	4	White cylindrical tower, green band at top.	Radar reflector. Year round. Chart:3473 Edn 05/04(P04-020)	
274 G5362	Mary Anne Point	On the point. 48 51 43.4 123 18 48.7	Q W	1s	7.6	6	White cylindrical tower, green band at top.	Radar reflector. Year round. Chart:3473 Edn 05/04(P04-021)	

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

STRAIT OF GEORGIA

275 G5360	Active Pass Radiobeacon	On Georgina Point, Mayne Island. 48 52 23.9 123 17 29.2	FI W	10s	17.4	17	White cylindrical tower.	Flash 0.2 s; eclipse 9.8 s. Year round.	Chart:3473 Edn 05/04(P04-025)
276	<i>Gossip Shoals light and bell buoy U47</i>	<i>E. of shoal, off SE. end of Gossip Island. 48 53 05.4 123 18 21.7</i>	FI G	4s	Green, marked "U47".	Year round.	Chart:3473 Edn 05/04(P04-026)
Stuart Channel									
276.1 G5376.6	Octopus Point	48 47 56.7 123 33 45.8	FI G	4s	6.0	4	White mast.	Year round.	Chart:3478
276.12	<i>Maple Bay Speed Control light buoy</i>	<i>48 48 23.4 123 35 49.7</i>	FI Y	4s	White and orange.	Privately maintained. Year round.	Chart:3478
276.3 G5376.5	Grave Point	On the point. 48 50 53.6 123 35 33.3	FI G	4s	5.3	4	Mast.	Year round.	Chart:3478
277 G5374	Crofton	On SE. Shoal Island. 48 52 47 123 37 43	FI W	4s	5.8	6	White cylindrical tower.	Radar reflector. Year round.	Chart:3475
280 G5384	Bare Point	On extremity of point. 48 55 47 123 42 17	FI G	4s	9.3	5	White cylindrical tower, green band at top.	Radar reflector. Year round.	Chart:3475
281	<i>Hospital Rock light buoy U30</i>	<i>E. of the rock. 48 55 46.5 123 42 42</i>	FI R	4s	Red, marked "U30".	Year round.	Chart:3475
282 G5385	Chemainus Bay range	On N. end of McMillan and Bloedel wharf. 48 55 28.6 123 42 44.2	F G	8.1	13	Square skeleton tower, red daymark, white vertical stripe.	Year round.	
283 G5385.1		198°50' 225.9m from front.	F G	13.6	13	Triangular skeleton mast, red daymark, white vertical stripe.	Year round.	Chart:3475
284 G5378	North Reef	On reef. 48 54 51 123 37 32	FI(3) W	12s	6.7	7	White cylindrical tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round.	Chart:3442
Houstoun Passage									
285 G5378.6	Grappler Rock	On rock. 48 56 21.2 123 36 05.1	FI R	4s	6.1	4	White cylindrical tower, red band at top.	Radar reflector. Year round.	Chart:3442
286 G5379	Southey Point	On N. extremity of Saltspring Island. 48 56 45 123 35 43	Q W	1s	6.1	5	White cylindrical tower.	Radar reflector. Year round.	Chart:3442

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

STRAIT OF GEORGIA

286.5	Norway Island	NW. end of Norway Island. 48 58 54 123 37 34	FI Y	4s	3.0 Mast.	Privately maintained from April 30 to October 1 st . Year round. Chart:3477
Porlier Pass							
287	Porlier Pass light and bell buoy U41	Off E. entrance to Pass. 49 01 32.4 123 34 57.4	FI G	4s Green, marked "U41".	Year round. Chart:3473 Edn 03/05(P04-027)
288 G5394	Porlier Pass range	On Race Point, Galiano Island. 49 00 46.5 123 35 09.2	F Y	6.8	10 White cylindrical tower.	Year round.
289 G5394.1		196°07' 445.2m from front.	F Y	10.3	10 White square tower.	Year round. Chart:3473 Edn 05/04(P04-028)
289.3 G5394.4	Virago Rock Sector	On rock 49 00 45.5 123 35 34	Q W R	1s	6.8	4 White cylindrical tower, green band at top.	Red 024° through E. and S. to 229°; white 229° through W. and N. to 024°. Radar reflector. Year round. Chart:3473 Edn 05/04(P04-029)
Trincomali Channel							
290	Governor Rock light buoy U45	E. of rock. 48 54 47 123 29 46	FI G	4s Green, marked "U45".	Year round. Chart:3442
291 G5380	Walker Rock	Trincomali Channel. 48 55 25.3 123 29 35.2	FI(3) W	12s	7.3	6 White cylindrical tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
			F G W R	6.9	7	Green from 082° to 088°; white from 088° to 092°; red from 092° to 099°. Radar reflector. Year round. Chart:3442
291.1 G5381	Saltspring Island Sector	48 55 24 123 33 08	F R W G	6.4	8 White cylindrical tower.	Red 264° to 268°; white 268° through W. to 272°; green 272° to 276°. White sector indicates preferred channel. Year round. Chart:3442
291.3	Victoria Shoal light buoy U43	NW. of Governor Rock. 48 55 12 123 30 56	FI G	4s Green, marked "U43".	Year round. Chart:3442
292 G5388	Danger Reefs	On N. end of easternmost rock. 49 03 15 123 42 54.7	Q W	1s	6.7	5 White cylindrical tower.	When passing southward, ships should be given a berth of at least one half mile. Radar reflector. Year round. Chart:3443

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

STRAIT OF GEORGIA

293	Panther Point light buoy U44	W. of point. 48 55 48 123 32 26	Fl R 4s	Red, marked "U44".	Year round. Chart:3442
293.5 G5379.2	Jackscrew Island	48 57 03 123 35 06	Fl W 4s	5.8	6	White cylindrical tower, red band at top.	Year round. Chart:3442
294 G5383	Alarm Rock	On SE. end of rock. 48 57 32.2 123 40 27	Fl(2) W 6s	5.2	5	White cylindrical tower.	Radar reflector. Year round. Chart:3477
294.5 G5382.2	Hudson Island North	48 57 58.1 123 40 24	Fl R 4s	4.9	4	White cylindrical tower, red band at top.	Radar reflector. Year round. Chart:3477
295 G5382	Preedy Harbour	Off W. end of Hudson Island. 48 58 06 123 40 58	Q R 1s	5.1	4	White cylindrical tower, red band at top.	Radar reflector. Year round. Chart:3477
296 G5382.4	Thetis Island Ferry Landing Fog Signal	On the gantry. 48 58 48.4 123 40 39	Horn - Blast 4 s; sil. 26 s. Operated by Ferry personnel when required for ferry movements only. Year round. Chart:3477
296.5 G5382.5	Kuper Island Ferry Landing Fog Signal	48 58 15 123 39 37.5	Horn - Blast 4 s; sil. 26 s. Operated by Ferry personnel when required for ferry movements only. Year round. Chart:3477
296.7	Ladysmith Harbour Floating Breakwater	At end of floating breakwater. 48 59 58.5 123 48 41.5	Fl G 4s	3	Mast, green, white and black square daymark.	Operates at night only. Year round. Chart:3475 Edn 12/04(P04-097)
297 G5386	Coffin Island	On islet, on N. side of entrance to Ladysmith Harbour. 48 59 09 123 45 08.5	Fl W 4s	5.8	6	White cylindrical tower, green band at top.	Radar reflector. Year round. Chart:3475
298 G5390	Joan Point	On point, Dodd Narrows. 49 08 09 123 49 02	Q W 1s	8.8	5	White cylindrical tower, green band at top.	Year round. Chart:3475
298.8 G5149	Blaine Small Boat Harbour light 2 (U.S.)	48 59 28 122 45 49	Fl R 2.5s	6.7	6	Red, red triangular daymark on dolphin.	Flash every 2.5 s. Year round. Chart:3462
299 G5148	Semiahmoo Harbour (U.S.)	In the bay. 48 59 33 122 46 58	Fl W 4s	8.2	12	Skeleton tower, red and black diamond daymark.	Year round. Chart:3463
299.5 G5150	Crescent Beach	Entrance to Nicomekl River. 49 00 43.9 122 56 25.2	Fl R 4s	6.7	5	Mast on 1-pile dolphin, red and white triangular daymark.	Year round. Chart:3463

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks ----- Fog Signals
		----- Latitude N. Longitude W.				----- Height in meters above ground	

STRAIT OF GEORGIA

299.6 G5150.5	Crescent Channel	49 03 14.1 122 53 49.7	Q R	1s	4.5	4	On long centre pile of 4-pile dolphin, red and white triangular daymark.	Year round. Chart:3463
299.7 G5149.5	White Rock Breakwater	49 00 59.4 122 48 28.7	Fl W	4s	4.6	5	On long centre pile of a 4-pile dolphin.	Year round. Chart:3463
300	Point Roberts light and bell buoy 4 (U.S.)	SE. of Point Roberts. 48 57 06.1 122 59 12.5	Fl R	4s	Red, marked "4".	Year round. Chart:3463
301 G5152	Point Roberts (U.S.)	S. extremity of point. 48 58 17.1 123 05 01.1	Fl(2) W	15s	9.1	15	Skeleton tower, red and white diamond daymark.	Year round. Chart:3463
302 G5161	International Boundary range A (U.S.)	On shore northerly of Point Roberts. 49 00 05 123 05 23	F R W G	54.9	Skeleton tower, fluorescent orange rectangular daymark. 9.1	Visible in line of range. Red from 087°30' to 088°30'; oscillating red and white from 088°30' to 089°30'; white from 089°30' to 090°30'; oscillating white and green from 090°30' to 091°30'; green from 091°30' to 092°30'. In operation 24 hours. Year round.
303 G5160.9		On shore. 49 00 06 123 04 00	F W	78.6	Grey pile, fluorescent orange rectangular daymark. 27.4	
304 G5160	International Boundary Obstruction (U.S.)	W. side of Boundary Bay. 49 00 06 123 01 12	Fl Y	4s	11.0	Rectangular block.	Year round Chart:3463
305 G5160.1	International Boundary range B (U.S.)	On shore. 49 00 06 123 02 06	F G	19.8	Skeleton tower, fluorescent orange rectangular daymark. 15.2	Visible in line of range. Year round.
305.1 G5160.9		49 00 06 123 04 00	F G	78.6	Grey pile, fluorescent orange rectangular daymark. 27.4	
306 G5164	International Boundary range C (U.S.)	On shore. 49 00 08 122 46 55	Q G	1s	11.3	White square skeleton tower, red and white horizontal bands, yellow square slatwork daymark.	Year round.
307 G5164.1		On shore. 49 00 07.6 122 45 25.1	F G	24.4	White square skeleton tower, red and white horizontal bands, yellow square slatwork daymark.	
307.1 G5396	Tsawwassen Ferry Breakwater	W. end of S. breakwater. 49 00 07.8 123 07 43.1	Q R	1s	7.8	4	White cylindrical tower, red band at top.	Radar reflector. Year round. Chart:3492

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

STRAIT OF GEORGIA

307.121 G5398	Tsawwassen range	Inner end of terminal. 49 00 23.2 123 07 45.5	F G	11.4	Ferry slip gantry.	Privately maintained. Year round.
307.122 G5398.1		Inner end of terminal. 016°53' 270m from front.	F G	18.0	Mast.	Privately maintained. Year round. Chart:3492
307.13 G5398.6	Tsawwassen	49 00 27.1 123 08 36.4	Fl Y	4s	9.0	Privately maintained. Radar reflector. Year round. Chart:3492
307.15 G5397	Tsawwassen Ferry South	Off S. breakwater. 49 00 14.1 123 08 01.3	Oc W	10s	5.6	On dolphin.	Privately maintained. Radar reflector. Year round. Horn - Blast 1 s; sil. 19 s. Operated by Ferry personnel when required for ferry movements only. Chart:3492
307.2	Roberts Bank light buoy T2	49 00 29.6 123 09 12.9	Q R	1s	Red, marked "T2".	Year round. Chart:3492
307.3	Roberts Bank light buoy T4	49 00 41.4 123 08 55.1	Fl R	4s	Red, marked "T4".	Year round. Chart:3492
307.4	Roberts Bank light buoy T6	49 00 52.8 123 08 38.2	Fl R	4s	Red, marked "T6".	Year round. Chart:3492
307.5	Roberts Bank light buoy T8	49 01 12.7 123 08 35	Fl R	4s	Red, marked "T8".	Year round. Chart:3492
307.7	Roberts Bank Cautionary light buoy TB	49 01 27.5 123 08 37.5	Fl Y	4s	Yellow, marked "TB".	Year round. Chart:3492
307.9	Roberts Bank light buoy T1	49 00 33.7 123 09 40	Q G	1s	Green, marked "T1".	Year round. Chart:3492
307.91 G5399	Roberts Bank Entrance range	49 01 35.6 123 08 30	Q Y	1s	12.4	14	Square skeleton tower, red daymark, white vertical stripe.	Flash 0.3 s; eclipse 0.7 s. Year round.
307.92 G5399.1		032° 250m from front.	Q Y	1s	19.1	14	Square skeleton tower, red daymark, white vertical stripe.	Flash 0.3 s; eclipse 0.7 s. Year round. Chart:3492
308	Canoe Pass light buoy T14 Racon - - (K) X & S Band	Entrance to Pass. 49 02 17.4 123 15 22.7	Fl R	4s	Red, marked "T14".	Year round. Chart:3492 Edn 03/05(P04-101)
309 G5400	Roberts Bank Racon - - (N) X & S Band	Edge of bank. 49 05 15.7 123 18 36.9	Fl W	4s	10.9	10	White cylindrical tower, red band at top and a concrete building on 8 piles.	Year round. Chart:3490

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

STRAIT OF GEORGIA

309.5	Roberts Bank Cautionary light buoy TA	W. of bank. 49 04 25.4 123 22 50.7	Fl Y 4s	Yellow, marked "TA".	Year round.	
	Racon --- (O) X & S Band						Chart:3463	
310	Sand Heads light and bell buoy S1	N. side of Fraser River entrance. 49 06 10.9 123 18 38.7	Fl G 4s	Green, marked "S1".	Year round.	
							Chart:3490	
425 G5423.5	Brunswick Point	On point, E. side of Montagu Channel. 49 31 33.7 123 15 40.4	Fl R 4s	10.1	4	White cylindrical tower, red band at top.	Radar reflector. Year round.	
							Chart:3526	
425.5 G5423.7	Squamish Approach	Entrance to channel. 49 40 47.5 123 09 55.4	Fl R 4s	6.5	5	Centre pile of 19-pile dolphin, red and white triangular daymark.	Year round.	
							Chart:3534	
426 G5423.8	Squamish range	On E. bank of Squamish River. 49 41 29.9 123 09 11.6	F Y	8.8	15	Mast, red daymark, white vertical stripe.	In operation 24 hours. Year round.
427 G5423.8 1		034° 29.4m from front.	F Y	11.7	15	Mast, red daymark, white vertical stripe.	In operation 24 hours. Year round.
							Chart:3534	
427.1 G5423.7 5	Squamish Terminal range	49 41 12.1 123 10 22.6	F Y	4.9	15	Square skeleton tower, white daymark, red vertical stripe.	Visible in line of range. In operation 24 hours. Year round.
427.2 G5423.7 6		019°30' 122.2m from front.	F Y	9.8	15	3-pile dolphin, white daymark, red vertical stripe.	Visible in line of range. In operation 24 hours. Year round.
							Chart:3534	
427.4	Squamish Terminal No. 1	49 41 00 123 10 34	Fl G 4s	5.7	4	Mast on 3-pile dolphin.	Year round.	
							Chart:3534	
427.5	Squamish Terminal No. 2	49 40 56 123 10 22.1	Fl W 4s	5.2	5	Mast on 3-pile dolphin.	Year round.	
							Chart:3534	
428 G5423.6	Ekins Point	On point. 49 32 06.5 123 22 49.4	Fl(3) W 12s	6.4	5	White cylindrical tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.	
							Chart:3526	
428.1 G5420.7	Langdale Ferry Landing Fog Signal	Berth 2. 49 25 58 123 28 14	On mast on outer dolphin.	Horn - Blast 2.5 s; sil. 7.5 s. Operated by Ferry personnel when required for ferry movements only. Year round.	
							Chart:3526	

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
429 G5423.3	Grace Islands	On SW. extremity. 49 25 49.9 123 26 52.9	FI W 4s	6.1	5	White cylindrical tower.	Year round. Chart:3526
430 G5420.4	Gibsons Landing Rock	On rock. 49 23 56 123 29 54.8	FI G 4s	7.0	5	White cylindrical tower, green band at top.	Year round. Chart:3534
431 G5420.5	Gibsons Landing	Atop the gazebo on the outer end of the breakwater. 49 23 59.1 123 30 14.9	FI R 4s	4.9	3	White mast, red and white triangular daymark.	Year round. Chart:3534
431.5 G5420.6	Gibsons Landing Breakwater South	49 23 57.4 123 30 16.8	FI G 4s	6.0	3	White mast, black, white and green square daymark.	Year round. Chart:3534
432 G5420	Popham Island	On NW. extremity of island. 49 21 46.1 123 29 30.9	FI R 4s	12.5	4	White cylindrical tower, red band at top.	Radar reflector. Year round. Chart:3526
433 G5485	Thrasher Rock Racon --- (X) X Band	NE. extremity of Gabriola Reefs. 49 09 00.5 123 38 25	FI(3) W 12s	11.0	7	White cylindrical tower, green band at top.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3475
433.1	<i>Gabriola Reefs light buoy UM</i>	<i>S. extremity of reef. 49 07 40.5 123 39 16</i>	<i>FI (2+1) G</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Green, red and green, marked "UM".</i> Year round. Chart:3475
433.2 G5486.4	Breakwater Island	On W. side of island. 49 07 51 123 40 56	FI R 4s	6.1	4	Mast.	Year round. Chart:3475
433.3 G5486.5	Rogers Reef	E. entrance, Gabriola Pass. 49 07 53 123 41 22.5	Q W 1s	5.5	5	White cylindrical tower.	Year round. Chart:3475
433.5 G5486.4 4	Gabriola Passage East	Off NE. side, Valdes Island. 49 07 30 123 41 13	FI G 4s	5.2	4	White cylindrical tower, green band at top.	Radar reflector. Year round. Chart:3475
433.8 G5486.8	Dibuxante Point	W. entrance to Gabriola Pass. 49 07 37 123 42 56.5	Q R 1s	6.4	4	White cylindrical tower, red band at top.	Year round. Chart:3475
434 G5486	Tugboat Island	On drying rock SE. of island. 49 08 53.5 123 41 02	FI W 4s	6.1	5	White cylindrical tower.	Radar reflector. Year round. Chart:3475
434.3 G5486.2	Silva Bay	NW. of Tugboat Island. 49 09 13 123 41 27	FI G 4s	4.6	4	White mast, black, white and green square daymark.	Year round. Chart:3475
445.1 G5497	Departure Bay Ferry Landing Fog Signal	49 11 41 123 57 21.8	Horn - Blast 2 s; sil. 28 s. Operated by Ferry personnel when required for ferry movements only. Year round. Chart:3447

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
445.5	Departure Bay West Cardinal light buoy PW	49 11 48.4 123 56 55.8	Q(9) W	15s	Yellow, black and yellow, marked "PW".	Year round. Chart:3447
446 G5496	Jesse Island	On eastern extremity of island. 49 12 28.4 123 56 35.2	Q R	1s	7.3	4	White cylindrical tower, red band at top. Radar reflector. Year round. Chart:3447
446.5	Horswell Rock East Cardinal light buoy PL	Off reef, off Horswell Bluff. 49 12 43.3 123 55 57.3	Q(3) W	10s	Black, yellow and black, marked "PL".	Year round. Chart:3447
447 G5498	Hudson Rocks	On summit of SW. islet. 49 13 25.5 123 55 40.6	FI W	4s	8.9	7	White cylindrical tower, red band at top. Radar reflector. Year round. Chart:3447
447.2 G5499	Clarke Rock	On E. side of rock. 49 13 31.5 123 56 29.2	FI G	4s	5.7	4	White cylindrical tower, green band at top. Year round. Chart:3447
447.5	Halibut Bank ODAS light buoy 46146	Halibut Bank. 49 20 23.4 123 43 40.7	FI(5) Y	20s	Yellow, marked "46146".	Year round. Chart:3463
448 G5502	White Islets	E. of Sechelt. 49 25 06 123 42 38	FI W	4s	10.7	6	White cylindrical tower. Radar reflector. Year round. Chart:3311
448.5 G5502.4	Selma Park Breakwater	On outer end of breakwater. 49 28 00 123 44 36	FI R	4s	8.2	4	White cylindrical tower, red band at top. Radar reflector. Year round. Chart:3311
448.8 G5511	Reception Point	Welcome Passage. 49 28 15.9 123 53 12	FI(3) W	12s	7.3	7	White cylindrical tower, red band at top. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round. Chart:3535
449 G5510	Merry Island	SE. extremity of island, SE. entrance to Welcome Passage. 49 28 03.5 123 54 40	FI W	15s	18.3	17	White tower. 8.2 Flash 0.4 s; eclipse 14.6 s. Year round. Chart:3535
450 G5512	Wilbraham Point	On SW. side of Grant Island, off point. 49 30 41 123 58 09	FI R	4s	10.7	5	White cylindrical tower, red band at top. Radar reflector. Year round. Chart:3535
450.5 G5513.5	Secret Cove Entrance	49 31 41.5 123 57 56	Q R	1s	4.2	3	Mast, red and white triangular daymark. Year round. Chart:3535
451	Tattenham Ledge light buoy Q51	At N. extremity of ledge. 49 31 08 123 59 01.5	FI G	4s	Green, marked "Q51".	Year round. Chart:3535

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

Malaspina Strait

452 G5513	Epsom Point	On extremity of point. 49 30 13.5 124 01 08.6	FI W	4s	6.5	7	Mast. 8.7	Year round.	Chart:3311
453 G5514	Francis Point	On point. 49 36 13 124 03 27	FI(3) W	12s	10.4	6	White cylindrical tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round.	Chart:3535
454 G5516	Pender Harbour	On reef, westward of N. extreme of Williams Island. 49 37 47.5 124 03 34	Q R	1s	4.6	3	White cylindrical tower, red band at top.	Radar reflector. Year round.	Chart:3535
455 G5519	Cape Cockburn	On cape, W. side of Nelson Island. 49 40 15.4 124 12 05.3	FI(3) W	12s	15.2	7	White cylindrical tower, red band at top.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.	Chart:3311
456 G5517	Nelson Rock	On rock. 49 38 39 124 07 04	FI W	4s	5.2	6	White cylindrical tower, red band at top.	Radar reflector. Year round.	Chart:3311
456.6 G5522	Saltery Bay	49 46 49.6 124 10 34.5	F G	On outer dolphin, ferry terminal.	Year round. Horn - Blast 3 s; sil. 17 s. Operated by Ferry personnel when required for ferry movements only.	Chart:3514
457 G5522.5	Ahlstrom Point	On N. shore of Jervis Inlet. 49 46 47.5 124 08 36.7	FI G	4s	6.4	5	White cylindrical tower, green band at top.	Radar reflector. Year round.	Chart:3514
458 G5523	Captain Island	On the northwesterly shore of island. 49 47 21 123 59 42.9	FI W	4s	8.2	6	White cylindrical tower.	Radar reflector. Year round.	Chart:3514
459 G5523.8	Malibu Rapids	Entrance to rapids. 50 09 43.4 123 51 14.8	Q G	1s	5.5	4	White cylindrical tower, green band at top.	Radar reflector. Year round.	Chart:3514
460 G5523.5	Agnew Passage	On NE. shore of small islet. 49 46 27.6 123 59 20.7	Q G	1s	7.6	White cylindrical tower, green band at top.	Radar reflector. Year round.	Chart:3514

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
460.3 G5523.6	Earls Cove	49 45 11 124 00 31.8	F G	On gantry, ferry terminal.	Radar reflector. Year round. Horn - Blast 2 s; sil. 28 s. Operated by Ferry personnel when required for ferry movements only. Chart:3514
461 G5524	Skookumchuck Narrows	On drying rock. 49 45 35.4 123 56 01.6	FI G	4s	6.1	White cylindrical tower, green band at top. Year round. Chart:3514
462 G5524.3	Sechelt Islets	On S. end of centre island. 49 44 23.2 123 53 54.9	Q G	1s	7.0	White cylindrical tower, green band at top. Radar reflector. Year round. Chart:3514
463 G5524.6	Skookum Island	NW. end of island. 49 43 31 123 52 46.8	FI W	4s	7.0	6	White cylindrical tower. Year round. Chart:3514
464 G5525	Kunechin Islets	S. tip of largest island. 49 37 12.3 123 48 15.6	FI(2) W	6s	6.1	6	White mast. Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s. Year round. Chart:3512
465 G5526	Point Upwood	On southeastern extreme of Texada Island. 49 29 19.4 124 08 28.9	FI(3) W	12s	11.0	7	White cylindrical tower, red band at top. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round. Chart:3512
465.5 G5526.4	Texada Island	At Partington Point. 49 31 42.1 124 13 35.9	FI R	4s	8.2	5	White cylindrical tower, red band at top. Radar reflector. Year round. Chart:3512
466 G5527	Fegan Islets	W. entrance to Sabine Channel. 49 31 56.2 124 23 00.6	FI W	4s	7.9	5	White cylindrical tower. Radar reflector. Year round. Chart:3512
467 G5521	Northeast Point	On E. end of point, Texada Island. 49 42 32 124 21 23	FI W	4s	9.4	7	White cylindrical tower, green band at top. Year round. Chart:3311
468.5 G5551	Grief Point East	End of S. breakwater, Garden Beach. 49 48 01 124 31 04	FI R	4s	4.3	4	White mast. Year round. Chart:3311
469 G5550	Grief Point	On W. extremity of point. 49 48 17 124 31 30	FI(2) W	6s	10.7	8	White cylindrical tower, red band at top. Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s. Year round. Chart:3311
470 G5552	Cyril Rock	On the rock, off Grisle Point. 49 48 21 124 36 20	Q G	1s	7.3	4	White cylindrical tower, green band at top. Year round. Chart:3311

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
471 G5554	Rebecca Rock	On summit of rock. 49 48 50 124 39 30	Iso W 2s	9.1	10	White cylindrical tower.	Flash 0.6 s; eclipse 1.94 s. Radar reflector. Year round. Chart:3311	
472 G5551.6	Westview Fishing Harbour South	On seaward end of the southerly breakwater. 49 49 54 124 31 41	Fl R 4s	4.6	4	White cylindrical tower, red band at top.	Year round. Chart:3536	
476 G5551.4	Westview Boat Harbour North	On breakwater. 49 50 21.9 124 31 50.8	Fl W 4s	7.6	5	White mast.	Year round. Chart:3536	
477	<i>Grant Reefs light buoy QM</i>	<i>S. extremity of reefs. 49 52 04.3 124 46 03.2</i>	<i>Fl (2+1) G</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Green, red and green, marked "QM".</i>	<i>Year round.</i> Chart:3311
477.5	<i>Atrevida Reef light buoy Q26</i>	<i>49 54 59.3 124 40 05.3</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "Q26".</i>	<i>Year round.</i> Chart:3311
478	<i>Mystery Reef light and bell buoy Q25</i>	<i>Close NE. of reef. 49 54 45.3 124 42 48.2</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "Q25".</i>	<i>Year round.</i> Chart:3311
478.2 G5567.4	Lund Breakwater South	49 58 48.8 124 45 47.7	Fl Y 4s	2.1	3	Mast.	Year round. Chart:3513 Edn 05/04(P04-022)	
478.3 G5567.5	Lund Breakwater Centre	49 58 49.8 124 45 46.7	Fl Y 4s	2.1	3	Mast.	Year round. Chart:3311 Edn 05/04(P04-023)	
478.4	Lund Breakwater North	49 58 50.8 124 45 45.4	Q R 1s	2.0	2	Mast, red and white triangular daymark.	Year round. Chart:3311 Edn 05/04(P04-024)	
478.5 G5567	Savary Island Wharf	On wharf, N. side of island. 49 56 45.8 124 46 41.3	Fl W 4s	6.4	5	On top of shed.	Year round. Chart:3311	
479 G5568	Lund	On E. end of S. Copeland Island. 49 59 45.4 124 47 36	Fl W 4s	6.4	6	White cylindrical tower.	Radar reflector. Year round. Chart:3311	
479.2 G5568.4	Major Islet	S. end of islet. 49 59 19.9 124 48 53.8	Fl(3) W 12s	31.1	6	White cylindrical tower, red band at top.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3311	
479.5 G5568.6	Thulin Passage	N. end of passage. 50 01 49.1 124 49 38.4	Fl G 4s	8.5	4	White cylindrical tower, green band at top.	Radar reflector. Year round. Chart:3538	

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
479.7	Okeover Inlet	On Western breakwater. 49 59 30.4 124 42 35.1	Fl R 4s	3	Mast, red and white triangular daymark. 1.5	Year round. Chart:3559 Edn 05/04 (P04-031)
791.3	Masset Harbour light and bell buoy C29	W. of Outer Bar. 54 05 43.9 132 12 57.8	Fl G 4s	Green, marked "C29".	Year round. Chart:3895 Edn 05/04(P04-033)
791.5	Masset Harbour Entrance light buoy C31	NW. of Entry Point. 54 03 42.9 132 12 29.8	Fl G 4s	Green, marked "C31".	Year round. Chart:3895 Edn 05/04(P04-034)
792 G5842	Masset Harbour Entrance range	NW. of Rooney Point. 54 01 57.6 132 11 54.6	F Y	6.7	11 Square skeleton tower, orange rectangular slatwork daymark, black vertical stripe.	Year round.
792.1 G5842.1		165°40' 1534m from front.	F Y	13.8	11 Square skeleton tower, orange rectangular slatwork daymark, black vertical stripe.	Year round. Chart:3895 Edn 05/04(P04-035)
793.3 G5843.2	Rooney Point	Off point. 54 01 00.9 132 10 05.8	Fl R 6s	5.2	4	7-pile dolphin, red and white triangular daymark.	Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3895 Edn 05/04(P04-036)
793.5 G5843.4	Delkatla Inlet	Entrance to inlet. 54 00 12.5 132 08 46.7	Q G 1s	9.1	3	3-pile dolphin, black, white and green square daymark.	Year round. Chart:3895 Edn 05/04(P04-037)
479.8 G5573	Refuge Cove	SW. tip of West Redonda Island. 50 06 57.5 124 50 53.6	Fl R 4s	6.4	4	White cylindrical tower, red band at top.	Year round. Chart:3555
480 G5573.8	Junction Point	E. side of Cortes Island. 50 08 23.5 124 53 35.8	Fl G 4s	8.8	5	White cylindrical tower, green band at top.	Year round. Chart:3555
481 G5571	Cortes Bay	50 03 46.5 124 55 30.1	Q R 1s	6.1	3	White cylindrical tower, red band at top.	Year round. Chart:3311
481.5 G5569	Spilsbury Point	On N. tip of Hernando Island. 50 00 11.9 124 56 39.1	Q W 1s	6.1	5	White cylindrical tower.	Year round. Chart:3311
482	Sutil Point light and bell buoy Q20	SW. of point. 50 00 08.4 125 00 34.2	Fl R 4s	Red, marked "Q20".	Year round. Chart:3538
483 G5570	Uganda Passage	On Channel Rock between Shark Spit and Cortes Island. 50 05 37.3 125 02 16.2	Q R 1s	5.9	3	White cylindrical tower, red band at top.	Year round. Chart:3538
483.3 G5572	Whaletown Bay Entrance	Cortes Island. 50 06 24.3 125 03 31.2	Fl G 4s	5.2	4	White cylindrical tower, green band at top.	Radar reflector. Year round. Chart:3538

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
484 G5574.6	Whiterock Passage	SW. end of passage. 50 14 34.7 125 06 37.5	Q W	1s	5.1	4	White cylindrical tower. Year round. Chart:3537
484.1 G5574.6 4	Whiterock Passage 1 range	W. side of Read Island. 50 14 46.4 125 06 08.3	F Y	2.7	9	White mast, white daymark, red vertical stripe. Visible in line of range. Year round.
484.2 G5574.6 5		065°23' 25.9m from front.	F Y	5.2	9	White mast, white daymark, red vertical stripe. Visible in line of range. Year round. Chart:3537
484.3 G5574.7	Whiterock Passage 2 range	W. side of Read Island. 50 14 38.6 125 06 22.1	F Y	3.0	9	White mast, white daymark, red vertical stripe. Visible in line of range. Year round.
484.4 G5574.7 1		211°33' 25m from front.	F Y	5.8	9	White mast, white daymark, red vertical stripe. Visible in line of range. Year round. Chart:3537
485 G5579	Drew Harbour	Near extremity of Rebecca Spit, at entrance to harbour. 50 06 27.9 125 11 43.9	Fl G	4s	5.5	5	White cylindrical tower, green band at top. Year round. Chart:3538
486 G5504	Maude Island (Nanoose Harbour)	Near E. end of island, N. side of entrance to harbour. 49 16 12.6 124 04 40.8	Fl W	4s	9.8	6	White cylindrical tower, red band at top. Radar reflector. Year round. Chart:3459
487 G5506	Nanoose Harbour	On point SW. of Richard Point. 49 15 55.4 124 07 29.5	Fl R	4s	7.9	4	White cylindrical tower, red band at top. Radar reflector. Year round. Chart:3459
488	<i>Imperieuse Rock light buoy P21</i>	<i>N. of rock. 49 15 43.1 124 07 28.1</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "P21". Year round. Chart:3459</i>
488.3 G5507.4	Schooner Cove Breakwater	Extremity of breakwater. 49 17 16.2 124 07 58.9	Fl G	4s	7.3	4	White mast, black, white and green square daymark. Year round. Chart:3459
488.5 G5507	Schooner Reefs	W. side of Georgia Strait. 49 17 36.5 124 07 47	Fl G (2+1)	6s	5.2	3	White mast, fluorescent red, white and green diamond daymark. Year round. Chart:3459
490 G5508	Ballenas Islands	On N. point of North Ballenas Island. 49 21 02 124 09 36.8	Fl W	10s	21.3	17	White tower. 8.2 Flash 0.2 s; eclipse 9.8 s. Year round. Chart:3512 Edn 03/04(P04-010)
490.3 G5508.5	Sangster Island Sector	SW. tip of island. 49 25 25.3 124 11 34.9	Fl W-R	4s	16.5	5	White cylindrical tower. Red sector visible from 267° through W. to 300°. Year round. Chart:3512
491 G5509	French Creek	Near outer end of W. breakwater. 49 21 05.8 124 21 16.7	Q R	1s	5.8	5	White mast. Year round. Chart:3512

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
492 G5528	False Bay	On Prowse Point at S. side of entrance to bay. 49 29 15 124 21 39	FI W 4s	5.5	5	White cylindrical tower.	Year round. Chart:3536	
493 G5529	Sisters Islets	On easterly and largest rock. 49 29 12.3 124 26 05.2	FI(2) W 15s	24.3	16	White cylindrical tower.	Year round. Chart:3513 Edn 12/04(P04-100)	
494 G5530	Flora Islet	N. side of islet, off St. John Point. 49 31 03.3 124 34 34.4	FI W 4s	20.7	5	White skeleton tower. 16.2	Year round. Chart:3527	
494.5	Ford Cove Floating Breakwater North	On N. end of breakwater. 49 29 54.1 124 40 41	FI R 4s	White cylindrical mast, red and white triangular daymark.	Year round. Chart: 3527	
Baynes Sound								
495 G5532	Chrome (Yellow) Island range	49 28 19.9 124 41 06.7	F Y	14.0	12	Cylindrical tower, red daymark, white vertical stripe.	Visible in line of range. Year round.
496 G5532.1		097°45' 93.3m from front.	FI W-Y	5s	22.0	15	White cylindrical tower. 7.6	Flash 0.22 s; eclipse 4.78 s. Yellow light visible in line of range. Year round. Chart:3527
496.1 G5537	Denman Island Ferry Landing	W. side of island. 49 32 05.9 124 49 26.7	F Y	7.6	On dolphin.	Privately maintained. Year round. Horn - Blast 4 s; sil. 26 s. Operated by Ferry personnel when required for ferry movements only. Chart:3527
496.2 G5535	Buckley Bay Ferry Landing	S. side of landing. 49 31 35.4 124 50 50.9	F Y	7.6	On dolphin.	Privately maintained. Year round. Horn - Blast 4 s; sil. 26 s. Horn points E. Operated by Ferry personnel when required for ferry movements only. Chart:3527
496.3 G5540	Denman Island East Ferry Landing	Gravelly Bay. 49 29 40.3 124 42 30.1	F Y	7.6	On dolphin.	Privately maintained. Year round. Horn - Blast 4 s; sil. 26 s. Operated by Ferry personnel when required for ferry movements only. Chart:3527
496.4 G5531	Hornby Island Ferry Landing	SE. of Shingle Spit. 49 30 40 124 42 17.9	F Y	7.6	On dolphin.	Privately maintained. Year round. Horn - Blast 4 s; sil. 26 s. Operated by Ferry personnel when required for ferry movements only. Chart:3527

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
497 G5534	Deep Bay	On SW. end of Mapleguard Point. 49 27 57.3 124 44 06.9	Fl W 4s	9.1	7	White cylindrical tower, green band at top.	Radar reflector. Year round. Chart:3527
497.5	Maple Spit light buoy P39	49 28 29 124 43 29.2	Fl G 4s	Green, marked "P39".	Year round. Chart:3527
498	Repulse Point light buoy P42	SW. of point. 49 28 46.3 124 44 55.4	Fl R 4s	Red, marked "P42".	Year round. Chart:3527
498.5	Fanny Bay Breakwater	End of floating breakwater. 49 30 27.3 124 49 37.8	Fl G 4s	Mast.	Operates at night only. Year round. Chart:3527 Edn 12/04(P04-099)
499 G5538	Denman Island	On reef on W. side of island, southward of Denman Point. 49 32 17.2 124 49 48.9	Fl W 4s	6.1	5	White cylindrical tower, red band at top.	Radar reflector. Year round. Chart:3527
500	Comox Bar light and bell buoy P54	Close to easterly edge of bar. 49 39 29.6 124 51 41	Fl R 4s	Red, marked "P54".	Year round. Chart:3527
501 G5542	Comox Bar range	On the W. shore of Baynes Sound. 49 37 23.3 124 54 31.7	Iso Y 1.5s	11.3	15	Square skeleton tower, white daymark, red vertical stripe.	Year round.
502 G5542.1		222° 10' 283.5m from front.	Iso Y 2s	23.2	15	Square skeleton tower, white daymark, red vertical stripe.	Year round. Chart:3527
503 G5544	Goose Spit	On W. extremity of Goose Spit. 49 39 37.1 124 55 30.3	Q R 1s	5.5	4	White cylindrical tower, red band at top.	Radar reflector. Year round. Chart:3527
504 G5545	Comox Harbour Breakwater	49 40 09.7 124 55 49.7	Fl R 4s	3.6	4	Mast.	Year round. Chart:3527
504.1	Comox Harbour East Breakwater	On outer end of new breakwater. 49 40 04.1 124 55 29.9	Fl G 4s	3.3	4	Mast. 1.5	Year round. Chart:3527
504.3	Courtenay River Beacon # 1	49 39 42.9 124 56 26.2	Fl W 4s	4.6	5	Centre pile on a 7-pile dolphin, 2 black, white and green square daymarks.	Year round. Chart:3527
505 G5547	Courtenay River range	On bank of river. 49 40 38.1 124 57 32.2	Q Y 1s	4.3	10	4-pile dolphin, red daymark, white vertical stripe.	Year round.
506 G5547.1		321° 61m from front.	Q Y 1s	6.4	10	Cylindrical mast on a 3- pile dolphin, red daymark, white vertical stripe.	Year round. Chart:3527
507.5	Cape Lazo - East Cardinal light buoy PB	49 42 41.8 124 50 29.1	Q(3) W 10s	Black, yellow and black, marked "PB".	Year round. Chart:3527

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
508 G5549	Comox Aeronautical Beacon	49 42 45 124 53 38	Fl W	10s	Flash every 10 s. Year round. Chart:3527
509 G5566	Kuhushan Point	On the point. 49 53 19.3 125 07 23.2	Fl(2) W	6s	17.7	12	White square skeleton tower. Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s. Year round. Chart:3513
509.5	Sentry Shoals ODAS light buoy 46131	49 54 23.3 124 59 11.2	Fl(5) Y	20s	Yellow, marked "46131". Year round. Chart:3513
510	Wilby Shoals light buoy P60	S. of shoals. 49 58 57.3 125 09 10.2	Fl R	4s	Red, marked "P60". Year round. Chart:3538