

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
-----	------	---	--------------------------	--	-----------------------	---	--------------------------------

ARROW LAKE - COLUMBIA RIVER

26	Syringa Creek	S. side of channel opposite creek. 49 20 07.6 117 51 56.8	FI G	4s	12.8	4	Mast, black, white and green square daymark. 3.5	Year round.	Chart:3056
26.5	Tulip Point	E. of creek. 49 20 18.9 117 52 49.3	FI R	4s	13.1	4	Mast. 3.5	Year round.	Chart:3056
27	Cayuse Creek	W. side of lake. 49 23 31.8 118 01 02.5	FI W	4s	12.4	6	Mast, black, white and green square daymark. 3.0	Year round.	Chart:3056
27.2	Renata South	E. side of Lower Arrow Lake. 49 26 12.7 118 04 46.7	FI R	4s	11.2	4	White cylindrical tower, red band at top. 3.6	Year round.	Chart:3056
27.3	Renata North	Columbia River. 49 26 58.3 118 05 22.3	FI W	4s	11.5	5	Mast, red and white triangular daymark. 3.0	Year round.	Chart:3056
27.5	Bowman Creek	W. side of lake. 49 31 34 118 08 42.9	FI W	4s	11.7	6	Mast, black, white and green square daymark. 3.0	Year round.	Chart:3056
28	Snag Bay	W. side of lake. 49 36 31.2 118 09 28.4	FI W	4s	12.9	6	Mast, black, white and green square daymark. 3.1	Year round.	Chart:3056
28.5	Johnston Creek East	E. side of lake. 49 41 31.2 118 07 42.2	FI W	4s	10.7	5	Mast, black, white and green square daymark. 3.1	Year round.	Chart:3056
29	Edgewood East	E. side of lake. 49 45 59.9 118 06 39.3	FI W	4s	11.5	5	Mast, red and white rectangular daymark. 3.1	Year round.	Chart:3056
29.5	Needles Sector	W. side of channel at Andres Creek. 49 53 50.8 118 05 04.5	F R W G	11.7	7	Mast, red slatwork daymark, white vertical stripe. 3.0	Red from 003°30' to 009°15'; white from 009°15' to 010°15'; green from 010°15' to 017°30'. White sector indicates preferred channel. Year round.	Chart:3056
30	Upper Whatshan Sector	W. side of channel, S. of power station. 49 54 00 118 04 41.8	F G W R	13.7	8	Mast, red slatwork daymark, white vertical stripe. 3.0	Green from 220°15' to 225°45'; white from 225°45' to 230°15'; red from 230°15' to 236°30'. White sector indicates preferred channel. Year round.	Chart:3056
31	Lower Whatshan Sector	W. side of channel, N. of power station. 49 55 22.8 118 03 15.7	F R W G	10.1	7	Mast, red slatwork daymark. 3.0	Red from 010°45' to 016°30'; white from 016°30' to 021°30'; green from 021°30' to 027°30'. White sector indicates preferred channel. Year round.	Chart:3056

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ARROW LAKE - COLUMBIA RIVER

31.5	Fern Creek	On W. side of channel, near Fern Creek. 49 57 40 118 00 43	FI G 4s	7.6	4	Mast, black, white and green square daymark. 3.0	Year round. Chart:3057
32.7	Burton Approach	49 58 46.8 117 55 18.9	FI G 4s	13.9	4	Mast, black, white and green square daymark.	Year round. Chart:3057
33	Burton West	W. side of channel. 49 59 27.1 117 54 24.1	FI W-R 4s	15.5	4	Mast, black, white and green square daymark. 3.1	Year round. Chart:3057
33.5	<i>Sand Island light buoy A18</i>	<i>E. side of channel marking sand bar. 50 02 02.4 117 54 42</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "A18".</i>	<i>Year round. Chart:3057</i>
34	Alwen Creek	W. side of channel. 50 05 02.4 117 56 18.6	FI G 4s	21.7	4	Mast, black, white and green square daymark. 3.0	Year round. Chart:3057
34.5	Arrow Park	50 06 36.6 117 54 04.7	FI G 4s	10.2	4	Mast, black, white and green square daymark.	Year round. Chart:3057
37	Dispatch Island Sector	50 07 57.9 117 48 36.1	F G W R FI R 4s 13.0 13.3	4 4 	Mast, red slatwork daymark, white vertical stripe.	Green from 165°35' to 174°35'; white from 174°35' to 175°35'; red from 175°35' to 183°35'. White sector indicates preferred channel. Year round. Chart:3057
38	West Demars	West side of channel. 50 08 55.5 117 49 00.9	FI G 4s	12.8	4	Mast, black, white and green square daymark. 3.1	Year round. Chart:3057
38.5	Smith Point	W. side of lake. 50 12 38.4 117 49 34.4	FI W 4s	11.8	6	Mast, black, white and green square daymark. 3.1	Year round. Chart:3057
39	<i>Nakusp light buoy A26</i>	<i>50 14 09.7 117 49 29.8</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "A26".</i>	<i>Year round. Chart:3057</i>
39.5	Cape Horn	E. side of lake. 50 20 42.7 117 53 39.7	FI W 4s	24.9	6	Mast. 3.1	Year round. Chart:3057
40	Ann Point	E. side of lake. 50 28 02.2 117 54 56.6	FI W 4s	12.6	6	Mast, red and white triangular daymark. 3.1	Year round. Chart:3057
40.5	Albert Point	E. side of lake. 50 35 29 117 54 43.3	FI W 4s	10.9	6	Mast, red and white triangular daymark. 3.3	Year round. Chart:3057
40.6	Bannock Point	50 37 54.9 117 55 15.8	FI G 4s	13.1	4	Mast, black, white and green square daymark. 3.1	Year round. Chart:3057

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
-----	------	---	--------------------------	--	-----------------------	---	--------------------------------

ARROW LAKE - COLUMBIA RIVER

40.7	<i>Arrowhead light buoy A29</i>	<i>N. end of channel. 50 40 22.4 117 54 31</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "A29".</i>	<i>Year round.</i>
------	-------------------------------------	--	-------------	-----------	--------------	--------------	-----------------------------	--------------------

Chart:3057

41	Whiskey Point	50 42 21.6 117 49 22.3	Fl W	4s	11.3	5	Mast, black, white and green square daymark. 3.1	Year round.
----	---------------	---------------------------	------	----	------	---	--	-------------

Chart:3057