

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
-----	------	---	--------------------------	--	-----------------------	---	--------------------------------

### NORTHERN INSIDE CHANNELS

587 G5674	Kelpie Point	On point. 51 44 00.6 127 59 47.9	FI W 4s	6.3	5	White square skeleton tower.	Year round.  <b>Chart:3935</b>
588 G5675	Odlum Island	W. side of point. 51 41 36.5 128 07 12.8	FI W 6s	21.5	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3935</b>
588.7 G5709	Spider Channel	N. end of Spider Island. 51 51 46.2 128 15 31.6	FI W 4s	18.8	5	White square skeleton tower.	Year round.  <b>Chart:3937</b>
589 G5711	Currie Islet (Gosling Rocks)	On islet. 51 51 05.5 128 27 24.8	FI W 6s	15.7	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3937</b>
590 G5676	Kiwash Island	On S. end of island. 51 51 38.8 127 53 37.9	FI W 4s	5.0	5	White square skeleton tower.	Year round.  <b>Chart:3936</b>
591 G5678	Fog Rocks	On the largest rock, Fisher Channel. 51 58 19.3 127 55 07.4	FI W 4s	7.2	9	White square skeleton tower.	Year round.  <b>Chart:3936</b>
592 G5680	Pointer Island	SE. end of island, S. of E. entrance to Lama Passage. 52 03 38.4 127 56 53.9	Oc W 6s	11.9	8	White cylindrical tower.	Flash 4 s; eclipse 2 s. Year round.  <b>Chart:3936</b>
592.5 G5693	White Point	On point. 52 04 29.9 127 57 57.4	FI R 6s	8.8	4	White square skeleton tower, red band at top.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3936</b>
593 G5694	Serpent Point	52 04 35.9 127 59 39.4	Q W 1s	5.1	4	White cylindrical tower.	Year round.  <b>Chart:3936</b>
594 G5681	Farewell Point	E. side of point. 52 07 33.9 127 53 26.2	FI W 6s	6.5	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3936</b>
595 G5682	Sunny Island	On rock, S. of island, Fisher Channel. 52 11 16.6 127 52 03.7	FI W 4s	6.3	5	White square skeleton tower. 3.0	Year round.  <b>Chart:3720</b>
596 G5688	Edward Point	On point. 52 26 21.2 127 16 19.7	FI W 6s	7.3	5	White square skeleton tower. 3.0	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3729</b>
597 G5688.5	Flagpole Point	On point. 52 20 56 126 55 36	FI(3) W 12s	5.2	5	White square skeleton tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3730</b>
598 G5698	Sutlej (Deadman) Point	On point. 52 22 36 126 48 12	FI W 4s	5.9	5	White square skeleton tower.	Year round.  <b>Chart:3730</b>

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
-----	------	---	--------------------------	--	-----------------------	---	--------------------------------

### NORTHERN INSIDE CHANNELS

598.5 G5689.2	Bella Coola Breakwater	52 22 33 126 47 42	Q R	1s	7.6	3	White square skeleton tower, white daymark, red vertical stripe.	Year round.  <b>Chart:3730</b>
599 G5684	Wearing Point	On point, Cousins Inlet. 52 18 00.9 127 45 35.3	FI W	4s	5.6	5	White square skeleton tower.	Year round.  <b>Chart:3781</b>
599.5 G5685	Cousins Inlet	52 19 39 127 44 54	FI W	6s	3.6	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3781</b>
600 G5686	Coolidge Point	On point, Cousins Inlet. 52 21 01.1 127 42 54.7	FI(3) W	12s	5.2	5	White cylindrical tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3781</b>
601 G5689.5	Deas Point	On flat rock adjoining head land, Labouchere Channel. 52 23 06.9 127 12 56.8	FI W	6s	4.5	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3729</b>
602 G5677.4	Kelkpa Point	On point. 52 07 15.7 127 36 17.9	FI W	4s	8.1	5	White square skeleton tower.	Year round.  <b>Chart:3729</b>
603 G5677	Haaksvold Point	On point. 51 57 58 127 42 41	Q W	1s	9.4	4	White square skeleton tower.	Year round.  <b>Chart:3936</b>
604 G5690	Beaumont Island	On N. extremity of island, Johnson Channel. 52 17 40.9 127 56 34.7	FI W	6s	6.5	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3729</b>
605 G5702	Donald Point	On the point, Return Channel. 52 17 37 128 05 53.1	FI W	6s	5.3	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3720</b>
605.5 G5695	Harbourmaster Point	52 03 53.3 128 03 01	FI W	6s	4.3	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3936</b>
606 G5696	Walker (Camp) Island	On S. end of island, Lama Passage. 52 05 58 128 06 55	FI W	6s	7.9	5	White cylindrical tower.	Year round.  <b>Chart:3787</b>
607 G5698	Napier Point	On the point. 52 07 55.1 128 07 56.4	Q W	1s	5.4	4	White square skeleton tower.	Year round.  <b>Chart:3787</b>
608 G5698.4	Story Point	On point. 52 08 54.6 128 08 01	FI W	4s	5.0	5	White square skeleton tower.	Year round.  <b>Chart:3787</b>
609.8 G5699.4	Bark Island	On E. side of island. 52 10 01.3 128 02 52.2	FI W	6s	3.7	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3787</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### NORTHERN INSIDE CHANNELS

609.9 G5699.6	Blow Reef	Near entrance, Gunboat Passage and Bella Bella. 52 10 53.7 128 03 37.5	FI W 6s	4.9	5	Square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3720</b>
610	Saunders Island light buoy E20	Off W. end of island. 52 10 20 128 07 18	FI R 4s	.....	.....	Red, marked "E20".	Year round.  <b>Chart:3787</b>
611 G5700	Dryad Point Sector	N. entrance, Main Passage, Seaforth Channel. 52 11 07.2 128 06 36	Oc W-R 5s	11.6	7	White tower. 8.6	Flash 4 s; eclipse 1 s. White 142°30' through S. to 206°30'; red 206°30' through W. to 339°; white 339° through N. to 039°30'. Year round.  <b>Chart:3787</b>
611.7 G5701	Regatta Rocks	52 13 07.5 128 08 25.4	FI R 4s	5.5	4	White cylindrical tower, red band at top.	Year round.  <b>Chart:3787</b>
612	Dall Rocks light and bell buoy E33	Off N. extremity of rocks. 52 13 03 128 09 17	FI G 4s	.....	.....	Green, marked "E33".	Year round.  <b>Chart:3787</b>
613 G5708	Idol Point	On extremity of point. 52 14 18.7 128 16 31	FI W 6s	5.5	5	White cylindrical tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3787</b>
614 G5707	Hyndman Reefs	On reef. 52 15 44.8 128 14 32.8	FI G 6s	5.0	4	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3720</b>
615 G5706	Glaholm Islet	Off NW. end of Dearth Island. 52 15 49.4 128 12 44.2	FI W 6s	4.2	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3720</b>
615.2 G5704	Law Island	N. end of island. 52 16 05.5 128 10 17	FI W 4s	4.9	5	White square skeleton tower.	Year round.  <b>Chart:3720</b>
616 G5712	Cape Mark	52 08 59.9 128 32 19.5	FI W 4s	15.2	5	White square skeleton tower.	Year round.  <b>Chart:3787</b>
617 G5713	<b>Ivory Island</b>	On Robb Point, Milbanke Sound. 52 16 10.9 128 24 18	FI W 5s	20.3	15	Red skeleton tower. 5.2	Flash every 5 s. Year round.  <b>Chart:3710</b>
617.5 G5713.4	Perrin Anchorage	E. of Ivory Island. 52 16 29.4 128 23 22.3	FI W 4s	4.1	5	White square skeleton tower. 3.0	Year round.  <b>Chart:3710</b>
617.7 G5713.7	Carne Rock	Reid Passage. 52 18 07.6 128 21 47.1	FI W 6s	3.9	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3710</b>
618 G5714	Susan Rock	On the rock, Milbanke Sound. 52 17 12.8 128 30 17.5	FI W 6s	16.7	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3728</b>

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
-----	------	---	--------------------------	--	-----------------------	---	--------------------------------

### NORTHERN INSIDE CHANNELS

619 G5734.2	<b>McInnes Island</b>	On bluff, S. side of island, N. entrance to Milbanke Sound. 52 15 41.2 128 43 18.4	FI W	5s	29.5	22	White rectangular tower. 9.2	Flash every 5 s. Year round.
							<b>Chart:3733</b>	
620	<i>Luard Shoal light and whistle buoy E63</i>	52 24 14 128 53 28	FI G	4s	.....	.....	Green, marked "E63".	Year round.
							<b>Chart:3726</b>	
621 G5734.2	Lombard Point	On point. 52 28 47.9 128 56 32.9	FI W	4s	14.4	5	White cylindrical tower.	Year round.
							<b>Chart:3726</b>	
621.5	<i>Hecate Strait South ODAS light buoy 46185</i>	52 24 57.6 129 48 34.8	FI(5) Y	20s	.....	.....	Yellow, marked "46185".	Year round.
							<b>Chart:3726</b>	
622	<i>Jaffrey Rock light and whistle buoy E64</i>	SW. of rock. 52 27 17 128 49 24	FI R	4s	.....	.....	Red, marked "E64".	Year round.
							<b>Chart:3726</b>	
623 G5734.4	Abrams Island	On island. 52 32 13.9 128 49 49.5	FI(3) W	12s	8.2	5	White square skeleton tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.
							<b>Chart:3726</b>	
624 G5734.6	Haig Rock	On rock off Tildesley Point. 52 36 21.5 128 55 19.6	FI W	6s	7.6	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.
							<b>Chart:3726</b>	
624.8 G5734.7	Walsh Rock	52 38 14 128 57 15	Q W	1s	7.0	4	White cylindrical tower.	Year round.
							<b>Chart:3726</b>	
625	<i>Wilson Rock light and bell buoy E75</i>	52 40 00 128 57 55	FI G	4s	.....	.....	Green, marked "E75".	Year round.
							<b>Chart:3726</b>	
626 G5734.8	Ramsbotham Islands	On easternmost island. 52 41 56 129 02 06	FI W	4s	6.3	5	White square skeleton tower.	Year round.
							<b>Chart:3737</b>	
627	<i>Morehouse Rock light and bell buoy EC</i>	SE. of rock. 52 45 36 129 05 54	FI (2+1) R	6s	.....	.....	Red, green and red, marked "EC".	Year round.
							<b>Chart:3737</b>	
628 G5735	Baker Point	On point. 52 48 11 129 12 52	FI W	6s	5.8	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.
							<b>Chart:3724</b>	
629 G5735.2	Duckers Islands	On easternmost island. 52 55 31.4 129 11 28.5	FI W	4s	8.3	5	White mast.	Year round.
							<b>Chart:3724</b>	
630 G5735.4	Dupont Island	52 56 23.3 129 26 10.2	FI W	6s	8.4	7	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.
							<b>Chart:3724</b>	
630.1	Dupont Island South	52 56 18 129 26 18	FI(3) W	12s	5.5	9	White skeleton tower.	Year round.
							<b>Chart:3724</b>	
630.2	Alexander Island	52 57 18 129 18 24	FI W	4s	11.1	9	Square skeleton tower.	Year round.

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
-----	------	---	--------------------------	--	-----------------------	---	--------------------------------

### NORTHERN INSIDE CHANNELS

630.5 G5735.8	Logan Rock	53 02 09 129 28 34	Fl W 4s	12.8	5	White square skeleton tower.	Year round.  <b>Chart:3724</b>
631 G5735.6	Jacinto Islands <b>Racon - - - (Q) X &amp; S Band</b>	SE. end of island. 52 56 31 129 36 43	Fl W 4s	28.0	9	White cylindrical tower.	Year round.  <b>Chart:3723</b>
632 G5736	Ashdown Island	On West side of island. 53 03 43.1 129 13 44.2	Fl(3) W 12s	8.6	5	White cylindrical tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3742</b>
633 G5736.2	Levy Point	On NE. end of Ashdown Island. 53 04 40.8 129 12 03	Fl R 6s	4.7	4	White square skeleton tower.	Year round.  <b>Chart:3742</b>
634 G5736.4	York Point	On southern point of peninsula, Gil Island. 53 05 28.5 129 10 22.9	Q W 1s	10.4	4	White square skeleton tower.	Radar reflector. Year round.  <b>Chart:3742</b>
635 G5736.6	Borde Island	On northern point of island. 53 05 08.6 129 07 09.3	Fl W 4s	7.0	5	White square skeleton tower.	Year round.  <b>Chart:3742</b>
636	<i>Vancouver Rock light and whistle buoy E54</i>	<i>Westward of the rock, Milbanke Sound.</i> 52 21 05 128 30 24	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "E54".</i>	<i>Year round.</i>  <b>Chart:3728</b>
637 G5716	Jorkins Point	52 26 25.5 128 29 05	Fl W 6s	7.9	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3734</b>
637.3 G5716.4	Legace Point	At the point. 52 27 46.3 128 25 05	Fl W 4s	8.7	5	White square skeleton tower.	Year round.  <b>Chart:3734</b>
638 G5718	Freeman Point	S. extremity of Cone Island. 52 33 11.4 128 29 18	Fl W 4s	5.7	5	White cylindrical tower.	Year round.  <b>Chart:3711 Edn 08/05(P05-034)</b>
639 G5719	Legge Point	NW. end of Cone Island. 52 36 13.6 128 31 05.8	Fl W 6s	3.5	5	White square skeleton tower.	Year round.  <b>Chart:3711 Edn 08/05(P05-035)</b>
639.3 G5719.2	Wedge Point Sector	NE. tip of Cone Island. 52 36 38.1 128 31 00.5	F W-R	.....	5.0	White square skeleton tower.	White 062° through E. to 168°; red 168° through S. to 181°; white 181° to 198°. Radar reflector. Year round.  <b>Chart:3711 Edn 08/05(P05-036)</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### NORTHERN INSIDE CHANNELS

639.8 G5719.4	Reef Point Sector	52 37 06.6 128 30 49	Q	W-R	1s	5.1	4	White square skeleton tower.	White 354° through N. to 074° ; red 074° through E. to 099°. Year round.	<b>Chart:3711</b> <b>Edn 08/05(P05-037)</b>
640 G5720	Boat Bluff Sector	On W. side of bluff, Sarah Island. 52 38 35.2 128 31 19.4	Oc	W-R	5s	11.6	7	Skeleton tower. 7.3	Flash 4 s; eclipse 1 s. White 291° to 336°; red 336° through N. to 093° white 093° through E. to 134°. Year round.	<b>Chart:3711</b> <b>Edn 08/05(P05-038)</b>
640.5 G5721	Parry Patch Sector	52 40 28.9 128 31 56	F	W-R	.....	4.8	5	White square skeleton tower.	White 352° through N. and E. to 130°; red 130° to 142°; white 142° to 154°. Year round.	<b>Chart:3734</b>
641 G5722	Split Head (Separation Point)	On the point, Tolmie Channel. 52 40 39 128 32 51	FI	W	4s	8.5	5	White square skeleton tower.	Year round.	<b>Chart:3734</b>
641.5 G5722.4	Tolmie Channel Sector	52 41 21 128 32 37.8	Q	W-R	1s	5.5	4	White cylindrical tower.	White 325° to 357°; red 357° through N. to 009°; white 009° through E. to 152°. Year round.	<b>Chart:3734</b>
642 G5723	Tenas Island	On NW. side of island. 52 42 29.1 128 33 08	FI	R	6s	8.1	4	White square skeleton tower.	Year round.	<b>Chart:3734</b>
642.6 G5725	Hiekish Narrows	E. end of narrows. 52 49 38 128 26 45	FI	W	6s	4.9	5	White square skeleton tower.	Year round.	<b>Chart:3738</b>
642.7	<i>Hewitt Rock light buoy EH</i>	<i>Off Hewitt Island. 52 52 08.5 128 29 14.5</i>	<i>FI</i>	<i>R</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red, green and red, marked "EH".</i>	<i>Year round.</i>	<b>Chart:3738</b>
642.8 G5726	Hewitt Island	52 52 26 128 29 49.5	FI	W	4s	4.2	5	White square skeleton tower.	Year round.	<b>Chart:3738</b>
643 G5724	Sarah Island	On N. extremity of island. 52 53 02 128 30 33	FI(3)	W	12s	7.3	5	White square skeleton tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.	<b>Chart:3738</b>
644 G5727	Quarry Point	On point, E. side of Princess Royal Island. 52 54 01 128 31 15	FI	G	6s	4.9	4	White square skeleton tower.	Year round.	<b>Chart:3738</b>
645 G5728	Griffin Point	On point. 53 03 56 128 32 54	FI	W	6s	6.1	5	White cylindrical tower.	Flash 0.5 s; eclipse 5.5 s. Year round.	<b>Chart:3739</b>
646 G5730	Redcliffe Point	On the point, Graham Reach. 53 09 25 128 38 09	FI	W	4s	4.9	5	White square skeleton tower. 3.0	Year round.	<b>Chart:3739</b>

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
-----	------	---	--------------------------	--	-----------------------	---	--------------------------------

### NORTHERN INSIDE CHANNELS

647 G5732	Work Island	On W. end of island. 53 10 43 128 41 33	FI W	6s	4.7	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3740</b>
648 G5734	Kingcome Point	N. extremity of point. 53 17 57 128 54 23	Q W	1s	6.0	4	White square skeleton tower.	Year round.  <b>Chart:3740</b>
649 G5737	Trivett Point	Northern extremity of Princess Royal Island. 53 18 29.9 129 02 06	FI W	4s	4.6	5	White square skeleton tower.	Year round.  <b>Chart:3740</b>
650 G5736.8	Point Cumming	On the point, SW. end of Gribbell Island. 53 18 43 129 07 15	FI W	6s	6.0	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3740</b>
651 G5739.4	Money Point	On point. 53 22 55 129 09 50	FI(3) W	12s	4.8	5	White square skeleton tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3740</b>
651.2 G5739.5	Hartley Bay Breakwater	End of boulder, entrance to Hartley Bay. 53 25 26.2 129 14 57.3	Q R	1s	7.2	3	White square skeleton tower, red and white triangular daymark.	Year round.  <b>Chart:3711 Edn 08/05(P05-040)</b>
651.5 G5740.5	Harbour Rock	Stewart Narrows. 53 23 17.1 129 16 32.3	FI G	4s	2.9	4	White square skeleton tower.	Year round.  <b>Chart:3711 Edn 08/05(P05-041)</b>
652 G5739.6	Gertrude Point	On point, Douglas Channel. 53 37 54 129 13 42	FI W	4s	4.5	5	White square skeleton tower.	Year round.  <b>Chart:3743</b>
652.2 G5739.6 6	Hawkesbury Island	W. side of island. 53 37 06.8 129 10 48	FI W	6s	4.8	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3743</b>
652.5 G5739.7	Maitland Island Southwest End	53 42 08 129 04 25.5	FI W	4s	7.2	5	White square skeleton tower.	Year round.  <b>Chart:3743</b>
653 G5739.6	Emilia Island	On SE. end of island. 53 45 29 128 58 22	FI W	6s	3.7	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3743</b>
654 G5740	Kersey Point	On point. 53 46 34 128 51 35.5	FI(3) W	12s	5.4	5	White square skeleton tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3743</b>
654.2 G5740.1	Hilton Point	On the point. 53 48 55 128 52 14.5	FI W	4s	4.9	5	White square skeleton tower.	Year round.  <b>Chart:3743</b>
654.5	Nanakwa Shoal ODAS light buoy 46181	53 50 02 128 49 55	F(5) Y	20s	.....	.....	Yellow, marked "46181".	Year round.  <b>Chart:3743</b>

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
-----	------	---	--------------------------	--	-----------------------	---	--------------------------------

### NORTHERN INSIDE CHANNELS

655 G5739.2	Dorothy Island	On island. 53 39 35.5 128 50 33	FI W 6s	4.4	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3743</b>
656 G5738.2	Rix Island	At northeasterly end of Rix Island. 53 31 33.3 128 44 14.7	FI W 6s	4.5	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3745</b>
657 G5738.4	Europa Point	On point. 53 25 45.2 128 32 42.1	FI W 4s	5.0	5	White square skeleton tower.	Year round.  <b>Chart:3745</b>
658 G5738.6	Allen Point	On point on S. side of channel, Europa Reach. 53 26 31.2 128 24 17.1	FI W 6s	4.7	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3745</b>
659 G5739	Cornwall Point	On point. 53 28 38.3 128 21 43.1	Q W 1s	4.9	4	White cylindrical tower.	Year round.  <b>Chart:3745</b>
660 G5738	Staniforth Point	On point. 53 34 08.9 128 49 04.9	FI(3) W 12s	6.0	5	White square skeleton tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3745</b>
661 G5737.4	Mary Point	On point, Verney Passage. 53 33 00 128 58 00	Q W 1s	4.9	4	White square skeleton tower.	Year round.  <b>Chart:3743</b>
662 G5737.2	Tomkinson Point	On point, Ursula Channel. 53 25 49.8 128 54 09.1	FI W 6s	4.1	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3742</b>
663 G5740.2	Clio Point	On point. 53 54 25 128 42 31	FI W 6s	6.7	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3743</b>
664	Cape Farewell	53 21 27.6 129 13 38.5	FI(3) W 12s	7.1	7	White square skeleton tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3711</b> <b>Edn 08/05(P05-039)</b>
665 G5740.6	Sainty Point	On point, opposite York Point, S. entrance to Greville Channel. 53 22 18 129 18 40	FI W 4s	4.6	7	White cylindrical tower.	Year round.  <b>Chart:3772</b>
665.1 G5747.3 8	Plover Point	53 16 48.6 129 18 14.2	FI W 4s	3.8	7	White square skeleton tower.	Year round.  <b>Chart:3742</b>
665.2 G5747.3 4	Block Head	On SE. end of Farrant Island. 53 18 08.9 129 20 03	FI W 6s	6.0	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3742</b>



No.	Name	Position			Light Characteristics			Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N. Longitude W.								Height in meters above ground		Fog Signals	

### NORTHERN INSIDE CHANNELS

665.3	Fin Rock	53 13 57.9 129 21 33.1	FI(3)	G	12s	6.1	4	White square skeleton tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.			Chart:3742
665.4	Blackrock Point	53 12 28 129 20 33	FI(3)	R	12s	6.6	4	White square skeleton tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.			Chart:3742
666 G5740.8	Tom Island	On island. 53 32 36 129 36 12.5	FI(3)	W	12s	3.5	5	White square skeleton tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.			Chart:3772
667 G5741	Ormiston Point	On E. shore of Pitt Island, Grenville Channel. 53 34 15 129 39 25	FI	W	6s	4.6	5	White cylindrical tower.	Flash 0.5 s; eclipse 5.5 s. Year round.			Chart:3772
668 G5742	Saunders Creek	On shore opposite Saunders Creek. 53 36 13 129 41 31.8	FI	W	4s	3.7	5	White square skeleton tower.	Year round.			Chart:3772
669 G5743	Klewnuggit	On the northwestern rock of Morning Reef, Grenville Channel. 53 40 42.8 129 45 59.5	Q	W	1s	4.4	4	White square skeleton tower.	Year round.			Chart:3772
670 G5744	Pitt Island (Grenville Channel)	On shore. 53 42 17 129 48 57.5	FI	W	6s	3.7	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.			Chart:3772
670.5 G5744.4	Baker Inlet	Marking entrance. 53 48 41.4 129 57 07.9	FI	R	6s	4.6	4	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.			Chart:3772
671 G5745	Pitt Point	On point, SE. of Calvert Point. 53 52 58 130 06 35	FI	W	6s	4.2	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.			Chart:3773
671.2	<i>Pitt Point light buoy D3</i>	53 53 26 130 06 03	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green marked "D3".</i>	<i>Year round.</i>			Chart:3773
671.6	<i>Gibson Island light and bell buoy D6</i>	53 55 00 130 09 51	<i>FI</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "D6".</i>	<i>Year round.</i>			Chart:3773
672 G5746	Watson Rock	On the rock, western entrance to Grenville Channel. 53 55 25 130 10 16	FI	W	4s	3.7	5	White cylindrical tower.	Year round.			Chart:3773
673 G5759	Kennedy Island	W. side of island. 54 00 22.4 130 12 30.4	FI	W	6s	4.9	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.			Chart:3927

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals	
674 G5760	Herbert Reefs	Near northern end of reef, Arthur Passage. 54 01 24.8 130 14 19.1	FI(3) G	12s	8.6	3	White cylindrical mast, green band at top.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.
							<b>Chart:3927</b> <b>Edn 02/06(P06-012)</b>	
675 G5761	Hanmer Island	On S. end of island, Arthur Passage. 54 03 19.7 130 15 10.2	FI R	4s	5.8	4	White cylindrical tower, red band at top.	Year round.
							<b>Chart:3717</b>	
675.3 G5761.4	North Hanmer	54 03 49.2 130 14 43.2	Q W	1s	5.8	4	White square skeleton tower.	Year round.
							<b>Chart:3717</b>	
675.6	<i>Base Sand light buoy D10</i>	54 05 11 130 15 44.1	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "D10".</i>	<i>Year round.</i>
							<b>Chart:3717</b>	
676	<i>Cecil Patch light and bell buoy D9</i>	<i>On NE. end of patch.</i> 54 03 47 130 16 41.1	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "D9".</i>	<i>Year round.</i>
							<b>Chart:3717</b>	
677 G5762	Marked Tree Bluff	On northern end of Kennedy Island. 54 04 08.3 130 09 52.5	FI W	6s	8.5	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.
							<b>Chart:3717</b>	
678 G5763	De Horsey Island	On E. side of island. 54 07 51.3 130 07 25.5	FI W	4s	5.8	5	White square skeleton tower, white rectangular slatwork daymark.	Year round.
							<b>Chart:3717</b>	
679 G5764	Ecstall Island	On N. extremity of Ecstall Island. 54 09 45 129 57 27.1	FI W	6s	5.2	5	White square skeleton tower, white rectangular slatwork daymark.	Flash 0.5 s; eclipse 5.5 s. Year round.
							<b>Chart:3717</b>	
684 G5768	Genn Islands	On NW. extremity of island. 54 05 51.3 130 17 34.6	FI R	6s	9.1	4	White cylindrical tower, red band at top.	Flash 0.5 s; eclipse 5.5 s. Year round.
							<b>Chart:3717</b>	
685 G5770	<b>Lawyer Islands</b>	On summit of northernmost island, at its NW. end. 54 06 46 130 20 36.5	FI W	5s	38.4	<b>15</b>	Square skeleton tower. 19.8	Flash every 5 s. Obscured from 321° to 322° and from 324° to 326°. Year round.
							<b>Chart:3957</b>	
685.5 G5758.4	Havelock Rock	Chatham Sound, North of Hunts Inlet. 54 05 54.6 130 28 59.6	FI W	4s	4.6	5	White cylindrical tower.	Year round.
							<b>Chart:3957</b>	
686 G5758	Useless Point	On crib, S. side Edeye Passage. 54 02 24.5 130 33 53.1	FI W	6s	5.9	5	White cylindrical tower.	Flash 0.5 s; eclipse 5.5 s. Year round.
							<b>Chart:3956</b>	
687 G5758.7	Gull Rocks	On highest rock of the Gull Rocks group. 54 07 57.4 130 31 16	FI R	6s	8.2	4	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.
							<b>Chart:3957</b>	
687.1	<i>Colquhoun Shoal North Cardinal light and whistle buoy DCO</i>	54 09 27 130 30 51.1	Q W	1s	<i>.....</i>	<i>.....</i>	<i>Black and yellow, marked "DCO".</i>	<i>Year round.</i>
							<b>Chart:3956</b>	

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals	
687.3	<i>Rachael Island South Cardinal light and whistle buoy DSO</i>	54 11 12 130 33 30.1	Q(6) +LFI	W	15s	.....	..... <i>Yellow and black, marked "DSO".</i>	<i>Year round.</i>  <b>Chart:3957</b>
687.5 G5805.8	South Rachael Island	S. end of island. 54 11 49.8 130 33 26.4	FI	R	4s	7.9	4 White cylindrical tower, red band at top.	<i>Year round.</i>  <b>Chart:3957</b>
688 G5806	North Rachael Island	N. side of island. 54 12 46.3 130 33 38.4	FI	W	6s	9.8	6 White cylindrical tower.	Flash 0.5 s; eclipse 5.5 s <i>Year round.</i>  <b>Chart:3957</b>
688.5	<i>Alexandra Bank light and whistle buoy DAX</i>	54 14 08.7 130 33 56.7	<i>F</i> (2+1)	G	6s	.....	..... <i>Green, red and green, marked "DAX".</i>	<i>Year round.</i>  <b>Chart:3957</b>
	<b>Racon - - (K) X &amp; S Band</b>							<b>Chart:3957</b>
689 G5773	Inverness Passage	Mouth of Skeena River. 54 11 56 130 15 49	FI	W	4s	3.7	5 White square skeleton tower.	<i>Year round.</i>  <b>Chart:3717</b>
690 G5772	Holland Rock	On the southern extremity of rock. 54 10 20.4 130 21 39.7	FI(3)	W	12s	6.9	5 White square skeleton tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. <i>Year round.</i>  <b>Chart:3957</b>
691 G5772.5	Greentop Islet	On islet. 54 10 39 130 24 41.1	FI	W	6s	13.2	7 White cylindrical tower.	Flash 0.5 s; eclipse 5.5 s. <i>Year round.</i>  Chart:3957
<b>Prince Rupert Harbour</b>								
<b>Porpoise Harbour</b>								
692	<i>Agnew Bank light and bell buoy D24</i>	<i>Porpoise Channel entrance.</i> 54 11 27 130 20 20.5	<i>F</i>	<i>R</i>	<i>4s</i>	.....	..... <i>Red, marked "D24".</i>	<i>Year round.</i>  <b>Chart:3955</b>
693 G5774	Porpoise Harbour	On N. side of entrance to harbour. 54 11 54.9 130 18 55.9	FI	G	4s	4.1	4 White cylindrical tower, green band at top.	<i>Year round.</i>  <b>Chart:3955</b>
694 G5776	Porpoise Harbour Entrance range	On Flora Bank, W. side of Lelu Island. 54 11 59.9 130 17 56.4	F	Y	.....	3.2	11 White square skeleton tower, fluorescent orange daymark, black vertical stripe.	<i>Year round.</i>
695 G5776.1		072°54' 85.3m from front.	F	Y	.....	7.1	11 White square skeleton tower, fluorescent orange daymark, black vertical stripe.	<i>Year round.</i>  <b>Chart:3955</b>
696 G5778	Porpoise Channel Entrance	On drying rock on S. side of channel. 54 12 04.2 130 18 11.1	FI	R	4s	7.2	4 White cylindrical tower.	<i>Year round.</i>  <b>Chart:3955</b>
697 G5780	Porpoise Channel West	NW. side of channel. 54 12 28 130 17 51.5	Q	G	1s	4.6	3 White square skeleton tower.	<i>Year round.</i>  <b>Chart:3955</b>
698 G5782	Porpoise Channel East	On drying rock on E. side of channel. 54 12 41.8 130 17 26.6	Q	R	1s	7.0	3 White square skeleton tower, fluorescent orange rectangular daymark, black vertical stripe.	<i>Year round.</i>  <b>Chart:3955</b>

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals	
698.5	Ridley Island light and bell buoy D27	54 11 57 130 21 20	Fl	G	4s	.....	Green, marked "D27".	Year round.  Chart:3955	
699 G5783	East Kinahan Island	On NE. extremity of island. 54 12 48.9 130 23 42.7	Fl	W	6s	7.3	5	White cylindrical tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  Chart:3958
700	Petrel Rock light and bell buoy D39	At S. side of rock. 54 13 39 130 24 58.2	Fl	G	4s	.....	.....	Green, marked "D39".	Year round.  Chart:3958
701	Georgia Rock light and bell buoy D43	E. of rock. 54 13 14.5 130 21 43.2	Q	G	1s	.....	.....	Green, marked "D43".	Year round.  Chart:3958
702	Spire Ledge light and bell buoy D47	Off E. end of ledge. 54 14 51 130 21 14.2	Fl	G	4s	.....	.....	Green, marked "D47".	Year round.  Chart:3958
703 G5794	Barrett Rock	On shore of reef. 54 14 33.5 130 20 38.2	Fl	R	6s	6.7	5	White cylindrical tower, red band at top.	Year round.  Chart:3958
703.5 G5794.4	Frederick Point	At edge of bar. 54 15 29.1 130 21 35.9	Fl	G	4s	10.0	4	White cylindrical tower, green band at top.	Year round.  Chart:3958
704 G5795	Casey Point	On edge of shoal, off point. 54 16 27.1 130 21 41.8	Q	R	1s	7.4	3	White cylindrical tower, red band at top on 3-pile dolphin.	Year round.  Chart:3957 Edn 07/04(P04-045)
705 G5796	Parizeau Point	On dolphin. 54 17 17 130 22 15.1	Fl	W	6s	4.4	5	3-pile dolphin.	Flash 0.5 s; eclipse 5.5 s. Year round.  Chart:3958
705.1	Dodge Cove light buoy D50	E. of Dodge Island. 54 17 30.8 130 22 22.4	Fl	R	4s	.....	.....	Red, marked "D50".	Year round.  Chart:3958
705.5 G5797.8	Oldfield Terminal	On a barge. 54 17 22.6 130 21 34.7	F	R	.....	5.4	.....	Cylindrical mast.	Privately maintained. Year round.  Chart:3958
706.1 G5797.3	Dodge Cove range	W. end of channel entrance. 54 17 23.8 130 22 56.3	F	Y	.....	2.3	9	4-pile dolphin, orange daymark, black vertical stripe.	Year round.
706.12 G5797.3 1		253°14' 115.2m from front.	F	Y	.....	7.0	9	5-pile dolphin, orange daymark, black vertical stripe.	Year round.  Chart:3958
706.2 G5797.6	Oldfield Breakwater	On floating breakwater. 54 17 42.3 130 21 21.3	Fl	R	4s	1.2	3	Mast, red and white triangular daymark.	Year round.  Chart:3958
706.3	Dodge Island light buoy D53	NE. of island. 54 17 43.2 130 22 12	Fl	G	4s	.....	.....	Green, marked "D53".	Year round.  Chart:3958
709 G5799	Alaska Ferry South	On S. cradle dolphin. 54 17 45 130 21 12.2	F	G	.....	.....	.....	On dolphin.	Privately maintained. Year round.  Chart:3958
710 G5799.2	Alaska Ferry North	54 17 47.8 130 21 12.4	F	R	.....	.....	.....	On dolphin.	Privately maintained. Year round.  Chart:3958

No.	Name	Position ---- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ---- Height in meters above ground	Remarks ---- Fog Signals
711 G5805.5	Seal Cove	54 20 11 130 16 41.2	Q W	1s 4.9	4	White cylindrical tower.	Year round.  <b>Chart:3958</b>
712 G5801	Grindstone Point	On rock, N. of point. 54 18 34.7 130 23 08.2	Fl R	4s 4.0	4	White cylindrical tower, red band at top.	Year round.  <b>Chart:3955</b>
713 G5802	Venn Passage	On drying rock. 54 18 43.5 130 23 29	Q G	1s 4.6	3	White cylindrical tower, green band at top.	Year round.  <b>Chart:3955</b>
714 G5803	Du Vernet Point	On drying rock, off point. 54 18 46 130 23 58.4	Q R	1s 3.4	3	White cylindrical tower, red band at top.	Year round.  <b>Chart:3955</b>
715	Shkgeaum Bay range	54 18 38 130 24 24	F Y	..... 3.9	9	Mast, orange daymark, black vertical stripe. 7.6	Year round.
715.1		172° 228.7 m from front range	F Y	..... 8.4	9	Mast, orange daymark, black vertical stripe. 7.6	Year round.  <b>Chart:3955</b>
716 G5803.4	Roberson Point Sector	On bank, W. of point. 54 19 24 130 24 27.9	F R W G	..... 2.8	7	White square skeleton tower, orange daymark, black vertical stripe.	Red from 110°30' to 114°; white from 114° to 118°; green from 118° to 124°. White sector indicates preferred channel. Year round.  <b>Chart:3955</b>
717 G5803.6	Dundas Point Sector	NW. of point. 54 19 25.9 130 24 55.7	F R W G	..... 4.9	8	White square skeleton tower, orange daymark, black vertical stripe.	Red from 138° to 142°; white from 142° to 146°; green from 146° to 151°. White sector indicates preferred channel. Year round.  <b>Chart:3955</b>