

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### WEST COAST, VANCOUVER ISLAND

66 G5172	<b>Cape Scott</b>	On NW. tip of Vancouver Island. 50 46 57.2 128 25 32.8	FI W	10s	69.9	19	Square skeleton tower. 9.0	Flash 0.3 s; obs. 9.7 s. Year round.	<b>Chart:3598</b>
67 G5174	Sea Otter Cove	E. side of cove. 50 40 16 128 21 02	FI W	4s	5.5	5	Mast.	Radar reflector. Year round.	<b>Chart:3624</b>
67.4	<i>Dellwood ODAS light buoy 46207</i>	50 52 30.7 129 54 48	<i>Fl(5)</i>	<i>Y</i>	<i>20s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, marked "46207".</i> Year round.	<b>Chart:3744</b>
67.8 G5190.4	Greenwood Point	50 30 35.2 128 01 34.8	Q G	1s	6.7	3	White cylindrical tower, green band at top.	Year round.	<b>Chart:3686</b>
68 G5178	<b>Quatsino</b>	On SE. end of Kains Island. 50 26 28.3 128 01 56.8	FI W	5s	28.4	15	White cylindrical tower.	Flash 0.14 s; eclipse 4.86 s. Year round.	<b>Chart:3686</b>
68.2	<i>Billard Rock light and whistle buoy M3</i>	<i>S. side of rock. 50 25 47.2 127 57 47.7</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "M3".</i> Year round.	<b>Chart:3686</b>
	<b>Racon - - (G) X &amp; S Band</b>								<b>Chart:3686</b>
68.3 G5179	Cliffe Point	Extremity of point. 50 27 51.6 127 56 12.6	FI W	4s	10.5	7	White cylindrical tower, red band at top. 3.6	Radar reflector. Year round.	<b>Chart:3686</b>
68.5 G5180	Bedwell Islands	S. end of Islet. 50 28 33.1 127 53 44.7	FI G	4s	8.9	4	White cylindrical tower, green band at top. 5.1	Year round.	<b>Chart:3679</b>
68.6 G5180.4	Koskimo Island	50 28 37.9 127 51 17.4	Q R	1s	4.3	3	White cylindrical tower, red band at top. 3.6	Year round.	<b>Chart:3679</b>
68.8 G5181	Brockton Island	NW. end of island. 50 29 20.9 127 46 17.3	FI R	4s	5.6	4	White cylindrical tower, red band at top. 5.0	Year round.	<b>Chart:3679</b>
69 G5182	Ildstad Islands	On SE. extremity of the E. Ildstad Island. 50 30 56.7 127 41 50.9	FI W	4s	5.7	5	White mast. 5.8	Year round.	<b>Chart:3679</b>
70 G5184	Leeson Point	Near S. extremity of reef off point. 50 32 07.2 127 37 35.2	Q G	1s	5.0	4	White cylindrical tower, green band at top.	Year round.	<b>Chart:3681</b>
71 G5186	Ohlsen Point	On the point. 50 32 03.5 127 34 11.1	Q G	1s	4.6	4	White cylindrical tower, green band at top.	Year round.	<b>Chart:3681</b>
72 G5188	Makwazniht Island	On the island, Quatsino Narrows. 50 33 22 127 33 19	Q W	1s	3.0	4	White mast.	Year round.	<b>Chart:3681</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### WEST COAST, VANCOUVER ISLAND

73 G5189	Stragglings Islands	W. end of largest island. 50 35 40.8 127 42 07.5	Fl W 4s	5.6	5	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3679</b>
73.4 G5189.4	McNiffe Rock	Neroutsos Inlet. 50 31 17.1 127 36 44.8	Fl W 4s	4.7	5	White cylindrical tower, green band at top.	Year round.  <b>Chart:3681</b>
73.5	<i>Buchholz Rock light buoy M14</i>	50 29 18.5 127 34 23.4	<i>Fl R 4s</i>	.....	.....	<i>Red, marked "M14".</i>	<i>Year round.</i>  <b>Chart:3679</b>
74 G5190	Frigon Islets	On SW. point of the most westerly islet of the Frigon Islets Group. 50 25 03.9 127 29 38.7	Fl W 4s	5.1	5	White mast.	Year round.  <b>Chart:3681</b>
74.5 G5190.2	Mist Rock	50 25 46.8 127 30 03.7	Fl (2+1) G 6s	5.4	4	White cylindrical tower, green band on top.	Year round.  <b>Chart:3681</b>
75 G5191	Rugged Islands	N. point of N. island. 50 19 10 127 54 58	Fl W 4s	10.0	6	White mast.	Year round.  <b>Chart:3680</b>
76 G5192	Donald Islets	N. side of large islet. 50 13 51.5 127 48 24	Fl(2) W 6s	27.4	6	Mast.	Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s. Year round.  <b>Chart:3680</b>
77 G5194	Solander Island	50 06 40.5 127 56 17	Fl W 10s	94.2	11	White cylindrical tower.	Flash 1 s; eclipse 9 s Year round.  <b>Chart:3680</b>
78 G5198	Lookout Island	49 59 52 127 26 57.4	Fl G 4s	14.4	8	White cylindrical tower, green band at top. 7.0	Year round.  <b>Chart:3683 Edn 06/05</b>
81 G5200	Gayward Rock	50 01 15.3 127 23 27.5	Q W 1s	8.3	5	White cylindrical tower. 5.2	Year round.  <b>Chart:3651 Edn 06/05</b>
81.5 G5201	Rolston Island	50 01 16.6 127 21 57.9	Fl R 4s	4.8	3	Mast, red and white triangular daymark. 5.4	Year round.  <b>Chart:3651</b>
82 G5202	Amos Island	50 00 45.8 127 21 10.4	Fl W 4s	7.1	6	White cylindrical tower. 4.5	Year round.  <b>Chart:3683</b>
83 G5202.6	Rugged Point	49 58 13.7 127 15 07.6	Fl W 4s	14.1	7	Mast, red and white triangular daymark. 2.6	Year round.  <b>Chart:3682</b>
84	<i>Kyuquot Channel light and whistle buoy M38</i>	49 56 07.3 127 17 39.5	<i>Fl R 4s</i>	.....	.....	<i>Red, marked "M38".</i>	<i>Year round.</i>  <b>Chart:3682 Edn 05/04(P04-032)</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### WEST COAST, VANCOUVER ISLAND

85 G5203	Karouk Island	50 04 36.8 127 09 40.2	FI W 4s	7.2	5	White cylindrical tower. 4.4	Year round.  <b>Chart:3682</b>
86 G5203.2	Fair Harbour Approach	50 04 28.4 127 09 23.1	FI G 4s	5.3	4	White cylindrical tower, green band at top. 4.4	Year round.  <b>Chart:3682</b>
87 G5203.4	Fair Harbour	50 04 07.2 127 08 38	FI W 4s	8.8	5	White cylindrical tower. 4.4	Year round.  <b>Chart:3682</b>
87.5	South Brooks ODAS light buoy 46132	49 44 18.7 127 55 48.5	Fl(5) Y	20s	.....	Yellow, marked "46132".	Year round.  <b>Chart:3604</b>
88	Esperanza Inlet light and whistle buoy MD  <b>Racon - - (K) X &amp; S Band</b>	49 47 06.4 127 02 53.4	Mo(A) W	6s	.....	Red and white vertical stripes, marked "MD".	Year round.  <b>Chart:3676</b>
89	Middle Reef light buoy M41	E. of reef. 49 48 05.4 127 02 23.4	Fl G 4s	.....	.....	Green, marked "M41".	Year round.  <b>Chart:3676</b>
90 G5204	Nuchatlitz	On NW. extremity of unnamed island. 49 49 11.2 126 58 54.1	FI W 4s	11.2	5	White cylindrical tower. 4.5	Radar reflector. Year round.  <b>Chart:3676 Edn 12/04(P04-075)</b>
91 G5206	Double Island	On the island. 49 50 38.3 126 59 51.8	FI W 10s	10.2	12	White cylindrical tower, green band at top. 3.8	Flash 1 s; eclipse 9 s. Year round.  <b>Chart:3676</b>
92 G5206.4	Centre Island	NW. shore of island. 49 50 56.7 126 56 08	FI R 4s	6.7	5	White cylindrical tower, red band at top. 4.4	Year round.  <b>Chart:3676</b>
93 G5206.6	Ehatishat	On point, E. of Ehatishat. 49 52 51.1 126 49 31.4	FI W 4s	6.8	7	Mast. 3.0	Year round.  <b>Chart:3676</b>
94 G5207	Steamer Point	On point. 49 53 11.4 126 47 52.7	Q W 1s	5.6	5	White cylindrical tower. 4.7	Year round.  <b>Chart:3676</b>
95 G5207.6	Zeballos Inlet South	On point on W. shore. 49 54 25.3 126 48 03.1	FI G 4s	7.3	5	White cylindrical tower, green band at top. 4.5	Radar reflector. Year round.  <b>Chart:3676 Edn 12/04(P04-074)</b>
96 G5208	Zeballos Inlet	On small island, W. side of inlet. 49 56 46.8 126 48 59.9	Q W 1s	12.5	5	White cylindrical tower, green band at top. 4.8	Year round.  <b>Chart:3676</b>
97 G5209	Zeballos Inlet North	On point. 49 57 34 126 50 45.4	Q R 1s	6.4	4	White cylindrical tower, red band at top. 5.0	Year round.  <b>Chart:3676</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### WEST COAST, VANCOUVER ISLAND

97.8 G5209.5	McBride Bay	49 51 39.4 126 43 47.3	Q R	1s	5.1	4	White cylindrical tower, red band at top. 4.6	Radar reflector. Year round.	<b>Chart:3676</b> <b>Edn 12/04(P04-063)</b>
98 G5210	Tahsis Narrows North	On the NE. side of Narrows. 49 51 52.9 126 42 28.9	Q W	1s	6.1	4	White cylindrical tower, red band at top. 5.6	Radar reflector. Year round.	<b>Chart:3676</b> <b>Edn 12/04(P04-058)</b>
98.3 G5210.4	Tahsis Narrows South	S. side of Narrows. 49 51 36 126 41 30.4	FI(2) W	6s	5.8	5	White cylindrical tower, green band at top. 5.8	Flash 0.5 s; eclipse 1 s; flash 0.5s; eclipse 4 s. Radar reflector. Year round.	<b>Chart:3676</b> <b>Edn 12/04(P04-073)</b>
99 G5211	Tahsis Narrows	On Mozino Point, E. entrance to Narrows. 49 51 33.7 126 40 26.2	FI W	4s	6.2	5	White cylindrical tower. 6.1	Radar reflector. Year round.	<b>Chart:3676</b> <b>Edn 12/04(P04-060)</b>
99.5 G5213	Santiago	49 47 15.7 126 39 15.6	FI W	4s	5.8	5	White mast, black, white and green square daymark. 4.4	Year round.	Chart:3676
100 G5214	Tsowwin Narrows	On edge of spit extending out from E. side of inlet. 49 46 35 126 38 36.5	Q R	1s	4.7	4	Long pile of a 9-pile dolphin, red and white triangular daymark. 9.3	Radar reflector. Year round.	<b>Chart:3676</b>
100.2 G5214.2	Tsowwin Narrows West	49 46 23.9 126 38 43.2	Q G	1s	5.7	4	White cylindrical tower, green band at top. 5.8	Year round.	<b>Chart:3676</b>
100.8 G5214.6	Bodega	NE. of Bodega Island. 49 44 13.1 126 37 25.8	FI R	4s	4.5	4	White mast. 5.5	Year round.	<b>Chart:3676</b>
101 G5215	Princesa Channel	On edge of reef at E. entrance to channel. 49 43 23.6 126 37 35.1	FI G	4s	5.0	4	White cylindrical tower, green band at top. 8.1	Year round.	<b>Chart:3675</b> <b>Edn 12/04(P04-070)</b>
102 G5215.4	Kendrick Inlet	On rock. 49 43 06.6 126 38 29.4	FI W	4s	4.0	5	Mast. 3.6	Year round.	<b>Chart:3675</b> <b>Edn 12/04(P04-069)</b>
102.5 G5215.6	Jewitt Cove	49 41 56.4 126 36 05.1	FI W	4s	6.4	5	White mast. 4.6	Year round.	<b>Chart:3675</b>
103 G5216	Canal Island	On W. side of island. 49 41 17.1 126 35 09	FI R	4s	5.5	4	White cylindrical tower, red band at top. 4.5	Year round.	<b>Chart:3675</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### WEST COAST, VANCOUVER ISLAND

103.5 G5216.4	Salter Point	49 40 57.3 126 35 13.9	Q G	1s	6.4	4	White cylindrical tower, green band at top. 4.8	Year round.  <b>Chart:3675</b>
104 G5217	Boston Point	On point. 49 39 41.1 126 36 45.9	Fl G	4s	7.6	4	White cylindrical tower, green band at top. 4.5	Year round.  <b>Chart:3675</b>
104.8 G5217.4	Vernaci Island	49 38 12.3 126 35 34.2	Fl(3) W	12s	7.9	7	White mast. 6.0	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3675</b>
105 G5219	<b>Nootka</b>	On summit of San Rafael Island. 49 35 33.5 126 36 55.4	Fl W	12s	30.9	19	Red square skeleton tower.	Flash 0.15 s; eclipse 11.9 s. In operation 24 hours. Year round.  <b>Chart:3675</b>
106	<i>Bajo Reef light and whistle buoy M56</i>	<i>S. of Bajo Reef. 49 33 48 126 50 00</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "M56".</i>	<i>Year round.  <b>Chart:3675</b></i>
107 G5219.4	Clerke Peninsula	On S. extremity of peninsula. 49 36 08.6 126 32 17.8	Fl W	4s	12.2	7	White mast.	Year round.  <b>Chart:3675</b>
108 G5218.3	San Carlos Point	On point. 49 41 09.4 126 31 16.9	Q W	1s	6.0	5	White cylindrical tower. 5.6	Radar reflector. Year round.  <b>Chart:3675 Edn 12/04(P04-066)</b>
108.5 G5219.6	Zuciarde Channel South	S. entrance to channel. 49 35 44 126 31 18.4	Fl R	4s	9.4	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3675 Edn 12/04(P04-068)</b>
109 G5218.5	Hanna Channel	On point, NE. shore of Bligh Island. 49 40 34.5 126 29 45.1	Fl G	4s	5.7	4	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3675 Edn 12/04(P04-067)</b>
109.5 G5220	Zuciarde Channel	E. side of Bligh Island. 49 39 06.5 126 29 02.7	Fl(3) W	12s	6.3	5	White cylindrical tower, green band at top.	Flash 0.5 s; eclipse 2s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round.  <b>Chart:3675 Edn 12/04(P04-057)</b>
109.8 G5220.1	Anderson Point	49 38 46 126 28 17.5	Q R	1s	6.8	3	Cylindrical tower. 4.6	Radar reflector. Year round.  <b>Chart:3675 Edn 12/04(P04-059)</b>
110 G5220.2	Atrevida Point	On the point. 49 39 10.7 126 26 27.4	Q G	1s	6.4	3	White cylindrical tower, green band at top. 4.6	Radar reflector. Year round.  <b>Chart:3675</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### WEST COAST, VANCOUVER ISLAND

110.3 G5220.4	Gore Island West	W. extremity of island. 49 38 56.6 126 26 00.5	Q R	1s	7.2	3	White cylindrical tower, red band at top. 4.5	Radar reflector. Year round.  <b>Chart:3675</b> <b>Edn 12/04(P04-061)</b>
110.5 G5220.6	Gore Island	N. side of island. 49 39 16.3 126 23 33.5	FI R	4s	6.3	4	White cylindrical tower, red band at top. 4.6	Radar reflector. Year round.  <b>Chart:3675</b> <b>Edn 12/04(P04-062)</b>
110.7 G5220.8	Williamson Passage	49 39 08 126 22 22.2	FI W	4s	4.8	5	White mast. 3.6	Year round.  <b>Chart:3675</b>
111 G5221	Muchalat Inlet	On point, on N. shore of inlet. 49 38 40.8 126 20 53.3	Q G	1s	5.5	4	White cylindrical tower, green band at top. 4.8	Radar reflector. Year round.  <b>Chart:3675</b> <b>Edn 12/04(P04-072)</b>
111.8 G5221.1	Houston River	NE. of river entrance. 49 38 29 126 17 31.6	FI W	4s	5.0	5	White mast. 3.6	Year round.  <b>Chart:3675</b>
112 G5221.2	Muchalat Inlet East	On N. shore of inlet. 49 39 05 126 15 46.5	FI G	4s	5.4	4	White cylindrical tower, green band at top. 6.4	Radar reflector. Year round.  <b>Chart:3675</b> <b>Edn 12/04(P04-071)</b>
112.2 G5221.4	Muchalat Inlet South Shore	S. side of inlet. 49 39 13.8 126 12 51.8	FI R	4s	6.9	4	White cylindrical tower, red band at top. 6.1	Radar reflector. Year round.  <b>Chart:3675</b> <b>Edn 12/04(P04-064)</b>
112.4 G5221.6	Victor Island	N. side of island. 49 39 47.3 126 09 31.8	FI W	4s	7.9	5	White mast, red and white triangular daymark. 3.6	Year round.  <b>Chart:3675</b>
113 G5222	Gold River	W. side of entrance to Gold River. 49 40 30 126 07 39.2	Q G	1s	7.4	4	White cylindrical tower, green band at top. 5.6	Radar reflector. Year round.  <b>Chart:3675</b> <b>Edn 12/04(P04-065)</b>
114 G5224	<b>Estevan Point</b>	SW. extremity of point at Hole-in-the- Wall. 49 22 58.7 126 32 38.5	FI(2) W	15s	37.5	18	White octagonal tower. 30.5	Flash 0.1 s; eclipse 4.9 s; flash 0.1 s; eclipse 9.9 s. Year round.  <b>Chart:3674</b>
117 G5226	Mate Island	E. end of island. 49 20 59.9 126 16 04.3	Q W	1s	9.6	5	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3674</b>
117.5 G5226.2	Sharp Point	E. side entrance, Hot Springs Cove. 49 20 51.1 126 15 35.9	FI W	10s	26.7	10	White cylindrical tower. 3.5	Flash 0.3 s; eclipse 9.7 s. Year round.  <b>Horn - Blast 3 s; sil. 27 s.</b>  <b>Chart:3674</b>
118 G5226.4	Starling Point	On point. 49 23 38.8 126 13 51	Q W	1s	6.0	5	White cylindrical tower. 3.5	Radar reflector. Year round.  <b>Chart:3674</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### WEST COAST, VANCOUVER ISLAND

118.3 G5226.6	Driver Point	Stewardson Inlet entrance. 49 26 43.1 126 16 04.2	Q W	1s	6.8	5	White cylindrical tower. 3.5	Year round.  <b>Chart:3674</b>
118.5 G5229.4	Clio Island	On W. end of island. 49 23 37.8 126 11 02.5	FI W	4s	17.7	5	Mast, red and white triangular daymark. 3.0	Year round.  <b>Chart:3674</b>
119 G5230	Hayden Passage	On rock in middle of passage. 49 23 43.8 126 06 23.3	FI R	4s	5.5	5	White cylindrical tower, red band at top. 3.5	Year round.  <b>Chart:3674</b>
119.4 G5231.4	McKay Island	W. side of island. 49 18 39.3 126 03 31	FI R	4s	9.5	4	White cylindrical tower, red band at top. 3.5	Year round.  <b>Chart:3674</b>
120 G5232	Matilda Inlet	On outside edge of reef, W. side of creek entrance. 49 18 12 126 04 26	FI W	4s	5.3	5	White cylindrical tower, red band at top. 3.5	Radar reflector. Year round.  <b>Chart:3674</b>
121 G5233	Marktosis	In shallow bay at entrance to Marktosis. 49 16 42.1 126 03 42.2	FI W	4s	4.6	6	White cylindrical tower. 3.5	Radar reflector. Year round.  <b>Chart:3674</b>
122 G5231	Tibbs Islet	On islet, S. side of Russell Channel. 49 13 46.1 126 06 33.8	FI W	4s	11.1	7	White mast. 1.5	Year round.  <b>Chart:3673</b>
123 G5234	Monks Islet	On islet, W. entrance to Calmus Passage. 49 13 55.6 126 00 59	FI(3) W	12s	14.2	7	White mast. 3.5	Flash 0.5 s; eclipse 2 s; Flash 0.5 s; eclipse 2 s; Flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3673</b>
123.3	<i>Coomes Bank light buoy Y11</i>	<i>Off S. end of bank. 49 13 21.3 126 00 30.2</i>	<i>F G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "Y11".</i>	<i>Year round.  <b>Chart:3673</b></i>
124 G5238	Morfee Island	On SE. end of island. 49 13 03.4 125 57 19	Q W	1s	8.1	6	White cylindrical tower, green band at top. 4.5	Radar reflector. Year round.  <b>Chart:3673</b>
125 G5240	Maurus Channel	On rock, E. side of channel. 49 12 13.7 125 55 50.7	FI R	4s	5.9	4	White cylindrical tower, red band at top. 4.6	Radar reflector. Year round.  <b>Chart:3673</b>
126	<i>Meares Spit light buoy Y8</i>	<i>W. end, Heynen Channel. 49 10 21.3 125 55 57.2</i>	<i>Q R</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "Y8".</i>	<i>Year round.  <b>Chart:3685</b></i>
126.5 G5240.2	Wilf Rock	On rock. 49 08 13.2 125 58 36.7	FI W	4s	12.1	7	White mast.	Seasonal.  <b>Chart:3685</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### WEST COAST, VANCOUVER ISLAND

127 G5240.4	Stockham Island	Off W. end of island. 49 10 17.1 125 54 27.1	FI R 4s	5.2	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3685</b>
128	<i>Stubbs Spit light buoy Y25</i>	<i>NE. extremity of sand bank N. of island. 49 10 06.3 125 54 31.2</i>	Q G 1s	.....	.....	<i>Green, marked "Y25".</i>	<i>Year round.</i>  <b>Chart:3685</b>
129 G5241	Deadman Islets	On the southerly islet. 49 09 43.8 125 54 30.5	FI R 4s	4.5	4	White mast.	Radar reflector. Year round.  <b>Chart:3685</b>
129.9	Tofino Breakwater	On outer end of new breakwater. 49 09 16.6 125 54 04.4	FI W 4s	5.7	5	Mast, red and white triangular daymark. 3.0	Year round.  <b>Chart:3685</b>
130 G5241.6	Tofino East Breakwater	On N. end of breakwater. 49 09 15.6 125 54 02.1	Q R 1s	4.0	3	White mast, red and white triangular daymark.	Year round.  <b>Chart:3685</b>
131.5 G5241.8	Berryman Point	NW. of point. 49 09 21.9 125 40 44	FI W 4s	4.9	5	White mast, red and white triangular daymark. 3.7	Year round.  <b>Chart:3673</b>
132	<i>Felice Island light buoy Y3</i>	<i>S. of island. 49 08 45.3 125 55 28.2</i>	Q G 1s	.....	.....	<i>Green, marked "Y3".</i>	<i>Year round.</i>  <b>Chart:3685</b>
133	<i>Templar Channel light buoy Y2</i>	<i>NW. of Tonquin Island. 49 08 00 125 55 36.2</i>	FI R 4s	.....	.....	<i>Red, marked "Y2".</i>	<i>Year round.</i>  <b>Chart:3685</b>
133.5	<i>Tonquin Island light buoy Y1</i>	<i>49 07 36.3 125 55 24.2</i>	FI G 4s	.....	.....	<i>Green, marked "Y1".</i>	<i>Year round.</i>  <b>Chart:3685</b> <b>Edn 10/05(P05-053)</b>
134 G5242	<b>Lennard Island</b>	On SW. point of island. 49 06 37.5 125 55 24.7	FI W 10s	35.1	17	White cylindrical tower, red band at top. 17.8	Flash 0.3 s; eclipse 9.7 s. Year round.  <b>Chart:3685</b>
<b>Barkley Sound</b>							
135 G5246	<b>Amphitrite Point</b>	On extremity of point, entrance to Ucluelet Harbour. 48 55 16.1 125 32 28.2	FI W 12s	15.2	16	White rectangular tower. 6.1	Flash 0.4 s; eclipse 11.6 s. Year round.  <b>Horn - Blast 2 s; sil. 18 s.</b>  <b>Chart:3646</b>
136	<i>Carolina Channel light and whistle buoy Y42</i>	<i>Off Amphitrite Point. 48 54 42.3 125 32 37.6</i>	FI R 4s	.....	.....	<i>Red, marked "Y42".</i>	<i>Year round.</i>  <b>Chart:3646</b>
136.5	<i>Carolina Passage Inner light and bell buoy Y43</i>	<i>48 55 09.8 125 31 45.1</i>	FI G 4s	.....	.....	<i>Green, marked "Y43".</i>	<i>Year round.</i>  <b>Chart:3646</b>



No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### WEST COAST, VANCOUVER ISLAND

137 G5247	Francis Island	Ucluelet Harbour entrance. 48 55 19.3 125 31 21.8	FI(3) W	12s	8.0	7	White mast.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.	<b>Chart:3646</b>
137.3	Spring Cove light buoy Y45	SE. of Hyphocus Island. 48 55 38.3 125 31 31.1	FI G	4s	.....	.....	Green, marked "Y45".	Year round.	<b>Chart:3646</b>
137.5 G5247.4	Indian Reserve	N. of Hyphocus Island. 48 56 04.8 125 31 44.2	FI R	4s	4.8	4	White cylindrical tower, red band at top.	Year round.	<b>Chart:3646</b>
138	Sutton Rock light buoy Y44	SE. of the rock. 48 56 25.3 125 32 17.5	Q R	1s	.....	.....	Red, marked "Y44".	Year round.	<b>Chart:3646</b>
139 G5249	Chrow Islands	On NW. extremity of N. island. 48 54 36.2 125 28 15.8	FI W	4s	9.6	7	Mast.	Year round.	<b>Chart:3671 Edn 03/04(P04-008)</b>
140 G5250	Benson Island	On N. extremity of island. 48 53 08.4 125 22 44.2	Q G	1s	8.0	3	White cylindrical tower, green band at top.	Radar reflector. Year round.	<b>Chart:3670</b>
141 G5251	Forbes Island	On S. side of island. 48 56 55.9 125 24 37.9	Q R	1s	12.9	4	White cylindrical tower, red band at top.	Radar reflector. Year round.	<b>Chart:3670</b>
142 G5252.6	Toquart Bay	49 00 39.1 125 20 22.9	Q G	1s	5.6	4	White cylindrical tower, green band at top.	Year round.	<b>Chart:3670</b>
143 G5252.4	Shears Islands	48 59 58.9 125 19 27	FI R	4s	6.7	4	White cylindrical tower, red band at top.	Radar reflector. Year round.	<b>Chart:3670</b>
144 G5252.2	Richard Rock	48 59 18.7 125 19 40	FI G	4s	7.0	4	White cylindrical tower, green band at top.	Year round.	<b>Chart:3670</b>
145 G5252	Hand Island Passage	48 56 40.5 125 19 38.8	Q W	1s	8.5	4	White cylindrical tower, green band at top.	Year round.	<b>Chart:3670</b>
146 G5254.3	Lyllal Point	48 58 09.4 125 19 25.7	Q R	1s	8.9	4	White cylindrical tower, red band at top.	Radar reflector. Year round.	<b>Chart:3670</b>
147 G5254.2	Hand Island	48 57 07.5 125 18 28.2	FI W	4s	3.2	5	White mast.	Year round.	<b>Chart:3670</b>
148 G5253	Coaster Channel	48 52 59.3 125 19 09.5	FI W	4s	5.8	5	White cylindrical tower.	Year round.	<b>Chart:3670</b>
149 G5254.1	Prideaux Island	48 56 34.7 125 16 14.8	FI G	4s	5.2	4	White cylindrical tower, green band at top.	Year round.	<b>Chart:3670</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### WEST COAST, VANCOUVER ISLAND

150 G5254	Swale Rock	48 55 32.5 125 13 19.8	Fl(3) W	12s	9.1	5	White cylindrical tower. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.
							<b>Chart:3670</b>
151 G5254.5	Baeria Rocks	48 56 59.4 125 09 13.1	Fl W	4s	12.2	5	White mast. Year round.
							<b>Chart:3671</b>
152 G5255	Pill Point	48 57 56.7 125 04 49.7	Fl R	4s	10.9	4	White cylindrical tower, red band at top. Radar reflector. Year round.
							<b>Chart:3671</b>
153 G5261	Assits Island	48 56 16 125 01 56.2	Q R	1s	4.4	4	White cylindrical tower, red band at top. Radar reflector. Year round.
							<b>Chart:3668</b>
154 G5262	Chup Point	On E. side of point. 48 57 19.3 125 01 42.1	Fl G	4s	4.4	4	White cylindrical tower, green band at top. Year round.
							<b>Chart:3668</b>
154.8 G5262.6	Limestone Islet	On islet. 48 58 56 124 58 22.6	Q W	1s	8.5	6	White cylindrical tower. Radar reflector. Year round.
							<b>Chart:3646</b>
155 G5263	Star Point	On point, S. shore. 48 58 37.4 124 56 49.6	Fl W	4s	5.3	5	White cylindrical tower, red band at top. Radar reflector. Year round.
							<b>Chart:3668</b>
156 G5264	Pocahontas Point	On point. 48 59 00.2 124 55 03.9	Q G	1s	6.2	4	White cylindrical tower, green band at top. Radar reflector. Year round.
							<b>Chart:3668</b>
156.5 G5264.4	Spencer Creek	48 59 19.9 124 53 29.8	Fl R	4s	5.2	4	Mast, red and white triangular daymark. Year round.
							<b>Chart:3668</b>
157 G5265	Billton Point	On point. 49 00 44.6 124 52 20.4	Fl W	4s	6.7	5	White cylindrical tower, green band at top. Radar reflector. Year round.
							<b>Chart:3668</b>
158 G5266	Ten Mile Point	On point opposite Nahmint Bay. 49 03 33.1 124 50 27	Fl R	4s	8.2	5	White cylindrical tower, red band at top. Radar reflector. Year round.
							<b>Chart:3668</b>
159 G5267	Hocking Point	On extremity of point, W. side of Alberni Inlet. 49 05 16.5 124 49 53	Fl G	4s	8.9	4	White cylindrical tower, green band at top. Radar reflector. Year round.
							<b>Chart:3668</b>
160 G5268	Franklin River	At Sproat Narrows, on edge of shoal off mouth of river. 49 06 13.3 124 49 15.1	Q R	1s	7.5	5	White cylindrical tower, red band at top on 9-pile dolphin. Radar reflector. Year round.
							<b>Chart:3668</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### WEST COAST, VANCOUVER ISLAND

161 G5269	Macktush Creek	At mouth of creek. 49 06 34.3 124 49 20.8	Q G	1s	7.5	4	White cylindrical tower, green band at top on 9- pile dolphin.	Radar reflector. Year round.  <b>Chart:3668</b>
162 G5270	Dunsmuir Point	On W. side of Alberni Inlet, opposite mouth of China Creek. 49 09 14.6 124 48 29.9	FI W	4s	6.8	5	White cylindrical tower, green band at top.	Year round.  <b>Chart:3668</b>
163 G5271	Stamp Narrows	On W. side of narrows. 49 10 59.9 124 49 18	Q G	1s	8.5	4	White cylindrical tower, green band at top on 7- pile dolphin.	Year round.  <b>Chart:3668</b>
164 G5272	Lone Tree Point	On point, E. side of Stamp Narrows. 49 11 02.9 124 48 59.1	Q R	1s	7.6	4	White cylindrical tower, red band at top.	Year round.  <b>Chart:3668</b>
165 G5273	Polly Point	On point. 49 12 57.6 124 49 01.4	FI R	4s	4.3	4	White cylindrical tower, red band at top.	Year round.  <b>Chart:3668</b>
166 G5274	Hohm Island	On island. 49 13 39.8 124 49 32.6	FI W	4s	8.2	5	White cylindrical tower.	Year round.  <b>Chart:3668</b>
167	Maritime Discovery Centre	On Maritime Discovery Centre. 49 13 53 124 48 50	FI W	12s	.....	.....	Red and white tower.	Privately maintained. Occasional. Year round.  <b>Chart:3668</b>
168 G5276	Alberni	On W. side of channel, entrance to Somass River. 49 14 17.4 124 49 20.4	FI G	4s	5.2	4	Long centre pile of 7-pile dolphin, black, white and green square daymark.	Year round.  <b>Chart:3668</b>
168.1 G5277	Somass River	49 14 39.5 124 49 27.5	Q G	1s	7.3	3	White cylindrical tower, green band at top on a 5-pile dolphin.	Year round.  <b>Chart:3668</b>
Great Central Lake								
168.2	Drinkwater Creek	49 22 18 125 22 52	FI R	4s	3.6	4	Mast, red and white triangular daymark.	Year round.  <b>Chart:N/A</b>
168.3	Dorothy Creek	49 21 26 125 20 36	FI G	4s	6.1	4	Mast, black, white and green square daymark.	Year round.  <b>Chart:N/A</b>
168.4	Clark Point	49 21 39 125 16 29	FI R	4s	4.3	4	Mast, red and white triangular daymark.	Year round.  <b>Chart:N/A</b>
168.5	Fawn Point	49 21 49 125 13 22	FI G	4s	6.0	4	Mast, black, white and green square daymark.	Year round.  <b>Chart:N/A</b>
168.6	Great Central East	49 21 51 125 08 42	FI G	4s	3.6	4	Mast, black, white and green square daymark.	Year round.  <b>Chart:N/A</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### WEST COAST, VANCOUVER ISLAND

168.7	Beauty Island	49 21 17 125 06 46	Fl G (2+1)	10s	4.0	4	Mast, red and white rectangular daymark; green squares on white diamonds with red borders.	Year round.  <b>Chart:N/A</b>
168.8	Boundary Point	49 19 50 125 01 54	Fl G	4s	4.6	4	Mast, black, white and green square daymark.	Year round.  <b>Chart:N/A</b>
<b>Barkley Sound</b>								
169	Kooh Rock light buoy Y51	Off rock. 48 54 14 125 04 02	Fl G	4s	.....	.....	Green, marked "Y51".	Year round.  <b>Chart:3671</b>
170 G5260	San Jose Islets	On W. extremity of westerly islet. 48 54 05.9 125 03 23.1	Fl W	4s	7.5	7	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3671</b>
171 G5259	Wizard Islet	On the islet. 48 51 29.5 125 09 31	Fl(2) W	6s	5.0	6	White mast.	Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s. Year round.  <b>Chart:3671</b>
171.5 G5258.4	Grappler Inlet	On point, N. shore. 48 49 54.9 125 07 38.1	Fl W	4s	3.7	3	White mast.	Year round.  <b>Chart:3646 Edn 02/06(P06-016)</b>
172 G5258	Aguilar Point Sector	On the point. 48 50 21.6 125 08 26.9	Q R-W	1s	5.0	4	White cylindrical tower, red band at top.	White sector visible from 055°30' to 058°. Year round.  <b>Chart:3646</b>
172.5 G5256.4	Trevor Channel Entrance Sector	SW. side of channel entrance. 48 48 44.2 125 10 49.2	F R W G	.....	13.3	8	White cylindrical tower.	Red from 064°30' to 068°30'; white from 068°30' to 076°30'; green from 076°30' to 080°30'. White sector indicates preferred channel. Year round.  Additional light visible 360°.  <b>Chart:3671</b>
173	Seapool Rocks light and whistle buoy Y49	On E. side of rocks. 48 48 54 125 12 14	Fl G	4s	.....	.....	Green, marked "Y49".	Year round.  <b>Chart:3671</b>
174 G5257	Bordelais Islets	On largest islet. 48 49 05 125 13 48.5	Fl W	4s	28.4	7	White cylindrical tower, green band at top.	Year round.  <b>Chart:3671</b>
175 G5253.5	Folger Island	W. point of island. 48 49 47.1 125 14 57.6	Fl(3) R	12s	40.2	5	White cylindrical tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3671</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
176 G5256	Cape Beale Sector	SE. point of Barkley Sound entrance. 48 47 12 125 12 50.8	Fl W-R	5s	50.8	12 Red skeleton tower, white slatwork daymark on 3 sides. 9.7	Flash 0.14 s; eclipse 4.86 s. Visible from 311° through N., E. and S. to 182°; white 311° to 097°; red 097° to 182°. Emergency light. Year round.  <b>Chart:3671</b>
176.5	Laperouse Bank ODAS light buoy 46206	48 50 06 125 59 54	Fl(5) Y	20s	.....	..... Yellow, marked "46206".	Year round.  <b>Chart:3602</b>
177 G5279	Seabird Rocks	On largest rock. 48 45 00.6 125 09 15.6	Fl W	4s	20.1	6 White cylindrical tower, red band at top.	Year round.  <b>Chart:3602</b>
177.5	South Nomad ODAS light buoy 46036	48 21 18 133 56 18	Fl(5) Y	20s	.....	..... Yellow, marked "46036".	Year round.  <b>Chart:3000</b>
178 G5280	Pachena Point	On the point. 48 43 20.2 125 05 50.7	Fl(2) W	7.5s	46.9	14 White cylindrical tower. 6.1	Flash 0.37 s; eclipse 1.25 s; flash 0.37 s; eclipse 5.5 s. Year round.  <b>Chart:3602</b>