

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**PACIFIC COAST**

718 G5803.8	Metlakatla Sector	N. tip of small island, Venn Passage. 54 20 10.7 130 25 19.6	F W G	R .....	2.7	8	Square skeleton tower, orange rectangular daymark, black vertical stripe.	Red from 073° to 077°; white from 077° to 080°; green from 080° to 085°. White sector indicates preferred channel. Year round.	
<b>Chart:3955</b>									
719 G5807	Lucy Islands	On NE. side of E. island. 54 17 44.6 130 36 31.6	FI	R	6s	21.6	14	White octagonal tower.	Flash 0.5 s; eclipse 5.5 s. Emergency light. Year round.
<b>Chart:3957 Edn 03/04(P04-011)</b>									
719.2 G5807.2	Lucy Islands North	54 18 07.4 130 37 21.6	Q	W	1s	5.4	4	White cylindrical tower.	Year round.
<b>Chart:3957</b>									
719.5	<i>Enfield Rock light and bell buoy D76</i>	54 18 23 130 32 36.3	<i>FI</i>	<i>R</i>	<i>4s</i>	.....	.....	<i>Red, marked "D76".</i>	<i>Year round.</i>
<b>Chart:3957</b>									
720 G5906.4	Prince Rupert Aeronautical Beacon	54 17 23 130 26 34.2	FI	W	3s	.....	.....	.....	Privately maintained. Year round.
<b>Chart:3958</b>									
721	<i>Tugwell Reef light and bell buoy D61</i>	<i>On SE. edge of reef. 54 18 41 130 30 17</i>	<i>FI</i>	<i>G</i>	<i>4s</i>	.....	.....	<i>Green, marked "D61".</i>	<i>Year round.</i>
<b>Chart:3957</b>									
721.6 G5807.4	Devastation Island	N. side of island. 54 19 21.3 130 29 10.7	FI	R	4s	5.3	4	White cylindrical tower, red band at top.	Year round.
<b>Chart:3955 Edn 07/04(P04-012)</b>									
722 G5808	Shrub Island	W. end of Venn Passage. 54 19 49.9 130 27 33.8	Q	R	1s	5.6	3	White cylindrical tower, red band at top.	Year round.
<b>Chart:3955</b>									
722.5	<i>Kelp Reef light buoy D63</i>	54 19 54.5 130 27 40	<i>FI</i>	<i>G</i>	<i>4s</i>	.....	.....	<i>Green, marked "D63".</i>	<i>Year round.</i>
<b>Chart:3955</b>									
723 G5808.2	Ryan Point Reef	54 21 33.6 130 29 56.7	FI	W	6s	4.7	5	White cylindrical tower.	Flash 0.5 s; eclipse 5.5 s. Year round.
<b>Chart:3957</b>									
724	<i>Hodgson Reefs light and whistle buoy D84</i>	<i>W. of reefs. 54 23 02.5 130 32 34.8</i>	<i>FI</i>	<i>R</i>	<i>4s</i>	.....	.....	<i>Red, marked "D84".</i>	<i>Year round.</i>
<b>Chart:3959</b>									
725 G5808.4	Slippery Rock	On rock. 54 23 56.7 130 29 50.5	FI(3)	W	12s	6.7	5	White cylindrical tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.
<b>Chart:3959</b>									
726	<i>Tree Bluff light and bell buoy D86</i>	<i>At end of shoal W. of bluff. 54 25 44.5 130 30 51.5</i>	<i>FI</i>	<i>R</i>	<i>4s</i>	.....	.....	<i>Red, marked "D86".</i>	<i>Year round.</i>
<b>Chart:3963</b>									

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks ----- Fog Signals
		Latitude N. Longitude W.				Height in meters above ground	
726.2 G5819.4	One Tree Islet	N. side of islet. 54 33 51.5 130 26 26.5	FI R 4s	5.3	4	White mast.	Year round.  <b>Chart:3963</b>
726.7 G5819	Port Simpson Breakwater	54 33 41.8 130 25 48.6	Q R 1s	4.1	3	White mast.	Year round.  <b>Chart:3963</b>
728 G5820	Birnie Island	On rock, S. of Knox Point. 54 35 24.2 130 27 48.5	FI W 4s	8.5	5	White square skeleton tower.	Year round.  <b>Chart:3963</b>
729 G5822	Pointer Rocks	On the southernmost rock. 54 36 17.7 130 32 14.9	FI W 6s	7.8	5	White cylindrical tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3959</b>
730 G5814	<b>Green Island</b>	On SW. side of island. 54 34 07 130 42 31.5	FI W 5s	19.2	<b>15</b>	White octagonal tower. 10.7	Flash every 5 s Operates at night only. Year round.  <b>Chart:3959</b>
730.5 G5813	Whitesand Island	54 30 48.4 130 44 57.6	FI W 4s	6.7	5	White square skeleton tower.	Year round.  <b>Chart:3959</b>
730.6 G5812.6	Dundas Island	Entrance to Edith Harbour. 54 27 36 130 56 56.5	FI W 6s	10.5	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3959</b>
731 H5816	Holliday Island	On N. extremity of island. 54 37 22.8 130 45 30.1	FI W 6s	6.5	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3960</b>
732 G5818	Jacinto Point	S. point of Zayas Island. 54 34 45 131 04 41.1	FI W 6s	10.7	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3959</b>
733 G5809	Harris Rock	On rock. 54 12 58.1 130 45 53.2	FI W 6s	4.8	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3909</b>
734 G5748	<b>Bonilla Island Sector</b>	On W. side of island. 53 29 34 130 38 09	FI W-R 5s	36.6	<b>22</b>	White cylindrical tower. 9.8	Flash 0.3 s; eclipse 4.7 s. White 360° to 168°; red 168° to 198°; obscured 198° to 334°; red 334° to 360°. Year round.  <b>Chart:3747</b>
734.5	<i>Hecate Strait ODAS light buoy 46183</i>	53 37 00 131 06 18	<i>F(5) Y</i>	<i>20s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, marked "46183".</i> Year round.  <b>Chart:3902</b>
735 G5748.5	Northwest Rocks	On largest rock of group. 53 32 52 130 38 02	FI(3) W 12s	16.2	5	White cylindrical tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3747</b>
736 G5749.5	Larsen Harbour	On Westerly end of Banks Island. 53 37 45 130 32 18	Q R 1s	5.4	3	White square skeleton tower.	Year round.  <b>Chart:3747</b>
737 G5747.8	Keswar Point	S. of Keswar Point. 53 37 35 130 20 58	FI W 6s	8.1	7	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3747</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
738 G5747.6	Wheeler Island	SW. corner of island. 53 33 00 130 08 34.5	FI W 4s	8.7	7	White square skeleton tower.	Year round.  <b>Chart:3746</b>
739 G5747.4	Principe Channel	On shore. 53 23 36 129 54 18	FI W 6s	6.1	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3741</b>
740 G5747	Otter Passage	S. end of Man Island. 53 07 42 129 46 20	FI(3) W 12s	13.3	5	White mast.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  Chart:3742
741 G5747.2	Block Islands	On small Island. 53 08 59 129 43 55	FI W 6s	7.2	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3742</b>
741.3 G5747.3	McCreigh Point	SE. of Pitt Island. 53 12 30 129 30 00	FI W 6s	7.6	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3742</b>
741.5	<i>Nepean Rock light and bell buoy E78</i>	53 12 15 129 36 20	<i>FI R 4s</i>	.....	.....	<i>Red, marked "E78".</i>	<i>Year round.</i>  <b>Chart:3742</b>
742 G5749	Browning Entrance	On N. island, White Rocks. 53 38 05 130 33 48	FI W 6s	12.5	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3747</b>
743 G5751	Hankin Rock	On rock, SW. entrance to Beaver Passage. 53 42 28 130 24 36	FI W 4s	9.7	5	White cylindrical tower.	Year round.  <b>Chart:3747</b>
744 G5752	Connis Islet	On islet, Beaver Passage. 53 45 27.4 130 18 58.8	Q W 1s	4.7	4	White cylindrical tower, green band at top.	Year round.  <b>Chart:3747</b>
745 G5753	Bully Island	On westerly side of island. 53 47 54 130 19 27	FI W 6s	6.7	5	White cylindrical tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3773</b>
746 G5753.6	Moore Island	NW. corner of island. 53 47 23 130 31 13	FI W 6s	5.5	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3747</b>
746.8	<i>Freeman Passage Entrance light and bell buoy E98</i>	<i>NW. of Joachim Point. 53 49 26 130 39 23</i>	<i>FI R 4s</i>	.....	.....	<i>Red, marked "E98".</i>	<i>Year round.</i>  <b>Chart:3761</b>
747 G5754	Freeman Passage	SW. island of group. 53 49 49.5 130 37 39	FI(3) W 12s	4.9	5	Square skeleton tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3761</b>
747.5	<i>Oval Bank West Cardinal light buoy EOB</i>	53 55 35.6 130 54 24.5	<i>Q(9) W 15s</i>	.....	.....	<i>Yellow, black and yellow, marked "EOB".</i>	<i>Year round.</i>  <b>Chart:3927</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
748 G5756	Seal Rocks  <b>Racon --- (Y) X &amp; S Band</b>	On the highest rock of the Seal Rocks group. 54 00 00 130 47 26	FI W 6s	13.1	7	White cylindrical tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3761</b>
749 G5757	Chearnley Passage	SE. end of passage. 54 01 32.2 130 41 10.6	Q W 1s	5.8	4	Square skeleton tower.	Year round.  <b>Chart:3956</b>
750 G5810	Archibald Islands	On northernmost rocky islet of Archiblad Islands group. 54 12 53.5 130 50 02.9	FI W 4s	8.6	5	White square skeleton tower.	Year round.  <b>Chart:3957</b>
751 G5811	Butterworth Rocks  <b>Racon - - - (X) X Band</b>	On rock. 54 14 08 130 58 30	FI W 6s	16.1	7	White tripod skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3802</b>
751.1	<i>Stenhouse Shoal light and whistle buoy D59</i>  <b>Racon - - - (C) X &amp; S Band</b>	54 20 07 130 56 03	<i>FI</i> G 4s	.....	.....	<i>Green, marked "D59".</i>	<i>Year round.</i>  <b>Chart:3957</b>
751.2	<i>Brown Passage light and whistle buoy D60</i>  <b>Racon - - - (C) X &amp; S Band</b>	54 18 23.8 130 54 51.7	<i>FI</i> R 4s	.....	.....	<i>Red, marked "D60".</i>	<i>Year round.</i>  <b>Chart:3957</b>
752 G5812	<b>Triple Islands</b>	On the northwesterly rock of the Triple Islands. 54 17 40.7 130 52 49.8	FI(2) W 9s	28.0	16	White octagonal tower. 21.9	Flash 0.25 s; eclipse 2.5 s; flash 0.25 s; eclipse 6 s. Year round.  <b>Chart:3957</b>
752.2 G5811.5	Osborne Island	54 17 11.8 130 51 11.2	FI R 6s	10.2	5	White cylindrical tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3957</b>
752.3 G5812.3	Hanmer Rocks  <b>Racon - - (M) X &amp; S Band</b>	54 19 26.5 130 49 20.3	FI(3) W 12s	10.9	7	White tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s Year round.  <b>Chart:3957</b>
753	<i>Hanmer Rocks light and whistle buoy D57</i>  <b>Racon - - (M) X &amp; S Band</b>	54 18 54 130 48 56.3	<i>FI</i> G 4s	.....	.....	<i>Green, marked "D57".</i>	<i>Year round.</i>  <b>Chart:3957</b>
753.1	<i>Hanmer Rocks light and whistle buoy D62</i>  <b>Racon - - (M) X &amp; S Band</b>	54 18 21.2 130 48 32.2	<i>Q</i> R 1s	.....	.....	<i>Red, marked "D62".</i>	<i>Year round.</i>  <b>Chart:3957</b>
753.2	<i>Rushton Island light and bell buoy D72</i>  <b>Racon - - (M) X &amp; S Band</b>	54 16 01.9 130 48 27.4	<i>FI</i> R 4s	.....	.....	<i>Red, marked "D72".</i>	<i>Year round.</i>  <b>Chart:3957</b>
753.3	<i>Light and bell buoy D75</i>  <b>Racon - - (M) X &amp; S Band</b>	54 16 28.6 130 47 30.2	<i>FI</i> G 4s	.....	.....	<i>Green, marked "D75".</i>	<i>Year round.</i>  <b>Chart:3957</b>
753.5 G5863.8	Pearse Canal Island	On S. end of island. 54 47 02.1 130 36 36.2	FI W 4s	3.6	5	Orange square skeleton tower.	Year round.  <b>Chart:3960</b>
754 G5864	Lizard Point	On extremity of point, Portland Inlet. 54 50 01.5 130 16 27.5	FI W 6s	8.6	5	White cylindrical tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3994</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
755 G5866	Ramsden Point	On extremity of point, Portland Inlet. 54 58 59.7 130 06 16.2	FI(3) W	12s	7.1	5	Orange square skeleton tower.  Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3920</b>
755.2 G5866.6	Double Islets	54 57 43.9 129 56 55.2	FI(3) W	12s	7.6	5	Orange square skeleton tower.  Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3920</b>
755.4 G5866.8	Fort Point	54 59 04.9 129 55 03.2	FI W	4s	6.1	5	Orange square skeleton tower.  Year round.  <b>Chart:3920</b>
755.6 G5867	Mill Bay	54 59 38.9 129 53 24.2	Q W	1s	5.8	4	Orange square skeleton tower.  Year round.  <b>Chart:3920</b>
755.8 G5867.4	Leading Point	54 58 47.9 129 51 01.2	FI W	6s	5.5	5	Orange square skeleton tower,  Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3920</b>
<hr/> Portland Canal							
756 G5882	Reef Island (U.S.)	S. end of island. 55 04 44.9 130 12 06.3	FI W	4s	5.8	6	Skeleton tower, red and white diamond daymark.  Obscured from 020°30' to 197°30'. Year round.  <b>Chart:3933</b>
757 G5884	Hattie Island	On W. side of island, Portland Canal. 55 17 15 129 58 12	FI W	6s	6.4	5	Orange square skeleton tower.  Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3933</b>
759 G5888	Stewart	55 54 37.4 129 59 28.5	FI(3) W	12s	2.3	5	Orange square skeleton tower.  Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3794</b>
760 G5889	Stewart Dolphin West	55 54 46.2 130 00 16.6	FI(3) G	12s	2.8	4	Mast on a 9-pile dolphin.  Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3794</b>
<hr/>							
761 G5972	Lord Rock (U.S.)	On highest point of rock. 54 43 33 130 49 13	FI W	4s	11.6	7	Skeleton tower, red and white diamond daymark.  Year round.  <b>Chart:3960</b>
762 G6002	Tree Point (U.S.)	On W. end of point. 54 48 10.3 130 56 01.7	FI W	6s	26.2	9	White square tower. 20.1  Flash 1 s; eclipse 5 s. Obscured from 158° to 318°. Year round.  <b>Chart:3960</b>
763 G5988	Barren Island (U.S.)	On highest part of island. 54 44 39 131 20 57	FI W	4s	25.9	7	Tower, red and white diamond daymark.  Year round.  <b>Chart:3802 Edn 07/04(P04-005)</b>
764 G5869	Observatory Inlet	On small island. 55 09 54 129 54 01	FI W	6s	4.3	5	Orange square skeleton tower.  Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3933</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
765 G5870	Richards Point	On extremity of point Observatory Inlet. 55 17 18 129 48 49	FI W	6s	5.2	5	Orange square skeleton tower.  <b>Chart:3933</b>
765.5 G5872	Brooke Shoal	On shoal. 55 22 55.1 129 43 00.1	FI(3) W	12s	3.8	5	Orange square skeleton tower. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3920</b>
765.7 G5875	Liddle Island	Entrance to Alice Arm. 55 23 44.1 129 41 35.1	FI G	4s	4.3	4	Orange square skeleton tower, black, white and green square daymark. Year round.  <b>Chart:3920</b>
766 G5874	Hyde Rock	On rock, on E. side of Liddle Channel. 55 23 42.1 129 41 10.2	FI W	6s	4.8	5	Orange square skeleton tower. Year round.  <b>Chart:3920</b>
767 G5876	Alice Arm	S. of Hans Point. 55 25 33.6 129 40 04	FI R	4s	5.7	4	Orange square skeleton tower. Year round.  <b>Chart:3920</b> <b>Edn 09/04(P04-055)</b>
768 G5877	Pearson Point	On point. 55 27 21 129 30 10.7	FI W	6s	5.2	5	Orange square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3920</b>
768.2 G5878	Alice Arm Wharf	On wharf. 55 28 15.9 129 29 43.4	FI G	4s	4.6	4	Square skeleton tower, two black, white and green square daymarks. Year round.  Chart:3920