

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

---

**QUEEN CHARLOTTE ISLANDS**

---

768.6 G5829	Hornby Point	52 09 17.5 131 06 20	Fl W 6s	5.5	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3855</b>
769 G5828	Flatrock Island	Near Highest point on island. 52 06 28 131 10 02	Fl W 6s	24.8	5	Square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3855</b>
769.5	South Moresby ODAS light buoy 46147	51 49 42 131 13 30	Fl(5) Y 20s	.....	.....	Yellow, marked "46147".	Year round.  <b>Chart:3853</b>
770 G5826	<b>Cape St. James</b>	On the cape, St. James Island. 51 56 10 131 00 52	Fl W 5s	96.0	15	White mast.	Flash every 5 s. Year round.  <b>Chart:3825</b>
771 G5830	Garcin Rocks	Middle of rocks. 52 12 31.1 130 57 54.6	Fl W 6s	19.5	5	Square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3855</b>
771.7 G5832	Bush Rock	On N. end of rock. 52 18 15 131 16 34	Fl W 6s	9.1	5	Square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3809</b>
772 G5831	East Copper Island	52 21 25.5 131 10 19.5	Fl(3) W 12s	15.2	5	White cylindrical tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3809</b>
773 G5833	Scudder Point	On point. 52 26 48 131 14 10	Fl W 6s	5.6	5	Square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3808</b>
774 G5833.4	Darwin Point	NW. of the point. 52 34 32 131 37 42	Fl W 4s	12.9	5	White cylindrical tower. 13.0	Year round.  <b>Chart:3808</b>
775 G5834	Low Island	On the NW. end of the northernmost Low Island. 52 54 44.2 131 32 24	Fl W 4s	18.1	5	White cylindrical tower.	Year round.  <b>Chart:3807</b>
776 G5834.2	Haswell Island	S. side of island. 52 51 38.2 131 41 12	Fl(3) W 12s	8.2	5	Square skeleton tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3807</b>
777 G5834.6	Selwyn Point	Eastern extremity of point. 52 51 42.2 131 50 47	Fl W 6s	5.2	5	Square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3807</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
778 G5835	Kingui Island	On SW. extremity of island. 53 01 27.7 131 37 55.7	Fl W 6s	7.8	5	Square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3894</b>
779 G5836.2	McCoy Cove Sector	E. side of cove. 53 02 05.3 131 39 18.7	F R W G	.....	4.6	5	Orange square skeleton tower.  Green from 082° to 090°; white from 090° to 092°; red from 092° to 101°. White sector indicates the preferred channel. Year round.  <b>Chart:3894 Edn 03/04(P04-013)</b>
780 G5836	Haans Islet	53 02 18.2 131 41 16.5	Fl(3) W 12s	4.4	5	Square skeleton tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3894</b>
781 G5838.4	Flowery Islet	On highest point of islet. 53 13 21 132 00 20.6	Q W 1s	7.2	4	Square skeleton tower.	Year round.  <b>Chart:3890</b>
782 G5838.6	Kwuna Point	On outer end of wharf. 53 12 55.4 131 59 25.7	Fl W 6s	3.7	5	Square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3890</b>
782.1 G5838.8	Alliford Bay	On island, SW. of Kwuna Point. 53 12 48.1 131 59 30.7	Fl W 4s	3.7	5	White cylindrical tower.	Year round.  <b>Chart:3890</b>
782.3 G5840	South Bay	W. end of small island. 53 09 52.8 132 03 53.8	Fl W 4s	3.6	5	Square skeleton tower.	Year round.  <b>Chart:3890</b>
783 G5838	Gillatt Island	On western end of island. 53 14 41.4 131 53 52.3	Fl(3) W 12s	7.1	7	White cylindrical tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3890</b>
784 G5837	Sandspit Aeronautical Beacon	53 15 10 131 48 48	Fl W 2s	.....	.....	.....	Flash every 2 s. Privately maintained. Year round. The beacon is only activated during poor visibility. To activate call Prince Rupert Coast Guard Radio or Sandspit Flight Services.  <b>Chart:3890</b>
785	<i>Dead Tree Point light and whistle buoy C19</i>	<i>E. of point. 53 20 35 131 53 36</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "C19".</i>	<i>Year round.  <b>Chart:3890</b></i>
786	<i>Lawn Point light and bell buoy C18</i>	<i>SE. of Lawn Point light. 53 23 54 131 53 48</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "C18".</i>	<i>Year round.  <b>Chart:3890</b></i>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
787	Lawn Point light and whistle buoy C14	Off point. 53 25 33.4 131 53 07.5	Q R	1s	.....	Red, marked "C14".	Year round.  <b>Chart:3890</b>
788 G5837.4	Lawn Point range	At point. 53 25 29.7 131 54 50.2	F W	.....	11.6	18	Square skeleton tower, orange rectangular slatwork daymark, black vertical stripe. Year round.
789 G5837.5	Racon -- (K) X & S Band	270° 157.5m from front.	F W	.....	22.3	18	Square skeleton tower, orange rectangular slatwork daymark, black vertical stripe. Year round.  <b>Chart:3890</b>
790	Rose Spit light and whistle buoy C25	Northeastward of Overfall Shoal. 54 14 54 131 30 42	Fl G	4s	.....	Green, marked "C25".	Year round.  <b>Chart:3802</b>
791	Rose Point light and bell buoy C26	N. of point. 54 13 00 131 39 06	Fl R	4s	.....	Red, marked "C26".	Year round.  <b>Chart:3802</b>
791.3	Masset Harbour light and bell buoy C29	W. of Outer Bar. 54 05 43.9 132 12 57.8	Fl G	4s	.....	Green, marked "C29".	Year round.  <b>Chart:3895 Edn 05/04(P04-033)</b>
791.5	Masset Harbour Entrance light buoy C31	NW. of Entry Point. 54 03 42.9 132 12 29.8	Fl G	4s	.....	Green, marked "C31".	Year round.  <b>Chart:3895 Edn 05/04(P04-034)</b>
792 G5842	Masset Harbour Entrance range	NW. of Rooney Point. 54 01 57.6 132 11 54.6	F Y	.....	6.7	11	Square skeleton tower, orange rectangular slatwork daymark, black vertical stripe. Year round.
792.1 G5842.1		165°40' 1534m from front.	F Y	.....	13.8	11	Square skeleton tower, orange rectangular slatwork daymark, black vertical stripe. Year round.  <b>Chart:3895 Edn 05/04(P04-035)</b>
793.3 G5843.2	Rooney Point	Off point. 54 01 00.9 132 10 05.8	Fl R	6s	5.2	4	7-pile dolphin, red and white triangular daymark. Flash 0.5 s; eclipse 5.5 s. Year round.
793.5 G5843.4	Delkatla Inlet	Entrance to inlet. 54 00 12.5 132 08 46.7	Q G	1s	9.1	3	3-pile dolphin, black, white and green square daymark. Year round.  <b>Chart:3895 Edn 05/04(P04-037)</b>
794 G5844	Cook Point	Masset Inlet entrance. 53 48 22.4 132 12 09.7	Fl W	4s	4.0	5	White square skeleton tower. Year round.  <b>Chart:3893</b>
795 G5845	Sloop Islet	On islet. 53 45 30 132 14 34	Fl W	6s	5.1	5	White square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3893</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
796 G5846	Dawson Islands	On easternmost island. 53 42 59 132 20 10	Fl W	4s	9.5	3	White square skeleton tower.  <b>Chart:3893</b> <b>Edn 12/04(P04-096)</b>
797 G5847	Learmonth Island	On rock, N. of island. 53 40 43 132 27 12	Fl W	6s	6.4	5	White square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3893</b>
798 G5843	Striae Islands	Easterly islet of the Striae Islands group. 54 05 12.1 132 14 53	Fl(3) W	12s	6.1	5	White square skeleton tower. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3895</b> <b>Edn 05/04(P04-038)</b>
798.8	<i>Wiah Point light and bell buoy C50</i>	<i>N. of point.</i> 54 07 22.4 132 18 39	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "C50".</i> Year round.  <b>Chart:3892</b>
799 G5847.8	Refuge Island Boat Harbour Sector	At Mia-Kwun Indian village. 54 06 46.7 132 18 39.2	F W G	.....	4.9	7	White square skeleton tower, orange rectangular daymark, black vertical stripe. Red from 206° to 213°; white from 213° to 216°; green from 216° to 223°. White sector indicates preferred channel. Year round.  <b>Chart:3892</b>
800 G5848	Wiah Point	On outer end of reefs, NE. of point. 54 06 58.7 132 18 28.9	Fl W	6s	7.5	5	Mast. Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3892</b>
801	<i>Dixon Entrance ODAS light buoy 46145</i>	<i>NNW. of Wiah Point.</i> 54 23 01.1 132 26 54	<i>Fl(5) Y</i>	<i>20s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, marked "46145".</i> Year round.  <b>Chart:3802</b>
803 G5850	George Point	On point, entrance to Naden Harbour. 54 02 28.7 132 34 04.4	Q G	1s	2.8	3	White square skeleton tower, black, white and green square daymark. Year round.  <b>Chart:3895</b> <b>Edn 05/04(P04-039)</b>
804.6 G5851	Shag Rock	NW. of Cape Naden. 54 09 25.4 132 39 02.7	Fl(3) W	12s	7.1	5	White mast. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3892</b>
805 G5852	Parry Passage	Eastern extremity of Lucy Island. 54 10 53.2 132 58 23.3	Fl W	4s	7.2	5	White square skeleton tower. Year round.  <b>Chart:3895</b> <b>Edn 05/04(P04-040)</b>

Langara Island

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
806 G5854	Iphigenia Point (Langara Island)	On point, SW. extremity of Langara Island. 54 11 24.3 133 00 45	Fl W 6s	9.6	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3895</b> <b>Edn 05/04(P-04-041)</b>
807 G5856	Langara Point	On NW. point of Langara Island. 54 15 23 133 03 30	Fl W 5s	48.8	8	White octagonal tower.	Flash every 5 s Emergency light. Year round.  <b>Chart:3868</b>
807.1	Dixon Entrance West ODAS light buoy 46205	54 09 54 134 16 54	Fl(5) Y 20s	.....	.....	Yellow, marked "46205".	Year round.  <b>Chart:3000</b>
807.15	North Nomad ODAS light buoy 46184	Queen Charlotte Islands. 53 54 54 138 51 00	Fl(5) Y 20s	.....	.....	Yellow, marked "46184".	Year round.  <b>Chart:3000</b>
807.17	Middle Nomad ODAS light buoy 46004	Langara Island. 50 55 49.8 136 05 43.2	Fl(5) Y 20s	.....	.....	Yellow, marked "46004".	Year round.  <b>Chart:3000</b>
807.2 G5857	Frederick Island	On Hope Point. 53 56 18 133 11 48	Fl W 6s	16.8	5	Square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3868</b>
807.4 G5858	Hippa Island	On W. end of island. 53 32 42 133 00 36	Fl W 4s	31.5	5	Square skeleton tower.	Year round.  <b>Chart:3860</b>
807.5 G5858.4	Kunakun Point	53 28 09 132 53 43	Fl W 6s	21.3	5	Square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3869</b>
807.6 G5859	Marble Island	W. end of island. 53 12 03 132 40 06	Fl W 6s	34.5	5	Square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3891</b>
807.7 G5858.6	Kindakun Point	53 18 55 132 46 12	Fl W 4s	20.4	5	Square skeleton tower.	Year round.  <b>Chart:3869</b>
808 G5860	Tcenakun Point	On Rocky Point, S. side of entrance to Skidegate Channel. 53 09 06.7 132 35 02	Fl W 4s	27.7	5	Square skeleton tower.	Year round.  <b>Chart:3891</b>
809 G5861	Davidson Point	On N. side of entrance to Tasu Sound. 52 44 31.1 132 06 48	Fl W 6s	37.3	7	White cylindrical tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3859</b>
809.3	Tasu Narrows	52 44 38.1 132 06 30	Fl G 4s	14.2	4	Square skeleton tower.	Year round.  <b>Chart:3859</b>

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
810 G5862	Tasu Sound	On point inside entrance, on S. side. 52 44 56.1 132 05 47	Fl(3) W	12s	8.1	5	Square skeleton tower.  Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3859</b>
810.2 G5863	Horn Island	N. tip of island. 52 46 08.1 132 03 29	Fl W	6s	4.8	5	Square skeleton tower.  Year round.  <b>Chart:3859</b>
811.9 G5863.7	Gowgaia Point	52 24 01 131 35 17	Fl W	6s	30.0	5	Square skeleton tower. 1.8  Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3864</b>
812	<i>Moresby Island West ODAS light buoy 46208</i>	52 30 54 132 41 30	Fl(5) Y	20s	.....	.....	<i>Yellow, marked "46208".</i>  Year round.  <b>Chart:3002</b>