<Return>

<T4RIF>

<T4RIFSlip>

<RCPNT_NM>

<snm></snm>

Recipient last name

- required 20 alphanumeric
- first 20 letters of the recipient 's last name
- omit titles such as Mr., Mrs., etc.
- do not include first name or initials

<gvn_nm></gvn_nm>

Recipient first name

- 12 alphanumeric
- first 12 letters of the recipient 's first given name

Note

If only initials are available, provide the recipient's first initial.

<init></init>

Recipient initial

- -1 alphanumeric
- initial of the recipient 's second given name

</RCPNT NM>

<RCPNT ADDR>

<addr_l1_txt></addr_l1_txt>

Recipient address - line 1

- 30 alphanumeric
- the first line of the recipient 's address

<addr_l2_txt></addr_l2_txt>

Recipient address - line 2

- 30 alphanumeric
- the second line of the recipient 's address

<cty_nm></cty_nm>

Recipient city

- 28 alphanumeric
- the city in which the recipient is located

cd>

Recipient province or territory code

- 2 alpha
- the Canadian province or territory in which the recipient is located or
- the state in the USA where the recipient is located
- -please use the abbreviations listed in the Magnetic media transmittal WEB page See Transmitter

province or territory code

- when the recipient's country code is neither CAN nor USA, store **ZZ** in this field

<cntry_cd></cntry_cd>

Recipient country code

- 3 alpha
- the country in which the recipient is located
- please use the alphabetic country codes as outlined in the *International Standard (ISO) 3166 Codes for the Representation of Names of Countries*
- always CAN for Canada, and USA for the United States of America

<pstl_cd></pstl_cd>

Recipient postal code

- 10 alphanumeric
- the recipient Canadian postal code
- format: alpha, numeric, alpha, numeric, alpha, numeric

Example

A9A9A9

٥r

- recipient 's USA zip code

or

- where the recipient's country code is neither CAN nor USA, store the foreign postal code

</RCPNT ADDR>

<sin></sin>

Recipient's social insurance number (SIN)

- **required** 9 numeric
- T4RIF slip, box 12
- where the recipient has failed to provide a SIN, store zeroes in the entire field

Note

Please refer to "Validating Social Insurance Numbers, Trust Account Numbers and Business Numbers", for the formula we use to validate a SIN.

<ctrct nbr></ctrct nbr>

Contract number

- required 12 alphanumeric
- T4RIF box 14
- the Retirement Income Fund plan contract number

<bn></bn>

Business Number (BN)

- required 15 alphanumeric
- T4RIF slip, box 61
- must correspond to the "Business Number (BN)" on the related T4RIF Summary record

Example

Business Number: 000000000RP0000

Note

To process a return, the complete BN is required: 9 digits RP 4 digits.

<sps cntrb ind></sps cntrb ind>

Contributor spouse or common-law partner indicator

- required 1 numeric
- T4RIF slip, box 26
- indicate whether the annuitant's spouse or common law partner has ever contributed to the retirement income plan
- if spouse or common law partner has never contributed or if you are single, code as 1
- if spouse or common law partner has contributed to this plan, code as 2

<sps_sin></sps_sin>

Contributor spouse or common-law partner social insurance number (SIN)

- required if spouse or common-law partner contribution indicator is 2

- 9 numeric
- T4RIF slip box 32

Store zeroes in the entire field if:

- spouse or common-law partner contribution indicator is 1
- spouse or common-law partner SIN is not available
- you are single

Note

Please refer to "Validating Social Insurance Numbers, Trust Account Numbers and Business Numbers", for the formula we use to validate a SIN.

<rpt_tcd></rpt_tcd>

Report Type Code

- required 1 alpha
- Originals = O
- Amendments = A
- Cancel = C

<DTH_DT>

Note

The following three tags are **only required** in the year of death of the plan holder.

< dy > < / dy >

Day of Death

2 numeric

- T4RIF box 30
- Day of the month that the recipient died (e.g. 04,31)

<mo></mo>

Month of Death

- 2 numeric
- T4RIF box 30
- Month that the recipient died (e.g. 03,12)

<yr></yr>

Year of Death

- 4 numeric
- T4RIF box 30
- Year that the recipient died (e.g. 2005)

</DTH_DT>

<T4RIF_AMT>

All of the amounts are 9 numeric. Enter as Dollars and Cents.

<tx_amt></tx_amt>

Taxable Amounts

- T4RIF slip, box 16

<deem_dces_amt></deem_dces_amt>

Deemed receipt by annuitant on death

- T4RIF slip, box 18

<deem_drgst_amt></deem_drgst_amt>

Deemed receipt by annuitant on deregistration

- T4RIF slip, box 20

<oth_inc_dedn_amt></oth_inc_dedn_amt>

Other Income or Deductions

- T4RIF slip, box 22

If negative amounts are being reported, include the "-"indicator **before the dollar** amount.

<excs_amt></excs_amt>

Excess amounts

- T4RIF slip, box 24

<tx_ddct_amt></tx_ddct_amt>

Tax deducted

- T4RIF slip, box 28

<tx_pay_amt></tx_pay_amt>

Tax-paid amount

- T4RIF slip, box 36

<mrrg_bkdn_tramt></mrrg_bkdn_tramt>

Transfers on marriage or common-law relationship breakdown

- T4RIF slip, box 35
- Amount directly transferred under a decree, order, or judgement of a court or under a written agreement relating to a division of a property between the individual's current or former spouse or common-law partner in settlement of rights arising from the breakdown of the relationship.

</T4RIF_AMT>

</T4RIFSlip>

<T4RIFSummary>

<bn></bn>

Business Number (BN)

- required 15 alphanumeric
- enter the account number as used on Form PD7A, Statement of Account for Current Source Deductions

Example

Business Number: 00000000RP0000

Note

In order to process a return, the complete BN is required: 9 digits RP 4 digits.

<PAYR NM>

<l1_nm></l1_nm>

Payer or carrier name - line 1

- required 30 alphanumeric
- the first line of payer or carrier of fund's name
- must correspond to the name used on Form PD7A
- if "&" is used in the name area enter as & amp;

<|2 nm></|2 nm>

Payer or carrier name - line 2

- 30 alphanumeric
- the second line of payer or carrier of fund's name

<l3_nm></l3_nm>

Payer or carrier name - line 3

- 30 alphanumeric

- use for "care of" or "attention"

</PAYR_NM>

<PAYR ADDR>

<addr_l1_txt></addr_l1_txt>

Payer or carrier address - line 1

- 30 alphanumeric
- the first line of the street address of the payer or carrier of fund

<addr_l2_txt></addr_l2_txt>

Payer or carrier address - line 2

- 30 alphanumeric
- the second line of the street address of the payer or the carrier of fund

<cty_nm></cty_nm>

Payer or carrier city

- 28 alphanumeric
- the city in which the payer or carrier of fund is located

cd>

Payer or carrier province or territory code

- 2 alpha
- the Canadian province or territory in which the payer or carrier of fund is located or
- the state in the USA where the payer or carrier of fund is located
- please use the abbreviations listed in the Magnetic media transmittal WEB page See Transmitter province or territory code
- when the payer or carrier of fund's country code is neither CAN nor USA, store **ZZ** in this field

<cntry_cd></cntry_cd>

Payer or carrier country code

- 3 alpha
- the country in which the payer or carrier of fund is located
- please use the alphabetic country codes as outlined in the *International Standard (ISO) 3166 Codes for the Representation of Names of Countries*
- always CAN for Canada, and USA for the United States of America

<pstl_cd></pstl_cd>

Payer or carrier postal code

- 10 alphanumeric
- the Canadian postal code of the payer or carrier of the fund
- format: alpha, numeric, alpha, numeric, alpha, numeric

Example

A9A9A9

or

- payer or the carrier of fund's USA zip code or
- when the payer or carrier of fund's country code is neither CAN nor USA, store the foreign postal code

</PAYR_ADDR>

<CNTC>

<cntc_nm></cntc_nm>

Contact name

- required 22 alphanumeric
- contact's first name followed by last name for this return
- omit titles such as Mr., Mrs., etc.

<cntc area cd></cntc area cd>

Contact area code

- **required** 3 numeric
- area code of telephone number

<cntc phn nbr></cntc phn nbr>

Contact telephone number

- required 3 numeric with a (-), followed by 4 numeric.
- telephone number of contact

<cntc_extn_nbr></cntc_extn_nbr>

Contact extension

- 4 numeric
- extension number of the contact

</CNTC>

<tx_yr></tx_yr>

Taxation year

- required 4 numeric
- the taxation year (e.g., 2002)

<slp_cnt></slp_cnt>

Total number of T4RIF slip records

- required 7 numeric
- total number of T4RIF slip records filed with this T4RIF Summary

<rpt_tcd></rpt_tcd>

Report Type Code

- required 1 alpha
- Originals = O
- Amendments = A

<T4RIF_TAMT>

The total amounts are those reported from the T4RIF slips filed with this T4RIF Summary. The field length is set for each amount at 13 numeric characters. Enter Dollars and Cents.

<tot_tx_amt></tot_tx_amt>

Total Taxable Amounts

- accumulated total of recipient's taxable amounts

<tot_deem_dces_amt></tot_deem_dces_amt>

Total deemed receipts by annuitant - deceased

- accumulated total of amounts deemed to have been received by the deceased annuitants immediately before their death

<tot_deem_drgst_amt></tot_deem_drgst_amt>

Total deemed receipts by annuitant on deregistration

 accumulated total of amounts deemed to have been received as the result of the deregistration of annuitants' T4RIF fund

<totr_inc_dedn_amt></totr_inc_dedn_amt>

Total other income or deductions

- accumulated total of amounts paid as other income or deductions

- If negative amounts are being reported, include the "-"indicator before the dollar amount.

```
<tot_excs_amt></tot_excs_amt>
```

Total excess amounts

- accumulated total of excess amounts paid to an annuitant or a recipient

```
<tot_tx_pay_amt></tot_tx_pay_amt>
```

Total tax paid amount

- accumulated total of tax paid amount

```
<tot_tx_ddct_amt></tot_tx_ddct_amt>
```

Total income tax deducted

- accumulated total of income tax deducted

```
<tot_mrrg_tramt></tot_mrrg_tramt>
```

Total transfers on marriage or common-law relationship breakdown

- accumulated total of transfers relating to a division of property between the individual's current or former spouse or common-law partner arising from the breakdown of their relationship

</T4RIF_TAMT>
</T4RIFSummary>

</T4RIF>

</Return>