

2006-07 Crop Year [August 1, 2006 to July 31, 2007 ]

## NI Iodine Value of 2006-07 Canada Canola

Statistical Summary by Grade by Province  
as at October 25, 2006

Canadian Grain Commission  
Grain Research Laboratory (GRL)

Province	NI Iodine Value, Units		
	Number of Samples	Mean	Std. Dev.
1 C			
Manitoba	571	112.1	2.3
Saskatchewan	1002	113.6	2.4
Alberta & Fort St. John area	515	115.0	2.7
<b>Western Canada</b>	<b>2088</b>	<b>113.6</b>	<b>2.7</b>
2 C			
Manitoba	18	111.9	2.8
Saskatchewan	99	114.8	2.3
Alberta & Fort St. John area	55	116.3	2.6
<b>Western Canada</b>	<b>172</b>	<b>114.9</b>	<b>2.7</b>
3 C			
Manitoba	1	112.0	-
Saskatchewan	6	115.1	1.3
Alberta & Fort St. John area	4	116.2	3.0
<b>Western Canada</b>	<b>11</b>	<b>115.2</b>	<b>2.3</b>
All Grades			
Manitoba	590	112.1	2.3
Saskatchewan	1107	113.7	2.4
Alberta & Fort St. John area	574	115.2	2.7
<b>Western Canada</b>	<b>2271</b>	<b>113.7</b>	<b>2.7</b>

Notes:

1. NI Iodine content is determined by near infrared measurements calibrated against the AOCS Recommended Practice reference method.
2. Results are unlikely to represent samples harvested within two weeks of the date of this report.
3. The "Number of Samples" figures may not reflect actual production distributions across grades.
4. Samples were supplied by producers and grain companies.