
THE NOXIOUS WEEDS ACT
(C.C.S.M. c. N110)

Noxious Weeds Regulation

Regulation 35/96
Registered March 8, 1996

Declaration of noxious weeds

1 The weeds named in the Schedule are declared to be noxious weeds in Manitoba.

Repeal

2 The *Noxious Weeds Regulation*, Manitoba Regulation 214/87 R, is repealed.

LOI SUR LA DESTRUCTION DES MAUVAISES HERBES
(c. N110 de la C.P.L.M.)

Règlement sur les mauvaises herbes

Règlement 35/96
Date d'enregistrement : le 8 mars 1996

Classification des mauvaises herbes

1 Les herbes énumérées à l'annexe sont considérées mauvaises herbes au Manitoba.

Abrogation

2 Le *Règlement sur les mauvaises herbes*, R.M. 214/87, est abrogé.

SCHEDULE

<u>COMMON NAME</u>	<u>SCIENTIFIC NAME</u>
absinth	<i>Artemisia absinthium</i>
baby's breath	<i>Gypsophila paniculata</i>
barberry, all deciduous varieties	<i>Berberis vulgaris</i>
barsia, red	<i>Odontites serotina</i>
beggarticks, devil's	<i>Bidens frondosa</i>
bindweed, field	<i>Convolvulus arvensis</i>
bluebur	<i>Lappula echinata</i>
buckthorn, common	<i>Rhamnus cathartica</i>
buckthorn, alder	<i>Rhamnus frangula</i>
buckwheat, Tartary	<i>Fagopyrum tataricum</i>
buckwheat, wild	<i>Polygonum convolvulus</i>
bugloss, vipers	<i>Echium vulgare</i>
burdock, great	<i>Arctium lappa</i>
burdock, common	<i>Arctium minus</i>
burdock, wooly	<i>Arctium tomentosum</i>
camas, death	<i>Zygadenus gramineus</i>
campion, bladder	<i>Silene cucubalus</i>
campion, biennial	<i>Silene cserei</i>
catchfly, night-flowering	<i>Silene noctiflora</i>
chamomile, scentless	<i>Matricaria maritima var. agrestis</i>
chickweed, common	<i>Stellaria media</i>
chickweed, field	<i>Cerastium arvense</i>
chickweed, long-stalked	<i>Cerastium nutans</i>
chickweed, mouse-eared	<i>Cerastium vulgatum</i>
cleavers	<i>Galium aparine</i>
cockle, cow	<i>Saponaria vaccaria</i>
cockle, white	<i>Lychnis alba</i>
cocklebur	<i>Xanthium strumarium</i>
daisy, ox-eye	<i>Chrysanthemum leucanthemum</i>
dandelion	<i>Taraxacum officinale</i>
darnel, Persian	<i>Lolium persicum</i>
dodder, species	<i>Cuscuta spp.</i>
dogbane, spreading	<i>Apocynum androsaemifolium</i>
dragonhead, American	<i>Dracocephalum parviflorum</i>
flixweed	<i>Descurainia sophia</i>
foxtail, green	<i>Setaria viridis</i>
foxtail, yellow	<i>Setaria glauca</i>
foxtail, barley	<i>Hordeum jubatum</i>
goat's beard, meadow	<i>Tragopogon pratensis</i>
grass, barnyard	<i>Echinochloa crusgalli</i>
grass, downy brome	<i>Bromus tectorum</i>
groundsel, common	<i>Senecio vulgaris</i>
gumweed	<i>Grindelia squarrosa</i>
hawk's-beard, narrow-leaved	<i>Crepis tectorum</i>
hemp-nettle	<i>Galeopsis tetrahit</i>
henbit	<i>Lamium amplexicaule</i>
jimsonweed	<i>Datura stramonium</i>
knapweed, diffuse	<i>Centaurea diffusa</i>
knapweed, Russian	<i>Centaurea repens</i>

knapweed, spotted	<i>Centaurea maculosa</i>
kochia (summer cypress)	<i>Kochia scoparia</i>
lady's-thumb	<i>Polygonum persicaria</i>
lamb's-quarters	<i>Chenopodium album</i>
lettuce, blue	<i>Lactuca pulchella</i>
lettuce, prickly	<i>Lactuca serriola</i>
locoweed, early yellow	<i>Oxytropis sericea</i>
locoweed, late yellow	<i>Oxytropis campestris</i>
locoweed, showy	<i>Oxytropis splendens</i>
loosestrife species	<i>Lythrum spp.</i>
mallow, round leaved	<i>Malva pusilla</i>
milkweed, common	<i>Asclepias syriaca</i>
milkweed, showy	<i>Asclepias speciosa</i>
mustard, ball	<i>Neslia paniculata</i>
mustard, dog	<i>Erucastrum gallicum</i>
mustard, gray tansy	<i>Descurainia richardsonii</i>
mustard, tumble	<i>Sisymbrium altissimum</i>
mustard, wild	<i>Sinapis arvensis</i>
nettle, stinging	<i>Urtica dioica</i>
nightshade species	<i>Solanum spp.</i>
nutsedge, yellow	<i>Cyperus esculentus</i>
oats, wild	<i>Avena fatua</i>
pigweed, redroot	<i>Amaranthus retroflexus</i>
pigweed, tumble	<i>Amaranthus albus</i>
pigweed, Russian	<i>Axyris amaranthoides</i>
poison-ivy	<i>Rhus radicans</i>
quackgrass	<i>Agropyron repens</i>
ragweed, common	<i>Ambrosia artemisiifolia</i>
ragweed, false	<i>Iva xanthifolia</i>
ragweed, giant	<i>Ambrosia trifida</i>
Russian thistle	<i>Salsola kali</i>
sage, pasture	<i>Artemisia frigida</i>
St. John's Wort	<i>Hypericum perforatum</i>
shepherd's purse	<i>Capsella bursa-pastoris</i>
skeletonweed	<i>Lygodesmia juncea</i>
smartweed, green	<i>Polygonum scabrum</i>
smartweed, pale	<i>Polygonum lapathifolium</i>
sow-thistle, annual	<i>Sonchus oleraceus</i>
sow-thistle, smooth perennial	<i>Sonchus glabrescens</i>
spurge, cypress	<i>Euphorbia cyparissias</i>
spurge, leafy	<i>Euphorbia esula</i>
stinkweed	<i>Thlaspi arvense</i>
stork's bill	<i>Erodium cicutarium</i>
tansy	<i>Tanacetum vulgare</i>
thistle, bull	<i>Cirsium vulgare</i>
thistle, Canada	<i>Cirsium arvense</i>
thistle, Flodman's	<i>Cirsium flodmanii</i>
thistle, nodding	<i>Carduus nutans</i>
thistle, wavy-leaved	<i>Cirsium undulatum</i>
toadflax, Dalmatian	<i>Linaria dalmatica</i>
toadflax, yellow	<i>Linaria vulgaris</i>
tomato, wild	<i>Solanum triflorum</i>

water-hemlock species
wormwood, biennial
wormwood, common

Cicuta spp.
Artemesia biennis
Artemesia vulgaris

ANNEXE

NOM USUEL

armoise absinthe
 gypsophile
 berbériſe vulgaire
 odontite rouge
 bident feuillu
 liseron des champs
 bardanette épineuse
 nerprun cathartique
 nerprun bourdaine
 sarrasin de Tartarie
 renoué liseron
 vipérine vulgaire
 grande barbane
 petite bardane
 bardane tomenteuse
 zigadène élégant
 silène cucubale
 silène bisannuel
 silène noctiflore
 matricaire inodore
 stellaire moyenne
 céraiste des champs
 céraiste penché
 céraiste vulgaire
 gaillet gratteron
 saponaire des vaches
 lichnis blanc
 lampourde
 marguerite blanche
 pissenlit
 ivraie de Perse
 cuscutacées
 apocyn gobe-mouche
 dracocéphale d'Amérique
 sagesse des chirurgiens
 sétaire verte
 sétaire glauque
 orge agréable
 salsifis des prés
 pied-de-coq
 brome des toits
 séneçon vulgaire
 herbe à gomme
 crépis des toits
 ortie royale
 lamier amplexicaule
 stramine commune
 centaurée diffuse
 centaurée de Russie

NOM SCIENTIFIQUE

Artemisia absinthium
Gypsophila paniculata
Berberis vulgaris
Odontites serotina
Bidens frondosa
Convolvulus arvensis
Lappula echinata
Rhamnus cathartica
Rhamnus frangula
Fagopyrum tataricum
Polygonum convolvulus
Echium vulgare
Arctium lappa
Arctium minus
Arctium tomentosum
Zygadenus gracilis
Silene cucubalus
Silene cserei
Silene noctiflora
Matricaria maritima var. agrestis
Stellaria media
Cerastium arvense
Cerastium nutans
Cerastium vulgatum
Galium aparine
Saponaria vaccaria
Lychnis alba
Xanthium strumarium
Chrysanthemum leucanthemum
Taraxacum officinale
Lolium persicum
Cuscuta spp.
Apocynum androsaemifolium
Dracocephalum parviflorum
Descurainia sophia
Setaria viridis
Setaria glauca
Hordeum jubatum
Tragopogon pratensis
Echinochloa crusgalli
Bromus tectorum
Senecio vulgaris
Grindelia squarrosa
Crepis tectorum
Galeopsis tetrahit
Lamium amplexicaule
Datura stramonium
Centaurea diffusa
Centaurea repens

centaurée maculée	<i>Centaurea maculosa</i>
kochia à balais	<i>Kochia scoparia</i>
renouée persicaire	<i>Polygonum persicaria</i>
chénopode blanc	<i>Chenopodium album</i>
laitue bleue	<i>Lactuca pulchella</i>
laitue scariole	<i>Lactuca serriola</i>
oxytropis soyeux	<i>Oxytropis sericea</i>
oxytropis du fleuve Saint-Jean	<i>Oxytropis campestris</i>
oxytropis voyant	<i>Oxytropis splendens</i>
lythracées	<i>Lythrum spp.</i>
mauve à feuilles rondes	<i>Malva pusilla</i>
asclépiade commune	<i>Asclepias syriaca</i>
belle asclépiade	<i>Asclepias speciosa</i>
neslie paniculée	<i>Neslia paniculata</i>
moutarde des chiens	<i>Erucastrum gallicum</i>
moutarde tanaisie grise	<i>Descurainia richardsonii</i>
sisymbre élevé	<i>Sisymbrium altissimum</i>
moutarde sauvage	<i>Sinapis arvensis</i>
ortie élevée	<i>Urtica dioica</i>
solonacées	<i>Solanum spp.</i>
souchet comestible	<i>Cyperus esculentus</i>
folle avoine	<i>Avena fatua</i>
amarante réfléchie	<i>Amaranthus retroflexus</i>
Amarante blanche	<i>Amaranthus albus</i>
ansérine de Russie	<i>Axyris amaranthoides</i>
sumac vénéneux	<i>Rhus radicans</i>
chiendent	<i>Agropyron repens</i>
herbe à poux	<i>Ambrosia artemisiifolia</i>
fausse-herbe à poux	<i>Iva xanthifolia</i>
grande herbe à poux	<i>Ambrosia trifida</i>
soude commune	<i>Salsola kali</i>
armoise douce	<i>Artemisia frigida</i>
millepertuis commun	<i>Hypericum perforatum</i>
capselle bourse-à-pasteur	<i>Capsella bursa-pastoris</i>
herbe squelette	<i>Lygodesmia juncea</i>
renoué scabre	<i>Polygonum scabrum</i>
renouée à feuille de Patience	<i>Polygonum lapathifolium</i>
laïteron potager	<i>Sonchus oleraceus</i>
laïteron des champs glabre	<i>Sonchus glabrescens</i>
euphorbe cyprès	<i>Euphorbia cyparissias</i>
euphorbe ésole	<i>Euphorbia esula</i>
ail sauvage	<i>Thlaspi arvense</i>
érodium cicutaire	<i>Erodium cicutarium</i>
tanaïsie vulgaire	<i>Tanacetum vulgare</i>
chardon vulgaire	<i>Cirsium vulgare</i>
chardon des champs	<i>Cirsium arvense</i>
chardon de Flodman	<i>Cirsium flodmanii</i>
chardon penché	<i>Carduus nutans</i>
chardon des prairies	<i>Cirsium undulatum</i>
linaire de Dalmatie	<i>Linaria dalmatica</i>
linaire vulgaire	<i>Linaria vulgaris</i>
morelle à trois fleurs	<i>Solanum triflorum</i>

cicuta
armoise bisannuelle
armoise vulgaire

Cicuta spp.
Artemesia biennis
Artemesia vulgaris