



**Canadian Community Epidemiology Network on Drug Use (CCENDU):
National Morbidity Report**

May, 2006

Published by the Canadian Centre on Substance Abuse (CCSA)

MORBIDITY			
Indicator	MORBIDITY		
Jurisdiction	Canada		
Source(s) included	Morbidity Statistics – ICD9	2001/02	2002/03
	Morbidity Statistics – ICD10	2001/02	2002/03
	Hospital Morbidity Database	2001/02	

For further information, please write:

Canadian Centre on Substance Abuse (CCSA)
Suite 300, 75 Albert St., Ottawa, ON K1P 5E7
Tel.: (613) 235-4048; fax (613) 235-8101

Visit our website at www.ccsa.ca

Ce document est également disponible en français sous le titre:

Réseau communautaire Canadien d'épidémiologie des toxicomanies (RCCET)-Rapport national sur la morbidité

About the Hospital Morbidity Database

Source: Canadian Institute for Health Information. *Data Quality Documentation for External Users: Hospital Morbidity Database*, 2001/02. <http://www.cihi.ca>

For more information on the introduction of ICD-10-CA and its impact on time series analysis see, *Coping with the Introduction of ICD-10-CA and CCI: Impact of New Classification Systems on the Assignment of Case Mix Groups/Day Procedure Groups Using Fiscal 2001-2002 Data*.

Available at:

http://secure.cihi.ca/cihiweb/en/downloads/CopingwithICD-10-CAOct2003_e.pdf

About the Implementation of ICD-10-CA/CCI Coding System

Source: Canadian Institute for Health Information (last updated 2004).

The International Statistical Classification of Diseases and Related Health Problems – Tenth Revision was adopted by the World Health Organization in 1990. It is the most recent revision of an international classification system used for classifying mortality and morbidity statistics.

ICD-10-CA is the enhanced Canadian version of the 10th revision of the International Statistical Classification of Diseases and Related Health Problems. ICD-10-CA replaces earlier ICD-9 and ICD-9-CM classifications.

In fiscal year 2001/02, five jurisdictions, namely British Columbia, Nova Scotia, Prince Edward Island, Newfoundland, the Yukon and certain facilities in Saskatchewan, implemented the new ICD-10-CA/CCI classification. The remaining provinces and territories submitted 2001/02 data in ICD-9 or ICD-9-CM. The ICD-10-CA/CCI classification system is considerably different from the previously used ICD-9/CCP and ICD-9-CM classification systems, which are relatively comparable. This poses analytical and reporting challenges.

The remainder of Saskatchewan, as well as Ontario, Alberta, Northwest Territories, and Nunavut [implemented] ICD-10-CA/CCI in the fiscal year 2002/03; New Brunswick will begin submitting abstracts in ICD-10-CA/CCI in the 2003/04 DAD; Manitoba will submit in ICD-10-CA/CCI in fiscal 2004/05. Efforts are underway for Quebec to adopt the ICD-10-CA coding system.

In an effort to produce nationally comparable data in the interim, CIHI created conversion tables to map ICD-10-CA diagnosis and CCI interventions back to

ICD9/CCP. In some cases, where a direct one-to-one conversion was not possible, the conversion tables use a best “force fit” of diagnostic codes, and comparability inevitably is compromised. Users who are analyzing specific diagnoses or interventions over time are strongly advised to be prudent in their analytical approach by first analyzing data in their original classification scheme (e.g., ICD-10_CA/CCI) before utilizing the conversion tables. CIHI has endorsed the recommendation of the World Health Organization (WHO) in regards to ICD-10, which states that data analysis be conducted in the original classification system in which data were coded, and that converted data be used (if at all) with caution (Canadian Institute for Health Information, *Coping with the Introduction of ICD-10_CA and CCI*, July 2003).

Methodology and Data Limitations

Source: Canadian Institute for Health Information. *Hospital Morbidity Database: Methodology and Data Limitations*.

General Notes

The Hospital Morbidity Database (HMDB) captures information on patients separated-through discharge or death- from an acute-care facility in Canada.

Hospital morbidity statistics reflect the number of hospitalizations (or discharges), which is somewhat higher than the number of individuals hospitalized since individuals with multiple admissions during a single year would be counted more than once in the discharge totals.

The year represents the fiscal year of discharge; for example, discharges in fiscal 2001 occurred between April 1, 2001 and March 31, 2002.

Figures [are] based on the number of discharges who were admitted to an acute-care facility and subsequently discharged (alive or dead) from that facility. Outpatient (e.g., same day surgery) and Emergency Department visits are not part of the Hospital Morbidity Database.

Figures are based on patient geography, that is, where the patient lives. Figures include Canadian residents only. In other words, individuals from other countries admitted to Canadian hospitals are not included. Patient residence was based on postal code. *Special Note:* Individuals from an ICD-9 submitting province who are seen in a facility located in an ICD-10-CA submitting province will be coded with ICD-10 codes. As a result, there will be ICD-10-CA counts from ICD-9 provinces, corresponding to residents seen outside that province. Likewise, individuals from an ICD-10_CA submitting province who are seen in a facility located in an ICD-9 submitting province will be coded with ICD-9 codes. As a result, there will be ICD-9 counts from ICD-10-CA provinces.

Figures are in five year age categories, starting at the 15-19 year age group. Therefore, newborns and children under the age 15 are not included, unless specified [e.g., ICD-9 code 760.7 and ICD-10-CA code P04.4, are fetus and newborn specific- these codes were extracted for persons less than or equal to one year of age].

Figures include discharges with known gender only (i.e., discharges with unknown gender are excluded).

Figures include discharges with a known mode of separation only (i.e., discharges with unknown mode of separation are excluded).

Cell sizes of less than 5 cannot be released and have been suppressed with an asterisk (*). Codes with values of zero have been reported with the data, and will appear as '0'. Therefore, the suppressed cells have counts between 1 and 4.

For total counts, cell sizes of greater than or equal to 5 but less than or equal to 30 have been labeled as **N/R** for "Not Releasable" due to possible and/or real residual disclosure.

The Most Responsible Diagnosis identifies the most significant condition for the patient while in hospital and/or the condition responsible for the longest length of stay. To be counted as "Most Responsible Diagnosis", the applicable diagnosis code must appear in the first position of the discharge abstract. To be counted as "Diagnosis other than Most Responsible", the applicable diagnosis code may appear in any position (2-16 position on the ICD-9 and ICD-9-CM abstract, 2-25 position on the ICD-10-CA abstract) on the abstract, other than the first position (the Most Responsible Diagnosis).

Nunavut did not submit data to CIHI in fiscal year 2002/03. Therefore, discharges from Nunavut hospitals are not present in the analysis for 2002/03. Nunavut did submit data in fiscal year 2001/02, and has been included in this year.

Each fiscal year contains data in both ICD-9 and ICD-10-CA. Data were extracted in either ICD-9 or ICD-10-CA depending on the classification system used to capture the original data... **It is extremely important that direct comparisons and trending between ICD-9 and ICD-10-CA are not performed, as the codes are not always directly comparable.** [As was previously stated,] The ICD-10-CA/CCI classification system is considerably different from the previously used ICD-9/CCP and ICD-9-CM classification systems.

Morbidity Statistics 2001-2002 – ICD9 – Canada

DIAGNOSIS	ICD9	Total
2001/2002 (MRD-Illicit)		
Drug withdrawal syndrome Drug: abstinence syndrome or symptoms withdrawal syndrome or symptoms	Drug withdrawal syndrome	292.0 549
Cocaine dependence Coca leaves and derivatives	Cocaine-type drug dependence	304.2 507
Cannabis dependence Hashish Hemp Marihuana	Cannabis-type drug dependence	304.3 138
Cannabis abuse	Cannabis abuse	305.2 115
Hallucinogen abuse Acute intoxication from hallucinogens ["bad trips"] LSD reaction	Hallucinogens	305.3 40
Cocaine abuse	Cocaine abuse	305.6 197
Opiates and related narcotics	Poisoning by opiates and related narcotics	965.0 580
Barbiturates Amobarbital [amylobarbitone] Barbital [barbitone] Butobarbital [butobarbitone] Pentobarbital [pentobarbitone] Phenobarbital [phenobarbitone] Secobarbital [quinalbarbitone] -Excludes: thiobarbiturate anesthetics (968.3)	Poisoning by Barbituates	967.0 87
Chloral hydrate group	Poisoning Chloral hydrate group	967.1 N/R
Other sedatives and hypnotics	Poisoning other sedatives	967.8 72
Unspecified sedative or hypnotic Sleeping: drug NOS pill NOS tablet NOS	Poisoning, unspecified sedatives, hypnotics	967.9 194
Surface [topical] and infiltration anesthetics Cocaine Lidocaine [lignocaine] Procaine Tetracaine	Cocaine poisoning	968.5 116
Antidepressants Amitriptyline Imipramine Monoamine oxidase [MAO] inhibitors	Poisoning by antidepressants	969.0 1353

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Phenothiazine-based tranquilizers Chlorpromazine Fluphenazine Prochlorperazine Promazine	Poisoning by phenothiazine-based tranquilizers	969.1	52
Butyrophenone-based tranquilizers Haloperidol Spiperone Trifluoperidol	Poisoning by butyrophenone-based tranquilizers	969.2	N/R
Other antipsychotics, neuroleptics, and major tranquilizers	Poisoning by other antipsychotics	969.3	214
Benzodiazepine-based tranquilizers Chlordiazepoxide Diazepam Flurazepam Lorazepam Medazepam Nitrazepam	Poisoning by benzodiazepine-based tranquilizers	969.4	1527
Other tranquilizers Hydroxyzine Meprobamate	Poisoning by other tranquilizers	969.5	44
Psychodysleptics [hallucinogens] Cannabis (derivatives) Lysergide [LSD] Marijuana (derivatives) Mescaline Psilocin Psilocybin	Psychotropic Poisoning	969.6	102
Psychostimulants Amphetamine Caffeine - Excludes: central appetite depressants (977.0)	Poisoning by psychostimulants	969.7	104
Other specified psychotropic agents	Poisoning by specified psychotropic agents	969.8	214
Unspecified drug or medicinal substance	Poisoning by unspecified drug or medicinal substance	977.9	541
Noxious influences affecting fetus via placenta or breast milk Fetus or newborn affected by noxious substance transmitted via placenta or breast milk -Excludes: anesthetic and analgesic drugs administered during labor and delivery (763.5) drug withdrawal syndrome in newborn (779.5)	Noxious influences transmitted by placenta	760.7	132
SUICIDE AND SELF-INFLICTED INJURY () +Includes: injuries in suicide and attempted suicide self-inflicted injuries specified as intentional	Suicide and self inflicted poisoning by solid or liquid	E950-950.5	0

Morbidity Statistics 2001-2002 – ICD9 – Canada (Cont.)

2001/2002 (MRD- Licit & Illicit)			
Opioid type dependence Heroin Meperidine Methadone Morphine Opium Opium alkaloids and their derivatives Synthetics with morphine- like effects	Morphine-type drug dependence	304.0	326
Amphetamine and other psychostimulant dependence Methylphenidate Phenmetrazine	Amphetamine-type drug dependence	304.4	N/R
Hallucinogen dependence Dimethyltryptamine [DMT] Lysergic acid diethylamide [LSD] and derivatives Mescaline Psilocybin	Hallucinogen-type drug dependence	304.5	43
Combinations of opioid type drug with any other		304.7	96
Barbiturate and similarly acting sedative or hypnotic abuse	Barbituates and tranquillizers	305.4	72
Opioid abuse	Morphine non-dependent	305.5	47
Other specified drug dependence Absinthe addiction Glue sniffing - Excludes: tobacco dependence (305.1)	Other drug dependence	304.6	71
Combinations of drug dependence excluding opioid type drug	Combinations excluding morphine-type	304.8	125
Unspecified drug dependence Drug addiction NOS Drug dependence NOS	Unspecified	304.9	369
Amphetamine or related acting sympathomimetic abuse	Amphetamine non- dependent	305.7	N/R
Antidepressant type abuse	Nondependent abuse of antidepressant	305.8	N/R
Other, mixed, or unspecified drug abuse "Laxative habit" Misuse of drugs NOS Nonprescribed use of drugs or patent medicinals	Other mixed or unspecified	305.9	472
Drug dependence [0-4]Conditions classifiable to 304	Drug dependence in mother, complicating pregnancy, childbirth or puerperium	648.3	128

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Suspected damage to fetus from drugs [0,1,3] -Excludes: fetal distress in labor and delivery due to drug administration (656.3)	Suspected damage to fetus from drugs	655.5	N/R
Accidental poisoning by drugs, medicaments & biologicals	Accidental poisoning by drugs, medicaments & biologicals	E850-858	0
Total Dead Separations due to Licit & Illicit Drug Use			1749

2001/2002 (MRD- Alcohol)			
Alcohol withdrawal delirium Alcoholic delirium Delirium tremens	Delirium tremens	291.0	815
Alcohol amnestic syndrome Alcoholic polyneuritic psychosis Korsakoff's psychosis, alcoholic Wernicke-Korsakoff syndrome (alcoholic)	Korsakov's psychosis, alcoholic	291.1	214
Other alcoholic dementia Alcoholic dementia NOS Alcoholism associated with dementia NOS Chronic alcoholic brain syndrome	Other alcoholic dementia	291.2	259
Alcohol withdrawal hallucinosis Alcoholic: hallucinosis (acute) psychosis with hallucinosis-Excludes: alcohol withdrawal with delirium (291.0) schizophrenia (295.0-295.9) and paranoid states (297.0-297.9) taking the form of chronic hallucinosis with clear consciousness in an alcoholic	Other alcoholic hallucinosis	291.3	154
Idiosyncratic alcohol intoxication Pathologic: alcohol intoxication drunkenness -Excludes: acute alcohol intoxication (305.0) in alcoholism (303.0) simple drunkenness (305.0)	Pathological Drunkenness	291.4	N/R
Alcoholic jealousy Alcoholic: paranoia psychosis, paranoid type -Excludes: nonalcoholic paranoid states (297.0-297.9) schizophrenia, paranoid type (295.3)	Alcoholic Jealousy	291.5	N/R

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Other specified alcoholic psychosis Alcohol: abstinence syndrome or symptoms withdrawal syndrome or symptoms -Excludes: alcohol withdrawal: delirium (291.0) hallucinosis (291.3) delirium tremens (291.0)	Other alcoholic psychoses	291.8	2392
Unspecified alcoholic psychosis Alcoholic: mania NOS psychosis NOS Alcoholism (chronic) with psychosis	Unspecified	291.9	79
Alcohol dependence syndrome	Alcohol dependence syndrome	303	5873
Alcohol abuse Drunkenness NOS Excessive drinking of alcohol NOS "Hangover" (alcohol) Inebriety NOS	Non-dependent abuse of alcohol	305.0	1561
Alcoholic polyneuropathy	Alcoholic polyneuropathy	357.5	36
Alcoholic cardiomyopathy	Alcoholic cardiomyopathy	425.5	101
Alcoholic gastritis	Alcoholic gastritis	535.3	749
Alcoholic fatty liver	Alcoholic fatty liver	571.0	34
Acute alcoholic hepatitis Acute alcoholic liver disease	Acute alcoholic hepatitis Acute alcoholic liver disease	571.1	774
Alcoholic cirrhosis of liver Florid cirrhosis Laennec's cirrhosis (alcoholic)	Alcoholic cirrhosis of liver	571.2	2974
Alcoholic liver damage, unspecified	Alcoholic liver damage, unspecified	571.3	208
Cirrhosis of liver without mention of alcohol Cirrhosis of liver: NOS cryptogenic macronodular micronodular posthepatitic postnecrotic Healed yellow atrophy (liver) Portal cirrhosis	Cirrhosis of liver without mention of alcohol	571.5	1749
Unspecified chronic liver disease without mention of alcohol	Unspecified chronic liver disease, no mention of alcohol	571.9	N/R
Acute pancreatitis Abscess of pancreas Necrosis of pancreas: acute infective Pancreatitis: NOS acute (recurrent) apoplectic hemorrhagic subacute suppurative	Acute pancreatitis	577.0	11035

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Chronic pancreatitis Chronic pancreatitis: NOS infectious interstitial Pancreatitis: painless recurrent relapsing	Chronic pancreatitis	577.1	1538
Excessive blood level of alcohol Elevated blood-alcohol	Excessive blood level of alcohol	790.3	*
Ethyl alcohol Denatured alcohol Ethanol Grain alcohol -Excludes: acute alcohol intoxication (305.0) in alcoholism (303.0) drunkenness (simple) (305.0) pathological (291.4)	Toxic effect of ethyl alcohol	980.0	256
Methyl alcohol Methanol Wood alcohol	Toxic effect of methyl alcohol	980.1	108
Isopropyl alcohol Dimethyl carbinol Isopropanol Rubbing alcohol	Toxic effect of isopropyl alcohol	980.2	53
Unspecified alcohol	Toxic effect of unspecified alcohol	980.9	N/R
Alcoholic beverages Alcohol in preparations intended for consumption	Accidental poisoning by alcohol, not elsewhere	E860.0	0
Other and unspecified ethyl alcohol and its products Denatured alcohol Ethanol NOS Grain alcohol NOS Methylated spirit	Accidental poisoning-other and unspecified Ethyl Alcohol	E860.1	0
Mental disorders [0-4]Conditions classifiable to 290-303, 305-316, 317-319	Alcohol and Pregnancy	648.4	549
Total Morbidity Related to Alcohol			31511

Special Notes:

- 1) Includes ages 15 and over
- 2) * = cell count less than 5 and therefore suppressed with an asterisk
- 3) N/R= Not Releasable due to possible and/or real residual disclosure. This represents cells greater than or equal to 5 but less than or equal to 30

Morbidity Statistics 2001-2002 – ICD9 – Canada (Cont.)

2001/2002 (Other-Illicit)			
Drug withdrawal syndrome Drug: abstinence syndrome or symptoms withdrawal syndrome or symptoms	Drug withdrawal syndrome	292.0	1126
Cocaine dependence Coca leaves and derivatives	Cocaine-type drug dependence	304.2	2237
Cannabis dependence Hashish Hemp Marihuana	Cannabis-type drug dependence	304.3	1948
Cannabis abuse	Cannabis abuse	305.2	3933
Hallucinogen abuse Acute intoxication from hallucinogens ["bad trips"] LSD reaction	Hallucinogens	305.3	308
Cocaine abuse	Cocaine abuse	305.6	2232
Opiates and related narcotics	Poisoning by opiates and related narcotics	965.0	1709
Barbiturates Amobarbital [amylobarbitone] Barbitol [barbitone] Butobarbital [butabarbitone] Pentobarbital [pentobarbitone] Phenobarbital [phenobarbitone] Secobarbital [quinalbarbitone] - Excludes: thiobarbiturate anesthetics (968.3)	Poisoning by Barbiturates	967.0	135
Chloral hydrate group	Poisoning Chloral hydrate group	967.1	35
Other sedatives and hypnotics	Poisoning other sedatives	967.8	168
Unspecified sedative or hypnotic Sleeping: drug NOS pill NOS tablet NOS	Poisoning, unspecified sedatives, hypnotics	967.9	517
Surface [topical] and infiltration anesthetics Cocaine Lidocaine [lignocaine] Procaine Tetracaine	Cocaine poisoning	968.5	526
Antidepressants Amitriptyline Imipramine Monoamine oxidase [MAO] inhibitors	Poisoning by antidepressants	969.0	2553
Phenothiazine-based tranquilizers Chlorpromazine Fluphenazine Prochlorperazine Promazine	Poisoning by phenothiazine-based tranquillizers	969.1	149

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Butyrophenone-based tranquilizers Haloperidol Spiperone Trifluoperidol	Poisoning by butyrophenone-based tranquilizers	969.2	87
Other antipsychotics, neuroleptics, and major tranquilizers	Poisoning by other antipsychotics	969.3	926
Benzodiazepine-based tranquilizers Chlordiazepoxide Diazepam Flurazepam Lorazepam Medazepam Nitrazepam	Poisoning by benzodiazepine-based tranquilizers	969.4	3182
Other tranquilizers Hydroxyzine Meprobamate	Poisoning by other tranquilizers	969.5	109
Psychodysleptics [hallucinogens] Cannabis (derivatives) Lysergide [LSD] Marijuana (derivatives) Mescaline Psilocin Psilocybin	Psychotropic Poisoning	969.6	148
Psychostimulants Amphetamine Caffeine -Excludes: central appetite depressants (977.0)	Poisoning by psychostimulants	969.7	130
Other specified psychotropic agents	Poisoning by unspecified psychotropic agents	969.8	434
Unspecified drug or medicinal substance	Poisoning by unspecified drug or medicinal substance	977.9	866
Noxious influences affecting fetus via placenta or breast milk Fetus or newborn affected by noxious substance transmitted via placenta or breast milk -Excludes: anesthetic and analgesic drugs administered during labor and delivery (763.5) drug withdrawal syndrome in newborn (779.5)	Noxious influences transmitted by placenta	760.7	670
SUICIDE AND SELF-INFLICTED INJURY () +Includes: injuries in suicide and attempted suicide self-inflicted injuries specified as intentional	Suicide and self inflicted poisoning by solid or liquid	E950-950.5	15673
Total Dead Separations due to Illicit Drug Use			39801

Morbidity Statistics 2001-2002 – ICD9 – Canada (Cont.)

2001/2002 (Other-Licit & Illicit)			
Opioid type dependence Heroin Meperidine Methadone Morphine Opium Opium alkaloids and their derivatives Synthetics with morphine-like effects	Morphine-type drug dependence	304.0	1783
Amphetamine and other psychostimulant dependence Methylphenidate Phenmetrazine	Amphetamine-type drug dependence	304.4	213
Hallucinogen dependence Dimethyltryptamine [DMT] Lysergic acid diethylamide [LSD] and derivatives Mescaline Psilocybin	Hallucinogen-type drug dependence	304.5	198
Combinations of opioid type drug with any other		304.7	282
Barbiturate and similarly acting sedative or hypnotic abuse	Barbituates and tranquillizers	305.4	524
Opioid abuse	Morphine non-dependent	305.5	734
Other specified drug dependence Absinthe addiction Glue sniffing - Excludes: tobacco dependence (305.1)	Other drug dependence	304.6	723
Combinations of drug dependence excluding opioid type drug	Combinations excluding morphine-type	304.8	363
Unspecified drug dependence Drug addiction NOS Drug dependence NOS	Unspecified	304.9	4038
Amphetamine or related acting sympathomimetic abuse	Amphetamine non-dependent	305.7	311
Antidepressant type abuse	Nondependent abuse of antidepressant	305.8	95
Other, mixed, or unspecified drug abuse "Laxative habit" Misuse of drugs NOS Nonprescribed use of drugs or patent medicinals	Other mixed or unspecified	305.9	4665
Drug dependence [0-4]Conditions classifiable to 304	Drug dependence in mother, complicating pregnancy, childbirth or puerperium	648.3	569

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Suspected damage to fetus from drugs [0,1,3] -Excludes: fetal distress in labor and delivery due to drug administration (656.3)	Suspected damage to fetus from drugs	655.5	43
Accidental poisoning by drugs, medicaments & biologicals	Accidental poisoning by drugs, medicaments & biologicals	E850-858	538¹²
Total Dead Separations due to Licit & Illicit Drug Use			14541

Footnotes:

1. E850-E858 includes the following codes: E850.9, E852.9, E850.0, E855.9, and E858.9.
2. E850.9 and E855.9 are suppressed (N/R) and therefore not included in this total.

2001/2002 (Other-Alcohol)			
Alcohol withdrawal delirium Alcoholic delirium Delirium tremens	Delirium tremens	291.0	1622
Alcohol amnestic syndrome Alcoholic polyneuritic psychosis Korsakoff's psychosis, alcoholic Wernicke-Korsakoff syndrome (alcoholic)	Korsakov's psychosis, alcoholic	291.1	610
Other alcoholic dementia Alcoholic dementia NOS Alcoholism associated with dementia NOS Chronic alcoholic brain syndrome	Other alcoholic dementia	291.2	761
Alcohol withdrawal hallucinosis Alcoholic: hallucinosis (acute) psychosis with hallucinosis-Excludes: alcohol withdrawal with delirium (291.0) schizophrenia (295.0-295.9) and paranoid states (297.0-297.9) taking the form of chronic hallucinosis with clear consciousness in an alcoholic	Other alcoholic hallucinosis	291.3	174
Idiosyncratic alcohol intoxication Pathologic: alcohol intoxication drunkenness -Excludes: acute alcohol intoxication (305.0) in alcoholism (303.0) simple drunkenness (305.0)	Pathological Drunkenness	291.4	N/R

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Alcoholic jealousy Alcoholic: paranoia psychosis, paranoid type -Excludes: nonalcoholic paranoid states (297.0-297.9) schizophrenia, paranoid type (295.3)	Alcoholic Jealousy	291.5	37
Other specified alcoholic psychosis Alcohol: abstinence syndrome or symptoms withdrawal syndrome or symptoms -Excludes: alcohol withdrawal: delirium (291.0) hallucinosis (291.3) delirium tremens (291.0)	Other alcoholic psychoses	291.8	3541
Unspecified alcoholic psychosis Alcoholic: mania NOS psychosis NOS Alcoholism (chronic) with psychosis	Unspecified	291.9	87
Alcohol dependence syndrome	Alcohol dependence syndrome	303	35116
Alcohol abuse Drunkenness NOS Excessive drinking of alcohol NOS "Hangover" (alcohol) Inebriety NOS	Non-dependent abuse of alcohol	305.0	12178
Alcoholic polyneuropathy	Alcoholic polyneuropathy	357.5	332
Alcoholic cardiomyopathy	Alcoholic cardiomyopathy	425.5	675
Alcoholic gastritis	Alcoholic gastritis	535.3	915
Alcoholic fatty liver	Alcoholic fatty liver	571.0	350
Acute alcoholic hepatitis Acute alcoholic liver disease	Acute alcoholic hepatitis Acute alcoholic liver disease	571.1	1803
Alcoholic cirrhosis of liver Florid cirrhosis Laennec's cirrhosis (alcoholic)	Alcoholic cirrhosis of liver	571.2	5929
Alcoholic liver damage, unspecified	Alcoholic liver damage, unspecified	571.3	1057
Cirrhosis of liver without mention of alcohol Cirrhosis of liver: NOS cryptogenic macronodular micronodular posthepatitic postnecrotic Healed yellow atrophy (liver) Portal cirrhosis	Cirrhosis of liver without mention of alcohol	571.5	4872
Unspecified chronic liver disease without mention of alcohol	Unspecified chronic liver disease, no mention of alcohol	571.9	174

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Acute pancreatitis Abscess of pancreas Necrosis of pancreas: acute infective Pancreatitis: NOS acute (recurrent) apoplectic hemorrhagic subacute suppurative	Acute pancreatitis	577.0	5430
Chronic pancreatitis Chronic pancreatitis: NOS infectious interstitial Pancreatitis: painless recurrent relapsing	Chronic pancreatitis	577.1	2615
Excessive blood level of alcohol Elevated blood-alcohol	Excessive blood level of alcohol	790.3	51
Ethyl alcohol Denatured alcohol Ethanol Grain alcohol -Excludes: acute alcohol intoxication (305.0) in alcoholism (303.0) drunkenness (simple) (305.0) pathological (291.4)	Toxic effect of ethyl alcohol	980.0	750
Methyl alcohol Methanol Wood alcohol	Toxic effect of methyl alcohol	980.1	31
Isopropyl alcohol Dimethyl carbinol Isopropanol Rubbing alcohol	Toxic effect of isopropyl alcohol	980.2	57
Unspecified alcohol	Toxic effect of unspecified alcohol	980.9	102
Alcoholic beverages Alcohol in preparations intended for consumption	Accidental poisoning by alcohol, not elsewhere	E860.0	125
Other and unspecified ethyl alcohol and its products Denatured alcohol Ethanol NOS Grain alcohol NOS Methylated spirit	Accidental poisoning-other and unspecified Ethyl Alcohol	E860.1	44
Mental disorders [0-4]Conditions classifiable to 290-303, 305-316, 317-319	Alcohol and Pregnancy	648.4	2904
Total Morbidity Related to Alcohol			82342

Special Notes:

- 1) Includes ages 15 and over
- 2) * = cell count less than 5 and therefore suppressed with an asterisk
- 3) N/R= Not Releasable due to possible and/or real residual disclosure. This represents cells greater than or equal to 5 but less than or equal to 30

Morbidity Statistics 2002-2003 – ICD9 – Canada

DIAGNOSIS		ICD9	Total
2002/2003 (MRD-Illicit)			
Drug withdrawal syndrome Drug: abstinence syndrome or symptoms withdrawal syndrome or symptoms	Drug withdrawal syndrome	292.0	142
Cocaine dependence Coca leaves and derivatives	Cocaine-type drug dependence	304.2	396
Cannabis dependence Hashish Hemp Marihuana	Cannabis-type drug dependence	304.3	89
Cannabis abuse	Cannabis abuse	305.2	35
Hallucinogen abuse Acute intoxication from hallucinogens ["bad trips"] LSD reaction	Hallucinogens	305.3	N/R
Cocaine abuse	Cocaine abuse	305.6	131
Opiates and related narcotics	Poisoning by opiates and related narcotics	965.0	163
Barbiturates Amobarbital [amylobarbitone] Barbitol [barbitone] Butobarbital [butabarbitone] Pentobarbital [pentobarbitone] Phenobarbital [phenobarbitone] Secobarbital [quinalbarbitone] -Excludes: thiobarbiturate anesthetics (968.3)	Poisoning by Barbiturates	967.0	N/R
Chloral hydrate group	Poisoning Chloral hydrate group	967.1	*
Other sedatives and hypnotics	Poisoning other sedatives	967.8	N/R
Unspecified sedative or hypnotic Sleeping: drug NOS pill NOS tablet NOS	Poisoning, unspecified sedatives, hypnotics	967.9	38

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Surface [topical] and infiltration anesthetics Cocaine Lidocaine [lignocaine] Procaine Tetracaine	Cocaine poisoning	968.5	39
Antidepressants Amitriptyline Imipramine Monoamine oxidase [MAO] inhibitors	Poisoning by antidepressants	969.0	344
Phenothiazine-based tranquilizers Chlorpromazine Fluphenazine Prochlorperazine Promazine	Poisoning by phenothiazine-based tranquillizers	969.1	N/R
Butyrophenone-based tranquilizers Haloperidol Spiperone Trifluoperidol	Poisoning by butyrophenone-based tranquillizers	969.2	N/R
Other antipsychotics, neuroleptics, and major tranquilizers	Poisoning by other antipsychotics	969.3	105
Benzodiazepine-based tranquilizers Chlordiazepoxide Diazepam Flurazepam Lorazepam Medazepam Nitrazepam	Poisoning by benzodiazepine-based tranquillizers	969.4	424
Other tranquilizers Hydroxyzine Meprobamate	Poisoning by other tranquillizers	969.5	N/R
Psychodysleptics [hallucinogens] Cannabis (derivatives) Lysergide [LSD] Marijuana (derivatives) Mescaline Psilocin Psilocybin	Psychotropic Poisoning	969.6	33
Psychostimulants Amphetamine Caffeine - Excludes: central appetite depressants (977.0)	Poisoning by psychostimulants	969.7	N/R
Other specified psychotropic agents	Poisoning by unspecified psychotropic agents	969.8	130
Unspecified drug or medicinal substance	Poisoning by unspecified drug or medicinal substance	977.9	242

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Noxious influences affecting fetus via placenta or breast milk Fetus or newborn affected by noxious substance transmitted via placenta or breast milk -Excludes: anesthetic and analgesic drugs administered during labor and delivery (763.5) drug withdrawal syndrome in newborn (779.5)	Noxious influences transmitted by placenta	760.7	N/R
SUICIDE AND SELF-INFLICTED INJURY () +Includes: injuries in suicide and attempted suicide self-inflicted injuries specified as intentional	Suicide and self inflicted poisoning by solid or liquid	E950-950.5	0
Total Dead Separations due to Illicit Drug Use			2311

2002/2003 (MRD- Licit & Illicit)			
Opioid type dependence Heroin Meperidine Methadone Morphine Opium Opium alkaloids and their derivatives Synthetics with morphine-like effects	Morphine-type drug dependence	304.0	184
Amphetamine and other psychostimulant dependence Methylphenidate Phenmetrazine	Amphetamine-type drug dependence	304.4	N/R
Hallucinogen dependence Dimethyltryptamine [DMT] Lysergic acid diethylamide [LSD] and derivatives Mescaline Psilocybin	Hallucinogen-type drug dependence	304.5	37
Combinations of opioid type drug with any other		304.7	36
Barbiturate and similarly acting sedative or hypnotic abuse	Barbituates and tranquillizers	305.4	42
Opioid abuse	Morphine non-dependent	305.5	N/R

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Other specified drug dependence Absinthe addiction Glue sniffing -Excludes: tobacco dependence (305.1)	Other drug dependence	304.6	N/R
Combinations of drug dependence excluding opioid type drug	Combinations excluding morphine-type	304.8	37
Unspecified drug dependence Drug addiction NOS Drug dependence NOS	Unspecified	304.9	219
Amphetamine or related acting sympathomimetic abuse	Amphetamine non-dependent	305.7	N/R
Antidepressant type abuse	Nondependent abuse of antidepressant	305.8	N/R
Other, mixed, or unspecified drug abuse "Laxative habit" Misuse of drugs NOS Nonprescribed use of drugs or patent medicinals	Other mixed or unspecified	305.9	185
Drug dependence [0-4]Conditions classifiable to 304	Drug dependence in mother, complicating pregnancy, childbirth or puerperium	648.3	54
Suspected damage to fetus from drugs [0,1,3] -Excludes: fetal distress in labor and delivery due to drug administration (656.3)	Suspected damage to fetus from drugs	655.5	224
Accidental poisoning by drugs, medicaments & biologicals	Accidental poisoning by drugs, medicaments & biologicals	E850-858	0
Total Dead Separations due to Licit & Illicit Drug Use			1018

Morbidity Statistics 2002-2003 – ICD9 – Canada (Cont.)

2002/2003 (MRD- Alcohol)			
Alcohol withdrawal delirium Alcoholic delirium Delirium tremens	Delirium tremens	291.0	216
Alcohol amnestic syndrome Alcoholic polyneuritic psychosis Korsakoff's psychosis, alcoholic Wernicke-Korsakoff syndrome (alcoholic)	Korsakov's psychosis, alcoholic	291.1	96
Other alcoholic dementia Alcoholic dementia NOS Alcoholism associated with dementia NOS Chronic alcoholic brain syndrome	Other alcoholic dementia	291.2	87
Alcohol withdrawal hallucinosis Alcoholic: hallucinosis (acute) psychosis with hallucinosis-Excludes: alcohol withdrawal with delirium (291.0) schizophrenia (295.0-295.9) and paranoid states (297.0-297.9) taking the form of chronic hallucinosis with clear consciousness in an alcoholic	Other alcoholic hallucinosis	291.3	34
Idiosyncratic alcohol intoxication Pathologic: alcohol intoxication drunkenness -Excludes: acute alcohol intoxication (305.0) in alcoholism (303.0) simple drunkenness (305.0)	Pathological Drunkenness	291.4	*
Alcoholic jealousy Alcoholic: paranoia psychosis, paranoid type -Excludes: nonalcoholic paranoid states (297.0-297.9) schizophrenia, paranoid type (295.3)	Alcoholic Jealousy	291.5	*
Other specified alcoholic psychosis Alcohol: abstinence syndrome or symptoms withdrawal syndrome or symptoms - Excludes: alcohol withdrawal: delirium (291.0) hallucinosis (291.3) delirium tremens (291.0)	Other alcoholic psychoses	291.8	977
Unspecified alcoholic psychosis Alcoholic: mania NOS psychosis NOS Alcoholism (chronic) with psychosis	Unspecified	291.9	33
Alcohol dependence syndrome	Alcohol dependence syndrome	303	2499

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Alcohol abuse Drunkenness NOS Excessive drinking of alcohol NOS "Hangover" (alcohol) Inebriety NOS	Non-dependent abuse of alcohol	305.0	597
Alcoholic polyneuropathy	Alcoholic polyneuropathy	357.5	N/R
Alcoholic cardiomyopathy	Alcoholic cardiomyopathy	425.5	N/R
Alcoholic gastritis	Alcoholic gastritis	535.3	194
Alcoholic fatty liver	Alcoholic fatty liver	571.0	N/R
Acute alcoholic hepatitis Acute alcoholic liver disease	Acute alcoholic hepatitis Acute alcoholic liver disease	571.1	301
Alcoholic cirrhosis of liver Florid cirrhosis Laennec's cirrhosis (alcoholic)	Alcoholic cirrhosis of liver	571.2	1017
Alcoholic liver damage, unspecified	Alcoholic liver damage, unspecified	571.3	35
Cirrhosis of liver without mention of alcohol Cirrhosis of liver: NOS cryptogenic macronodular micronodular posthepatic postnecrotic Healed yellow atrophy (liver) Portal cirrhosis	Cirrhosis of liver without mention of alcohol	571.5	691
Unspecified chronic liver disease without mention of alcohol	Unspecified chronic liver disease, no mention of alcohol	571.9	N/R
Acute pancreatitis Abscess of pancreas Necrosis of pancreas: acute infective Pancreatitis: NOS acute (recurrent) apoplectic hemorrhagic subacute suppurative	Acute pancreatis	577.0	4286
Chronic pancreatitis Chronic pancreatitis: NOS infectious interstitial Pancreatitis: painless recurrent relapsing	Chronic pancreatis	577.1	529
Excessive blood level of alcohol Elevated blood-alcohol	Excessive blood level of alcohol	790.3	0
Ethyl alcohol Denatured alcohol Ethanol Grain alcohol -Excludes: acute alcohol intoxication (305.0) in alcoholism (303.0) drunkenness (simple) (305.0) pathological (291.4)	Toxic effect of ethyl alcohol	980.0	68
Methyl alcohol Methanol Wood alcohol	Toxic effect of methyl alcohol	980.1	32
Isopropyl alcohol Dimethyl carbinol Isopropanol Rubbing alcohol	Toxic effect of isopropyl alcohol	980.2	N/R

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Unspecified alcohol	Toxic effect of unspecified alcohol	980.9	N/R
Alcoholic beverages Alcohol in preparations intended for consumption	Accidental poisoning by alcohol, not elsewhere	E860.0	0
Other and unspecified ethyl alcohol and its products Denatured alcohol Ethanol NOS Grain alcohol NOS Methylated spirit	Accidental poisoning-other and unspecified Ethyl Alcohol	E860.1	0
Mental disorders [0-4]Conditions classifiable to 290-303, 305-316, 317-319	Alcohol and Pregnancy	648.4	224
Total Morbidity Related to Alcohol			11916

Special Notes:

- 1) Includes ages 15 and over
- 2) * = cell count less than 5 and therefore suppressed with an asterisk
- 3) N/R= Not Releasable due to possible and/or real residual disclosure. This represents cells greater than or equal to 5 but less than or equal to 30

2002/2003 (Other-Illicit)			
Drug withdrawal syndrome Drug: abstinence syndrome or symptoms withdrawal syndrome or symptoms	Drug withdrawal syndrome	292.0	382
Cocaine dependence Coca leaves and derivatives	Cocaine-type drug dependence	304.2	1400
Cannabis dependence Hashish Hemp Marihuana	Cannabis-type drug dependence	304.3	1461
Cannabis abuse	Cannabis abuse	305.2	1144
Hallucinogen abuse Acute intoxication from hallucinogens ["bad trips"] LSD reaction	Hallucinogens	305.3	91
Cocaine abuse	Cocaine abuse	305.6	551
Opiates and related narcotics	Poisoning by opiates and related narcotics	965.0	1049
Barbiturates Amobarbital [amylobarbitone] Barbitol [barbitone] Butobarbital [butabarbitone] Pentobarbital [pentobarbitone] Phenobarbital [phenobarbitone] Secobarbital [quinalbarbitone] -Excludes: thiobarbiturate anesthetics (968.3)	Poisoning by Barbiturates	967.0	N/R

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Chloral hydrate group	Poisoning Chloral hydrate group	967.1	N/R
Other sedatives and hypnotics	Poisoning other sedatives	967.8	45
Unspecified sedative or hypnotic Sleeping: drug NOS pill NOS tablet NOS	Poisoning, unspecified sedatives, hypnotics	967.9	122
Surface [topical] and infiltration anesthetics Cocaine Lidocaine [lignocaine] Procaine Tetracaine	Cocaine poisoning	968.5	45
Antidepressants Amitriptyline Imipramine Monoamine oxidase [MAO] inhibitors	Poisoning by antidepressants	969.0	836
Phenothiazine-based tranquilizers Chlorpromazine Fluphenazine Prochlorperazine Promazine	Poisoning by phenothiazine-based tranquilizers	969.1	45
Butyrophenone-based tranquilizers Haloperidol Spiperone Trifluoperidol	Poisoning by butyrophenone-based tranquilizers	969.2	68
Other antipsychotics, neuroleptics, and major tranquilizers	Poisoning by other antipsychotics	969.3	495
Benzodiazepine-based tranquilizers Chlordiazepoxide Diazepam Flurazepam Lorazepam Medazepam Nitrazepam	Poisoning by benzodiazepine-based tranquilizers	969.4	890
Other tranquilizers Hydroxyzine Meprobamate	Poisoning by other tranquilizers	969.5	60
Psychodysleptics [hallucinogens] Cannabis (derivatives) Lysergide [LSD] Marihuana (derivatives) Mescaline Psilocin Psilocybin	Psychotropic Poisoning	969.6	36
Psychostimulants Amphetamine Caffeine - Excludes: central appetite depressants (977.0)	Poisoning by psychostimulants	969.7	N/R
Other specified psychotropic agents	Poisoning by unspecified psychotropic agents	969.8	226
Unspecified drug or medicinal substance	Poisoning by unspecified drug or medicinal substance	977.9	720

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Noxious influences affecting fetus via placenta or breast milk Fetus or newborn affected by noxious substance transmitted via placenta or breast milk -Excludes: anesthetic and analgesic drugs administered during labor and delivery (763.5) drug withdrawal syndrome in newborn (779.5)	Noxious influences transmitted by placenta	760.7	188
SUICIDE AND SELF-INFLICTED INJURY () +Includes: injuries in suicide and attempted suicide self-inflicted injuries specified as intentional	Suicide and self inflicted poisoning by solid or liquid	E950-950.5	3465¹
Total Dead Separations due to Illicit Drug Use			9854

Footnotes:

1. E950.1 is suppressed (N/R) and therefore not included in this total.

2002/2003 (Other-Licit & Illicit)			
Opioid type dependence Heroin Meperidine Methadone Morphine Opium Opium alkaloids and their derivatives Synthetics with morphine-like effects	Morphine-type drug dependence	304.0	546
Amphetamine and other psychostimulant dependence Methylphenidate Phenmetrazine	Amphetamine-type drug dependence	304.4	67
Hallucinogen dependence Dimethyltryptamine [DMT] Lysergic acid diethylamide [LSD] and derivatives Mescaline Psilocybin	Hallucinogen-type drug dependence	304.5	161
Combinations of opioid type drug with any other		304.7	63
Barbiturate and similarly acting sedative or hypnotic abuse	Barbituates and tranquillizers	305.4	225
Opioid abuse	Morphine non-dependent	305.5	141
Other specified drug dependence Absinthe addiction Glue sniffing -Excludes: tobacco dependence (305.1)	Other drug dependence	304.6	450

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Combinations of drug dependence excluding opioid type drug	Combinations excluding morphine-type	304.8	152
Unspecified drug dependence Drug addiction NOS Drug dependence NOS	Unspecified	304.9	2699
Amphetamine or related acting sympathomimetic abuse	Amphetamine non-dependent	305.7	42
Antidepressant type abuse	Nondependent abuse of antidepressant	305.8	37
Other, mixed, or unspecified drug abuse "Laxative habit" Misuse of drugs NOS Nonprescribed use of drugs or patent medicinals	Other mixed or unspecified	305.9	1046
Drug dependence [0-4]Conditions classifiable to 304	Drug dependence in mother, complicating pregnancy, childbirth or puerperium	648.3	238
Suspected damage to fetus from drugs [0,1,3] -Excludes: fetal distress in labor and delivery due to drug administration (656.3)	Suspected damage to fetus from drugs	655.5	N/R
Accidental poisoning by drugs, medicaments & biologicals	Accidental poisoning by drugs, medicaments & biologicals	E850-858	57¹²
Total Dead Separations due to Licit & Illicit Drug Use			5867

Footnotes:

1. E850-E858 includes the following codes: E850.9, E852.9, E850.0, E855.9, and E858.9.
2. E850.9, E852.9, and E858.9 are suppressed (N/R) and E855.9 is suppressed (*). Therefore, they are not included in this total.

Morbidity Statistics 2002-2003 – ICD9 – Canada (Cont.)

2002/2003 (Other-Alcohol)			
Alcohol withdrawal delirium Alcoholic delirium Delirium tremens	Delirium tremens	291.0	484
Alcohol amnestic syndrome Alcoholic polyneuritic psychosis Korsakoff's psychosis, alcoholic Wernicke-Korsakoff syndrome (alcoholic)	Korsakov's psychosis, alcoholic	291.1	322
Other alcoholic dementia Alcoholic dementia NOS Alcoholism associated with dementia NOS Chronic alcoholic brain syndrome	Other alcoholic dementia	291.2	241
Alcohol withdrawal hallucinosis Alcoholic: hallucinosis (acute) psychosis with hallucinosis-Excludes: alcohol withdrawal with delirium (291.0) schizophrenia (295.0-295.9) and paranoid states (297.0-297.9) taking the form of chronic hallucinosis with clear consciousness in an alcoholic	Other alcoholic hallucinosis	291.3	35
Idiosyncratic alcohol intoxication Pathologic: alcohol intoxication drunkenness -Excludes: acute alcohol intoxication (305.0) in alcoholism (303.0) simple drunkenness (305.0)	Pathological Drunkenness	291.4	0
Alcoholic jealousy Alcoholic: paranoia psychosis, paranoid type -Excludes: nonalcoholic paranoid states (297.0-297.9) schizophrenia, paranoid type (295.3)	Alcoholic Jealousy	291.5	N/R
Other specified alcoholic psychosis Alcohol: abstinence syndrome or symptoms withdrawal syndrome or symptoms - Excludes: alcohol withdrawal: delirium (291.0) hallucinosis (291.3) delirium tremens (291.0)	Other alcoholic psychoses	291.8	1248
Unspecified alcoholic psychosis Alcoholic: mania NOS psychosis NOS Alcoholism (chronic) with psychosis	Unspecified	291.9	35
Alcohol dependence syndrome	Alcohol dependence syndrome	303	14227

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Alcohol abuse Drunkenness NOS Excessive drinking of alcohol NOS "Hangover" (alcohol) Inebriety NOS	Non-dependent abuse of alcohol	305.0	2781
Alcoholic polyneuropathy	Alcoholic polyneuropathy	357.5	250
Alcoholic cardiomyopathy	Alcoholic cardiomyopathy	425.5	296
Alcoholic gastritis	Alcoholic gastritis	535.3	341
Alcoholic fatty liver	Alcoholic fatty liver	571.0	111
Acute alcoholic hepatitis Acute alcoholic liver disease	Acute alcoholic hepatitis Acute alcoholic liver disease	571.1	1006
Alcoholic cirrhosis of liver Florid cirrhosis Laennec's cirrhosis (alcoholic)	Alcoholic cirrhosis of liver	571.2	2594
Alcoholic liver damage, unspecified	Alcoholic liver damage, unspecified	571.3	306
Cirrhosis of liver without mention of alcohol Cirrhosis of liver: NOS cryptogenic macronodular micronodular posthepatitic postnecrotic Healed yellow atrophy (liver) Portal cirrhosis	Cirrhosis of liver without mention of alcohol	571.5	2333
Unspecified chronic liver disease without mention of alcohol	Unspecified chronic liver disease, no mention of alcohol	571.9	38
Acute pancreatitis Abscess of pancreas Necrosis of pancreas: acute infective Pancreatitis: NOS acute (recurrent) apoplectic hemorrhagic subacute suppurative	Acute pancreatis	577.0	2026
Chronic pancreatitis Chronic pancreatitis: NOS infectious interstitial Pancreatitis: painless recurrent relapsing	Chronic pancreatis	577.1	1281
Excessive blood level of alcohol Elevated blood-alcohol	Excessive blood level of alcohol	790.3	*
Ethyl alcohol Denatured alcohol Ethanol Grain alcohol -Excludes: acute alcohol intoxication (305.0) in alcoholism (303.0) drunkenness (simple) (305.0) pathological (291.4)	Toxic effect of ethyl alcohol	980.0	144
Methyl alcohol Methanol Wood alcohol	Toxic effect of methyl alcohol	980.1	N/R
Isopropyl alcohol Dimethyl carbinol Isopropanol Rubbing alcohol	Toxic effect of isopropyl alcohol	980.2	N/R

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Unspecified alcohol	Toxic effect of unspecified alcohol	980.9	N/R
Alcoholic beverages Alcohol in preparations intended for consumption	Accidental poisoning by alcohol, not elsewhere	E860.0	N/R
Other and unspecified ethyl alcohol and its products Denatured alcohol Ethanol NOS Grain alcohol NOS Methylated spirit	Accidental poisoning-other and unspecified Ethyl Alcohol	E860.1	N/R
Mental disorders [0-4]Conditions classifiable to 290-303, 305-316, 317-319	Alcohol and Pregnancy	648.4	1134
Total Morbidity Related to Alcohol			31233

Special Notes:

- 1) Includes ages 15 and over
- 2) * = cell count less than 5 and therefore suppressed with an asterisk
- 3) N/R= Not Releasable due to possible and/or real residual disclosure. This represents cells greater than or equal to 5 but less than or equal to 30

Morbidity Statistics 2001-2002 – ICD10 – Canada

DIAGNOSIS	Notes	ICD10	Total
2001/2002 (MRD-Illicit)			
Mental and behavioural disorders due to use of opioids, withdrawal state		F11.3	95
Mental and behavioural disorders due to use of opioids, withdrawal state with delirium		F11.4	N/R
Mental and behavioural disorders due to use of cannabinoids, withdrawal state		F12.3	*
Mental and behavioural disorders due to use of cannabinoids, withdrawal state with delirium		F12.4	*
Mental and behavioural disorders due to use of sedatives or hypnotics, withdrawal state		F13.3	35
Mental and behavioural disorders due to use of sedatives or hypnotics, withdrawal state with delirium		F13.4	N/R
Mental and behavioural disorders due to use of cocaine, withdrawal state		F14.3	33
Mental and behavioural disorders due to use of cocaine, withdrawal state with delirium		F14.4	*
Mental and behavioural disorders due to use of other stimulants, including caffeine, withdrawal state		F15.3	*
Mental and behavioural disorders due to use of other stimulants, including caffeine, withdrawal state with delirium		F15.4	*
Mental and behavioural disorders due to use of hallucinogens, withdrawal state		F16.3	*
Mental and behavioural disorders due to use of hallucinogens, withdrawal state with delirium		F16.4	*
Mental and behavioural disorders due to use of tobacco, withdrawal state		F17.3	0
Mental and behavioural disorders due to use of tobacco, withdrawal state with delirium		F17.4	0
Mental and behavioural disorders due to use of volatile solvents, withdrawal state		F18.3	0
Mental and behavioural disorders due to use of volatile solvents, withdrawal state with delirium		F18.4	0
Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, withdrawal state		F19.3	57

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, withdrawal state with delirium		F19.4	N/R
Mental and behavioural disorders due to use of cocaine, dependence syndrome		F14.2	129
Mental and behavioural disorders due to use of cannabinoids, dependence syndrome		F12.2	33
Mental and behavioural disorders due to use of cannabinoids, harmful use		F12.1	44
Mental and behavioural disorders due to use of hallucinogens, harmful use		F16.1	N/R
Mental and behavioural disorders due to use of cocaine, harmful use		F14.1	151
Poisoning by opium		T40.0	*
Poisoning by heroin		T40.1	58
Poisoning by methadone		T40.3	50
Poisoning by other synthetic narcotics		T40.4	N/R
Poisoning by barbiturates		T42.3	N/R
Poisoning by other antiepileptic and sedative-hypnotic drugs		T42.6	166
Poisoning by antiepileptic and sedative-hypnotic drugs, unspecified		T42.7	71
Poisoning by cocaine		T40.5	73
Poisoning by tricyclic and tetracyclic antidepressants		T43.0	290
Poisoning by monoamine-oxidase-inhibitor-antidepressants		T43.1	N/R
Poisoning by other and unspecified antidepressants		T43.2	294
Poisoning by phenothiazine antipsychotics and neuroleptics		T43.3	34
Poisoning by butyrophenone and thioxanthene neuroleptics		T43.4	*
Poisoning by other and unspecified antipsychotics and neuroleptics		T43.5	134
Poisoning by benzodiazepines		T42.4	653
Poisoning by other psychotropic drugs, not elsewhere classified		T43.8	N/R
Poisoning by narcotics and psychodysleptics [hallucinogens] -Cannabis (derivatives)		T40.7	N/R
Poisoning by narcotics and psychodysleptics [hallucinogens] -Lysergide (LSD)		T40.8	*
Poisoning by narcotics and psychodysleptics [hallucinogens] - Other and unspecified psychodysleptics [hallucinogens] (Mescaline, Psilocin, Psilocybine)		T40.9	N/R
Poisoning by psychostimulants with abuse potential		T43.6	57

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Poisoning by other and unspecified drugs, medicaments and biological substances		T50.9	186
Fetus and newborn affected by maternal use of drugs of addiction		P04.4	33
Intent self-poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics		X60	0
Intent self-poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, NEC		X61	0
Intent self-poisoning by and exposure to narcotics and psychodysleptics, NEC		X62	0
Intent self-poisoning by and exposure to other drugs acting on automatic nervous system		X63	0
Intent self-poisoning by other and unspecified drugs, medicaments and biological substances		X64	0
Total Dead Separations due to Illicit Drug Use			2676

2001/2002 (MRD- Licit & Illicit)			
Mental and behavioural disorders due to use of opioids, dependence syndrome		F11.2	93
Mental and behavioural disorders due to use of other stimulants including caffeine, dependence syndrome		F15.2	N/R
Mental and behavioural disorders due to use of hallucinogens, dependence syndrome		F16.2	*
Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, dependence syndrome		F19.2	219
Mental and behavioural disorders due to use of sedatives or hypnotics, harmful use		F13.1	N/R
Mental and behavioural disorders due to use of opioids, harmful use		F11.1	36
Mental and behavioural disorders due to use of other stimulants including caffeine, harmful use		F15.1	N/R
Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, harmful use		F19.1	137

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Mental disorders and diseases of the nervous system, complicating pregnancy, childbirth, and puerperium	This category includes alcohol related incidences. In other words, it is no longer exclusive to the licit/illicit drug classification.	O99.3	273
Maternal care for (suspected) damage to fetus by drugs		O35.5	N/R
Accidental poisoning by and exposure to narcotic psychodysleptics, NEC		X42	0
Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics		X40	0
Accidental poisoning and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, psychotropic drugs, NEC		X41	0
Accidental poisoning by and exposure to other drugs acting on the autonomic nervous system		X43	0
Accidental poisoning by other and unspecified drugs, medicaments, and biological substances		X44	0
Total Morbidity Due to Licit & Illicit Drug Use			758

2001/2002 (MRD- Alcohol)			
Mental and behavioural disorders due to use of alcohol, withdrawal state with delirium		F10.4	330
Mental and behavioural disorders due to use of alcohol, amnesic syndrome		F10.6	60
Mental and behavioural disorders due to use of alcohol, residual and late onset psychotic disorder		F10.7	86
Mental and behavioural disorders due to use of alcohol, psychotic disorder		F10.5	87
Mental and behavioural disorders due to use of alcohol, acute intoxication		F10.0	777
Mental and behavioural disorders due to use of alcohol, other mental and behavioural disorders		F10.8	53
Mental and behavioural disorders due to use of alcohol, unspecified mental and behavioural disorder		F10.9	N/R

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Mental and behavioural disorders due to use of alcohol, dependence syndrome		F10.2	1236
Mental and behavioural disorders due to use of alcohol, harmful use		F10.1	323
Alcoholic polyneuropathy		G62.1	*
Alcoholic cardiomyopathy		I42.6	N/R
Alcoholic gastritis		K29.2	381
Alcoholic fatty liver		K70.0	*
Alcoholic hepatitis		K70.1	218
Alcoholic cirrhosis of liver		K70.3	446
Alcoholic liver disease unspecified		K70.9	73
Hepatic fibrosis		K74.0	*
Other and unspecified cirrhosis of the liver		K74.6	243
Liver disease unspecified		K76.9	37
Acute pancreatitis		K85	2546
Alcohol-induced chronic pancreatitis		K86.0	169
Other chronic pancreatitis		K86.1	373
Finding of alcohol in blood		R78.0	*
Toxic effect of ethanol		T51.0	113
Toxic effect of methanol		T51.1	N/R
Toxic effect of 2-Propanol		T51.2	N/R
Toxic effect of alcohol, unspecified		T51.9	N/R
Accidental poisoning by and exposure to alcohol		X45	0
Mental disorders and diseases of the nervous system, complicating pregnancy, childbirth, and puerperium	See MRD-Licit/Illicit table	O99.3	
Total Morbidity Related to Alcohol			7551

Special Notes:

- 1) Includes ages 15 and over
- 2) * = cell count less than 5 and therefore suppressed with an asterisk
- 3) N/R= Not Releasable due to possible and/or real residual disclosure. This represents cells greater than or equal to 5 but less than or equal to 30

Morbidity Statistics 2001-2002 – ICD10 – Canada (Cont.)

2001/2002 (Other-Illicit)			
Mental and behavioural disorders due to use of opioids, withdrawal state		F11.3	101
Mental and behavioural disorders due to use of opioids, withdrawal state with delirium		F11.4	N/R
Mental and behavioural disorders due to use of cannabinoids, withdrawal state		F12.3	N/R
Mental and behavioural disorders due to use of cannabinoids, withdrawal state with delirium		F12.4	*
Mental and behavioural disorders due to use of sedatives or hypnotics, withdrawal state		F13.3	73
Mental and behavioural disorders due to use of sedatives or hypnotics, withdrawal state with delirium		F13.4	N/R
Mental and behavioural disorders due to use of cocaine, withdrawal state		F14.3	48
Mental and behavioural disorders due to use of cocaine, withdrawal state with delirium		F14.4	N/R
Mental and behavioural disorders due to use of other stimulants, including caffeine, withdrawal state		F15.3	*
Mental and behavioural disorders due to use of other stimulants, including caffeine, withdrawal state with delirium		F15.4	*
Mental and behavioural disorders due to use of hallucinogens, withdrawal state		F16.3	*
Mental and behavioural disorders due to use of hallucinogens, withdrawal state with delirium		F16.4	*
Mental and behavioural disorders due to use of tobacco, withdrawal state		F17.3	N/R
Mental and behavioural disorders due to use of tobacco, withdrawal state with delirium		F17.4	*
Mental and behavioural disorders due to use of volatile solvents, withdrawal state		F18.3	*
Mental and behavioural disorders due to use of volatile solvents, withdrawal state with delirium		F18.4	0
Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, withdrawal state		F19.3	73
Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, withdrawal state with delirium		F19.4	N/R

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Mental and behavioural disorders due to use of cocaine, dependence syndrome		F14.2	632
Mental and behavioural disorders due to use of cannabinoids, dependence syndrome		F12.2	386
Mental and behavioural disorders due to use of cannabinoids, harmful use		F12.1	1386
Mental and behavioural disorders due to use of hallucinogens, harmful use		F16.1	43
Mental and behavioural disorders due to use of cocaine, harmful use		F14.1	1550
Poisoning by opium		T40.0	*
Poisoning by heroin		T40.1	36
Poisoning by methadone		T40.3	N/R
Poisoning by other synthetic narcotics		T40.4	N/R
Poisoning by barbiturates		T42.3	N/R
Poisoning by other antiepileptic and sedative-hypnotic drugs		T42.6	257
Poisoning by antiepileptic and sedative-hypnotic drugs, unspecified		T42.7	82
Poisoning by cocaine		T40.5	113
Poisoning by tricyclic and tetracyclic antidepressants		T43.0	222
Poisoning by monoamine-oxidase-inhibitor-antidepressants		T43.1	N/R
Poisoning by other and unspecified antidepressants		T43.2	513
Poisoning by phenothiazine antipsychotics and neuroleptics		T43.3	60
Poisoning by butyrophenone and thioxanthene neuroleptics		T43.4	N/R
Poisoning by other and unspecified antipsychotics and neuroleptics		T43.5	134
Poisoning by benzodiazepines		T42.4	914
Poisoning by other psychotropic drugs, not elsewhere classified		T43.8	N/R
Poisoning by narcotics and psychodysleptics [hallucinogens]- Cannabis (derivatives)		T40.7	51
Poisoning by narcotics and psychodysleptics [hallucinogens]- Lysergide (LSD)		T40.8	*
Poisoning by narcotics and psychodysleptics [hallucinogens]- Other and unspecified psychodysleptics [hallucinogens] (Mescaline, Psilocin, Psilocybine)		T40.9	N/R
Poisoning by psychostimulants with abuse potential		T43.6	57
Poisoning by other and unspecified drugs, medicaments and biological substances		T50.9	146

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Fetus and newborn affected by maternal use of drugs of addiction		P04.4	81
Intent self-poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics		X60	1395
Intent self-poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, NEC		X61	2723
Intent self-poisoning by and exposure to narcotics and psychodysleptics, NEC		X62	377
Intent self-poisoning by and exposure to other drugs acting on automatic nervous system		X63	115
Intent self-poisoning by other and unspecified drugs, medicaments and biological substances		X64	763
Total Dead Separations due to Illicit Drug Use			15166

2001/2002 (Other-Licit & Illicit)			
Mental and behavioural disorders due to use of opioids, dependence syndrome		F11.2	1213
Mental and behavioural disorders due to use of other stimulants including caffeine, dependence syndrome		F15.2	35
Mental and behavioural disorders due to use of hallucinogens, dependence syndrome		F16.2	N/R
Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, dependence syndrome		F19.2	750
Mental and behavioural disorders due to use of sedatives or hypnotics, harmful use		F13.1	210
Mental and behavioural disorders due to use of opioids, harmful use		F11.1	557
Mental and behavioural disorders due to use of other stimulants including caffeine, harmful use		F15.1	175
Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, harmful use		F19.1	869

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Mental disorders and diseases of the nervous system, complicating pregnancy, childbirth, and puerperium	This category includes alcohol related incidences. In other words, it is no longer exclusive to the licit/illicit drug classification.	O99.3	794
Maternal care for (suspected) damage to fetus by drugs		O35.5	40
Accidental poisoning by and exposure to narcotic psychodysleptics, NEC		X42	307
Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics		X40	189
Accidental poisoning and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, psychotropic drugs, NEC		X41	430
Accidental poisoning by and exposure to other drugs acting on the autonomic nervous system		X43	31
Accidental poisoning by other and unspecified drugs, medicaments, and biological substances		X44	375
Total Morbidity Due to Licit & Illicit Drug Use			5975

2001/2002 (Other-Alcohol)			
Mental and behavioural disorders due to use of alcohol, withdrawal state with delirium		F10.4	429
Mental and behavioural disorders due to use of alcohol, amnesic syndrome		F10.6	89
Mental and behavioural disorders due to use of alcohol, residual and late onset psychotic disorder		F10.7	180
Mental and behavioural disorders due to use of alcohol, psychotic disorder		F10.5	78
Mental and behavioural disorders due to use of alcohol, acute intoxication		F10.0	1368
Mental and behavioural disorders due to use of alcohol, other mental and behavioural disorders		F10.8	60
Mental and behavioural disorders due to use of alcohol, unspecified mental and behavioural disorder		F10.9	39
Mental and behavioural disorders due to use of alcohol, dependence syndrome		F10.2	5316

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Mental and behavioural disorders due to use of alcohol, harmful use		F10.1	2953
Alcoholic polyneuropathy		G62.1	N/R
Alcoholic cardiomyopathy		I42.6	189
Alcoholic gastritis		K29.2	236
Alcoholic fatty liver		K70.0	N/R
Alcoholic hepatitis		K70.1	330
Alcoholic cirrhosis of liver		K70.3	929
Alcoholic liver disease unspecified		K70.9	198
Hepatic fibrosis		K74.0	N/R
Other and unspecified cirrhosis of the liver		K74.6	755
Liver disease unspecified		K76.9	154
Acute pancreatitis		K85	949
Alcohol-induced chronic pancreatitis		K86.0	134
Other chronic pancreatitis		K86.1	372
Finding of alcohol in blood		R78.0	N/R
Toxic effect of ethanol		T51.0	287
Toxic effect of methanol		T51.1	N/R
Toxic effect of 2-Propanol		T51.2	N/R
Toxic effect of alcohol, unspecified		T51.9	N/R
Accidental poisoning by and exposure to alcohol		X45	121
Mental disorders and diseases of the nervous system, complicating pregnancy, childbirth, and puerperium	See Other-Licit/Illicit table	O99.3	
Total Morbidity Related to Alcohol			82342

Special Notes:

- 1) Includes ages 15 and over
- 2) * = cell count less than 5 and therefore suppressed with an asterisk
- 3) N/R= Not Releasable due to possible and/or real residual disclosure. This represents cells greater than or equal to 5 but less than or equal to 30

Morbidity Statistics 2002-2003 – ICD10 – Canada

DIAGNOSIS	Notes	ICD10	Total
2002/2003 (MRD-Illicit)			
Mental and behavioural disorders due to use of opioids, withdrawal state		F11.3	192
Mental and behavioural disorders due to use of opioids, withdrawal state with delirium		F11.4	N/R
Mental and behavioural disorders due to use of cannabinoids, withdrawal state		F12.3	N/R
Mental and behavioural disorders due to use of cannabinoids, withdrawal state with delirium		F12.4	*
Mental and behavioural disorders due to use of sedatives or hypnotics, withdrawal state		F13.3	69
Mental and behavioural disorders due to use of sedatives or hypnotics, withdrawal state with delirium		F13.4	33
Mental and behavioural disorders due to use of cocaine, withdrawal state		F14.3	96
Mental and behavioural disorders due to use of cocaine, withdrawal state with delirium		F14.4	N/R
Mental and behavioural disorders due to use of other stimulants, including caffeine, withdrawal state		F15.3	N/R
Mental and behavioural disorders due to use of other stimulants, including caffeine, withdrawal state with delirium		F15.4	*
Mental and behavioural disorders due to use of hallucinogens, withdrawal state		F16.3	N/R
Mental and behavioural disorders due to use of hallucinogens, withdrawal state with delirium		F16.4	*
Mental and behavioural disorders due to use of tobacco, withdrawal state		F17.3	*
Mental and behavioural disorders due to use of tobacco, withdrawal state with delirium		F17.4	0
Mental and behavioural disorders due to use of volatile solvents, withdrawal state		F18.3	*
Mental and behavioural disorders due to use of volatile solvents, withdrawal state with delirium		F18.4	0
Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, withdrawal state		F19.3	196

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, withdrawal state with delirium		F19.4	49
Mental and behavioural disorders due to use of cocaine, dependence syndrome		F14.2	312
Mental and behavioural disorders due to use of cannabinoids, dependence syndrome		F12.2	81
Mental and behavioural disorders due to use of cannabinoids, harmful use		F12.1	164
Mental and behavioural disorders due to use of hallucinogens, harmful use		F16.1	N/R
Mental and behavioural disorders due to use of cocaine, harmful use		F14.1	374
Poisoning by opium		T40.0	*
Poisoning by heroin		T40.1	35
Poisoning by methadone		T40.3	118
Poisoning by other synthetic narcotics		T40.4	47
Poisoning by barbiturates		T42.3	95
Poisoning by other antiepileptic and sedative-hypnotic drugs		T42.6	361
Poisoning by antiepileptic and sedative-hypnotic drugs, unspecified		T42.7	158
Poisoning by cocaine		T40.5	192
Poisoning by tricyclic and tetracyclic antidepressants		T43.0	590
Poisoning by monoamine-oxidase-inhibitor-antidepressants		T43.1	N/R
Poisoning by other and unspecified antidepressants		T43.2	853
Poisoning by phenothiazine antipsychotics and neuroleptics		T43.3	57
Poisoning by butyrophenone and thioxanthene neuroleptics		T43.4	N/R
Poisoning by other and unspecified antipsychotics and neuroleptics		T43.5	431
Poisoning by benzodiazepines		T42.4	1619
Poisoning by other psychotropic drugs, not elsewhere classified		T43.8	N/R
Poisoning by narcotics and psychodysleptics [hallucinogens]- Cannabis (derivatives)		T40.7	N/R
Poisoning by narcotics and psychodysleptics [hallucinogens]- Lysergide (LSD)		T40.8	N/R
Poisoning by narcotics and psychodysleptics [hallucinogens]- Other and unspecified psychodysleptics [hallucinogens] (Mescaline, Psilocin, Psilocybine)		T40.9	N/R

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Poisoning by psychostimulants with abuse potential		T43.6	131
Poisoning by other and unspecified drugs, medicaments and biological substances		T50.9	461
Fetus and newborn affected by maternal use of drugs of addiction		P04.4	162
Intent self-poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics		X60	0
Intent self-poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, NEC		X61	0
Intent self-poisoning by and exposure to narcotics and psychodysleptics, NEC		X62	0
Intent self-poisoning by and exposure to other drugs acting on automatic nervous system		X63	0
Intent self-poisoning by other and unspecified drugs, medicaments and biological substances		X64	0
Total Dead Separations due to Illicit Drug Use			6876

2002/2003 (MRD- Licit & Illicit)			
Mental and behavioural disorders due to use of opioids, dependence syndrome		F11.2	266
Mental and behavioural disorders due to use of other stimulants including caffeine, dependence syndrome		F15.2	N/R
Mental and behavioural disorders due to use of hallucinogens, dependence syndrome		F16.2	N/R
Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, dependence syndrome		F19.2	575
Mental and behavioural disorders due to use of sedatives or hypnotics, harmful use		F13.1	65
Mental and behavioural disorders due to use of opioids, harmful use		F11.1	69
Mental and behavioural disorders due to use of other stimulants including caffeine, harmful use		F15.1	57
Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, harmful use		F19.1	463

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Mental disorders and diseases of the nervous system, complicating pregnancy, childbirth, and puerperium	This category includes alcohol related incidences. In other words, it is no longer exclusive to the licit/illicit drug classification.	O99.3	696
Maternal care for (suspected) damage to fetus by drugs		O35.5	N/R
Accidental poisoning by and exposure to narcotic psychodysleptics, NEC		X42	0
Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics		X40	0
Accidental poisoning and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, psychotropic drugs, NEC		X41	0
Accidental poisoning by and exposure to other drugs acting on the autonomic nervous system		X43	0
Accidental poisoning by other and unspecified drugs, medicaments, and biological substances		X44	0
Total Morbidity Due to Licit & Illicit Drug Use			2191

2002/2003 (MRD- Alcohol)			
Mental and behavioural disorders due to use of alcohol, withdrawal state with delirium		F10.4	1021
Mental and behavioural disorders due to use of alcohol, amnesic syndrome		F10.6	148
Mental and behavioural disorders due to use of alcohol, residual and late onset psychotic disorder		F10.7	199
Mental and behavioural disorders due to use of alcohol, psychotic disorder		F10.5	270
Mental and behavioural disorders due to use of alcohol, acute intoxication		F10.0	1953
Mental and behavioural disorders due to use of alcohol, other mental and behavioural disorders		F10.8	131
Mental and behavioural disorders due to use of alcohol, unspecified mental and behavioural disorder		F10.9	N/R

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Mental and behavioural disorders due to use of alcohol, dependence syndrome		F10.2	3098
Mental and behavioural disorders due to use of alcohol, harmful use		F10.1	991
Alcoholic polyneuropathy		G62.1	N/R
Alcoholic cardiomyopathy		I42.6	87
Alcoholic gastritis		K29.2	759
Alcoholic fatty liver		K70.0	N/R
Alcoholic hepatitis		K70.1	536
Alcoholic cirrhosis of liver		K70.3	1756
Alcoholic liver disease unspecified		K70.9	176
Hepatic fibrosis		K74.0	N/R
Other and unspecified cirrhosis of the liver		K74.6	1092
Liver disease unspecified		K76.9	77
Acute pancreatitis		K85	8500
Alcohol-induced chronic pancreatitis		K86.0	594
Other chronic pancreatitis		K86.1	1056
Finding of alcohol in blood		R78.0	*
Toxic effect of ethanol		T51.0	272
Toxic effect of methanol		T51.1	69
Toxic effect of 2-Propanol		T51.2	53
Toxic effect of alcohol, unspecified		T51.9	35
Accidental poisoning by and exposure to alcohol		X45	0
Mental disorders and diseases of the nervous system, complicating pregnancy, childbirth, and puerperium	See MRD-Licit/Illicit table	O99.3	
Total Morbidity Related to Alcohol			22873

Special Notes:

- 1) Includes ages 15 and over
- 2) * = cell count less than 5 and therefore suppressed with an asterisk
- 3) N/R= Not Releasable due to possible and/or real residual disclosure. This represents cells greater than or equal to 5 but less than or equal to 30

Morbidity Statistics 2002-2003 – ICD10 – Canada (Cont.)

2002/2003 (Other-Illicit)			
Mental and behavioural disorders due to use of opioids, withdrawal state		F11.3	248
Mental and behavioural disorders due to use of opioids, withdrawal state with delirium		F11.4	34
Mental and behavioural disorders due to use of cannabinoids, withdrawal state		F12.3	N/R
Mental and behavioural disorders due to use of cannabinoids, withdrawal state with delirium		F12.4	*
Mental and behavioural disorders due to use of sedatives or hypnotics, withdrawal state		F13.3	176
Mental and behavioural disorders due to use of sedatives or hypnotics, withdrawal state with delirium		F13.4	61
Mental and behavioural disorders due to use of cocaine, withdrawal state		F14.3	150
Mental and behavioural disorders due to use of cocaine, withdrawal state with delirium		F14.4	N/R
Mental and behavioural disorders due to use of other stimulants, including caffeine, withdrawal state		F15.3	N/R
Mental and behavioural disorders due to use of other stimulants, including caffeine, withdrawal state with delirium		F15.4	*
Mental and behavioural disorders due to use of hallucinogens, withdrawal state		F16.3	N/R
Mental and behavioural disorders due to use of hallucinogens, withdrawal state with delirium		F16.4	*
Mental and behavioural disorders due to use of tobacco, withdrawal state		F17.3	80
Mental and behavioural disorders due to use of tobacco, withdrawal state with delirium		F17.4	*
Mental and behavioural disorders due to use of volatile solvents, withdrawal state		F18.3	*
Mental and behavioural disorders due to use of volatile solvents, withdrawal state with delirium		F18.4	*
Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, withdrawal state		F19.3	318

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, withdrawal state with delirium		F19.4	72
Mental and behavioural disorders due to use of cocaine, dependence syndrome		F14.2	1192
Mental and behavioural disorders due to use of cannabinoids, dependence syndrome		F12.2	922
Mental and behavioural disorders due to use of cannabinoids, harmful use		F12.1	4102
Mental and behavioural disorders due to use of hallucinogens, harmful use		F16.1	155
Mental and behavioural disorders due to use of cocaine, harmful use		F14.1	3281
Poisoning by opium		T40.0	N/R
Poisoning by heroin		T40.1	44
Poisoning by methadone		T40.3	79
Poisoning by other synthetic narcotics		T40.4	94
Poisoning by barbiturates		T42.3	88
Poisoning by other antiepileptic and sedative-hypnotic drugs		T42.6	767
Poisoning by antiepileptic and sedative-hypnotic drugs, unspecified		T42.7	405
Poisoning by cocaine		T40.5	263
Poisoning by tricyclic and tetracyclic antidepressants		T43.0	660
Poisoning by monoamine-oxidase-inhibitor-antidepressants		T43.1	N/R
Poisoning by other and unspecified antidepressants		T43.2	1839
Poisoning by phenothiazine antipsychotics and neuroleptics		T43.3	141
Poisoning by butyrophenone and thioxanthene neuroleptics		T43.4	N/R
Poisoning by other and unspecified antipsychotics and neuroleptics		T43.5	970
Poisoning by benzodiazepines		T42.4	2976
Poisoning by other psychotropic drugs, not elsewhere classified		T43.8	N/R
Poisoning by narcotics and psychodysleptics [hallucinogens]- Cannabis (derivatives)		T40.7	136
Poisoning by narcotics and psychodysleptics [hallucinogens]- Lysergide (LSD)		T40.8	*
Poisoning by narcotics and psychodysleptics [hallucinogens]- Other and unspecified psychodysleptics [hallucinogens] (Mescaline, Psilocin, Psilocybine)		T40.9	N/R

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Poisoning by psychostimulants with abuse potential		T43.6	169
Poisoning by other and unspecified drugs, medicaments and biological substances		T50.9	563
Fetus and newborn affected by maternal use of drugs of addiction		P04.4	320
Intent self-poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics		X60	3976
Intent self-poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, NEC		X61	8124
Intent self-poisoning by and exposure to narcotics and psychodysleptics, NEC		X62	1079
Intent self-poisoning by and exposure to other drugs acting on automatic nervous system		X63	292
Intent self-poisoning by other and unspecified drugs, medicaments and biological substances		X64	2286
Total Dead Separations due to Illicit Drug Use			36062

2002/2003 (Other-Licit & Illicit)			
Mental and behavioural disorders due to use of opioids, dependence syndrome		F11.2	2072
Mental and behavioural disorders due to use of other stimulants including caffeine, dependence syndrome		F15.2	143
Mental and behavioural disorders due to use of hallucinogens, dependence syndrome		F16.2	43
Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, dependence syndrome		F19.2	2001
Mental and behavioural disorders due to use of sedatives or hypnotics, harmful use		F13.1	565
Mental and behavioural disorders due to use of opioids, harmful use		F11.1	1032
Mental and behavioural disorders due to use of other stimulants including caffeine, harmful use		F15.1	531
Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, harmful use		F19.1	2781

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Mental disorders and diseases of the nervous system, complicating pregnancy, childbirth, and puerperium	This category includes alcohol related incidences. In other words, it is no longer exclusive to the licit/illicit drug classification.	O99.3	2534
Maternal care for (suspected) damage to fetus by drugs		O35.5	43
Accidental poisoning by and exposure to narcotic psychodysleptics, NEC		X42	872
Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics		X40	573
Accidental poisoning and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, psychotropic drugs, NEC		X41	1268
Accidental poisoning by and exposure to other drugs acting on the autonomic nervous system		X43	95
Accidental poisoning by other and unspecified drugs, medicaments, and biological substances		X44	1042
Total Morbidity Due to Licit & Illicit Drug Use			15595

2002/2003 (Other-Alcohol)			
Mental and behavioural disorders due to use of alcohol, withdrawal state with delirium		F10.4	1594
Mental and behavioural disorders due to use of alcohol, amnesic syndrome		F10.6	365
Mental and behavioural disorders due to use of alcohol, residual and late onset psychotic disorder		F10.7	615
Mental and behavioural disorders due to use of alcohol, psychotic disorder		F10.5	234
Mental and behavioural disorders due to use of alcohol, acute intoxication		F10.0	3622
Mental and behavioural disorders due to use of alcohol, other mental and behavioural disorders		F10.8	258

CCENDU-Canadian Community Epidemiology Network on Drug Use
Indicator: Morbidity - Canada

Mental and behavioural disorders due to use of alcohol, unspecified mental and behavioural disorder		F10.9	136
Mental and behavioural disorders due to use of alcohol, dependence syndrome		F10.2	14530
Mental and behavioural disorders due to use of alcohol, harmful use		F10.1	10721
Alcoholic polyneuropathy		G62.1	55
Alcoholic cardiomyopathy		I42.6	466
Alcoholic gastritis		K29.2	672
Alcoholic fatty liver		K70.0	187
Alcoholic hepatitis		K70.1	990
Alcoholic cirrhosis of liver		K70.3	3836
Alcoholic liver disease unspecified		K70.9	817
Hepatic fibrosis		K74.0	89
Other and unspecified cirrhosis of the liver		K74.6	3436
Liver disease unspecified		K76.9	612
Acute pancreatitis		K85	4142
Alcohol-induced chronic pancreatitis		K86.0	542
Other chronic pancreatitis		K86.1	1495
Finding of alcohol in blood		R78.0	97
Toxic effect of ethanol		T51.0	883
Toxic effect of methanol		T51.1	N/R
Toxic effect of 2-Propanol		T51.2	38
Toxic effect of alcohol, unspecified		T51.9	94
Accidental poisoning by and exposure to alcohol		X45	346
Mental disorders and diseases of the nervous system, complicating pregnancy, childbirth, and puerperium	See Other-Licit/Illicit table	O99.3	
Total Morbidity Related to Alcohol			50872

Special Notes:

- 1) Includes ages 15 and over
- 2) * = cell count less than 5 and therefore suppressed with an asterisk
- 3) N/R= Not Releasable due to possible and/or real residual disclosure. This represents cells greater than or equal to 5 but less than or equal to 30