

## 2005 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 10

### Malting -- Six-Row

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average		Manitoba		Saskatchewan		Alberta		British Columbia	
Excel	<b>31.0</b>	(31.5)	<b>24.1</b>	(21.1)	<b>36.8</b>	(43.2)	<b>25.0</b>	(14.5)	<b>0.0</b>	(0.0)
Legacy	<b>30.5</b>	(15.9)	<b>16.7</b>	(9.5)	<b>42.1</b>	(23.1)	<b>16.4</b>	(5.6)	<b>0.0</b>	(0.0)
Robust	<b>19.1</b>	(34.3)	<b>41.9</b>	(60.2)	<b>4.7</b>	(15.6)	<b>1.4</b>	(7.1)	<b>0.0</b>	(0.0)
Lacey	<b>8.4</b>	(4.8)	<b>11.1</b>	(5.5)	<b>7.4</b>	(4.9)	<b>0.0</b>	(0.0)	<b>0.0</b>	(0.0)
Tradition	<b>2.6</b>	(0.0)	<b>2.4</b>	(0.0)	<b>3.1</b>	(0.0)	<b>0.0</b>	(0.0)	<b>0.0</b>	(0.0)
CDC Battleford	<b>2.0</b>	(2.3)	<b>0.1</b>	(0.1)	<b>0.8</b>	(3.8)	<b>23.2</b>	(6.2)	<b>0.0</b>	(0.0)
B1602	<b>2.0</b>	(6.2)	<b>0.0</b>	(1.5)	<b>1.6</b>	(5.7)	<b>16.4</b>	(35.4)	<b>0.0</b>	(72.1)
Other	<b>1.8</b>	(3.0)	<b>2.9</b>	(2.0)	<b>1.1</b>	(1.4)	<b>0.7</b>	(20.8)	<b>0.0</b>	(27.9)
CDC Yorkton	<b>1.3</b>	(0.5)	<b>0.4</b>	(0.0)	<b>0.7</b>	(0.1)	<b>12.4</b>	(7.0)	<b>0.0</b>	(0.0)
CDC Sisler	<b>1.2</b>	(1.3)	<b>0.3</b>	(0.2)	<b>1.5</b>	(2.0)	<b>3.9</b>	(2.9)	<b>0.0</b>	(0.0)
CDC Springside	<b>0.2</b>	(0.0)	<b>0.0</b>	(0.0)	<b>0.3</b>	(0.0)	<b>0.6</b>	(0.0)	<b>0.0</b>	(0.0)
CDC Tisdale	<b>0.0</b>	(0.1)	<b>0.0</b>	(0.0)	<b>0.0</b>	(0.2)	<b>0.0</b>	(0.4)	<b>0.0</b>	(0.0)

\* Trace: less than 0.05 percent