

Case Study on the Role of Fiscal Policy in Hydrogen Development

Baseline Report

May 10, 2004

Pembina Institute and the Canadian Energy Research Institute



National Round Table
on the Environment
and the Economy

Table ronde nationale
sur l'environnement
et l'économie

Table of Contents

Introduction	1
Methodology	3
The State of the Hydrogen Sector	5
Hydrogen Pathways	9
Current Policy Framework	13
Barriers to Hydrogen Development	19
Fiscal Policies for Addressing Barriers	21
Energy 2020	37
Summary and Next Steps	39
Appendice A	41

Introduction

The National Round Table on the Environment and the Economy (NRTEE) has identified ecological fiscal reform (EFR) as one of the government's most powerful tools for influencing economic and environmental outcomes. The NRTEE has defined EFR as *a strategy that redirects a government's taxation and expenditure programs to create an integrated set of incentives to support the shift to sustainable development*. Many believe this policy lever has not been used to its full capacity to address challenges related to climate change and energy use. To explore EFR in this regard, the objective of the NRTEE's EFR and Energy program is to develop and promote fiscal policy that consistently and systematically reduces energy-based carbon emissions in Canada, both in absolute terms and as a ratio to gross domestic product, without increasing other pollutants. From the assumption that a number of emerging technologies have the potential to help in the achievement of this long-term objective, the NRTEE has commissioned this study on hydrogen. It is joined with two others that are looking at the role of fiscal policy in promoting renewable power and in energy efficiency, respectively.

The hydrogen sector, as defined for the purposes of this project, is *any energy system where the primary fuel, at some point within the process, is hydrogen*. Fuel cells, because they use hydrogen as their primary fuel (even though in a typical stationary fuel cell application, hydrogen only exists for a short time and is contained completely within the fuel cell system), are a major component of this sector. This definition purposely excludes some of the most common uses of hydrogen today. For example, hydrogen used in an oil refinery to produce gasoline and other fuel products is not included as hydrogen is not the primary fuel source, oil is. Hydrogen used for medical or manufacturing purposes is also not included.

Hydrogen is envisaged as a key energy source in the long run and is recognized for the role it could play in reducing carbon emissions in the future. While challenges related to hydrogen technologies are continually being overcome, numerous technological challenges persist. In addition, the relatively high capital cost of these technologies remains a key barrier to significant market penetration. While Canada, along with the United States, the United Kingdom, Japan and Germany, is a leader in hydrogen technology developments, without major policy interventions, mass commercialization and associated long-term economic benefits of hydrogen energy in Canada are unlikely.

Fiscal policy can play an important role in accelerating hydrogen energy market penetration in Canada. However, key questions that need addressing relate to the type of EFR appropriate in promoting the long-term development of this sector and the effectiveness of such policies in reducing carbon emissions over time. To begin to answer these questions, the EFR and Hydrogen Development Case Study will examine the role that fiscal policy can play in promoting hydrogen-based energy systems. More specifically, the purpose of this research is to provide a detailed look at the emerging hydrogen economy with respect to its expected path of development, as well as the ability of EFR at the federal level to enhance this development.

This report describes in detail the baseline conditions from which key ecological fiscal reform policies will be evaluated. Specifically, in this report we describe the current state of hydrogen development, potential hydrogen pathways, and the current policy framework related to hydrogen, and we complete an initial assessment of fiscal policies for facilitating hydrogen development in

Canada. The Economic Analysis Report, which accompanies this Baseline Report, presents results of a modelling exercise undertaken to evaluate the impact of a set of hydrogen-oriented fiscal policy scenarios.

This report begins with a description of the methodology employed in this analysis. We then describe the hydrogen sector, as it currently exists in Canada, and the potential for market development over time. Following this, the Hydrogen Pathways section describes the hydrogen economy in the context of a host of energy pathways and describes specific applications for further consideration in this analysis. The policy context currently governing hydrogen developments in Canada is subsequently described along with the barriers limiting further market penetration of hydrogen technologies in Canada. We then describe the role that fiscal policies can play in overcoming these barriers and evaluate an extensive list of policies according to a set of evaluative criteria. The outcome of this evaluation is a refined set of the most promising fiscal policies for facilitating market penetration of hydrogen technologies in Canada. A sub-set of these fiscal policies will be evaluated using the Energy 2020 model, which we describe in the final section of the report. We conclude by summarizing the Baseline Report and identifying next steps in the policy analysis.

Methodology

The following tasks were completed as part of the baseline assessment of hydrogen development in Canada.

Establish a Baseline for Hydrogen Development

The first step in this analysis was to establish a baseline for hydrogen development in Canada. This includes a discussion of key sectoral characteristics and a description of the current level of technological development for all major applications (portable, stationary and mobile) and stages including hydrogen production, storage, transportation and use. This was accomplished using a combination of a literature review, contact with industry experts and work previously completed by the Pembina Institute in this field.

Identify Alternative Hydrogen Pathways

The second step in this analysis was to identify and assess a comprehensive set of hydrogen pathways that can be realized over approximately the next 30 years (up to 2030). A hydrogen pathway comprises different combinations of energy sources, conversion technologies, transportation and storage devices and end-use products. We began by identifying an extensive set of pathways through which hydrogen could be developed in Canada. We then assessed these pathways according to the likelihood of the pathway being realized, data availability and the impact the particular pathway could have on national carbon emissions. The end result was a manageable list of pathways for further consideration and modelling.

Obtain Technology Parameters and Modify Model

For each of the pathways, we then collected detailed technology parameters for input into the Energy 2020 model (the model that will be employed to evaluate fiscal policy scenarios in the next stage of this research). Model parameters included capital costs, operating and maintenance costs, fuel costs, energy use efficiencies, the portion of the market with access to hydrogen technologies and energy use in the production of hydrogen. This information was collected through a combination of literature review and consultation with experts. Technology parameters for each of the pathways were then incorporated into the Energy 2020 model. Based on these parameters and the model's representation of how consumers behave, the model will determine the market share of the hydrogen technologies in various uses (stationary and mobile) given fiscal policy stimulus.

Describe the Current Policy Framework

The federal government in Canada has already implemented a number of policies related to hydrogen technologies. Thus, before investigating the role of additional policies, it was necessary to first understand the key policies currently in place. To that end, the third step in this analysis was to identify and describe the key fiscal policies currently governing hydrogen developments in Canada.

Identify the Barriers to Hydrogen Developments

The fourth step in this analysis was to identify the barriers, both technological and economic, that currently limit hydrogen technology market penetration in Canada. This was accomplished through a combination of literature review and expert consultation.

Evaluate Fiscal Policies for Hydrogen Development

Once the barriers were identified, it was then necessary to develop an extensive list of fiscal policies that can be employed to overcome these barriers. Thus, the next step in the analysis was to develop a list of fiscal policies and evaluate these policies according to a set of criteria, which included the ability to address a barrier identified in the previous step. The evaluation was used to narrow the list of potential fiscal policy options to only those that offer the greatest potential to increase market penetration of hydrogen technologies in Canada. These policies were further evaluated in the Economic Analysis segment of this research.

The State of the Hydrogen Sector

The hydrogen sector, as defined for this study, is undergoing development in many countries around the world. Development stages range from early research to pre-commercialization and commercialization, with new technologies and products being discovered, advanced and introduced to the marketplace every year. Because the focus in this study is the impact of hydrogen technologies between now and 2030, only the most commercially advanced technologies are discussed in this section.

Developments in hydrogen energy technologies are primarily focused on three end-use sectors: transportation; stationary electricity and heat generation (both for primary and back-up power); and portable power applications. Each of these applications is described in the sections that follow.

Portable Power Applications

Portable power applications are undergoing considerable technological development worldwide. Many research organizations and firms view the portable power sector as an area where hydrogen and fuel cells can offer improved performance compared with conventional technologies, such as batteries, due to their use of an external fuel supply, which may allow longer run-times. There are also expectations from some that the portable power market will provide fuel cells with an early method of commercialization, due to its relatively high cost of power. This will likely serve to further the development of fuel cells and other enabling technologies, as real-world experiences in producing commercial products will result in valuable learnings for fuel cell developers. In addition, early market application of fuel cells and hydrogen provides an opportunity to increase consumer confidence and provide a level of familiarity with the technology that future fuel cell products will benefit from.

Despite the importance of this sector to fuel cell development, portable power applications are not analyzed in this study. Relative to the transportation and stationary sectors, the portable power sector will not have a significant impact on national carbon emissions and it is for this reason that it does not warrant further analysis in this study.

Stationary Electricity and Heat Generation

The development of stationary electricity and heat generation using hydrogen fuel has focused on the use of fuel cell technologies. Comparatively little development has occurred with regards to using hydrogen in other electricity and heat generation technologies, such as stationary internal combustion engines, boilers, turbines and furnaces. The hydrogen fuel supply for fuel cells is most commonly anticipated to be from existing natural gas infrastructure. The majority of the stationary fuel cell products being demonstrated, including those discussed below, therefore include a natural gas reformer or pre-reformer.

Research in this area has focused on several different types of fuel cells:

- **Alkaline fuel cells** (AFC) have been used most prominently in the United States' space program; however, their intolerance to impurities has resulted in little development for terrestrial applications.¹

¹ Smithsonian Institute, "Collecting the History of Fuel Cells: A Smithsonian Research Project." Accessed 1 Feb 02 at <http://americanhistory.si.edu/csr/fuelcells/index.htm>

- **Phosphoric acid fuel cells** have been commercial since 1990 with about 250 units sold worldwide.² However, the primary supplier of these systems, UTC Fuel Cells, has shifted much of their development efforts to Proton exchange membrane fuel cells in recent years.³
- **Proton exchange membrane (PEM)** fuel cells have been demonstrated in field trials by many companies. Small (1–10 kW) PEM products are considered to be the next closest to commercialization of the non-commercial fuel cell technologies. Large (100–2000 kW) products are also under development and have been demonstrated in several applications.
- **Solid oxide fuel cells (SOFC)** are reaching pre-commercialization with several hundreds of residential stationary power units (about 1 kW) being tested in Europe and larger units (250 kW or above) being evaluated by various utility companies worldwide.⁴
- **Large molten carbonate fuel cells (MCFC)** have also been demonstrated in field trials by a few companies.
- **Direct methanol fuel cells**, which use methanol as a fuel, have been demonstrated on an experimental level.

Electricity is the primary product for all fuel cell types, whereas the use of the output heat depends on the amount of heat, its temperature and the intended application. Combined heat and power (CHP) applications have been proposed for PEM, solid oxide, and molten carbonate fuel cell technologies. The solid oxide and molten carbonate systems operate at higher temperatures than the PEM systems, and therefore are more likely to be applicable to a wider range of CHP applications.

Transportation

For the transportation sector, the number of technologies being developed for use with hydrogen fuel are much more diverse. They include technologies for hydrogen production, storage, transportation, refuelling and use. At this time, the developmental stage for each of these technology categories ranges from basic research to having been commercially available for a number of years; additional details are presented in the sections that follow.

1. **Hydrogen Production** – Hydrogen production can occur through a wide variety of methods, although only those at or near commercialization have been investigated for this study. Hydrogen production from natural gas, electricity and methanol are relatively well-established processes. Further development is required, however, to allow these technologies to supply a vehicle fuelling infrastructure. In particular, the ability to supply hydrogen to a distributed network of fuelling stations and the high purity requirements for PEM fuel cells are issues currently being addressed with new product developments.

2 Fuel Cell Today website, 22 May 02, “Fuel Cell Market Survey: Stationary Applications,” accessed 18 Oct 02 at www.fuelcelltoday.com

3 The reasons for this change could be attributed to several factors including a decrease in demand since 1993, a dependence on government subsidies for sales, limited durability of 40,000 hours (or five years), and the need for the products to be re-engineered to reduce capital costs. [Source: Cropper, M., Why is interest in phosphoric acid fuel cells falling? Fuel Cell Today, www.fuelcelltoday.com, 8 Oct 03.]

4 Colson-Inam, S., “Solid Oxide Fuel Cells. Ready to market?,” Cell Expert North America, 07 Jan 04, accessed 23 Jan 04 at www.fuelcelltoday.com

Fuelling station reformers (both centralized and decentralized) fuelled by natural gas or methanol have been demonstrated in field trials on a limited basis. In contrast, decentralized electrolysis units are commercially available, although currently at a relatively high cost due to low production volumes. Methanol and gasoline reformers on-board the vehicle have been demonstrated in a few vehicles at this time, although there is still uncertainty as to whether they will reach prescribed cost and performance targets set out by the United States Department of Energy (DOE). According to the United States DOE, “on board fuel processing presents serious technical and economic challenges of its own that may not be overcome in the required ‘transition’ time frame. Consequently, DOE is deciding whether to continue onboard fuel processing research and development beyond 2004”.⁵

- 2. Hydrogen Storage** – While hydrogen storage is a well-established industrial technology, to be suitable for transportation applications higher energy and volumetric densities and relatively low costs are needed. At present, there are a number of different storage types that may be suitable for this application; compressed and liquefied hydrogen are the two most common methods currently used. Liquefied hydrogen is fairly well established within current areas of use and focus is on trying to achieve higher pressures for storing gaseous hydrogen. Three hundred and fifty bar storage is currently being demonstrated in various applications, whereas 700 bar storage is a target for many developers. Advancements in gaseous hydrogen storage include the development of high-pressure hydrogen compressors, valves, seals and storage tanks. Another alternative to hydrogen storage is to store liquid hydrocarbons such as methanol or gasoline and then reform them to hydrogen at a point further downstream, as described in the Hydrogen Production section above.

Each storage medium has different advantages and disadvantages, and it is still uncertain as to which ones will reach commercial application. The majority of vehicle and refuelling demonstrations up to this point have used 350 bar compressed hydrogen, but this results in relatively limited range with the current demonstration vehicles, and many believe that 700 bar compressed hydrogen is required to achieve comparable ranges to gasoline vehicles.

- 3. Hydrogen Transportation** – Hydrogen transportation is again a well-established industrial process and can occur by truck or pipeline. The primary issue with transporting hydrogen is the relatively high initial costs during periods when hydrogen demand at fuelling stations is relatively low. Until demand increases, transporting relatively small amounts of hydrogen will be very expensive. In the meantime, there is a need to combine information related to transporting other fuels by truck and pipeline with knowledge related to hydrogen storage and pipelining to decrease the cost of transporting this fuel. Currently, the amount of hydrogen consumed in North America is approximately 2% of the total oil consumed on an energy basis.⁶
- 4. Hydrogen Refuelling** – Hydrogen dispensers for refuelling vehicles are a relatively new technology and have been demonstrated at several refuelling stations around the world. Standardization for the interface between the nozzle and the vehicle, one of the more critical

5 United States Department of Energy website, accessed 23 Jan 04, www.eere.energy.gov/hydrogenandfuelcells/fuelcells/transportation.html

6 Manitoba Energy Development Initiative, *Preliminary Hydrogen Opportunities Report*, Manitoba Energy, Science and Technology, April 2003, http://www.gov.mb.ca/est/energy/hydrogen/hy_report.pdf

features of hydrogen dispensers, is currently being worked on. Developments in this area are required before commercialization can take place.

- 5. Hydrogen Use** – Two different types of engines for hydrogen vehicles have seen the most development over the past few years: fuel cell and internal combustion. Fuel cell vehicles have been demonstrated by most of the large automobile manufacturers (light-duty vehicles primarily) and some urban transit companies. The California Fuel Cell Partnership is the largest of these demonstration projects with eight automotive manufacturers engaged with many other technology, fuel and government organizations. Beyond demonstration, both Toyota and Honda have leased fuel cell vehicles to government agencies, although only in limited quantities and at a very high price. The number of fuel cell bus demonstration vehicles produced since 1993 is 65, with 30 of those buses scheduled to be delivered in 2003/04 to two European Commission projects: Clean Urban Transport for Europe (CUTE) and the Ecological City Transport System (ECTOS).


Hydrogen internal combustion engine (ICE) vehicles have been demonstrated mostly through aftermarket conversions, although Ford demonstrated an original hydrogen ICE light-duty vehicle. The technology to convert ICE engines to run on hydrogen is currently commercially available from a handful of aftermarket conversion companies, and is anticipated by some to be an early market application of hydrogen vehicles.

The above discussion describes the range of applications (portable, stationary and transportation) for hydrogen technologies as well as the many stages of hydrogen development that currently exist. In the section that follows, we put these applications into the context of other energy pathways and identify several key hydrogen pathways for further consideration and modelling.

Hydrogen Pathways

Adding the hydrogen sector to an existing national energy model, as is needed in this analysis, requires that a discrete number of end-uses and corresponding energy pathways be prioritized. To define a list of hydrogen pathways for research, a comprehensive set of energy pathways was first established. These are presented in the figure below. An energy pathway comprises some combination of an energy source, energy converter, energy carrier, end-use technology and end-use. Thus, hydrogen, as an energy carrier, can be combined with any number of energy sources, energy converters, end use technologies and end-uses to form a hydrogen pathway.

Figure 1 Multiple Energy Pathways and Associated Components



As is demonstrated in the figure above, there are numerous hydrogen pathways upon which the role of fiscal policies could be evaluated. However, adding all such pathways to the energy model used in this study was not feasible within the scope of this project. The pathways thus needed to be limited to those pathways associated with well-developed technologies for which data was available. The pathways given further consideration in this analysis, shown in Table 2, were selected according to (1) their ability to reduce carbon emissions and (2) their stage of development.

Table 1: Hydrogen Pathways for Further Consideration

FUEL SOURCE	PRODUCTION	STORAGE	TRANSPORTATION	STORAGE	END-USE
Natural gas from pipeline					Fuel cells SOFC (residential, commercial)
Natural gas from pipeline					Fuel cells MCFC (residential, commercial)
Natural gas from pipeline					Fuel cells PEM (residential, commercial)
Natural gas from pipeline	Decentralized SMR			Compressor and tanks at fuelling stations	Fuel cell LDV ⁷ or fuel cell transit bus or ICE LDV
Electricity from grid or specific plant	Decentralized electrolyzer			Compressor and tanks at fuelling stations	Fuel cell LDV or fuel cell transit bus or ICE LDV
Natural gas from pipeline	Centralized SMR	Compressor and tanks or liquefier and cryogenic storage	Pipeline or tube trailer or cryogenic tanker truck	Compressor, tanks and possibly cryogenic storage at fuelling stations	Fuel cell LDV or fuel cell transit bus or ICE LDV
Electricity from grid or specific plant	Centralized electrolyzer	Compressor and tanks or liquefier and cryogenic storage	Pipeline or tube trailer or cryogenic tanker truck	Compressor, tanks and possibly cryogenic storage at fuelling stations	Fuel cell LDV or fuel cell transit bus or ICE LDV
Methanol from offshore natural gas	Decentralized methanol reformer			Compressor and tanks at fuelling stations	Fuel cell LDV or fuel cell transit bus or ICE LDV
Gasoline ⁸	Decentralized gasoline reformer			Compressor and tanks at fuelling stations	Fuel cell LDV or fuel cell transit bus or ICE LDV
Methanol from offshore natural gas				Compressor and tanks at fuelling stations	Fuel cell LDV or fuel cell transit bus or ICE LDV
Gasoline					Methanol fuel cell LDV
					Gasoline fuel cell LDV

⁷ Light-duty vehicle.

⁸ Or a similar low sulphur oil derived hydrocarbon fuel such as naphtha.

Not all of the pathways presented above could be incorporated into the Energy 2020 model within the scope of this project. The pathways ultimately chosen for modelling thus include the *most commercially advanced* hydrogen production (steam methane reformers and electrolyzers) and end-use technologies (fuel cells and internal combustion engines), focusing on early market applications for vehicles (decentralized hydrogen production) that do not require a large hydrogen vehicle base. SOFC fuel cells were selected for use in the stationary sector by the NRTEE Project Scoping Group since, at the time of selection, they were considered the most likely technology for use in the defined applications within Canada. These pathways are summarized in Table 2. These pathways will be used to establish benchmarks for hydrogen technology penetration under fiscal policy stimulus. Those pathways that could not be modelled, summarized in Table 3, will be addressed qualitatively.⁹

⁹ Pathways not included in the table are left for future research and analysis.

Table 2: Hydrogen Pathways for Incorporation into Energy 2020

FUEL SOURCE	PRODUCTION	STORAGE	TRANSPORTATION	STORAGE	END-USE
Natural gas from pipeline					Fuel cells SOFC (residential, commercial)
Natural gas from pipeline	Decentralized SMR			Compressor and tanks at fuelling stations	Fuel cell LDV or fuel cell transit bus or ICE LDV
Electricity from grid or specific plant	Decentralized electrolyzer			Compressor and tanks at fuelling stations	Fuel cell LDV or fuel cell transit bus or ICE LDV

Table 3: Hydrogen Pathways for Further Discussion

FUEL SOURCE	PRODUCTION	STORAGE	TRANSPORTATION	STORAGE	END-USE
Natural gas from pipeline					Fuel cells MCFC (residential, commercial)
Natural gas from pipeline					Fuel cells PEM (residential, commercial)
Natural gas from pipeline	Centralized SMR	Compressor and tanks or liquefier and cryogenic storage	Pipeline or tube trailer or cryogenic tanker truck	Compressor, tanks and possibly cryogenic storage at fuelling stations	Fuel cell LDV or fuel cell transit bus or ICE LDV
Electricity from grid or specific plant	Centralized electrolyzer	Compressor and tanks or liquefier and cryogenic storage	Pipeline or tube trailer or cryogenic tanker truck	Compressor, tanks and possibly cryogenic storage at fuelling stations	Fuel cell LDV or fuel cell transit bus or ICE LDV
Methanol from offshore natural gas	Decentralized methanol reformer			Compressor and tanks at fuelling stations	Fuel cell LDV or fuel cell transit bus or ICE LDV
Gasoline	Decentralized gasoline reformer			Compressor and tanks at fuelling stations	Fuel cell LDV or fuel cell transit bus or ICE LDV
Methanol from offshore natural gas					Methanol fuel cell LDV
Gasoline					Gasoline fuel cell LDV

Current Policy Framework

Before analyzing the impact of new fiscal policies on the market penetration of hydrogen technologies, it is important to consider the policy framework that already exists in Canada with respect to these technologies. Each of the table components below describes a hydrogen-related policy that is currently in place in Canada.¹⁰ The policies are largely focused on the federal level as this is of most relevance to the current study. Also worth noting is the focus of government support in the form of direct expenditure either through grants, support for research and development or demonstration projects. There are very few tax initiatives (for example credits, refunds and exemptions) targeted at the hydrogen sector in Canada. The policies also demonstrate a focus on hydrogen technology development in British Columbia.¹¹

Table 4 Hydrogen Fiscal Policy Framework in Canada

NAME OF INITIATIVE: Technology Partnerships Canada (TPC)
Description: TPC is a technology investment fund for research, development and innovation. The program is designed to encourage private sector investment, and maintain and grow the technology base and technological capabilities of Canadian industry.
Jurisdiction: Federal
Year of implementation: 1996
Objective: To increase economic growth, create jobs and wealth, and support sustainable development in Canada.

NAME OF INITIATIVE: Partnership between Western Economic Diversification Canada (WEDC), National Research Council Innovation Centre, and Fuel Cells Canada
Description: The federal government invested \$2.7 million to help Fuel Cells Canada develop six new research laboratories in Vancouver. Western Economic Diversification is contributing \$1 million and the National Research Council of Canada (NRC) \$1.7 million towards the new hydrogen-safe laboratories located at NRC's Fuel Cell Technology Centre at the University of British Columbia. In June 2003, Fuel Cells Canada announced that it received a \$1.5 million contribution from WEDC.
Jurisdiction: Federal
Year of implementation: 2002
Objective: To further develop the fuel cell cluster in Vancouver, British Columbia.

10 For a review of international fiscal policy examples and precedents visit: http://strategis.ic.gc.ca/epic/internet/inmse-epe.nsf/vwGeneratedInterE/h_ep00018e.html

11 For more information see the following publication: Taylor, Amy, Jesse Row and Mark Winfield. 2002. *A Fiscal Framework for a Fuel Cell and Hydrogen Economy: A review of international fiscal policy and program examples and precedents*. A report prepared for Industry Canada and available at: http://strategis.ic.gc.ca/epic/internet/inmse-epe.nsf/vwGeneratedInterE/h_ep00018e.html

NAME OF INITIATIVE: Western Economic Partnership Agreement (WEPA)
<p>Description: The federal and B.C. governments agreed, under WEPA, to invest \$13 million in the fuel cell industry. Several projects were funded through WEPA:</p> <ul style="list-style-type: none"> • Six fuel cell projects in British Columbia received \$5.2 million. • A \$980,000 contribution established Fuel Cells Canada. • Almost \$4.6 million was invested in testing and evaluating fuel cell bus engines.
Jurisdiction: British Columbia with funding from the federal government
Year of implementation: 2000 to 2003
Objective: The objective of WEPA is to extend the international competitiveness of the B.C. economy and provide economic development opportunities for communities throughout the province.

NAME OF INITIATIVE: Canadian Transportation Fuel Cell Alliance (CTFCA)¹²
<p>Description: This is a \$23 million federal government initiative that will demonstrate and evaluate fuelling options for fuel cell vehicles in Canada.</p>
Jurisdiction: Federal
Year of implementation: 2001
Objective: To demonstrate greenhouse gas emission reductions and evaluate different fuelling routes for fuel cell vehicles, and to develop the necessary supporting framework for fuelling infrastructure, including technical standards, codes, training, certification and safety.

¹² This is part of Action Plan 2000, described in more detail in the next section of the table.

NAME OF INITIATIVE: National Research Council (NRC) Fuel Cell Program

Description: NRC's Fuel Cell Program is a cross-Canada program delivered by NRC institutes across Canada to serve Canadian industry. The Innovation Center at the University of British Columbia is one component of the program and is the administrative headquarters. In collaboration with industry, universities and other government agencies, the program provides research and innovation support in the areas of component development, system integration and manufacturing, design, and environmental control and assessment of fuels research. In August 1999, the federal government provided \$30 million to further strengthen the fuel cell industry's research and development, including \$14 million managed by the Natural Sciences and Engineering Council (NSERC) and NRC, designed to lever private sector support for new industry collaborations with researchers in NRC institutes and Canadian universities; \$10 million from NSERC and \$4 million from NRC for the creation of a Network Coordination Office; funding for the creation of five Industrial Research Chairs; targeted project funding for university research that involves collaboration with Canadian industry and NRC institutes; and support for the training and education of students through Industrial Postgraduate Scholarships. The Innovation Center is a strategic partnership between the NRC, NSERC and Natural Resources Canada (NRCan). In 2002, Minister of Industry Allan Rock announced \$20 million in additional funding to fuel cell research and development at its NRC Innovation Center.

Jurisdiction: Federal

Year of implementation: 1999

Objective: To strengthen university research capacity in the area of fuel cells; link industries, universities and NRC institutes to encourage collaborative research; ensure effective and efficient technology transfer to industry; and provide scientific career and skills development opportunities to young Canadians.

NAME OF INITIATIVE: Vancouver Fuel Cell Vehicle Program

Description: This three year, \$5.8 million initiative will test vehicles' performance, durability and reliability and help accelerate the commercialization of fuel cell vehicles. The Government of Canada is supporting this initiative through a \$2 million contribution by NRCan, the Technology Early Action Measures (TEAM) component of the Climate Change Fund and Technology Partnerships Canada.

Jurisdiction: Federal

Year of implementation: 2003

Objective: To demonstrate five third-generation Ford fuel cell vehicles in "real world" conditions.

NAME OF INITIATIVE: Innovation Excellence
Description: \$20 million will be invested in advancing Canada's leadership, through support for research, development and proof-of-concept demonstrations in hydrogen technologies. The Canadian Fuel Cell Commercialization Roadmap will provide strategic direction for these investments. This is one of three components of the Government of Canada's investment in the foundations of the hydrogen economy.
Jurisdiction: Federal
Year of implementation: 2003
Objective: To reduce costs and improve the reliability, durability and longevity of hydrogen technologies, including production, distribution and storage technologies and those involving different energy pathways.

NAME OF INITIATIVE: Partnership for a Hydrogen Infrastructure Through Sustainable Development Technology Canada
Description: Sustainable Development Technology Canada will invest \$50 million to expand its investments in partnerships that are demonstrating the potential of hydrogen. Sustainable Development Technology Canada will act as a primary catalyst to build a hydrogen infrastructure in Canada.
Jurisdiction: Federal
Year of implementation: 2003
Objective: To develop partnerships related to early development and demonstration of technological solutions addressing climate change and air quality.

NAME OF INITIATIVE: Capital Equipment for Scientific Research and Experimental Development
Description: Eligible capital expenditures for the provision of premises, facilities or equipment used for scientific research and experimental development in Canada may be fully deducted in the year they are incurred.
Jurisdiction: Federal and provincial
Year of implementation: N/A
Objective: To encourage research and development in Canada that will lead to new, improved or technologically advanced products or processes.

NAME OF INITIATIVE: Capital Cost Allowance
Description: A capital cost allowance provides a deduction against income for depreciated property. Many classes of depreciable property exist. Fuel cell and hydrogen technologies currently qualify for a 30% declining balance capital cost allowance.
Jurisdiction: Federal
Year of implementation: N/A
Objective: To account for the depreciation of capital investments over time and make it more attractive for investors to undertake capital investments.

NAME OF INITIATIVE: Vehicles Powered by Alternative Fuels (Ontario)
Description: People who purchase or lease new or used vehicles may qualify for a refund of retail sales tax (RST) if the vehicles operate or are converted to operate: <ul style="list-style-type: none"> • On electrical energy • On propane, natural gas, ethanol, methanol, or other manufactured gases; or • As dual-powered vehicles (vehicles that use one of the alternative fuels mentioned above and that can also be powered by gasoline or diesel fuel). <p>In addition to the 8% RST, the tax for fuel conservation (TFFC) paid on new passenger cars or new sport utility vehicles may be refunded if the vehicles operate or are converted to operate exclusively on an alternative fuel. Hybrid vehicles operating on both gas and electricity also qualify for the refund.</p>
Jurisdiction: Ontario
Year of implementation: 1996
Objective: To increase sales of alternatively powered vehicles.

NAME OF INITIATIVE: B.C. Tax Credit for Alternative Fuel Vehicles and Alternative Motor Fuel Tax Concessions
Description: Several provisions are provided in B.C. for alternative fuels and alternative fuel vehicles. Alternative fuel vehicles qualify for a partial refund of the provincial social service tax. Alternative fuel vehicles that are passenger vehicles and that are subject to the 8%, 9% or 10% provincial sales tax rates may be eligible for a reduced tax rate. Kits to convert motor vehicles to eligible alternative fuels, and services to install, repair and maintain such equipment, are exempt from tax. And there are exemptions and preferential tax rates for certain alternative fuels that are environmentally preferable to gasoline or diesel fuel. Qualifying alternative fuel vehicles include those that operate exclusively on electricity, ethanol, methanol, natural gas or propane; as hybrid electric vehicles that are propelled by a combination of stored electricity and gasoline, diesel, hydrogen, natural gas, propane, methanol or ethanol; or as bi-fuel vehicles that have two separate fuel storage tanks so the vehicles can be propelled by an alternative fuel or by gasoline or diesel fuel.
Jurisdiction: Provincial
Year of implementation: Refunds, reduced rates and exemptions were introduced and revised in 2001 and 2002.
Objective: To increase purchases of alternative fuel vehicles and alternative fuels in British Columbia.

While the focus of this study is on fiscal policies rather than regulations, it is worth highlighting regulatory initiatives related to hydrogen technologies. Key government departments working on codes and standards in Canada are Natural Resources Canada and Transport Canada.¹³ Natural Resources Canada is responsible for developing codes and standards related to technology performance and efficiency, while Transport Canada focuses on the development of safety standards and regulations. Currently, there are no internationally recognized codes and standards for hydrogen technologies. Transport Canada is undertaking a study to develop fuel system standards for hydrogen-fuelled vehicles and related work is taking place internationally. Specifically, a draft regulation has been prepared by the United Nations related to hydrogen-fuelled road vehicles. Canada, as a signatory to a 1998 UN resolution, would be obligated to adopt this regulation.¹⁴

¹³ Canadian Fuel Cell Commercialization Roadmap.

¹⁴ <http://www.tc.gc.ca/tdc/projects/road/e/5468.htm>

Barriers to Hydrogen Development

While the policies described above are in place to address, at least to a certain degree, current barriers for hydrogen development, technical and economic barriers continue to limit the market penetration of hydrogen technologies in Canada. The table below presents current barriers associated with hydrogen development. The barriers are grouped according to whether they are explicitly related to hydrogen fuel and/or infrastructure, fuel cell technologies, or both. In addition, the barriers are identified as either technical or economic.

Table 5 Barriers Limiting Hydrogen Development in Canada

SECTOR	ECONOMIC	TECHNICAL
Hydrogen Fuel / Infrastructure	Cost of hydrogen production. ^A	Storage, compressors and distribution network. ^B
	Cost of hydrogen distribution.	Fuel reformers and processors. ^C Emission reductions depend on source of hydrogen.
Fuel Cell Technologies	Cost of materials and components.	Durability, perfecting manufacturing processes and improving performance. ^E
	Cost of production.	Maintenance support. ^F
	Current market design for electricity. ^D	
Hydrogen Fuel / Infrastructure and Fuel Cell Technologies	The need for capital investment and financing.	The need for codes and standards. ^G
	Limited scale of operation.	Integration with other systems. ^H

A The higher anticipated cost of hydrogen technologies, compared with incumbent technologies, is due to several factors, including limited economies of scale (both for the manufacture of hydrogen and fuel cell technologies, and for the distribution of hydrogen).

B The handling of hydrogen gas at pressures as high as 700 bar (approx. 10,000 psi) is relatively uncommon. The technologies to do this safely and economically still need to be developed.

C Small-scale steam methane reformers and on-board gasoline and methanol fuel processors require further development in order to meet cost and performance targets.

D For example, if a homeowner installed a fuel cell in their home, they could not connect it to the electricity grid in the region. The homeowner would therefore not benefit from the ability to put any excess electricity they were able to generate through use of their fuel cell onto the grid for financial gains.

E Fuel cells have yet to be used widely in commercial applications for long periods of time. To accomplish this, the performance of fuel cells will need to be improved, particularly their tolerance to varying operating conditions and their longevity. The costs will also need to be reduced through the development and implementation of large-scale manufacturing facilities.

F Consumer acceptance of fuel cells will depend on both the product itself and the supporting infrastructure to enable its convenient operation. An acceptable level of support for the operation and maintenance of fuel cells will be needed to ensure successful adoption of the technology.

G There are many safety and basic operability requirements for any technology. Hydrogen technologies require that these requirements be developed and applied to the various new applications that are envisioned for these technologies through the standardization of codes of practice. The codes and standards of public safety, building construction and automobile manufacturing are quite extensive and well established. Without having codes and standards in place, it becomes extremely resource-intensive to meet established safety and design requirements on a unit-by-unit basis.

H Hydrogen technologies will need to be integrated with the existing infrastructure including buildings, cars, or refuelling stations. Extensive research and design is required to ensure that this is accomplished successfully.

A societal barrier to hydrogen development is awareness, familiarity and general acceptance of the technologies. The majority of consumers, as well as product developers, are cautious about adopting new technologies until they have proven to meet their needs. Overcoming this barrier would involve educating these groups about the capabilities and accomplishments of hydrogen technologies.

In order to achieve significant market penetration of hydrogen technologies, a number, if not all, of these barriers need to more or less be overcome. Governments can increase the speed by which these barriers are addressed by intervening in market developments through the implementation of policies targeted at these barriers. In many cases, fiscal policies, and hence ecological fiscal reform, can minimize or reduce an existing barrier. In the section that follows, we identify a comprehensive list of fiscal policies and evaluate these policies according to their ability to address a barrier identified above, among other factors.

Fiscal Policies for Addressing Barriers

To the extent that the market penetration of hydrogen technologies is limited by the set of barriers described in the preceding section, governments can implement fiscal policies targeted at those barriers and facilitate market penetration. There are a host of policies available to governments in this regard, including:

- Greenhouse Gas Emissions Cap and Trade Program
- Eco Labelling
- Renewable Portfolio Standards
- Investment Tax Credits
- Producer Tax Credits
- Accelerated Capital Cost Allowances
- Research and Development
- Procurement
- Information and Education Programs
- Grants
- Carbon Taxation
- Reduction or Elimination of the Capital Tax
- Consumer Tax Credit
- Pilot or Demonstration Project

Not all of these policies will be equally suited for addressing the specific barriers associated with hydrogen technologies. Indeed, some policies may be too general to explicitly address hydrogen barriers, other policies may be politically unfeasible, and still other policies may not provide sufficient incentive to increase market penetration. To identify the most promising set of fiscal policies for facilitating hydrogen technology market penetration, the above list of policies was evaluated according to the following set of criteria:

- 1. Administrative Requirements** – We provide a brief description of what would be required from an administrative perspective to implement the particular policy. We consider whether it would simply be an extension of an existing program, whether the systems needed to support the policy are already in place (for example in the case of eco-logos), or whether the policy would require monitoring and reporting that are not currently established.
- 2. Incentive Effect** – Policies are evaluated according to whether they provide a direct incentive to hydrogen technologies or whether they apply more broadly, for example to any capital investments or all energy-efficient technologies. In the case of the latter, the incentive effect would be indirect as opposed to direct. Policies are also evaluated according to their ability to provide an ongoing incentive to invest in hydrogen technologies, as opposed to a one-time investment.
- 3. Ability to Address Hydrogen/Fuel Cell Barrier** – Here we consider whether the policy is explicitly targeted at a known barrier associated with hydrogen (and fuel cell) technologies or whether it applies more broadly to various technologies.
- 4. Likely Environmental Effectiveness** – Some policies will have a greater impact on environmental conditions than others. To evaluate the environmental effectiveness of particular

policies, we provide a brief description of the potential scale of impact the policy could have on environmental conditions.

5. **Cost Effectiveness** – Here we provide a brief description of the potential cost of the policy from a government and/or industry perspective. We identify cases where costs may be prohibitive or where they may be justifiable.
6. **Political Feasibility** – The objective for this criterion is to provide a sense of the federal government’s stance on the particular policy. We note cases where precedents exist, where the type of policy is under consideration, or where the government has stated that it will not be pursuing the particular policy.¹⁵

The details of this policy evaluation are presented in the table below (in no particular order), and the results of this analysis are summarized in a table at the end of this section (Table 7).

Table 6: Fiscal Policy Evaluation

POLICY OPTION: Greenhouse Gas Cap and Trade
Description: This measure would establish an overall cap on greenhouse gas emissions and allocate emission allowances among emitting entities. The allowances could then be traded such that the total emissions remain at or below the specified cap. Entities would be encouraged to invest in emission reducing activities and technologies to the extent that such investments are more economical than the value of the emission allowances.
Administrative Requirements: The administrative requirements depend on the scope of the trading scheme – i.e., just large industrial emitters or all emitters, and could be substantial.
Incentive Effect: Depending on design, this type of policy can provide incentive to invest in energy-efficient and renewable energy technologies. Such a system will not guarantee investment in hydrogen technologies as emission reductions can be achieved in a number of different ways, some of which will certainly be cheaper than hydrogen and fuel cell investments.
Addresses Hydrogen/Fuel Cell Barrier: While this type of policy will encourage investments in technologies and processes that reduce greenhouse gas emissions, it will not explicitly address an existing barrier associated with hydrogen fuel or fuel cell technologies.
Likely Environmental Effectiveness: The environmental effectiveness of this policy depends on the scope of the program as well as the level at which the total greenhouse gas emissions for those participating in the trading program are capped. The impact on emissions could be significant.
Cost Effectiveness: Cap and trade programs are considered to be cost effective in that only those emission reductions that are most cost effective (i.e., cheaper than the cost of buying an allowance) are realized.
Political Feasibility: The federal government in Canada is currently considering a cap and trade program as a means to reduce greenhouse gas emissions. The political feasibility of such a program depends largely on the design and scope of the program.

¹⁵ Note that to limit uncertainty and increase simplicity of analysis, in the case of this criterion we focus on the current stance of government with respect to each policy. However, because the modelling for this analysis is over a 30-year period, it is possible that over time the political feasibility of any one of these policies could increase or decrease.

POLICY OPTION: Eco Labelling
Description: Eco labels identify or specify environmental attributes for goods and services. Such labels are intended to provide guidance to consumers so that they can make more informed investment decisions.
Administrative Requirements: To be truly legitimate, eco labels should be verified for compliance with strict ecological and performance criteria by independent, registered bodies. Third-party verification is already required for the Energy Star energy efficiency label in Canada, so extending such a program to other goods should be administratively straightforward.
Incentive Effect: While an eco labelling program does not provide an ongoing incentive to purchase or invest in hydrogen technologies, this type of program does provide the opportunity to distinguish these technologies from their competition.
Addresses Hydrogen/Fuel Cell Barrier: This program would not explicitly address any of the barriers identified above.
Likely Environmental Effectiveness: Unless a program such as this is used in combination with other programs that reinforce environmental objectives, it is unlikely that such a program would have a significant effect on environmental conditions.
Cost Effectiveness: The costs associated with such a program should not be prohibitive, although third-party verification will increase costs.
Political Feasibility: Based on experience with existing eco-logo programs in Canada (e.g., the Environmental Choice EcoLogo, the Green Leaf program and the Energy Star label), assigning such a rating to hydrogen technologies should be politically feasible.

POLICY OPTION: Renewable Portfolio Standard
Description: A renewable portfolio standard (RPS) ensures that a minimum amount of renewable energy is included in the portfolio of electricity resources serving a region.
Administrative Requirements: An RPS requires that compliance be tracked and verified. This entails the use of certification to demonstrate correspondence between sales and renewable energy generation.
Incentive Effect: An RPS would not provide a direct or ongoing incentive to invest in hydrogen technologies because the standard would specify production of energy from renewable sources, not the use of particular technologies (i.e., hydrogen technologies). Furthermore, energy from hydrogen would only be covered by an RPS to the extent that the hydrogen came from a renewable source (i.e., wind power).
Addresses Hydrogen/Fuel Cell Barrier: This policy would not explicitly address a barrier associated with hydrogen fuel and fuel cell technologies.
Likely Environmental Effectiveness: The impact on environmental conditions will depend on whether the renewable energy is displacing energy that is associated with high environmental impacts. It will also be directly correlated with the level of standard (i.e., the amount of energy that must come from renewable sources) established by the RPS.
Cost Effectiveness: Because an RPS forces the use of renewable technologies, which may be relatively more expensive than conventional technologies, it can be costly. The extent of the cost will depend on the level of the standard.
Political Feasibility: Renewable Portfolio Standards have not been implemented in Canada on a significant scale, but momentum is gaining and they are becoming more politically feasible. RPSs are under consideration in Nova Scotia and British Columbia. BC Hydro has committed to supply 10% of new demand from green electricity sources, targeting 800 GWh of electricity supply in 2003. Ontario recently announced that it will introduce an RPS to require generators in Ontario to secure an additional 1% of their electricity needs for eight years from wind, solar, hydro and biomass energy sources, starting in 2006.

POLICY OPTION: Investment Tax Credit
Description: Investment tax credits (ITC) are awarded for a portion of eligible costs associated with investments in specified technologies and/or activities. Such credits usually amount to 20% to 40% of eligible investment costs. ¹⁶
Administrative Requirements: Because such policies are already in place in Canada (e.g., the Canadian Renewable Conservation Expenses program), implementing complementary policies, targeted at hydrogen technologies, should not result in significant administrative requirements.
Incentive Effect: Investment tax credits provide an ongoing and direct incentive to invest in eligible technologies. To the extent that hydrogen technologies qualified for such an incentive, an increase in the use of such technologies would be likely.
Addresses Hydrogen/Fuel Cell Barrier: Such a policy could be designed to explicitly address cost barriers associated with hydrogen and fuel cells.
Likely Environmental Effectiveness: To the extent that the investment tax credit is sufficiently large and market penetration of hydrogen and fuel cells ensues, environmental improvements would likely be realized.
Cost Effectiveness: The cost of the program would depend on the size of the credit required to overcome existing barriers and facilitate market penetration and could be substantial.
Political Feasibility: Because such policies already exist in Canada (e.g., the Canadian Renewable and Conservation Expenses program and the Renewable Energy Deployment Initiative), implementing such a policy targeted at hydrogen technologies should be politically feasible.

¹⁶ A flow-through share tax credit is an investment tax credit for shareholders who purchase eligible flow-through shares. A portion of the investment in shares is then claimable as a refundable tax credit against taxes due. For the purposes of this analysis, the model that will be employed to simulate the effect of fiscal policies on hydrogen development will not include macroeconomic feedbacks and we will thus not be able to simulate the effect of a tax credit for shareholders within this particular analysis. This should be a topic of future research and consideration.

POLICY OPTION: Producer Tax Credit
Description: Producer tax credits (PTC) are awarded to energy producers according to the amount of energy produced. Such credits are usually based on the number of kilowatt-hours (kWh) of electricity produced from renewable sources (e.g., 1.5 cents/kWh of electricity from wind power).
Administrative Requirements: A precedent has been set with the introduction of the Wind Power Production Incentive. This initiative can inform production incentives for additional energy sources and can form the basis for expanding the incentive program.
Incentive Effect: Producer tax credits provide an ongoing and direct incentive to invest in the production of certain types of energy. By linking a producer tax credit to energy produced from hydrogen, such a policy would provide a direct and ongoing incentive to invest in hydrogen technologies.
Addresses Hydrogen/Fuel Cell Barrier: Such a policy could be targeted specifically at cost barriers associated with using hydrogen technologies (fuel cells) to create energy.
Likely Environmental Effectiveness: The environmental effectiveness will depend on the relative reduction in emissions from conventional technologies as the market penetration of hydrogen technologies increases as a result of this policy. In the case where fuel cells are used to generate electricity from natural gas, the increased efficiency of the fuel cell will lead to improved environmental conditions. ¹⁷
Cost Effectiveness: The cost of this program will be determined by the gap between conventional fuels and hydrogen and therefore the magnitude of the credit that is needed to overcome this barrier.
Political Feasibility: Due to the precedent set with the Wind Power Production Incentive (WPPI), implementing a hydrogen or energy from hydrogen production incentive may be politically feasible.

¹⁷ In the case where electricity from the grid rather than natural gas is used in a fuel cell, and even in the case where the electricity is from a renewable source (i.e., wind power), any improvements in environmental conditions will be difficult to estimate. This fact is due to the integrated nature of the North American energy market. Rather than displace electricity from the Canadian grid, the use of hydrogen technologies is apt to add to total national electricity generation as the electricity that would have been displaced is instead exported to the United States.

POLICY OPTION: Accelerated Capital Cost Allowance

Description: Certain investments qualify for accelerated capital cost allowances (ACCA). These allowances specify the rate at which the cost of the investment can be claimed as a deduction for tax purposes over time. Investments in hydrogen technologies currently qualify for a capital cost allowance of 30%. Increasing this allowance rate would provide additional incentive to invest in hydrogen technologies.

Administrative Requirements: Because these technologies already receive an allowance of 30%, the administrative requirements extending the rate would not be significant.

Incentive Effect: An increased capital cost allowance for hydrogen technologies would provide a direct and ongoing incentive to invest in these technologies.

Addresses Hydrogen/Fuel Cell Barrier: An increased ACCA would help address cost barriers associated with hydrogen technologies.

Likely Environmental Effectiveness: To have a significant effect on environmental conditions, the ACCA for hydrogen technologies would have to increase substantially. Otherwise, hydrogen technologies would not gain a competitive edge on competing technologies and market penetration of these technologies would not be enough to impact environmental conditions.

Cost Effectiveness: Increasing the ACCA for hydrogen technologies should not result in significantly increased costs.

Political Feasibility: Precedents have been set with increasing the ACCA in Canada. For example, the December 2001 budget increased the upper limit on the size of small hydroelectric projects that qualify for a 30% capital cost allowance to a maximum annual rated generating capacity of 50 MW from the previous limit of 15 MW. Given precedents such as this, increasing the ACCA for hydrogen technologies should be politically feasible.

POLICY OPTION: Research and Development
Description: Governments make funds available to support research and development of new and innovative technologies. The purpose of such programs is often to gain technological experience and to drive down often high, prohibitive, initial costs of relatively new technologies.
Administrative Requirements: Research and development programs are very common in Canada and relatively easy to administer.
Incentive Effect: A research and development program that was designed to explicitly target hydrogen technologies would help to reduce costs and provide an incentive to invest in such technologies.
Addresses Hydrogen/Fuel Cell Barrier: Such a program could be designed to target specific barriers currently preventing market penetration of hydrogen technologies.
Likely Environmental Effectiveness: Research and development programs do not result in immediate improvements in environmental conditions. Rather, over-time, as costs are reduced and market penetration increases, environmental improvements ensue.
Cost Effectiveness: Depending on the scale of such programs, costs can be substantial.
Political Feasibility: There are numerous examples of the federal government dedicating funds to support research and development related to hydrogen technologies in Canada. Specific examples include support for the National Research Center's Fuel Cell Program and the Transportation Energy Technology Program. Given this experience, it appears that supporting hydrogen technologies through research and development programs is politically feasible.

POLICY OPTION: Procurement
<p>Description: Procurement policies secure support for a set of technologies or goods in the form of guaranteed purchases of those goods or technologies. In many cases, government entities will secure the particular goods for their own use or consumption, often at a premium price. In doing so, they increase commercialization of new and innovative technologies and prices decline over time.</p>
<p>Administrative Requirements: Administrative requirements related to procurement programs are relatively minor.</p>
<p>Incentive Effect: While procurement programs do not provide an ongoing incentive to invest in particular technologies, they do guarantee a specified level of investment and, in doing so, provide security to manufacturers that a portion of their goods will be supported.</p>
<p>Addressed Existing Barrier: A procurement program would help overcome existing barriers by providing opportunities for fuel cell and hydrogen technologies to be used in “real life” settings. Lessons learned through such a program can help overcome technological barriers while at the same time lead to a reduction in costs.</p>
<p>Likely Environmental Effectiveness: The environmental impact of a procurement program focused on hydrogen technologies depends on the level of commitment towards the goods and is likely to be minimal in the short term.</p>
<p>Cost Effectiveness: Such policies can be costly depending on the level of commitment that is made towards the technologies.</p>
<p>Political Feasibility: Procurement programs are politically feasible and provide opportunities for governments to take on leadership roles in facilitating market penetration of new and innovative technologies. Procurement policies in Canada currently support a number of renewable energy initiatives. For example, the Government of Canada Action Plan 2000 on Climate Change announced a commitment to purchase 20% of federal electricity requirements from emerging renewable energy sources.</p>

POLICY OPTION: Information and Education
Description: Information and education programs are often introduced to overcome barriers related to public confidence and understanding. Such policies are needed to increase knowledge and awareness of new and cutting-edge technologies and to provide consumers with the tools they need to make informed investment decisions.
Administrative Requirements: Administrative requirements related to information and education programs depend largely on the design and scope of the particular program. Implementing a program that is targeted at a particular group (e.g., energy producers) will be much less administratively onerous than implementing a program that is targeted more broadly at all industrial users, for example.
Incentive Effect: Information and education programs would not provide an ongoing incentive to invest in hydrogen technologies. However, by increasing understanding and awareness of such technologies, they can lead, indirectly, to increased market penetration of the target technologies.
Addresses Hydrogen/Fuel Cell Barrier: An information and education program related to hydrogen technologies targeted at financial institutions or potential investors could help to overcome barriers associated with accessing financing and capital investments.
Likely Environmental Effectiveness: Without the support of complementary policies targeted at hydrogen technologies, an information and education program is unlikely on its own to have a significant impact on environmental conditions.
Cost Effectiveness: Depending on the scope of such policies, they can be relatively inexpensive to administer.
Political Feasibility: Information and education programs are considered low risk and tend to be politically feasible.

POLICY OPTION: Grants
Description: Grants can be awarded for investments in particular technologies and can help overcome competitiveness gaps between new and innovative technologies and less expensive conventional technologies.
Administrative Requirements: Depending on the scope of a grant program, such an initiative can be relatively easy to administer. A grant program targeted at a particular set of technologies (e.g., hydrogen technologies) would not be excessively onerous.
Incentive Effect: Grant programs can provide direct and ongoing incentives to invest in particular technologies.
Addresses Hydrogen/Fuel Cell Barrier: Such policies can be designed to explicitly address barriers associated with hydrogen technologies.
Likely Environmental Effectiveness: To the extent that the use of the technologies that receive the grants results in emission reductions, improvements in environmental conditions can be expected.
Cost Effectiveness: Grant programs can be costly depending on the magnitude of the barrier that needs to be overcome in order to achieve market penetration.
Political Feasibility: The federal government has used grant programs to encourage hydrogen and fuel cell developments in Canada in the past. For example, Fuel Cells Canada received \$980,000 in 2000 to identify, coordinate and present fuel cell demonstration projects for further consideration and funding. Given this and other examples, additional grants to support hydrogen technologies seem politically feasible.

POLICY OPTION: Carbon Tax
Description: A carbon tax is levied on fossil fuels according to their relative carbon content (in the form of \$/tonne of CO ₂ equivalent). In this way, fuels with relatively higher carbon content become relatively more expensive and their consumption is thus discouraged.
Administrative Requirements: The administrative requirements for implementing a carbon tax in Canada could be substantial. To minimize costs, it would be useful to use a tax framework already in place in Canada, such as that which exists for excise fuel taxes.
Incentive Effect: Such a policy would provide a direct and ongoing incentive to purchase low-carbon fuel but would not provide a direct incentive to invest in hydrogen technologies. Such technologies would likely benefit indirectly from a carbon tax.
Addresses Hydrogen/Fuel Cell Barrier: This policy would not explicitly address a barrier associated with hydrogen technologies but would indirectly make hydrogen technologies more competitive with conventional technologies.
Likely Environmental Effectiveness: The impact on greenhouse gas emissions could be substantial and will be driven by the level of the tax that is imposed.
Cost Effectiveness: Environmental taxes, such as carbon taxes, are seen as being cost effective in that investments in emission reductions will be realized only to the extent that they are cheaper than the carbon tax itself. Thus, only the most economical emission reduction investments occur.
Political Feasibility: A carbon tax is currently not politically feasible in Canada, although several European countries have implemented carbon taxes as a means to reduce emissions and strive towards commitments established in the Kyoto Protocol.

POLICY OPTION: Reduction or Elimination of Capital Taxes
Description: The federal government as well as most provincial governments levy capital taxes on investments in capital goods. Such taxes could be reduced or eliminated at the federal level.
Administrative Requirements: Reducing or eliminating this tax would not be administratively difficult. However, if it were only capital investments in fuel cell and hydrogen technologies that were eligible for the reduced or eliminated capital tax, the administrative requirements would become much more onerous.
Incentive Effect: Reducing or eliminating the federal capital tax would encourage investment in capital goods in general. It would not be explicitly targeted at hydrogen technologies and would thus not provide a strong incentive to invest in these technologies relative to other competing technologies. A reduced or eliminated capital tax for which only investments in fuel cell and hydrogen technologies were eligible, would provide a direct incentive to hydrogen investments.
Addresses Hydrogen/Fuel Cell Barrier: This policy would help to overcome some of the financial barriers associated with investments in hydrogen technologies.
Likely Environmental Effectiveness: Because such a policy would not target capital investments in renewable or energy-efficient technologies in particular, it would not lead to improved environmental conditions. Indeed, the removal or elimination of the capital tax is likely to prompt investments in conventional technologies as well and could therefore result in an increase in greenhouse gas emissions and a decline in environmental conditions. A reduction in the tax for only hydrogen or renewable investments would have a positive impact on environmental conditions.
Cost Effectiveness: Reducing or eliminating the federal capital tax would mean a reduction or the elimination of a stable source of funds for the federal government.
Political Feasibility: While some provinces have reduced or eliminated their capital taxes (Alberta and British Columbia) there are not any indications that the federal government plans to do the same. There are no precedents in Canada of a reduced capital tax for particular types of investments; such reductions have only occurred for all investments. To target particular types of capital investments, an accelerated capital cost allowance is the more common fiscal policy tool.

POLICY OPTION: Consumer Tax Credit
Description: Consumer tax credits are offered to individuals that undertake investments in certain goods or activities. In the context of hydrogen technologies, consumer tax credits could be offered for investments in fuel cell vehicles or fuel cells for residences or commercial establishments.
Administrative Requirements: Examples of such credits already exist in Canada and such a policy would be relatively easy to administer.
Incentive Effect: The policy would provide a direct and ongoing incentive to invest in eligible technologies.
Addresses Hydrogen/Fuel Cell Barrier: This policy would explicitly address economic barriers associated with investing in hydrogen technologies (fuel cells).
Likely Environmental Effectiveness: To the extent that this policy is successful in addressing economic barriers, investments in hydrogen technologies would be realized and environmental improvements achieved.
Cost Effectiveness: Costs associated with this policy should be justifiable for a period of time until hydrogen technologies achieve minimum levels of production and the costs of these new and innovative technologies decline.
Political Feasibility: A consumer tax credit can come in several forms including an exemption from sales tax, a credit against income tax or a rebate on taxes paid. Precedents of such taxes in Canada are numerous. For example, in British Columbia, the purchase of materials and equipment used to conserve energy is exempt from the sales tax. Alternatively fuelled vehicles, including fuel cell vehicles, in British Columbia and Ontario currently qualify for tax concessions.

POLICY OPTION: Pilot or Demonstration Projects
Description: Through pilot or demonstration projects, governments ensure that certain technologies are developed and tested in real-world circumstances by assuming a portion of the costs and risks associated with the development and implementation of particular technologies.
Administrative Requirements: The administrative requirements of such a program are not onerous, although governments do have to decide what technologies are most worthy of investment.
Incentive Effect: Such programs provide incentive for developers to invest in those technologies that are targeted by pilot or demonstration projects. The scope of the project may be narrow or broad and will have a direct impact on the level of incentive provided.
Addresses Hydrogen/Fuel Cell Barrier: Such programs help address cost barriers for the particular technologies that are chosen as worthy of investment. The information gained through pilot projects can help to reduce costs and make technological improvements.
Likely Environmental Effectiveness: Because only a limited number of technologies are covered by pilot or demonstration projects, they do not generally have a significant effect on environmental conditions.
Cost Effectiveness: Because pilot programs focus on getting particular technologies to an implementation stage, they do not generally require ongoing, long-term funding and are thus not cost prohibitive.
Political Feasibility: Examples of such projects are numerous in Canada, including government support for Vancouver's fuel cell transit bus demonstration project.

The National Round Table on the Environment and the Economy is particularly interested in how barriers that limit (1) demand for hydrogen technologies and (2) infrastructure for hydrogen technologies can be addressed using fiscal policy. At the same time, the NRTEE's ultimate objective is to develop recommendations on fiscal instruments that can be presented to the Government of Canada. Given these considerations and to refine the substantial set of policies presented above, weight was given to three key evaluative criteria. Specifically, taking into account the incentive effect of the particular policy (i.e., does the policy provide a direct incentive to hydrogen technologies specifically), the ability of the policy to explicitly address a barrier that currently restricts hydrogen development, and political feasibility, the comprehensive list of policies was scoped to a manageable set of policies that will be considered further. This exercise was undertaken recognizing that all of the policies that were chosen for additional consideration met the environmental effectiveness criterion and would thus lead to a reduction in greenhouse gas emissions should technology penetration occur.

Note that this policy evaluation is focused on the barriers that currently exist and the ability of particular policies to address those barriers immediately and facilitate hydrogen development over the study period. The evaluation does not try to account for or anticipate the various barriers that may or may not arise over the next 20 years.

Table 7: Policy Evaluation Summary

POLICY	INCENTIVE EFFECT FOR HYDROGEN AND FUEL CELLS	HYDROGEN AND/OR FUEL CELL BARRIER ADDRESSED	POLITICAL FEASIBILITY
GHG Cap and Trade	Indirect	Not explicitly	Under consideration
Eco Label	Indirect	Not explicitly	Existing precedents
RPS	Indirect and limited	Not explicitly	Under consideration
ITC	Direct	Explicitly	Existing precedents
PTC	Direct	Explicitly	Existing precedents
ACCA	Direct	Explicitly	Existing precedents
R and D	Direct	Explicitly	Existing precedents
Procurement	Indirect	Explicitly	Existing precedents
Info and Education	Indirect	Explicitly	Existing precedents
Grants	Direct	Explicitly	Existing precedents
Carbon Tax	Indirect	Not explicitly	Not currently
Red./Elim. Capital Tax ¹⁸	Indirect	Explicitly	Existing precedents
Consumer Tax Credit	Direct	Explicitly	Existing precedents
Pilot Projects	Direct	Explicitly	Existing precedents

The summary table above demonstrates that of the list of policies that can be used to facilitate market penetration of hydrogen technologies, seven of these policies (shaded) can be designed to provide a direct incentive to hydrogen technologies, while at the same time explicitly address an existing barrier. In addition, for each of these seven policies, precedents have already been set with similar policies in Canada – an indication that such policies, targeted at hydrogen technologies, may be politically feasible.

These seven policies¹⁹ will guide the economic analysis modelling exercise. Specifically, we will employ the Energy 2020 model to simulate a set of fiscal policy scenarios that will represent some combination of the above policies and evaluate the impact of those scenarios on carbon emissions among other factors. The outcome of this modelling exercise will give us a sense of the level of technology penetration that occurs under specific levels of government support both targeted at the production of hydrogen and the purchase of hydrogen technologies. In the section below, we provide a brief description of the Energy 2020 model.

¹⁸ Assuming we are considering an across-the-board reduction rather than a targeted reduction, there are no precedents for such a targeted reduction. Instead, an accelerated capital cost allowance is used to target particular capital investments.


¹⁹ The focus on these seven policies does not preclude the use of other fiscal policies to facilitate hydrogen technology penetration in Canada.

Energy 2020

The Canadian Energy Research Institute’s model, Energy 2020, will be used to evaluate the impact of key fiscal policy scenarios on hydrogen development in Canada. Energy 2020 is an integrated multi-region, multi-sector model that simulates the supply, price and demand for all fuels. It is a causal and descriptive model, which dynamically describes the behaviour of both energy suppliers and consumers for all fuels and for all end-uses, and simulates the physical and economic flows of energy users and suppliers. The basic foundations of Energy 2020 are: (i) “Stocks and Flow” simulation that captures the physical aspects of the processes utilizing energy and (ii) the Qualitative Choice Theory (QCT) capturing human behavioural aspects. In contrast to the many existing policy analysis models, Energy 2020 has a database containing 20 years of time-series on all economic, environmental, and energy variables. The database enables the model to derive most parameters endogenously through econometric estimations. Energy 2020 is equally capable of producing long-term energy market forecasts as well as analyzing impacts of any policy shock in the markets. The most notable use of Energy 2020 in recent years in Canada is the analysis of Kyoto options.

The basic structure of Energy 2020 is provided in Figure 2. Like other energy models, the energy demand sector affects with the energy supply sector to determine energy prices in the equilibrium. The economic sector is the driving agent for energy demands, which in turn provides inputs to the economy sector in terms of investments in energy using equipment and processes and energy prices. The stand-alone model does have a simplified economy sector to capture the linkages between the energy system and the macro-economy. However, the model is best run in full integration with a macroeconomic model. For more information on the Energy 2020 model, please refer to Appendix A.

Figure 2 Overall Structure of Energy 2020



Energy 2020 will first be used to establish a business as usual (BAU) scenario. This scenario will describe Canada's energy pathway without the addition of new fiscal policies targeted at hydrogen technologies. The model outputs associated with the business as usual will provide the basis for evaluating the impact of the various fiscal policy scenarios. Using the BAU as a benchmark from which to measure change, we will be able to estimate the greenhouse gas emission reductions that occur as a result of the fiscal policy scenarios. We will also be able to quantify the cost of the various fiscal scenarios. The business as usual scenario will be calibrated to *Canada's Emissions Outlook, An Update* to allow for comparison with the NRTEE's case study research on fiscal policies for renewable energy and energy efficiency.

Once the business as usual is defined, we will introduce hydrogen technologies into Energy 2020 based on the technology parameters associated with each of the chosen hydrogen pathways. Specific technology parameters for each of the pathways are presented in Appendix B. The hydrogen technologies will then be made to compete with conventional energy technologies. Finally, we will simulate the fiscal policy scenarios and evaluate their effectiveness in facilitating market penetration of hydrogen technologies.

Summary and Next Steps

The purpose of this research project is to examine the role that fiscal policy can play in promoting hydrogen-based energy systems in Canada. The basic methodology employed in this analysis involves the use of microeconomic modelling to evaluate the impact of a set of fiscal policy scenarios on key hydrogen pathways (and associated technologies). This draft baseline report is the first stage in this analysis. Through this baseline report we have:

- Provided an overview of the state of hydrogen development in Canada and globally
- Identified key hydrogen pathways for further consideration and analysis
- Presented the current policy framework governing hydrogen development in Canada
- Discussed factors which presently limit market penetration of hydrogen technologies
- Evaluated an extensive list of fiscal policies for addressing those barriers

Following this baseline report, the next major component of this research project is to complete an economic analysis of key fiscal policy scenarios. Using the Energy 2020 model, fiscal policy scenarios will be evaluated according to their ability to facilitate market penetration of hydrogen technologies, reduce greenhouse gas emissions and minimize costs.

Appendix A: The Energy 2020 Model

Summary. A large number of modelling tools have been used to analyze economic and energy sector impacts of the Kyoto Protocol. The models range from large, long-term general equilibrium to detailed econometric models. The representation of energy sectors in these models ranges from very aggregated single commodity specification to the very detailed technology, fuel and end-use disaggregation. In Canada, a model called Energy2020 (hereafter “E2020”) has been widely used by the federal and provincial governments to analyze sectoral and provincial impacts of implementing the Kyoto Protocol. The basic foundations of E2020 are: (i) “Stocks and Flow” simulation that captures the physical aspects of the processes utilizing energy and (ii) the Qualitative Choice Theory (QCT) capturing human behavioural aspects. In contrast to the many existing policy analysis models, E2020 has a database containing 20 years of time-series on all economic, environmental and energy variables. The database enables the model to derive most parameters endogenously through econometric estimations. E2020 is equally capable of producing long-term energy market forecasts as well as analyzing impacts of any policy shock in the markets. The most notable use of E2020 in recent years in Canada is the analysis of Kyoto options. The paper discusses the structure and capability of E2020 and the modelling of various climate change policies using this model.

1. Introduction

After the Kyoto agreement in 1997, researchers and policy makers focused on analyzing economic impacts of the Kyoto Protocol at national, regional and global levels. The analyses are based on numerical models integrating energy, environment and the economy. The models ranged from partial equilibrium types (e.g., PRIME, POLES) to complex multi-sector general equilibrium models (e.g., EPPA, GTEM, G-CUBED, MS-MRT, SGM).²⁰ While these models are best suited to analyze economic effects such as the impacts on economic welfare, employment, gross domestic product (GDP), sectoral outputs and international trade, most of these models represent the energy sector (i.e., activities related to production, conversion and utilization of energy) at an aggregate level. This limits the ability of the models to reflect details of the sectors primarily responsible for greenhouse gas (GHG) and criteria air contaminants (CAC) emissions. On the other hand, energy models such as the U.S. DOE’s NEMS and the Stockholm Environmental Institute’s LEAP model represent the energy sector in detail; accounting for energy demand at the end-use level. While these models are more appropriate in analyzing and forecasting of energy markets (i.e., energy supply, demand and price), they are incapable of incorporating macroeconomic feedbacks and, hence, are inappropriate for analyzing economic impacts of energy-environmental policies. Such models, however, could be linked with other macroeconomic models to analyze economic impacts of energy-environmental policies. Energy 2020 is an example of this category of energy-environment model.

E2020 is an integrated multi-region, multi-sector model that simulates the supply, price and demand for all fuels. It is a causal and descriptive model, which dynamically describes the behaviour of both energy suppliers and consumers for all fuels and for all end-uses, and simulates the physical and economic flows of energy users and suppliers. It is an outgrowth of the FOSSIL2/IDEAS model

²⁰ Weyant and Hill (1999) present a number of general equilibrium models analyzing economic impacts of the Kyoto Protocol at national and global levels.

developed for the U.S. Department of Energy (DOE) and used for national energy policy analysis since the Carter administration.²¹ E2020 is flexible and could define as many geopolitical regions as required by users. Currently, it defines 13 Canadian regions and 50 U.S. States. On the U.S. side, the 50 states were regrouped for the Canadian climate change work into five regions for ease of computation and presentation.²² It is historically parameterized and can simulate any groupings of the 3500 interacting energy suppliers in North America. It can also be linked with macroeconomic models to determine the economic impacts of energy/environmental policies. Currently, it has been linked with a dynamic input-output approach based macroeconomic model developed by Informetrica for economic analysis in Canada and with the REMI²³ macroeconomic model in the U.S. One of the attractive features of E2020 is that, unlike most energy models, it houses an enormous historical database to econometrically estimate all model parameters (e.g., price response of demand, price response of supply).

The model has been used extensively by several state departments and electric utilities in the U.S. In Canada, Natural Resources Canada was instrumental in the construction of the national model in the early 90s. The model was used within the department for technology assessments. The Department of Energy & Mines in Saskatchewan has used the model since 1993. The Canadian Energy Research Institute (CERI) is an important Canadian participant in the building of the current North American version of E2020. Since E2020 is capable of producing long-term energy market forecasts and analyzing impacts of policy changes to the markets, its use would continue in future for a range of studies starting from energy market forecasting to specific policy issues such as energy sector restructuring, and promotion of clean energy technologies. There is also a possibility of using it for developing countries and economies in transition in analyzing impacts of GHG mitigation options under the Clean Development Mechanism and Joint Implementation.

The application of energy-environmental models in analyzing national climate change policies in Canada started with the establishment of the Analysis and Modelling Group (AMG).²⁴ AMG has conducted an integrated assessment of economic and environmental implications for Canada of implementing the Kyoto Protocol using various models. During the first phase of the analysis, the AMG used two Canadian energy-technology models (hereafter “micro” models), an optimizing model, MARKAL operated by McGill University, and a behavioural model, Canadian Integrated Modelling System (CIMS), developed by the Energy Research Group at Simon Fraser University.²⁵ The analyses provided estimates of the energy savings and emissions reduction required in achieving

21 FOSSIL2 was the original version but was renamed IDEAS later to reflect its evolutionary development since its original construction. The early version of the E2020 model was developed in 1978 at Dartmouth College for the DOE's Office of Policy Planning and Analysis.

22 Several stand-alone versions focusing on individual jurisdictions also exist for E2020. For Canada, one such version is the E2020 model for Saskatchewan.

23 Regional Economic Models, Inc., Amherst, Massachusetts.

24 Analysis and Modelling Group (AMG) is one of the 16 working groups established by the Joint Ministers of Energy and Environment Meeting (JMM) to manage the National Climate Change Process in 1998. It is mandated to address issues related to data, analytical and modelling needs in developing a national climate change implementation strategy. The objectives of AMG included (i) ensure baseline data coherency in evaluating various climate change mitigation measures/options, (ii) provide a consistent and comparable analytical framework to evaluate the mitigation measures/options, and (iii) direct analysis and modelling of various implementation scenarios.

25 For more information on Canada's National Climate Change Process and Analytical and Modelling Group, interested readers may want to visit http://www.nccp.ca/NCCP/national_process/issues/analysis_e.html.

the Kyoto target (ERG and MKGA, 2000; Loulou et al. 2000). Since the micro models are incapable of analyzing economic impacts of climate change policies, the AMG also used two economic models (hereafter “macro” models) for this purpose: the Infrometrica Model developed by Ottawa-based Infrometrica Ltd. and the Canadian Sectoral General Equilibrium Model (CaSGEM) developed by the Department of Finance. Taking results from the micro models as inputs, the Infrometrica model simulated economic impacts (e.g., impacts on GDP, employment, international trade, etc.) of climate change mitigation policies (Cebryk et al. 2000). The CaSGEM model further complemented the Infrometrica model by focusing on the long-term effects of the climate change policies (Iorwerth et al. 2000).

In the second phase of AMG (hereafter “AMG2”), E2020 and MARKAL (instead of CIMS and the MARKAL in AMG1), were used as micro models and the Infrometrica model (TIM) as macro model to analyze a number of policy options for the federal and provincial governments in meeting Canada’s Kyoto commitments. Under the AMG2, three working groups, namely, Domestic Emissions Trading Working Group (DETWG), Targeted Measures Working Group (TMWG), and Emissions Allocation Burden Sharing Working Group (EABSWG) provided necessary data and assumptions to E2020 to examine micro impacts (e.g., impacts on energy demand, prices and investments and GHG emissions) and to the Infrometrica model to analyze macro impacts (e.g., GDP, employment, trade and investment).

Since E2020 is one of the main tools in analyzing GHG mitigating options, programs and plans in Canada, the model methodology and capabilities are of interest to researchers, policy makers, academia and other stakeholders. This paper presents the overall structure of E2020 and a brief overview of how key climate change policies are analyzed using this model.

2. The Structure of E2020

The basic structure of Energy 2020 is provided in Figure 2 (page 37). Like other energy models, the energy demand sector affects with the energy supply sector to determine energy prices in the equilibrium. The economic sector is the driving agent for energy demands, which in turn provides inputs to the economy sector in terms of investments in energy using equipment and processes and energy prices. The stand-alone model does have a simplified economy sector to capture the linkages between the energy system and the macro-economy. However, the model is best run in full integration with a macroeconomic model such as REMI. Given the modular nature of Energy 2020, additional sectors or modules from other models (macroeconomic, supply such as oil, gas, renewables etc.) can be incorporated directly into the E2020 framework.

2.1 Energy Demand

Sectors, end-uses and fuels: The demand sector of the model represents the interacting geographic areas to be simulated, disaggregated into four major economic sectors and their sub-sector detail, based on energy services. The sectors and end-uses considered in E2020 are presented in the table below. As can be seen from the table, the residential sector is divided into 3 sub-sectors with 7 end-uses, the commercial sector into 14 sub-sectors with 7 end-uses, the industrial sector into 28 sub-sectors with 4 end-uses, and the transportation sector into 3 sub-sectors with 6 modes. The oil mining is further divided into five types: heavy, light, frontier, oil sands, bitumen mining. For each of the end-uses, up to six fuels are modelled, for example, the residential space heating has the choice of a gas, oil, coal, electric, solar and biomass space heating technologies. The model has the flexibility to include additional economic categories, end-uses, technologies, fuels and modes to accommodate the needs of particular projects. In most cases, data availability is the limiting factor to detailed specifications. For all end-uses and fuels, the model is parameterized based on historical locale-specific data. Each demand sector is identical in equation and structure to all the other demand sectors.²⁶ The sector considers the demand for energy or transportation services as the driving consideration. Thus, the energy demands to satisfy those energy or transportation services are derived demands.

²⁶ The demand sectors are by end-use, fuel, mode, and province for residential (single-family, multi-family, rural) commercial (14 economic categories), industrial (28 economic categories) and transportation (3 categories).

Economic Sectors and End-Uses in E2020

Sector →	Residential	Commercial	Industrial	Transportation
Sub-sector →	<ol style="list-style-type: none"> Single family Multifamily Rural/agricultural 	<ol style="list-style-type: none"> SIC 45 transportation Pipelines Communication Electric utilities Gas utilities Water & other utilities Wholesale Retail FIRE Offices/business services Education Health Food, lodging, recreation Government 	<ol style="list-style-type: none"> Food, beverage & tobacco Textiles Apparel Lumber Furniture Paper Printing Chemicals Petroleum products Rubber Leather Non-metallic minerals Iron & steel Nonferrous metal Fabricated metals Machinery Electrical equipment Electronic & computers Transport equipment Other manufacturing Metal mining Non-metal mining Oil mining Gas mining Coal mining Construction Forestry Agriculture 	<ol style="list-style-type: none"> Residential transportation Commercial transportation Industrial transportation
End-use or Modes →	<ol style="list-style-type: none"> Space heating Water heating Lighting Air conditioning Refrigeration Other substitutable^a Other non-substitutable^b 	<ol style="list-style-type: none"> Space heating Water heating Cooling Refrigeration Lighting Other substitutable^a Other non-substitutable^b 	<ol style="list-style-type: none"> Process heat Electric motors Other substitutables^c Miscellaneous^d 	<ol style="list-style-type: none"> Highway (automobiles & trucks) Buses Trains Planes Marine Others (electric vehicles, fuel cells and ethanol)

^a an aggregate category to include cooking and drying end-use services
^c hot water or drying that is not part of the primary-process heat


^b represents miscellaneous electric appliances
^d lighting and electrochemical process

The modelling approach: E2020 falls in the league of “hybrid” models. Following are the two conceptual linchpins that form the theoretical perspective used in the model to determine energy demand:

- First, a “Stocks and Flow” simulation captures the physical aspects of the process, specifically the physical flow of entities within a system. For example, new investments increase the number of energy using devices, and retirements reduce the number of energy using devices. This function is similar to many other end-use accounting type models, which keep track of the energy using stock.
- Second, the Qualitative Choice Theory (QCT) as put forth by the Nobel Laureate Daniel McFadden determines how consumers make their energy decisions. All consumer decisions affecting the flow part of the stock are simulated with QCT.²⁷

Determining energy demand is a four-step process: (i) new capital formation and corresponding stock energy demand due to economic growth, (ii) determining technology and fuel mixes to meet the energy demand, (iii) stock and flow accounting and (iv) converting energy requirement to annual energy demand. The figure below presents the mechanisms to derive energy demand in E2020.

Mechanism to Derive Energy Demand in E2020



²⁷ A key feature of the QCT is the inclusion of a number of factors in addition to price in making decisions. The factors represent tastes and preferences that the decision-makers use to determine the best (utility maximization) choice for them. Because the information on the factors is uncertain, QCT uses a distribution to determine the probability of a choice being made. On average, the choices that are made correspond to this probability. The data needed to parameterize the distribution are readily obtained from historical time-series. Because the uncertainty has more to do with the decision-maker than the object (technology) of the decision, the parameterization is applicable to new technologies and conditions not experienced historically.

The starting point in the model is to establish a relationship between energy demand and capital stock in the production of goods and services. For example, the industrial sector produces goods in factories, which require energy for production; the commercial sector requires buildings to provide services; and the residential sector needs housing to provide sustained labour services. The occupants of these buildings require energy for heating, cooling, lighting and electromechanical appliances. Thus any new capital formation is the starting point for any new energy demand. The estimate of capital formation is an exogenous variable in the model derived either from the interactions with the macroeconomic model or other exogenous sources.

The second step is the choice of fuel (technologies) and the corresponding efficiencies. For each demand sector, the consumer has a choice what fuel (technology) should be used in meeting the energy service (e.g., space heating in the residential sector). QCT is used here to make the decision. The model considers price factors (e.g., marginal cost of technology use) and non-price factors (e.g., tastes, income-adjusted preferences, technology availability) to decide the selection of fuels (technologies) in meeting the need for energy service.²⁸ Both price and non-price factors enter directly into the QCT equations and, thereby, the distribution that determines market shares. QCT is used to both determine market shares for modes or fuels as well as to determine the efficiency of particular technologies utilized. The choice of the efficiency is based on the price of the fuel and the perceived trade-off between efficiency and capital plus O&M costs.²⁹

The model, in the third step, calculates energy using capital stocks in terms of energy requirements (e.g., space heating requirements) based on the additions to the stock of energy using processes determined in Step 1 and the additions to the stock of energy using devices determined in Step 2. Both retirement and loss (e.g., due to fire or other disasters) of processes and devices are accounted in the model. The retired and lost stock is replaced by the new stock subject to the demand for energy service. Thus new stock is introduced for two purposes: (i) to replace the retired stock, which satisfies the existing demand for energy service, and (ii) to meet the new demand for energy service associated with economic growth. Note that for any given year, the model keeps track of energy using stock in terms of its energy requirements (e.g., space heating requirements) rather than the number of physical units (e.g., number of furnaces).

Finally, the application of capacity utilization factor to the stock of energy requirements determines the actual demand for energy. The stock energy requirements are calculated on the assumption that the stock is fully utilized. However, the reality is that the stock may not be fully utilized depending upon such factors as weather, socio-economics, current economic conditions, exogenous policies, and others. Utilization of capital stock can also change due to new requirements on operation of the devices. For example, a reduced speed limit reduces the energy use per kilometre for an automobile or truck because it has to use less energy to counter the created air-pressure.

28 In the case of the transportation sector, the consumer decides between the various transportation modes to satisfy the need for transportation services.


29 O&M costs are considered a function of capital costs. Therefore, the QCT derived the trade-off explicitly between efficiency and capital costs.

2.2 Energy Supply

On the energy supply side, E2020 models electricity, oil, gas and coal. Electric supply is modelled extensively for more than 60 nodal levels with details in load dispatching, capacity expansion, regulation and financing. On the other hand, the supply for oil and gas is represented through incorporation of supply elasticities derived through consensus discussions with the Canadian Association of Petroleum Producers (CAPP) and Natural Resource Canada (NRCan).

Electricity: The electricity supply module of E2020 endogenously simulates capacity expansion including planning, construction, operation and retirement of generating plants and transmission facilities. Each step is financed in the model by revenues, debt, and the sale of stock. The regulator, where applicable, sets the allowed rate of return, divides revenue responsibility among customer classes, approves rate base, revenues and expenses, and sets fuel adjustment charges. The following figure presents an overview of the electricity supply module.

An Overview of the Electricity Supply Module in E2020



End-use electricity demand is endogenously forecasted based on stock of end-use appliances, their load curves and utilization rates.³⁰ Electricity load thus forecasted would serve as the basis for the capacity expansion plan. The expansion plan takes into account plants already under construction. Capacity expansions are differentiated for meeting peak and base loads. The model allows the minimum reserve margin to be temporarily violated at the peak if new base load capacity is scheduled to be available within the year. Minimum plant size is exogenous to the model. The mix of new base load plants (i.e., alternative coal technologies, hydro, or nuclear) is user specified in the

³⁰ Each end-use in E2020 has a related set of load shape factors. Typically, these factors define the relationship between peak, minimum and average load for each season. These factors when combined with the weather-adjusted energy demand by end-use and corrected for co-generation, resale, and load management programs, form the basis of the approximated system load duration curve. Alternatively, representative hours over each season are used.

standard E2020 configuration. The model also evaluates the financial implications of new construction, including total construction costs, cost schedules and AFUDC/CWIP. It can also be configured to consider intermediate load units, firm purchase contracts, external sales, independent power producers, and demand side management.

Financial requirements/performance of utilities can also be simulated in E2020. The model forecasts funding requirements and follows corporate policies for obtaining new funds. It simulates the borrowing and issuing of stock, repurchase of stock or making investments in the situation of excess cash. Cash flows are explicitly modelled, as are any decisions that affect them. Coverage ratios, intermediate and long-term debt limits, capitalization, rates of return, new stock issues, bond financing, and short-term investments are endogenously calculated. The model keeps track of gross, net, and tax assets. It also calculates the depreciation values used for the income statement and tax obligations. E2020 produces a complete set of utility financial reports.

The model is equipped to deal with both regulated and unregulated markets. Where electric utilities are regulated, it follows the allowed rates-of-return regulation. The utility rate base is calculated according to a detailed conventional rate making formula. The model allows the user to adjust allowable costs, and has been used extensively to evaluate alternative rate base scenarios for individual plants. The regulatory sub-module of E2020 automatically factors in a wide variety of regulatory policies and options. More importantly, the model can be readily modified to consider a wide spectrum of scenarios. Environmental constraints, such as air pollution restrictions, can also be included in the model. When E2020 is configured as a regional or statewide system, municipal utilities, with their unique tax and rate structures, are also incorporated. Similarly, regional or power pool interchange is also recognised.

Oil, gas and coal: Oil and gas production in E2020 is based solely on a supply price-response determined through discussions with CAPP and NRCAN. Production has process (type) detail (tar sand, bitumen, frontier, light, and heavy) by province. Production is broken out by province based upon the provincial share in each type of oil production. Each type of oil responds to the world price of oil, which is exogenous to the model. The production response (supply elasticity) varies by type of oil to capture the variations in costs, maturity of oil basins, resource potential, and the overall ability to respond to changes in price.

Coal production is by type and province. Its production can be price sensitive, but is determined through supply demand balancing (i.e., production and import are equal to demand and export). Imports and exports are exogenous to the model.

2.3 Emissions Estimation


Greenhouse gases (GHGs) and the criteria air contaminants (CACs) are the main emissions related to the combustion of energy. Using emission coefficients for each of these pollutants, the model tracks emissions for these pollutants by fuel, sector and jurisdiction. In addition, the model also tracks non-combustion and non-energy/fugitive emissions. These are emissions associated with processes not directly associated with the use of energy. For example, CO₂ released from chemical processes in cement manufacturing, leakage of hydrofluorocarbons (HFCs) from air-conditioning, and methane emission from gas production can lead to the venting of methane into the atmosphere.

Gas, oil and coal are also used for feedstock in the production of goods such as fertilizers, paints and solvents. Emissions in such cases are not produced from combustion but from the decay or evaporation of these goods. The emissions that come from the use of a fuel for the purposes other than combustion are designated as non-combustion emissions. In both the cases of non-combustion and non-energy use, emissions coefficients are expressed in terms of per unit of sectoral output.

2.4 Linkage of E2020 with Macroeconomic Model

E2020 is linked with a macroeconomic model developed by Ottawa-based Informetrica Ltd.³¹ to capture the interactions between the energy sector and the economy. For example, a change in price affects demand that then affects future supply and price. These energy market dynamics are captured within E2020. But energy demand also changes due to increased economic activity and in turn a higher demand increases the investment in new supplies. The new investment affects the economy and energy prices. The energy prices also affect the economy. These (indirect) impacts are captured through interactions with the macroeconomic model. The linkage between E2020 and the Informetrica model (i.e., TIM/RIM) is presented in the figure below.

*Linkage Between E2020 and the Informetrica Macroeconomic Model*³²



E2020 and TIM/RIM models are simulated as two separate models; however, they are soft-linked with input and output flows. Simulation begins with E2020 estimating the direct impacts of climate change policies. Three outputs from E2020 are submitted to TIM/RIM to be included as model inputs. They are: (i) changes to investments in energy using equipment and structures by sector and industry; (ii) changes to energy intensity (energy input per unit of output) by sector, industry and fuel; and (iii) net emissions permit purchases/sales by industry and government for

31 There are two models owned and operated by Informetrica, TIM (The Informetrica Model capturing the interactions of the economy nationally) and RIM (a Regional-Industrial Model estimating the impacts on production and incomes at the provincial/territorial levels).

32 Source: Sonnen and Saunders (2002).

sectors covered under domestic emission trading systems. Incorporating the E2020 output, TIM/RIM are then simulated to generate the output, employment and personal income impacts by industry and jurisdiction. Three outputs from TIM/RIM are used as inputs to E2020. They are: (i) gross output by industry and jurisdiction; (ii) personal income by jurisdiction; and (iii) inflation, interest rates, tax rates and exchange rates. The preceding figure shows information/data flows between the two models. The data input-output flows are iterated twice and the final results from E2020 reflect the inclusion of the second-pass results from TIM/RIM. This in essence is the third iteration and completes the process.

3. Modelling Climate Change Policies in E2020

E2020 has an immense capacity to analyze consumer and business responses over a wide range of policy initiatives. An illustrative subset includes tax initiatives or disincentives, energy taxes, regulatory standards for buildings, equipment and motor vehicles, grants, rebates and subsidy initiatives, consumer awareness initiatives (education and awareness), technology improvements (R&D), moratoriums and mandated cut-backs, and emissions permit trading. In this section, we focus largely on the type of policies modelled as part of AMG 2. The AMG 2 policies can be divided into three broad categories.

- Market instruments: carbon tax³³ and emissions permit trading.
- Targeted measures: a wide range of initiatives (or programs) comprising those that enhance consumer understanding of available technologies and options (education and awareness) to building and device standards.
- Exogenous supply cost curves and reduction measures: This corresponds to supply cost curves for the oil and gas sector initiatives; landfill gas supply curve; forestry and agricultural sector carbon sinks and offsets.

3.1 Market Instruments

Market-based policies (instruments) send a signal to the market to change behaviour. The most common and widely used market instruments are energy and emission taxes, which by increasing end-use price, result in a lower energy demand. In the context of climate change, there are two widely used market instruments, namely a carbon tax and an emissions permit. Under both these policy mechanisms, the price of energy rises to encourage investments in more efficient energy using processes and devices to reduce energy demand and consequently energy-related emissions.

Under a carbon tax, a tax is imposed on all fuels in proportion to their carbon content. The cleaner the fuel (lower the carbon content), the lower the tax rate. This type of tax has three effects. First is a temporary budget response, or an income effect that decreases the disposable income due to the higher price and therefore leads to lower demand for all energy fuels. Second is a fuel switching effect caused by changes to the relative prices of energy fuels. Thus the demand for lower taxed (cleaner) fuels increases and the demand for higher taxed (dirtier) fuels decreases. Third, the increase in energy prices causes the consumer to move to more efficient use of energy. This may result in the same level of energy service demand but at the cost of lower fuel consumption.

³³ Although carbon tax was not included as part of the AMG 2 policies, it is discussed briefly here to explain the difference between a carbon tax and permit trading in terms of modelling within E2020.

Emission permits are generally considered a more politically acceptable approach to reducing GHG emissions. Policy makers have seen the use of permits as a means to avoid many of the revenue collection and recycling problems of carbon tax. The requirement of an emissions permit works in much the same way as the carbon tax. A non-zero cost of the permit results in an increase in the price of energy fuels based on the carbon content. This again sends the signal to the energy consumer to change behaviour (reduce demand and emissions, and the need for buying emissions permits). However, the permits have much different dynamics than does a carbon tax. Permits represent a market and possibly one with a rigid supply. There is a demand for permits (the emissions) and there is a supply for permits (the compliance level). Based on the demand and supply, there is an equilibrium price at which the demand for permits equals the supply. Contrary to emission permits, there is no equilibrium carbon tax that is determined in a market although there may be an “optimum” level of carbon tax, which leads to a “desired” level of reductions. In terms of the treatment of these two alternative market instruments from the perspective of modelling, the level of carbon tax is an input to the model, as opposed to the price of permit, which can be an output of the model dynamics or determined exogenously.

Under AMG2, a domestic emissions trading (DET) scheme was considered, the modelling of which is different from that normally used for carbon tax and emission permit systems, in three ways. First, part of the permit requirement is distributed by the government gratis, and although the threat of having to pay for added permits provides an incentive to reduce emissions, the price signal is much weaker than a policy case where permits are fully auctioned. Second, the permit trading is not economy wide and is limited to the large final emitters (LFE) including the electricity sector. The residential, commercial and transportation sectors are exempt from domestic emissions trading. Third, two alternative price scenarios are examined for DET. The US\$6 and US\$30 per tonne of CO₂ are assumed as alternative prices for permits in the international market. Indirectly, these permit price levels assume that a significant portion of Canada’s Kyoto obligation will be met through permit purchases in the international market. The LFE sector will make reductions domestically up to the amount of the international permit price (US\$6 or US\$30). The last feature implies that the DET scheme is modelled as a carbon tax, at alternative tax levels of US\$6 and US\$30.

3.2 Targeted Measures

Targeted measures (TM)³⁴ can be defined as a set of targeted initiatives to reduce energy demand and or shift it to cleaner fuels, thus reducing emissions. A subset of these TMs is akin to regulatory standards such as building codes or automobile standards targeted largely to increasing efficiency of marginal (new) stock of energy using devices and processes. As stock turnover takes place with old stock being retired and replaced by new stock, the efficiency of the entire stock increases. Approximately 75 TMs were included in AMG2 as direct initiatives to reduce emissions. The list of TMs considered is presented in the table below. Most of these measures relate directly to those described in the Issue Tables.

³⁴ The origins of the TMs can be traced back to the establishment of the 16 Issue Tables/Working Groups, comprising 450 experts from government, industry, academia and non-governmental organizations following the April 1998 JMM meeting to manage the National Climate Change Process. The overall mandate of the Issue Tables was to estimate the cost and amount of GHG emissions that could be achieved in individual sectors.

Name of measure modelled	Description
Residential Sector	
RES_AE-1	National Standards Program for Equipment & Appliances
RES_AE-5	Energy Star Labeling/Premium Energy Performance Labeling Program
RES-C8-A	Multi-Residential Retrofit Program
RES_R3	National Energy Efficient Housing Renovation & Retrofit Program
RES-R-4A	Adoption of More Stringent MNECH by Provinces
RES-R-5A	Strengthened R2000 Program
RES_R6B	R-2000 for Existing Dwellings Renovation Program
RES_R-7V	EnerGuide for Houses – Voluntary
RES-R10	Residential Retrofit Guidelines and Installation Standards
Commercial Sector	
COM_AE-1	National Standards Program for Equipment & Appliances
COM_AE-5	Energy Star Labeling/Premium Energy Performance Labeling Program
COM_C2B	Improved MNECB
COM_C7	Public Building Initiative
COM_NewC8	Additional Commercial Building Retrofit Program
COM_CHP	Commercial Cogeneration
Municipal Sector	
COM_MUN22	Develop and Finance Viable CES Projects
ELEC_MUN009	Capital Infrastructure Funding Program
IND_MUN16	Municipal Green Fund Incentives for Integrated Waste Management
IND_MUN2425	Revolving Fund for Energy Efficiency Retrofits
Industrial Sector	
IND_Aluminum	Aluminum Recycle
IND_Audits	Audit Identified
IND_Capture	CO2 Capture
IND_CIPEC	Expanded CIPEC
IND_ENERGUAGE	Industry EnerGuide
IND_FUND	Facilitation Fund
IND_Minerals	Concrete Fly Ash
IND_LfgOffsets	Capital Infrastructure Funding Program for Landfill Gas
IND_Steel	Steel Recycle
Transport Sector	
TRAN_A-1	Enhancements to the Pedestrian and Bicycle Environment
TRAN_A3H	Transit Service Improvements (Includes A2H)
TRAN_A-5	Telecommuting
TRAN_A-7	Car Sharing
TRAN_A-14	Accelerated Light Duty Vehicle Scrappage
TRAN_A-15	Synchronized Traffic Signals
TRAN_A-16L	Driver Education and Awareness Program
TRAN_B-7	Rigid Pavements (Cement)
TRAN_B-16	Advanced vehicle Control Systems (AVCS)
TRAN_D-1	Short-term Aviation Measures
TRAN_F-3	Trucking Load Matching
TRAN_F-5A	Truck Central Tire Inflation
TRAN_F-6	Truck Lubricants
TRAN_F-10H	Driver Education Program
TRAN_G-6	Marine Code of Practice I
TRAN_G-7	Marine Code of Practice II
TRAN_H-1BL	Fleet Average Fuel Consumption Target Harmonized
TRAN_H-2A	AFV Fleet Purchase
TRAN_TRA-101	50% Ethanol
TRAN_TRA-115	Biodiesel from waste greases, stressed Canola
TRAN_TRA-117	Freight inter-modal system improvements (High Scenario)
TRAN_TRA-119	Off-road Efficiency Improvements
TRAN_TRA-120	Anti-idling Technology for Heavy Truck Fleets
TRAN_TRA-121	Light Duty Vehicle Tire Pressure Warning System
Electricity Sector	
ELEC_CHPMIP	Combined Heat and Power
ELEC_WPPI	Wind Power Generation
ELEC_Capture	CO ₂ Capture
Oil & Gas Sector	
Gas_AcidCapture	CO ₂ Capture
Oil_InfraCapture	CO ₂ Capture
Source: http://db.nccp.ca/cfmsite/nmd/cfmlpriv/	

To describe how each of these measures is modelled within E2020, the discussion below is categorized by the type of measure. The measures are implemented at the point where they affect the decision process. The primary measure categories and their associated decision points for the demand sectors are shown in the figure below. Wherever possible, the measures are implemented in their logic rather than in their impact. Thus, most measures are implemented as “Measures” and not as “Actions³⁵”. The AMG2 targeted measures can be grouped into the following six categories based on how they are modelled and the decision points they impact.

Informetrica transferred measures: These measures are modelled through the macroeconomic impacts captured in Informetrica’s TIM & RIM. Examples of such measures are agriculture related (AE001 to AE009), where costs are captured through factor-input changes on the macro side. Other examples include the enforcement of speed limits where the fuel cost savings are measured on the micro side, but the added costs from law enforcement activities are included on the macro side.

Regulatory standards: Standards affect the minimum efficiency decision of investments (for marginal or retrofits) for energy using devices and processes. Device standards are defined in terms of GJ-out/GJ-in and process standards as \$ of output/GJ. As a result of these standards, consumers are forced to choose a higher level of efficiency, assuming of course that the standards are set at a level above the marginal efficiency. Thus both process and device efficiency decisions are impacted. Good examples of this category of measure are AE-1, R10 and C2-B.


Financial measures: In this category fall the various cost support measures as well as the financial incentive measures. Cost support measures reduce the cost of the desired device and process, and therefore encourage the consumer decision to invest in the desired technology. Examples of this measure include C8-A, R3 and R6B. The financial incentive measures work in much the same way as the cost support measures through reduction in costs of the devices and processes. Low-interest loans are good examples of this measure. These loans reduce capital payments.

Operational efficiency measures: Some measures reduce the utilization (or energy use) of a device or process without changing its intrinsic mechanical efficiency. The use of synchronized traffic lights would be an example that reduces highway vehicle energy use and emissions but not the design of the car engine. These reductions require external engineering analysis. Many of the transportation measures fall in this category. For this type of measure, the Issue Table information is used to derive the reductions in utilization. These types of measures affect the operational efficiency decisions, which impact the energy-use emissions.

Information measures: The information measures result in consumers making better-informed decisions. Information programs affect the uncertainty relative to efficiency versus fuel trade-off choices. For devices, this uncertainty parameter is Device Fuel Trade-off Coefficient and for process, it is the Process Fuel Trade-off Coefficient. AE-5 and R5-A are again good examples of this category of measures. Although generally a reduction in uncertainty would lead to more efficient decisions, in some cases, due to preferences, the decrease in uncertainty may not necessarily move the consumer towards greater energy efficiency.

³⁵ This is a change from the micro modelling of AMG1, where the impact information from the Issue Tables was incorporated in its entirety as “Actions.”

Targeted Measure Categories & Model Decision Points



3.3 Exogenous Supply cost Curves and Reduction Measures

Exogenous measures: Finally, there is a range of measures that have been included as exogenous measures. The effect of these measures has been incorporated as an exogenous impact taken either from the Issue Tables or described by the experts within the government departments. An example is the forced use of ethanol, where a percent of market share is allocated to ethanol vehicles (TRA-101).

Finally, it should be noted that AMG measures have “penetration levels” (PL). This does not really reflect penetration per se but rather how intensely the measure is pursued compared to what is specified in the Issue Tables. For example, if an efficiency standard was to improve furnace efficiency

by 10%, a 50% PL would imply a 5% efficiency improvement. If strict enforcing of the speed limit caused a 3% reduction of motor vehicle emissions, then a 200% PL would cause a 6% reduction.

In cases of “overlapping” measures, such as the efficiency standards being applied multiple times to the same end-use, fuel and sector, the final effective standard is the maximum of all the imposed standards. Whenever there are multiple overlapping measures, the model acts to logically/physically reflect the combined impacts rather than naively adding measures as if they were independent.

Several CO₂ abatement cost curves to account for sectoral initiatives on reducing GHGs are incorporated in E2020 under AMG2 analysis. These curves include the oil & gas cost curves based on the Issue Table information; a CO₂ sequestering cost curve was developed by the Canadian Energy Research Institute and the landfill gas cost curve provided by Environment Canada. Based on these curves, the model endogenously generates the amount of CO₂ reduction at a given permit price.

While the model does have the dynamics and cost curves for measures associated with the agriculture and forestry sectors, the AMG decided to exogenously specify the CO₂ sequestration through carbon sinks associated with agriculture and forestry. Forestry cost-free sinks are set to 20 MT per year for all years. Agriculture cost-free sinks are set to 4 MT/year. Combined agricultural measures produce 10.1 MT/year. by 2010 and 10.3/year by 2020. There are no endogenous dynamics. These are “forced-in” exogenous values specified by the AMG.

4. Conclusions

E2020 is one of the key tools used in analyzing federal and provincial governments’ plans in meeting Canada’s GHG mitigation commitments under the Kyoto Protocol. It is an integrated multi-region, multi-sector model, which dynamically describes the behaviour of both energy suppliers and consumers for all fuels and for all end-uses, and simulates the physical and economic flows of energy users and suppliers. Stocks and flow simulation and the Qualitative Choice Theory are the two basic foundations of E2020. It is flexible to define the geopolitical region, number of economic sector, fuel and end-use as required by users. The most important feature of E2020 is that, unlike most energy models, it houses an enormous historical database to econometrically estimate all model parameters. For the purpose of capturing macroeconomic impacts of a policy change, it has been linked with a dynamic input-output model developed by Informetrica for Canada and with the REMI model in the case of the U.S. In Canada, E2020 was used mainly to analyze various climate change options of federal and provincial governments under the framework of the Analysis and Modelling Group established by the Joint Ministers of Energy and Environment Meeting (JMM) to manage the National Climate Change Process.

E2020 has an immense capacity to analyze consumer and business responses over a wide range of policy initiatives such as energy-environmental taxes, regulatory standards for buildings, equipment and motor vehicles, grants, rebates and subsidy initiatives, consumer awareness initiatives (education and awareness), technology improvements (R&D), moratoriums and mandated cut-backs, and emissions permit trading. Under AMG study series, it was used to model particularly three types of GHG mitigation measures. These were (i) market instruments, such as carbon tax and emissions permit trading; (ii) a wide range of initiatives (or programs) comprising those that enhance consumer understanding of available technologies and options (education and awareness) to building and device standards; and (iii) exogenous supply cost curves and reduction measures.

Since E2020 is equally capable of producing long-term energy market forecasts as well as analyzing impacts of any policy shock in the market, its application will serve as a useful analytical tool for a range of issues. These may span from general energy supply-demand forecasting at provincial and federal levels to modelling of specific issues such as restructuring of the electricity sector, and impacts of clean energy technologies (e.g., renewable energy technologies). There is also a possibility of using it for developing countries and economies in transition in the analysis of impacts of GHG mitigation options under the Clean Development Mechanism and Joint Implementation.

References

Energy Research Group (ERG) and M.K. Jaccard and Associates (MKGA) (2000), “Integration of GHG Emission Reduction Options using CIMS,”

http://www.nccp.ca/NCCP/pdf/AMG_cims_eng.pdf, downloaded on 06 May 2003.

Loulou, R., A. Kanudia, M. Labriet, M. Margolick and K. Vaillancourt (2000), “Integrated Analysis of Options for GHG Emission Reduction with MARKAL,”

http://www.nccp.ca/NCCP/pdf/AMG_markalreport_eng.pdf, downloaded on 06 May 2003.

Cebryk, N., K. May, A. Rensonnet and C. Sonnen (2000), “Macroeconomic Impacts of GHG Reduction Options: National and Provincial Effects,”

<http://www.informetrica.com/ILAMGReport.pdf>, downloaded on 06 May 2003.

Iorwerth, A. A., P. Bagnoli, Y. Dissou, T. Peluso and J. Rudin (2000), “A Computable General Equilibrium Analysis of Greenhouse Gas Reduction Paths and Scenarios,”

http://www.nccp.ca/NCCP/pdf/AMG_rollup_eng.pdf, downloaded on 06 May 2003.

Sonnen, C. and C. Saunders (2002), “Analysis of Climate Change Options Method Employed for Macroeconomic Analysis,” Informetrica Ltd. December 2002.

Weyant J.P. and J. Hill (Eds.) (1999), “The Costs of Kyoto Protocol: A Multi-Model Evaluation,” *The Energy Journal* Special Issue.

Appendix B: Technology Parameters

The following parameters have been assembled from various sources including previous studies and publicly available literature, data directly from technology developers, and general rule-of-thumb assumptions. The references from which the assumptions originated are presented in the table below. Technology parameter details are presented in the set of tables beginning on the next page.

References for Technology Assumptions

Air Products, 2001. Personal communications with Ed Kiczek, Rich Colwell, and Todd Carlson.
Amos, W., 1998. "The Costs of Storing and Transporting Hydrogen." National Renewable Energy Lab
Sawyer, C., 2001. "It's All About U." Auto Field Guide. www.autofieldguide.com/articles/010302.html
Bossel, U., Eliason, B., Taylor, G., 2003. "The Future of the Hydrogen Economy: Bright or Bleak."
Dynetek, 2004.
Earnst and Young (E&Y), 2003. "An Economic Analysis of Various Hydrogen Fuelling Pathways from a Canadian Perspective." Report prepared for NRCan.
Environment Canada, 2002. "Canada's Greenhouse Gas Inventory, 1990-2000." Greenhouse Gas Division. Ottawa, ON.
H2 Car Company, 2004. Personal communications with Ari Swiller.
Myers, D. Ariff, G., James, B., Lettow, J., 2002. "Cost and Performance Comparison of Stationary Hydrogen Fueling Appliances." Directed Technologies Report for U.S. Department of Energy.
Natural Resources Canada (NRCan), 2000. "Fuel Efficiency Benchmarking in Canada's Trucking Industry."
Pembina Institute, 2002. "LCVA of Fuel Supply Options for Fuel Cell Vehicles in Canada."
Praxair, 2001. Personal communications with Steven Gregg.
SiemensWestinghouse, 2002. Personal communications with J.A. Ciesar, Program Development Manager. 27 September 2002.
Simbeck, D., and Chang, E., 2002. "Hydrogen Supply: Cost Estimate for Hydrogen Pathways – Scoping Analysis," National Renewable Energy Laboratory.
Spath, P.L., and M.K. Mann. 2001. "Life Cycle Assessment of Hydrogen Production via Natural Gas Steam Reforming." National Renewable Energy Laboratory. Golden, CO, U.S.A. February revision.
Stuart Energy Systems, 2001. Personal communications with Mathew Fairlie.
Thomas, C., 2001. "Distributed Hydrogen Fueling Systems Analysis." Proceedings of the 2001 DOE Hydrogen Program Review.
U.S. Department of Energy (USDOE), 2003. "Assumptions for the Annual Energy Outlook 2003 With Projections to 2025." Energy Information Administration.
Zittel, W., 1996. "Hydrogen in the Energy Sector," obtained from the Hyweb website, www.hydrogen.org/knowledge/w-i-energie-w-eng.html on 5 September 2000.

Technology Parameter Details

Fuel Cells SOFC (5 kW – residential, small commercial)					
<i>Parameter</i>	<i>Value</i>	<i>Unit</i>	<i>Value</i>	<i>Unit</i>	<i>Sources and Assumptions</i>
Description / Size	5	Kw elec.	154	GJ elec. / year	Typical unit size under development
Utilization	0.95				Standard assumption
Incremental capital cost for heat exchanger	0	\$			Assumes incremental cost for integrating with DHW and space heating is offset with savings on displaced equipment. Assumes that for a future new house (well insulated) the fuel cell will be able to meet total heat demands using a 9kW start-up burner.
<i>Air contaminants</i>					
CO ₂ emissions	1.89	kg / m ³ natural gas	107	kg / GJ elec. (post 2010)	Environment Canada (2002)
No _x , CO and hydrocarbons	6	g/MWh	0.0017	kg/GJ elec	SiemensWestinghouse (2002)
So _x	0	g/MWh	0	kg/GJ elec	
Operating Method	100% of operating time, sell excess electricity to the grid (assume 70% of power) and uses 40% of heat for domestic hot water and space heating.				
<i>Costs and fuel requirements - 2010 to 2030</i>					
Lifetime (years)	10; half price for recharge				Broad assumptions made by manufacturer predictions.
Annual O & M Cost	2% of 2020 CC		1.36	2000\$ / (GJ elec. /year)	Standard assumption
Natural Gas Required	45%	electrical efficiency	2.22	GJ NG / GJ electricity	Improved performance (45% elec. eff., 45% heat eff.)
<i>Costs and fuel requirements - 2010 to 2030</i>					
Capital Cost	3532	2000\$ / kWe	112	2000\$ / (GJ elec. /year)	USDOE (2003)
<i>Costs and fuel requirements – 2015</i>					
Capital Cost	2598	2000\$ / kWe	82	2000\$ / (GJ elec. /year)	USDOE (2003)

Fuel Cells SOFC (250 kW - large commercial, industrial)					
<i>Parameter</i>	<i>Value</i>	<i>Unit</i>	<i>Value</i>	<i>Unit</i>	<i>Sources and Assumptions</i>
Description / Size	250	kW elec.	7,690	GJ elec. / year	Typical unit size under development
Utilization	0.95				Standard assumption
Incremental capital cost for heat recovery	0	\$			Assumes incremental cost for integrating with DHW and space heating is offset by savings on displaced equipment.
Air contaminants					
CO ₂ emissions	1.89	kg / m ³ natural gas	107	kg / GJ elec. (post 2010)	Environment Canada (2002)
No _x , CO and hydrocarbons	6	g/MWh	0.0017	kg/GJ elec	SiemensWestinghouse (2002)
So _x	0	g/MWh	0	kg/GJ elec	
Operating Method	100% of operating time, sell excess electricity to the grid (assume 10% of power) and uses 70% of heat for domestic hot water, space heating and absorption chilling. Actual amount of heat used is case specific. 70% is a conservative assumption considering the fact that this is a new technology.				
<i>Costs and fuel requirements - 2010 to 2030</i>					
Lifetime (years)	10; half price for recharge				Broad assumptions made by manufacturer predictions.
Annual O & M Cost	2% of 2020 CC		1.36	2000\$ / GJ elec.	Standard assumption
Natural Gas Required	45%	electrical efficiency	2.22	GJ NG / GJ electricity	Improved performance (45% elec. eff., 45% heat eff.)
<i>Costs and fuel requirements - 2010 to 2030</i>					
Capital Cost	3532	2000\$ / kWe	112	2000\$ / (GJ elec. /year)	USDOE (2003)
<i>Costs and fuel requirements - 2015</i>					
Capital Cost	2598	2000\$ / kWe	82	2000\$ / (GJ elec. /year)	USDOE (2003)
<i>Costs and fuel requirements - 2020</i>					
Capital Cost	2143	2000\$ / kWe	68	2000\$ / (GJ elec. /year)	USDOE (2003)

Decentralized Electrolysers (to serve 2700 LDVs or 22 buses)					
<i>Parameter</i>	<i>Value</i>	<i>Unit</i>	<i>Value</i>	<i>Unit</i>	<i>Sources and Assumptions</i>
Description / Size	1	tonne/day	51,757	GJ / year	Estimates based on size and service from E&Y (2003) station.
Utilization	0.75				Operates on demand. Assumed to be 75% of the time.
Lifetime (years)	20				Standard assumed equipment economic lifetime.
Capital Cost - today	1700	2003\$ / kW	50.9	2000\$ / (GJ/year)	Average of highest literature estimate from E&Y (2003), and Stuart Energy (2001) estimate for small systems.
Capital Cost - 2015	388	2002\$ / kW	11.8	2000\$ / (GJ/year)	Decreasing to same price as large units in 2015 - Stuart Energy (2004)
Annual O & M Cost	15	2004\$ / kW	0.44	2000\$ / GJ	Stuart Energy (2004)
Electricity Required - Current	55	kWh / kg	1.40	GJ elec / GJ H2	E&Y (2003) - Obtained from NRCan
Electricity Required - 2010	50	kWh / kg	1.27	GJ elec / GJ H2	Stuart Energy (2004)
Water Required	1	L / Nm3	78.5	L H20 / GJ H2	E&Y (2003) - Obtained from Norsk Hydro
Air contaminants	none				
Operating Mode (options)	Operates based on hydrogen demand – assumed to be 75% utilization 1. grid average electricity supply (commercial electricity rates) - used in modelling 2. dedicated power plant (contract rate for specific plant plus transmission costs) 3. off-peak power = for defined periods of time at discounted rates				

Decentralized SMR (1tpd to serve 2700 LDVs or 22 buses)					
<i>Parameter</i>	<i>Value</i>	<i>Unit</i>	<i>Value</i>	<i>Unit</i>	<i>Sources and Assumptions</i>
Description / Size	1	tonne/day	51,757	GJ / year	Estimates based on size and service from E&Y (2003) station
Utilization	0.9				Allows for 5 week shutdown - NRTEE scoping group (similar to Amos, 1998)
Lifetime (years)	20				Standard assumed equipment economic lifetime
Capital Cost	1.38	2003\$ / Nm ³ /y	102	2000\$ / (GJ/year)	E&Y (2003)
Annual O & M Cost	100	2001\$ / kW	3.10	2000\$ / GJ	Average of Air Products (2001), and Praxair (2001)
Electricity Required	0.28	kWh / Nm ³	0.08	GJ elc / GJ H ₂	E&Y (2003)
Water Required	0.55	L / Nm ³	43.2	L H ₂ O / GJ H ₂	From Air Products (2001), and Praxair (2001)
Natural Gas Required	0.46	m ³ NG / Nm ³ H ₂	1.42	GJ ng / GJ H ₂	E&Y (2003)
Air contaminants					
CO ₂	1.89	kg / m ³ natural gas	68	kg / GJ H ₂	Environment Canada (2002)
NO _x	0.898	g / kgH ₂	0.0063	kg / GJ H ₂	Spath (2001)
CO	0.0798	g / kgH ₂	0.0006	kg / GJ H ₂	
PM	0.022	g / kgH ₂	0.0002	kg / GJ H ₂	

Hydrogen Storage					
<i>Parameter</i>	<i>Value</i>	<i>Unit</i>	<i>Value</i>	<i>Unit</i>	<i>Sources and Assumptions</i>
Description / Size	For every kg of hydrogen produced per day, 1 kg of storage capacity is required within the decentralized electrolysis system. This is similar to the storage requirements set out in Myers (2002). Decentralized SMR operation is assumed to require 2 kg of storage due to its reduced operating flexibility.				
Utilization	Matches the utilization of the system				
Lifetime (years)	20				Standard assumed equipment economic lifetime.
Hydrogen Required	0% permeation losses		1.000	GJ H2 in / GJ H2 out	Dynetec (2004). Assumes aluminum lined cylinders.
Air contaminants	none				
<i>Decentralized electrolysis</i>					
Capital Cost	596.75	2002\$ / kg/day of production capacity	11	2000\$ / (GJ/year) @ 100% utilization	Myers (2002). 634 kg storage cost of US\$244,224
Annual O & M Cost	2% of CC		0.22	2000\$/GJ @ 100% utilization	Standard assumption - comparable to Simbek and Chang (2002) for variable non-fuel O & M (0.5 to 1.5%)
<i>Decentralized natural gas</i>					
Capital Cost	1193.5	2002\$ / kg/day of production capacity	22	2000\$ / (GJ/year) @ 100% utilization	Myers (2002). 634 kg storage cost of US\$244,224
Annual O & M Cost	2% of CC		0.44	2000\$/GJ @ 100% utilization	Standard assumption - comparable to Simbek and Chang (2002) for variable non-fuel O & M (0.5 to 1.5%).

Dispensers					
<i>Parameter</i>	<i>Value</i>	<i>Unit</i>	<i>Value</i>	<i>Unit</i>	<i>Sources and Assumptions</i>
Utilization	Downtime assumed to not significantly affect station productivity				
Lifetime (years)	20				Standard assumed equipment economic lifetime.
Capital Cost	279	2002\$ / kg/day	5	2000\$ / (GJ/year)	Myers (2002). US\$20,700 per dispenser for a 115 kg/day system.
Annual O & M Cost	2% of CC		0.10	2000\$ / GJ	Standard assumption

Compressors					
<i>Parameter</i>	<i>Value</i>	<i>Unit</i>	<i>Value</i>	<i>Unit</i>	<i>Sources and Assumptions</i>
Description / Size	4.8	kg / hr outlet at 7000 psi	5,962	GJ / year	Myers (2002). 150 psi to 7000 psi compressor. Used as a proxy for the other sizes that are required in this study.
Utilization	Matches the utilization of the equipment supplying the compressor				
Lifetime (years)	20				Standard assumed equipment economic lifetime.
Capital Cost	6200	2002\$ / kg/h	4.99	2000\$ / (GJ/year)	Myers (2002). 150 psi to 7000 psi compressor. Used as a proxy for the other sizes that are required in this study.
Annual O & M Cost	2% of CC		0.10	2000\$ / GJ	Standard assumption - comparable to Simbek and Chang (2002) for variable non-fuel O & M (0.5 to 1.5%).
Air contaminants	none				
<i>From electrolyzer to refuelling station storage (5000 psi to 7,000 psi)</i>					
Electricity Required	0.18	kWh / kg	0.0046	GJ elec / GJ H2	Zittel (1996). Assumes 65% isentropic efficiency.
<i>From SMR to refuelling station storage (150 psi to 7,000 psi)</i>					
Electricity Required	2.3	kWh / kg	0.06	GJ elec / GJ H2	Zittel (1996). Assumes 65% isentropic efficiency.

Hydrogen Light-Duty Fuel Cell Vehicles					
<i>Parameter</i>	<i>Value</i>	<i>Unit</i>	<i>Value</i>	<i>Unit</i>	<i>Sources and Assumptions</i>
Description / Size	Light-duty vehicles				
Lifetime (years)	14				Same as ICE LDV
Capital Cost	Assumed 50% greater than equivalent ICE LDV in 2015 and decreasing to 15% greater than equivalent ICE LDV in 2030 (expected eventual OEM price).				
Annual O & M Cost	Same as ICE LDV				Ballpark estimate
Hydrogen Required	1.4	kg / 100 km	0.20	GJ H2 / 100 km	E&Y (2003) - assumes comparable vehicle 11.2 L/100km (0.35 GJ gasoline/100km).
Air contaminants	none				

Fuel Cell Buses					
<i>Parameter</i>	<i>Value</i>	<i>Unit</i>	<i>Value</i>	<i>Unit</i>	<i>Sources and Assumptions</i>
Description / Size	Urban transit buses				
Lifetime (years)	18				Same as ICE buses.
Capital Cost	Assumed 50% greater than equivalent ICE LDV in 2015 and decreasing to 15% greater than equivalent ICE LDV in 2030 (expected eventual OEM price)				
Annual O & M Cost	Same as ICE bus				Ballpark estimate
Hydrogen Required	9	kg / 100 km	1.28	GJ H2 / 100 km	E&Y (2003) - assumes comparable vehicle 59 L/100km
Air contaminants	none				

Hydrogen ICE Vehicles					
<i>Parameter</i>	<i>Value</i>	<i>Unit</i>	<i>Value</i>	<i>Unit</i>	<i>Sources and Assumptions</i>
Description / Size	Light-duty vehicles				
Lifetime (years)	14				Same as ICE LDV
Capital Cost	50% higher than comparable gasoline ICE in 2010 (comparable to projections by Ari Swiller, Hydrogen Car Company) decreasing to 30% higher than comparable gasoline ICE in 2015 (comparable to price premium for an OEM natural gas vehicle)				
Annual O & M Cost	Same as ICE LDV				Ballpark estimate
Hydrogen Required	2.0	kg / 100 km	0.28	GJ H2 / 100 km	Assume 20% less than gasoline ICE (11.2 L/100km) - H2 Car Company (2004)
Air contaminants	Assume No _x 50% lower than gasoline ICEV. No other significant levels of emissions.				Auto Field Guide (2001)

Availability Assumptions

- The installation of stationary fuel cells was limited to new buildings in the residential sector and select commercial sub-sectors: Communications, Financial, Insurance, Real Estate, Business Services, Health and Social sectors and Government.
- Availability of hydrogen technologies in the transportation sector was limited to fleets. It is also assumed that fleets are responsible for no more than 10% of vehicle kilometres travelled for light-duty vehicles. 10% is the portion of vehicle kilometres travelled for work purposes in vehicles less than 4.5 tonnes compared with total vehicle km travelled in this vehicle class. The entire bus population is also considered to be part of the fleet group.