



3. Alberta Developed Attribute Codes

Effective April 2006

Proposed Reporting Methodology

Each CCI intervention code has a potential of having three “attributes.” The function of an attribute is to provide extra detail about the intervention (or the episode for the intervention). The three attributes include:

- S = Status
- L = Location
- E = Extent.

Each attribute may include 1 or 2 characters; alpha or numeric.

In this document, the six-digit intervention codes, developed for ambulatory care reporting, have been replaced with CCI codes. Because unique codes do not exist for each service provided (e.g. physical therapy assessment of low, medium, and high), attribute codes have been developed to acquire uniqueness. For example, the CCI code for physical therapy assessment is 2ZZ02ZU. An extent code of 1 (low 1-20 minutes) 2 (medium 21-45 minutes), or 3 (high, 46+ minutes) needs to be assigned to each CCI code as appropriate. In addition, because the code 2ZZ02ZU may be reported for a non-physical therapy visit, a location attribute of PT (physical therapy) will also be assigned for each intervention reported by a physical therapist. This reporting is required to ensure visits get grouped correctly.

In summary as an example, a CCI code, along with a location code of PT and an extent code of 1,2 or 3 would be assigned for each physical therapy service provided. However, not all of the previous six-digit intervention codes require the assignment of attribute codes as you will see in the following documentation.

Please note that each “developed” attribute code is in addition to CIHI’s valid attribute codes. Therefore, the same attribute code does not have two definitions.

Alberta Developed Attribute Codes

SLEEP STUDIES

INTERVENTION	INTERVENTION DESCRIPTION	INTERVENTION CODE
Other Sleep Study	Ventilation, respiratory system using per orifice approach and positive pressure mechanical ventilator	1GZ31CAND S=SL
Extensive Sleep Study	Other study, brain approach/technique NEC	2AN59ZZ S=SS
Other Sleep Study	Other study, brain approach/technique NEC	2AN59ZZ S=SL

DIAGNOSTIC IMAGING

INTERVENTION	INTERVENTION DESCRIPTION	INTERVENTION CODE
OBS Nuclear Imaging	Other antepartum diagnostic imaging examination using other imaging techniques	5AB05GZ S=NI
OBS CT Scan	Other antepartum diagnostic imaging examination using other imaging techniques	5AB05GZ S=CT
OBS MRI	Other antepartum diagnostic imaging examination using other imaging techniques	5AB05GZ S=MR
OBS Chest Xray	Xray, thoracic cavity, antepartum diagnostic imaging	5AB05GZ S=CX
Other Xray	Xray, antepartum diagnostic imaging	5AB05GZ S=XR

NEPHROLOGICAL - DIALYSIS INTERVENTIONS

INTERVENTION	DEFINITION	INTERVENTION CODE
Hemodialysis	As per CCI	1PZ21HQBR
Home Hemodialysis Teaching	Teaching services provided to patients learning to perform hemodialysis at home	7SC59QD S=HT
Self Care Hemodialysis	Patient performs hemodialysis and requires only minimal nursing assistance	7SC59QD S=HS
Peritoneal Dialysis	As per CCI	1PZ21HPD4
Home Peritoneal Dialysis Teaching	Teaching services provided to patients learning to perform peritoneal dialysis at home	7SC59QD S=PT

MENTAL HEALTH INTERVENTIONS

INTERVENTION	DEFINITION	INTERVENTION/ ATTRIBUTE CODE
Assessment-Referral	Screening to determine initial type of services required. (Includes triage calls).	2AZ02ZZ S=R L=MH
Assessment-Intake	In-depth assessment of client requirements for services (may include, for example, mental status, history, etc.)	2AZ02ZZ S=N L=MH
Assessment-Collateral	Contact with a collateral person for the purpose of obtaining assessment information.	2AZ02ZZ S=C L=MH
Legal Assessment Half Day (≤ 4 hours)	Court ordered assessment.	2AZ02AE E=1 L=MH
Full Day (> 4 hours)		2AZ02AE E=2 L=MH
Assessment-Specialized	Specialized assessment such as vocational training, ECT work-up, other discipline specific assessments, community based crisis assessments.	2AZ02ZZ S=Z L=MH

NOTE: Location attribute code of MH (mental health) required for all mental health interventions.

MENTAL HEALTH INTERVENTIONS

INTERVENTION	DEFINITION	INTERVENTION CODE
Reassessment	An assessment completed subsequent to an initial assessment to determine the mental health status of a service recipient and ongoing services required.	2AZ02ZZ S=P L=MH
Crisis/Intervention Calls Telephone Crisis Call	Telephone crisis calls for the purposes of addressing immediate personal/familial crisis.	6AA10CT S=T L=MH
Mobile Crisis Intervention Call	An unscheduled visit to a client's location to address an immediate mental health crisis.	6AA10CT S=M L=MH
Individual Therapy	Therapy provided by any service provider type-therapeutic focus is not the couple or family unit.	6AA30ZZZZ S=IN L=MH
Couple Therapy	Therapy which has as its primary focus a relationship with a significant other but not on the remainder of the family. Significant other may or may not be present. A contact form is completed only for the program client.	6DA30DCZZ L=MH
Family Therapy	Therapy which has as its primary focus the familial system. A contact form is completed only for the program client. Family may or may not be present.	6DA30DFZZ L=MH
Group Therapy	Contacts spent within a therapeutic group context. A group contact form will be completed.	6AA30ZZZZ S=GR L=MH
ECT	Contact to prepare for or administer ECT treatment.	1AN09JADV L=MH
Medication Administration	Administration of an oral, topical or injected medication.	1ZZ35YAT2 L=MH
Medication Assessment	Review of medications.	2ZZ02ZT L=MH
Patient Specific/ Consultations Case Supervision	Consults with other professionals or collaterals for the purpose of case management and discharge planning. (For reporting purposes, each service professional reports ONLY on their own patients).	7SF12ZZ L=MH
Patient Specific Hearings	Testifying in legal hearing (eg., Court Appearance, Review Panels, Board of Review, WCB).	7SJ34PZ L=MH
Patient Specific Professional Reports and Applications	Occasional documentation required for legal, financial or clinical purposes. EG., writing reports and applications such as AISH applications, WCB reports, court reports. (Excludes routine documentation and charting.)	7SJ30LZ L=MH

MENTAL HEALTH INTERVENTIONS

INTERVENTION	DEFINITION	INTERVENTION CODE
Patient Specific Critical Incident Documentation	All formal reports required as a result of managing a specific critical incident.	7SJ30LD L=MH
Diagnostic Testing/Scoring Testing Type 1 (≤ 2 hours)	Face to face contact for the purpose of administration of any professional testing or neuropsychological assessment intervention. Any reporting using this category must be accompanied by a write-up in the form of an assessment report.	2AZ08ZZ E=1 L=MH
Testing Type 2 Half Day (> 2 hours and ≤ 4 hours)		2AZ08ZZ E=2 L=MH
Testing Type 3 Full Day (> 4 hours)		2AZ08ZZ E=3 L=MH
Therapeutic Milieu Programs Half Day (≤ 4 hours)	A non-structured or semi-structured activity for the purposes of observation and/or therapy including informal teaching and social interaction.	6AA30ZZZZ E=1 L=MH
Full Day (> 4 hours)		6AA30ZZZZ E=2 L=MH
Mental Health Education 0-120 minutes (2 hours)	Education of individuals or groups with the direct purpose of improving mental health status either now or in future (i.e., includes primary and secondary prevention, as well as promotion).	6AA10ZZ E=11 L=MH
121-240 minutes (4 hours)		6AA10ZZ E=12 L=MH
241-360 minutes (6 hours)		6AA10ZZ E=13 L=MH
361-480 minutes (8 hours)		6AA10ZZ E=14 L=MH

- NB: Routine documentation is included with each intervention.

ASSOCIATED MENTAL HEALTH DEFINITIONS

COLLATERAL

A person who is associated with a mental health client.

CONTACT

A contact is the occurrence of a face to face or technologically mediated (ie., telephone, teleconference, videoconference) contact with a mental health client/patient in which the **MAJOR** intent is to provide psychological or psychiatric treatment.

**REHABILITATION INTERVENTIONS
OCCUPATIONAL THERAPY**

INTERVENTION AND DEFINITION	INTERVENTION CODE		
	LOW (0-20 MIN) Extent=1	MED (21-45 MIN) Extent=2	HIGH (46+ MIN) Extent=3
<p>ASSESSMENT</p> <p>Activities for the sole purposes of evaluating the need for the service, the nature of the problem, the identification of the disorder or abnormality and the extent of services required.</p> <p>Is a formal, comprehensive process which generally uses specific assessment tools or methods to assess physical, psycho-social, cognitive abilities, medical requirements, environment and formal and informal supports.</p> <p>Includes preparation, collection of information, analysis of the assessment information, formulation of a working diagnosis, development of the care/treatment plan and documentation of assessment findings from the patient, family, employer, teacher, written records including medical charts and other sources.</p> <p>Excludes the ongoing evaluation associated with a specific intervention.</p>	<p>2ZZ02ZV</p> <p>L=OT</p>	<p>2ZZ02ZV</p> <p>L=OT</p>	<p>2ZZ02ZV</p> <p>L=OT</p>
<p>THERAPEUTIC INTERVENTION</p> <p>Activities carried out with a patient/significant other(s) that are aimed at improving/maintaining health status, or minimizing the impact of deterioration on the quality of life.</p> <p>Includes the preparation for treatment of a patient(s), the provision of specific techniques and procedures to a patient(s), support activities, monitoring of the patient's progress to evaluate the result of a specific intervention and the need to continue and/or modify treatment, and the related clinical documentation.</p>	<p>6VA30ZZ</p> <p>L=OT</p>	<p>6VA30ZZ</p> <p>L=OT</p>	<p>6VA30ZZ</p> <p>L=OT</p>
<p>CONSULTATION/COLLABORATION</p> <p>(Must be linked to assessment and/or therapeutic intervention CCI code)</p> <p>Formal or informal contact with personnel of the facility, community or other agencies for discussion regarding specific patients and/or significant others, in order to obtain, provide or exchange information relative to the patient's care.</p> <p>Includes any regularly scheduled/attended meetings of professionals to coordinate team efforts in services to patients, and the related clinical documentation</p>	<p>7SF15ZZ</p> <p>L=OT</p>	<p>7SF15ZZ</p> <p>L=OT</p>	<p>7SF15ZZ</p> <p>L=OT</p>

NOTE: Location attribute code of OT (Occupational Therapy) required for all Occupational Therapy intervention codes.

PHYSICAL THERAPY

INTERVENTION AND DEFINITION	INTERVENTION CODE		
	LOW (0-20 MIN) Extent=1	MED (21-45 MIN) Extent=2	HIGH (46+ MIN) Extent=3
<p>ASSESSMENT</p> <p>Activities for the sole purposes of evaluating the need for the service, the nature of the problem, the identification of the disorder or abnormality and the extent of services required.</p> <p>Is a formal, comprehensive process which generally uses specific assessment tools or methods to assess physical, psycho-social, cognitive abilities, medical requirements, environment and formal and informal supports.</p> <p>Includes preparation, collection of information, analysis of the assessment information, formulation of a working diagnosis, development of the care/treatment plan and documentation of assessment findings from the patient, family, employer, teacher, written records including medical charts and other sources.</p> <p>Excludes the ongoing evaluation associated with a specific intervention.</p>	<p>2ZZ02ZU</p> <p>L=PT</p>	<p>2ZZ02ZU</p> <p>L=PT</p>	<p>2ZZ02ZU</p> <p>L=PT</p>
<p>THERAPEUTIC INTERVENTION</p> <p>Activities carried out with a patient/significant other(s) that are aimed at improving/maintaining health status, or minimizing the impact of deterioration on the quality of life.</p> <p>Includes the preparation for treatment of a patient(s), the provision of specific techniques and procedures to a patient(s), support activities, monitoring of the patient's progress to evaluate the result of a specific intervention and the need to continue and/or modify treatment, and the related clinical documentation.</p>	<p>1ZX02YD</p> <p>L=PT</p>	<p>1ZX02YD</p> <p>L=PT</p>	<p>1ZX02YD</p> <p>L=PT</p>
<p>CONSULTATION/COLLABORATION</p> <p>(Must be linked to assessment and/or therapeutic intervention CCI code)</p> <p>Formal or informal contact with personnel of the facility, community or other agencies for discussion regarding specific patients and/or significant others, in order to obtain, provide or exchange information relative to the patient's care.</p> <p>Includes any regularly scheduled/attended meetings of professionals to coordinate team efforts in services to patients, and the related clinical documentation</p>	<p>7SF15ZZ</p> <p>L=PT</p>	<p>7SF15ZZ</p> <p>L=PT</p>	<p>7SF15ZZ</p> <p>L=PT</p>

NOTE: Location attribute code of PT (Physical Therapy) required for all Physical Therapy intervention codes.

RECREATIONAL THERAPY

INTERVENTION AND DEFINITION	INTERVENTION CODE		
	LOW (0-20 MIN) Extent=1	MED (21-45 MIN) Extent=2	HIGH (46+ MIN) Extent=3
<p>ASSESSMENT</p> <p>Activities for the sole purposes of evaluating the need for the service, the nature of the problem, the identification of the disorder or abnormality and the extent of services required.</p> <p>Is a formal, comprehensive process which generally uses specific assessment tools or methods to assess physical, psycho-social, cognitive abilities, medical requirements, environment and formal and informal supports.</p> <p>Includes preparation, collection of information, analysis of the assessment information, formulation of a working diagnosis, development of the care/treatment plan and documentation of assessment findings from the patient, family, employer, teacher, written records including medical charts and other sources.</p> <p>Excludes the ongoing evaluation associated with a specific intervention.</p>	<p>2ZZ02ZZ</p> <p>L=RE</p>	<p>2ZZ02ZZ</p> <p>L=RE</p>	<p>2ZZ02ZZ</p> <p>L=RE</p>
<p>THERAPEUTIC INTERVENTION</p> <p>Activities carried out with a patient/significant other(s) that are aimed at improving/maintaining health status, or minimizing the impact of deterioration on the quality of life.</p> <p>Includes the preparation for treatment of a patient(s), the provision of specific techniques and procedures to a patient(s), support activities, monitoring of the patient's progress to evaluate the result of a specific intervention and the need to continue and/or modify treatment, and the related clinical documentation.</p>	<p>6AA30MASA</p> <p>L=RE</p>	<p>6AA30MASA</p> <p>L=RE</p>	<p>6AA30MASA</p> <p>L=RE</p>
<p>CONSULTATION/COLLABORATION</p> <p>(Must be linked to assessment and/or therapeutic intervention CCI code)</p> <p>Formal or informal contact with personnel of the facility, community or other agencies for discussion regarding specific patients and/or significant others, in order to obtain, provide or exchange information relative to the patient's care.</p> <p>Includes any regularly scheduled/attended meetings of professionals to coordinate team efforts in services to patients, and the related clinical documentation</p>	<p>7SF15ZZ</p> <p>L=RE</p>	<p>7SF15ZZ</p> <p>L=RE</p>	<p>7SF15ZZ</p> <p>L=RE</p>

NOTE: Location attribute code of RE (Recreational Therapy) required for all Recreational Therapy intervention codes.

SPEECH LANGUAGE PATHOLOGY

INTERVENTION AND DEFINITION	INTERVENTION CODE		
	LOW (0-20 MIN) Extent=1	MED (21-45 MIN) Extent=2	HIGH (46+ MIN) Extent=3
<p>ASSESSMENT</p> <p>Activities for the sole purposes of evaluating the need for the service, the nature of the problem, the identification of the disorder or abnormality and the extent of services required.</p> <p>Is a formal, comprehensive process which generally uses specific assessment tools or methods to assess physical, psycho-social, cognitive abilities, medical requirements, environment and formal and informal supports.</p> <p>Includes preparation, collection of information, analysis of the assessment information, formulation of a working diagnosis, development of the care/treatment plan and documentation of assessment findings from the patient, family, employer, teacher, written records including medical charts and other sources.</p> <p>Excludes the ongoing evaluation associated with a specific intervention.</p>	<p>2GE02FF (speech)</p> <p>L=SL</p> <p>OR</p> <p>2GE02FG (language)</p> <p>L=SL</p>	<p>2GE02FF (speech)</p> <p>L=SL</p> <p>OR</p> <p>2GE02FG (language)</p> <p>L=SL</p>	<p>2GE02FF (speech)</p> <p>L=SL</p> <p>OR</p> <p>2GE02FG (language)</p> <p>L=SL</p>
<p>THERAPEUTIC INTERVENTION</p> <p>Activities carried out with a patient/significant other(s) that are aimed at improving/maintaining health status, or minimizing the impact of deterioration on the quality of life.</p> <p>Includes the preparation for treatment of a patient(s), the provision of specific techniques and procedures to a patient(s), support activities, monitoring of the patient's progress to evaluate the result of a specific intervention and the need to continue and/or modify treatment, and the related clinical documentation.</p>	<p>6RA50RBSZ</p> <p>L=SL</p>	<p>6RA50RBSZ</p> <p>L=SL</p>	<p>6RA50RBSZ</p> <p>L=SL</p>
<p>CONSULTATION/COLLABORATION</p> <p>(Must be linked to assessment and/or therapeutic intervention CCI code)</p> <p>Formal or informal contact with personnel of the facility, community or other agencies for discussion regarding specific patients and/or significant others, in order to obtain, provide or exchange information relative to the patient's care.</p> <p>Includes any regularly scheduled/attended meetings of professionals to coordinate team efforts in services to patients, and the related clinical documentation</p>	<p>7SF15ZZ</p> <p>L=SL</p>	<p>7SF15ZZ</p> <p>L=SL</p>	<p>7SF15ZZ</p> <p>L=SL</p>

NOTE: Location attribute code of SL (Speech Language) required for all Speech Language Pathology intervention codes.

**REHABILITATION INTERVENTIONS
AUDIOLOGY**

INTERVENTION AND DEFINITION	INTERVENTION CODE		
	LOW (0-20 MIN) Extent=1	MED (21-45 MIN) Extent=2	HIGH (46+ MIN) Extent=3
<p>ASSESSMENT</p> <p>Activities for the sole purposes of evaluating the need for the service, the nature of the problem, the identification of the disorder or abnormality and the extent of services required.</p> <p>Is a formal, comprehensive process which generally uses specific assessment tools or methods to assess physical, psycho-social, cognitive abilities, medical requirements, environment and formal and informal supports.</p> <p>Includes preparation, collection of information, analysis of the assessment information, formulation of a working diagnosis, development of the care/treatment plan and documentation of assessment findings from the patient, family, employer, teacher, written records including medical charts and other sources.</p> <p>Excludes the ongoing evaluation associated with a specific intervention.</p>	<p>2DZ02ZZ</p> <p>L=AU</p>	<p>2DZ02ZZ</p> <p>L=AU</p>	<p>2DZ02ZZ</p> <p>L=AU</p>
<p>THERAPEUTIC INTERVENTION</p> <p>Activities carried out with a patient/significant other(s) that are aimed at improving/maintaining health status, or minimizing the impact of deterioration on the quality of life.</p> <p>Includes the preparation for treatment of a patient(s), the provision of specific techniques and procedures to a patient(s), support activities, monitoring of the patient's progress to evaluate the result of a specific intervention and the need to continue and/or modify treatment, and the related clinical documentation.</p>	<p>6PA10ZZ</p> <p>L=AU</p>	<p>6PA10ZZ</p> <p>L=AU</p>	<p>6PA10ZZ</p> <p>L=AU</p>
<p>CONSULTATION/COLLABORATION</p> <p>(Must be linked to assessment and/or therapeutic intervention CCI code)</p> <p>Formal or informal contact with personnel of the facility, community or other agencies for discussion regarding specific patients and/or significant others, in order to obtain, provide or exchange information relative to the patient's care.</p> <p>Includes any regularly scheduled/attended meetings of professionals to coordinate team efforts in services to patients, and the related clinical documentation</p>	<p>7SF15ZZ</p> <p>L=AU</p>	<p>7SF15ZZ</p> <p>L=AU</p>	<p>7SF15ZZ</p> <p>L=AU</p>

NOTE: Location attribute code of AU (Audiology) is required for all Audiology intervention codes.

AUDIOLOGY

INTERVENTION AND DEFINITION	INTERVENTION CODE		
	LOW (0-60 MIN) Extent=4	MED (61-120 MIN) Extent=5	HIGH (120+ MIN) Extent=6
COCHLEAR Treatment for Implant	2DM24ZZ L=AU	2DM24ZZ L=AU	2DM24ZZ L=AU

NOTE: Location attribute code of AU (Audiology) is required for all Audiology intervention codes.

RESPIRATORY THERAPY

INTERVENTION AND DEFINITION	INTERVENTION CODE		
	LOW (0-20 MIN) Extent=1	MED (21-45 MIN) Extent=2	HIGH (46+ MIN) Extent=3
<p>ASSESSMENT</p> <p>Activities for the sole purposes of evaluating the need for the service, the nature of the problem, the identification of the disorder or abnormality and the extent of services required.</p> <p>Is a formal, comprehensive process which generally uses specific assessment tools or methods to assess physical, psycho-social, cognitive abilities, medical requirements, environment and formal and informal supports.</p> <p>Includes preparation, collection of information, analysis of the assessment information, formulation of a working diagnosis, development of the care/treatment plan and documentation of assessment findings from the patient, family, employer, teacher, written records including medical charts and other sources.</p> <p>Excludes the ongoing evaluation associated with a specific intervention.</p>	<p>2GZ29ZZ</p> <p>L=RT</p>	<p>2GZ29ZZ</p> <p>L=RT</p>	<p>2GZ29ZZ</p> <p>L=RT</p>
<p>THERAPEUTIC INTERVENTION</p> <p>Activities carried out with a patient/significant other(s) that are aimed at improving/maintaining health status, or minimizing the impact of deterioration on the quality of life.</p> <p>Includes the preparation for treatment of a patient(s), the provision of specific techniques and procedures to a patient(s), support activities, monitoring of the patient's progress to evaluate the result of a specific intervention and the need to continue and/or modify treatment, and the related clinical documentation.</p>	<p>1GZ12ZZ</p> <p>L=RT</p>	<p>1GZ12ZZ</p> <p>L=RT</p>	<p>1GZ12ZZ</p> <p>L=RT</p>
<p>CONSULTATION/COLLABORATION</p> <p>(Must be linked to assessment and/or therapeutic intervention CCI code)</p> <p>Formal or informal contact with personnel of the facility, community or other agencies for discussion regarding specific patients and/or significant others, in order to obtain, provide or exchange information relative to the patient's care.</p> <p>Includes any regularly scheduled/attended meetings of professionals to coordinate team efforts in services to patients, and the related clinical documentation</p>	<p>7SF15ZZ</p> <p>L=RT</p>	<p>7SF15ZZ</p> <p>L=RT</p>	<p>7SF15ZZ</p> <p>L=RT</p>

NOTE: Location attribute code of RT (Respiratory Therapy) is required for all Respiratory Therapy intervention codes.

NON REHABILITATION INTERVENTIONS

CLINICAL NUTRITION

INTERVENTION AND DEFINITION	INTERVENTION CODE		
	LOW (0-20 MIN) Extent=1	MED (21-45 MIN) Extent=2	HIGH (46+ MIN) Extent=3
<p>ASSESSMENT</p> <p>Activities for the sole purposes of evaluating the need for the service, the nature of the problem, the identification of the disorder or abnormality and the extent of services required.</p> <p>Is a formal, comprehensive process which generally uses specific assessment tools or methods to assess physical, psycho-social, cognitive abilities, medical requirements, environment and formal and informal supports.</p> <p>Includes preparation, collection of information, analysis of the assessment information, formulation of a working diagnosis, development of the care/treatment plan and documentation of assessment findings from the patient, family, employer, teacher, written records including medical charts and other sources.</p> <p>Excludes the ongoing evaluation associated with a specific intervention.</p>	<p>2ZZ02ZS</p> <p>L=CN</p>	<p>2ZZ02ZS</p> <p>L=CN</p>	<p>2ZZ02ZS</p> <p>L=CN</p>
<p>THERAPEUTIC INTERVENTION</p> <p>Activities carried out with a patient/significant other(s) that are aimed at improving/maintaining health status, or minimizing the impact of deterioration on the quality of life.</p> <p>Includes the preparation for treatment of a patient(s), the provision of specific techniques and procedures to a patient(s), support activities, monitoring of the patient's progress to evaluate the result of a specific intervention and the need to continue and/or modify treatment, and the related clinical documentation.</p>	<p>7SP59ZZ</p> <p>L=CN</p>	<p>7SP59ZZ</p> <p>L=CN</p>	<p>7SP59ZZ</p> <p>L=CN</p>
<p>CONSULTATION/COLLABORATION</p> <p>(Must be linked to assessment and/or therapeutic intervention CCI code)</p> <p>Formal or informal contact with personnel of the facility, community or other agencies for discussion regarding specific patients and/or significant others, in order to obtain, provide or exchange information relative to the patient's care.</p> <p>Includes any regularly scheduled/attended meetings of professionals to coordinate team efforts in services to patients, and the related clinical documentation</p>	<p>7SF15ZZ</p> <p>L=CN</p>	<p>7SF15ZZ</p> <p>L=CN</p>	<p>7SF15ZZ</p> <p>L=CN</p>

NOTE: Location attribute code of CN (Clinical Nutrition) is required for all Clinical Nutrition intervention codes.

SOCIAL WORK

INTERVENTION AND DEFINITION	INTERVENTION CODE		
	LOW (0-60 MIN) Extent=4	MED (61-120 MIN) Extent=5	HIGH (120+ MIN) Extent=6
<p>ASSESSMENT</p> <p>Activities for the sole purposes of evaluating the need for the service, the nature of the problem, the identification of the disorder or abnormality and the extent of services required.</p> <p>Is a formal, comprehensive process which generally uses specific assessment tools or methods to assess physical, psycho-social, cognitive abilities, medical requirements, environment and formal and informal supports.</p> <p>Includes preparation, collection of information, analysis of the assessment information, formulation of a working diagnosis, development of the care/treatment plan and documentation of assessment findings from the patient, family, employer, teacher, written records including medical charts and other sources.</p> <p>Excludes the ongoing evaluation associated with a specific intervention.</p>	<p>2ZZ02ZZ</p> <p>L=SW</p>	<p>2ZZ02ZZ</p> <p>L=SW</p>	<p>2ZZ02ZZ</p> <p>L=SW</p>
<p>THERAPEUTIC INTERVENTION</p> <p>Activities carried out with a patient/significant other(s) that are aimed at improving/maintaining health status, or minimizing the impact of deterioration on the quality of life.</p> <p>Includes the preparation for treatment of a patient(s), the provision of specific techniques and procedures to a patient(s), support activities, monitoring of the patient's progress to evaluate the result of a specific intervention and the need to continue and/or modify treatment, and the related clinical documentation.</p>	<p>7SP10ZZ</p> <p>L=SW</p>	<p>7SP10ZZ</p> <p>L=SW</p>	<p>7SP10ZZ</p> <p>L=SW</p>
<p>CONSULTATION/COLLABORATION</p> <p>(Must be linked to assessment and/or therapeutic intervention CCI code)</p> <p>Formal or informal contact with personnel of the facility, community or other agencies for discussion regarding specific patients and/or significant others, in order to obtain, provide or exchange information relative to the patient's care.</p> <p>Includes any regularly scheduled/attended meetings of professionals to coordinate team efforts in services to patients, and the related clinical documentation</p>	<p>7SF15ZZ</p> <p>L=SW</p>	<p>7SF15ZZ</p> <p>L=SW</p>	<p>7SF15ZZ</p> <p>L=SW</p>

NOTE: Location attribute code of SW (Social Work) is required for all Social Work intervention codes.

PSYCHOLOGY (REHABILITATION)

INTERVENTION AND DEFINITION	INTERVENTION CODE		
	LOW (0-60 MIN) Extent=4	MED (61-120 MIN) Extent=5	HIGH (120+ MIN) Extent=6
<p>ASSESSMENT</p> <p>Activities for the sole purposes of evaluating the need for the service, the nature of the problem, the identification of the disorder or abnormality and the extent of services required.</p> <p>Is a formal, comprehensive process which generally uses specific assessment tools or methods to assess physical, psycho-social, cognitive abilities, medical requirements, environment and formal and informal supports.</p> <p>Includes preparation, collection of information, analysis of the assessment information, formulation of a working diagnosis, development of the care/treatment plan and documentation of assessment findings from the patient, family, employer, teacher, written records including medical charts and other sources.</p> <p>Excludes the ongoing evaluation associated with a specific intervention.</p>	<p>2AZ02ZZ</p> <p>L=PR</p>	<p>2AZ02ZZ</p> <p>L=PR</p>	<p>2AZ02ZZ</p> <p>L=PR</p>
<p>THERAPEUTIC INTERVENTION</p> <p>Activities carried out with a patient/significant other(s) that are aimed at improving/maintaining health status, or minimizing the impact of deterioration on the quality of life.</p> <p>Includes the preparation for treatment of a patient(s), the provision of specific techniques and procedures to a patient(s), support activities, monitoring of the patient's progress to evaluate the result of a specific intervention and the need to continue and/or modify treatment, and the related clinical documentation.</p>	<p>6AA10ZZ</p> <p>L=PR</p>	<p>6AA10ZZ</p> <p>L=PR</p>	<p>6AA10ZZ</p> <p>L=PR</p>
<p>CONSULTATION/COLLABORATION</p> <p>(Must be linked to assessment and/or therapeutic intervention CCI code)</p> <p>Formal or informal contact with personnel of the facility, community or other agencies for discussion regarding specific patients and/or significant others, in order to obtain, provide or exchange information relative to the patient's care.</p> <p>Includes any regularly scheduled/attended meetings of professionals to coordinate team efforts in services to patients, and the related clinical documentation</p>	<p>7SF15ZZ</p> <p>L=PR</p>	<p>7SF15ZZ</p> <p>L=PR</p>	<p>7SF15ZZ</p> <p>L=PR</p>

PSYCHOLOGY (REHABILITATION)

Neuropsychological Testing/Scoring Testing Type 1 (≤ 2 hours)	2AZ08ZZ E=1 L=PR
Testing Type 2 Half Day (> 2 hours and ≤ 4 hours)	2AZ08ZZ E=2 L=PR
Testing Type 3 Full Day (> 4 hours)	2AZ08ZZ E=3 L=PR

NOTE: Location attribute code of PR (Psychology Rehabilitation) is required for all Psychology Rehabilitation intervention codes.