



4. LIST OF ACCS INVESTIGATIVE TECHNOLOGIES

Effective April 2006

List of ACCS Low Cost Investigative Technologies

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3AF10VA	XRAY	Xray, pituitary region without contrast (e.g. plain film)	
3AF18VA	XRAY	Tomography, pituitary region without contrast (e.g. plain film)	
3AN10VJ	XRAY	Xray, brain following subarachnoid injection of contrast	
3AN10WX	XRAY	Xray, brain following catheter injection of contrast (with or without fluoroscopy)	
3AN12VA	XRAY	Fluoroscopy, brain without contrast	
3AN30DA	ULTRA	Ultrasound, brain with ultrasound alone	
3AN30DB	ULTRA	Ultrasound, brain with ultrasound and color flow	
3AN30DC	ULTRA	Ultrasound, brain with ultrasound and Doppler	
3AN30DD	ULTRA	Ultrasound, brain with ultrasound and color flow and Doppler	
3AN30DE	ULTRA	Ultrasound, brain with transoral alone	
3AN94ZA	XRAY	Imaging intervention NEC, brain using microscope	
3AN94ZB	XRAY	Imaging intervention NEC, brain using computer (with or without stereotaxis)	
3AN94ZC	XRAY	Imaging intervention NEC, brain using stereotaxis (without computer guidance)	
3AW10VM	XRAY	Xray, spinal cord following epidural injection of contrast (with or without fluoroscopy)	
3AW10WX	XRAY	Xray, spinal cord following catheter (shunt or pump) injection of contrast (with or without fluoroscopy)	
3AW12VA	XRAY	Fluoroscopy, spinal cord without contrast	
3AW30DA	ULTRA	Ultrasound, spinal cord with ultrasound alone	
3AW30DB	ULTRA	Ultrasound, spinal cord with ultrasound and color flow	
3AW30DC	ULTRA	Ultrasound, spinal cord with ultrasound and Doppler	
3AW30DD	ULTRA	Ultrasound, spinal cord with ultrasound and color flow and Doppler	
3AW94ZA	XRAY	Imaging intervention NEC, spinal cord using microscope	
3AW94ZB	XRAY	Imaging intervention NEC, spinal cord using computer (with or without stereotaxis)	
3AW94ZC	XRAY	Imaging intervention NEC, spinal cord using stereotaxis (without computer guidance)	
3CA10VA	XRAY	Xray, orbit of eye without contrast (e.g. plain film)	
3CA12VA	XRAY	Fluoroscopy, orbit of eye without contrast (e.g. plain film)	
3CA18VA	XRAY	Tomography, orbit of eye without contrast (e.g. plain film)	
3CA30FA	ULTRA	Ultrasound, orbit of eye	
3CA30FD	ULTRA	Ultrasound, orbit of eye using biometric study	
3CU10HH	XRAY	Xray, lacrimal system using endoluminal approach	
3CU10VA	XRAY	Xray, lacrimal excretory system without contrast (e.g. plain film)	
3CU12VA	XRAY	Fluoroscopy, lacrimal excretory system without contrast	
3CZ94ZA	XRAY	Imaging intervention NEC, eye using microscope	
3CZ94ZB	XRAY	Imaging intervention NEC, eye using computer (with or without stereotaxis)	
3CZ94ZC	XRAY	Imaging intervention NEC, eye using stereotaxis (without computer guidance)	
3CZ94ZE	XRAY	Imaging intervention NEC, eye using camera	
3DL10VA	XRAY	Xray, mastoid (process) without contrast (e.g. plain film)	
3DL12VA	XRAY	Fluoroscopy, mastoid (process) without contrast	
3DL18VA	XRAY	Tomography, mastoid (process) without contrast	
3DR10VA	XRAY	Xray, inner ear without contrast (e.g. plain film)	
3DR10VV	XRAY	Xray, inner ear following per orifice injection of contrast	
3DR12VA	XRAY	Fluoroscopy, inner ear NEC without contrast	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3DZ94ZA	XRAY	Imaging intervention NEC, ear using microscope	
3DZ94ZB	XRAY	Imaging intervention NEC, ear using computer (with or without stereotaxis)	
3DZ94ZC	XRAY	Imaging intervention NEC, ear using stereotaxis (without computer guidance)	
3EA10VA	XRAY	Xray, skull without contrast (e.g. plain film)	
3EA12VA	XRAY	Fluoroscopy, skull without contrast (e.g. plain film)	
3EA18VA	XRAY	Tomography, skull without contrast (e.g. plain film)	
3EA94ZB	XRAY	Imaging intervention NEC, skull using computer (with or without stereotaxis)	
3EA94ZC	XRAY	Imaging intervention NEC, skull using stereotaxis (without computer guidance)	
3EB10VA	XRAY	Xray, zygoma without contrast (e.g. plain film)	
3ED10VA	XRAY	Xray, maxilla without contrast (e.g. plain film)	
3ED12VA	XRAY	Fluoroscopy, maxilla without contrast	
3ED94ZB	XRAY	Imaging intervention NEC, maxilla using computer (with or without stereotaxis)	
3ED94ZC	XRAY	Imaging intervention NEC, maxilla using stereotaxis (without computer guidance)	
3EE10VA	XRAY	Xray, mandible without contrast (e.g. plain film)	
3EE12VA	XRAY	Fluoroscopy, mandible without contrast	
3EE94ZB	XRAY	Imaging intervention NEC, mandible using computer (with or without stereotaxis)	
3EE94ZC	XRAY	Imaging intervention NEC, mandible using stereotaxis (without computer guidance)	
3EF10AS	XRAY	Xray, maxilla with mandible with pantomography (orthopantography) [Panorex]	
3EF10VA	XRAY	Xray, maxilla with mandible without contrast (e.g. plain film) (with or without fluoroscopy)	
3EI10VA	XRAY	Xray, facial bone structure without contrast (e.g. plain film)	
3EL10VA	XRAY	Xray, temporomandibular joint [TMJ] without contrast (e.g. plain film)	
3EL10VL	XRAY	Xray, temporomandibular joint [TMJ] with intraarticular injection of contrast (with or without fluoroscopy)	
3EL12AY	XRAY	Fluoroscopy, temporomandibular joint [TMJ] with cine/video recording	
3EL12VA	XRAY	Fluoroscopy, temporomandibular joint [TMJ] without contrast (e.g. plain film)	
3EL12VL	XRAY	Fluoroscopy, temporomandibular joint [TMJ] following intraarticular injection of contrast	
3EL18VA	XRAY	Tomography, temporomandibular joint [TMJ] without contrast (e.g. plain film)	
3EL18VL	XRAY	Tomography, temporomandibular joint [TMJ] following intraarticular injection of contrast	
3EL94ZB	XRAY	Imaging intervention NEC, temporomandibular joint [TMJ] using computer (with or without stereotaxis)	
3EQ10VA	XRAY	Xray, soft tissue of head and neck without contrast	
3EQ10VC	XRAY	Xray, soft tissue of head and neck following intravenous injection of contrast	
3EQ10VZ	XRAY	Xray, soft tissue of head and neck following percutaneous injection of contrast	
3EQ12VA	XRAY	Fluoroscopy, soft tissue of head and neck without contrast	
3EQ30VA	ULTRA	Ultrasound, soft tissue of head and neck without contrast (e.g. plain film)	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3EQ30VZ	ULTRA	Ultrasound, soft tissue of head and neck following percutaneous injection of contrast	
3EQ94ZA	XRAY	Imaging intervention NEC, soft tissue of head and neck using microscope	
3ER30DA	ULTRA	Ultrasound, head with ultrasound alone	
3ER30DB	ULTRA	Ultrasound, head with ultrasound and color flow	
3ER30DC	ULTRA	Ultrasound, head with ultrasound and Doppler	
3ER30DD	ULTRA	Ultrasound, head with ultrasound and color flow and Doppler	
3ET10VA	XRAY	Xray, nose without contrast (e.g. plain film)	
3ET12VA	XRAY	Fluoroscopy, nose without contrast	
3EY10VA	XRAY	Xray, paranasal sinuses without contrast (e.g. plain film)	
3EY10VV	XRAY	Xray, paranasal sinuses following per orifice injection of contrast	
3EY12VA	XRAY	Fluoroscopy, paranasal sinuses without contrast	
3FE10AP	XRAY	Xray, teeth of single tooth	
3FE10AQ	XRAY	Xray, teeth of partial set/series (e.g. multiple teeth)	
3FE10AR	XRAY	Xray, teeth of full set/series (e.g. all teeth, full mouth)	
3FE10AS	XRAY	Xray, teeth with pantomography	
3FK94ZE	XRAY	Imaging intervention NEC, mouth using camera	
3FP10VA	XRAY	Xray, salivary glands and ducts NEC without contrast (with or without fluoroscopy)	
3FP10VV	XRAY	Xray, salivary glands and ducts following per orifice injection of contrast	
3FP12VA	XRAY	Fluoroscopy, salivary glands and ducts NEC without contrast	
3FU30VA	ULTRA	Ultrasound, thyroid gland without contrast (e.g. plain film)	
3FX10VA	XRAY	Xray, oropharynx without contrast (e.g. plain film)	
3FX10WG	XRAY	Xray, oropharynx following oral administration of contrast	
3FX12AY	XRAY	Fluoroscopy, oropharynx with cine/video recording	
3FX12VA	XRAY	Fluoroscopy, oropharynx without contrast (e.g. plain film)	
3FX12WG	XRAY	Fluoroscopy, oropharynx following oral administration of contrast	
3FY30VA	ULTRA	Ultrasound, neck without contrast (e.g. plain film)	
3FY30VC	ULTRA	Ultrasound, neck following intravenous injection of contrast	
3FY30VZ	ULTRA	Ultrasound, neck following percutaneous injection of contrast	
3GE10VA	XRAY	Xray, larynx without contrast (e.g. plain film)	
3GE10WG	XRAY	Xray, larynx following oral administration of contrast	
3GE12VA	XRAY	Fluoroscopy, larynx without contrast (e.g. plain film)	
3GE12WG	XRAY	Fluoroscopy, larynx following oral administration of contrast	
3GT10VA	XRAY	Xray, lung without contrast (e.g. plain film)	
3GT10VV	XRAY	Xray, lung following per orifice injection of contrast	
3GT12VA	XRAY	Fluoroscopy, lung without contrast (e.g. plain film)	
3GT12VV	XRAY	Fluoroscopy, lung following per orifice injection of contrast	
3GY10VA	CHEST	Xray, thoracic cavity without contrast (e.g. plain film)	
3GY10VV	CHEST	Xray, thoracic cavity following per orifice injection of contrast	
3GY10VZ	CHEST	Xray, thoracic cavity following percutaneous injection of contrast	
3GY10WX	CHEST	Xray, thoracic cavity NEC following catheter (shunt) injection of contrast (with or without fluoroscopy)	
3GY12VA	XRAY	Fluoroscopy, thoracic cavity NEC without contrast	
3GY18VA	CHEST	Tomography, thoracic cavity without contrast (e.g. plain film)	
3GY18VV	CHEST	Tomography, thoracic cavity following per orifice injection of contrast	
3GY18VZ	CHEST	Tomography, thoracic cavity following percutaneous injection of contrast	
3GY30DA	ULTRA	Ultrasound, thoracic cavity NEC alone	
3GY30HJ	ULTRA	Ultrasound, thoracic cavity using trans-esophageal approach	
3GY94ZA	CHEST	Imaging intervention NEC, thoracic cavity using microscope	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3HZ12VA	XRAY	Fluoroscopy, heart NEC without contrast	
3HZ30GP	ULTRA	Ultrasound Heart NEC with percutaneous transluminal (cardiac catheter) inspection	
3ID12VA	XRAY	Fluoroscopy, aorta NEC without contrast	
3ID30DA	ULTRA	Ultrasound, aorta NOS with ultrasound alone	
3ID30DB	ULTRA	Ultrasound, aorta NOS with ultrasound and color flow	
3ID30DC	ULTRA	Ultrasound, aorta NOS with ultrasound and Doppler	
3ID30DD	ULTRA	Ultrasound, aorta NOS with ultrasound and color flow and Doppler	
3ID30GP	ULTRA	Ultrasound, aorta NEC intravascular [IVUS]	
3ID30HA	ULTRA	Ultrasound, aorta NOS with transesophageal ultrasound alone	
3IJ30GP	ULTRA	Ultrasound, coronary arteries with percutaneous transluminal (cardiac catheter) inspection	
3IM12VA	XRAY	Fluoroscopy, pulmonary artery without contrast	
3IN12VA	XRAY	Fluoroscopy, pulmonary vein without contrast	
3IP30DA	ULTRA	Ultrasound, heart with coronary arteries with ultrasound alone	
3IP30DB	ULTRA	Ultrasound, heart with coronary arteries with ultrasound and color flow	
3IP30DC	ULTRA	Ultrasound, heart with coronary arteries with ultrasound and Doppler	
3IP30DD	ULTRA	Ultrasound, heart with coronary arteries with ultrasound and color flow and Doppler	
3IP30HA	ULTRA	Ultrasound, heart with coronary arteries with transesophageal ultrasound alone	
3IP30HB	ULTRA	Ultrasound, heart with coronary arteries with transesophageal ultrasound and color flow	
3IP30HC	ULTRA	Ultrasound, heart with coronary arteries with transesophageal ultrasound and Doppler	
3IP30HD	ULTRA	Ultrasound, heart with coronary arteries with transesophageal ultrasound and color flow and Doppler	
3IS12VA	XRAY	Fluoroscopy, vena cava (superior and inferior) without contrast	
3JE10VA	XRAY	Xray, carotid artery without contrast (with or without fluoroscopy)	
3JE12VA	XRAY	Fluoroscopy, carotid artery without contrast	
3JE30DA	ULTRA	Ultrasound, carotid artery with ultrasound alone	
3JE30DB	ULTRA	Ultrasound, carotid artery with ultrasound and color flow	
3JE30DC	ULTRA	Ultrasound, carotid artery with ultrasound and Doppler	
3JE30DD	ULTRA	Ultrasound, carotid artery with ultrasound and color flow and Doppler	
3JG10VA	XRAY	Xray, carotid arteries with subclavian, vertebral and/or intracranial arteries without contrast (with or without fluoroscopy)	
3JG30DA	ULTRA	Ultrasound, carotid artery with subclavian vertebral and/or intracranial arteries with ultrasound alone	
3JG30DB	ULTRA	Ultrasound, carotid artery with subclavian vertebral and/or intracranial arteries with ultrasound and color flow	
3JG30DC	ULTRA	Ultrasound, carotid artery with subclavian vertebral and/or intracranial arteries with ultrasound and Doppler	
3JG30DD	ULTRA	Ultrasound, carotid artery with subclavian vertebral and/or intracranial arteries with ultrasound and color flow and Doppler	
3JL10VA	XRAY	Xray, internal thoracic [mammary] artery without contrast (with or without fluoroscopy)	
3JL12VA	XRAY	Fluoroscopy, internal mammary artery without contrast	
3JM10VA	XRAY	Xray, arteries of arm NEC without contrast (with or without fluoroscopy)	
3JM12VA	XRAY	Fluoroscopy, arteries of arm NEC without contrast	
3JM30DA	ULTRA	Ultrasound, arteries of arm with ultrasound alone	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3JM30DB	ULTRA	Ultrasound, arteries of arm with ultrasound and color flow	
3JM30DC	ULTRA	Ultrasound, arteries of arm with ultrasound and Doppler	
3JM30DD	ULTRA	Ultrasound, arteries of arm with ultrasound and color flow and Doppler	
3JQ12VA	XRAY	Fluoroscopy, jugular veins without contrast	
3JQ30DA	ULTRA	Ultrasound, jugular veins with ultrasound alone	
3JQ30DB	ULTRA	Ultrasound, jugular veins with ultrasound and color flow	
3JQ30DC	ULTRA	Ultrasound, jugular veins with ultrasound and Doppler	
3JQ30DD	ULTRA	Ultrasound, jugular veins with ultrasound and color flow and Doppler	
3JS10VA	XRAY	Xray, ophthalmic vessel without contrast (with or without fluoroscopy)	
3JS10VC	XRAY	Xray, ophthalmic vessels following intravenous injection of contrast	
3JS12VA	XRAY	Fluoroscopy, ophthalmic vessels without contrast	
3JS30DA	ULTRA	Ultrasound, ophthalmic vessels with ultrasound alone	
3JS30DB	ULTRA	Ultrasound, ophthalmic vessels with ultrasound and color flow	
3JS30DC	ULTRA	Ultrasound, ophthalmic vessels with ultrasound and Doppler	
3JS30DD	ULTRA	Ultrasound, ophthalmic vessels with ultrasound and color flow and Doppler	
3JU10VA	XRAY	Xray, veins of arm NEC without contrast (with or without fluoroscopy)	
3JU12VA	XRAY	Fluoroscopy, veins of arm without contrast (e.g. plain film)	
3JU12VC	XRAY	Fluoroscopy, veins of arm following intravenous injection of contrast	
3JU30DA	ULTRA	Ultrasound, veins of arm with ultrasound alone	
3JU30DB	ULTRA	Ultrasound, veins of arm with ultrasound and color flow	
3JU30DC	ULTRA	Ultrasound, veins of arm with ultrasound and Doppler	
3JU30DD	ULTRA	Ultrasound, veins of arm with ultrasound and color flow and Doppler	
3JW10VA	XRAY	Xray, intracranial vessels without contrast (with or without fluoroscopy)	
3JW12VA	XRAY	Fluoroscopy, intracranial vessels without contrast	
3JW30DA	ULTRA	Ultrasound, intracranial vessels with ultrasound alone	
3JW30DB	ULTRA	Ultrasound, intracranial vessels with ultrasound and color flow	
3JW30DC	ULTRA	Ultrasound, intracranial vessels with ultrasound and Doppler	
3JW30DD	ULTRA	Ultrasound, intracranial vessels with ultrasound and color flow and Doppler	
3JX10VA	XRAY	Xray, other vessels of head, neck and spine NEC without contrast (with or without fluoroscopy)	
3JX12VA	XRAY	Fluoroscopy, other vessels of head, neck and spine NEC without contrast	
3JX30DA	ULTRA	Ultrasound, vessels of head and neck NEC with ultrasound alone	
3JX30DB	ULTRA	Ultrasound, vessels of head and neck NEC with ultrasound and color flow	
3JX30DC	ULTRA	Ultrasound, vessels of head and neck NEC with ultrasound and Doppler	
3JX30DD	ULTRA	Ultrasound, vessels of head and neck NEC with ultrasound and color flow and Doppler	
3JY10VA	XRAY	Xray, thoracic vessels NEC without contrast (with or without fluoroscopy)	
3JY12VA	XRAY	Fluoroscopy, thoracic vessels NEC without contrast	
3JY30DA	ULTRA	Ultrasound, thoracic vessels with ultrasound alone	
3JY30DB	ULTRA	Ultrasound, thoracic vessels with ultrasound and color flow	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3JY30DC	ULTRA	Ultrasound, thoracic vessels with ultrasound and Doppler	
3JY30DD	ULTRA	Ultrasound, thoracic vessels with ultrasound and color flow and Doppler	
3KC10VA	XRAY	Xray, renal arteries without contrast (with or without fluoroscopy)	
3KC12VA	XRAY	Fluoroscopy, renal arteries without contrast	
3KE10VA	XRAY	Xray, abdominal arteries NEC without contrast (with or without fluoroscopy)	
3KE12VA	XRAY	Fluoroscopy, abdominal arteries NEC without contrast	
3KE30DA	ULTRA	Ultrasound, abdominal arteries with ultrasound alone	
3KE30DB	ULTRA	Ultrasound, abdominal arteries with ultrasound and color flow	
3KE30DC	ULTRA	Ultrasound, abdominal arteries with ultrasound and Doppler	
3KE30DD	ULTRA	Ultrasound, abdominal arteries with ultrasound and color flow and Doppler	
3KG10VA	XRAY	Xray, arteries of leg NEC without contrast (with or without fluoroscopy)	
3KG12VA	XRAY	Fluoroscopy, arteries of leg NEC without contrast	
3KG30DA	ULTRA	Ultrasound, arteries of leg with ultrasound alone	
3KG30DB	ULTRA	Ultrasound, arteries of leg with ultrasound and color flow	
3KG30DC	ULTRA	Ultrasound, arteries of leg with ultrasound and Doppler	
3KG30DD	ULTRA	Ultrasound, arteries of leg with ultrasound and color flow and Doppler	
3KK10VA	XRAY	Xray, hepatic vein without contrast (with or without fluoroscopy)	
3KK12VA	XRAY	Fluoroscopy, hepatic vein without contrast	
3KL10VA	XRAY	Xray, portal vein without contrast (with or without fluoroscopy)	
3KL12VA	XRAY	Fluoroscopy, portal vein without contrast	
3KQ10VA	XRAY	Xray, abdominal veins NEC without contrast (with or without fluoroscopy)	
3KQ10VC	XRAY	Xray, abdominal veins following intravenous injection of contrast	
3KQ12VA	XRAY	Fluoroscopy, abdominal veins NEC without contrast	
3KQ30DA	ULTRA	Ultrasound, abdominal veins with ultrasound alone	
3KQ30DB	ULTRA	Ultrasound, abdominal veins with ultrasound and color flow	
3KQ30DC	ULTRA	Ultrasound, abdominal veins with ultrasound and Doppler	
3KQ30DD	ULTRA	Ultrasound, abdominal veins with ultrasound and color flow and Doppler	
3KR10VA	XRAY	Xray, veins of leg NEC without contrast (with or without fluoroscopy)	
3KR12VA	XRAY	Fluoroscopy, veins of leg NEC without contrast	
3KR30DA	ULTRA	Ultrasound, veins of leg with ultrasound alone	
3KR30DB	ULTRA	Ultrasound, veins of leg with ultrasound and color flow	
3KR30DC	ULTRA	Ultrasound, veins of leg with ultrasound and Doppler	
3KR30DD	ULTRA	Ultrasound, veins of leg with ultrasound and color flow and Doppler	
3KT10VA	XRAY	Xray, vessels of the pelvis, perineum and gluteal region without contrast (with or without fluoroscopy)	
3KT12VA	XRAY	Fluoroscopy, vessels of the pelvis, perineum and gluteal region without contrast	
3KT30DA	ULTRA	Ultrasound, vessels of the pelvis perineum and gluteal region with ultrasound alone	
3KT30DB	ULTRA	Ultrasound, vessels of the pelvis perineum and gluteal region with ultrasound and color flow	
3KT30DC	ULTRA	Ultrasound, vessels of the pelvis perineum and gluteal region with ultrasound and Doppler	
3KT30DD	ULTRA	Ultrasound, vessels of the pelvis perineum and gluteal region with ultrasound and color flow and Doppler	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3KU30DA	ULTRA	Ultrasound, penile vessels with ultrasound alone	
3KU30DB	ULTRA	Ultrasound, penile vessels with ultrasound and color flow	
3KU30DC	ULTRA	Ultrasound, penile vessels with ultrasound and Doppler	
3KU30DD	ULTRA	Ultrasound, penile vessels with ultrasound and color flow and Doppler	
3KV10VA	XRAY	Xray, artery NEC without contrast (with or without fluoroscopy)	
3KV12VA	XRAY	Fluoroscopy, artery NEC without contrast	
3KV30DA	ULTRA	Ultrasound, artery NEC with ultrasound alone	
3KV30DB	ULTRA	Ultrasound, artery NEC with ultrasound and color flow	
3KV30DC	ULTRA	Ultrasound, artery NEC with ultrasound and Doppler	
3KV30DD	ULTRA	Ultrasound, artery NEC with ultrasound and color flow and Doppler	
3KV30GP	ULTRA	Ultrasound, artery NEC intravascular [IVUS]	
3KX10VA	XRAY	Xray, vein NEC without contrast (with or without fluoroscopy)	
3KX12VA	XRAY	Fluoroscopy, vein NEC without contrast	
3KX30DA	ULTRA	Ultrasound, vein NEC with ultrasound alone	
3KX30DB	ULTRA	Ultrasound, vein NEC with ultrasound and color flow	
3KX30DC	ULTRA	Ultrasound, vein NEC with ultrasound and Doppler	
3KX30DD	ULTRA	Ultrasound, vein NEC with ultrasound and color flow and Doppler	
3KY10VA	XRAY	Xray, artery with vein without contrast (with or without fluoroscopy)	
3KY12VA	XRAY	Fluoroscopy, arteriovenous shunt/fistula [for dialysis] without contrast	
3KY30DA	ULTRA	Ultrasound, artery with vein with ultrasound alone	
3KY30DB	ULTRA	Ultrasound, artery with vein with ultrasound and color flow	
3KY30DC	ULTRA	Ultrasound, artery with vein with ultrasound and Doppler	
3KY30DD	ULTRA	Ultrasound, artery with vein with ultrasound and color flow and Doppler	
3MZ94ZA	XRAY	Imaging intervention NEC, lymphatic system using microscope	
3NA10VN	XRAY	Xray, esophagus with fluoroscopy	
3NA10WG	XRAY	Xray, esophagus following oral administration of contrast	
3NA12AY	XRAY	Fluoroscopy, esophagus with cine/video recording	
3NA12VA	XRAY	Fluoroscopy, esophagus without contrast	
3NK10VV	XRAY	Xray, small intestine following per orifice (stoma) injection of contrast (with or without fluoroscopy)	
3NK10WG	XRAY	Xray, small intestine following oral (via nasogastric or gastric tube) administration of contrast (with or without fluoroscopy)	
3NK10WX	XRAY	Xray, small intestine using J tube or catheter injection of contrast (with or without fluoroscopy)	
3NL10VN	XRAY	Xray, upper gastrointestinal tract with fluoroscopy	
3NM10VN	XRAY	Xray, large intestine with fluoroscopy	
3NQ10VN	XRAY	Xray, rectum with fluoroscopy	
3NZ10VN	XRAY	Xray, gastrointestinal tract NOS with fluoroscopy	
3OA10WX	XRAY	Xray, liver following catheter (infusion pump) injection of contrast	
3OA30DA	ULTRA	Ultrasound, liver with ultrasound alone	
3OA30DB	ULTRA	Ultrasound, liver with ultrasound and color flow	
3OA30DC	ULTRA	Ultrasound, liver with ultrasound and Doppler	
3OA30DD	ULTRA	Ultrasound, liver with ultrasound and color flow and Doppler	
3OA30HA	ULTRA	Ultrasound, liver endoscopic [EUS]	
3OC30DA	ULTRA	Ultrasound, liver with spleen with ultrasound alone	
3OC30DB	ULTRA	Ultrasound, liver with spleen with ultrasound and color flow	
3OC30DC	ULTRA	Ultrasound, liver with spleen with ultrasound and Doppler	
3OC30DD	ULTRA	Ultrasound, liver with spleen with ultrasound and color flow and Doppler	
3OE10WG	XRAY	Xray, bile ducts following oral administration of contrast	
3OE10WX	XRAY	Xray, bile ducts following T-tube or catheter injection of contrast	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3OE10WZ	XRAY	Xray, bile ducts following endoscopic (retrograde) injection of contrast	
3OE10XA	XRAY	Xray, bile ducts following percutaneous (transhepatic) injection of contrast	
3OT10VA	XRAY	Xray, abdominal cavity without contrast (e.g. plain film)	
3OT10VH	XRAY	Xray, abdominal cavity following injection of air or gas (in cavity)	
3OT10VZ	XRAY	Xray, abdominal cavity following percutaneous injection of contrast	
3OT10WG	XRAY	Xray, abdominal cavity following oral administration of contrast	
3OT10WX	XRAY	Xray, abdominal cavity following catheter (shunt, pump or reservoir) injection of contrast (with or without fluoroscopy)	
3OT12VA	XRAY	Fluoroscopy, abdominal cavity without contrast (e.g. plain film)	
3OT18VA	XRAY	Tomography, abdominal cavity without contrast (e.g. plain film)	
3OT30DA	ULTRA	Ultrasound, abdominal cavity with ultrasound alone	
3OT30DB	ULTRA	Ultrasound, abdominal cavity with ultrasound and color flow	
3OT30DC	ULTRA	Ultrasound, abdominal cavity with ultrasound and Doppler	
3OT30DD	ULTRA	Ultrasound, abdominal cavity with ultrasound and color flow and Doppler	
3OT30DG	ULTRA	Ultrasound, abdominal cavity transrectal	
3OT30HA	ULTRA	Ultrasound, abdominal cavity endoscopic [EUS] NEC	
3OZ94AY	XRAY	Imaging intervention NEC, digestive system NEC with cine/video recording (camera transmitter)	
3OZ94ZA	XRAY	Imaging intervention NEC, digestive system using microscope	
3PC10VC	XRAY	Xray, kidney following intravenous injection of contrast	
3PC10VZ	XRAY	Xray, kidney following percutaneous injection of contrast	
3PC12VA	XRAY	Fluoroscopy, kidney without contrast (e.g. plain film)	
3PC12VC	XRAY	Fluoroscopy, kidney following intravenous injection of contrast	
3PC12VZ	XRAY	Fluoroscopy, kidney following percutaneous injection of contrast	
3PC18VA	XRAY	Tomography, kidney without contrast (e.g. plain film)	
3PC18VC	XRAY	Tomography, kidney following intravenous injection of contrast	
3PC18VZ	XRAY	Tomography, kidney following percutaneous injection of contrast	
3PC30DA	ULTRA	Ultrasound, kidney with ultrasound alone	
3PC30DB	ULTRA	Ultrasound, kidney with ultrasound and color flow	
3PC30DC	ULTRA	Ultrasound, kidney with ultrasound and Doppler	
3PC30DD	ULTRA	Ultrasound, kidney with ultrasound and color flow and Doppler	
3PH10XJ	XRAY	Xray, kidney with ureter following retrograde injection of contrast	
3PH12VA	XRAY	Fluoroscopy, kidney with ureter without contrast	
3PH12VC	XRAY	Fluoroscopy, kidney with ureter following intravenous injection of contrast	
3PH12XJ	XRAY	Fluoroscopy, kidney with ureter following retrograde injection of contrast	
3PM10WN	XRAY	Xray, bladder following antegrade injection of contrast	
3PM10WQ	XRAY	Xray, bladder following antegrade injection of contrast with voiding views	
3PM10XJ	XRAY	Xray, bladder following retrograde injection of contrast	
3PM10XN	XRAY	Xray, bladder following retrograde injection of contrast with voiding views	
3PM12VA	XRAY	Fluoroscopy, bladder NEC without contrast	
3PM12XJ	XRAY	Fluoroscopy, bladder following retrograde injection of contrast	
3PM12XN	XRAY	Fluoroscopy, bladder following retrograde injection of contrast with voiding views	
3PM30DA	ULTRA	Ultrasound, bladder with ultrasound alone	
3PM30DG	ULTRA	Ultrasound, bladder transrectal	
3PM30LA	ULTRA	Ultrasound, bladder transvaginal	
3PQ10XJ	XRAY	Xray, urethra following retrograde injection of contrast	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3PS10VA	XRAY	Xray, kidney with ureter with bladder without contrast (e.g. plain film)	
3PS10VC	XRAY	Xray, kidney with ureter with bladder following intravenous injection of contrast	
3PS10XJ	XRAY	Xray, kidney with ureter and bladder following retrograde injection of contrast	
3PZ10VA	XRAY	Xray, urinary system NOS without contrast (e.g. plain film)	
3PZ10VC	XRAY	Xray, urinary system NOS following intravenous injection of contrast	
3PZ10XJ	XRAY	Xray, urinary system NOS following retrograde injection of contrast	
3PZ12VA	XRAY	Fluoroscopy, urinary system NOS without contrast (e.g. plain film)	
3PZ12VC	XRAY	Fluoroscopy, urinary system NOS following intravenous injection of contrast	
3PZ18VA	XRAY	Tomography, urinary system NOS without contrast (e.g. plain film)	
3PZ18VC	XRAY	Tomography, urinary system NOS following intravenous injection of contrast	
3PZ18XJ	XRAY	Tomography, urinary system NOS following retrograde injection of contrast	
3PZ94ZA	XRAY	Imaging intervention NEC, urinary system NOS using microscope	
3PZ94ZB	XRAY	Imaging intervention NEC, urinary system NOS using computer (with or without stereotaxis)	
3PZ94ZC	XRAY	Imaging intervention NEC, urinary system NOS using stereotaxis (without computer guidance)	
3QE10VZ	XRAY	Xray, penis following percutaneous injection of contrast (with or without fluoroscopy)	
3QE10WX	XRAY	Xray, penis following catheter (shunt, pump or reservoir) injection of contrast (with or without fluoroscopy)	
3QE12VA	XRAY	Fluoroscopy, penis without contrast	
3QG30DA	ULTRA	Ultrasound, scrotum with ultrasound alone	
3QG30DB	ULTRA	Ultrasound, scrotum with ultrasound and color flow	
3QG30DC	ULTRA	Ultrasound, scrotum with ultrasound and Doppler	
3QG30DD	ULTRA	Ultrasound, scrotum with ultrasound and color flow and Doppler	
3QN10VA	XRAY	Xray, vas deferens without contrast (e.g. plain film)	
3QN10VV	XRAY	Xray, vas deferens following per orifice injection of contrast	
3QT30DF	ULTRA	Ultrasound, prostate using abdominal approach	
3QT30DG	ULTRA	Ultrasound, prostate using trans rectal approach	
3QZ10VV	XRAY	Xray, male genital tract NOS following per orifice injection of contrast	
3QZ12VA	XRAY	Fluoroscopy, male genital tract NOS without contrast (e.g. plain film)	
3QZ12VV	XRAY	Fluoroscopy, male genital tract NOS following per orifice injection of contrast	
3QZ30DA	ULTRA	Ultrasound, male genital tract NOS with ultrasound alone	
3QZ94ZA	XRAY	Imaging intervention NEC, male genital tract NOS using microscope	
3QZ94ZB	XRAY	Imaging intervention NEC, male genital tract NOS using computer (with or without stereotaxis)	
3QZ94ZC	XRAY	Imaging intervention NEC, male genital tract NOS using stereotaxis (without computer guidance)	
3RF10VH	XRAY	Xray, fallopian tube following injection of air or gas (in cavity)	
3RF10XJ	XRAY	Xray, fallopian tube following retrograde injection of contrast	
3RK10VH	XRAY	Xray, uterus with fallopian tubes following injection of air or gas (in cavity)	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3RK10XJ	XRAY	Xray, uterus with fallopian tubes following retrograde injection of contrast	
3RS10VV	XRAY	Xray, vagina following per orifice injection of contrast	
3RY10VZ	XRAY	Xray, perineum following percutaneous injection of contrast	
3RZ12VA	XRAY	Fluoroscopy female genital tract NOS without contrast	
3RZ12VV	XRAY	Fluoroscopy female genital tract NOS with contrast	
3RZ30DA	ULTRA	Ultrasound, female genital tract NEC alone	
3RZ30LA	ULTRA	Ultrasound, female genital tract NEC transvaginal approach	
3RZ94ZA	XRAY	Imaging intervention NEC, female genital tract NOS using microscope	
3SC10VA	XRAY	Xray, spinal vertebrae without contrast (e.g. plain film)	
3SC10VN	XRAY	Xray, spinal vertebrae with fluoroscopy	
3SC12AY	XRAY	Fluoroscopy, spinal vertebrae with cine/video recording	
3SC12VA	XRAY	Fluoroscopy, spinal vertebrae without contrast (e.g. plain film)	
3SC18VA	XRAY	Tomography, spinal vertebrae without contrast (e.g. plain film)	
3SE12VA	XRAY	Fluoroscopy, intervertebral disc without contrast	
3SF10VA	XRAY	Xray, sacrum and coccyx without contrast (e.g. plain film)	
3SF10VL	XRAY	Xray, sacrum and coccyx following intraarticular injection of contrast	
3SF12VA	XRAY	Fluoroscopy, sacrum and coccyx without contrast (e.g. plain film)	
3SF12VL	XRAY	Fluoroscopy, sacrum and coccyx following intraarticular injection of contrast	
3SF18VA	XRAY	Tomography, sacrum and coccyx without contrast (e.g. plain film)	
3SH30DA	ULTRA	Ultrasound, soft tissue of back alone	
3SK10VA	XRAY	Xray, sternum without contrast (with or without fluoroscopy)	
3SK12VA	XRAY	Fluoroscopy, sternum without contrast	
3SL10VA	XRAY	Xray, ribs without contrast	
3SL12VA	XRAY	Fluoroscopy, ribs without contrast	
3SM10VA	XRAY	Xray, clavicle without contrast (with or without fluoroscopy)	
3SM12VA	XRAY	Fluoroscopy, clavicle without contrast	
3SN10VA	XRAY	Xray, scapula without contrast (e.g. plain film) (with or without fluoroscopy)	
3SN12VA	XRAY	Fluoroscopy, scapula without contrast	
3SQ10VA	XRAY	Xray, pelvis without contrast (e.g. plain film)	
3SQ10VN	XRAY	Xray, pelvis with fluoroscopy	
3SQ12VA	XRAY	Fluoroscopy, pelvis without contrast (e.g. plain film)	
3SQ18VA	XRAY	Tomography, pelvis without contrast (e.g. plain film)	
3TA10KM	XRAY	Xray, shoulder joint Xray, shoulder joint with physically induced stress (to joint or contralateral joint) (with or without fluoroscopy)	
3TA10VA	XRAY	Xray, shoulder joint without contrast (e.g. plain film)	
3TA10VL	XRAY	Xray, shoulder joint following intraarticular injection of contrast	
3TA12VA	XRAY	Fluoroscopy, shoulder joint without contrast	
3TA12VL	XRAY	Fluoroscopy, shoulder joint following intraarticular injection of contrast	
3TA30VA	ULTRA	Ultrasound, shoulder joint without contrast (e.g. plain film)	
3TB10KM	XRAY	Xray, acromioclavicular and sternoclavicular joints with physically induced stress (to joint or contralateral joint) (with or without fluoroscopy)	
3TB10VA	XRAY	Xray, acromioclavicular and sternoclavicular joints without contrast (with or without fluoroscopy)	
3TB10VL	XRAY	Xray, acromioclavicular and sternoclavicular joints following intraarticular injection of contrast (with or without fluoroscopy)	
3TB12VA	XRAY	Fluoroscopy, acromioclavicular and sternoclavicular joints without contrast	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3TK10VA	XRAY	Xray, humerus without contrast (e.g. plain film)	
3TK12VA	XRAY	Fluoroscopy, humerus without contrast (e.g. plain film)	
3TM10KM	XRAY	Xray, elbow joint with physically induced stress (to joint or contralateral joint) (with or without fluoroscopy)	
3TM10VA	XRAY	Xray, elbow joint without contrast (e.g. plain film)	
3TM10VL	XRAY	Xray, elbow joint following intraarticular injection of contrast	
3TM12VA	XRAY	Fluoroscopy, elbow joint without contrast	
3TM12VL	XRAY	Fluoroscopy, elbow joint following intraarticular injection of contrast	
3TM30VA	ULTRA	Ultrasound, elbow joint without contrast	
3TV10VA	XRAY	Xray, radius and ulna without contrast (e.g. plain film)	
3TV12VA	XRAY	Fluoroscopy, radius and ulna without contrast (e.g. plain film)	
3TZ10VA	XRAY	Xray, arm without contrast (e.g. plain film)	
3TZ10VZ	XRAY	Xray, arm following percutaneous injection of contrast	
3TZ12VA	XRAY	Fluoroscopy, arm without contrast (e.g. plain film)	
3TZ12VZ	XRAY	Fluoroscopy, arm following percutaneous injection of contrast	
3TZ18VA	XRAY	Tomography, arm without contrast (e.g. plain film)	
3TZ18VZ	XRAY	Tomography, arm following percutaneous injection of contrast	
3TZ30DA	ULTRA	Ultrasound, arm with ultrasound alone	
3TZ94ZA	XRAY	Imaging intervention NEC, arm using microscope	
3UB10KM	XRAY	Xray, wrist joint with physically induced stress (to joint or contralateral joint) (with or without fluoroscopy)	
3UB10VA	XRAY	Xray, wrist joint without contrast (e.g. plain film)	
3UB10VL	XRAY	Xray, wrist joint following intraarticular injection of contrast	
3UB12VA	XRAY	Fluoroscopy, wrist joint without contrast	
3UB12VL	XRAY	Fluoroscopy, wrist joint following intraarticular injection of contrast	
3UJ10VA	XRAY	Xray, phalanx of hand without contrast (e.g. plain film) (with or without fluoroscopy)	
3UL10KM	XRAY	Xray, joints of fingers and hand NEC with physically induced stress (to joint or contralateral joint) (with or without fluoroscopy)	
3UL10VA	XRAY	Xray, joints of fingers and hand without contrast (e.g. plain film)	
3UL10VL	XRAY	Xray, joints of fingers and hand NEC following intraarticular injection of contrast (with or without fluoroscopy)	
3UZ10VA	XRAY	Xray, hand with wrist without contrast (e.g. plain film) (with or without fluoroscopy)	
3UZ12VA	XRAY	Fluoroscopy, hand with wrist without contrast	
3UZ94ZA	XRAY	Imaging intervention NEC, hand with wrist using microscope	
3VA10KM	XRAY	Xray, hip joint with physically induced stress (to joint or contralateral joint) (with or without fluoroscopy)	
3VA10VA	XRAY	Xray, hip joint without contrast (e.g. plain film)	
3VA10VL	XRAY	Xray, hip joint following intraarticular injection of contrast	
3VA12VA	XRAY	Fluoroscopy, hip joint without contrast (e.g. plain film)	
3VA12VL	XRAY	Fluoroscopy, hip joint following intraarticular injection of contrast	
3VA30DA	ULTRA	Ultrasound, hip joint with ultrasound alone	
3VA94ZA	XRAY	Imaging intervention NEC, hip joint using microscope	
3VA94ZB	XRAY	Imaging intervention NEC, hip joint using computer (with or without stereotaxis)	
3VC10VA	XRAY	Xray, femur without contrast (e.g. plain film)	
3VC12VA	XRAY	Fluoroscopy, femur without contrast (e.g. plain film)	
3VC94ZB	XRAY	Imaging intervention NEC, femur using computer (with or without stereotaxis)	
3VG10KM	XRAY	Xray, knee joint with physically induced stress (to joint or contralateral joint) (with or without fluoroscopy)	
3VG10VA	XRAY	Xray, knee joint without contrast (e.g. plain film)	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3VG10VL	XRAY	Xray, knee joint following intraarticular injection of contrast	
3VG12VA	XRAY	Fluoroscopy, knee joint without contrast	
3VG12VL	XRAY	Fluoroscopy, knee joint following intraarticular injection of contrast	
3VG30DA	ULTRA	Ultrasound, knee joint with ultrasound alone	
3VG94ZA	XRAY	Imaging intervention NEC, knee joint using microscope	
3VG94ZB	XRAY	Imaging intervention NEC, knee joint using computer (with or without stereotaxis)	
3VQ10VA	XRAY	Xray, tibia and fibula without contrast (e.g. plain film)	
3VQ12VA	XRAY	Fluoroscopy, tibia and fibula without contrast (e.g. plain film)	
3VQ94ZA	XRAY	Imaging intervention NEC, tibia and fibula using microscope	
3VQ94ZB	XRAY	Imaging intervention NEC, tibia and fibula using computer (with or without stereotaxis)	
3VZ10VA	XRAY	Xray, leg without contrast (e.g. plain film)	
3VZ10VZ	XRAY	Xray, leg following percutaneous injection of contrast	
3VZ12VA	XRAY	Fluoroscopy, leg without contrast (e.g. plain film)	
3VZ12VZ	XRAY	Fluoroscopy, leg following percutaneous injection of contrast	
3VZ18VA	XRAY	Tomography, leg without contrast (e.g. plain film)	
3VZ18VL	XRAY	Tomography, leg following intraarticular injection of contrast	
3VZ30DA	ULTRA	Ultrasound, leg with ultrasound alone	
3VZ94ZA	XRAY	Imaging intervention NEC, leg using microscope	
3WA10KM	XRAY	Xray, ankle joint with physically induced stress (to joint or contralateral joint) (with or without fluoroscopy)	
3WA10VA	XRAY	Xray, ankle joint without contrast (e.g. plain film)	
3WA10VL	XRAY	Xray, ankle joint following intraarticular injection of contrast	
3WA12VA	XRAY	Fluoroscopy, ankle joint without contrast (e.g. plain film)	
3WA12VZ	XRAY	Fluoroscopy, ankle joint following percutaneous injection of contrast	
3WG10KM	XRAY	Xray, foot with physically induced stress (to joint or contralateral joint) (with or without fluoroscopy)	
3WG10VA	XRAY	Xray, foot without contrast (e.g. plain film)	
3WG10VL	XRAY	Xray, foot following intraarticular injection of contrast	
3WG12VA	XRAY	Fluoroscopy, foot without contrast (e.g. plain film)	
3WG12VZ	XRAY	Fluoroscopy, foot following percutaneous injection of contrast	
3WG94ZA	XRAY	Imaging intervention NEC, foot using microscope	
3WZ10VA	XRAY	Xray, musculoskeletal system without contrast (e.g. plain film)	
3YL10VZ	MAMM	Xray, lactiferous duct following percutaneous injection of contrast	
3YM10SZ	MAMM	Xray, breast NOS for placement of needle localization wire	
3YM10VA	MAMM	Xray, breast NOS without contrast (e.g. plain film)	
3YM12SZ	XRAY	Fluoroscopy, breast NOS for placement of needle localization wire	
3YM12VA	XRAY	Fluoroscopy, breast NOS without contrast (e.g. plain film)	
3YM30DA	ULTRA	Ultrasound, breast NOS with ultrasound alone	
3YM30SZ	ULTRA	Ultrasound, breast NOS for placement of needle localization wire	
3YM94ZA	XRAY	Imaging intervention NEC, breast NOS using microscope	
3YM94ZB	XRAY	Imaging intervention NEC, breast NOS using computer (with or without stereotaxis)	
3YM94ZC	XRAY	Imaging intervention NEC, breast NOS using stereotaxis (without computer guidance)	
3YN10VA	XRAY	Xray, surgically removed breast without contrast (e.g. plain film)	
3YN12VA	XRAY	Fluoroscopy, surgically removed breast without contrast (e.g. plain film)	
3YZ94ZA	XRAY	Imaging intervention NEC, skin NOS using microscope	
3ZA10VA	XRAY	Xray, surgical specimen NEC without contrast (e.g. plain film)	
3ZA12VA	XRAY	Fluoroscopy, surgical specimen NEC without contrast (e.g. plain film)	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3ZZ10VA	XRAY	Xray, total body without contrast	
5AB03CK	ULTRA	Obstetrical ultrasound examinations per orifice (trans vaginal) approach	
5AB03GS	ULTRA	Obstetrical ultrasound major morphological assessment of fetus	
5AB03GV	ULTRA	Obstetrical ultrasound transperineal	
5AB03JA	ULTRA	Abdominal ultrasound	
5AB04MJ	ULTRA	Doppler study of fetal head	
5AB04MK	ULTRA	Doppler study of fetal heart	
5AB04ML	ULTRA	Doppler study of uterine arteries/veins	
5AB04MM	ULTRA	Doppler study of umbilical cord	
5AB04MU	ULTRA	Doppler study of other fetal vessels	
5AB05GW	XRAY	Other antepartum diagnostic imaging examination using pelvimetry with placental localization	
5AB05GX	XRAY	Other antepartum diagnostic imaging examination using pelvimetry without placental localization	
5AB05GY	XRAY	Other antepartum diagnostic imaging examination using placentography	
5AB05GZ	XRAY	Xray, antepartum diagnostic imaging	XR
5AB05GZ	CHEST	Xray, thoracic cavity, antepartum diagnostic imaging	CX
5AB06AD	ULTRA	Evaluation of fetal biophysical profile with non stress test	
5AB06AE	ULTRA	Evaluation of fetal biophysical profile without non stress test	

List of ACCS High Cost Investigative Technologies

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
1AC27JX	RAD	Radiation, ventricles of brain using focused beam [e.g. gamma knife, cyber knife stereotactic radiosurgery]	
1AE27JX	RAD	Radiation, thalamus and basal ganglia using focused beam [e.g. gamma knife, cyber knife stereotactic radiosurgery]	
1AF27JA	RAD	Radiation, pituitary region using external beam [or teletherapy NEC]	
1AF27JX	RAD	Radiation, pituitary region using focused beam [e.g. gamma knife, cyber knife stereotactic radiosurgery]	
1AG27JX	RAD	Radiation, pineal gland using focused beam [e.g. gamma knife, cyber knife stereotactic radiosurgery]	
1AJ27JX	RAD	Radiation, cerebellum using focused beam [e.g. gamma knife, cyber knife stereotactic radiosurgery]	
1AN26HA	RAD	Brachytherapy, brain using percutaneous (transcatheter or transneedle) approach	
1AN26SZ	RAD	Brachytherapy, brain using craniotomy (or craniectomy) approach	
1AN27JA	RAD	Radiation, brain using external beam [for teletherapy NEC]	
1AN27JX	RAD	Radiation, brain using focused beam [e.g. gamma knife, cyber knife stereotactic radiosurgery]	
1AP27JX	RAD	Radiation, brain stem using focused beam [e.g. gamma knife, cyber knife stereotactic radiosurgery]	
1AW27JA	RAD	Radiation, spinal cord using external beam [for teletherapy NEC]	
1AW27JX	RAD	Radiation, spinal cord using focused beam [e.g. gamma knife, cyber knife stereotactic radiosurgery]	
1BA27JX	RAD	Radiation, cranial nerves using focused beam [e.g. gamma knife, cyber knife stereotactic radiosurgery]	
1BB27JX	RAD	Radiation, other nerves of head and neck using focused beam [e.g. gamma knife, cyber knife stereotactic radiosurgery]	
1BD27JX	RAD	Radiation, nerve(s) of the ear using focused beam [e.g. gamma knife, cyber knife stereotactic radiosurgery]	
1CZ26JA	RAD	Brachytherapy, eye NEC using external approach [e.g. scleral radiation plaque]	
1CZ27JA	RAD	Radiation, eye NEC using external beam	
1EA27JA	RAD	Radiation, cranium using external beam	
1EQ26LA	RAD	Brachytherapy, soft tissue of head and neck using open approach	
1EQ27JA	RAD	Radiation, soft tissue of head and neck using external beam	
1FG26LA	RAD	Brachytherapy, oral and buccal mucosa using open (incisional) approach	
1FG27JA	RAD	Radiation, oral and buccal mucosa using external beam	
1FJ26LA	RAD	Brachytherapy, tongue using open (incisional) approach	
1FJ27JA	RAD	Radiation, tongue using external beam	
1FP26LA	RAD	Brachytherapy, salivary glands and ducts NEC using open (incisional) approach	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
1FP27JA	RAD	Radiation, salivary glands and ducts NEC using external beam	
1FU27JA	RAD	Radiation, thyroid gland using external beam	
1FX26LA	RAD	Brachytherapy, oropharynx using open (incisional) approach	
1FX27JA	RAD	Radiation, oropharynx using external beam	
1GE27JA	RAD	Radiation, larynx NEC using external beam	
1GJ26BA	RAD	Brachytherapy, trachea using endoscopic per orifice approach	
1GJ26CA	RAD	Brachytherapy, trachea using per orifice approach	
1GJ26LA	RAD	Brachytherapy, trachea using open (incisional) approach	
1GJ27JA	RAD	Radiation, trachea using external beam	
1GM26BA	RAD	Brachytherapy, bronchus NEC using endoscopic per orifice approach	
1GM26CA	RAD	Brachytherapy, bronchus NEC using per orifice approach	
1GM26LA	RAD	Brachytherapy, bronchus NEC using open approach	
1GT27JA	RAD	Radiation, lung NEC using external beam	
1HZ27JA	RAD	Radiation, heart NEC using external beam	
1IJ26GQ	RAD	Brachytherapy, coronary arteries using percutaneous transluminal arterial approach	
1IJ27JA	RAD	Radiation, coronary arteries using external beam	
1KE26GQ	RAD	Brachytherapy, abdominal arteries NEC using percutaneous transluminal arterial approach	
1KG26GQ	RAD	Brachytherapy, arteries of leg NEC using percutaneous transluminal arterial approach	
1MD27JA	RAD	Radiation, lymph node(s), axillary using external beam	
1MF27JA	RAD	Radiation, lymph node(s), intrathoracic NEC using external beam	
1MG27JA	RAD	Radiation, lymph node(s), intra abdominal using external beam	
1MH27JA	RAD	Radiation, lymph node(s), pelvic using external beam	
1MJ27JA	RAD	Radiation, lymph node(s), inguinal using external beam	
1MZ27JA	RAD	Radiation, lymphatic system NEC using external beam	
1NA26BA	RAD	Brachytherapy, esophagus using endoscopic per orifice approach	
1NA26CA	RAD	Brachytherapy, esophagus using per orifice approach	
1NA26LA	RAD	Brachytherapy, esophagus using open approach	
1NA27JA	RAD	Radiation, esophagus using external beam	
1NF27JA	RAD	Radiation, stomach using external beam	
1NK27JA	RAD	Radiation, small intestine using external beam	
1NM27JA	RAD	Radiation, large intestine using external beam	
1NQ26BA	RAD	Brachytherapy, rectum using endoscopic per orifice approach	
1NQ26CA	RAD	Brachytherapy, rectum using per orifice approach	
1NQ26LA	RAD	Brachytherapy, rectum using open (incisional) approach	
1NQ27JA	RAD	Radiation, rectum using external beam	
1NT26CA	RAD	Brachytherapy, anus using per orifice approach	
1NT26LA	RAD	Brachytherapy, anus using open (incisional) approach	
1NT27JA	RAD	Radiation, anus using external beam	
1OA27JA	RAD	Radiation liver using external beam	
1OB27JA	RAD	Radiation, spleen using external beam	
1OD27JA	RAD	Radiation, gallbladder using external beam	
1OE26BA	RAD	Brachytherapy, bile ducts using endoscopic per orifice approach	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
1OE26CA	RAD	Brachytherapy, bile ducts using per orifice approach	
1OE26LA	RAD	Brachytherapy, bile ducts using open approach	
1OE27JA	RAD	Radiation, bile ducts using external beam	
1OJ26LA	RAD	Brachytherapy, pancreas using open approach	
1OJ27JA	RAD	Radiation, pancreas using external beam	
1PB27JA	RAD	Radiation, adrenal gland using external beam	
1PC27JA	RAD	Radiation, kidney using external beam	
1PE27JA	RAD	Radiation, renal pelvis using external beam	
1PG27JA	RAD	Radiation, ureter NEC using external beam	
1PM26BA	RAD	Brachytherapy, bladder NEC using endoscopic per orifice approach	
1PM26CA	RAD	Brachytherapy, bladder NEC using per orifice approach	
1PM26LA	RAD	Brachytherapy, bladder NEC using open approach	
1PM27JA	RAD	Radiation, bladder NEC using external beam	
1PQ26BA	RAD	Brachytherapy, urethra NEC using endoscopic per orifice approach	
1PQ27JA	RAD	Radiation, urethra NEC using external beam	
1QE26LA	RAD	Brachytherapy, penis NEC using open approach	
1QE27JA	RAD	Radiation, penis NEC using external beam	
1QG26LA	RAD	Brachytherapy, scrotum using open approach	
1QG27JA	RAD	Radiation, scrotum using external beam	
1QM27JA	RAD	Radiation, testis using external beam	
1QT26LA	RAD	Brachytherapy, prostate using open approach	
1QT27JA	RAD	Radiation, prostate using external beam	
1RB27JA	RAD	Radiation, ovary NEC using external beam	
1RF27JA	RAD	Radiation, fallopian tube NEC using external beam	
1RM26BA	RAD	Brachytherapy, uterus and surrounding structures using endoscopic per orifice (hysteroscopic) approach	
1RM26DA	RAD	Brachytherapy, uterus and surrounding structures using endoscopic (laparoscopic) approach	
1RM26LA	RAD	Brachytherapy, uterus and surrounding structures using open approach	
1RM27JA	RAD	Radiation, uterus and surrounding structures using external beam	
1RN26LA	RAD	Brachytherapy, cervix NEC using open approach	
1RN27JA	RAD	Radiation, cervix NEC using external beam	
1RS26LA	RAD	Brachytherapy, vagina NEC using open approach	
1RS27JA	RAD	Radiation, vagina NEC using external beam	
1RW26LA	RAD	Brachytherapy, vulva NEC using open approach	
1RW27JA	RAD	Radiation, vulva NEC using external beam	
1RZ27JA	RAD	Radiation, female genital tract NEC using external beam	
1SC27JA	RAD	Radiation, spinal vertebrae using external beam	
1SH26LA	RAD	Brachytherapy, soft tissue of back using open approach	
1SH27JA	RAD	Radiation, soft tissue of the back using external beam	
1SL27JA	RAD	Radiation, ribs using external beam	
1SQ27JA	RAD	Radiation, pelvis using external beam	
1SZ26LA	RAD	Brachytherapy, soft tissue of the chest and abdomen using open approach	
1SZ27JA	RAD	Radiation, soft tissue of the chest and abdomen using external beam	
1TX26LA	RAD	Brachytherapy, soft tissue of arm NEC using open approach	
1TX27JA	RAD	Radiation, soft tissue of arm NEC using external beam	
1TZ27JA	RAD	Radiation, arm NEC using external beam	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
1VX26LA	RAD	Brachytherapy, soft tissue of leg using open approach	
1VX27JA	RAD	Radiation, soft tissue of leg using external beam	
1VZ27JA	RAD	Radiation, leg NEC using external beam	
1WZ27JA	RAD	Radiation, musculoskeletal system NEC using external beam	
1YF27JA	RAD	Radiation, skin of face using external beam	
1YM26LA	RAD	Brachytherapy, breast using open approach	
1YM27JA	RAD	Radiation, breast using external beam	
1YS27JA	RAD	Radiation, skin of abdomen and trunk using external beam	
1YT26LA	RAD	Brachytherapy, skin of arm using open approach	
1YT27JA	RAD	Radiation, skin of arm using external beam	
1YV27JA	RAD	Radiation, skin of leg using external beam	
1YZ26LA	RAD	Brachytherapy, skin NEC using open approach	
1YZ27JA	RAD	Radiation, skin NEC using external beam	
3AF20WA	CATS	Computerized tomography [CT], pituitary region without enhancement	
3AF20WC	CATS	Computerized tomography [CT], pituitary region with enhancement	
3AF20WE	CATS	Computerized tomography [CT], pituitary region with and without enhancement	
3AF40WA	MRI	Magnetic resonance imaging [MRI], pituitary region without enhancement	
3AF40WC	MRI	Magnetic resonance imaging [MRI], pituitary region with enhancement	
3AF40WE	MRI	Magnetic resonance imaging [MRI], pituitary region with and without enhancement	
3AN20WA	CATS	Computerized tomography [CT], brain without enhancement	
3AN20WC	CATS	Computerized tomography [CT], brain with enhancement	
3AN20WE	CATS	Computerized tomography [CT], brain with and without enhancement	
3AN40WA	MRI	Magnetic resonance imaging, brain without enhancement	
3AN40WC	MRI	Magnetic resonance imaging, brain with enhancement	
3AN40WE	MRI	Magnetic resonance imaging, brain with and without enhancement	
3AN70CA	NUCMED	Diagnostic nuclear (imaging) study, brain using scintigraphy	
3AN70CB	NUCMED	Diagnostic nuclear (imaging) study, brain using scintigraphy with vascular flow	
3AN70CC	NUCMED	Diagnostic nuclear (imaging) study, brain using SPECT tomography	
3AN70CD	NUCMED	Diagnostic nuclear (imaging) study, brain using SPECT tomography (SPECT) with CSF flow (imaging)	
3AN70CE	NUCMED	Diagnostic nuclear (imaging) study, brain using PET tomography	
3AN70CF	NUCMED	Diagnostic nuclear (imaging) study, brain using PET tomography (PET) with CSF flow (imaging)	
3AW70CC	NUCMED	Diagnostic nuclear (imaging) study, spinal cord using SPECT tomography	
3AW70CD	NUCMED	Diagnostic nuclear (imaging) study, spinal cord using SPECT tomography with vascular flow	
3AW70CE	NUCMED	Diagnostic nuclear (imaging) study, spinal cord using PET tomography	

CCI Code	Type	Intervention Description (Long)	Status <small>(Alberta Developed)</small>
3AW70CF	NUCMED	Diagnostic nuclear (imaging) study, spinal cord using PET tomography with vascular flow	
3CA20WA	CATS	Computerized tomography [CT], orbit of eye without enhancement	
3CA20WC	CATS	Computerized tomography [CT], orbit of eye with enhancement	
3CA20WE	CATS	Computerized tomography [CT], orbit of eye with and without enhancement	
3CA40WA	MRI	Magnetic resonance imaging [MRI], orbit of eye without enhancement	
3CA40WC	MRI	Magnetic resonance imaging [MRI], orbit of eye with enhancement	
3CA40WE	MRI	Magnetic resonance imaging [MRI], orbit of eye with and without enhancement	
3CU70CA	NUCMED	Diagnostic nuclear (imaging) study, lacrimal system using scintigraphy	
3CU70CC	NUCMED	Diagnostic nuclear (imaging) study, lacrimal excretory system using SPEC tomography (SPECT)	
3CU70CE	NUCMED	Diagnostic nuclear (imaging) study, lacrimal excretory system using PE tomography (PET)	
3DL40WA	MRI	Magnetic resonance imaging, mastoid (process) without enhancement	
3DL40WC	MRI	Magnetic resonance imaging, mastoid (process) with enhancement	
3DL40WE	MRI	Magnetic resonance imaging, mastoid (process) with and without enhancement	
3DR20WA	CATS	Computerized tomography [CT], inner ear without enhancement	
3DR20WC	CATS	Computerized tomography [CT], inner ear with enhancement	
3DR20WE	CATS	Computerized tomography [CT], inner ear with and without enhancement	
3DR40WA	MRI	Magnetic resonance imaging [MRI], inner ear without enhancement	
3DR40WC	MRI	Magnetic resonance imaging [MRI], inner ear with enhancement	
3DR40WE	MRI	Magnetic resonance imaging [MRI], inner ear with and without enhancement	
3EA20WA	CATS	Computerized tomography [CT], skull without enhancement	
3EA20WC	CATS	Computerized tomography [CT], skull with enhancement	
3EA20WE	CATS	Computerized tomography [CT], skull with and without enhancement	
3EL20WA	CATS	Computerized tomography [CT], temporomandibular joint [TMJ] without enhancement	
3EL20WC	CATS	Computerized tomography [CT], temporomandibular joint [TMJ] with enhancement	
3EL20WE	CATS	Computerized tomography [CT], temporomandibular joint [TMJ] with and without enhancement	
3EL40WA	MRI	Magnetic resonance imaging [MRI], temporomandibular joint [TMJ] without enhancement	
3EL40WC	MRI	Magnetic resonance imaging [MRI], temporomandibular joint [TMJ] with enhancement	
3EL40WE	MRI	Magnetic resonance imaging [MRI], temporomandibular joint [TMJ] with and without enhancement	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3ER20WA	CATS	Computerized tomography [CT], head without enhancement	
3ER20WC	CATS	Computerized tomography [CT], head with enhancement	
3ER20WE	CATS	Computerized tomography [CT], head with and without enhancement	
3ER40WA	MRI	Magnetic resonance imaging [MRI], head without enhancement	
3ER40WC	MRI	Magnetic resonance imaging [MRI], head with enhancement	
3ER40WE	MRI	Magnetic resonance imaging [MRI], head with and without enhancement	
3EY20WA	CATS	Computerized tomography [CT], paranasal sinuses without enhancement	
3EY20WC	CATS	Computerized tomography [CT], paranasal sinuses with enhancement	
3EY20WE	CATS	Computerized tomography [CT], paranasal sinuses with and without enhancement	
3FP70CA	NUCMED	Diagnostic nuclear (imaging) study, salivary glands and ducts using scintigraphy	
3FP70CC	NUCMED	Diagnostic nuclear (imaging) study, salivary glands and ducts NEC using SPECT tomography (SPECT)	
3FP70CE	NUCMED	Diagnostic nuclear (imaging) study, salivary glands and ducts NEC using PET tomography (PET)	
3FU70CA	NUCMED	Diagnostic nuclear (imaging) study, thyroid gland using scintigraphy	
3FU70CC	NUCMED	Diagnostic nuclear (imaging) study, thyroid gland using SPECT tomography	
3FU70CE	NUCMED	Diagnostic nuclear (imaging) study, thyroid gland using PET tomography	
3FU70TE	NUCMED	Diagnostic nuclear (imaging) study, thyroid gland for red cell radioiron utilization	
3FV70CA	NUCMED	Diagnostic nuclear (imaging) study, parathyroid glands using scintigraphy	
3FV70CC	NUCMED	Diagnostic nuclear (imaging) study, parathyroid glands using SPECT tomography	
3FV70CE	NUCMED	Diagnostic nuclear (imaging) study, parathyroid glands using PET tomography	
3FX20WA	CATS	Computerized tomography [CT], oropharynx without enhancement	
3FX20WC	CATS	Computerized tomography [CT], oropharynx with enhancement	
3FX20WE	CATS	Computerized tomography [CT], oropharynx with and without enhancement	
3FY20VA	CATS	Computerized tomography [CT], neck without contrast (e.g. plain film)	
3FY20VC	CATS	Computerized tomography [CT], neck following intravenous injection of contrast	
3FY20VZ	CATS	Computerized tomography [CT], neck following percutaneous injection of contrast	
3FY40WA	MRI	Magnetic resonance imaging [MRI], neck without enhancement	
3FY40WC	MRI	Magnetic resonance imaging [MRI], neck with enhancement	
3FY40WE	MRI	Magnetic resonance imaging [MRI], neck with and without enhancement	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3GE20WA	CATS	Computerized tomography [CT], larynx without enhancement	
3GE20WC	CATS	Computerized tomography [CT], larynx with enhancement	
3GE20WE	CATS	Computerized tomography [CT], larynx with and without enhancement	
3GT20WA	CATS	Computerized tomography [CT], lung without enhancement	
3GT20WC	CATS	Computerized tomography [CT], lung with enhancement	
3GT20WE	CATS	Computerized tomography [CT], lung with and without enhancement	
3GT70CA	NUCMED	Diagnostic nuclear (imaging) study, lung using scintigraphy	
3GT70CC	NUCMED	Diagnostic nuclear (imaging) study, lung using SPECT tomography	
3GT70CE	NUCMED	Diagnostic nuclear (imaging) study, lung using PET tomography	
3GT70KC	NUCMED	Diagnostic nuclear (imaging) study, lung with perfusion study	
3GT70KD	NUCMED	Diagnostic nuclear (imaging) study, lung with ventilation study	
3GT70KE	NUCMED	Diagnostic nuclear (imaging) study, lung with ventilation study and perfusion study	
3GY20WA	CATS	Computerized Tomography Thoracic cavity NEC without enhancement	
3GY20WC	CATS	Computerized Tomography Thoracic cavity NEC with enhancement	
3GY20WE	CATS	Computerized Tomography Thoracic cavity NEC with and without enhancement	
3GY40WA	MRI	Magnetic resonance imaging [MRI], thoracic cavity without enhancement	
3GY40WC	MRI	Magnetic resonance imaging [MRI], thoracic cavity with enhancement	
3GY40WE	MRI	Magnetic resonance imaging [MRI], thoracic cavity with and without enhancement	
3ID20WA	CATS	Computerized tomography [CT], aorta NOS without enhancement	
3ID20WC	CATS	Computerized tomography [CT], aorta NOS with enhancement	
3ID20WE	CATS	Computerized tomography [CT], aorta NOS with and without enhancement	
3ID40WA	MRI	Magnetic resonance imaging [MRI], aorta NOS without enhancement	
3ID40WC	MRI	Magnetic resonance imaging [MRI], aorta NOS with enhancement	
3ID40WE	MRI	Magnetic resonance imaging [MRI], aorta NOS with and without enhancement	
3IP20WA	CATS	Computerized tomography [CT], heart with coronary arteries without enhancement	
3IP20WC	CATS	Computerized tomography [CT], heart with coronary arteries with enhancement	
3IP20WE	CATS	Computerized tomography [CT], heart with coronary arteries with and without enhancement	
3IP40WA	MRI	Magnetic resonance imaging [MRI], heart with coronary arteries without enhancement	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3IP40WC	MRI	Magnetic resonance imaging [MRI], heart with coronary arteries with enhancement	
3IP40WE	MRI	Magnetic resonance imaging [MRI], heart with coronary arteries with and without enhancement	
3IP70CC	NUCMED	Diagnostic nuclear (imaging) study, heart with coronary arteries using SPECT tomography	
3IP70CE	NUCMED	Diagnostic nuclear (imaging) study, heart with coronary arteries using PET tomography	
3IP70KG	NUCMED	Diagnostic nuclear (imaging) study, heart with coronary arteries with perfusion imaging, single study at rest	
3IP70KP	NUCMED	Diagnostic nuclear (imaging) study, heart with coronary arteries with blood pool imaging, first pass technique, single study at rest	
3IP70KS	NUCMED	Diagnostic nuclear (imaging) study, heart with coronary arteries SPECT tomography (SPECT) and blood pool imaging	
3JE20WC	CATS	Computerized tomography [CT], carotid artery with enhancement (contrast)	
3JE20WE	CATS	Computerized tomography [CT], carotid artery with and without enhancement (contrast)	
3JE40WA	MRI	Magnetic resonance imaging [MRI], carotid artery without enhancement	
3JE40WC	MRI	Magnetic resonance imaging [MRI], carotid artery with enhancement	
3JE40WE	MRI	Magnetic resonance imaging [MRI], carotid artery with and without enhancement	
3JM20WC	CATS	Computerized tomography [CT], arteries of arm NEC with enhancement (contrast)	
3JM20WE	CATS	Computerized tomography [CT], arteries of arm NEC with and without enhancement (contrast)	
3JM40WA	MRI	Magnetic resonance imaging [MRI], arteries of arm without enhancement	
3JM40WC	MRI	Magnetic resonance imaging [MRI], arteries of arm with enhancement	
3JM40WE	MRI	Magnetic resonance imaging [MRI], arteries of arm with and without enhancement	
3JX20WC	CATS	Computerized tomography [CT], other vessels of head, neck and spine NEC with enhancement (contrast)	
3JX20WE	CATS	Computerized tomography [CT], other vessels of head, neck and spine NEC with and without enhancement (contrast)	
3JX40WA	MRI	Magnetic resonance imaging [MRI], vessels of head and neck NEC without enhancement	
3JX40WC	MRI	Magnetic resonance imaging [MRI], vessels of head and neck NEC with enhancement	
3JX40WE	MRI	Magnetic resonance imaging [MRI], vessels of head and neck NEC with and without enhancement	
3JY20WC	CATS	Computerized tomography, thoracic vessels NEC with enhancement (contrast)	
3JY20WE	CATS	Computerized tomography, thoracic vessels NEC with and without enhancement (contrast)	
3JY40WA	MRI	Magnetic resonance imaging [MRI], thoracic vessels without enhancement	
3JY40WC	MRI	Magnetic resonance imaging [MRI], thoracic vessels with enhancement	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3JY40WE	MRI	Magnetic resonance imaging [MRI], thoracic vessels with and without enhancement	
3KE20WC	CATS	Computerized tomography [CT], abdominal arteries NEC with enhancement (contrast)	
3KE20WE	CATS	Computerized tomography [CT], abdominal arteries NEC with and without enhancement (contrast)	
3KE40WA	MRI	Magnetic resonance imaging [MRI], abdominal arteries without enhancement	
3KE40WC	MRI	Magnetic resonance imaging [MRI], abdominal arteries with enhancement	
3KE40WE	MRI	Magnetic resonance imaging [MRI], abdominal arteries with and without enhancement	
3KG20WC	CATS	Computerized tomography [CT], arteries of leg NEC with enhancement (contrast)	
3KG20WE	CATS	Computerized tomography [CT], arteries of leg NEC with and without enhancement (contrast)	
3KG40WA	MRI	Magnetic resonance imaging [MRI], arteries of leg without enhancement	
3KG40WC	MRI	Magnetic resonance imaging [MRI], arteries of leg with enhancement	
3KG40WE	MRI	Magnetic resonance imaging [MRI], arteries of leg with and without enhancement	
3KR40WA	MRI	Magnetic resonance imaging [MRI], veins of leg without enhancement	
3KR40WC	MRI	Magnetic resonance imaging [MRI], veins of leg with enhancement	
3KR40WE	MRI	Magnetic resonance imaging [MRI], veins of leg with and without enhancement	
3KR70ZZ	NUCMED	Diagnostic nuclear (imaging) study, veins of leg NEC using imaging technique NEC	
3KT20WC	CATS	Computerized tomography [CT], vessels of the pelvis, perineum and gluteal region with enhancement (contrast)	
3KT20WE	CATS	Computerized tomography [CT], vessels of the pelvis, perineum and gluteal region with and without enhancement (contrast)	
3KT40WA	MRI	Magnetic resonance imaging [MRI], vessels of the pelvis perineum and gluteal region without enhancement	
3KT40WC	MRI	Magnetic resonance imaging [MRI], vessels of the pelvis perineum and gluteal region with enhancement	
3KT40WE	MRI	Magnetic resonance imaging [MRI], vessels of the pelvis perineum and gluteal region with and without enhancement	
3KV40WA	MRI	Magnetic resonance imaging [MRI], artery NEC without enhancement	
3KV40WC	MRI	Magnetic resonance imaging [MRI], artery NEC with enhancement	
3KV40WE	MRI	Magnetic resonance imaging [MRI], artery NEC with and without enhancement	
3KX40WA	MRI	Magnetic resonance imaging [MRI], vein NEC without enhancement	
3KX40WC	MRI	Magnetic resonance imaging [MRI], vein NEC with enhancement	
3KX40WE	MRI	Magnetic resonance imaging [MRI], vein NEC with and without enhancement	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3LZ40WA	MRI	Magnetic resonance imaging [MRI], circulatory system without enhancement	
3LZ40WC	MRI	Magnetic resonance imaging [MRI], circulatory system with enhancement	
3LZ40WE	MRI	Magnetic resonance imaging [MRI], circulatory system with and without enhancement	
3LZ70CA	NUCMED	Diagnostic nuclear (imaging) study, circulatory system using scintigraphy	
3LZ70PB	NUCMED	Diagnostic nuclear (imaging) study, circulatory system for total blood volume determination	
3LZ70PD	NUCMED	Diagnostic nuclear (imaging) study, circulatory system for white blood cell survival	
3LZ70PE	NUCMED	Diagnostic nuclear (imaging) study, circulatory system for white blood cell survival with sequestration	
3LZ70PL	NUCMED	Diagnostic nuclear (imaging) study, circulatory system for plasma volume determination	
3LZ70PQ	NUCMED	Diagnostic nuclear (imaging) study, circulatory system for red blood cell survival with sequestration	
3LZ70PR	NUCMED	Diagnostic nuclear (imaging) study, circulatory system for red blood cell volume determination	
3LZ70PS	NUCMED	Diagnostic nuclear (imaging) study, circulatory system for red blood cell survival	
3LZ70PT	NUCMED	Diagnostic nuclear (imaging) study, circulatory system for platelet survival	
3LZ70PU	NUCMED	Diagnostic nuclear (imaging) study, circulatory system for platelet survival with sequestration	
3LZ70TA	NUCMED	Diagnostic nuclear (imaging) study, circulatory system for plasma radioiron clearance	
3LZ70TD	NUCMED	Diagnostic nuclear (imaging) study, circulatory system for radioiron (oral) absorption study	
3LZ70TE	NUCMED	Diagnostic nuclear (imaging) study, circulatory system for red cell radioiron utilization	
3ML10VF	VASCU	Xray, lymphatic vessels of head and neck following intra-lymphatic injection of contrast	
3MZ10VF	VASCU	Xray, lymphatic system following intra-lymphatic injection of contrast	
3MZ70CA	NUCMED	Diagnostic nuclear (imaging) study, lymphatic system using scintigraphy	
3MZ70CC	NUCMED	Diagnostic nuclear (imaging) study, lymphatic system NEC using SPEC tomography (SPECT)	
3MZ70CE	NUCMED	Diagnostic nuclear (imaging) study, lymphatic system NEC using PE tomography (PET)	
3NM20WA	CATS	Computerized tomography [CT], large intestine without enhancement	
3NM20WC	CATS	Computerized tomography [CT], large intestine with enhancement	
3NM20WE	CATS	Computerized tomography [CT], large intestine with and without enhancement	
3NZ70CA	NUCMED	Diagnostic nuclear (imaging) study, gastrointestinal tract NOS using scintigraphy	
3NZ70MX	NUCMED	Diagnostic nuclear (imaging) study, gastrointestinal tract NOS without intrinsic factor	
3NZ70MY	NUCMED	Diagnostic nuclear (imaging) study, gastrointestinal tract NOS with intrinsic factor	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3NZ70MZ	NUCMED	Diagnostic nuclear (imaging) study, gastrointestinal tract NOS with and without intrinsic factor	
3NZ70SC	NUCMED	Diagnostic nuclear (imaging) study, gastrointestinal tract NOS for blood loss	
3NZ70SD	NUCMED	Diagnostic nuclear (imaging) study, gastrointestinal tract NOS for absorption study	
3NZ70SE	NUCMED	Diagnostic nuclear (imaging) study, gastrointestinal tract NEC for esophageal transit study	
3NZ70SN	NUCMED	Diagnostic nuclear (imaging) study, gastrointestinal tract NOS for esophageal reflux study	
3NZ70SP	NUCMED	Diagnostic nuclear (imaging) study, gastrointestinal tract NOS for esophageal motility study	
3NZ70TB	NUCMED	Diagnostic nuclear (imaging) study, gastrointestinal tract NOS for protein loss study	
3NZ70TC	NUCMED	Diagnostic nuclear (imaging) study, gastrointestinal tract NOS for gastric emptying	
3OA70CA	NUCMED	Diagnostic nuclear (imaging) study, liver using scintigraphy	
3OA70CC	NUCMED	Diagnostic nuclear (imaging) study, liver using SPECT tomography	
3OA70CE	NUCMED	Diagnostic nuclear (imaging) study, liver using PET tomography	
3OB70CA	NUCMED	Diagnostic nuclear (imaging) study, spleen using scintigraphy	
3OB70CC	NUCMED	Diagnostic nuclear (imaging) study, spleen using SPECT tomography	
3OB70CE	NUCMED	Diagnostic nuclear (imaging) study, spleen using PET tomography	
3OC70CA	NUCMED	Diagnostic nuclear (imaging) study, liver with spleen using scintigraphy	
3OC70CB	NUCMED	Diagnostic nuclear (imaging) study, liver with spleen using scintigraphy with vascular flow	
3OC70CC	NUCMED	Diagnostic nuclear (imaging) study, liver with spleen using SPECT tomography	
3OC70CD	NUCMED	Diagnostic nuclear (imaging) study, liver with spleen using SPECT tomography (SPECT) with vascular flow	
3OC70CE	NUCMED	Diagnostic nuclear (imaging) study, liver with spleen using PET tomography	
3OC70KP	NUCMED	Diagnostic nuclear (imaging) study, liver with spleen with blood pool imaging	
3OC70KR	NUCMED	Diagnostic nuclear (imaging) study, liver with spleen with blood pool imaging and vascular flow	
3OC70KS	NUCMED	Diagnostic nuclear (imaging) study, liver with spleen with blood pool imaging and SPECT tomography (SPECT)	
3OD70CA	NUCMED	Diagnostic nuclear (imaging) study, gallbladder using scintigraphy	
3OD70CC	NUCMED	Diagnostic nuclear (imaging) study, gallbladder using SPECT tomography (SPECT)	
3OD70CE	NUCMED	Diagnostic nuclear (imaging) study, gallbladder using PET tomography (PET)	
3OE70CA	NUCMED	Diagnostic nuclear (imaging) study, bile ducts using scintigraphy	
3OE70CC	NUCMED	Diagnostic nuclear (imaging) study, bile ducts using SPECT tomography (SPECT)	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3OE70CE	NUCMED	Diagnostic nuclear (imaging) study, bile ducts using PE tomography (PET)	
3OT20WA	CATS	Computerized tomography [CT], abdominal cavity without enhancement	
3OT20WC	CATS	Computerized tomography [CT], abdominal cavity with enhancement	
3OT20WE	CATS	Computerized tomography [CT], abdominal cavity with and without enhancement	
3OT40WA	MRI	Magnetic resonance imaging [MRI], abdominal cavity without enhancement	
3OT40WC	MRI	Magnetic resonance imaging [MRI], abdominal cavity with enhancement	
3OT40WE	MRI	Magnetic resonance imaging [MRI], abdominal cavity with and without enhancement	
3OT70CA	NUCMED	Diagnostic nuclear (imaging) study, abdominal cavity using scintigraphy	
3OT70CC	NUCMED	Diagnostic nuclear (imaging) study, abdominal cavity using SPECT tomography (SPECT)	
3OT70CE	NUCMED	Diagnostic nuclear (imaging) study, abdominal cavity using PE tomography (PET)	
3PB70CA	NUCMED	Diagnostic nuclear (imaging) study, adrenal gland using scintigraphy	
3PB70CC	NUCMED	Diagnostic nuclear (imaging) study, adrenal gland using SPECT tomography	
3PB70CE	NUCMED	Diagnostic nuclear (imaging) study, adrenal gland using PET tomography	
3PC20WA	CATS	Computerized tomography [CT], kidney without enhancement	
3PC20WC	CATS	Computerized tomography [CT], kidney with enhancement	
3PC20WE	CATS	Computerized tomography [CT], kidney with and without enhancement	
3PC40WA	MRI	Magnetic resonance imaging [MRI], kidney without enhancement	
3PC40WC	MRI	Magnetic resonance imaging [MRI], kidney with enhancement	
3PC40WE	MRI	Magnetic resonance imaging [MRI], kidney with and without enhancement	
3PC70CA	NUCMED	Diagnostic nuclear (imaging) study, kidney using scintigraphy	
3PC70CB	NUCMED	Diagnostic nuclear (imaging) study, kidney using scintigraphy and vascular flow (plasma flow)	
3PC70CC	NUCMED	Diagnostic nuclear (imaging) study, kidney using SPECT tomography (SPECT)	
3PC70CE	NUCMED	Diagnostic nuclear (imaging) study, kidney using PE tomography (PET)	
3PC70SQ	NUCMED	Diagnostic nuclear (imaging) study, kidney using isotope for glomerular filtration rate study	
3PC70TF	NUCMED	Diagnostic nuclear (imaging) study, kidney using isotope for renal clearance study	
3PZ20WA	CATS	Computerized tomography [CT], urinary system NOS without enhancement	
3PZ20WC	CATS	Computerized tomography [CT], urinary system NOS with enhancement	

CCI Code	Type	Intervention Description (Long)	Status <small>(Alberta Developed)</small>
3PZ20WE	CATS	Computerized tomography [CT], urinary system NOS with and without enhancement	
3PZ70CA	NUCMED	Diagnostic nuclear (imaging) study, urinary system NOS using scintigraphy	
3PZ70CB	NUCMED	Diagnostic nuclear (imaging) study, urinary system NOS using scintigraphy with vascular flow	
3PZ70CC	NUCMED	Diagnostic nuclear (imaging) study, urinary system NOS using SPECT tomography	
3PZ70CE	NUCMED	Diagnostic nuclear (imaging) study, urinary system NOS using PET tomography	
3PZ70TH	NUCMED	Diagnostic nuclear (imaging) study, urinary system NOS for residual urine in bladder	
3PZ70TK	NUCMED	Diagnostic nuclear (imaging) study, urinary system NOS for ureteral reflux	
3PZ70TL	NUCMED	Diagnostic nuclear (imaging) study, urinary system NOS for urinary recovery	
3QG40WA	MRI	Magnetic resonance imaging [MRI], scrotum without enhancement	
3QG40WC	MRI	Magnetic resonance imaging [MRI], scrotum with enhancement	
3QG40WE	MRI	Magnetic resonance imaging [MRI], scrotum with and without enhancement	
3QG70CA	NUCMED	Diagnostic nuclear (imaging) study, scrotum using scintigraphy	
3QG70CB	NUCMED	Diagnostic nuclear (imaging) study, scrotum using scintigraphy with vascular flow	
3QG70CC	NUCMED	Diagnostic nuclear (imaging) study, scrotum using SPECT tomography (SPECT)	
3QG70CE	NUCMED	Diagnostic nuclear (imaging) study, scrotum using PET tomography (PET)	
3QT20WA	CATS	Computerized tomography [CT], prostate without enhancement	
3QT20WC	CATS	Computerized tomography [CT], prostate with enhancement	
3QT20WE	CATS	Computerized tomography [CT], prostate with and without enhancement	
3QT40WA	MRI	Magnetic resonance imaging [MRI], prostate without enhancement	
3QT40WC	MRI	Magnetic resonance imaging [MRI], prostate with enhancement	
3QT40WE	MRI	Magnetic resonance imaging [MRI], prostate with and without enhancement	
3RM70CA	NUCMED	Diagnostic nuclear (imaging) study, uterus and surrounding structures using scintigraphy	
3RM70CC	NUCMED	Diagnostic nuclear (imaging) study, uterus using SPECT tomography (SPECT)	
3RM70CE	NUCMED	Diagnostic nuclear (imaging) study, uterus using PET tomography (PET)	
3SC20WA	CATS	Computerized tomography [CT], spinal vertebrae without enhancement	
3SC20WC	CATS	Computerized tomography [CT], spinal vertebrae with enhancement	
3SC20WE	CATS	Computerized tomography [CT], spinal vertebrae with and without enhancement	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3SC40WA	MRI	Magnetic resonance imaging [MRI], spinal vertebrae without enhancement	
3SC40WC	MRI	Magnetic resonance imaging [MRI], spinal vertebrae with enhancement	
3SC40WE	MRI	Magnetic resonance imaging [MRI], spinal vertebrae with and without enhancement	
3SC70CA	NUCMED	Diagnostic nuclear (imaging) study, spinal vertebrae using scintigraphy	
3SC70CC	NUCMED	Diagnostic nuclear (imaging) study, spinal vertebrae using SPECT tomography	
3SC70CE	NUCMED	Diagnostic nuclear (imaging) study, spinal vertebrae using PET tomography	
3SF20WA	CATS	Computerized tomography [CT], sacrum and coccyx without enhancement	
3SF20WC	CATS	Computerized tomography [CT], sacrum and coccyx with enhancement	
3SF20WE	CATS	Computerized tomography [CT], sacrum and coccyx with and without enhancement	
3SF40WA	MRI	Magnetic resonance imaging [MRI], sacrum and coccyx without enhancement	
3SF40WC	MRI	Magnetic resonance imaging [MRI], sacrum and coccyx with enhancement	
3SF40WE	MRI	Magnetic resonance imaging [MRI], sacrum and coccyx with and without enhancement	
3TZ20WA	CATS	Computerized tomography [CT], arm without enhancement	
3TZ20WC	CATS	Computerized tomography [CT], arm with enhancement	
3TZ20WE	CATS	Computerized tomography [CT], arm with and without enhancement	
3TZ40WA	MRI	Magnetic resonance imaging [MRI], arm without enhancement	
3TZ40WC	MRI	Magnetic resonance imaging [MRI], arm with enhancement	
3TZ40WE	MRI	Magnetic resonance imaging [MRI], arm with and without enhancement	
3VZ20WA	CATS	Computerized tomography [CT], leg without enhancement	
3VZ20WC	CATS	Computerized tomography [CT], leg with enhancement	
3VZ20WE	CATS	Computerized tomography [CT], leg with and without enhancement	
3VZ40WA	MRI	Magnetic resonance imaging [MRI], leg without enhancement	
3VZ40WC	MRI	Magnetic resonance imaging [MRI], leg with enhancement	
3VZ40WE	MRI	Magnetic resonance imaging [MRI], leg with and without enhancement	
3WY40WA	MRI	Magnetic resonance imaging [MRI], bone marrow without enhancement	
3WY40WC	MRI	Magnetic resonance imaging [MRI], bone marrow with enhancement	
3WY40WE	MRI	Magnetic resonance imaging [MRI], bone marrow with and without enhancement	
3WY70CA	NUCMED	Diagnostic nuclear (imaging) study, bone marrow using scintigraphy	

CCI Code	Type	Intervention Description (Long)	Status (Alberta Developed)
3WY70CC	NUCMED	Diagnostic nuclear (imaging) study, bone marrow using SPEC tomography (SPECT)	
3WY70CE	NUCMED	Diagnostic nuclear (imaging) study, bone marrow using PE tomography (PET)	
3WZ20WA	CATS	Computerized tomography [CT], musculoskeletal system without enhancement	
3WZ20WC	CATS	Computerized tomography [CT], musculoskeletal system with enhancement	
3WZ20WE	CATS	Computerized tomography [CT], musculoskeletal system with and without enhancement	
3WZ70CA	NUCMED	Diagnostic nuclear (imaging) study, musculoskeletal system using scintigraphy	
3WZ70CC	NUCMED	Diagnostic nuclear (imaging) study, musculoskeletal system using SPECT tomography	
3WZ70CE	NUCMED	Diagnostic nuclear (imaging) study, musculoskeletal system using PET tomography	
3WZ70CG	NUCMED	Diagnostic nuclear (imaging) study, musculoskeletal system NEC using dual energy (xray) absorptiometry	
3YM20WA	CATS	Computerized tomography [CT], breast NOS without enhancement	
3YM20WC	CATS	Computerized tomography [CT], breast NOS with enhancement	
3YM20WE	CATS	Computerized tomography [CT], breast NOS with and without enhancement	
3YM40WA	MRI	Magnetic resonance imaging [MRI], breast NOS without enhancement	
3YM40WC	MRI	Magnetic resonance imaging [MRI], breast NOS with enhancement	
3YM40WE	MRI	Magnetic resonance imaging [MRI], breast NOS with and without enhancement	
3YM70CA	NUCMED	Diagnostic nuclear (imaging) study, breast NOS using scintigraphy	
3YM70CC	NUCMED	Diagnostic nuclear (imaging) study, breast NOS using SPECT tomography	
3YM70CE	NUCMED	Diagnostic nuclear (imaging) study, breast NOS using PET tomography	
3ZZ40WA	MRI	Magnetic resonance imaging [MRI], total body without enhancement	
3ZZ40WC	MRI	Magnetic resonance imaging [MRI], total body with enhancement (intravenous injection of contrast)	
3ZZ40WE	MRI	Magnetic resonance imaging [MRI], total body with and without enhancement (intravenous injection of contrast)	
3ZZ70CA	NUCMED	Diagnostic nuclear (imaging) study, total body using scintigraphy	
3ZZ70CC	NUCMED	Diagnostic nuclear (imaging) study, total body using SPEC tomography (SPECT)	
3ZZ70CE	NUCMED	Diagnostic nuclear (imaging) study, total body using PE tomography (PET)	
5AB05GZ	CATS	Computerized tomography [CT], antepartum diagnostic imaging	CT
5AB05GZ	NUCMED	Diagnostic nuclear (imaging) study, antepartum diganostic imaging	NI
5AB05GZ	MRI	Magnetic resonance imaging [MRI], antepartum diagnostic imaging	MR