

PLEASE NOTE

This document, prepared by the <u>Legislative Counsel Office</u>, is an office consolidation of this regulation, current to November 8, 2005. It is intended for information and reference purposes only.

This document is *not* the official version of these regulations. The regulations and the amendments printed in the <u>*Royal Gazette*</u> should be consulted to determine the authoritative text of these regulations.

For more information concerning the history of these regulations, please see the *Table of Regulations*.

If you find any errors or omissions in this consolidation, please contact:

Legislative Counsel Office Tel: (902) 368-4291 Email: <u>legislation@gov.pe.ca</u>

CHAPTER P-30

PUBLIC HEALTH ACT

SWIMMING POOL AND WATERSLIDE REGULATIONS

Pursuant to section 23 of the *Public Health* Act R.S.P.E.I. 1988, Cap. P-30, Council made the following regulations:

1. In these regulations	Definitions
(a) "bather" means a person who enters a pool or its immediate area for the purpose of swimming, bathing, diving, water sliding, wading or for other similar use;	bather
(b) "Chief Health Officer" means a person appointed pursuant to subsection 2(1) of the Act;	Chief Health Officer
(c) "club" means an organization that operates facilities including a pool, for the use of its members and other authorized persons;	club
(d) "deck" means the surface surrounding and immediately adjacent to a pool on which bathers stand or walk as they make use of the pool;	deck
(e) "guest" means a person who contracts for sleeping accommodations in a hotel or motel and includes other persons accompanying the guest in the accommodations;	guest
(f) "hotel" includes a hotel, motel, resort, cabin or other premises operated to provide sleeping accommodations to the public;	hotel
(g) "modify" means a structural alteration of or addition to a pool, including enlarging a pool, adding a separate pool or whirlpool, or altering the recirculation or filtration system;	modify
(h) "operating permit" means a permit issued pursuant to section 4;	operating permit
(i) "operator" means a person operating a pool and includes the owner of the pool;	operator
(j) "pool" means an artificially constructed body of water, with a recirculation system, that is intended for swimming, bathing, diving, water sliding, wading or for other similar use;	pool
(k) "receiving pool" means a pool located to receive sliders at the base of one or more slides in a waterfun park;	receiving pool

spectator gallery	(1) "spectator gallery" means a permanent or semi-permanent seating area for spectators at a pool;
wading pool	(m) "wading pool" means a pool used or intended to be used for children under the age of 6 years;
waterfun park	(n) "waterfun park" means an aquatic recreational facility which has recreational waterslide flumes, bumper boat pools or other recreational water use, and associated receiving pools;
waterslide flume	(o) "waterslide flume" means a watered chute down which bathers slide;
whirlpool	 (p) "whirlpool" means a swimming pool or a hot tub designed primarily for therapeutic or recreational use, that (i) is not drained, cleaned or refilled before each use by an individual, and (ii) utilizes hydrojet circulation, air induction bubbles or hot water or any combination of them. (EC93/01)
Application	 2. These regulations do not apply to (a) pools on private property used by the owner, the owner's family and invited persons, without compensation; (b) natural bodies of water, dammed or not; and (c) pools used for health care treatment (i) for one person at a time, which are drained and sanitized after each use, or (ii) in acute care hospitals. (EC93/01)
Classes of pools	 3. For the purposes of these regulations, the following classes of pools are established: (a) Class A pool - swimming pools available to the public, that are not Class B pools, including municipal, community, institutional, athletic club, country club, display pools and portable pools; (b) Class B pool - swimming pools, including whirlpools, that are provided as part of a hotel, motel, health club, campground or apartment building, where the use of the pool is restricted exclusively to registered guests, tenants, occupants and their guests; and (c) Class C pool - swimming pools associated with or part of a waterfun park, including wave pools and water slide flumes. (EC93/01)
Operating permit	4. (1) No person shall operate a pool without an operating permit issued in accordance with this section.
Application for operating permit	(2) An application for an operating permit shall be made to a health officer on the prescribed form and shall include:

Updated 2005

Public Health Act Swimming Pool and Waterslide Regulations

Cap. P-30

(a) the name, address and phone number of the operator;

(b) the class of pool intended to be operated;

(c) the dates that the pool is intended to be open for use; and

(d) such other information as the health officer may require.

(3) The Chief Health Officer or a health officer may require an Inspection inspection of any pool

(a) prior to issuance of an operating permit; or

regulations, may refuse to issue an operating permit.

continued compliance with the Act and these regulations and shall

(b) at any time to determine compliance with the Act and these regulations.

regulations, shall issue an operating permit, valid for a period not

(b) if not satisfied that the applicant complies with the Act and these

(b) be displayed prominently by the operator in a conspicuous place

(4) The Chief Health Officer,

exceeding one year; or

(a) state the pool capacity; and

health of the general public. (EC93/01)

Issuance of (a) if satisfied that the applicant complies with the Act and these operating permit

in the immediate area of the pool. (EC93/01) 5. A pool shall be equipped, maintained, operated and used in a manner No danger to health or safety that shall not be dangerous to the health or safety of users, nor to the

(5) An operating permit is not transferable, shall be subject to Operating permit

6. Any water added to a pool at the direction of an operator shall meet Water requirements the requirements of the current edition of the Canadian Drinking Water Guidelines for bacteriological and chemical quality. (EC93/01)

7. (1) A health officer may conduct an inspection at any time and may, Inspection and closure pursuant to section 5 of the Act,

(a) direct the operator of a pool to take appropriate remedial action to correct violations of the regulations within a specified time; or (b) direct the operator to close the pool.

(2) Where an operator fails to comply with a direction given pursuant *Idem* to clause (1) (a), the Chief Health Officer

(a) may issue an order and enforce it in accordance with section 5 of the Act; or

(b) revoke the operating permit for a pool. (EC93/01)

8. (1) All operators shall ensure that pools are constructed, equipped and Construction and equipment operated as follows: requirements

3

4

	 (a) all floors, interior walls and surfaces of the pool and surrounding area are capable of thorough cleaning; (b) the depths of the pool are clearly marked at the deepest point and the shallowest point; (c) the pool is surrounded by a hard surface and impervious deck that is capable of being efficiently washed and cleaned; (d) surface water from adjacent areas does not drain onto the deck surrounding the pool or into the pool; (e) the outlet openings of all water pipelines serving the pool are covered with a satisfactory covering for the prevention of accidental entrapment of the bathers; (f) where mechanical disinfection equipment is installed, and compressed chlorine or other gas is used, a separate storage room for disinfecting equipment and gas cylinders are provided; (g) where there is a spectator gallery, it shall (i) not overhang any part of the pool, (ii) have separate entrances and exits from those serving the pool areea, (iii) have a notice indicating that spectators are forbidden in the area of the pool deck that is within 4 feet from the edge of the pool; (h) the entrance to the pool deck shall be adjacent to the shallowest end of the pool; (i) the maximum water depth of the pool shall not exceed 4.5 metres; and (j) a barrier or guardrail shall be provided around the entire outer perimeter of an above ground pool platform, except at the entry and exit points.
Existing pools	(2) Clauses (1)(d) and (h) do not apply to pools constructed prior to September 1, 2000. (EC93/01)
Waiver by Chief Health Officer	9. The Chief Health Officer may, in writing, waive or vary any provision of these regulations. (EC93/01)
Water clarity	 10. The water clarity in a filled pool shall be such that from the deck of the pool (a) the cover of the main drain located at the deepest part of the pool is visible; or (b) a black disk 15 cm. in diameter is visible when located in the deepest part of the pool. (EC93/01)
Wading pool	11. (1) A wading pool shall be made of a durable material that is impervious to moisture and retains a texture which is non-slip and is constructed, equipped and operated in a manner that ensures that the

u anu op ipp wading pool

Updated 2005

children.

Public Health Act Swimming Pool and Waterslide Regulations

(a) is completely free of obstructions that may be hazardous to

Cap. P-30

(b) has a floor which has a maximum slope of 1:25 and a minimum slope of 1:50; (c) is entirely surrounded by a walkway which properly drains away from the wading pool; and (d) has a maximum depth of 75 centimetres. (2) No person shall allow a pool or part of a pool to be used as a Prohibition wading pool unless the pool complies with subsection (1). (3) Where a pool is equipped with a spray mechanism, the spray Spray mechanism mechanism shall be padded or equipped to prevent injury, in a manner satisfactory to a health officer. (EC93/01) **12.** No pool or part of a pool that has a graduated ramp shall be used as a Graduated ramp wading pool unless a health officer is satisfied that it is equipped with an appropriate barrier for the prevention of children under 6 years of age from entering water deeper than that allowed for wading pools. (EC93/01) 13. Flume joints, tunnels, turns, exit areas and the receiving pool of a Waterslide requirements water slide shall provide a safe environment for the bather. (EC93/01) 14. A wave action pool shall have a mechanism for giving a recognizable Wave action pool warning to bathers prior to wave activation, to allow bathers the opportunity to leave the pool. (EC93/01) 15. For all Class A and Class C pools, washroom facilities shall be Washrooms (a) easily accessible from the pool area; (b) provided as separate male and female facilities, at the ratio of 1 toilet, basin and shower for every 50 or fewer bathers. (EC93/01) 16. (1) The recirculation, filtration and chemical treatment facilities for a Pool recirculation, pool shall be such that the volume of the entire contents of the pool are etc. recirculated, replenished, filtered and treated (a) for a swimming pool, in less than 6 hours or at the rate of 4 times per day; (b) for a whirlpool, at least once every 30 minutes; (c) for a wading pool, at least once every 2 hours; and (d) for a receiving pool at a waterslide, as often as necessary to maintain the water clarity prescribed by section 10. (2) A pool circulation system shall be in continuous operation except Continuous operation for stoppage for maintenance or repair. (EC93/01)

Mandatory conditions of operation

Cap. P-30

17. (1) The following are mandatory conditions for the operation of pools:

(a) the quantity of disinfectant in the water in the pool, when it is in use

(i) in the case of swimming pools, other than a whirlpool or wading pool, shall be maintained within the range of 1.0 mg/1 to 3.0 mg/1 of free available chlorine or equivalent, and

(ii) in the case of whirlpools, shall be maintained with a minimum of 3.0 mg/1 of free available chlorine or equivalent;

(b) the pH value of the water shall be within the range of 7.2 to 7.8; (c) the bacteriological quality of the water

(i) shall be such that less than one total coliform organism is detected in 100 ml of pool water as determined by the membrane filtration technique, and

(ii) in a whirlpool, in addition to complying with subclause (i), shall be such that Pseudomonas aeruginosa is not detected in 100 ml of pool water as determined by the membrane filtration technique;

(d) the total alkalinity value of the water shall be within the range of 80 to 120 mg/l;

(e) the calcium hardness of the water shall be within the range of (i) in the case of a swimming pool, 150 mg/1 to 375 mg/1, and (ii) in the case of a whirlpool, 150 mg/1 to 200 mg/1; and

(f) the concentration of cyanuric acid in the water shall not exceed

- (i) in the case of a swimming pool, 100 mg/1; and
- (ii) in the case of a whirlpool, 60 mg/1.

Water samples for testing

(2) A health officer may take water samples as often as the health officer considers necessary for bacteriological and other testing to determine compliance with subsection (1).

Operating records

load

(3) Pool operators shall maintain operating records which include the following information

(a) quantities and dates of all chemicals used;

(b) time and result of all pH tests taken;

(c) time and result of all free chlorine residual tests taken;

(d) time and result of all combined chlorine residual tests taken;

(e) bacteriological analysis reports provided by health officers;

(f) water temperature, recorded at least every 24 hours;

(g) results of all other tests that may be taken from time to time. (EC93/01)

18. The maximum bathing load in a swimming pool or other water Maximum bathing recreational facility, other than a whirlpool or wading pool, shall not exceed one person for each 1.5 square meters of water surface area of the Updated 2005

Cap. P-30

pool, or the maximum design bathing load for the water recirculation system of the pool, whichever is less. (EC93/01)

19. (1) No person shall enter a pool who

(a) is obviously ill;

(b) has an open wound or sore;

(c) has any untreated fungal infection of the skin or nails;

(d) has sore or infected eyes;

(e) has a discharging ear or nose; or

(f) has any communicable disease.

(2) Where an operator believes or is informed that a person has any of Denial of entry the conditions listed in subsection (1), the operator shall deny that person entry to the pool. (EC93/01)

20. (1) An operator shall ensure that lifeguards and assistant lifeguards Procedures, training who may be on duty at the pool are trained in emergency and operational procedures.

(2) Where an operator employs lifeguards,
 (a) a lifeguard shall be not less than 16 years of age and hold a current National Lifeguard Service Pool certification; and
 (b) an assistant lifeguard shall be not less than 14 years of age and hold a current Bronze Cross certification

issued by the Royal Life Saving Society of Canada.

(3) An operator shall post signs which are conspicuous to bathers, signs respecting the following:

(a) that no breakable articles are allowed in the pool or on the deck;

(b) that running is not permitted on the deck;

(c) that proper swim attire is required in the pool;

(d) the maximum number of bathers permitted on the deck and in the

pool as indicated by the operating permit;

(e) that bathers must shower before entering the pool;

(f) where lifeguard services are not provided, that children under 12 years of age are not permitted to swim without adult supervision and that bathers swim at their own risk;

(g) where there are part-time lifeguard services provided, the hours of the lifeguard service; and

(h) that persons with the conditions listed in subsection 19(1) are prohibited from entering the pool. (EC93/01)

21. An operator shall ensure that the following are provided, in a place Emergency aids conveniently located for emergency use:

Ill persons

7

(a) for pools smaller than 500 square metres, an electrically insulated or non-conducting reaching pole not less than 365 centimetres in length;

(b) for pools 500 square metres or larger, 2 reaching poles as described in clause (a);

(c) 2 buoyant throwing aids, each of which has securely attached to it, a rope of at least 0.6 centimetre in diameter and of a length not less than 1/2 the width of the pool plus 3 metres;

(d) first aid kits complying with the guidelines approved by the Chief Health Officer;

(e) a signalling device or surveillance system at poolside, which may include a telephone, two way radio, buzzer, bell or video camera; and

(f) for Class A and C pools, when lifeguards are on duty, a spinal board with attached adjustable straps and attachable head and neck immobilizer. (EC93/01)

Forms

22. The forms contained in Schedule A are prescribed. (EC93/01)

Cap. P-30

Updated 2005	Public Health Act	Cap. P-30
	Swimming Pool and Waterslide Regulations	

9

SCHEDULE A

Press / Application for Swimming Pool Operating Paralli			
Owner's Name:	Phone:		
Addres:			
Operator's Nexos:	Fice:		
Adman:			
Name of Pool:			
Loantion (municipal address):	· · ·		
Claus of Pool (chank as appropriate):	• •		
Chen A (public) Class B (excl-pyblic)	Class C (Waterlan Park)		
Opending Status:			
Year Round Several Star	t Data		
Dute of Application	Owner/Operator Signature		
Rutum Application: Managar Division of Environmental Health Provincial Progents PO Bas 2000 Chatfolicitows, FE CIA 7NS	Tal: (902) 348-4970 Fan: (902) 368-6453		

9

Cap. P-30	0 Public Health Act Swimming Pool and Waterslide Regulations			Updated 2005	
		Form 2 Swimming Pool Oper	ating Permit		
	Name of Owner/Operator	r			
	Pursuant to the Swimming Pool and Waterslide Regulations under the Public Health Act, the Owner/Operator is authorized to operate				
	Pool Capacity:				
	lssued this	day of	<u>.</u> at	<u>.</u>	
			Chief Health Officer Province of Prince Edward Island Department of Health	1	
 (EC624/	05)				