Section XV

BASE METALS AND ARTICLES OF BASE METAL

Notes.

- 1. This Section does not cover:
 - (a) Prepared paints, inks or other products with a basis of metallic flakes or powder (headings 32.07 to 32.10, 32.12, 32.13 or 32.15):
 - (b) Ferro-cerium or other pyrophoric alloys (heading 36.06);
 - (c) Headgear or parts thereof of heading 65.06 or 65.07;
 - (d) Umbrella frames or other articles of heading 66.03;
 - (e) Goods of Chapter 71 (for example, precious metal alloys, base metal clad with precious metal, imitation jewellery);
 - (f) Articles of Section XVI (machinery, mechanical appliances and electrical goods);
 - (g) Assembled railway or tramway track (heading 86.08) or other articles of Section XVII (vehicles, ships and boats, aircraft);
 - (h) Instruments or apparatus of Section XVIII, including clock or watch springs;
 - (ij) Lead shot prepared for ammunition (heading 93.06) or other articles of Section XIX (arms and ammunition);
 - (k) Articles of Chapter 94 (for example, furniture, mattress supports, lamps and lighting fittings, illuminated signs, prefabricated buildings);
 - (I) Articles of Chapter 95 (for example, toys, games, sports requisites);
 - (m) Hand sieves, buttons, pens, pencil-holders, pen nibs or other articles of Chapter 96 (miscellaneous manufactured articles); or
 - (n) Articles of Chapter 97 (for example, works of art).
- 2. Throughout the Nomenclature, the expression "parts of general use" means:
 - (a) Articles of heading 73.07, 73.12, 73.15, 73.17 or 73.18 and similar articles of other base metal;
 - (b) Springs and leaves for springs, of base metal, other than clock or watch springs (heading 91.14); and
 - (c) Articles of headings 83.01, 83.02, 83.08, 83.10 and frames and mirrors, of base metal, of heading 83.06.

In Chapters 73 to 76 and 78 to 82 (but not in heading 73.15) references to parts of goods do not include references to parts of general use as defined above.

Subject to the preceding paragraph and to Note 1 to Chapter 83, the articles of Chapter 82 or 83 are excluded from Chapters 72 to 76 and 78 to 81.

- 3. Throughout the Nomenclature, the expression "base metals" means: iron and steel, copper, nickel, aluminum, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium.
- 4. Throughout the Nomenclature, the term "cermets" means products containing a microscopic heterogeneous combination of a metallic component and a ceramic component. The term "cermets" includes sintered metal carbides (metal carbides sintered with a metal).

- 5. Classification of alloys (other than ferro-alloys and master alloys as defined in Chapters 72 and 74):
 - (a) An alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals;
 - (b) An alloy composed of base metals of this Section and of elements not falling within this Section is to be treated as an alloy of base metals of this Section if the total weight of such metals equals or exceeds the total weight of the other elements present:
 - (c) In this Section the term "alloys" includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.
- 6. Unless the context otherwise requires, any reference in the Nomenclature to a base metal includes a reference to alloys which, by virtue of Note 5 above, are to be classified as alloys of that metal.
- 7. Classification of composite articles:

Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the Interpretative Rules) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals. For this purpose:

- (a) Iron and steel, or different kinds of iron or steel, are regarded as one and the same metal;
- (b) An alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of Note 5, it is classified; and
- (c) A cermet of heading 81.13 is regarded as a single base metal.
- 8. In this Section, the following expressions have the meanings hereby assigned to them:

(a) Waste and scrap

Metal waste and scrap from the manufacture or mechanical working of metals, and metal goods definitely not usable as such because of breakage, cutting-up, wear or other reasons.

(b) Powders

Products of which 90% or more by weight passes through a sieve having a mesh aperture of 1 mm.

Supplementary Note.

1. Unless the context otherwise requires, the expression "diameter", when applied to tubes and pipes, refers to the actual internal diameter.

Chapter 76

ALUMINUM AND ARTICLES THEREOF

Note.

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Bars and rods

Rolled, extruded, drawn or forged products, not in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross-section exceeds one-tenth of the width. The expression also covers cast or sintered products, of the same forms and dimensions, which have been subsequently worked after production (otherwise than by simple trimming or de-scaling), provided that they have not thereby assumed the character of articles or products of other headings.

(b) Profiles

Rolled, extruded, drawn, forged or formed products, coiled or not, of a uniform cross-section along their whole length, which do not conform to any of the definitions of bars, rods, wire, plates, sheets, strip, foil, tubes or pipes. The expression also covers cast or sintered products, of the same forms, which have been subsequently worked after production (otherwise than by simple trimming or de-scaling), provided that they have not thereby assumed the character of articles or products of other headings.

(c) Wire

Rolled, extruded or drawn products, in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles", and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross-section exceeds one-tenth of the width.

(d) Plates, sheets, strip and foil

Flat-surfaced products (other than the unwrought products of heading 76.01), coiled or not, of solid rectangular (other than square) cross-section with or without rounded corners (including "modified rectangles" of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel) of a uniform thickness, which are:

- of rectangular (including square) shape with a thickness not exceeding one-tenth of the width,
- of a shape other than rectangular or square, of any size, provided that they do not assume the character of articles or products of other headings.

Headings 76.06 and 76.07 apply, *inter alia*, to plates, sheets, strip and foil with patterns (for example, grooves, ribs, chequers, tears, buttons, lozenges) and to such products which have been perforated, corrugated, polished or coated, provided that they do not thereby assume the character of articles or products of other headings.

(e) Tubes and pipes

Hollow products, coiled or not, which have a uniform cross-section with only one enclosed void along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons, and which have a uniform wall thickness. Products with a rectangular (including square), equilateral triangular or regular convex polygonal cross-section, which may have corners rounded along their whole length, are also to be considered as tubes and pipes provided the inner and outer cross-sections are concentric and have the same form and orientation. Tubes and pipes of the foregoing cross-sections may be polished, coated, bent, threaded, drilled, waisted, expanded, cone-shaped or fitted with flanges, collars or rings.

Subheading Notes.

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Aluminum, not alloyed

Metal containing by weight at least 99% of aluminum, provided that the content by weight of any other element does not exceed the limit specified in the following table:

TABLE -- Other elements

Element	Limiting content % by weight
Fe + Si (Iron plus silicon)	1
Other elements ⁽¹⁾ ,each	0.1 ⁽²⁾

⁽¹⁾ Other elements are, for example Cr, Cu, Mg, Mn, Ni, Zn.

(b) Aluminum alloys

Metallic substances in which aluminum predominates by weight over each of the other elements, provided that:

- (i) the content by weight of at least one of the other elements or of iron plus silicon taken together is greater than the limit specified in the foregoing table; or
- (ii) the total content by weight of such other elements exceeds 1%.
- 2. Notwithstanding the provisions of Chapter Note 1 (c), for the purposes of subheading 7616.91 the term "wire" applies only to products, whether or not in coils, of any cross-sectional shape, of which no cross-sectional dimension exceeds 6 mm.

Supplementary Notes.

- 1. In this Chapter the expression "unworked" means:
 - (a) when referring to bars, rods and profiles, products which have not been subsequently worked after production (for example, not machined, drilled, punched, twisted or crimped);
 - (b) when referring to plates, sheets, strip and foil, products which have not been processed beyond the last rolling mill pass except by heat treating, levelling, edge trimming, slitting, cutting-to-size, surface cleaning or lubricating.
- 2. In this Chapter the expression "unwrought" means forms which may be simply cut-to-length for shipping or to make the metal suitable for further processing. It also includes scalping or de-scaling surfaces to prepare them for rolling, extrusion or forging.

⁽²⁾ Copper is permitted in a proportion greater than 0.1% but not more than 0.2%, provided that neither the chromium nor manganese content exceeds 0.05%.

CUSTOMS TARIFF - SCHEDULE

Tariff Item	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
76.01	Unwrought aluminum.			
70.01	onwooght aluminum.			
7601.10.00	-Aluminum, not alloyed		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	Billets, blocks, ingots, notched bars, pigs, slabs and wire bars:			
	11 Billets	KGM		
	12Blocks	KGM		
	13 Ingots	KGM		
	4 Notched bars	KGM		
	15 <i>- Pig</i> s	KGM		
	6 Slabs	KGM		
1	17 Wire bars	KGM		
	Other:			
Ę	onGranules, cut from ingots, for use in the manufacture of cleaning	KGM		
	compounds	_		
)2 Grain	KGM		
٤	99 Other	KGM		
7601.20.00	-Aluminum alloys		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	Aluminum vanadium alloys:			
	11Billets, blocks, ingots, notched bars, pigs, slabs and wire bars	KGM		
1	2 Granules, cut from ingots, for use in the manufacture of cleaning			
	compounds	KGM		
	13 Grain	KGM		
1	19 Other	KGM		
_	Ingots, of other aluminum alloys:			
	21Remelt scrap ingot	KGM		
2	29 Other	KGM		
	Other:			
	91 <i>Billets</i>	KGM		
	92 Blocks	KGM		
	93 Notched bars	KGM		
)4 <i>Pigs</i>	KGM		
	95 <i>Slabs</i>	KGM		
	96 Wire bars	KGM		
٤	77 Granules, cut from ingots, for use in the manufacture of cleaning	KOM		
	compounds	KGM		
	98 Grain	KGM		
\$	99 Other	KGM		
7602.00.00	Aluminum waste and scrap.		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
1	0Beverage container scrap	KGM		
Ş	90 Other	KGM		
76.03	Aluminum powders and flakes.			

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7603.10.00	00 -Powders of non-lamellar structure	KGM	5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7603.20.00	-Powders of lamellar structure; flakes		3.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10Powders			
76.04	Aluminum bars, rods and profiles.			
7604.10	-Of aluminum, not alloyed			
	Unworked:			
7604.10.11	Bars and rods, of which the maximum cross-sectional dimension exceeds 12.7 mm		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10Other			
7604.10.12	 Bars and rods, of which the maximum cross-sectional dimension does not exceed 12.7 mm; Profiles Bars and rods: 		3.5%	NZT, UST, AUT, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	11Having a round cross-section			
	19 Other	KGM		
	21Angles	KGM		
	22Beams			
	23Channels	KGM		
	24Tees	_		
	29Other	KGM		
7604.10.20	Worked		3.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	Bars and rods, of a maximum cross-sectional dimension exceeding 12.7 mm:			G
	11Having a round cross-section	KGM		
	19 Other	KGM		
	Bars and rods, of a maximum cross-sectional dimension not exceeding 12.7 mm:			
	21Having a round cross-section	KGM		
	29 Other	KGM		
	30Profiles	KGM		
	-Of aluminum alloys:			
7604.21.00	Hollow profiles		5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	40 Harris de d	L/CN4		
	10 <i>Unworked</i>	KGM		

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7604.29	Other			
	Unworked:			
7604.29.11	Bars and rods, of which the maximum cross-sectional dimension exceeds 12.7 mm		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10Having a round cross-section	KGM KGM		
7604.29.12	not exceed 12.7 mm; Profiles		3%	NZT, UST, AUT, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	Bars and rods:	KOM		
	11 Having a round cross-section	KGM KGM		
	Profiles:	KOW		
	21 <i>Angles</i>	KGM		
	22Beams	KGM		
	23Channels	KGM		
	24Tees	KGM		
	29Other	KGM		
7604.29.20	Worked		3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	Bars and rods, of a maximum cross-sectional dimension exceeding 12.7 mm:			
	11Having a round cross-section	KGM		
	19 Other	KGM		
	12.7 mm: 21Having a round cross-section	KGM		
	29 Other	KGM		
	30 <i>Profiles</i>			
76.05	Aluminum wire.			
	-Of aluminum, not alloyed:			
7605.11.00	Of which the maximum cross-sectional dimension exceeds 7 mm		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	Exceeding 7 mm but not exceeding 12.7 mm:			J. (1.1100
	11 Not coated or covered	KGM		
	12Coated or covered	KGM		
	Exceeding 12.7 mm:			
	21Not coated or covered	KGM		
	22Coated or covered	KGM		
7605.19.00	Other		4%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10 Not coated or covered	KGM KGM		

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		-Of aluminum alloys:	<u> </u>		1
7605.21.00)	Of which the maximum cross-sectional dimension exceeds 7 mm		Free	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free
		Exceeding 7 mm but not exceeding 12.7 mm:			
	11	Not coated or covered	KGM		
	12	Coated or covered	KGM		
		Exceeding 12.7 mm:			
		Not coated or covered	KGM		
	22	Coated or covered	KGM		
605.29.00		Other		4%	UST, CCCT, LDCT, GP ⁻ MT, MUST, CIAT, CT, CRT: Free
	10	Not coated or covered	KGM		CK I. FIEE
	-	Coated or covered			
	20	Codica of covered	KOW		
76.06		Aluminum plates, sheets and strip, of a thickness exceeding 0.2 mm.			
		-Rectangular (including square):			
7606.11		Of aluminum, not alloyed			
7606.11.10		Unworked		Free	UST, CCCT, LDCT, GPTMT, MUST, CIAT, CT, CRT: Free
		In coils:			
	11	Of a thickness exceeding 0.2 mm but less than 7 mm	KGM		
	12	Of a thickness of 7 mm or more	KGM		
		Not in coils:			
	21	Of a thickness exceeding 0.2 mm but less than 7 mm	KGM		
	22	Of a thickness of 7 mm or more	KGM		
7606.11.20		Worked		3%	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free
		In coils:			OK1.1100
	11	Not clad, of a thickness exceeding 0.2 mm but less than 7 mm	KGM		
		Not clad, of a thickness of 7 mm or more			
	13	Clad	KGM		
		Not in coils:			
	21	Not clad, of a thickness exceeding 0.2 mm but less than 7 mm	KGM		
		Not clad, of a thickness of 7 mm or more	KGM		
	23	Clad	KGM		
7606.12		Of aluminum alloys			
7606.12.10)	 Coated sheets or strip to be employed in packaging fish products in drawn aluminum cans with a full panel key open feature; Coated sheets or strip for use in packaging beverage products in drawn aluminum cans; Of a thickness of less than 7 mm, in coils, to be employed in the manufacture of offset printing plates; Unworked 		Free	UST, CCCT, LDCT, GP MT, MUST, CIAT, CT, CRT: Free

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	10	Coated sheets or strip to be employed in packaging fish products in			<u>'</u>
		drawn aluminum cans with a full panel key open feature; coated sheets			
		or strip for use in packaging beverage products in drawn aluminum			
	00	cans	KGM		
	20	Unworked, of a thickness of 3.2 mm or more but not exceeding			
		5 mm and of a width of 165 cm or more but not exceeding 203 cm, hot-rolled from ingots of Canadian origin, imported for cold-rolling			
		in Canada, for use in the manufacture of pull tabs for beverage			
		containers	KGM		
	30	Unworked, of a thickness exceeding 0.2 mm but less than 7 mm, in			
		coils, for use in the manufacture of offset printing plates	KGM		
		Unworked, other, in coils:			
	41	Of a thickness exceeding 0.2 mm but less than 7 mm	KGM		
	42	Of a thickness of 7 mm or more	KGM		
		Unworked, other, not in coils:			
		Of a thickness exceeding 0.2 mm but less than 7 mm	KGM		
		Of a thickness of 7 mm or more	KGM		
		Worked, of a thickness exceeding 0.2 mm but less than 7 mm, in coils,			
	61	for use in the manufacture of offset printing plates, not clad:Of a thickness exceeding 0.2 mm but not exceeding 6.3 mm	KGM		
		Of a thickness exceeding 0.2 min but not exceeding 0.3 min	KGM		
		Worked, of a thickness exceeding 0.2 mm but less than 7 mm, in coils,	KGW		
	70	for use in the manufacture of offset printing plates, clad	KGM		
		Tor doo in the manadata of chock printing places, side	TOW		
7606.12.90) .	Other		3%	UST, CCCT, LDCT, GPT,
					MT, MUST, CIAT, CT,
					CRT: Free
		In coils:			
		Not clad, of a thickness exceeding 0.2 mm but less than 7 mm	KGM		
		Not clad, of a thickness of 7 mm or more	KGM		
		Clad	KGM		
		Not in coils:	14014		
		Not clad, of a thickness exceeding 0.2 mm but less than 7 mm	KGM		
		Not clad, of a thickness of 7 mm or more	KGM		
	23	Clad	KGM		
		-Other:			
7606.91		Of aluminum, not alloyed			
				_	
7606.91.10	00	Unworked circles or discs	KGM	Free	UST, CCCT, LDCT, GPT,
					MT, MUST, CIAT, CT,
					CRT: Free
7606.91.90	١	Other		6.5%	UST, CCCT, LDCT, MT,
7000.91.90	,	Guiei		0.570	MUST, CIAT, CT,
					CRT: Free
					GPT: 5%
	10	Worked circles or discs	KGM		
	90	Other	KGM		
7606.92		Of aluminum alloys			
7606.92.10) .	Discs, with a non-stick coating, for use in the manufacture of non-electrical		Free	UST, CCCT, LDCT, GPT,
		frying pans;			MT, MUST, CIAT, CT,
		Unworked circles or discs			CRT: Free

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	10	Discs, with a non-stick coating, for use in the manufacture of non- electrical frying pans	KGM		
		Unworked circles or discs:			
	21	Of a thickness exceeding 6.3 mm	KGM		
	22	Of a thickness not exceeding 6.3 mm	KGM		
7606.92.90	0	Other		6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 5%
	11	Worked circles or discs: Of a thickness exceeding 6.3 mm	KGM		
		Of a thickness not exceeding 6.3 mm			
	12	Other:	ROW		
	91	Of a thickness exceeding 6.3 mm	KGM		
		Of a thickness not exceeding 6.3 mm			
76.07		Aluminum foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0.2 mm.			
		-Not backed:			
7607.11		Rolled but not further worked			
		Of a thickness of 0.005 mm or more but less than 0.127 mm:			
7607.11.11	1 00	Containing 99.3% by weight of aluminum, for use in the manufacture of capacitors	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7607.11.19	9 00	Other	KGM	6%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7607.11.90)	Other		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10	Of a thickness of less than 0.005 mm	KGM		GIVII. 1 100
		Of a thickness of 0.127 mm or more	KGM		
7607.19		Other			
7607.19.10	0 00	 Epoxy coated for use in the manufacture of peelable, retortable lids for food containers; Etched, for use in the manufacture of electrolytic capacitors; In rolls, for use in the manufacture of smooth wall containers of subheading 7612.90 	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7607.19.90	0	Other		6.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10	Of a thickness of less than 0.127 mm, embossed	KGM		-
	20	Printed	KGM		
	90	Other	KGM		

CUSTOMS TARIFF - SCHEDULE

Tariff Item	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7607.20	-Backed			
7607.20.10	 For use in the manufacture of 960 ml beverage containers; Of a thickness of less than 0.127 mm, embossed, not printed 		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10For use in the manufacture of 960 ml beverage containers	KGM KGM		SKII 1130
7607.20.90	Other		6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 5%
	10 <i>- Printed</i>	KGM KGM		
76.08	Aluminum tubes and pipes.			
7608.10.00	-Of aluminum, not alloyed		5%	NZT, UST, AUT, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10Seamless	KGM KGM		
7608.20.00	-Of aluminum alloys		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10 Of a kind used in electronic air cleaners of heading 84.21	KGM KGM		
7609.00.00	00 Aluminum tube or pipe fittings (for example, couplings, elbows, sleeves).	KGM	5.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
76.10	Aluminum structures (excluding prefabricated buildings of heading 94.06) and parts of structures (for example, bridges and bridge-sections, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, balustrades, pillars and columns); aluminum plates, rods, profiles, tubes and the like, prepared for use in structures.			
7610.10.00	-Doors, windows and their frames and thresholds for doors		6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 5%
	10 Doors and their frames	NMB NMB NMB		
7610.90.00	-Other		6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 5%
	10Roofing	KGM KGM KGM		

Tariff Item	SS	•	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
			KGM		
	90	Other	KGM		
7611.00		Aluminum reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment.			
7611.00.10	00	Dairy vats	NMB	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7611.00.90	00	Other	NMB	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 5%
76.12		Aluminum casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment.			
7612.10.00	0 00	-Collapsible tubular containers	NMB	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 5%
7612.90		-Other			
7612.90.10	00 00	Aerosol containers, excluding three-piece cans without inserts having a base diameter of 50 mm or more but not exceeding 80 mm	NMB	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 2.5%
7612.90.90	0	OtherCans:		6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 5%
		Food	NMB NMB		
	21	Barrels or drums: One-trip shippers	NMB		
		Other	NMB		
	90	Other	NMB		
7613.00.00	D	Aluminum containers for compressed or liquefied gas.		6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 5%
		One-trip shippers	NMB		
		Repeat shippers	NMB NMB		
	90	Ouidi	INIVID		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
76.14	•	Stranded wire, cables, plaited bands and the like, of aluminum, not electrically insulated.			
7614.10.00	00	-With steel core	KGM	4.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
7614.90.00	00	-Other	KGM	4.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
76.15		Table, kitchen or other household articles and parts thereof, of aluminum; pot scourers and scouring or polishing pads, gloves and the like, of aluminum; sanitary ware and parts thereof, of aluminum.			
		-Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like:			
7615.11.00	00	Pot scourers and scouring or polishing pads, gloves and the like	-	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 5%
7615.19.00)	Other		6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 5%
		Cooking utensils	NMB		GI 1. 370
	30		- - -		
7615.20.00		-Sanitary ware and parts thereof		6.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
		Baths, sinks, wash basins or urinals			
76.16		Other articles of aluminum.			
7616.10		-Nails, tacks, staples (other than those of heading 83.05), screws, bolts, nuts, screw hooks, rivets, cotters, cotter-pins, washers and similar articles			
7616.10.10	00	 For climbing or mountaineering; Nipples for use in the manufacture of unicycles, bicycles or tricycles, or wheels therefor 	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7616.10.90)	Other		6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 5%
		Nails Tacks	KGM KGM		51 1. 070

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Screws:	•		
	31	Wood	KGM		
		Cap	KGM		
		Sems	KGM		
		Machine	KGM		
		Other	KGM		
		Bolts	KGM		
		Nuts	KGM		
		Rivets	KGM		
		Washers	KGM		
	90	Other	KGM		
	-O	ther:			
7616.91.00	000	Cloth, grill, netting and fencing, of aluminium wire	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 5%
7616.99	(Other			
7616.99.10		-Cups for use in the manufacture of candles; Ferrules for use in the manufacture of pencils;		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT,
		Fish egg incubators and parts thereof; For climbing or mountaineering; Identification bands for migratory birds; Pigeon countermark leg bands; To be employed in the manufacture of sera, antisera, toxoids, viruses, toxins or antitoxins, virus or bacterial vaccines, bacteriophage or bacterial lysates, allergenics, liver extracts, pituitary extracts, epinephrine or its solutions, insulin (with or without zinc, globin or protamine), and blood plasma or serum of human origin, or fractions thereof, or extenders or			CRT: Free
		substitutes therefor			
		Fish egg incubators and parts thereof	KGM		
		Identification bands for migratory birds; pigeon countermark leg bands Other	KGM KGM		
7616.99.90		-Other		6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 5%
		Chain	KGM		
		Castings:			
		Die	KGM		
	29	Other	KGM		
	30	Forgings	KGM		
		Ladders	NMB		
	50	Venetian blinds and parts thereof	-		
		Hangers and supports for pipes and tubes	KGM		