VETERINARY HEALTH CERTIFICATE FOR THE EXPORT OF BOVINE SEMEN TO QATAR

Exporting Country: CANADA

Department/Service CANADIAN FOOD INSPECTION AGENCY

GOVERNMENT OF CANADA

SECTION I - ORIGIN AND DESTINATION OF THE SEMEN

l)	Name of consignor:				
	Address				
ii)	Name of consignee:				
	Address				
iii)	Name of semen production centre where semen was collected:				
	Address				
iv)	Markings on official seal applied to shipping container:				
,					

SECTION II - SANITARY CERTIFICATION

I, the undersigned Veterinarian, duly authorized by the Government of Canada do hereby certify that:

- 1. The semen was:
 - collected from a donor bull which has been tested immediately preceding entry into the semen production centre and confirmed to be negative for tuberculosis, brucellosis, leptospirosis, paratuberculosis, enzootic bovine leucosis, bluetongue, epizootic haemorrhagic disease, trichomoniasis and campylobacteriosis; and
 - ii) collected from a donor bull which has been resident at least thirty (30) days at a semen production centre which is officially approved and supervised by the Canadian Food Inspection Agency; and
 - iii) processed and continuously stored at an approved semen production centre in compliance with international zoosanitary norms.
- 2. The donor bull and all of the animals maintained in the Artificial Insemination centre are not used for natural service and were healthy at the time of collection of the semen.
- 3. All animals maintained at the semen production centre, including the donor bull, are recognized to be free of tuberculosis, brucellosis, leptospirosis, paratuberculosis, enzootic bovine leucosis, bluetongue, epizootic haemorrhagic disease, trichomoniasis, campylobacteriosis and bovine virus diarrhea based on regularly scheduled testing performed at the centre by the Canadian Food Inspection Agency on the following basis:
 - i) at intervals of six (6) months:
 - a) Bluetongue ELISA
 - b) Brucellosis serum agglutination and complement fixation test
 - c) Leptospirosis micro-agglutination lysis test
 - d) Epizootic Haemorrhagic Disease agar gel immunodiffusion test
 - e) Enzootic bovine leucosis agar gel immunodiffusion test or ELISA



REFERENCE NO.	

- ii) at intervals of twelve (12) months:

 - a) Campylobacter fetus cultureb) Trichomonas foetus direct microscopic examination or culture
 - c) Tuberculosis intradermal tuberculin
 - d) Johne's Disease complement fixation or ELISA
- iii) all animals resident in the semen production centre are officially free of bovine virus diarrhea based on testing by immunoperoxidase test with negative results after having attained six (6) months of age and following their entry into the pre-entry isolation facility of the centre.
- The semen has been stored under approved conditions for a minimum of thirty (30) days post collection and during this period, the donor bull has remained free of evidence of infectious or contagious disease.
- Antibiotics have been added to the semen in accordance with internationally accepted standards.
- Canada is recognized to be free of foot and mouth disease, rinderpest, contagious bovine pleuropneumonia, lumpy skin disease, Rift Valley fever and vesicular stomatitis.



REFERENCE NO.	
REFERENCE NO.	

SECTION III - DONOR INFORMATION

NAME	OF DONOR	BREED	REGISTRATION NUMBER	DATE OF BIRTH	COLLECTION DATE	NUMBER OF STRAWS	
tal numb	er of straws in co	nsignment	i:				
ate	Official Export	Stamp	Signature o Canadian F	Signature of Official Veterinarian Canadian Food Inspection Agency Government of Canada			
			Governmer	nt of Canada	5 ,		



Name of Official Veterinarian (in block letters)