

- 116) Hydrogeological Consultants Ltd. Apr-1996. Koch Exploration Canada Ltd. 1993-1995 Groundwater Monitoring Report. Fort Kent Area. 061-04 W4M. — (unpublished contract report - Apr-1996.) [MR-027] [73L07 .F677K4 1996/04]
- 117) Hydrogeological Consultants Ltd. Aug-1996. Elan Energy Inc. Water Supply Prognosis. Cold Lake Area. 14-062-04 W4M. — (unpublished contract report - Aug-1996.) [96-183] [73M07 .C648L3 1996/08]
- 118) Hydrogeological Consultants Ltd. Dec-1996. County of St. Paul No. 19. Part of the North Saskatchewan River Basin: Regional Groundwater Assessment - Proposal. St. Paul Area. Parts of Tp 055-063, R 03-13, W4M. — (unpublished contract report - Dec-1996.) [97-102] [73L .S7P3 1996/12]
- 119) Hydrogeological Consultants Ltd. Feb-1997. Elan Energy Inc. Groundwater Supply. Muriel Lake Area. 22-059-04 W4M. — (unpublished contract report - Feb-1997.) [95-185] [73L01 .M87L3 1997/02]
- 120) Hydrogeological Consultants Ltd. Mar-1997a. County of St. Paul No. 19. Part of the North Saskatchewan River Basin: Regional Groundwater Assessment - Module 1. St. Paul Area. Parts of Tp 055-063, R 03-13, W4M. — (unpublished contract report - Mar-1997.) [97-102] [73L .S7P3 1997/03]
- 121) Hydrogeological Consultants Ltd. Mar-1997b. Koch Exploration Canada Ltd. 1996 Annual Groundwater Monitoring Report. Fort Kent Area. 061-04 W4M. — (unpublished contract report - Mar-1997.) [MR-027] [73L07 .F677K4 1997/03]
- 122) Hydrogeological Consultants Ltd. Apr-1997. Elan Energy Inc. Water Prognosis. Cold Lake Area. 36-062-04 W4M. — (unpublished contract report - Apr-1997.) [97-145] [73M07 .C648L3 1997/04]
- 123) Hydrogeological Consultants Ltd. Oct-1997. Canadian Occidental Petroleum Ltd. Bonnyville and Wolf Lake Sectors: Application for Primary Recovery Scheme. Bonnyville Area. 31-062-06 W4M. — (unpublished contract report - Oct-1997.) [97-231] [73L07 .B666 1997/10]
- 124) Hydrogeological Consultants Ltd. Jan-1998. Elan Energy Inc. 1996 to 1997 Groundwater Monitoring Report. Muriel Lake Area. 22-059-04 W4M. — (unpublished contract report - Jan-1998.) [MR-086] [73L02 .M87L3 1998/01a]
- 125) Hydrogeological Consultants Ltd. Jul-1999a. Fishing Lake Metis Settlement. 1998 Water Supply Well. Fishing Lake Area. 17-057-02 W4M. — (unpublished contract report - Jul-1999.) [98-166] [73E16 .F5L3 1999/07]
- 126) Hydrogeological Consultants Ltd. Jul-1999b. Ranger Oil Limited. Application for Reduced Spacing - Groundwater Details. Cold Lake Area. Tp 063, R 02 & 03, W4M. — (unpublished contract report - Jul-1999.) [98-123] [73L08 .C648L3 1999/07]
- 127) Hydrogeological Consultants Ltd. Oct-1999a. Ranger Oil Limited. Review of Axell Water Wells. Cold Lake Area. NE 22-063-03 W4M. — (unpublished contract report - Oct-1999.) [99-158] [73L08 .C648L3 1999/10]
- 128) Hydrogeological Consultants Ltd. Oct-1999b. Ranger Oil Limited. Review of Bodnar Water Wells. Cold Lake Area. SE 10-062-04 W4M. — (unpublished contract report - Oct-1999.) [99-158] [73L08 .C648L3 1999/10c]

- 129) Hydrogeological Consultants Ltd. Oct-1999c. Ranger Oil Limited. Review of David Water Well. Cold Lake Area. 13-20-063-02 W4M. — (unpublished contract report - Oct-1999.) [99-158] [73L08 .C648L3 1999/10a]
- 130) Hydrogeological Consultants Ltd. Oct-1999d. Ranger Oil Limited. Review of Ulfsten Water Wells. Cold Lake Area. SW 25-063-03 W4M. — (unpublished contract report - Oct-1999.) [99-158] [73L08 .C648L3 1999/10b]
- 131) Imperial Oil Resources and Komex International Ltd. July 31, 1998. Summary of Groundwater Investigation Results Under Environmental Protection Order 95-07.
- 132) Ozoray, G., M. Dubord, and A. Cowen. 1990. Groundwater Resources of the Vermilion 73E Map Area, Alberta. Alberta Environmental Protection.
- 133) Ozoray, G. F., E. I. Wallick, and A. T. Lytviak. 1980. Alberta Geological Survey. Hydrogeology of the Sand River Area, Alberta. Sand River Area. [QE 186 P7 no.79-01]
- 134) Pawlowicz, J. G., and M. M. Fenton. 1995. Alberta Geological Survey. Bedrock Topography of Alberta. [AGS MAP 226]
- 135) Prosser, D. W. 1973. Alberta Department of Environment, Environmental Protection Services, Earth Sciences and Licensing Division, Groundwater Development Branch. Metis Water Supply Program, Elizabeth Colony. Elizabeth Metis Colony Area. 060-01 W4M. [73L01 .E45M4C6 1973]
- 136) Root, J. D. 1978. Alberta Geological Survey. Index to Geological, Bedrock Topography, Soils and Groundwater Maps of Alberta. [QE 186 P7 No. 77-03]
- 137) Root, J. D. 1973. Alberta Research Council. Index to Current Geological, Soils, and Groundwater Maps of Alberta. [QE 186 P7 No. 73-04]
- 138) Sauveplane, C., and D. Borneuf. 1985. Alberta Geological Survey. Hydrogeology of the Cold Lake Study Area Alberta, Canada. Part 4. Hydrodynamics. [QE 186 Op96-1D]
- 139) Shaw, J., and R. Kellerhals. 1982. Alberta Geological Survey. The Composition of Recent Alluvial Gravels in Alberta River Beds. [AGS Bulletin 041]
- 140) Shetsen, I. 1990. Alberta Geological Survey. Quaternary Geology, Central Alberta. [AGS MAP 213]
- 141) Strong, W. L., and K. R. Legatt, 1981. Ecoregions of Alberta. Alta. En. Nat. Resour., Resour. Eval. Plan Div., Edmonton as cited in Mitchell, Patricia and Ellie Prepas (eds.). 1990. Atlas of Alberta Lakes. The University of Alberta Press. Page 12.
- 142) Tokarsky, O. Geoscience Consulting Ltd. Feb-1984a. Alberta Department of Municipal Affairs, Metis Development Branch. Water Well Inventory, Elizabeth Metis Settlement. 060-01 W4M.
- 143) Tokarsky, O. Geoscience Consulting Ltd. Feb-1984b. Alberta Department of Municipal Affairs, Metis Development Branch. Water Well Inventory, Fishing Lake Metis Settlement. 32-056-02 W4M.
- 144) Yoon, T. N., and H. Vander Pluym. June 1974. Department of the Environment. Environmental Protection Services. Buried Channels in the Edmonton - Lac La Biche-Cold Lake Area. Alberta.


- 145) Znak, M. Jun-1974. Alberta Department of Environment, Environmental Protection Services, Earth Sciences and Licensing Division, Groundwater development Branch. Town of Grand Centre - Groundwater Investigation. 02-063-02 W4M. [<hc fiche 1974.14>]

9. Conversions

Multiply	by	To Obtain
Length/Area		
feet	0.304 785	metres
metres	3.281 000	feet
hectares	2.471 054	acres
centimetre	0.032 808	feet
centimetre	0.393 701	inches
acres	0.404 686	hectares
inches	25.400 000	millimetres
miles	1.609 344	kilometres
kilometre	0.621 370	miles (statute)
square feet (ft ²)	0.092 903	metres (m ²)
metres (m ²)	10.763 910	square feet (ft ²)
metres (m ²)	0.000 001	kilometres (km ²)
Concentration		
grains/gallon (UK)	14.270 050	ppm
ppm	0.998 859	mg/L
mg/L	1.001 142	ppm
Volume (capacity)		
acre feet	1233.481 838	cubic metres
cubic feet	0.028 317	cubic metres
cubic metres	35.314 667	cubic feet
cubic metres	219.969 248	gallons (UK)
cubic metres	264.172 050	gallons (US liquid)
cubic metres	1000.000 000	litres
gallons (UK)	0.004 546	cubic metres
imperial gallons	4.546 000	litres
Rate		
litres per minute	0.219 974	igpm
litres per minute	1.440 000	cubic metres/day (m ³ /day)
igpm	6.546 300	cubic metres/day (m ³ /day)
cubic metres/day (m ³ /day)	0.152 759	igpm
Pressure		
psi	6.894 757	kpa
kpa	0.145 038	psi
Miscellaneous		
Celsius	$F^{\circ} = 9/5 (C^{\circ} + 32)$	Fahrenheit
Fahrenheit	$C^{\circ} = (F^{\circ} - 32) * 5/9$	Celsius
degrees	0.017 453	radians
US\$	0.000 000	Canadian\$


10. Glossary

AAFC-PFRA	Prairie Farm Rehabilitation Administration arm of Agriculture and Agri-Food Canada
Aquifer	a formation, group of formations, or part of a formation that contains saturated permeable rocks capable of transmitting groundwater to water wells or springs in economical quantities
Aquitard	a confining bed that retards but does not prevent the flow of water to or from an adjacent aquifer
Available Drawdown	in a confined aquifer, the distance between the non-pumping water level and the top of the aquifer in an unconfined aquifer (water table aquifer), two thirds of the saturated thickness of the aquifer
Borehole	includes all “work types” except springs
Completion Interval	see diagram
Dewatering	the removal of groundwater from an aquifer for purposes other than use
Dfb	one of the Köppen climate classifications; a Dfb climate consists of long, cool summers and severe winters. The mean monthly temperature drops below -3° C in the coolest month, and exceeds 10° C in the warmest month.
Evapotranspiration	a combination of evaporation from open bodies of water, evaporation from soil surfaces, and transpiration from the soil by plants (Freeze and Cherry, 1979)
Facies	the aspect or character of the sediment within beds of one and the same age (Pettijohn, 1957)
Fluvial	produced by the action of a stream or river
Hydraulic Conductivity	the rate of flow of water through a unit cross-section under a unit hydraulic gradient; units are length/time
km	kilometre
Kriging	a geo-statistical method for gridding irregularly-spaced data (Cressie, 1990)
Lacustrine	fine-grained sedimentary deposits associated with a lake environment and not including shore-line deposits
Lithology	description of rock material
Lsd	Legal Subdivision
m	metres
mm	millimetres
m ² /day	metres squared per day
m ³	cubic metres
m ³ /day	cubic metres per day



mg/L milligrams per litre
 Median the value at the center of an ordered range of numbers
 Obs WW Observation Water Well

Piper tri-linear diagram a method that permits the major cation and anion compositions of single or multiple samples to be represented on a single graph. This presentation allows groupings or trends in the data to be identified. From the Piper tri-linear diagram, it can be seen that the groundwater from this sample water well is a sodium-bicarbonate-type. The chemical type has been determined by graphically calculating the dominant cation and anion. For a more detailed explanation, please refer to Freeze and Cherry, 1979



Rock earth material below the root zone

Surficial Deposits includes all sediments above the bedrock

Thalweg the line connecting the lowest points along a stream bed or valley; *longitudinal profile*

Till a sediment deposited directly by a glacier that is unsorted and consisting of any grain size ranging from clay to boulders

Transmissivity the rate at which water is transmitted through a unit width of an aquifer under a unit hydraulic gradient: a measure of the ease with which groundwater can move through the aquifer

Apparent Transmissivity: the value determined from a summary of aquifer test data, usually involving only two water-level readings

Effective Transmissivity: the value determined from late pumping and/or late recovery water-level data from an aquifer test

Aquifer Transmissivity: the value determined by multiplying the hydraulic conductivity of an aquifer by the thickness of the aquifer

Water Well a hole in the ground for the purpose of obtaining groundwater; “work type” as defined by AENV includes test hole, chemistry, deepened, well inventory, federal well survey, reconditioned, reconstructed, new, old well-test

Yield a regional analysis term referring to the rate a properly completed water well could be pumped, if fully penetrating the aquifer

Apparent Yield: based mainly on apparent transmissivity

Long-Term Yield: based on effective transmissivity

AENV Alberta Environment

AMSL above mean sea level