Section VI

PRODUCTS OF THE CHEMICAL OR ALLIED INDUSTRIES

Notes.

- 1. (a) Goods (other than radioactive ores) answering to a description in heading 28.44 or 28.45 are to be classified in those headings and in no other heading of the Nomenclature.
 - (b) Subject to paragraph (a) above, goods answering to a description in heading 28.43 or 28.46 are to be classified in those headings and in no other heading of this Section.
- 2. Subject to Note 1 above, goods classifiable in heading 30.04, 30.05, 30.06, 32.12, 33.03, 33.04, 33.05, 33.06, 33.07, 35.06, 37.07 or 38.08 by reason of being put up in measured doses or for retail sale are to be classified in those headings and in no other heading of the Nomenclature.
- 3. Goods put up in sets consisting of two or more separate constituents, some or all of which fall in this Section and are intended to be mixed together to obtain a product of Section VI or VII, are to be classified in the heading appropriate to that product, provided that the constituents are:
 - (a) having regard to the manner in which they are put up, clearly identifiable as being intended to be used together without first being repacked;
 - (b) presented together; and
 - (c) identifiable, whether by their nature or by the relative proportions in which they are present, as being complementary one to another.

Chapter 38

MISCELLANEOUS CHEMICAL PRODUCTS

Notes.

- 1. This Chapter does not cover:
 - (a) Separate chemically defined elements or compounds with the exception of the following:
 - (1) Artificial graphite (heading 38.01);
 - (2) Insecticides, rodenticides, fungicides, herbicides, anti-sprouting products and plant-growth regulators, disinfectants and similar products, put up as described in heading 38.08;
 - (3) Products put up as charges for fire-extinguishers or put up in fire-extinguishing grenades (heading 38.13);
 - (4) Certified reference materials specified in Note 2 below;
 - (5) Products specified in Note 3 (a) or 3 (c) below;
 - (b) Mixtures of chemicals with foodstuffs or other substances with nutritive value, of a kind used in the preparation of human foodstuffs (generally heading 21.06);
 - (c) Ash and residues (including sludges, other than sewage sludge), containing metals, arsenic or their mixtures and meeting the requirements of Note 3 (a) or 3 (b) to Chapter 26 (heading 26.20);
 - (d) Medicaments (heading 30.03 or 30.04); or
 - (e) Spent catalysts of a kind used for the extraction of base metals or for the manufacture of chemical compounds of base metals (heading 26.20), spent catalysts of a kind used principally for the recovery of precious metal (heading 71.12) or catalysts consisting of metals or metal alloys in the form of, for example, finely divided powder or woven gauze (Section XIV or XV).
- 2. (A) For the purpose of heading 38.22, the expression "certified reference materials" means reference materials which are accompanied by a certificate which indicates the values of the certified properties, the methods used to determine these values and the degree of certainty associated with each value and which are suitable for analytical, calibrating or referencing purposes.
 - (B) With the exception of the products of Chapter 28 or 29, for the classification of certified reference materials, heading 38.22 shall take precedence over any other heading in the Nomenclature.
- 3. Heading 38.24 includes the following goods which are not to be classified in any other heading of the Nomenclature:
 - (a) Cultured crystals (other than optical elements) weighing not less than 2.5 g each, of magnesium oxide or of the halides of the alkali or alkaline-earth metals;
 - (b) Fusel oil; Dippel's oil;
 - (c) Ink removers put up in packings for retail sale;
 - (d) Stencil correctors and other correcting fluids put up in packings for retail sale; and
 - (e) Ceramic firing testers, fusible (for example, Seger cones).
- 4. Throughout the Nomenclature, "municipal waste" means waste of a kind collected from households, hotels, restaurants, hospitals, shops, offices, etc., road and pavement sweepings, as well as construction and demolition waste. Municipal waste generally contains a large variety of materials such as plastics, rubber, wood, paper, textiles, glass, metals, food materials, broken furniture and other damaged or discarded articles. The term "municipal waste", however, does not cover:
 - (a) Individual materials or articles segregated from the waste, such as wastes of plastics, rubber, wood, paper, textiles, glass or metals and spent batteries which fall in their appropriate headings of the Nomenclature;
 - (b) Industrial waste;
 - (c) Waste pharmaceuticals, as defined in Note 4 (k) to Chapter 30; or
 - (d) Clinical waste, as defined in Note 6 (a) below.

- 5. For the purposes of heading 38.25, "sewage sludge" means sludge arising from urban effluent treatment plant and includes pre-treatment waste, scourings and unstabilised sludge. Stabilised sludge when suitable for use as fertiliser is excluded (Chapter 31).
- 6. For the purposes of heading 38.25, the expression "other wastes" applies to:
 - (a) Clinical waste, that is, contaminated waste arising from medical research, diagnosis, treatment or other medical, surgical, dental or veterinary procedures, which often contain pathogens and pharmaceutical substances and require special disposal procedures (for example, soiled dressings, used gloves and used syringes);
 - (b) Waste organic solvents;
 - (c) Wastes of metal pickling liquors, hydraulic fluids, brake fluids and anti-freezing fluids; and
 - (d) Other wastes from chemical or allied industries.

The expression "other wastes" does not, however, cover wastes which contain mainly petroleum oils or oils obtained from bituminous minerals (heading 27.10).

Subheading Note.

1. For the purposes of subheadings 3825.41 and 3825.49, "waste organic solvents" are wastes containing mainly organic solvents, not fit for further use as presented as primary products, whether or not intended for recovery of the solvents.

Supplementary Note.

- 1. For the purpose of subheading 3824.90 of this Chapter, the following terms have the meanings hereby assigned to them:
 - (a) "Glues or adhesives" goods described in heading 35.06;
 - (b) "Optical fibres or optical fibre bundles or cables" goods described in subheading 9001.10;
 - (c) "Typewriter or similar ribbons" goods described in subheading 9612.10;
 - (d) "Polymers in primary forms or profile shapes or sheets of plastics" goods described in subheadings 3901.10 to 3917.39 or in subheadings 3918.10 to 3921.90.

Tariff Item	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
38.01	Artificial graphite; colloidal or semi-colloidal graphite; preparations based on graphite or other carbon in the form of pastes, blocks, plates or other semi-manufactures.			
3801.10.00	00 -Artificial graphite	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3801.20.00	00 -Colloidal or semi-colloidal graphite	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3801.30	-Carbonaceous pastes for electrodes and similar pastes for furnace linings			
3801.30.10 (00Soderberg paste for use in the manufacture of silicon metal	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3801.30.90 (00Other	KGM	4.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3801.90.00	-Other		4.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
	0Blocks and plates	KGM KGM		3. 1. 0%
38.02	Activated carbon; activated natural mineral products; animal black, including spent animal black.			
3802.10.00	00 -Activated carbon	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3802.90.00	-Other		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	0Activated clay	KGM KGM		
3	Animal black, including spent animal black: 131 Bone black	KGM KGM KGM KGM		
3803.00.00	00 Tall oil, whether or not refined.	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free

Tariff Item	S Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
3804.00.00	Residual lyes from the manufacture of wood pulp, whether or not concentrated, desugared or chemically treated, including lignin sulphonates, but excluding tall oil of heading 38.03. 0Powdered lignin sulphonates	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
2	0 Gulphite liquor	KGM KGM		
38.05	Gum, wood or sulphate turpentine and other terpenic oils produced by the distillation or other treatment of coniferous woods; crude dipentene; sulphite turpentine and other crude para-cymene; pine oil containing alpha-terpineol as the main constituent.			
3805.10.00 0	0 -Gum, wood or sulphate turpentine oils	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3805.20.00 0	0 -Pine oil	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3805.90.00 0	0 -Other	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
38.06	Rosin and resin acids, and derivatives thereof; rosin spirit and rosin oils; run gums.			
3806.10.00	-Rosin and resin acids		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	0Rosin	KGM KGM		
3806.20.00 0	0 -Salts of rosin, of resin acids or of derivatives of rosin or resin acids, other than salts of rosin adducts	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3806.30	-Ester gums			
3806.30.10 0	0For use in the manufacture of tackifier dispersions	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3806.30.90 0	0Other	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3806.90.00	-Other		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
2	0Rosin oils	KGM KGM KGM		

Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
3807.00		Wood tar; wood tar oils; wood creosote; wood naphtha; vegetable pitch; brewers' pitch and similar preparations based on rosin, resin acids or on vegetable pitch.			
3807.00.10	00	Solvents or thinners, based on wood tar oil	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3807.00.90	00	Other	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
38.08		Insecticides, rodenticides, fungicides, herbicides, anti-sprouting products and plant-growth regulators, disinfectants and similar products, put up in forms or packings for retail sale or as preparations or articles (for example, sulphur-treated bands, wicks and candles, and fly-papers).			
3808.10		-Insecticides			
3808.10.10	00	In packages of a gross weight not exceeding 1.36 kg each	KGM	6.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3808.10.20		In bulk or in packages of a gross weight exceeding 1.36 kg each		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
		Based on organo-chlorine compounds:	KOM		
		Chlorinated hydrocarbons	KGM KGM		
		Based on organo-phosphorus compounds:	KGW		
		Phosphorothioates	KGM		
		Phosphorodithioates	KGM		
		Other	KGM		
	30	Based on carbamate compounds	KGM		
	40	Based on botanical compounds	KGM		
	50	Based on microbial compounds	KGM		
	90	Other	KGM		
3808.20		-Fungicides			
3808.20.10	00	In packages of a gross weight not exceeding 1.36 kg each	KGM	6.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3808.20.20)	In bulk or in packages of a gross weight exceeding 1.36 kg each		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
		Based on copper	KGM		
		Based on mercury	KGM		
		Based on dithiocarbamates	KGM		
		Based on dicarboximides	KGM		
		Based on benzimidazoles	KGM		
	90	Other	KGM		

3808.30	Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
MT. MUST, CLAT, CT. CRT. Free UST, CCCT, LDCT, GPT, MT, MUST, CLAT, CT. CRT. Free UST, CCCT, LDC	3808.30		-Herbicides, anti-sprouting products and plant-growth regulators			-
MT, MUST, CIAT, CT, CRT. Free	3808.30.10	00 0	In packages of a gross weight not exceeding 1.36 kg each	KGM	6.5%	MT, MUST, CIAT, CT,
11Carbamates	3808.30.20	0	In bulk or in packages of a gross weight exceeding 1.36 kg each		Free	MT, MUST, CIAT, CT,
12 Thiocarbamates						
## ## ## ## ## ## ## ## ## ## ## ## ##		12	Based on 2,4-dichlorophenoxyacetic acid (2,4-D) or	KGM		
222.4-D and its esters; other salts of 2,4-D						
222.4-D and its esters; other salts of 2,4-D		21		KGM		
30 Based on triazines						
40Based on ureas				KGM		
		30	Based on triazines	KGM		
S1 Borates		40	Based on ureas	KGM		
52			Based on borates, chlorates or mixtures thereof:			
53		51	Borates	KGM		
60 Based on acetic acid or acetates						
3808.40		53	Mixtures of borates and chlorates			
3808.40 -Disinfectants 3808.40.10 00 In packages of a gross weight not exceeding 1.36 kg each KGM 6.5% UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, GRT: Free UST, CCCT, LDCT,						
3808.40.10 00 In packages of a gross weight not exceeding 1.36 kg each Separate Separate Separation of the separa		90	Other	KGM		
MT, MUST, CIAT, CT, CRT: Free 3808.40.20In bulk or in packages of a gross weight exceeding 1.36 kg each Free UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free For swimming pools: 11Containing calcium hypochlorite	3808.40		-Disinfectants			
MT, MUST, CIAT, CT, CRT: Free For swimming pools: 11Containing calcium hypochlorite	3808.40.10	00 0	In packages of a gross weight not exceeding 1.36 kg each	KGM	6.5%	MT, MUST, CIAT, CT,
11 Containing calcium hypochlorite	3808.40.20	0	In bulk or in packages of a gross weight exceeding 1.36 kg each		Free	MT, MUST, CIAT, CT,
12Containing 1,3,5-trichloro-s-triazine-2,4,6,-trione KGM 19Other KGM 90Other KGM 3808.90 -Other 3808.90.10 00In packages of a gross weight not exceeding 1.36 kg each KGM 6.5% NZT, UST, AUT, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free 3808.90.20In bulk or in packages of a gross weight exceeding 1.36 kg each Free UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free 10Rodenticides KGM 20Wood preservatives KGM			For swimming pools:			
19 Other						
3808.90Other 3808.90 -Other 3808.90.10 00In packages of a gross weight not exceeding 1.36 kg each KGM 6.5% NZT, UST, AUT, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free 3808.90.20In bulk or in packages of a gross weight exceeding 1.36 kg each Free UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free				KGM		
3808.90.10 00In packages of a gross weight not exceeding 1.36 kg each KGM 6.5% NZT, UST, AUT, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free 3808.90.20 In bulk or in packages of a gross weight exceeding 1.36 kg each Free UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free 10 Rodenticides						
3808.90.10 00In packages of a gross weight not exceeding 1.36 kg each KGM 6.5% NZT, UST, AUT, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free WST, CCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free 10Rodenticides		90	Other	KGM		
LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free 3808.90.20In bulk or in packages of a gross weight exceeding 1.36 kg each Free UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free 10Rodenticides	3808.90		-Other			
MT, MUST, CIAT, CT, CRT: Free 10RodenticidesKGM 20Wood preservativesKGM	3808.90.10	00 0	In packages of a gross weight not exceeding 1.36 kg each	KGM	6.5%	LDCT, GPT, MT, MUST,
20 Wood preservatives KGM	3808.90.20	0	In bulk or in packages of a gross weight exceeding 1.36 kg each		Free	MT, MUST, CIAT, CT,
,		10	Rodenticides	KGM		
90 <i>Other</i> KGM		20	Wood preservatives	KGM		
		90	Other	KGM		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
38.09		Finishing agents, dye carriers to accelerate the dyeing or fixing of dye- stuffs and other products and preparations (for example, dressings and mordants), of a kind used in the textile, paper, leather or like industries, not elsewhere specified or included.			
3809.10.00	00	-With a basis of amylaceous substances	KGM	Free	UST, CCCT, LDCT, GPT, MT, CIAT, CT, CRT: Free
		-Other:			
3809.91		Of a kind used in the textile or like industries			
3809.91.10	00	Mordants; Other products and preparations containing fluorinated compounds, of a kind used to produce water, oil or soil resistant finishes in textiles	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3809.91.20	00	Sizing agents based on rosin	KGM	6%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free NZT: 3.5% AUT: 3.5% GPT: 3%
3809.91.90)	Other		6%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
		Softeners	KGM		
		Anti-crease and anti-shrink preparations	KGM		
		Flame retardant preparations Dye carriers	KGM KGM		
		Waterproofing agents and water repellent agents	KGM		
		Antistatic preparations	KGM		
	70	Dirt repellents and oil repellents	KGM		
	90	Other	KGM		
3809.92		Of a kind used in the paper or like industries			
3809.92.10	00 00	Sizing agents based on rosin	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free NZT: 4% AUT: 4% GPT: 3%
3809.92.20	00	 Aqueous solutions of sodium borohydride and sodium hydroxide, containing 11% or more by weight of sodium borohydride, or materials containing 70% or more, calculated by weight on the dry product, of sodium hydrosulphite, for use as bleaching agents in the manufacture of newsprint and wood pulp 	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3809.92.90)	Other		6%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10	Antifoaming products and preparations	KGM		GPT: 3%
	. 3				

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	90	Other	KGM		
3809.93.00	00	Of a kind used in the leather or like industries	KGM	6%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
38.10		Pickling preparations for metal surfaces; fluxes and other auxiliary preparations for soldering, brazing or welding; soldering, brazing or welding powders and pastes consisting of metal and other materials; preparations of a kind used as cores or coatings for welding electrodes or rods.			
3810.10		-Pickling preparations for metal surfaces; soldering, brazing or welding powders and pastes consisting of metal and other materials			
3810.10.10)	To be employed in the manufacture of semiconductor devices		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
		Pickling preparations	KGM		
	90	Other	KGM		
3810.10.90)	Other		6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
	10	Pickling preparations	KGM		O1 1. 070
	90	Other	KGM		
3810.90.00)	-Other		6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
		 Fluxes and other auxiliary preparations for soldering, brazing or welding: 			
		Submerged arc flux for arc welding	KGM		
		Other	KGM		
		or rods	KGM		
38.11		Anti-knock preparations, oxidation inhibitors, gum inhibitors, viscosity improvers, anti-corrosive preparations and other prepared additives, for mineral oils (including gasoline) or for other liquids used for the same purposes as mineral oils.			
		-Anti-knock preparations:			
3811.11.00	00	Based on lead compounds	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3811.19.00	00	Other	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		-Additives for lubricating oils:			
3811.21		Containing petroleum oils or oils obtained from bituminous minerals			
3811.21.10	00	Mixtures containing zinc dialkyl dithiophosphate	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3811.21.90	00	Other	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free NZT: 4% AUT: 4% GPT: 3%
3811.29.00	00	Other	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free NZT: 4% AUT: 4% GPT: 3%
3811.90.00)	-Other		6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free NZT: 4% AUT: 4% GPT: 3%
		Additives for gasoline:			3. 1. 370
		Antioxidant preparations	KGM		
		Gum inhibitors	KGM KGM		
		Other	KGM		
38.12		Prepared rubber accelerators; compound plasticizers for rubber or plastics, not elsewhere specified or included; anti-oxidizing preparations and other compound stabilizers for rubber or plastics.			
3812.10.00	00	-Prepared rubber accelerators	KGM	5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3812.20		-Compound plasticizers for rubber or plastics			
3812.20.10	00	Of petroleum origin, for rubber	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3812.20.90)	Other		5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
		For rubber	KGM KGM		2 070

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
3812.30		-Anti-oxidizing preparations and other compound stabilizers for rubber or plastics			
3812.30.10)	 For use in the manufacture of synthetic rubber; Polytrimethyl dihydroquinoline, without admixture; Tin-based stabilizers for plastics 		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	20	Tin-based stabilizers for plastics	KGM KGM		
	31	Anti-oxidizing preparations	KGM KGM		
812.30.90)	Other		5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
	11	For rubber: Anti-oxidizing preparations Other	KGM KGM		
	21	For plastics: Anti-oxidizing preparations	KGM KGM		
813.00.00		Preparations and charges for fire-extinguishers; charged fire-extinguishing grenades.	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
814.00.00		Organic composite solvents and thinners, not elsewhere specified or included; prepared paint or varnish removers.	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
8.15		Reaction initiators, reaction accelerators and catalytic preparations, not elsewhere specified or included.			
		-Supported catalysts:			
3815.11.00	00	With nickel or nickel compounds as the active substance	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
815.12.00	00	With precious metal or precious metal compounds as the active substance	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3815.19		Other			
3815.19.10	00	 Supported catalysts consisting of two or more of cobalt, molybdenum or nickel oxides on an aluminum oxide base or on an aluminum oxide base in a mixture with silica, for the desulphurization, denitrogenation or polyaromatic saturation of petroleum feedstocks, in hydrotreating service only 	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
3815.19.90	Other	<u> </u>	Free	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free
	10With aluminum or aluminum compounds as the active substance 20With molybdenum or molybdenum compounds as the active substance 30With molybdenum and cobalt, or their compounds, as the active	KGM KGM		
	substances	KGM KGM KGM		
3815.90	-Other			
3815.90.10	00Fluid bed silica-alumina cracking catalysts, composed of silica-alumina or synthetic components, whether or not containing clay, for the refining of petroleum	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3815.90.90	00Other	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3816.00	Refractory cements, mortars, concretes and similar compositions, other than products of heading 38.01.			
3816.00.10	00Preparations of refractory materials and calcined gypsum, whether or not containing other materials, for use in the manufacture of moulds for non- ferrous metal investment castings; Refractory concrete for use in the manufacture of moulds and other parts for the aluminum and foundry industries	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3816.00.90	Other		6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
	10Castables	KGM		G1 1. 070
	20"Plastics" or ramming mixes	KGM		
	30Gunning mixes	KGM		
	40Mortars, cements and trowelling mixes	KGM		
	90 <i>Other</i>	KGM		
3817.00	Mixed alkylbenzenes and mixed alkylnaphthalenes, other than those of heading 27.07 or 29.02.			
3817.00.10	00Mixed alkylbenzenes	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3817.00.90	00Other	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3818.00	Chemical elements doped for use in electronics, in the form of discs, wafers or similar forms; chemical compounds doped for use in electronics.			

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
3818.00.10)	To be employed in the manufacture of semiconductor devices	1	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
		Elements	KGM KGM		
3818.00.90)	Other		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
		Elements	KGM KGM		
3819.00.00		Hydraulic brake fluids and other prepared liquids for hydraulic transmission, not containing or containing less than 70% by weight of petroleum oils or oils obtained from bituminous minerals.		6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
		Brake fluids:			
		Based on glycol ethers	KGM		
		Based on silicon	KGM		
		Other	KGM		
		Hydraulic transmission fluids, for automobiles			
	90	Other	KGM		
3820.00.00)	Anti-freezing preparations and prepared de-icing fluids.		6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
		Anti-freezing preparations:			
		Based on ethylene glycol	KGM		
		Based on propylene glycol	KGM		
		Other	KGM		
		Prepared de-icing fluids:			
		Based on ethylene glycol			
		Based on propylene glycol			
	29	Other	KGM		
3821.00.00	00	Prepared culture media for development of micro-organisms.	-	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3822.00		Diagnostic or laboratory reagents on a backing, prepared diagnostic or laboratory reagents whether or not on a backing, other than those of heading 30.02 or 30.06; certified reference materials.			
3822.00.10)	 For medical diagnosis; To be employed in the manufacture of semiconductor devices; To be employed in the manufacture of sera, antisera, toxoids, viruses, toxins or antitoxins, virus or bacterial vaccines, bacteriophage or bacterial lysates, allergenics, liver extracts, pituitary extracts, epinephrine or its solutions, insulin (with or without zinc, globin or protamine) and blood plasma or serum of human origin, or fractions thereof, or extenders or substitutes therefor; To be employed in the manufacture of dextrose (glucose) solutions and levulose (fructose) solutions for parenteral administration in therapeutic 		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
		treatments			
	10	Diagnostic reagents, other than certified reference materials	-		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Laboratory reagents, other than certified reference materials	-		
3822.00.20)	Reagents in tablet form, not put up for retail sale		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	20	Diagnostic reagents, other than certified reference materials	- - -		
3822.00.90)	Other		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	20	Diagnostic reagents, other than certified reference materials	- - -		
38.23		Industrial monocarboxylic fatty acids; acid oils from refining; industrial fatty alcohols.			
		-Industrial monocarboxylic fatty acids; acid oils from refining:			
3823.11.00	00	Stearic acid	KGM	8%	UST, CCCT, LDCT, MT, CIAT, CT, CRT: Free NZT: 5.5% AUT: 5.5%
3823.12.00	00	Oleic acid	KGM	8%	UST, CCCT, LDCT, MT, CIAT, CT, CRT: Free NZT: 5.5% AUT: 5.5%
3823.13.00	00	Tall oil fatty acids	KGM	Free	UST, CCCT, LDCT, GPT, MT, CIAT, CT, CRT: Free
3823.19.00)	Other		8%	UST, CCCT, LDCT, MT, CIAT, CT, CRT: Free NZT: 5.5% AUT: 5.5%
	10	Of animal origin	KGM		
	22 29	Castor oil fatty acids including 12-hydroxystearic acid	KGM KGM KGM KGM		
3823.70		-Industrial fatty alcohols			
3823.70.10		For use in the manufacture of goods of heading 34.02; Mixtures of hexanols, heptanols, octanols, nonanols, decanols or undecanols for use in the manufacture of ester plasticizers to be incorporated into compounds of polymers of vinyl chloride used in the manufacture of electric wire or cableDecyl alcohol	KGM	Free	UST, CCCT, LDCT, GPT, MT, CIAT, CT, CRT: Free
	20	Tridecanol	KGM		
	30	Lauryl alcohol	KGM		

Tariff Item	SS	·	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Octyl-decyl alcohol	KGM KGM		
3823.70.90	0	Other		8%	UST, CCCT, LDCT, MT, CIAT, CT, CRT: Free NZT: 5.5% AUT: 5.5%
	20 30	Tridecanol	KGM		
38.24		Prepared binders for foundry moulds or cores; chemical products and preparations of the chemical or allied industries (including those consisting of mixtures of natural products), not elsewhere specified or included.			
3824.10.00	0 00	-Prepared binders for foundry moulds or cores	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3824.20		-Naphthenic acids, their water-insoluble salts and their esters			
3824.20.10	0 00	Naphthenic acids	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3824.20.90	0 00	Other	KGM	3.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3824.30.00	0 00	-Non-agglomerated metal carbides mixed together or with metallic binders	KGM	3.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3824.40.00	0 00	-Prepared additives for cements, mortars or concretes	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3824.50		-Non-refractory mortars and concretes			
3824.50.10	0 00	Hydraulic cement concretes	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3824.50.90	0 00	Other	KGM	6.5%	UST, CCCT, LDCT, MT, CIAT, CT, CRT: Free GPT: 3%
3824.60.00	0 00	-Sorbitol other than that of subheading 2905.44	KGM	5.5%	UST, CCCT, LDCT, MT, CIAT, CT, CRT: Free GPT: 3%

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		-Mixtures containing perhalogenated derivatives of acyclic hydrocarbons containing two or more different halogens:			
3824.71.0	0 00	Containing acyclic hydrocarbons perhalogenated only with fluorine and chlorine	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3824.79.0	0 00	Other	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3824.90		-Other			

**Selends of tall oil and tall oil pitch, without other admixture; Cattle implants containing as active ingredients, one or more of estradiol, estradiol benzoate, progesterone, testosterone, testosterone propionate, trenbolone acetate or zeranot; Chemical couplers, coupler solvents and sensitizing dyes, for use in the manufacture of photographic emulsions; Chemical or biological preparations, including kits containing ancilliary articles or materials, for medical diagnosis; Coal tar dye intermediates in solvents; Crude bone pitch; Deliberate mixtures of disodium 5° inosinate and disodium 5° guanylate, without other admixture; Dimetized faltay acids, derived from industrial monocarboxylic fatty acids, for use in the manufacture of antificial teeth; For use in the manufacture of antificial teeth; For use in the manufacture of antificial teeth; For use in the manufacture of sanitary towels (napkins); For use in the manufacture of sanitary towels (napkins); For use in the manufacture of sonitary towels (napkins); For use in the manufacture of sonitary towels (napkins); For use in the manufacture of sonitary towels (napkins); For use in the manufacture of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium cathonate having a surface coating of the calcium sat of fatty acids (surface-treated with stearic acid); Microaphan preparations for use in odorizing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzyltoluene and dihenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluorids, ammonium chioride and a barium salt, for use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to the employed in the removal of sulphide compounds; Precipitated acidium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of one or more ferrite, excluding the weight of any fron ferrite. Reclaiming agents of petroleum origin for	Tariff SS	Description of Goods	Unit of	MFN	Applicable
Cattle implants containing as active ingredients, one or more of estradiol, estradiol benzoate, progesterone, testosterone, testosterone propionate, trenbolone acetate or zeranoti. Chemical couplers, coupler solvents and sensitizing dyes, for use in the manufacture of photographic emulsions; Chemical or biological preparations, including kits containing ancilliary articles or materials, for medical diagnosis; Coal tar dye intermediates in solvents; Crude bone pitch; Deliberate mixtures of disodium 5°- inosinate and disodium 5°- guanylate, without other admixture; Dimerized flatty acids, derived from industrial monocarboxylic fatty acids, for use in the manufacture of polyamides; To be employed in the manufacture of semiconductor devices; For use in the manufacture of artificial teeth; For use in the manufacture of sanitary towels (napkins); For use in the manufacture of sonitary towels (napkins); For use in the manufacture of sonitary towels (napkins); For use in the manufacture of sonitary towels (napkins); For use in the manufacture of sonitary towels (napkins); For use in the manufacture of other oxides, to be employed in the wet giriding of minerals; Ground natural calcium carbonate having a surface coating of the calcium sait of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in odorizing natural gas or liquid perfoleum gas; Mixtures, composed predominantly of benzyltoluene and dibernyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammovium fluoride, armonistum chloride and a barium sait, for use in the manufacture of rosset bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium sait of fatty acids, for use in the manufacture of power are seveness, operations, polymers in primary forms or profile shapes or sheets of plastics, Preparations containing 50% or more by weight, for use in the m	Item 33	Description of Goods	Meas.	Tariff	Preferential Tariffs
estradiol benzoate, progesterone, testosterone, testosterone propionate, trenbolone acetate or zerandi; Chemical couplers, coupler solvents and sensitizing dyes, for use in the manufacture of photographic emulsions; Chemical or biological preparations, including kits containing ancilliary articles or materials, for medical diagnosis; Coal tar dye intermediates in solvents; Crude bone pitch: Deliberate mixtures of disodium 5°- inosinate and disodium 5°- guanylate, without other admixture; Dimerized fatty acids, derived from industrial monocarboxylic fatty acids, for use in the manufacture of polyamides; To be employed in the manufacture of semiconductor devices; For use in the manufacture of sanitory towals (napkins); For use in the manufacture of sanitory towals (napkins); For use in the manufacture of sanitory towals (napkins); For use in the manufacture of sanitory towals (napkins); Grinding beads produced by melting together the oxides of zirconium and silicon, with lesser amounts of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium carbonate having a surface coating of the calcium salt of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in oxborizing natural gas or liquid petroleum gas; Mixtures or preparations for use in oxborizing natural gas or liquid petroleum gas; Mixtures or ammonium fluoride, ammonium fluoride and a barium salt, for use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewirter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any from sor profile shapes or sheets of plastics; Preparations	3824.90.10 -	Blends of tall oil and tall oil pitch, without other admixture;		Free	UST, CCCT, LDCT, GPT,
trenbolone acetate or zeranol: Chemical couplers, coupler solvents and sensitizing dyes, for use in the manufacture of photographic emulsions: Chemical or biological preparations, including kits containing ancilliary articles or materials, for medical diagnosis; Coal tart dye intermediates in solvents; Crude borne pitch; Deliberate mixtures of disodium 5- inosinate and disodium 5- guanylate, without other admixture; Dimerized fatty acids, derived from industrial monocarboxylic fatty acids, for use in the manufacture of polyamides; To be employed in the manufacture of semiconductor devices; For use in the manufacture of sanitary towels (napkins); For use in the manufacture of synthetic rubber; For use in the manufacture of synthetic rubber; Fusel oil; Grinding beads produced by melting together the oxides of zirconium and silicon, with lesser amounts of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium carbonate having a surface coating of the calcium salt of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in odorizing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzyllouene and dibenzyltoluene, for uses as delectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted borties; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or achies typoritier or minimary fluoride, ammonium chloride and a barium salt, for use in the manufacture of power capacitors; Niztures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of power capacitors; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or achesives, optical fibros or					MT, MUST, CIAT, CT,
Chemical couplers, coupler solvents and sensitizing dyes, for use in the manufacture of photographic emulsions: Chemical or biological preparations, including kits containing ancilliary articles or materials, for medical diagnosis; Coal tar dye intermediates in solvents; Crude bone pitch; Deliberate mixtures of disodium 5- inosinate and disodium 5- guanylate, without other admixture; Dimerized flaty acids, derived from industrial monocarboxylic fatty acids, for use in the manufacture of polyamides; To be employed in the manufacture of semiconductor devices; For use in the manufacture of sanitary towels (napkins); For use in the manufacture of sanitary towels (napkins); For use in the manufacture of sanitary towels (napkins); For use in the manufacture of synthetic rubber; Fusel oil; Ginding beads produced by melting together the oxides of zirconium and silicon, with lesser amounts of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium carbonate having a surface coating of the calcium salt of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in odorzing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzylfoluene and dibenzyltoluene, for use as delectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of protested bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of opower capacitors; Mixtures of ammonium fluoride, ammonium chloride on or more ferrite, excluding the weight of oxide. Jone of the calcium salt of fatty acids, for use in the manufacture of oxide simple oxide oxide oxide oxide oxide oxide oxide oxide oxide oxid					CRT: Free
manufacture of photographic emulsions; Chemical or biological pragrations, including kils containing ancilliary articles or materials, for medical diagnosis; Coal at dye intermediates in solvents; Crude bone pitch; Deliberate mixtures of disodium 5°- inosinate and disodium 5°- guarylate, without other admixture; Dimerized fatly acids, derived from industrial monocarboxylic fatty acids, for use in the manufacture of polyamides; To be employed in the manufacture of semiconductor devices; For use in the manufacture of antificial teeth; For use in the manufacture of sanitary towels (napkins); For use in the manufacture of synthetic rubber; Fusel oil; Grinding beads produced by melting together the oxides of zirconium and silicon, with lesser amounts of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium carbonate having a surface coating of the calcium salt of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in odorizing natural gas or liquid petroleum gas: Mixtures, composed predominantly of benzylloluene and dibenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles; Oli to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or achesives, optical fibroes or optical fibroe sor optical fibroe brondes or cables, typowiter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of pertoleum origin for the reclaiming of rubber; Spinel gr		·			
Chemical or biological preparations, including kits containing ancilliary articles or materials, for medical diagnosis; Coal tar dye intermediates in solvents; Crude bone pitch; Deliberate mixtures of disodium 5'- inosinate and disodium 5'- guanylate, without other admixture; Dimerzed fatty acids, derived from industrial monocarboxylic fatty acids, for use in the manufacture of polyamides; To be employed in the manufacture of semiconductor devices; For use in the manufacture of saritiary towels (napkins); For use in the manufacture of saritiary towels (napkins); For use in the manufacture of saritiary towels (napkins); For use in the manufacture of saritiary towels (napkins); For use in the manufacture of saritiary towels (napkins); For use in the manufacture of synthetic rubber; Fusel oit; Grinding beads produced by melting together the oxides of zirconium and silicon, with lesser amounts of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium carbonate having a surface coating of the calcium salt of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in odorizing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as delectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of tosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of places or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight for use in the manufacture of rubber tres; Sulpho-thio-pho		· · · · · · · · · · · · · · · · · · ·			
articles or materials, for medical diagnosis; Coal tar dy eintermediates in solvents; Crude bone pitch; Deliberate mixtures of disodium 5'- inosinate and disodium 5'- guanylate, without other admixture; Dimerized fatty acids, derived from industrial monocarboxylic fatty acids, for use in the manufacture of polyamides; To be employed in the manufacture of semiconductor devices; For use in the manufacture of artificial teeth; For use in the manufacture of artificial teeth; For use in the manufacture of sanitary towels (napkins); For use in the manufacture of sanitary towels (napkins); For use in the manufacture of sanitary towels (napkins); For use in the manufacture of synthetic rubber; Fusel oil: Grinding beads produced by mething together the oxides of zirconium and silicon, with lesser amounts of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium carbonate having a surface coating of the calcium salt of fatty acids (surface-treated with steanc acid); Mercaptan preparations for use in odorizing as or liquid petroleum gas; Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations compacting 50% or more by weight for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations combaining 50% or more by weight of one or more		. •			
Coal tar dye intermediates in solvents; Crude bone pitch; Deliberate mixtures of disodium 5'- inosinate and disodium 5'- guanylate, without other admixture; Dimerated fatty acids, derived from industrial monocarboxylic fatty acids, for use in the manufacture of polyamides; To be employed in the manufacture of semiconductor devices; For use in the manufacture of sanitary towels (napkins); For use in the manufacture of sanitary towels (napkins); For use in the manufacture of synthetic rubber; Fusel oil; Grinding beads produced by melting together the oxides of zirconium and silicon, with lesser amounts of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium carbonate having a surface coating of the calcium salt of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in oddrizing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as delectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of rosets obttes; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of places or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations composed of mydrogenated castor oil (whether or not chemically-modified) and clay: Preparations composed of mydrogenated castor oil (whether or not chemically-modified) and clay: Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay: Preparations com					
Crude bone pitch; Deliberate mixtures of disodium 5'- inosinate and disodium 5'- guanylate, without other admixture; Dimerized fatty acids, derived from industrial monocarboxylic fatty acids, for use in the manufacture of polyamides; To be employed in the manufacture of samiconductor devices; For use in the manufacture of artificial teeth; For use in the manufacture of santiary towels (napkins); For use in the manufacture of synthetic rubber; Fusel oil; Grinding beads produced by melting together the oxides of zirconium and silicon, with lesser amounts of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium carbonate having a surface coating of the calcium sail of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in odorizing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations composed of hydrogenated castor oil (whether or not eferite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgQ, Al ₂ O ₃ and Gr ₂ O ₃), of 90% or more by weight, for use		, , , , , , , , , , , , , , , , , , , ,			
without other admixture; Dimerized fatty acids, derived from industrial monocarboxylic fatty acids, for use in the manufacture of polyamides; To be employed in the manufacture of semiconductor devices; For use in the manufacture of artificial teeth; For use in the manufacture of artificial teeth; For use in the manufacture of synthetic rubber; Fusel oil; Grinding beads produced by melting together the oxides of zirconium and silicon, with lesser amounts of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium carbonate having a surface coating of the calcium salt of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in odorizing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica		·			
Dimerized fatty acids, derived from industrial monocarboxylic fatty acids, for use in the manufacture of polyamides; To be employed in the manufacture of semiconductor devices; For use in the manufacture of sarificial teeth; For use in the manufacture of sarificial teeth; For use in the manufacture of sarificial teeth; For use in the manufacture of synthetic rubber; Fusel oil; Grinding beads produced by melting together the oxides of zirconium and silicon, with lesser amounts of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium carbonate having a surface coating of the calcium salt of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in odorizing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles: Oli to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibre sor optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of olour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for		Deliberate mixtures of disodium 5'- inosinate and disodium 5'- guanylate,			
for use in the manufacture of polyamides; To be employed in the manufacture of semiconductor devices; For use in the manufacture of artificial teeth; For use in the manufacture of sanitary towels (napkins); For use in the manufacture of synthetic rubber; Fusel oil; Grinding beads produced by melting together the oxides of zirconium and silicon, with lesser amounts of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium carbonate having a surface coating of the calcium salt of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in odorizing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, ypewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composing of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, AgO ₃ and Cr ₂ O ₃), of 90% or more for more, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber three; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the percoss of concentrating ores		without other admixture;			
To be employed in the manufacture of semiconductor devices; For use in the manufacture of strifficial teeth; For use in the manufacture of sanitary towels (napkins); For use in the manufacture of synthetic rubber; Fusel oil; Grinding beads produced by melting together the oxides of zirconium and silicon, with lesser amounts of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium carbonate having a surface coating of the calcium satt of fathy acids (surface-treated with stearic acid); Mercaptan preparations for use in odorizing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fathy acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and day; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-reated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulphur, oil-reated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of colour toner; To be emplo					
For use in the manufacture of sanitary towels (napkins); For use in the manufacture of sanitary towels (napkins); For use in the manufacture of synthetic rubber; Fusel oit; Grinding beads produced by melting together the oxides of zirconium and silicon, with lesser amounts of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium carbonate having a surface coating of the calcium salt of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in odorizing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles; Oli to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations contains 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or mineralis; Surface treated silica for use in the manufacture of colour toner; To be emp		· ·			
For use in the manufacture of synthetic rubber; Fusel oil; Grinding beads produced by melting together the oxides of zirconium and silicon, with lesser amounts of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium carbonate having a surface coating of the calcium salt of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in odorizing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulphor-thic-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; On be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;		· ·			
For use in the manufacture of synthetic rubber; Fusel oil; Grinding beads produced by melting together the oxides of zirconium and silicon, with lesser amounts of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium carbonate having a surface coating of the calcium salt of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in odorzing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Redaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of cubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;		,			
Fusel oil; Grinding beads produced by melting together the oxides of zirconium and silicon, with lesser amounts of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium carbonate having a surface coating of the calcium salt of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in odorizing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of prosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of gules or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations composed of thydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; To be employed as drilling mud or additives therefor in drilling for mi		, , , , , , , , , , , , , , , , , , , ,			
Grinding beads produced by melting together the oxides of zirconium and silicon, with lesser amounts of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium carbonate having a surface coating of the calcium salt of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in odorizing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or calbes, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MSQ, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; To be employed as drilling mud or additives therefor in drilling					
silicon, with lesser amounts of other oxides, to be employed in the wet grinding of minerals; Ground natural calcium carbonate having a surface coating of the calcium salt of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in odorizing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphor-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of rubber tires; Sulphor-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;		·			
Ground natural calcium carbonate having a surface coating of the calcium salt of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in odorizing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulphor-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;					
salt of fatty acids (surface-treated with stearic acid); Mercaptan preparations for use in odorizing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulphu-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;		grinding of minerals;			
Mercaptan preparations for use in odorizing natural gas or liquid petroleum gas; Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of fubber tires; Sulphur-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;					
petroleum gas; Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;					
Mixtures, composed predominantly of benzyltoluene and dibenzyltoluene, for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;					
for use as dielectric fluids in the manufacture of power capacitors; Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;		•			
Mixtures of ammonium fluoride, ammonium chloride and a barium salt, for use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;					
use in the manufacture of frosted bottles; Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;		·			
Oil to be employed in the concentration of ores; Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;					
Oxide preparations to be employed in the removal of sulphide compounds; Precipitated calcium carbonate, having a surface coating of the calcium salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;		·			
salt of fatty acids, for use in the manufacture of glues or adhesives, optical fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;		· ·			
fibres or optical fibre bundles or cables, typewriter or similar ribbons, polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;		Precipitated calcium carbonate, having a surface coating of the calcium			
polymers in primary forms or profile shapes or sheets of plastics; Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;		· · · · · · · · · · · · · · · · · · ·			
Preparations composed of hydrogenated castor oil (whether or not chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;		· · · · · · · · · · · · · · · · · · ·			
chemically-modified) and clay; Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;					
Preparations containing 50% or more by weight of one or more ferrite, excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;		· · · · · · · · · · · · · · · · · · ·			
excluding the weight of any iron ferrite; Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;					
Reclaiming agents of petroleum origin for the reclaiming of rubber; Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;		· · · · · · · · · · · · · · · · · · ·			
Spinel grains, having a combined magnesium, aluminum and chromium content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;					
more by weight, for use in the manufacture of magnesite or chrome refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;					
refractory bricks; Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;		content, (expressed as their oxides MgO, Al ₂ O ₃ and Cr ₂ O ₃), of 90% or			
Sulphur, oil-treated, with an insolubility content in carbon disulphide of 50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;		more by weight, for use in the manufacture of magnesite or chrome			
50% or more, for use in the manufacture of rubber tires; Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;		refractory bricks;			
Sulpho-thio-phosphoric (dithiophosphoric) compounds to be employed in the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;		Sulphur, oil-treated, with an insolubility content in carbon disulphide of			
the process of concentrating ores or minerals; Surface treated silica for use in the manufacture of colour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;					
Surface treated silica for use in the manufacture of colour toner; To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;					
To be employed in the processing, storing or insemination of animal semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;		· · · · · · · · · · · · · · · · · · ·			
semen; To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;					
To be employed as drilling mud or additives therefor in drilling for minerals, natural gas, oil or water;					
natural gas, oil or water;		·			
		•			
to be employed in temoving sails of water from Glude petroleum ons,		To be employed in removing salts or water from crude petroleum oils;			
Zeolites (excluding compounded aluminum silicates) for use in the		· ·			
manufacture of cracking catalysts to be employed in the refining of		manufacture of cracking catalysts to be employed in the refining of			

petroleum

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
•	10	Reclaiming agents of petroleum origin for the reclaiming of rubber;			
		crude bone pitch; blends of tall oil and tall oil pitch, without other	KCM		
	20	admixture; coal tar dye intermediates in solvents; fusel oil	KGM		
	20	in the process of concentrating ores or minerals	KGM		
	30	Zeolites (excluding compounded aluminum silicates) for use in the			
		manufacture of cracking catalysts to be employed in the refining of			
		petroleum	KGM		
	40	Ground natural calcium carbonate having a surface coating of the	14014		
	5 0	calcium salt of fatty acids (surface-treated with stearic acid)	KGM KGM		
		Other	KGM		
	30		KOW		
3824.90.20	00	For use in the manufacture of surgical trusses, orthopaedic abdominal supports or suspensory bandages	KGM	3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3824.90.30	00	Preparations, not containing sweeteners or flavourings, for use in the	KGM	6.5%	UST, CCCT, LDCT, MT,
		manufacture of chewing gums			MUST, CIAT, CT, CRT: Free
					GPT: 3%
3824.90.90)	Other		6.5%	UST, CCCT, LDCT, MT,
					MUST, CIAT, CT,
					CRT: Free
		Preparations of a kind used in the manufacture of paints; compounding			GPT: 3%
		agents for rubber or plastics:			
	11	Paint preservatives	KGM		
		Paint gelling or anti-gelling agents	KGM		
	13	Extenders and fillers	KGM		
		Other preparations used in the manufacture of paints	KGM		
		Hardeners	KGM		
		Fire retardants	KGM		
		Other compounding agents for rubber or plastics	KGM		
		Preparations used for automotive maintenance; water treatment			
	0.4	preparations:	14014		
		Radiator additives	KGM		
		Starter fluids	KGM		
		Other preparations used for automotive maintenance	KGM		
			KGM		
		Flocculating agents	KGM		
		Other water treatment preparations	KGM		
		Metalworking preparations:	1/01/4		
		Electroplating solutions	KGM		
		Other	KGM		
		Preparations of a kind used as desulphurizers in steel making:			
	41	Preparations of calcium carbide (other than those of tariff item No. 3824.30.00)	KGM		
	42	Granular metallic magnesium coated with inorganic salts, mixed with	I COIVI		
		lime	KGM		
	43	Other granular metallic magnesium coated with inorganic salts	KGM		
		Other	KGM		
	,,	V	. Com		

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Fatty substances of animal or vegetable origin and mixtures thereof;			_ <u> </u>
		mixtures of chlorinated hydrocarbons, not otherwise halogenated;			
		mixtures of other halogenated hydrocarbons; mixtures of acyclic,			
		monohydric, unsubstituted C11 or lower alcohols only; mixtures of other			
		acyclic, monohydric, unsubstituted alcohols; mixtures consisting mainly			
		of alkyl (methyl, ethyl, n-propyl or isopropyl) phosphonyldifluorides; mixtures consisting mainly of N,N-dialkyl (methyl, ethyl, n-propyl or			
		isopropyl) phosphoramidic dihalides:			
	51	Fatty substances of animal or vegetable origin and mixtures thereof	KGM		
		Mixtures of chlorinated hydrocarbons, not otherwise halogenated	KGM		
		Mixtures of other halogenated hydrocarbons	KGM		
		Mixtures of acyclic, monohydric, unsubstituted C11 or lower alcohols			
	-	only	KGM		
	55	Mixtures of other acyclic, monohydric, unsubstituted alcohols	KGM		
		Mixtures consisting mainly of alkyl (methyl, ethyl, n-propyl or			
		isopropyl) phosphonyldifluorides	KGM		
	57	Mixtures consisting mainly of N,N-dialkyl(methyl, ethyl, n-propyl or			
		isopropyl) phosphoramidic dihalides	KGM		
		Fatty acids, dimerized, trimerized, esterified or epoxidized; corrosion			
		inhibitors; molecular sieves; heat transfer fluids; lithographic			
		preparations; collecting agents for ores, metals or other minerals;			
		odoriferous preparations of a kind used as leak detectors:			
		Fatty acids, dimerized, trimerized, esterified or epoxidized	KGM		
		Corrosion inhibitors	KGM		
		Molecular sieves	KGM		
		Heat transfer fluids	KGM		
		Lithographic preparations	KGM		
		Other collecting agents for ores, metals or other minerals	KGM		
		Odoriferous preparations of a kind used as leak detectors	KGM		
		 Mixtures consisting mainly of N,N-dialkyl (methyl, ethyl, n-propyl or isopropyl) -2-aminoethanols or their protonated salts: 			
	71	Mixtures consisting mainly of N,N-dimethyl-2-aminoethanol or N,N-			
		diethyl-2-aminoethanol or their protonated salts	KGM		
	79	Other	KGM		
		Other mixed preparations:			
		Mixtures consisting mainly of O-alkyl (<= C10, including cycloalkyl)			
	-	alkyl (methyl, ethyl, n-propyl or isopropyl) phosphonofluoridates	KGM		
	82	Mixtures consisting mainly of O-alkyl (<= C10, including cycloalkyl)			
		N,N-dialkyl (methyl, ethyl, n-propyl or isopropyl)			
		phosphoramidocyanidates	KGM		
	83	Mixtures consisting mainly of [S-2-(dialkyl(methyl, ethyl, n-propyl or			
		isopropyl) amino) ethyl] hydrogen alkyl (methyl, ethyl, n-propyl or			
		isopropyl) phosphonothioates and their O-alkyl (<= C10, including			
		cycloalkyl) esters; mixtures consisting mainly of alkylated or			
		protonated salts thereof	KGM		
	84	Mixtures consisting mainly of [O-2-dialkyl(methyl, ethyl, n-propyl or			
		isopropyl) aminoethyl] hydrogen alkyl(methyl, ethyl, n-propyl or			
		isopropyl) phosphonites and their O-alkyl (<= C10, including			
		cycloalkyl) esters; mixtures consisting mainly of alkylated or protonated salts thereof	KGM		
	85	Mixtures consisting mainly of dialkyl(methyl, ethyl, n-propyl or	KOW		
	00	isopropyl) N,N-dialkyl (methyl, ethyl, n-propyl or isopropyl)			
		phosphoramidatesphosphoramidates	KGM		
	86	Mixtures consisting mainly of N,N-dialkyl (methyl, ethyl, n-propyl or			
		isopropyl) 2-chloroethylamines or their protonated salts	KGM		
	87	Mixtures consisting mainly of N,N-dialkyl (methyl, ethyl, n-propyl or			
		isopropyl) aminoethane-2-thiols or their protonated salts	KGM		

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	88 Other mixtures consisting mainly of chemicals conta phosphorus atom to which is bonded one methyl, et isopropyl group but not further carbon atoms	hyl, n-propyl or KGM KGM		
38.25	Residual products of the chemical or allied industries, respecified or included; municipal waste; sewage sludge; specified in Note 6 to this Chapter.			
3825.10.00	00 -Municipal waste	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3825.20.00	00 -Sewage sludge	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3825.30	-Clinical waste			
3825.30.10	00 Soiled dressings (wadding, gauze, bandages and simila contaminated as a result of medical, surgical, dental or v procedures; Syringes, needles, catheters, cannulae and the like		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
3825.30.20	00 Surgical gloves of vulcanized rubber other than hard rub	ober PAR	15.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT: Free NZT: 8.5% AUT: 8.5% GPT: 15% CRT: 15.5%
3825.30.90	00Other	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
	-Waste organic solvents:			
3825.41.00	00Halogenated	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3825.49.00	00Other	кдм	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3825.50.00	00 -Wastes of metal pickling liquors, hydraulic fluids, brak freeze fluids	e fluids and anti- KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
	-Other wastes from chemical or allied industries:			

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
3825.61.00	0 00	Mainly containing organic constituents	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3825.69.00	0 00	Other	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%
3825.90.00	0 00	-Other	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 3%