Section XV

BASE METALS AND ARTICLES OF BASE METAL

Notes.

- 1. This Section does not cover:
 - (a) Prepared paints, inks or other products with a basis of metallic flakes or powder (headings 32.07 to 32.10, 32.12, 32.13 or 32.15);
 - (b) Ferro-cerium or other pyrophoric alloys (heading 36.06);
 - (c) Headgear or parts thereof of heading 65.06 or 65.07;
 - (d) Umbrella frames or other articles of heading 66.03;
 - (e) Goods of Chapter 71 (for example, precious metal alloys, base metal clad with precious metal, imitation jewellery);
 - (f) Articles of Section XVI (machinery, mechanical appliances and electrical goods);
 - (g) Assembled railway or tramway track (heading 86.08) or other articles of Section XVII (vehicles, ships and boats, aircraft);
 - (h) Instruments or apparatus of Section XVIII, including clock or watch springs;
 - (ij) Lead shot prepared for ammunition (heading 93.06) or other articles of Section XIX (arms and ammunition);
 - (k) Articles of Chapter 94 (for example, furniture, mattress supports, lamps and lighting fittings, illuminated signs, prefabricated buildings);
 - (I) Articles of Chapter 95 (for example, toys, games, sports requisites);
 - (m)Hand sieves, buttons, pens, pencil-holders, pen nibs or other articles of Chapter 96 (miscellaneous manufactured articles); or
 - (n) Articles of Chapter 97 (for example, works of art).
- 2. Throughout the Nomenclature, the expression "parts of general use" means:
 - (a) Articles of heading 73.07, 73.12, 73.15, 73.17 or 73.18 and similar articles of other base metal;
 - (b) Springs and leaves for springs, of base metal, other than clock or watch springs (heading 91.14); and
 - (c) Articles of headings 83.01, 83.02, 83.08, 83.10 and frames and mirrors, of base metal, of heading 83.06.

In Chapters 73 to 76 and 78 to 82 (but not in heading 73.15) references to parts of goods do not include references to parts of general use as defined above.

Subject to the preceding paragraph and to Note 1 to Chapter 83, the articles of Chapter 82 or 83 are excluded from Chapters 72 to 76 and 78 to 81.

- Throughout the Nomenclature, the expression "base metals" means: iron and steel, copper, nickel, aluminum, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium.
- 4. Throughout the Nomenclature, the term "cermets" means products containing a microscopic heterogeneous combination of a metallic component and a ceramic component. The term "cermets" includes sintered metal carbides (metal carbides sintered with a metal).

- 5. Classification of alloys (other than ferro-alloys and master alloys as defined in Chapters 72 and 74):
 - (a) An alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals;
 - (b) An alloy composed of base metals of this Section and of elements not falling within this Section is to be treated as an alloy of base metals of this Section if the total weight of such metals equals or exceeds the total weight of the other elements present;
 - (c) In this Section the term "alloys" includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.
- 6. Unless the context otherwise requires, any reference in the Nomenclature to a base metal includes a reference to alloys which, by virtue of Note 5 above, are to be classified as alloys of that metal.
- 7. Classification of composite articles:

Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the Interpretative Rules) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals. For this purpose:

(a) Iron and steel, or different kinds of iron or steel, are regarded as one and the same metal;

(b) An alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of Note 5, it is classified; and

- (c) A cermet of heading 81.13 is regarded as a single base metal.
- 8. In this Section, the following expressions have the meanings hereby assigned to them:

(a) Waste and scrap

Metal waste and scrap from the manufacture or mechanical working of metals, and metal goods definitely not usable as such because of breakage, cutting-up, wear or other reasons.

(b) Powders

Products of which 90% or more by weight passes through a sieve having a mesh aperture of 1 mm.

Supplementary Note.

1. Unless the context otherwise requires, the expression "diameter", when applied to tubes and pipes, refers to the actual internal diameter.

Chapter 74

COPPER AND ARTICLES THEREOF

Note.

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Refined copper

Metal containing at least 99.85% by weight of copper; or

Metal containing at least 97.5% by weight of copper, provided that the content by weight of any other element does not exceed the limit specified in the following table:

Element	Limiting content % by weight
Ag Silver	0.25
As Arsenic	0.5
Cd Cadmium	1.3
Cr Chromium	1.4
Mg Magnesium	0.8
Pb Lead	1.5
S Sulphur	0.7
Sn Tin	0.8
Te Tellurium	0.8
Zn Zinc	1
Zr Zirconium	0.3
Other elements*, each	0.3

* Other elements are, for example, Al, Be, Co, Fe, Mn, Ni, Si.

(b) Copper alloys

Metallic substances other than unrefined copper in which copper predominates by weight over each of the other elements, provided that:

- (i) the content by weight of at least one of the other elements is greater than the limit specified in the foregoing table; or
- (ii) the total content by weight of such other elements exceeds 2.5%.

(c) Master alloys

Alloys containing with other elements more than 10% by weight of copper, not usefully malleable and commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurising agents or for similar uses in the metallurgy of non-ferrous metals. However, copper phosphide (phosphor copper) containing more than 15% by weight of phosphorus falls in heading 28.48.

(d) Bars and rods

Rolled, extruded, drawn or forged products, not in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross-section exceeds one-tenth of the width. The expression also covers cast or sintered products, of the same forms and dimensions, which have been subsequently worked after production (otherwise than by simple trimming or de-scaling), provided that they have not thereby assumed the character of articles or products of other headings.

Wire-bars and billets with their ends tapered or otherwise worked simply to facilitate their entry into machines for converting them into, for example, drawing stock (wire-rod) or tubes, are however to be taken to be unwrought copper of heading 74.03.

(e) Profiles

Rolled, extruded, drawn, forged or formed products, coiled or not, of a uniform cross-section along their whole length, which do not conform to any of the definitions of bars, rods, wire, plates, sheets, strip, foil, tubes or pipes. The expression also covers cast or sintered products, of the same forms, which have been subsequently worked after production (otherwise than by simple trimming or de-scaling), provided that they have not thereby assumed the character of articles or products of other headings.

(f) Wire

Rolled, extruded or drawn products, in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross-section exceeds one-tenth of the width.

In the case of heading 74.14, however, the term "wire" applies only to products, whether or not in coils, of any cross-sectional shape, of which no cross-sectional dimension exceeds 6 mm.

(g) Plates, sheets, strip and foil

Flat-surfaced products (other than the unwrought products of heading 74.03), coiled or not, of solid rectangular (other than square) cross-section with or without rounded corners (including "modified rectangles" of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel) of a uniform thickness, which are:

- of rectangular (including square) shape with a thickness not exceeding one-tenth of the width,
- of a shape other than rectangular or square, of any size, provided that they do not assume the character of articles or products of other headings.

Headings 74.09 and 74.10 apply, *inter alia*, to plates, sheets, strip and foil with patterns (for example, grooves, ribs, chequers, tears, buttons, lozenges) and to such products which have been perforated, corrugated, polished or coated, provided that they do not thereby assume the character of articles or products of other headings.

(h) Tubes and pipes

Hollow products, coiled or not, which have a uniform cross-section with only one enclosed void along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons, and which have a uniform wall thickness. Products with a rectangular (including square), equilateral triangular or regular convex polygonal cross-section, which may have corners rounded along their whole length, are also to be taken to be tubes and pipes provided the inner and outer cross-sections are concentric and have the same form and orientation. Tubes and pipes of the foregoing cross-sections may be polished, coated, bent, threaded, drilled, waisted, expanded, cone-shaped or fitted with flanges, collars or rings.

Subheading Note.

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Copper-zinc base alloys (brasses)

Alloys of copper and zinc, with or without other elements. When other elements are present:

- zinc predominates by weight over each of such other elements;
- any nickel content by weight is less than 5% (see copper-nickel-zinc alloys (nickel silvers)); and
- any tin content by weight is less than 3% (see copper-tin alloys (bronzes)).

(b) Copper-tin base alloys (bronzes)

Alloys of copper and tin, with or without other elements. When other elements are present, tin predominates by weight over each of such other elements, except that when the tin content is 3% or more the zinc content by weight may exceed that of tin but must be less than 10%.

(c) Copper-nickel-zinc base alloys (nickel silvers)

Alloys of copper, nickel and zinc, with or without other elements. The nickel content is 5% or more by weight (see copper-zinc alloys (brasses)).

(d) Copper-nickel base alloys

Alloys of copper and nickel, with or without other elements but in any case containing by weight not more than 1% of zinc. When other elements are present, nickel predominates by weight over each of such other elements.

Supplementary Note.

1. In this Chapter the expression "unworked", when referring to bars, rods and profiles, means products which have not been subsequently worked after production (for example, not machined, drilled, punched, twisted or crimped).

Statistical Note. (NB This note does not form part of the Customs Tariff legislation.)

1. For the purpose of subheading 7401.10, the unit of measure (kilogram) refers to the copper content of the matte and shall be the assay quantity without deductions.

CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
74.01	Copper mattes; cement copper (precipitated copper).			
7401.10.00	00 -Copper mattes	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7401.20.00	00 -Cement copper (precipitated copper)	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7402.00.00	Unrefined copper; copper anodes for electrolytic refining.		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10 Black copper and blister copper	KGM		CIVI. I IEE
	20 Anodes for electrolytic refining			
74.03	Refined copper and copper alloys, unwrought.			
	-Refined copper:			
7403.11.00	00Cathodes and sections of cathodes	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7403.12.00	00Wire-bars	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7403.13.00	Billets		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10Oxygen free (Nos. 101 and 102) 90Other			
7403.19.00	Other		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	Ingots, ingot-bars and slabs: 11Ingots, fire refined	KGM		
	12 Ingots, except fire refined			
	13 Ingot-bars and slabs			
	20 Shot	KGM		
	31 Oxygen free (Nos. 101 and 102)	KGM		
	39 Other			
	90 Other	KGM		
	-Copper alloys:			
7403.21.00	Copper-zinc base alloys (brass)		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10 Ingots	KGM		GRT. FIEE

ltem	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Billets	KGM		
		Ingot-bars and slabs	KGM		
	40	Shot	KGM		
	90	Other	KGM		
7403.22.00)	-Copper-tin base alloys (bronze)		Free	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free
	10	Ingots	KGM		
	90	Other	KGM		
7403.23.00		-Copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)		Free	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free
	10	Ingots	KGM		
		Billets	KGM		
		Ingot-bars and slabs	KGM		
		Shot	KGM		
		Other			
7403.29.00		Other copper alloys (other than master alloys of heading 74.05)	NOM.	Free	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT,
					CRT: Free
		Copper beryllium alloys:			
		Ingots	KGM		
	12	Other	KGM		
	20	Copper phosphor alloys	KGM		
	90	Other	KGM		
7404.00	C	opper waste and scrap.			
7404.00.10	00	Spent anodes, not alloyed;	KGM	Free	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT,
		With a copper content of less than 94% by weight, not alloyed			CRT: Free
7404.00.20)	With a copper content of less than 94% by weight, not alloyed - Copper-zinc base alloys (brass) with a copper content of less than 94% by weight		Free	CRT: Free UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free
7404.00.20		Copper-zinc base alloys (brass) with a copper content of less than 94% by	KGM	Free	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT,
7404.00.20	10	Copper-zinc base alloys (brass) with a copper content of less than 94% by weight		Free	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT,
7404.00.20	10 90	Copper-zinc base alloys (brass) with a copper content of less than 94% by weight		Free	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT,
7404.00.20 7404.00.91	10 90	Copper-zinc base alloys (brass) with a copper content of less than 94% by weight Containing more than 0.3% of lead		Free	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT,
	10 90 	Copper-zinc base alloys (brass) with a copper content of less than 94% by weightContaining more than 0.3% of lead			UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, GPT
	10 90 10	 -Copper-zinc base alloys (brass) with a copper content of less than 94% by weight Containing more than 0.3% of lead Other Other: With a copper content of less than 94% by weight 	KGM		UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT,
7404.00.91	10 90 10 90	 -Copper-zinc base alloys (brass) with a copper content of less than 94% by weight Containing more than 0.3% of lead Other - Other: With a copper content of less than 94% by weight Copper-tin base alloys (bronze) 	KGM KGM		UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT,
	10 90 10 90 90 - -	 -Copper-zinc base alloys (brass) with a copper content of less than 94% by weight Containing more than 0.3% of lead	KGM KGM	Free	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, GPT
7404.00.91	10 90 10 90 10	Copper-zinc base alloys (brass) with a copper content of less than 94% by weightContaining more than 0.3% of lead	KGM KGM KGM	Free	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT,

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Other:	II		L
	91	Not alloyed	KGM		
	99	Other	KGM		
7405.00.00	00	Master alloys of copper.	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
74.06		Copper powders and flakes.			
7406.10.00)	-Powders of non-lamellar structure		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
		Not alloyed:			
		By electrolytic deposition	KGM		
		Other	KGM		
		Alloyed:			
		Of copper-zinc base alloys (brass)	KGM		
		Of copper-tin base alloys (bronze)	KGM		
	29	Other	KGM		
7406.20.00)	-Powders of lamellar structure; flakes		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
		Not alloyed:			
		Powders	KGM		
		Flakes	KGM		
		Alloyed:	KGM		
		Powders of copper-zinc base alloys (brass)	KGM		
		Other	KGM		
74.07		Copper bars, rods and profiles.			
7407.10		-Of refined copper			
		Hollow profiles:			
7407.10.11	00	Unworked	KGM	2.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7407.10.12	2 00	Worked	KGM	3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
		Other:			
7407.10.21	10 20	 Bars and rods, of which the maximum cross-sectional dimension exceeds 12.7 mm; Solid profiles Bars and rods, unworked Solid profiles, unworked Bars, rods or solid profiles, worked 	KGM KGM KGM	2.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7407.10.29	00Other	KGM	3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	-Of copper alloys:			
7407.21	Of copper-zinc base alloys (brass)			
7407.21.10	00Bars and rods, for use in the manufacture of welding electrodes, weldir caps, electrode adaptors, electrode shanks, electrode holders, seam w wheels or welding guns	0	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	Hollow profiles:			
7407.21.2′	00Unworked	KGM	2%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7407.21.22	00Worked	KGM	2%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7407.21.90	Other		2%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10Bars and rods, of a maximum cross-sectional dimension not exceed 12.7 mm, unworked	•		
	20 Bars and rods of a maximum cross-sectional dimension exceeding 1. mm, unworked	2.7		
	30 Solid profiles, unworked			
	40Bars, rods or solid profiles, worked	KGM		
7407.22	 - Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc ba alloys (nickel silver) 	ISE		
	Hollow profiles:			
7407.22.11	00Unworked	KGM	2.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7407.22.12	00Worked	KGM	3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	Other:			
7407.22.2 [,]	 Bars and rods, of copper-nickel base alloys (cupro-nickel) of which th maximum cross-sectional dimension exceeds 12.7 mm; Solid profiles 10Bars and rods, unworked	KGM KGM	2.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7407.22.29	Other	<u> </u>	3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10Bars and rods, of a maximum cross-sectional dimension not exceeding 12.7 mm, unworked	KGM		
	20 Bars and rods, of copper-nickel-zinc base alloys (nickel silver), of a maximum cross-sectional dimension exceeding 12.7 mm, unworked	KGM		
	30 Bars and rods, worked	KGM		
7407.29	Other			
	Hollow profiles:			
7407.29.11	00Unworked	KGM	2%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7407.29.12	00Worked	KGM	2%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7407.29.90	Other		2%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10Bars and rods, of a maximum cross-sectional dimension not exceeding 12.7 mm	KGM		
	 Bars and rods, of a maximum cross-sectional dimension exceeding 12.7 mm, unworked: 	KOM		
	21 Of phosphor copper or phosphor bronze alloys	KGM		
	 22 Of copper beryllium alloys 23 Of other alloys 	KGM KGM		
	Solid profiles, unworked:	KOM		
	31 Of phosphor copper or phosphor bronze alloys	KGM		
	32 Of copper beryllium alloys	KGM		
	 33 Of other alloys 40 Bars, rods or solid profiles, worked 	KGM KGM		
74.08	Copper wire.			
	-Of refined copper:			
7408.11	Of which the maximum cross-sectional dimension exceeds 6 mm			
	Not exceeding 9.5 mm:			
7408.11.11	00Not coated or covered	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7408.11.12	00Coated or covered	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7408.11.20	Exceeding 9.5 mm but not exceeding 12.7 mm		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	10 -	Not coated or covered	KGM		
	20 -	Coated or covered	KGM		
	-	Exceeding 12.7 mm:			
7408.11.31	00 -	Not coated or covered	KGM	2.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7408.11.32	00 -	Coated or covered	KGM	3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7408.19.00	- 1	-Other		3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10 -	Not coated or covered	KGM		
	20 -	Coated or covered	KGM		
	-	Of copper alloys:			
7408.21	-	-Of copper-zinc base alloys (brass)			
7408.21.10	00 -	 -For use in the manufacture of welding electrodes, welding caps, electrode adaptors, electrode shanks, electrode holders, seam weld wheels or welding guns 	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7408.21.20	00 -	 - Other, of which the maximum cross-sectional dimension exceeds 12.7 mm, not coated or covered 	KGM	2.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7408.21.90	- 1	Other		3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	-	 Of which the maximum cross-sectional dimension does not exceed 12.7 mm: 			
	11 -	Not coated or covered	KGM		
	12 -	Coated or covered	KGM		
	20 -	Of which the maximum cross-sectional dimension exceeds 12.7 mm,	KOM		
		coated or covered	KGM		
7408.22	-	-Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)			
7408.22.10	00 -	 - Of which the maximum cross-sectional dimension exceeds 12.7 mm, of copper-nickel base alloys (cupro-nickel), not coated or covered 	KGM	2.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7408.22.90		Other		3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	-	 Of which the maximum cross-sectional dimension does not exceed 12.7 mm: 			
	11 -	Not coated or covered	KGM		

CUSTOMS TARIFF - SCHEDULE

Tariff	00	Description of Os oth	Unit of	MFN	Applicable
ltem	SS	Description of Goods	Meas.	Tariff	Preferential Tariffs
	-	Of which the maximum cross-sectional dimension exceeds 12.7 mm, of			
	21	copper-nickel-zinc base alloys (nickel silver):	KGM		
		Not coated or covered	KGM		
		Of which the maximum cross-sectional dimension exceeds 12.7 mm, of	KGIVI		
	50	copper-nickel base alloys (cupro-nickel), coated or covered	KGM		
7408.29	-	-Other			
7408.29.10	- 00 -	 -Of which the maximum cross-sectional dimension exceeds 12.7 mm, not coated or covered 	KGM	2.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7408.29.90) -	Other		3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT,
					CRT: Free
	-	Of which the maximum cross-sectional dimension does not exceed 12.7 mm:			
	11 -	Not coated or covered	KGM		
		Coated or covered	KGM		
	20 -	Of which the maximum cross-sectional dimension exceeds 12.7 mm, coated or covered	KGM		
74.09	C	copper plates, sheets and strip, of a thickness exceeding 0.15 mm.			
	-(Of refined copper:			
7409.11.00) -	-In coils		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	-	 Of a thickness exceeding 0.15 mm but not exceeding 4.75 mm, unworked: 			
	11 -	Of a width not exceeding 508 mm	KGM		
		Of a width exceeding 508 mm	KGM		
	20 -	Of a thickness exceeding 4.75 mm, unworked	KGM		
	30 -	Worked	KGM		
7409.19.00	0 -	-Other		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	-	Of a thickness exceeding 0.15 mm but not exceeding 4.75 mm, unworked:			GRI. Flee
	11 -	Of a width not exceeding 508 mm	KGM		
		Of a width exceeding 508 mm	KGM		
	20 -	Of a thickness exceeding 4.75 mm, unworked	KGM		
	30 -	Worked	KGM		
	-(Of copper-zinc base alloys (brass):			
7409.21.00	0 -	-In coils		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
		Of a thickness exceeding 0.15 mm but not exceeding 4.75 mm,			
	-				
	-	unworked:			
			KGM		

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Of a thickness exceeding 4.75 mm, unworked	KGM KGM		
				Free	
7409.29.00		Other		Free	UST, CCCT, LDCT, GP MT, MUST, CIAT, CT, CRT: Free
		 Of a thickness exceeding 0.15 mm but not exceeding 4.75 mm, unworked: 			
		Of a width not exceeding 508 mm	KGM		
		Of a width exceeding 508 mm			
	20	Of a thickness exceeding 4.75 mm, unworked	KGM		
	30	Worked	KGM		
		-Of copper-tin base alloys (bronze):			
7409.31.00		In coils		Free	UST, CCCT, LDCT, GP
					MT, MUST, CIAT, CT, CRT: Free
		 Of a thickness exceeding 0.15 mm but not exceeding 4.75 mm, unworked: 			
	11	Of a width not exceeding 508 mm	KGM		
	12	Of a width exceeding 508 mm	KGM		
	20	Of a thickness exceeding 4.75 mm, unworked	KGM		
	30	Worked	KGM		
7409.39.00		Other		Free	UST, CCCT, LDCT, GP MT, MUST, CIAT, CT, CRT: Free
		Of a thickness exceeding 0.15 mm but not exceeding 4.75 mm, unworked:			
	11	Of a width not exceeding 508 mm	KGM		
		Of a width exceeding 508 mm	KGM		
		Of a thickness exceeding 4.75 mm, unworked			
		Worked	KGM		
7409.40.00		-Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)		Free	UST, CCCT, LDCT, GP MT, MUST, CIAT, CT, CRT: Free
		Copper-nickel base alloys (cupro-nickel), of a thickness exceeding 0.15 mm but not exceeding 4.75 mm, unworked:			CRT. Flee
	11	Of a width not exceeding 508 mm	KGM		
		Of a width exceeding 508 mm	KGM		
		Copper-nickel base alloys (cupro-nickel), of a thickness exceeding 4.75			
		mm, unworked	KGM		
		Copper-nickel-zinc base alloys (nickel silver), of a thickness exceeding 0.15 mm but not exceeding 4.75 mm, unworked:			
	31	Of a width not exceeding 508 mm	KGM		
		Of a width exceeding 508 mm	KGM		
		Copper-nickel-zinc base alloys (nickel silver), of a thickness exceeding			
	50	4.75 mm, unworked	KGM KGM		
7409.90.00		-Of other copper alloys		Free	UST, CCCT, LDCT, GP
					MT, MUST, CIAT, CT, CRT: Free

CUSTOMS TARIFF - SCHEDULE

Image: Compart beryllium alloys of a thickness exceeding 0.15 mm but not exceeding 4.75 mm, unworked. KGM 11Of a width not exceeding 508 mm	Tariff	SS Description of Goods	Unit of	MFN Tariff	Applicable Preferential Tariffs
exceeding 4.75 mm, unworked: KGM 11Of a with exceeding 508 mm. KGM 20Of a with exceeding 508 mm. KGM 21Of a with exceeding 508 mm. KGM 22Of a with exceeding 508 mm. KGM 23Of a with exceeding 508 mm. KGM 24Of a with exceeding 508 mm. KGM 25Of a with exceeding 508 mm. KGM 26Of a with exceeding 508 mm. KGM 27	nem	Common hom lliver allows of a thickness averaging 0.45 mm but not	Wieds.	Idiiii	Freierential Tarins
11Of a width not exceeding 508 mm					
12Of a width exceeding 608 mm. KGM 20Ofa width exceeding 508 mm. KGM 31Ofa width not exceeding 508 mm. KGM 32Ofa width not exceeding 508 mm. KGM 32Ofa width not exceeding 508 mm. KGM 40Ofa width sexceeding 508 mm. KGM 50Ofa width sexceeding 0.15 mm. KGM 50			KGM		
20Copper beryllium alloys of a thickness exceeding 0.15 mm but not exceeding 4.75 mm, unworked: KGM 31Of a width not exceeding 508 mm					
Other alloys, of a thickness exceeding 0.15 mm but not exceeding 4.75 mm, unvorked. KGM 31Ot a width not exceeding 508 mm					
31O's width not exceeding 508 mm		Other alloys, of a thickness exceeding 0.15 mm but not exceeding			
32Of a width exceeding 508 mm			KGM		
40Other alloys, of a thickness exceeding 4.75 mm, unworked					
50Worked		-			
plastics or similar backing materials), of a thickness (excluding any backing) not exceeding 0.15 mm. -Not backed: 7410.11.00Of refined copper Free UST, CCCT, LDCT, G MT, MUST, CLAT, CT, CRT. Free UST, C					
7410.11.00 Of refined copper Free UST, CCCT, LDCT, G 10 Of a thickness not exceeding 0.025 mm but not exceeding 0.15 mm, unworked: KGM 21 Of a width net exceeding 508 mm. KGM 22 Of a width net exceeding 508 mm. KGM 30 Worked. KGM 10 Of a width net exceeding 508 mm. KGM 21 Of a width net exceeding 508 mm. KGM 30	74.10	plastics or similar backing materials), of a thickness (excluding any	d,		
MT, MUST, CLAT, CT, CR, CR: Free 10Of a thickness not exceeding 0.025 mm, unworked. 21Of a width not exceeding 508 mm. 30Worked. 30Worked. 10Of a width not exceeding 0.025 mm, unworked. KGM 7410.12.00Of a width not exceeding 0.025 mm, unworked. KGM 7410.12.00Of a thickness not exceeding 0.025 mm, unworked. KGM KGM CR: Free UST, CCCT, LDCT, G MT, MUST, CLAT, CT, CT, CT, CR: Free VIIIOf a width not exceeding 0.025 mm, unworked. CR: Free UST, CCCT, LDCT, G MT, MUST, CLAT, CT, CT, CT, CR: Free VIIIOf a width not exceeding 0.025 mm, unworked. CR: Free UST, CCCT, LDCT, G MT, MUST, CLAT, CT, CT, CR: Free VIIIOf a width not exceeding 508 mm. S2Of a width not exceeding 508 mm. S2Of a width not exceeding 508 mm. KGM S2		-Not backed:			
Of a thickness exceeding 0.025 mm but not exceeding 0.15 mm, unworked: KGM 21Of a width not exceeding 508 mm	7410.11.00	Of refined copper		Free	
21Of a width not exceeding 508 mm		Of a thickness exceeding 0.025 mm but not exceeding 0.15 mm,	KGM		
22Of a width exceeding 508 mm			KGM		
30Worked					
7410.12.00 Of copper alloys Free UST, CCCT, LDCT, G 10 Of a thickness not exceeding 0.025 mm, unworked KGM Of a thickness exceeding 0.025 mm but not exceeding 0.15 mm, unworked: KGM 21 Of a width not exceeding 508 mm. KGM 22 Of a width not exceeding 508 mm. KGM 30 Worked KGM		-			
10Of a thickness not exceeding 0.025 mm, unworked MT, MUST, CIAT, CT, CRT: Free 10Of a thickness exceeding 0.025 mm but not exceeding 0.15 mm, unworked: KGM 21Of a width not exceeding 508 mm					
Of a thickness exceeding 0.025 mm but not exceeding 0.15 mm, unworked: 21Of a width not exceeding 508 mm	7410.12.00	Of copper alloys		Free	
21Of a width not exceeding 508 mm		Of a thickness exceeding 0.025 mm but not exceeding 0.15 mm,	KGM		
22Of a width exceeding 508 mm			KGM		
30Worked					
7410.21.00 Of refined copper Free UST, CCCT, LDCT, G 10 Unworked. KGM CRT: Free 10		-			
MT, MUST, CIAT, CT, CRT: Free 10 Unworked. 21 Copper clad laminates 21 Other. KGM 7410.22.00 - Of copper alloys Free UST, CCCT, LDCT, G MT, MUST, CIAT, CT, CRT: Free		-Backed:			
10 Unworked	7410.21.00	Of refined copper		Free	
Worked: KGM 21Copper clad laminates KGM 29Other KGM 7410.22.00 -Of copper alloys Free UST, CCCT, LDCT, G MT, MUST, CIAT, CT, CRT: Free 10Worked 20Worked		10 Unworked	KGM		5
21 Copper clad laminates KGM 29 Other KGM 7410.22.00 - Of copper alloys Free UST, CCCT, LDCT, G MT, MUST, CIAT, CT, CRT: Free 10 Worked 20 Worked					
29 Other KGM 7410.22.00 - Of copper alloys Free UST, CCCT, LDCT, G MT, MUST, CIAT, CT, 10 Unworked 20 Worked KGM			KGM		
MT, MUST, CIAT, CT, CRT: Free 20 Worked					
10 Unworked	7410.22.00	Of copper alloys		Free	
20 Worked KGM		10 <i>Unworked</i>	KGM		01111100
74.11 Copper tubes and pipes.					
11 CONTRACTOR PLAN	74.11	Copper tubes and pipes.			

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7411.10.00	-Of refined copper	1 1	2.5%	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free
	For plumbing, unworked:			
	11 Of an external diameter not exceeding 105 mm	KGM		
	12 Of an external diameter exceeding 105 mm	KGM		
	20 For refrigeration or air conditioning (ACR), unworked	KGM		
	31 Industrial or commercial	KGM		
	39 Other	KGM		
	40 Worked	KGM		
	-Of copper alloys:			
7411.21.00	Of copper-zinc base alloys (brass)		2%	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free
	10 For plumbing, unworked	KGM		
	20 For condenser or heat exchanger, unworked	KGM		
	31 Industrial or commercial	KGM		
	39 Other	KGM		
	40 Worked	KGM		
7411.22.00	 - Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver) 		2.5%	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free
	10 For condenser or heat exchanger, unworked	KGM		
	21 Industrial or commercial	KGM		
	29 Other	KGM		
	30 Worked	KGM		
7411.29.00	Other		2.5%	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free
	Unworked:			
	11 Industrial or commercial	KGM		
	12 For condenser or heat exchanger	KGM		
	19 Other	KGM		
	Worked:			
	21 Of copper-tin alloys (bronze), centrifugally cast, not further worked			
	than turned and bored longitudinally, for use in the manufacture of	KOM		
	rolls for paper-making machines	KGM KGM		
		KGIVI		
74.12	Copper tube or pipe fittings (for example, couplings, elbows, sleeves).			
7412.10.00	-Of refined copper		3%	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free
	Pressure type:			
	11 Wrought	KGM		
	19 Other	KGM		
	20 Drainage type	KGM		
	90 Other	KGM		

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7412.20.00)	-Of copper alloys		3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
		Pressure type:			
		Forged	KGM		
		Cast	KGM		
		Other	KGM KGM		
		Other			
7413.00.00)	Stranded wire, cables, plaited bands and the like, of copper, not		3%	UST, CCCT, LDCT, GPT,
		electrically insulated.			MT, MUST, CIAT, CT, CRT: Free
		Without fittings:			
		Cables, not alloyed	KGM		
		Cables, alloyed	KGM		
		Stranded wire	KGM		
	19	Other	KGM		
	21	With fittings:	KGM		
		Cables, not alloyed			
		Stranded wire, plaited bands and the like			
74.14		Cloth (including endless bands), grill and netting, of copper wire; expanded metal of copper.			
7414.20.00)	-Cloth		3%	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free
	10	Endless bands, for machinery	MTK		
	90	Other	KGM		
7414.90.00	00	-Other	KGM	3%	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free
74.15		Nails, tacks, drawing pins, staples (other than those of heading 83.05) and similar articles, of copper or of iron or steel with heads of copper; screws, bolts, nuts, screw hooks, rivets, cotters, cotter-pins, washers (including spring washers) and similar articles, of copper.			
415.10.00)	-Nails and tacks, drawing pins, staples and similar articles		2.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10	Nails	KGM		
		Tacks	KGM		
		Other	KGM		
		-Other articles, not threaded:			
7415.21.00	00	Washers (including spring washers)	KGM	3%	UST, CCCT, LDCT, GPT,
					MT, MUST, CIAT, CT, CRT: Free

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7415.29.00	Other		3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10 <i>Rivets</i>	KGM		
	90 Other	KGM		
	-Other threaded articles:			
7415.33	Screws; bolts and nuts			
7415.33.10	00Nipples for use in the manufacture of unicycles, bicycles or tricycles, or wheels therefor	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7415.33.90			3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	Screws:	KOM		
	11 For wood 19 Other	KGM KGM		
	20 Bolts	KGM		
	30 <i>Nuts</i>	KGM		
7415.39.00	00Other	KGM	3%	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free
7416.00.00	00 Copper springs.	-	3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7417.00.00	00 Cooking or heating apparatus of a kind used for domestic purposes, non-electric, and parts thereof, of copper.	NMB	3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
74.18	Table, kitchen or other household articles and parts thereof, of copper; pot scourers and scouring or polishing pads, gloves and the like, of copper; sanitary ware and parts thereof, of copper.			
	-Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like:			
7418.11.00	00Pot scourers and scouring or polishing pads, gloves and the like	-	3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7418.19.00	Other		3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10 Cooking utensils	-		
	20 Tableware	-		
7418.20.00	00 -Sanitary ware and parts thereof	-	3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
74.19	Other articles of copper.			
7419.10.00	00 -Chain and parts thereof	KGM	3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	-Other:			
7419.91	Cast, moulded, stamped or forged, but not further worked			
7419.91.10	Anodes for electroplating		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10Not alloyed 20Alloyed	KGM KGM		
7419.91.90	Other		3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	 10 Castings, not alloyed 20 Cast brass plumbing goods, not elsewhere specified or included 30 Other castings, alloyed	KGM KGM KGM		
	41Not alloyed 42Alloyed 50 Mouldings and stampings	KGM KGM KGM		
7419.99	Other			
7419.99.10	Anodes for electroplating		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10Not alloyed 20Alloyed	KGM KGM		
7419.99.20	00Caskets or coffins	NMB	9.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 5%
7419.99.90	Other		3%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10 Fabricated building components	KGM		
	20 Pole line hardware, including ground rods	KGM		
	30 Containers of a kind normally carried on the person, in the pocket or in	67.		
	the handbag	DZN		
	40 Brass plumbing goods not elsewhere specified or included	KGM		
	90 <i>Other</i>	KGM		