Section XV

BASE METALS AND ARTICLES OF BASE METAL

Notes.

- 1. This Section does not cover:
 - (a) Prepared paints, inks or other products with a basis of metallic flakes or powder (headings 32.07 to 32.10, 32.12, 32.13 or 32.15):
 - (b) Ferro-cerium or other pyrophoric alloys (heading 36.06);
 - (c) Headgear or parts thereof of heading 65.06 or 65.07;
 - (d) Umbrella frames or other articles of heading 66.03;
 - (e) Goods of Chapter 71 (for example, precious metal alloys, base metal clad with precious metal, imitation jewellery);
 - (f) Articles of Section XVI (machinery, mechanical appliances and electrical goods);
 - (g) Assembled railway or tramway track (heading 86.08) or other articles of Section XVII (vehicles, ships and boats, aircraft);
 - (h) Instruments or apparatus of Section XVIII, including clock or watch springs;
 - (ij) Lead shot prepared for ammunition (heading 93.06) or other articles of Section XIX (arms and ammunition);
 - (k) Articles of Chapter 94 (for example, furniture, mattress supports, lamps and lighting fittings, illuminated signs, prefabricated buildings);
 - (I) Articles of Chapter 95 (for example, toys, games, sports requisites);
 - (m)Hand sieves, buttons, pens, pencil-holders, pen nibs or other articles of Chapter 96 (miscellaneous manufactured articles); or
 - (n) Articles of Chapter 97 (for example, works of art).
- 2. Throughout the Nomenclature, the expression "parts of general use" means:
 - (a) Articles of heading 73.07, 73.12, 73.15, 73.17 or 73.18 and similar articles of other base metal;
 - (b) Springs and leaves for springs, of base metal, other than clock or watch springs (heading 91.14); and
 - (c) Articles of headings 83.01, 83.02, 83.08, 83.10 and frames and mirrors, of base metal, of heading 83.06.

In Chapters 73 to 76 and 78 to 82 (but not in heading 73.15) references to parts of goods do not include references to parts of general use as defined above.

Subject to the preceding paragraph and to Note 1 to Chapter 83, the articles of Chapter 82 or 83 are excluded from Chapters 72 to 76 and 78 to 81.

- 3. Throughout the Nomenclature, the expression "base metals" means: iron and steel, copper, nickel, aluminum, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium.
- 4. Throughout the Nomenclature, the term "cermets" means products containing a microscopic heterogeneous combination of a metallic component and a ceramic component. The term "cermets" includes sintered metal carbides (metal carbides sintered with a metal).

- 5. Classification of alloys (other than ferro-alloys and master alloys as defined in Chapters 72 and 74):
 - (a) An alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals;
 - (b) An alloy composed of base metals of this Section and of elements not falling within this Section is to be treated as an alloy of base metals of this Section if the total weight of such metals equals or exceeds the total weight of the other elements present;
 - (c) In this Section the term "alloys" includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.
- 6. Unless the context otherwise requires, any reference in the Nomenclature to a base metal includes a reference to alloys which, by virtue of Note 5 above, are to be classified as alloys of that metal.
- 7. Classification of composite articles:

Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the Interpretative Rules) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals. For this purpose:

- (a) Iron and steel, or different kinds of iron or steel, are regarded as one and the same metal;
- (b) An alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of Note 5, it is classified; and
- (c) A cermet of heading 81.13 is regarded as a single base metal.
- 8. In this Section, the following expressions have the meanings hereby assigned to them:

(a) Waste and scrap

Metal waste and scrap from the manufacture or mechanical working of metals, and metal goods definitely not usable as such because of breakage, cutting-up, wear or other reasons.

(b) Powders

Products of which 90% or more by weight passes through a sieve having a mesh aperture of 1 mm.

Supplementary Note.

1. Unless the context otherwise requires, the expression "diameter", when applied to tubes and pipes, refers to the actual internal diameter.

Chapter 72

IRON AND STEEL

Notes.

1. In this Chapter and, in the case of Notes (d), (e) and (f) throughout the Nomenclature, the following expressions have the meanings hereby assigned to them:

(a) Pig iron

Iron-carbon alloys not usefully malleable, containing more than 2% by weight of carbon and which may contain by weight one or more other elements within the following limits:

- not more than 10% of chromium
- not more than 6% of manganese
- not more than 3% of phosphorus
- not more than 8% of silicon
- a total of not more than 10% of other elements.

(b) Spiegeleisen

Iron-carbon alloys containing by weight more than 6% but not more than 30% of manganese and otherwise conforming to the specification at (a) above.

(c) Ferro-alloys

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurizing agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4% or more of the element iron and one or more of the following:

- more than 10% of chromium
- more than 30% of manganese
- more than 3% of phosphorus
- more than 8% of silicon
- a total of more than 10% of other elements, excluding carbon, subject to a maximum content of 10% in the case of copper.

(d) Steel

Ferrous materials other than those of heading 72.03 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2% or less of carbon. However, chromium steels may contain higher proportions of carbon.

(e) Stainless steel

Alloy steels containing, by weight, 1.2% or less of carbon and 10.5% or more of chromium, with or without other elements.

(f) Other alloy steel

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:

- 0.3% or more of aluminum
- 0.0008% or more of boron
- 0.3% or more of chromium
- 0.3% or more of cobalt
- 0.4% or more of copper
- 0.4% or more of lead
- 1.65% or more of manganese
- 0.08% or more of molybdenum
- 0.3% or more of nickel
- 0.06% or more of niobium
- 0.6% or more of silicon
- 0.05% or more of titanium
- 0.3% or more of tungsten (wolfram)
- 0.1% or more of vanadium
- 0.05% or more of zirconium
- 0.1% or more of other elements (except sulphur, phosphorus, carbon and nitrogen), taken separately.

(g) Remelting scrap ingots of iron or steel

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferro-alloys.

(h) Granules

Products of which less than 90% by weight passes through a sieve with a mesh aperture of 1 mm and of which 90% or more by weight passes through a sieve with a mesh aperture of 5 mm.

(ij) Semi-finished products

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and

Other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

(k) Flat-rolled products

Rolled products of solid rectangular (other than square) cross-section, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least ten times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, chequers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(I) Bars and rods, hot-rolled, in irregularly wound coils

Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

(m) Other bars and rods

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);
- be twisted after rolling.

(n) Angles, shapes and sections

Products having a uniform solid cross-section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 73.01 or 73.02.

(o) Wire

Cold-formed products in coils, of any uniform solid cross-section along their whole length, which do not conform to the definition of flat-rolled products.

(p) Hollow drill bars and rods

Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 73.04.

- 2. Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.
- 3. Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this Chapter appropriate to similar hot-rolled products.

Subheading Notes.

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Alloy pig iron

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2% of chromium
- more than 0.3% of copper
- more than 0.3% of nickel
- more than 0.1% of any of the following elements: aluminum, molybdenum, titanium, tungsten (wolfram), vanadium.

(b) Non-alloy free-cutting steel

Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions:

- 0.08% or more of sulphur
- 0.1% or more of lead
- more than 0.05% of selenium
- more than 0.01% of tellurium
- more than 0.05% of bismuth.

(c) Silicon-electrical steel

Alloy steels containing by weight at least 0.6% but not more than 6% of silicon and not more than 0.08% of carbon. They may also contain by weight not more than 1% of aluminum but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) High speed steel

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7% or more, 0.6% or more of carbon and 3 to 6% of chromium.

(e) Silico-manganese steel

Alloy steels containing by weight:

- not more than 0.7% of carbon,
- 0.5% or more but not more than 1.9% of manganese, and
- 0.6% or more but not more than 2.3% of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.
- 2. For the classification of ferro-alloys in the subheadings of heading 72.02 the following rule should be observed:

A ferro-alloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in Chapter Note 1 (c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule the unspecified "other elements" referred to in Chapter Note 1 (c) must each exceed 10% by weight.

Statistical Note. (NB This note does not form part of the Customs Tariff legislation.)

For the purpose of subheadings 7222.11, 7222.19, 7222.20 and 7222.30, the expression "high nickel alloy steel" is considered to be nickel alloy steel containing by weight 3% or more of nickel.

CUSTOMS TARIFF - SCHEDULE

Tariff (Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	IPRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM			
72.01	Pig iron and spiegeleisen in pigs, blocks or other primary forms.			
7201.10.00	00 -Non-alloy pig iron containing by weight 0.5% or less of phosphorus	TNE	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7201.20.00	00 -Non-alloy pig iron containing by weight more than 0.5% of phosphorus	TNE	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7201.50.00	-Alloy pig iron; spiegeleisen		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10Spiegeleisen	KGM KGM		OKK. FIGO
72.02	Ferro-alloys.			
	-Ferro-manganese:			
7202.11.00	Containing by weight more than 2% of carbon		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	Containing by weight not more than 1% of silicon: 11Containing by weight more than 2% but not more than 3% of carbon. 12Containing by weight more than 3% of carbon	KGM KGM KGM		
7202.19.00	Other		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	Containing by weight not more than 1% of silicon: 11Containing by weight not more than 0.75% of carbon	KGM		
	carbon Containing by weight more than 1% of silicon:	KGM		
	21Containing by weight not more than 0.75% of carbon 22Containing by weight more than 0.75% but not more than 2% of carbon	KGM KGM		
	-Ferro-silicon:			
7202.21.00	Containing by weight more than 55% of silicon		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
:	10Containing by weight less than 60% of silicon	KGM KGM KGM		SIX1.1100

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7202.29.00	Other		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10Containing by weight more than 45% but not more than 55% of silicor 20Containing by weight not more than 45% of silicon			
7202.30.00	00 -Ferro-silico-manganese	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	-Ferro-chromium:			
7202.41.00	00Containing by weight more than 4% of carbon	KGM	Free	UST, CCCT, LDCT, GPT,
	Note: The benefit of the Most-Favoured-Nation Tariff is extended to goods of this tariff item that originate in a country to which the General Tariff applies.	•		MT, MUST, CIAT, CT, CRT: Free
7202.49.00	00Other	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT,
	Note: The benefit of the Most-Favoured-Nation Tariff is extended to goods of this tariff item that originate in a country to which the General Tariff applies.	•		CRT: Free
7202.50.00	00 -Ferro-silico-chromium	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7202.60.00	00 -Ferro-nickel	KGM	6.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7202.70.00	00 -Ferro-molybdenum	KGM	2.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7202.80.00	00 -Ferro-tungsten and ferro-silico-tungsten	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	-Other:			
7202.91.00	00Ferro-titanium and ferro-silico-titanium	KGM	2.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7202.92	Ferro-vanadium			
7202.92.10	00For use in the manufacture of iron or steel	KGM	2.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7202.92.90	00Other	KGM	6.5%	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free GPT: 5%

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7202.93.00) 00	Ferro-niobium	KGM	2.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7202.99.00)	Other		2.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10	Ferro-zirconium	KGM		
	91	Ferro-phosphorus	KGM		
		Ferro-silico-calcium	KGM		
	99	Other	KGM		
72.03		Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94%, in lumps, pellets or similar forms.			
7203.10.00	0 00	-Ferrous products obtained by direct reduction of iron ore	TNE	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7203.90.00) 00	-Other	TNE	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
72.04		Ferrous waste and scrap; remelting scrap ingots of iron or steel.			
7204.10.00	0 00	-Waste and scrap of cast iron	TNE	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
		-Waste and scrap of alloy steel:			
7204.21.00	00	Of stainless steel	TNE	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7204.29.00	00	Other	TNE	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7204.30.00	00	-Waste and scrap of tinned iron or steel	TNE	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
		-Other waste and scrap:			
7204.41.00)	Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10	No.1 in bundles	TNE		
	20	Other turnings and shavings	TNE		
		Other	TNE		

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7204.49.00	Other		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10No. 1 heavy melting	TNE		
	20 No. 2 heavy melting	TNE		
	Other: 91 Shredded	TNE		
	99 Other	TNE		
7204.50.00	00 -Remelting scrap ingots	TNE	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
72.05	Granules and powders, of pig iron, spiegeleisen, iron or steel.			
7205.10	-Granules			
7205.10.10	Steel shot, for burnishing;		6%	UST, CCCT, LDCT, GPT,
	Other shot, other than iron or steel shot of a kind for sawing, polishing,			MT, MUST, CIAT, CT,
	pressure blasting or tumbling 10Of steel, for burnishing	TNE		CRT: Free
	90Other			
	90 Outer	IINL		
7205.10.90	Other		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10 Shot	TNE		
	90Other	TNE		
	-Powders:			
7205.21.00	Of alloy steel		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10 Stainless steel powders to be employed as a filter media in the spinneret pack used in the production of man-made fibres	TNE		
	90 Other	TNE		
7205.29.00	00 Other	TNE	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	IIIRON AND NON-ALLOY STEEL			
72.06	Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading 72.03).			
7206.10.00	00 -Ingots	TNE	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7206.90.00	00 -Other	TNE	2.5%	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
72.07	Semi-finished products of iron or non-alloy steel.			

Tariff Item S	S Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	-Containing by weight less than 0.25% of carbon:			
7207.11	Of rectangular (including square) cross-section, the width measuring less than twice the thickness			
7207.11.10 0	0Billets, to specification AISI 12L14, for use in the manufacture of bars or rods	TNE	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7207.11.90	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
1	0 Of iron	TNE		GI, GKI. FIEE
	Of Horf-andy Steel. 1 Billets	TNE TNE		
7207.12.00 0	0Other, of rectangular (other than square) cross-section	TNE	Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7207.19	Other			
7207.19.10 0	 0Continuously cast rounds, to specification A830F or C829F, of an external diameter of 21.59 cm, 22.01 cm or 25.72 cm, for use in the manufacture of seamless line pipe, standard pipe or mechanical tubing; Other rounds, for use in the manufacture of drill pipe, casing or tubing, or fittings, couplings, thread protectors or nipples therefor, for natural gas or oil wells 		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7207.19.90	Other		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	0 Rounds	TNE TNE		CK1. Flee
7207.20	-Containing by weight 0.25% or more of carbon			
	Blooms, billets, rounds, slabs and sheet bars:			
7207.20.11 0	0 Continuously cast rounds, to specification A830F or C829F, of an external diameter of 21.59 cm, 22.01 cm or 25.72 cm, for use in the manufacture of seamless line pipe, standard pipe or mechanical tubing; For use in the manufacture of drill pipe, casing or tubing, or fittings, couplings, thread protectors or nipples therefor, for natural gas or oil wells	TNE	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7207.20.19	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
2	0Blooms	TNE TNE TNE		,

Tariff Item	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7207.20.90 (00Other	TNE	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
72.08	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated.			
7208.10.00	-In coils, not further worked than hot-rolled, with patterns in relief		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10Of a width of 600 mm or more but not exceeding 1,525 mm			C 1, C 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	-Other, in coils, not further worked than hot-rolled, pickled:			
7208.25	Of a thickness of 4.75 mm or more			
7208.25.10	 For use in the manufacture of drill pipe, casing or tubing, or fittings, couplings, thread protectors or nipples therefor, for natural gas or oil wells; For use in the manufacture of separators or treaters (water, oil, gas) for installation between the wellhead assembly or surface oil pumping unit and the field marketing valve at oil or natural gas wells 		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10 Of a width of 600 mm or more but not exceeding 1,525 mm	KGM KGM		
;	30 Of a width exceeding 1,830 mm but not exceeding 2,450 mm	KGM KGM		
7208.25.90	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
:	10Of a width of 600 mm or more but not exceeding 1,525 mm	KGM KGM KGM KGM		,
7208.26	Of a thickness of 3 mm or more but less than 4.75 mm			
7208.26.10	Without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
:	10 Of a width of 600 mm or more but not exceeding 1,525 mm	KGM KGM KGM KGM		GKT. F166
7208.26.90	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
:	10 Of a width of 600 mm or more but not exceeding 1,525 mm	KGM KGM KGM KGM		2., 3

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7208.27.10	-	Without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws	_	Free	NZT, UST, AUT, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10 -	Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		
		Of a width exceeding 1,525 mm but not exceeding 1,830 mm	KGM		
		Of a width exceeding 1,830 mm but not exceeding 2,450 mm	KGM		
	40 -	Of a width exceeding 2,450 mm	KGM		
7208.27.90	-	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10 -	Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		
	20 -	Of a width exceeding 1,525 mm but not exceeding 1,830 mm	KGM		
		Of a width exceeding 1,830 mm but not exceeding 2,450 mm	KGM		
	40 -	Of a width exceeding 2,450 mm	KGM		
		Other, in coils, not further worked than hot-rolled:			
7208.36.00	-	Of a thickness exceeding 10 mm		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10 -	Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		- 1, - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		Of a width exceeding 1,525 mm but not exceeding 1,830 mm	KGM		
	30 -	Of a width exceeding 1,830 mm but not exceeding 2,450 mm	KGM		
	40 -	Of a width exceeding 2,450 mm	KGM		
7208.37	-	-Of a thickness of 4.75 mm or more but not exceeding 10 mm			
7208.37.10	-	For use in the manufacture of drill pipe, casing or tubing, or fittings, couplings, thread protectors or nipples therefor, for natural gas or oil wells; For use in the manufacture of separators or treaters (water, oil, gas) for installation between the wellhead assembly or surface oil pumping unit and the field marketing valve at oil or natural gas wells		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10 -	Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		
		Of a width exceeding 1,525 mm but not exceeding 1,830 mm	KGM		
		Of a width exceeding 1,830 mm but not exceeding 2,450 mm	KGM		
	40 -	Of a width exceeding 2,450 mm	KGM		
7208.37.90	-	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10 -	Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		,
	20 -	Of a width exceeding 1,525 mm but not exceeding 1,830 mm	KGM		
	30 -	Of a width exceeding 1,830 mm but not exceeding 2,450 mm	KGM		
	40 -	Of a width exceeding 2,450 mm	KGM		
7208.38	-	-Of a thickness of 3 mm or more but less than 4.75 mm			
7208.38.10	-	Without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10 -	Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		
		Of a width exceeding 1,525 mm but not exceeding 1,830 mm	KGM		
		Of a width exceeding 1,830 mm but not exceeding 2,450 mm	KGM		
		Of a width exceeding 2,450 mm	KGM		

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7208.38.90	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10 Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		
	20 Of a width exceeding 1,525 mm but not exceeding 1,830 mm	KGM		
	30 Of a width exceeding 1,830 mm but not exceeding 2,450 mm	KGM		
	40 Of a width exceeding 2,450 mm	KGM		
7208.39.00	Of a thickness of less than 3 mm		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10 Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		
	20Of a width exceeding 1,525 mm but not exceeding 1,830 mm	KGM		
	30 Of a width exceeding 1,830 mm but not exceeding 2,450 mm	KGM		
	40 Of a width exceeding 2,450 mm	KGM		
7208.40	-Not in coils, not further worked than hot-rolled, with patterns in relief			
7208.40.10	For use in ships, boats or floating structures		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10 Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		
	20 Of a width exceeding 1,525 mm but not exceeding 2,450 mm	KGM		
	30 Of a width exceeding 2,450 mm	KGM		
	Other:			
7208.40.91	Of a thickness of 4.75 mm or more but not exceeding 10 mm, having a		Free	UST, CCCT, LDCT, MT,
	yield point below 355 MPa;			MUST, CIAT, CT,
	Of a thickness exceeding 10 mm			CRT: Free
	10 Of a thickness of 4.75 mm or more but not exceeding 10 mm, having a			
	minimum yield point below 355 MPa	KGM		
	20Of a thickness exceeding 10 mm	KGM		
7208.40.99	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10 Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		
	20 Of a width exceeding 1,525 mm but not exceeding 2,450 mm	KGM		
	30 Of a width exceeding 2,450 mm	KGM		
	-Other, not in coils, not further worked than hot-rolled:			
7208.51	Of a thickness exceeding 10 mm			
7208.51.10	00Rolled on four faces or in a closed box pass, of a width not exceeding 1,250 mm	KGM	Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Other:			
7208.51.91	installation between the wellhead assembly or surface oil pumping unit		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT,
	and the field marketing valve at oil or natural gas wells;			CRT: Free
	For use in ships, boats or floating structures 10 Heat treated	KGM		
	10 1 IEdi liedieu	KGW		

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	Other:	1/01/		
	91 Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		
	92Of a width exceeding 1,525 mm but not exceeding 1,830 mm	KGM		
	93Of a width exceeding 1,830 mm but not exceeding 2,450 mm	KGM		
	94 Of a width exceeding 2,450 mm but not exceeding 3,050 mm	KGM		
	95Of a width exceeding 3,050 mm	KGM		
7208.51.9	9Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10Heat treated	KGM		
	91Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		
	92 Of a width exceeding 1,525 mm but not exceeding 1,830 mm	KGM		
	93 Of a width exceeding 1,830 mm but not exceeding 2,450 mm	KGM		
	94 Of a width exceeding 2,450 mm but not exceeding 3,050 mm	KGM		
	95Of a width exceeding 3,050 mm	KGM		
7208.52	Of a thickness of 4.75 mm or more but not exceeding 10 mm			
	Having a minimum yield point of 355MPa, rolled on four faces or in a closed box pass, of a width not exceeding 1,250 mm:			
7208.52.1	1 00 For use in ships, boats or floating structures	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7208.52.1	9 00 Other	KGM	Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7208.52.9	OOther		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10 Heat treated	KGM		
	Other:	KOM		
	91 Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		
	92 Of a width exceeding 1,525 mm but not exceeding 1,830 mm	KGM		
	93Of a width exceeding 1,830 mm but not exceeding 2,450 mm	KGM		
	94 Of a width exceeding 2,450 mm but not exceeding 3,050 mm	KGM		
	95Of a width exceeding 3,050 mm	KGM		
7208.53.0	Other, of a thickness of 3 mm or more but less than 4.75 mm		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10 Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		,
	20 Of a width exceeding 1,525 mm but not exceeding 1,830 mm	KGM		
	30 Of a width exceeding 1,830 mm but not exceeding 2,450 mm	KGM		
	40 Of a width exceeding 2,450 mm	KGM		
7208.54.0	0 Other, of a thickness of less than 3 mm		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10 Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		.,
	20 Of a width exceeding 1,525 mm but not exceeding 1,830 mm	KGM		
	30 Of a width exceeding 1,830 mm but not exceeding 2,450 mm	KGM		
	50 Or a widin exceeding 1,050 min but not exceeding 2,450 mm	NGW		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	40	Of a width exceeding 2,450 mm	KGM		
7208.90.00	0 00	-Other	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
72.09		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated.			
		-In coils, not further worked than cold-rolled (cold-reduced):			
7209.15.00	0	Of a thickness of 3 mm or more		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	20	Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		
7209.16		Of a thickness exceeding 1 mm but less than 3 mm			
7209.16.10	0	Carbon steel sheet, to specification SAE J1392 980 XF, for use in the manufacture of automotive mechanical scissor jacks or handles thereof		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	20	Of a width of 600 mm or more but not exceeding 1,525 mm	KGM KGM KGM		
		Other:			
7209.16.9 ⁻	1	Having a minimum yield point of 275 MPa		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	20	Of a width of 600 mm or more but not exceeding 1,525 mm Of a width exceeding 1,525 mm but not exceeding 2,030 mm			
7209.16.99	9	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	20	Of a width of 600 mm or more but not exceeding 1,525 mm Of a width exceeding 1,525 mm but not exceeding 2,030 mm	KGM KGM KGM		0,, 0
7209.17		Of a thickness of 0.5 mm or more but not exceeding 1 mm			
7209.17.10		 Of motor lamination steel, having a maximum core loss of 9.54 W/kg/mm, measured at a frequency of 60 Hz and an induction of 1.5 T to specification ASTM A34 or A343, for use in the manufacture of magnetic core laminations Of a width of 600 mm or more but not exceeding 1,525 mm 	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	20	Of a width exceeding 1,525 mm but not exceeding 2,030 mm	KGM KGM		
		Other:			

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7209.17.91	Having a minimum yield point of 275 MPa		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10Of a width of 600 mm or more but not exceeding 1,525 mm			
	20 Of a width exceeding 1,525 mm but not exceeding 2,030 mm			
7209.17.99	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10Of a width of 600 mm or more but not exceeding 1,525 mm			
	20 Of a width exceeding 1,525 mm but not exceeding 2,030 mm			
	30 Of a width exceeding 2,030 mm	KGM		
7209.18	Of a thickness of less than 0.5 mm			
7209.18.10	Having a minimum yield point of 275 MPa, for use in the manufacture of thermionic, cold cathode or photo-cathode valves and tubes; Of motor lamination steel, having a maximum core loss of 9.54 W/kg/mr measured at a frequency of 60 Hz and an induction of 1.5 T to specification ASTM A34 or A343, for use in the manufacture of magnetic core laminations	٦,	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10Of a width of 600 mm or more but not exceeding 1,525 mm			
	20 Of a width exceeding 1,525 mm but not exceeding 2,030 mm			
	Other:			
7209.18.91	Having a minimum yield point of 275 MPa		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10Of a width of 600 mm or more but not exceeding 1,525 mm			
	20Of a width exceeding 1,525 mm but not exceeding 2,030 mm			
7209.18.99	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10Of a width of 600 mm or more but not exceeding 1,525 mm			
	20 Of a width exceeding 1,525 mm but not exceeding 2,030 mm			
	-Not in coils, not further worked than cold-rolled (cold-reduced):			
7209.25.00	Of a thickness of 3 mm or more		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		
	20 Of a width exceeding 1,525 mm but not exceeding 2,030 mm			
	30 Of a width exceeding 2,030 mm	KGM		
7209.26.00	Of a thickness exceeding 1 mm but less than 3 mm		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10Of a width of 600 mm or more but not exceeding 1,525 mm			

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	30	Of a width exceeding 2,030 mm	KGM		
7209.27.00) .	Of a thickness of 0.5 mm or more but not exceeding 1 mm		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	20	Of a width of 600 mm or more but not exceeding 1,525 mm Of a width exceeding 1,525 mm but not exceeding 2,030 mm	KGM KGM KGM		
7209.28.00		Of a thickness of less than 0.5 mm		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	20	Of a width of 600 mm or more but not exceeding 1,525 mm	KGM KGM KGM		
7209.90.00		-Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	90	Perforated	KGM KGM		
72.10		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated.			
		-Plated or coated with tin:			
7210.11.00	00 -	Of a thickness of 0.5 mm or more	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7210.12.00	00 -	Of a thickness of less than 0.5 mm	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7210.20		-Plated or coated with lead, including terne-plate			
7210.20.10) .	Of a thickness not exceeding 4.75 mm		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
		Terne-plate Other	KGM KGM		
7210.20.20	00 -	Of a thickness exceeding 4.75 mm	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7210.30.00	00 -	-Electrolytically plated or coated with zinc	KGM	Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
		-Otherwise plated or coated with zinc:			
7210.41.00	00 -	Corrugated	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free

Tariff Item SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7210.49.00	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
20	Of a thickness not exceeding 0.5 mm	KGM KGM KGM		
7210.50.00 00	-Plated or coated with chromium oxides or with chromium and chromium oxides	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	-Plated or coated with aluminum:			
7210.61.00 00	Plated or coated with aluminium-zinc alloys	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7210.69.00	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Of a thickness of less than 1.44 mm	KGM KGM		
7210.70.00 00	-Painted, varnished or coated with plastics	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7210.90.00	-Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Of a thickness not exceeding 4.75 mm, clad, plated or coated with other base metals:			. ,
11	With copper	KGM		
	With nickel	KGM		
	With stainless steel	KGM		
19	Other	KGM		
	 Of a thickness exceeding 4.75 mm, clad, plated or coated with other base metals: 			
21	With nickel	KGM		
22	With stainless steel	KGM		
	Other	KGM		
90	Other, including with vitreous enamel	KGM		
72.11	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated.			
	-Not further worked than hot-rolled:			
7211.13.00 00	 -Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief 	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7211.14.00	Other, of a thickness of 4.75 mm or more		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Not in coils	KGM		
	90 -	Other	KGM		
7211.19	-	-Other			
7211.19.10	00 -	Without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws	KGM	Free	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free
'211.19.90) -	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	-	Not in coils	KGM KGM		
	-	Not further worked than cold-rolled (cold-reduced):			
7211.23	-	-Containing by weight less than 0.25% of carbon			
7211.23.1(00 -	Hardened, tempered or ground, not further manufactured than cut to shape, without indented edges, for use in the manufacture of saws; Of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa, the foregoing for use in the manufacture of: Knitting machine needles;	KGM	Free	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free
		Thermionic, cold cathode or photo-cathode valves and tubes			
7211.23.90	0 00 -	Other	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7211.29	-	-Other			
7211.29.10	0 00 -	 - High carbon steel strip, to specification SAE 1080, hardened and tempered, polished, of a hardness of RC 45/47, with sheared edges, in coils of a weight not exceeding 1 tonne, for use in the manufacture of power trowel blades; Of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa, the foregoing for use in the manufacture of: Knitting machine needles; Thermionic, cold cathode or photo-cathode valves and tubes; Without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws 	KGM	Free	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free
7211.29.90	0 00 -	Other	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7211.90	-	Other			
7211.90.10	00 -	 -Of a thickness not exceeding 5 mm, with cutting edge on one or both sides, for use in the manufacture of cutting dies; Without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws 	KGM	Free	UST, CCCT, LDCT, GPT MT, MUST, CIAT, CT, CRT: Free

Tariff Item S	S Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7211.90.90	Other	-	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	0Other	KGM KGM		
72.12	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated.			
7212.10.00 0	0 -Plated or coated with tin	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7212.20.00 0	0 -Electrolytically plated or coated with zinc	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7212.30.00 0	0 -Otherwise plated or coated with zinc	KGM	Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7212.40.00 0	0 -Painted, varnished or coated with plastics	KGM	Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7212.50	-Otherwise plated or coated			
7212.50.10	Aluminized drawing quality special killed steel sheet for use in the manufacture of drying machines of subheading 8541.21; Brass lacquered or plated with nickel or nickel-tin, of a thickness not exceeding 0.41 mm and of a width not exceeding 5.3 cm, for use in the manufacture of ferrules for paint brushes; Plated or coated with lead or lead-tin alloys; Plated with chrome, for use in the manufacture of centre discs for stove elements; To specification SAE 1008, cold-rolled, aluminum killed draw quality, annealed after nickel plating, of a thickness of 0.127 mm or more but not exceeding 0.51 mm, for use in the manufacture of battery cans		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
1	Plated or coated with lead or lead-tin alloys: 1Terne-plate	KGM		
	9 Other	KGM		
9	0 Other	KGM		
7212.50.90	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Of a thickness not exceeding 4.75 mm, plated or coated with other base metals:			,
	1With aluminum	KGM		
	2With copper	KGM		
	3With nickel	KGM		
	4 With zinc-aluminum	KGM		
	9 Other	KGM		
	0 Of a thickness exceeding 4.75 mm, plated or coated with other base metals	KGM		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7212.60		-Clad			
7212.60.10	00	For use in ships, boats or floating structures	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7212.60.90)	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
			KGM KGM		
72.13		Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel.			
7213.10.00	00	-Containing indentations, ribs, grooves or other deformations produced during the rolling process	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7213.20		-Other, of free-cutting steel			
7213.20.10)	Containing by weight 0.15% or more but not exceeding 0.35% of lead or 0.05% or more but not exceeding 0.4% of bismuth, for use in Canadian manufactures;		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
		Of a diameter not exceeding 9.525 mm, for use in the manufacture of wire Wire rods	KGM		
	92	Rounds of a diameter not exceeding 75 mm	KGM KGM KGM		
		Other	KGM		
7213.20.90)	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
		Wire rods	KGM		.,.
		Rounds of a diameter not exceeding 75 mm	KGM KGM		
		Squares	KGM		
		Other	KGM		
		-Other:			
7213.91		Of circular cross-section measuring less than 14 mm in diameter			
7213.91.10)	Of a diameter not exceeding 9.525 mm, for use in the manufacture of wire		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	20	Containing by weight less than 0.25% of carbon Containing by weight 0.25% or more but less than 0.6% of carbon Containing by weight 0.6% or more of carbon	KGM KGM KGM		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7213.91.90) .	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
		Containing by weight less than 0.25% of carbon:			OI, OIXI. I IEE
		Wire rods	KGM		
		Other	KGM		
		Containing by weight 0.25% or more but less than 0.6% of carbon:			
		Wire rods	KGM		
		Other	KGM		
		Containing by weight 0.6% or more of carbon:			
		Wire rods	KGM		
	39	Other	KGM		
7213.99		Other			
7213.99.10		Of a diameter not exceeding 9.525 mm, for use in the manufacture of wire		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10	Containing by weight less than 0.25% of carbon	KGM		
	20	Containing by weight 0.25% or more but less than 0.6% of carbon	KGM		
	30	Containing by weight 0.6% or more of carbon	KGM		
		Other:			
7213.99.91		Containing by weight less than 0.6% of carbon		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
		Wire rods, containing by weight less than 0.25% of carbon	KGM		
	21	Rounds, of a diameter of 14 mm or more but not exceeding 35 mm	KGM		
		Rounds, of a diameter exceeding 35 mm	KGM		
		Hexagons	KGM		
		Squares	KGM		
		Other	KGM		
	30	Wire rods, containing by weight 0.25% or more but less than 0.6% of	14014		
		carbon	KGM		
	41	Rounds, of a diameter of 14 mm or more but not exceeding 35 mm	KGM		
		Rounds, of a diameter exceeding 35 mm	KGM		
		Other	KGM		
7213.99.99		Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
		Wire rods, containing by weight 0.6% or more of carbon	KGM		,
		Other, containing by weight 0.6% or more of carbon:			
		Rounds, of a diameter of 14 mm or more but not exceeding 35 mm	KGM		
		Rounds, of a diameter exceeding 35 mm	KGM		
	29	Other	KGM		
72.14	1	Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling.			

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7214.10.00	00 -Forged	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7214.20.00	00 -Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7214.30	-Other, of free-cutting steel			
7214.30.10	00 Containing by weight 0.15% or more but not exceeding 0.35% of lead or 0.05% or more but not exceeding 0.4% of bismuth, for use in Canadian manufactures	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7214.30.90	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Flat bars, including flat grader blade sections:	1/01/		
	11Of a width not exceeding 75 mm			
	13 Of a width of 150 mm or more			
	21Of a diameter not exceeding 75 mm	KGM		
	22Of a diameter exceeding 75 mm	KGM		
	30 Hexagons			
	40 Squares	KGM KGM		
	90 Outer	KGIVI		
	-Other:			
7214.91	Of rectangular (other than square) cross-section			
7214.91.10	 For use in ships, boats or floating structures; Grouser bars, in mill lengths, for use in the manufacture of track shoes for track-laying tractors, loaders or excavators 		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10 Of a width not exceeding 75 mm	KGM		
	20Of a width exceeding 75 mm but less than 150 mm			
	30 Of a width of 150 mm or more	KGM		
7214.91.90	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10 Of a width not exceeding 75 mm	KGM		
	20 Of a width exceeding 75 mm but less than 150 mm			
7214.99	Other			
7214.99.10	 For use in ships, boats or floating structures; Grouser bars, in mill lengths, for use in the manufacture of track shoes for track-laying tractors, loaders or excavators Rounds: 		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	11Of a diameter not exceeding 75 mm	KGM		
	12 Of a diameter exceeding 75 mm	KGM		
	20Hexagons			
	30Squares	KGM		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	90	Other	KGM		
7214.99.90)	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
		Rounds:			•
		Of a diameter not exceeding 75 mm	KGM		
		Of a diameter exceeding 75 mm	KGM		
		Hexagons	KGM		
		Squares	KGM		
	90	Other	KGM		
72.15		Other bars and rods of iron or non-alloy steel.			
7215.10.00)	-Of free-cutting steel, not further worked than cold-formed or cold-finished		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10	Flat bars	KGM		
	20	Rounds	KGM		
	30	Squares	KGM		
		Hexagons	KGM		
	90	Other	KGM		
7215.50.00)	-Other, not further worked than cold-formed or cold-finished		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10	Flat bars	KGM		
		Rounds:			
		Ground, turned or polished	KGM		
		Other	KGM		
		Squares	KGM		
		Hexagons	KGM		
	90	Other	KGM		
7215.90.00)	-Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	_	Chrome plated	KGM		
	90	Other	KGM		
72.16		Angles, shapes and sections of iron or non-alloy steel.			
7216.10.00)	-U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
		U sections:			
		American standard	KGM		
		For motor vehicles or for ships	KGM		
	19	Other	KGM		
	24	I sections: American standard	KCM		
		American standard	KGM KGM		
	20	,			
		-L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:			

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7216.21	L sections			
7216.21.10	For use in ships, boats or floating structures		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10Equal legs	KGM KGM		
7216.21.90	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10Equal legs	KGM KGM		
7216.22.00	00T sections	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	-U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:			
7216.31	U sections			
7216.31.10	For use in ships, boats or floating structures		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10Of a height of 80 mm or more but not exceeding 152.4 mm			
7216.31.90	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Of a height of 80 mm or more but not exceeding 152.4 mm:			
	11American standard	KGM		
	12For motor vehicles	KGM		
	19Other	KGM		
	21American standard	KGM		
	22For motor vehicles	KGM		
	29 Other	KGM		
7216.32	I sections			
7216.32.10	For use in ships, boats or floating structures; Not further manufactured than sand-blasted or coated with primer, for use in the manufacture of masts for fork-lift trucks		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10 Of a height of 80 mm or more but not exceeding 152.4 mm	KGM KGM		
7216.32.90	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10Of a height of 80 mm or more but not exceeding 152.4 mm	KGM KGM		

Item 7216.33 7216.33.10	SS Description of GoodsH sections	Meas.	Tariff	Preferential Tariffs
	H sections			i icicicina iaiiiis
7216.33.10				
7210.00.10	For use in ships, boats or floating structures;		Free	UST, CCCT, LDCT, GPT,
	Of a height of less than 150 mm, for use in the manufacture of mine		1100	MT, MUST, CIAT, CT,
	arches			CRT: Free
	Wide flange:			
	11Of a height not exceeding 150 mm	KGM		
	12Of a height exceeding 150 mm but not exceeding 355 mm	KGM		
	13Of a height exceeding 355 mm but not exceeding 635 mm	KGM		
	14 Of a height exceeding 635 mm	KGM		
	20 Bearing pile	KGM		
	91 Of a height of 80 mm or more but not exceeding 152.4 mm	KGM		
	92 Of a height exceeding 152.4 mm	KGM		
	or a noight oxogoding Toz. 4 min	I COM		
7216.33.90	Other		Free	UST, CCCT, LDCT, MT,
				MUST, CIAT, CT,
				CRT: Free
	Wide flange:			
	11Of a height not exceeding 150 mm	KGM		
	12 Of a height exceeding 150 mm but not exceeding 355 mm	KGM		
	13 Of a height exceeding 355 mm but not exceeding 635 mm	KGM KGM		
	14 Of a height exceeding 635 mm	KGM		
	Other:	ROW		
	91Of a height of 80 mm or more but not exceeding 152.4 mm	KGM		
	92Of a height exceeding 152.4 mm	KGM		
			_	LIOT COOT L DOT MT
7216.40.00	 -L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more 		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT,
				CRT: Free
	L sections, equal legs:	14014		
	11 Of a height of 80 mm or more but not exceeding 152.4 mm	KGM		
	12Of a height exceeding 152.4 mm	KGM		
	21Large leg of a height of 80 mm or more but not exceeding			
	152.4 mm	KGM		
	22Large leg of a height exceeding 152.4 mm	KGM		
	30T sections			
-040-50				
7216.50	 Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded 			
7216.50.10	For use in shine, hoats or floating structures:		Froo	UST, CCCT, LDCT, GPT,
ı ∠ 10.30.10	 For use in ships, boats or floating structures; Shapes or sections, with bevelled edge or edges, of a length of more than 		Free	MT, MUST, CIAT, CT,
	3.65 m and either of a width of more than 25.4 cm or of a thickness of			CRT: Free
	more than 3.5 cm, for use in the manufacture of cutting edges for			
	bulldozer or angledozer blades, front-end shovel loader buckets,			
	combination excavating and transporting scrapers, road graders or road			
	scrapers;			
	Track shoe profile bars of steel, of a width of 190 mm or more but not			
	exceeding 350 mm and of a height not exceeding 150 mm, for use in the manufacture of track shoes for track-laying machinery or vehicles			
	10 For use in ships, boats or floating structures	KGM		
	To use in ships, bodis of nodding shubtures	I CIVI		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	20	Shapes or sections, with bevelled edge or edges, of a length of more than 3.65 m and either of a width of more than 25.4 cm or of a thickness of more than 3.5 cm, for use in the manufacture of cutting edges for bulldozer or angledozer blades, front-end shovel loader buckets, combination excavating and transporting scrapers, road graders or			
	30	road scrapers	KGM KGM		
7216.50.90	00		KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
		-Angles, shapes and sections, not further worked than cold-formed or cold-finished:			
7216.61.00	00	Obtained from flat-rolled products	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7216.69.00	00	Other	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
		-Other:			
7216.91		Cold-formed or cold-finished from flat-rolled products			
7216.91.10	00	Ribbed shapes plated or coated with lead or lead-tin alloys	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7216.91.90)	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10	L sections	KGM		
	-	I or H sections	KGM		
		U sections	KGM		
		Other: Ribbed shapes	KGM		
	٠.	Other	KGM		
7216.99		Other			
7216.99.10	00	Ribbed shapes plated or coated with lead or lead-tin alloys	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7216.99.90)	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
		L sections	KGM		
		I or H sections	KGM		
		Other:	KGM		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Ribbed shapes	KGM		•
	99	Other	KGM		
72.17		Wire of iron or non-alloy steel.			
7217.10		-Not plated or coated, whether or not polished			
7217.10.10	00 00	Fine wire of a diameter not exceeding 0.58 mm or half-lock and full-lock shaped wire, as defined in ISO standards 2532 and 3578, for use in the manufacture of wire rope; Flat wire, to specification C1065 or C1075, containing by weight 0.6% or more of carbon, blue tempered spring steel, cold-rolled after drawing, of a width not exceeding 10 mm and a thickness not exceeding 1.5 mm, for use in the manufacture of leaf rakes, fan rakes or rake tines; Steel wire, cold rolled, containing by weight 0.6% or more of carbon, for use in the manufacture of knitting machine needles	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7217.10.90	0	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
		Containing by weight less than 0.25% of carbon:	1/014		
		For the manufacture of nails	KGM		
		For the manufacture of wire rope	KGM		
		For the manufacture of welding wire	KGM		
		For the manufacture of cold heading stock	KGM		
		Other	KGM		
		Containing by weight 0.25% or more but less than 0.6% of carbon:			
		Round, for the manufacture of wire rope	KGM		
		Round, for the manufacture of cold heading stock	KGM		
		Other round	KGM		
		Flat	KGM		
		Other	KGM		
		Containing by weight 0.6% or more of carbon:			
		Round, for the manufacture of welding wire	KGM		
		Round, for the manufacture of wire rope	KGM		
		Round, for the manufacture of cold heading stock	KGM		
		Other round	KGM		
		Flat	KGM		
	39	Other	KGM		
7217.20		-Plated or coated with zinc			
7217.20.10	00 0	Fine wire of a diameter not exceeding 0.58 mm or half-lock and full-lock shaped wire, as defined in ISO standards 2532 and 3578, for use in the manufacture of wire rope; Flat wire, of a thickness of 0.2032 mm or more but not exceeding 0.254	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
		mm and a width of 1.0668 mm or more but not exceeding 1.2192 mm, minimum tensile strength of 379,225 kPa, not less than 5% elongation			
7217.20.20)	Other single, for use in the manufacture of wire rope		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
		Containing by weight less than 0.25% of carbon:			
		Round	KGM		
		Other	KGM		
		Containing by weight 0.25% or more but less than 0.6% of carbon:			

29 31 39 7217.20.90 11 12 13 19 21 22 23 29 31 32 39		KGM KGM KGM KGM KGM KGM KGM KGM KGM KGM	Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
31 39 7217.20.90 11 12 13 19 21 22 23 29 31 32 39		KGM KGM KGM KGM KGM KGM KGM KGM KGM	Free	LDCT, MT, MUST, CIAT,
31 39 7217.20.90 11 12 13 19 21 22 23 29 31 32 39		KGM KGM KGM KGM KGM KGM KGM KGM	Free	LDCT, MT, MUST, CIAT,
39 7217.20.90 11 12 13 19 21 22 23 29 31 32 39	Other Other Containing by weight less than 0.25% of carbon: Round, for the manufacture of wire rope	KGM KGM KGM KGM KGM KGM KGM KGM	Free	LDCT, MT, MUST, CIAT,
7217.20.90 11 12 13 19 21 22 23 29 31 32 39	Other Containing by weight less than 0.25% of carbon: Round, for the manufacture of wire rope	KGM KGM KGM KGM KGM KGM KGM KGM	Free	LDCT, MT, MUST, CIAT,
11 12 13 19 21 22 23 29 31 32 39		KGM KGM KGM KGM KGM KGM KGM	Free	LDCT, MT, MUST, CIAT,
11 12 13 19 21 22 23 29 31 32 39	Round, for the manufacture of wire rope	KGM KGM KGM KGM KGM KGM KGM		
12 13 19 21 22 23 29 31 32 39	Other round	KGM KGM KGM KGM KGM KGM KGM		
13 19 21 22 23 29 31 32 39		KGM KGM KGM KGM KGM KGM		
19 21 22 23 29 31 32 39	Other Containing by weight 0.25% or more but less than 0.6% of carbon: Round, for the manufacture of wire rope Other round Flat Other Containing by weight 0.6% or more of carbon: Round, for the manufacture of wire rope Other round Other Other Other Other Other Other Other Other	KGM KGM KGM KGM KGM KGM		
21 22 23 29 31 32 39		KGM KGM KGM KGM KGM		
21 22 23 29 31 32 39	Round, for the manufacture of wire rope	KGM KGM KGM KGM		
22 23 29 31 32 39	Other round	KGM KGM KGM KGM		
23 29 31 32 39	Flat	KGM KGM KGM KGM		
29 31 32 39	Other	KGM KGM KGM		
31 32 39	Containing by weight 0.6% or more of carbon:Round, for the manufacture of wire rope	KGM KGM		
31 32 39	Round, for the manufacture of wire rope	KGM		
32 39	Other round	KGM		
		KGM		
7217.30	-Plated or coated with other base metals			
7047.00.40	Outside a house into 0.000 and outside a		5	UOT COOT L DOT ODT
	 Containing by weight 0.6% or more of carbon; Steel wire, copper-plated, of a diameter of 0.381 mm or more but not exceeding 1.0795 mm and of a tensile strength of 875,665 kPa or more but not exceeding 1,172,270 kPa 		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	Containing by weight 0.6% or more of carbon:			
	Round, plated or coated with copper			
	Round, plated or coated with aluminum			
	Round, plated or coated except with copper or aluminum			
	Flat	KGM		
	Other	KGM		
20	Steel wire, copper-plated, of a diameter of 0.381 mm or more but not exceeding 1.0795 mm and of a tensile strength of 875,665 kPa or more			
	but not exceeding 1,172,270 kPa	KGM		
7217.30.90	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Containing by weight less than 0.25% of carbon:			
	Plated or coated with copper	KGM		
12	Plated or coated with tin	KGM		
	Plated or coated with aluminum	KGM		
	Other	KGM		
	Containing by weight 0.25% or more but less than 0.6% of carbon:			
	Round, plated or coated with copper			
	Round, plated or coated with tin			
	Round, plated or coated with aluminum			
	Other round			
29	Other	KGM		
7217.90	-Other			

Tariff Item SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7217.90.10	Containing by weight less than 0.25% carbon		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
-)Round) Other	KGM KGM		
7217.90.90	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Containing by weight 0.25% or more but less than 0.6% of carbon:			
11	Round	KGM		
19) Other	KGM		
	Containing by weight 0.6% or more of carbon:			
21	Round, with liquor finish	KGM		
22	? Other round	KGM		
23	3 <i>Flat</i>	KGM		
29) Other	KGM		
	IIISTAINLESS STEEL			
72.18	Stainless steel in ingots or other primary forms; semi-finished products of stainless steel.			
7218.10.00 00	-Ingots and other primary forms	TNE	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	-Other:			
7218.91	Of rectangular (other than square) cross-section			
7218.91.10 00)Blooms, billets, slabs or sheet bars	TNE	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7218.91.90 00)Other	TNE	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7218.99	Other			
7218.99.10 00)Blooms, billets, rounds, slabs and sheet bars	TNE	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7218.99.90 00)Other	TNE	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
72.19	Flat-rolled products of stainless steel, of a width of 600 mm or more.			
	-Not further worked than hot-rolled, in coils:			

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7219.11.00	Of a thickness exceeding 10 mm		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10Of a width of 600 mm or more but not exceeding 1,830 mm	KGM KGM		
7219.12	Of a thickness of 4.75 mm or more but not exceeding 10 mm			
7219.12.10	For use in the manufacture of tubes or pipes		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Of a thickness of 4.75 mm or more but not exceeding 6.35 mm:			
	11 Of a width of 600 mm or more but not exceeding 1,250 mm	KGM		
	12Of a width exceeding 1,250 mm but not exceeding 1,525 mm	KGM		
	13 Of a width exceeding 1,525 mm	KGM		
	Of a thickness exceeding 6.35 mm but not exceeding 10 mm: 21 Of a width of 600 mm or more but not exceeding 1,250 mm	KGM		
	22Of a width exceeding 1,250 mm but not exceeding 1,525 mm	KGM		
	23Of a width exceeding 1,525 mm	KGM		
7219.12.90	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Of a thickness of 4.75 mm or more but not exceeding 6.35 mm:			
	11 Of a width of 600 mm or more but not exceeding 1,250 mm	KGM		
	12 Of a width exceeding 1,250 mm but not exceeding 1,525 mm	KGM		
	13 Of a width exceeding 1,525 mm	KGM		
	Of a thickness exceeding 6.35 mm but not exceeding 10 mm:	1/01/4		
	21 Of a width of 600 mm or more but not exceeding 1,250 mm	KGM KGM		
	22Of a width exceeding 1,250 mm but not exceeding 1,525 mm	KGM		
7219.13	Of a thickness of 3 mm or more but less than 4.75 mm			
7219.13.10	For use in the manufacture of tubes or pipes		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10 Of a width of 600 mm or more but not exceeding 1,250 mm	KGM		
	20 Of a width exceeding 1,250 mm but not exceeding 1,525 mm	KGM		
	30Of a width exceeding 1,525 mm	KGM		
7219.13.90	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10 Of a width of 600 mm or more but not exceeding 1,250 mm	KGM		
	20 Of a width exceeding 1,250 mm but not exceeding 1,525 mm	KGM		
	30 Of a width exceeding 1,525 mm	KGM		
7219.14	Of a thickness of less than 3 mm			
7219.14.10	For use in the manufacture of tubes or pipes		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10 Of a width of 600 mm or more but not exceeding 1,250 mm	KGM KGM KGM		

Tariff Item S	S Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7219.14.90	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	0 Of a width of 600 mm or more but not exceeding 1,250 mm	KGM		
	0 Of a width exceeding 1,250 mm but not exceeding 1,525 mm 0 Of a width exceeding 1,525 mm	KGM KGM		
	-Not further worked than hot-rolled, not in coils:			
7219.21	Of a thickness exceeding 10 mm			
7219.21.10	 Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures; Grade 316F, for use in the manufacture of screens for the pulp and paper industry; Of a width exceeding 1,250 mm, for use in the manufacture of railway cars Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures; Grade 316F, for use in 		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
1	the manufacture of screens for the pulp and paper industry: 1Of a width of 600 mm or more but not exceeding 1,830 mm	KGM KGM		
2	cars	KGM		
7219.21.20	Other, for use in the manufacture of tubes or pipes		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	0 Of a width of 600 mm or more but not exceeding 1,830 mm 0 Of a width exceeding 1,830 mm	KGM KGM		
7219.21.90	Other		Free	NZT, UST, AUT, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	0Of a width of 600 mm or more but not exceeding 1,830 mm	KGM KGM		
7219.22	Of a thickness of 4.75 mm or more but not exceeding 10 mm			
7219.22.10	 Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures; Grade 316F, for use in the manufacture of screens for the pulp and paper industry 		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	0Of a width of 600 mm or more but not exceeding 1,830 mm 0Of a width exceeding 1,830 mm	KGM KGM		
7219.22.20	Other, for use in the manufacture of tubes or pipes		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	0 Of a width of 600 mm or more but not exceeding 1,830 mm 0 Of a width exceeding 1,830 mm	KGM KGM		
7219.22.90	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
1	0 Of a width of 600 mm or more but not exceeding 1,830 mm	KGM		- , - ····

7219.23.20 00 Grade 316F, for use in the manufacture of screens for the pulp and paper KGM Free UST, CCI MT, MUS CRT: Free 7219.23.90 00 Other KGM Free NZT, UST, LDCT, M CT, CRT: T219.24 Of a thickness of less than 3 mm 7219.24.10 For use in the manufacture of tubes or pipes Free UST, CC MUST, CCRT: Free 10 Of a width of 600 mm or more but not exceeding 1,520 mm	
7219.23.10 00 For use in the manufacture of tubes or pipes KGM Free UST, CC MUST, C CRT: Free 7219.23.20 00 Grade 316F, for use in the manufacture of screens for the pulp and paper industry KGM Free UST, CC MT, MUST CRT: Free 7219.23.90 00 Other KGM Free NZT, UST LDCT, M CT, CRT: 7219.24 Of a thickness of less than 3 mm 7219.24.10 For use in the manufacture of tubes or pipes Free UST, CC MUST, CC CRT: Free 10 Of a width of 600 mm or more but not exceeding 1,520 mm	
7219.23.20 00 Grade 316F, for use in the manufacture of screens for the pulp and paper KGM Free UST, CCI MT, MUS CRT: Fre 7219.23.90 00 Other KGM Free NZT, UST LDCT, M CT, CRT: 7219.24 Of a thickness of less than 3 mm 7219.24.10 For use in the manufacture of tubes or pipes Free UST, CCI MUST, CCI CRT: Free UST, CCI MUST, CI CRT: Free UST, CCI MIST, CCI C	
industry MT, MUS CRT: Free 7219.23.90 00 Other KGM Free NZT, US LDCT, M CT, CRT: 7219.24 Of a thickness of less than 3 mm 7219.24.10 For use in the manufacture of tubes or pipes Free UST, CC MUST, C CRT: Free 10 Of a width of 600 mm or more but not exceeding 1,520 mm	
7219.24Of a thickness of less than 3 mm 7219.24.10For use in the manufacture of tubes or pipes Free UST, CC MUST, C CRT: Free 10Of a width of 600 mm or more but not exceeding 1,520 mm	CT, LDCT, GPT, ST, CIAT, CT, ee
7219.24.10For use in the manufacture of tubes or pipes Free UST, CC MUST, C CRT: Free 10Of a width of 600 mm or more but not exceeding 1,520 mm	T, AUT, CCCT, T, MUST, CIAT, Free
MUST, C CRT: Fre 10Of a width of 600 mm or more but not exceeding 1,520 mm	
10 Of a width of 600 mm or more but not exceeding 1,520 mm	
·	
CRT: Fre	CT, LDCT, MT, SIAT, CT, ee
10 Of a width of 600 mm or more but not exceeding 1,520 mm KGM 20 Of a width exceeding 1,520 mm KGM	
-Not further worked than cold-rolled (cold-reduced):	
7219.31Of a thickness of 4.75 mm or more	
7219.31.10For use in the manufacture of tubes or pipes Free UST, CC MUST, C CRT: Free	
10 300 Series	
	T, AUT, CCCT, T, MUST, CIAT,
10 300 Series	. 1 100
7219.32Of a thickness of 3 mm or more but less than 4.75 mm	
7219.32.10 For use in the manufacture of tubes or pipes Free UST, CC MUST, C CRT: Free	
Of a width of 600 mm or more but not exceeding 1,250 mm:	· -
11 Grade 304	
19Other KGM Of a width exceeding 1,250 mm but not exceeding 1,525 mm:	

		.	Unit of	MFN	Applicable
Tariff Item	SS	Description of Goods	Meas.	Tariff	Preferential Tariffs
	21	Grade 304	KGM		
		Other 300 series	KGM		
		Other	KGM		
		Of a width exceeding 1,525 mm:			
		Grade 304	KGM		
		Other 300 series	KGM		
		Other			
7219.32.9	0	Other		Free	UST, CCCT, LDCT, MT,
					MUST, CIAT, CT, CRT: Free
		Of a width of 600 mm or more but not exceeding 1,250 mm:			
	11	Grade 304	KGM		
	12	Other 300 series	KGM		
	19	Other	KGM		
		Of a width exceeding 1,250 mm but not exceeding 1,525 mm:	_		
		Grade 304	KGM		
	22	Other 300 series	KGM		
		Other	KGM		
		Of a width exceeding 1,525 mm:	_		
		Grade 304	KGM		
		Other 300 series	KGM		
		Other			
7219.33		Of a thickness exceeding 1 mm but less than 3 mm			
7219.33 7219.33.10		 -Of a thickness exceeding 1 mm but less than 3 mm Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures 		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT. Free
	0	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures		Free	
	0	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufacturesOf a width of 600 mm or more but not exceeding 1,250 mm:		Free	MT, MUST, CIAT, CT,
	0 11	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufacturesOf a width of 600 mm or more but not exceeding 1,250 mm:	KGM	Free	MT, MUST, CIAT, CT,
	0 11 19	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufacturesOf a width of 600 mm or more but not exceeding 1,250 mm:300 series		Free	MT, MUST, CIAT, CT,
	0 11 19	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:Other	KGM KGM	Free	MT, MUST, CIAT, CT,
	0 11 19 21	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:Other	KGM KGM KGM	Free	MT, MUST, CIAT, CT,
	0 11 19 21 29	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:Other	KGM KGM	Free	MT, MUST, CIAT, CT,
	0 11 19 21 29	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:Other	KGM KGM KGM KGM	Free	MT, MUST, CIAT, CT,
	11 19 21 29 31	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:Other	KGM KGM KGM KGM	Free	MT, MUST, CIAT, CT,
	11 19 21 29 31	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:Other	KGM KGM KGM KGM	Free	MT, MUST, CIAT, CT,
7219.33.1	0 11 19 21 29 31 39	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:Other	KGM KGM KGM KGM	Free	MT, MUST, CIAT, CT,
7219.33.1	11 19 21 29 31 39	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:Other	KGM KGM KGM KGM		MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, MT, MUST, CIAT, CT,
7219.33.1	11 19 21 29 31 39	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:Other	KGM KGM KGM KGM		MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, MT, MUST, CIAT, CT,
7219.33.1	11 19 21 29 31 39	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:	KGM KGM KGM KGM KGM		MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, MT, MUST, CIAT, CT,
7219.33.1	11 19 21 29 31 39	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:Other	KGM KGM KGM KGM KGM		MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, MT, MUST, CIAT, CT,
7219.33.1	0 11 19 21 29 31 39 0	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:Other	KGM KGM KGM KGM KGM		MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, MT, MUST, CIAT, CT,
7219.33.1	11 19 21 29 31 39 0	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:300 series	KGM KGM KGM KGM KGM KGM		MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, MT, MUST, CIAT, CT,
7219.33.1	11 19 21 29 31 39 0	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:Other	KGM KGM KGM KGM KGM KGM KGM		MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, MT, MUST, CIAT, CT,
7219.33.1	11 19 21 29 31 39 0	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:300 series	KGM KGM KGM KGM KGM KGM KGM KGM		MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, MT, MUST, CIAT, CT,
7219.33.1	11 19 21 29 31 39 0 11 12 19 21 22 29	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:300 series	KGM KGM KGM KGM KGM KGM KGM		MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, MT, MUST, CIAT, CT,
7219.33.1	11 19 21 29 31 39 0	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:Other	KGM KGM KGM KGM KGM KGM KGM KGM KGM		MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, MT, MUST, CIAT, CT,
7219.33.1	11 19 21 29 31 39 0 21 12 22 29 31	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:300 series	KGM KGM KGM KGM KGM KGM KGM KGM KGM		MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, MT, MUST, CIAT, CT,
7219.33.1	0 11 19 21 29 31 39 0 11 12 19 21 22 29 31 32	Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures Of a width of 600 mm or more but not exceeding 1,250 mm:Other	KGM KGM KGM KGM KGM KGM KGM KGM KGM		MT, MUST, CIAT, CT, CRT: Free UST, CCCT, LDCT, MT, MUST, CIAT, CT,

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7219.33.90	Other	·	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Of a width of 600 mm or more but not exceeding 1,250 mm:			
	11 Grade 304	KGM		
	12 Other 300 series	KGM		
	19 <i>Other</i>	KGM		
	Of a width exceeding 1,250 mm but not exceeding 1,525 mm:			
	21 Grade 304	KGM		
	22 Other 300 series	KGM		
	29 Other	KGM		
	Of a width exceeding 1,525 mm:	1/01/4		
	31 Grade 304	KGM		
	32 Other 300 series	KGM		
	39 Other	KGM		
7219.34	Of a thickness of 0.5 mm or more but not exceeding 1 mm			
7219.34.10	For use in the manufacture of tubes or pipes		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Of a width of 600 mm or more but not exceeding 1,250 mm:			
	11 Grade 304	KGM		
	12Other 300 series	KGM		
	19Other	KGM		
	Of a width exceeding 1,250 mm but not exceeding 1,525 mm:			
	21Grade 304	KGM		
	22Other 300 series	KGM		
	29Other	KGM		
	Of a width exceeding 1,525 mm:			
	31 Grade 304	KGM		
	32Other 300 series	KGM		
	39Other	KGM		
7219.34.90	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Of a width of 600 mm or more but not exceeding 1,250 mm:			
	11 Grade 304	KGM		
	12 Other 300 series	KGM		
	19 <i>Other</i>	KGM		
	Of a width exceeding 1,250 mm but not exceeding 1,525 mm:			
	21 Grade 304	KGM		
	22 Other 300 series	KGM		
	29 Other	KGM		
	Of a width exceeding 1,525 mm:			
	31 Grade 304	KGM		
	32Other 300 series	KGM		
	39 Other	KGM		
7219.35	Of a thickness of less than 0.5 mm			
7219.35.10	For use in the manufacture of tubes or pipes		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Of a width of 600 mm or more but not exceeding 1,250 mm:			

Tariff				MFN	Applicable
Item	SS	Description of Goods	Unit of Meas.	Tariff	Preferential Tariffs
110111	11	Grade 304	KGM		Troibiniai raimo
		Other 300 series	KGM		
		Other	KGM		
		Of a width exceeding 1,250 mm but not exceeding 1,525 mm:	i (Oi)		
	21	Grade 304	KGM		
		Other 300 series	KGM		
	29	Other	KGM		
		Of a width exceeding 1,525 mm:			
	31	Grade 304	KGM		
	32	Other 300 series	KGM		
	39	Other	KGM		
7219.35.90)	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
		Of a width of 600 mm or more but not exceeding 1,250 mm:			
	11	Grade 304	KGM		
	12	Other 300 series	KGM		
	19	Other	KGM		
		Of a width exceeding 1,250 mm but not exceeding 1,525 mm:			
	21	Grade 304	KGM		
	22	Other 300 series	KGM		
	29	Other	KGM		
		Of a width exceeding 1,525 mm:			
		Grade 304	KGM		
	-	Other 300 series	KGM		
	39	Other	KGM		
7219.90		-Other			
7219.90.10	00	Not clad, plated or coated, for use in the manufacture of tubes or pipes	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7219.90.90)	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10	Corrugated, cold-rolled, of a thickness not exceeding 4.75 mm	KGM		OKT. FIGE
	01	Corrugated	KGM		
		Perforated	KGM		
		Other	KGM		
72.20		Flat-rolled products of stainless steel, of a width of less than 600 mm.			
		-Not further worked than hot-rolled:			
7220.11		Of a thickness of 4.75 mm or more			
7220.11.10)	For use in the manufacture of tubes or pipes		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
		Of a thickness not exceeding 6.35 mm	KGM KGM		

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7220.11.90	Other	1	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10Of a thickness not exceeding 6.35 mm	KGM KGM		
7220.12	Of a thickness of less than 4.75 mm			
7220.12.10 00For use in the manufacture of tubes or pipes		KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7220.12.90	00Other	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7220.20	-Not further worked than cold-rolled (cold-reduced)			
7220.20.10	Containing cobalt, of a width not exceeding 3 mm, for use in the manufacture of tags for electronic article surveillance systems; For use in the manufacture of thermionic, cold cathode or photo-cathode valves and tubes; Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures; For use in the manufacture of cutlery; Of a thickness of less than 0.3 mm, for use in the manufacture of joint couplings for cast iron soil pipes of a diameter not exceeding 254 mm; Of a thickness not exceeding 4.75 mm, containing by weight 19% or more but not exceeding 26% of chromium, 3% or more but not exceeding 7% of aluminum and 0.5% or more but not exceeding 4% of cobalt; Type 304, of a thickness not exceeding 0.38 mm, for use in the manufacture of shutters for magnetic discs; Type 321 or containing by weight 18% or more but not exceeding 22% each of nickel and chromium, of a thickness not exceeding 2.3 mm, for use in the manufacture of tubes or pipesContaining by weight 19% or more but not exceeding 26% of chromium, 3% or more but not exceeding 7% of aluminum, and 0.5% or more but not exceeding 4.75 mm: 11Skelp	KGM KGM KGM KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	92Of a thickness not exceeding 4.75 mm	KGM		
7220.20.20	Other, for use in the manufacture of tubes or pipes		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Of a thickness exceeding 4.75 mm:			
	11300 series	KGM		
	19Other	KGM		
	Of a thickness not exceeding 4.75 mm: 21300 series	KGM		

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	29 Other	KGM		
7220.20.90	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10 Of a thickness exceeding 4.75 mm	KGM		
	Of a thickness not exceeding 4.75 mm:	1/01/		
	21 Series 300			
7220.90	-Other			
7220.90.10	00Containing 30% or more by weight of nickel and 12% or more by weight of chromium, for use in Canadian manufactures; For use in ships, boats or floating structures	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7220.90.90	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10 Perforated	KGM KGM		
7221.00.00	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel.		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	Rounds:			
	11300 Series	KGM		
	19 <i>Other</i>	KGM		
	20 Wire rod	KGM KGM		
	00 00107	I COW		
72.22	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel.			
	-Bars and rods, not further worked than hot-rolled, hot-drawn or extruded:			
7222.11.00	Of circular cross-section		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	High nickel alloy steel:	14014		
	11 With a diameter of 25 mm or more	KGM		
	Other:	KGM		
	21 With a diameter of 25 mm or more	KGM		
	22With a diameter of less than 25 mm	KGM		
7222.19.00	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	High nickel alloy steel:			
	11 Flat bars	KGM		
	19 Other shapes	KGM		
		KGM		
	29 Other shapes	KGM		

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7222.20		-Bars and rods, not further worked than cold-formed or cold-finished			
7222.20.10)	For use in the manufacture of drill pipe, casing or tubing, or fittings, couplings, thread protectors or nipples therefor, for natural gas or oil wells		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
		High nickel alloy steel:	1/014		
		Rounds with a diameter of 25 mm or more	KGM		
		Rounds with a diameter of less than 25 mm	KGM		
		Other shapes	KGM KGM		
	13	Other:	KOW		
	21	Rounds with a diameter of 25 mm or more	KGM		
		Rounds with a diameter of less than 25 mm	KGM		
		Flat bars	KGM		
		Other shapes	KGM		
		·			
7222.20.90)	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
		High nickel alloy steel:			
	11	Rounds with a diameter of 25 mm or more	KGM		
		Rounds with a diameter of less than 25 mm	KGM		
		Flat bars	KGM		
	19	Other shapes	KGM		
		Other:	14014		
		Rounds with a diameter of 25 mm or more	KGM		
		Rounds with a diameter of less than 25 mm	KGM		
		Flat bars	KGM		
	29	Other shapes	KGM		
7222.30.00)	-Other bars and rods		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
		High nickel alloy steel, forged:			
	11	Rounds	KGM		
	12	Flats	KGM		
	19	Other	KGM		
		Other, forged:			
		Rounds	KGM		
		Flats	KGM		
		Other	KGM		
	90	Other	KGM		
7222.40.00)	-Angles, shapes and sections		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
		Not further worked than hot-rolled or cold-rolled:			
	11	L sections	KGM		
	12	H or I sections	KGM		
		U sections	KGM		
	19	Other	KGM		
		Other:			
		L sections	KGM		
		H or I sections	KGM		
	93	U sections	KGM		

Tariff Item	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
9	9 Other	KGM		-
7223.00	Wire of stainless steel.			
	Not coated or covered:			
7223.00.11 (10 Containing by weight 19% or more but not exceeding 26% of chromium, 3% or more but not exceeding 7% of aluminum and 0.5% or more but not exceeding 4% of cobalt		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7223.00.19 (00Other	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7223.00.20	0Coated or covered	KGM	Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	IVOTHER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NON-ALLOY STEEL			
72.24	Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel.			
7224.10.00	-Ingots and other primary forms		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	0Other			
7224.90	-Other			
7224.90.10	Blooms, billets, rounds, slabs and sheet bars		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	0 High speed or mold steel	TNE TNE		
7224.90.90 0	00Other	TNE	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
72.25	Flat-rolled products of other alloy steel, of a width of 600 mm or more.			
	-Of silicon-electrical steel:			
7225.11.00	Grain-oriented		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	0 Cold-rolled or cold-drawn, of a thickness not exceeding 4.75 mm 0 Other	KGM KGM		
7225.19.00	Other		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
1	0 Cold-rolled or cold-drawn, of a thickness not exceeding 4.75 mm	KGM		ONT. FIEE

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
<u>l</u>	90 Other	KGM		
7225.20.00	-Of high speed steel		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10 Cold-rolled or cold-drawn, of a thickness not exceeding 4.75 mm	KGM		
	91Of a thickness not exceeding 4.75 mm			
	92Of a thickness exceeding 4.75 mm	KGM		
7225.30	-Other, not further worked than hot-rolled, in coils			
7225.30.10	00Not further manufactured than cut to shape, without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7225.30.90	00Other	KGM	Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7225.40	-Other, not further worked than hot-rolled, not in coils			
7225.40.10	 For use in ships, boats or floating structures; Without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws 		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10Of a width of 600 mm or more but not exceeding 1,525 mm			
7225.40.20	Without indented edges, hardened, tempered or ground, for use in the manufacture of saws		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	10 Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		0.11.1.100
	20Of a width exceeding 1,525 mm but not exceeding 1,830 mm			
	30Of a width exceeding 1,830 mm but not exceeding 2,450 mm			
7225.40.90	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Heat treated:			
	11 Mold steel	KGM		
	19Other	KGM		
	21 Of a thickness not exceeding 4.75 mm	KGM		
	22Of a thickness exceeding 4.75 mm	KGM		
	91Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		
	92Of a width exceeding 1,525 mm but not exceeding 1,830 mm	KGM		
	93 Of a width exceeding 1,830 mm but not exceeding 2,450 mm			
7225.50	-Other, not further worked than cold-rolled (cold-reduced)			
-				

Tariff Item SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7225.50.10 00)For use in ships, boats or floating structures	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7225.50.90	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Of a thickness not exceeding 4.75 mm:			
	ITool steel	KGM		
19	9 Other	KGM		
24	Of thickness exceeding 4.75 mm:	KCM		
	1 Tool steel	KGM KGM		
28	5 Outet	KGW		
	-Other:			
7225.91.00 00	oElectrolytically plated or coated with zinc	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7225.92.00 00)Otherwise plated or coated with zinc	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7225.99.00	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
10)Plated or coated with aluminum	KGM		OK1. 1 100
) Other	KGM		
72.26	Flat-rolled products of other alloy steel, of a width of less than 600 mm.			
	-Of silicon-electrical steel:			
7226.11.00 00)Grain-oriented	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7226.19.00	Other		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
10) Cold-rolled, of a thickness not exceeding 4.75 mm	KGM		
) Other	KGM		
7226.20.00	-Of high speed steel		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
10)Cold-rolled, of a thickness not exceeding 4.75 mm	KGM		
91	1Of a thickness not exceeding 4.75 mm	KGM		
92	2 Of a thickness exceeding 4.75 mm	KGM		
	-Other:			
7226.91	Not further worked than hot-rolled			

7226.91.10 00Without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws	KGM	Free	UST, CCCT, LDCT, GPT,
			MT, MUST, CIAT, CT, CRT: Free
7226.91.90 Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
10Flat grader blade sections	KGM		
20Mold steel	KGM		
30Tool steel of a thickness not exceeding 4.75 mm	KGM		
40 Tool steel of a thickness exceeding 4.75 mm			
90 Other	KGM		
7226.92Not further worked than cold-rolled (cold-reduced)			
7226.92.10 00The following, of a thickness not exceeding 4.75 mm:	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
Containing 40% or more by weight of nickel and produced to			
specification ASTM A 753-85, for use in the manufacture of laminations			
or cores for telecommunication transformers;			
For use in the manufacture of knitting machine needles			
7226.92.90Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
Of a thickness not exceeding 4.75 mm:			
11Tool steel	KGM		
19Other	KGM		
Of a thickness exceeding 4.75 mm:			
21Tool steel	KGM		
29Other	KGM		
7226.93.00 00Electrolytically plated or coated with zinc	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7226.94.00 00Otherwise plated or coated with zinc	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7226.99Other			
7226.99.10 00Not further manufactured than cut to shape, without indented edges, not hardened, tempered nor ground, for use in the manufacture of saws; Of a thickness not exceeding 5 mm, with cutting edge on one or both sides, for use in the manufacture of cutting dies	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7226.99.90 00Other	KGM	Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
72.27 Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel.	•		

Tariff Item SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7227.10.00 00	-Of high speed steel	KGM	Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7227.20.00 00	-Of silico-manganese steel	KGM	Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7227.90	-Other			
7227.90.10 00	oOf a diameter not exceeding 9.525 mm, for use in the manufacture of wire	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7227.90.90	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
10) Wire rods	KGM		.,
0.4	Other:	KOM		
	Flat bars	KGM KGM		
	Squares	KGM		
) Other	KGM		
72.28	Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel.			
7228.10	-Bars and rods, of high speed steel			
7228.10.10 00	 To specification AISI type M1, M2, M4, M7, M42 or T15, not further manufactured than centreless ground or peeled, for use in the manufacture of tools of heading 82.07, for metal working hand tools or for metal working machine-tools 	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	Other:			
7228.10.91 00	Not further worked than hot-rolled	KGM	Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7228.10.99 00) Other	KGM	Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7228.20	-Bars and rods, of silico-manganese steel			
7228.20.10	Not further worked than hot-rolled		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
10)Flat bars	KGM		OI, ONI. FIEE
_)Rounds	KGM		
) Squares	KGM		
) Other	KGM		

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7228.20.90	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10 Cold-drawn or cold-finished	KGM		
	90 <i>Other</i>	KGM		
7228.30	-Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded			
7228.30.10	 For use in ships, boats or floating structures; Grouser bars, in mill lengths, for use in the manufacture of track shoes for track-laying tractors, loaders or excavators Flat bars: 		Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	11Mold steel	KGM		
	12Tool steel	KGM		
	19 Other	KGM		
	21Mold steel	KGM		
	22Tool steel	KGM		
	29Other	KGM		
	31Mold steel	KGM		
	32Tool steel	KGM		
	39 Other	KGM		
	Other:			
	91 Mold steel	KGM		
	92 Tool steel	KGM		
	99 Other	KGM		
7228.30.90	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Flat bars:			
	11Mold steel	KGM		
	12Tool steel	KGM		
	19 Other	KGM		
	Rounds:	14014		
	21 Mold steel	KGM		
	22 Tool steel	KGM		
	29 Other	KGM		
	31 Mold steel	KGM		
	32 Tool steel	KGM		
	39 Other	KGM		
	Other:	110111		
	91 Mold steel	KGM		
	92Tool steel	KGM		
	99Other	KGM		
7228.40.00	-Other bars and rods, not further worked than forged		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10Mold steel	KGM		
	20 Tool steel	KGM		
	90 Other	KGM		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7228.50	·I	-Other bars and rods, not further worked than cold-formed or cold-finished			
7228.50.10	00	For use in the manufacture of drill pipe, casing or tubing, or fittings, couplings, thread protectors or nipples therefor, for natural gas or oil wells; For use in the manufacture of rifles for the Government of Canada	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7228.50.90)	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	20	Mold steel	KGM KGM KGM		
7228.60.00)	-Other bars and rods		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	20	Mold steel	KGM KGM KGM		
7228.70		-Angles, shapes and sections			
7228.70.10		 For use in ships, boats or floating structures; H sections, of a height of less than 150 mm, for use in the manufacture of mine arches; The following, not further worked than hot-rolled, cold-rolled, drawn or extruded and for use in the manufacture of cutting edges for bulldozer or angledozer blades, front-end shovel loader buckets, combination excavating and transporting scrapers, road graders and road scrapers: Shapes or sections with bevelled edge or edges, of a length exceeding 3.65 m and either of exceeding 25.4 cm or of a thickness exceeding 3.5 cm; Semi-arrowhead shapes or sections, of a length exceeding 3.65 m and a width exceeding 20.3 cm; Track shoe profile bars of steel, of a width of 190 mm or more but not exceeding 350 mm and of a height not exceeding 150 mm, for use in the manufacture of track shoes for track-laying machinery or vehicles;U, I, or H sections, hot-rolled, cold-rolled, hot-formed, not further manufactured than sand-blasted or coated with primer, for use in the manufacture of masts for fork-lift trucks L sections, not further worked than hot-rolled, cold-rolled, drawn or extruded: 	KCM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
	12	Equal legs	KGM KGM		
	22	Of a height not exceeding 150 mm	KGM KGM KGM		
		I sections, not further worked than hot-rolled, cold-rolled, drawn or extruded:			
	42	American standard of a height not exceeding 150 mm	KGM KGM KGM		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
L	50 -	U sections, not further worked than hot-rolled, cold-rolled, drawn or	l .		
	00	extruded	KGM		
		T sections, not further worked than hot-rolled, cold-rolled, drawn or extruded	KGM		
	70 -	Z sections, not further worked than hot-rolled, cold-rolled, drawn or extruded	KGM		
	-	 Other shapes or sections, not further worked than hot-rolled, cold- rolled, drawn or extruded: 			
	81 -	Bearing pile	KGM		
	82 -	Curved grader blade sections	KGM		
	83 -	Track shoe profile bars of steel, of a width of 190 mm or more but not exceeding 350 mm and of a height not exceeding 150 mm, for use in			
		the manufacture of track shoes for track-laying machinery or vehicles	KGM		
	89 -	Other	KGM		
	90 -	Other	KGM		
7228.70.90) -	Other		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT,
	-	L sections, not further worked than hot-rolled, cold-rolled, drawn or			CRT: Free
		extruded:			
		Equal legs	KGM		
		Unequal legs	KGM		
	-	 Wide flange H sections, not further worked than hot-rolled, cold-rolled, drawn or extruded: 			
	21 -	Of a height not exceeding 150 mm	KGM		
		Of a height exceeding 150 mm	KGM		
	30 -	Other H sections, not further worked than hot-rolled, cold-rolled, drawn or extruded	KGM		
	-	l sections, not further worked than hot-rolled, cold-rolled, drawn or extruded:			
	41 -	American standard of a height not exceeding 150 mm	KGM		
	42 -	American standard of a height exceeding 150 mm	KGM		
		Other	KGM		
	50 -	U sections, not further worked than hot-rolled, cold-rolled, drawn or extruded	KGM		
	60 -	T sections, not further worked than hot-rolled, cold-rolled, drawn or extruded	KGM		
	70 -	Z sections, not further worked than hot-rolled, cold-rolled, drawn or extruded	KGM		
	-	Other shapes or sections, not further worked than hot-rolled, cold-rolled, drawn or extruded:	KOW		
	81 -	Bearing pile	KGM		
		Curved grader blade sections	KGM		
		Other	KGM		
		Other:	T.O.III		
		L sections	KGM		
		H or I sections	KGM		
		U sections.	KGM		
		Other	KGM		
7228.80.00) -	Hollow drill bars and rods		Free	UST, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	-	Not further worked than hot-rolled:			3
		Round, alloy steel	KGM		

CUSTOMS TARIFF - SCHEDULE

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
1	12Round, non-alloy steel	KGM		
	18 Other, alloy steel	KGM		
	19 Other	KGM		
	Other:			
	91Round, alloy steel	KGM		
	92Round, non-alloy steel	KGM		
	98 Other, alloy steel	KGM		
	99Other	KGM		
72.29	Wire of other alloy steel.			
7229.10.00	-Of high speed steel		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	10 Not coated or covered	KGM		,
	20 Coated or covered			
7229.20.00	00 -Of silico-manganese steel	KGM	Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
7229.90	-Other			
	Cold-rolled, for use in the manufacture of knitting machine needles; Cold-drawn, of a diameter of 1.524 mm or more but not exceeding 3.175 mm, with a chromium content of 2.75% or more but not exceeding 3.25% and a molybdenum content of 0.45% or more but not exceeding 0.65%; Round, to specification SAE 50100 or SAE 52100-1, for use in the manufacture of cylindrical needle rollers for needle roller bearingsNot coated or covered: 11Cold heading and forging quality	KGM	Free	UST, CCCT, LDCT, GPT, MT, MUST, CIAT, CT, CRT: Free
7229.90.90	Other		Free	NZT, UST, AUT, CCCT, LDCT, MT, MUST, CIAT, CT, CRT: Free
	Not coated or covered:			- ·, - · · · · · · · · ·
	11Cold heading and forging quality			
	20Coated or covered	_		