



**VETERINARY HEALTH CERTIFICATE  
EXPORT OF BOAR SEMEN TO THE REPUBLIC OF PHILIPPINES**

**SECTION I - ORIGIN OF SHIPMENT**

- i) Country of origin: **CANADA**
- ii) Issuing Authority: **CANADIAN FOOD INSPECTION AGENCY  
GOVERNMENT OF CANADA**
- iii) Name of Consignor: \_\_\_\_\_  
Address: \_\_\_\_\_
- iv) Name of Consignee: \_\_\_\_\_  
Address: \_\_\_\_\_

**SECTION II - ORIGIN OF SEMEN**

- i) Name of A.I. Centre (where semen collected): \_\_\_\_\_  
Address \_\_\_\_\_
- ii) Approval number of A.I. centre: \_\_\_\_\_

**SECTION III - HEALTH CERTIFICATION**

I, the undersigned veterinarian, duly authorized by the Government of Canada do hereby certify that:

1. a) Canada is free from foot and mouth disease, African swine fever, hog cholera and vesicular stomatitis.
  - b) The semen was derived from animals kept in an artificial insemination (AI) center supervised by the government veterinary authorities.
  - c) The semen was derived from animals kept in an AI Center for at least six (6) months prior to collection.
  - d) During the six (6) months prior to collection, the AI Center has been free of clinical signs of:
    - leptospirosis
    - erysipelas
    - atrophic rhinitis
    - swine influenza
    - transmissible gastroenteritis
    - swine parvovirus
    - porcine respiratory and reproductive syndrome (PRRS)
    - post-weaning multisystemic wasting syndrome (PMWS)
  - e) The semen was collected from boars that showed no clinical signs of contagious diseases on the date of semen collection.
  - f) Parvovirus infection has not been recorded in any of the boars resident at the semen production centre.
  - g) The semen was collected from boars that originated from farms with no history of occurrence or outbreaks of porcine reproductive and respiratory syndrome or mystery swine disease prior to their admission.
2. The boars in the AI Center were tested negative for following tests within six (6) months prior to collection:
    - a) brucellosis - tube agglutination or CF test;
    - b) leptospirosis - microtiter agglutination test at 1:400 dilution;
    - c) tuberculosis - intradermal tuberculin test;
    - d) transmissible gastroenteritis - serum neutralization or ELISA test;
    - e) Aujeszky's disease - ELISA test

