



**VETERINARY HEALTH CERTIFICATE
EXPORT BOVINE SEMEN TO VIETNAM**

SECTION I

- i) **Country of origin** **CANADA**
- ii) **Issuing Authority** **CANADIAN FOOD INSPECTION AGENCY
GOVERNMENT OF CANADA**
- iii) **Region :** _____

SECTION II

- i) **Name of Consignor :** _____
Address : _____

- ii) **Name of Consignee :** _____
Address : _____

SECTION III

- Name of A.I. Centre (where semen collected) :** _____
- Address :** _____

SECTION IV

I, the undersigned Official Veterinarian, duly authorized by the Government of Canada, do hereby certify that:

1. Canada has been free from Foot and Mouth Disease, Rinderpest, Contagious Bovine Pleuropneumonia, Vesicular Stomatitis, Lumpy Skin Disease, Rift Valley Fever, Bluetongue (to the exception of the Okanagan Valley), Ephemeral Fever, East Coast Fever (Theileriosis) for the five (5) years preceding the collection of the exported semen.
2. The semen was collected from a bull maintained in an artificial insemination centre which is under official veterinary control.
3. At the time of the collection of the semen, the donor bull was healthy and free of evidence of disease
4. All the animals maintained at the artificial insemination centre, including the donor bull, were maintained in a centre free of Tuberculosis, Brucellosis, Leptospirosis, Paratuberculosis, Bluetongue, Epizootic Hemorrhagic Disease, Enzootic Bovine Leucosis, Bovine Virus diarrhoea, Infectious Bovine Rhinotracheitis, Bovine Genital Campylobacteriosis and Trichomoniasis for the last three (3) years.
5. The donor bull originate from areas where Anthrax has not been declared for at least three (3) years.
6. The donor bulls producing semen have not fed by supplements derived from internal organs and tissues of ruminants from any country infected with BSE disease.
7. The donor bulls have been kept at an artificial insemination center for at least six (6) months prior to the collection of the semen for export and during this time, these bulls were not used for natural service and no disease considered determinant for cattle production has been confirmed.
8. The production and storage of semen have been done in such way to avoid contamination by agents which may cause infectious animal diseases.

SECTION V: TEST REQUIREMENTS

1. Before entering into the center the donor bulls have been kept at least thirty (30 days in quarantine; during this period animals have been tested with negative results for the following diseases:
 - a) Brucellosis: Complement Fixation test (at the dilution 1/10) or Standard Tube Agglutination Test (at dilution 1/50), or Buffered Brucella Antigen Test;
 - b) Tuberculosis: Intradermal Tuberculin Test using bovine PPD tuberculin;
 - c) Infectious Bovine Rhinotracheitis: Serum Neutralization Test (at dilution 1/8) or ELISA Test or virus isolation from semen;
 - d) Bovine Viral Diarrhea: virus isolation from blood or serum or virus isolation from semen;
 - e) Leukosis: AGID test or ELISA Test;
 - f) Johne's Disease: Complement Fixation Test or ELISA Test;
 - g) Campylobacteriosis: Culture of Preputial washings;
 - h) Trichomoniasis: Culture of Preputial Washings.

2. After their admission in the centre, the donor bulls have been tested every year with negative results for the following diseases:
 - a) Brucellosis: Complement Fixation test (at the dilution 1/10) or Standard Tube Agglutination Test (at dilution 1/50), or Buffered Brucella Antigen Test;
 - b) Tuberculosis: Intradermal Tuberculin Test using bovine PPD tuberculin;
 - c) Infectious Bovine Rhinotracheitis: Serum Neutralization Test (at dilution 1/8) or ELISA Test or virus isolation from semen;
 - d) Johne's Disease: Complement Fixation Test or ELISA Test;
 - e) Campylobacteriosis: Culture of Preputial Washings;
 - f) Trichomoniasis: Culture of Preputial Washings.

