

Tobacco Control Programme, Health Canada
Supplementary Tables, CTUMS Annual 2001
(February - December 2001)

Table 1. Smoking status and average number of cigarettes smoked per day, by age group and sex, age 15+, Canada 2001

Table 2. Smoking status and average number of cigarettes smoked per day, by province, age group and sex, age 15+, Canada 2001

Table 2.5 Current smokers, by province, age group and sex, age 15+, Canada 2001

Table 3. Nicotine dependence by age group and sex, daily smokers, age 15+, Canada 2001

Table 4. Nicotine dependence by province, age group and sex, daily smokers, age 15+, Canada 2001

Table 5. Number of quit attempts in the past 12 months by age group and sex, daily smokers, age 15+, Canada 2001

Table 6. Number of quit attempts in the past 12 months by province, age group and sex, daily smokers, age 15+, Canada 2001

Table 7. Quit rates by age group and sex, age 15+, Canada 2001

Table 8. Stages of change categories by age group and sex, by ever smokers (current and former smokers combined), age 15+, Canada 2001

Table 9. Stages of change categories by province, age group and sex, by ever smokers (current and former smokers combined), age 15+, Canada 2001

Table 10. Use of roll-your-own cigarettes versus manufactured cigarettes by province, age 15+, Canada 2001

Table 11. Average cigarettes smoked per day among those that roll-your-own cigarettes by province, daily smokers, age 15+, Canada 2001

Table 12. Strength of cigarettes smoked by age group and sex, current smokers, age 15+, Canada 2001

Table 13. Strength of cigarettes smoked by province, age group and sex, current smokers, age 15+, Canada 2001

Table 14. Exposure of children at home to Environmental Tobacco Smoke (ETS), by province and age group, Canada 2001

Table 15. Description of the sample size represented, age 15+, Canada 2001

Table 1. Smoking status and average number of cigarettes smoked per day, by age group and sex, age 15+, Canada 2001

Sex	Age group (years)	Population estimate ('000)	Current smokers (%)	Daily smokers (%)	Nondaily smokers (%)	Former smokers (%)	Never smoked (%)	Average cigarettes smoked per day ¹
Total	All age groups	24,916	21.7	18.1	3.7	23.8	54.4	16.2
Male		12,270	23.9	20.3	3.7	27.3	48.8	17.1
Female		12,646	19.6	15.9	3.8	20.5	59.9	15.0
Both sexes	15-17	1,306	18.4	13.0	5.6	3.6*	78.0	12.2
	18-19	768	29.3	21.2	8.4	7.2	63.5	13.5
	15-19	2,073	22.5 ²	16.1	6.6	4.9	72.6	12.9
	20-22	1,350	33.5	25.7	8.1	8.4	58.1	13.8
	23-24	747	29.6	21.5	8.2	11.0	59.4	14.2
	20-24	2,097	32.1	24.2	8.1	9.3	58.5	13.9
	25-34	4,365	25.0	20.9	4.2*	16.6	58.5	14.4
	35-44	5,301	25.0	20.5	4.7*	25.4	49.6	17.9
	45-54	4,489	22.8	20.2	2.7*	27.8	49.3	17.2
	55+	6,590	12.6	11.6	1.0*	35.2	52.2	17.7
	25+	20,746	20.6	17.7	3.0	27.2	52.2	16.8
Male	15-17	684	16.2	11.5	4.8*	2.9*	80.9	13.3
	18-19	379	30.8	22.8	8.4*	7.5*	61.7	14.3
	15-19	1,063	21.4	15.6	6.1	4.6*	74.0	13.8
	20-22	700	36.1	28.0	8.4	8.3	55.6	14.5
	23-24	368	33.1	23.8	9.5*	10.6*	56.3	15.9
	20-24	1,068	35.1	26.6	8.8	9.1	55.8	15.0
	25-34	2,202	27.7	23.8	4.2*	17.4	54.9	15.5
	35-44	2,661	28.3	22.6	5.7*	24.8	46.9	18.0
	45-54	2,235	24.1	23.0	#	33.2	42.7	18.0
	55+	3,041	13.9	13.4	#	46.7	39.3	19.9
	25+	10,138	22.9	20.2	2.9*	31.6	45.5	17.7

Sex	Age group (years)	Population estimate ('000)	Current smokers (%)	Daily smokers (%)	Nondaily smokers (%)	Former smokers (%)	Never smoked (%)	Average cigarettes smoked per day ¹
Female	15-17	622	20.9	14.7	6.5*	4.3*	74.8	11.3
	18-19	389	27.9	19.7	8.4*	6.8*	65.3	12.7
	15-19	1,010	23.6	16.6	7.2	5.3	71.1	12.0
	20-22	650	30.8	23.2	7.8*	8.5	60.7	12.9
	23-24	379	26.1	19.2	6.9*	11.5*	62.5	12.1
	20-24	1,028	29.0	21.7	7.4	9.6	61.3	12.7
	25-34	2,164	22.1	18.0	4.2*	15.8	62.1	12.9
	35-44	2,639	21.8	18.2	3.6*	26.0	52.2	17.8
	45-54	2,254	21.6	17.5	4.1*	22.5	55.9	16.0
	55+	3,550	11.5	10.1	#	25.4	63.1	15.2
	25+	10,607	18.3	15.3	3.1	23.0	58.7	15.6

¹ Daily smokers only.

² Note this number should not be rounded up to 23%.

* Moderate sampling variability, interpret with caution.

High sampling variability - although an estimate may be determined from the table, data should be suppressed.

Estimates may not sum to 100 percent due to rounding.

Source: Canadian Tobacco Use Monitoring Survey, February - December 2001

Table 2. Smoking status and average number of cigarettes smoked per day, by province, age group and sex, age 15+, Canada 2001

Province	Sex or age group	Population estimate ('000)	Current smokers (%)	Former smokers (%)	Never smoked (%)	Average cigarettes smoked per day ¹
Canada	Total	24,916	21.7	23.8	54.4	16.2
	15-19	2,073	22.5 ²	4.9	72.6	12.9
	20-24	2,097	32.1	9.3	58.5	13.9
	25-44	9,666	25.0	21.4	53.6	16.3
	45+	11,080	16.8	32.2	51.0	17.4
	Male (15+)	12,270	23.9	27.3	48.8	17.1
	15-24	2,132	28.2	6.8	64.9	14.5
	25+	10,138	22.9	31.6	45.5	17.7
	Female (15+)	12,646	19.6	20.5	59.9	15.0
	15-24	2,038	26.3	7.5	66.2	12.4
	25+	10,607	18.3	23.0	58.7	15.6
Newfoundland	Total	440	25.7	29.8	44.6	16.7
	15-19	40	22.0	6.9*	71.1	11.6
	20-24	38	41.4	8.1*	50.6	13.7
	25-44	164	31.8	25.7	42.5	15.8
	45+	199	18.3	41.9	39.8	19.8
	Male (15+)	217	30.2	35.2	34.6	18.6
	15-24	40	32.0	6.6*	61.3	13.8
	25+	177	29.8	41.6	28.6	19.6
	Female (15+)	224	21.3	24.5	54.2	14.0
	15-24	39	30.9	8.3*	60.7	12.2
	25+	185	19.3	27.9	52.9	14.5
Prince Edward Island	Total	111	25.6	29.8	44.6	17.5
	15-19	10	20.4	#	75.1	14.3
	20-24	10	34.8	12.3	52.9	15.8
	25-44	40	30.7	25.3	44.1	19.0
	45+	51	20.9	41.8	37.3	16.9
	Male (15+)	54	27.9	33.8	38.2	19.6
	15-24	10	30.7	7.0	62.3	15.8

Province	Sex or age group	Population estimate ('000)	Current smokers (%)	Former smokers (%)	Never smoked (%)	Average cigarettes smoked per day ¹
	25+	44	27.3	40.0	32.7	20.5
	Female (15+)	57	23.4	25.9	50.8	15.1
	15-24	10	23.8	9.6	66.6	14.5
	25+	47	23.3	29.3	47.4	15.3
Nova Scotia	Total	765	24.9	31.0	44.2	17.1
	15-19	64	26.8	#	70.2	14.3
	20-24	61	31.4	11.8	56.8	13.6
	25-44	286	30.9	25.4	43.7	17.3
	45+	353	18.5	43.9	37.6	18.5
	Male (15+)	372	26.3	35.6	38.1	18.8
	15-24	64	29.1	8.0*	62.8	14.8
	25+	308	25.7	41.3	33.0	19.7
	Female (15+)	393	23.5	26.6	49.9	15.4
	15-24	62	29.0	6.5*	64.5	12.9
	25+	331	22.5	30.3	47.2	16.0
New Brunswick	Total	614	25.0	29.0	46.0	17.6
	15-19	51	24.6	#	72.1	13.7
	20-24	51	39.2	11.5	49.2	15.2
	25-44	231	32.5	23.4	44.1	18.1
	45+	281	16.3	41.5	42.2	18.6
	Male (15+)	301	27.2	33.1	39.7	19.9
	15-24	52	33.1	6.4*	60.5	16.0
	25+	250	26.0	38.7	35.4	20.8
	Female (15+)	313	22.9	25.0	52.1	14.9
	15-24	50	30.7	8.4*	60.9	13.2
	25+	263	21.4	28.2	50.4	15.3
Quebec	Total	6,026	24.1	26.8	49.1	17.3
	15-19	465	28.6	8.3*	63.2	13.6
	20-24	509	32.2	11.7	56.0	14.6
	25-44	2,270	30.8	22.0	47.2	17.6
	45+	2,783	16.4	36.5	47.1	18.6

Province	Sex or age group	Population estimate ('000)	Current smokers (%)	Former smokers (%)	Never smoked (%)	Average cigarettes smoked per day ¹
	Male (15+)	2,963	25.1	29.9	45.0	18.3
	15-24	498	30.6	7.9*	61.5	14.6
	25+	2,464	24.0	34.3	41.7	19.1
	Female (15+)	3,064	23.1	23.7	53.1	16.3
	15-24	475	30.4	12.3	57.3	13.8
	25+	2,588	21.8	25.8	52.4	16.8
Ontario	Total	9,522	19.7	21.4	58.8	15.5
	15-19	784	18.8	#	77.8	12.7
	20-24	774	31.2	6.9*	61.8	14.5
	25-44	3,788	20.5	21.3	58.2	15.0
	45+	4,175	17.1	27.6	55.3	16.9
	Male (15+)	4,670	23.1	24.9	51.9	16.2
	15-24	796	26.0	5.6*	68.4	15.2
	25+	3,874	22.6	28.9	48.6	16.3
	Female (15+)	4,852	16.4	18.1	65.5	14.7
	15-24	762	23.9	4.7*	71.4	12.2
	25+	4,090	15.1	20.6	64.3	15.3
Manitoba	Total	900	25.9	22.1	52.0	14.8
	15-19	82	28.2	#	68.8	11.7
	20-24	78	36.8	8.3*	54.9	12.2
	25-44	337	29.5	17.0	53.5	15.0
	45+	403	20.3	33.0	46.7	16.3
	Male (15+)	445	27.7	25.5	46.8	15.5
	15-24	81	32.1	6.1*	61.8	12.0
	25+	363	26.7	29.9	43.4	16.6
	Female (15+)	456	24.1	18.8	57.0	14.0
	15-24	78	32.8	5.0*	62.3	11.9
	25+	377	22.3	21.7	56.0	14.5
Saskatchewan	Total	789	25.4	23.9	50.7	16.1
	15-19	78	27.1	#	70.0	12.2
	20-24	73	37.8	8.4*	53.8	14.1

Province	Sex or age group	Population estimate ('000)	Current smokers (%)	Former smokers (%)	Never smoked (%)	Average cigarettes smoked per day ¹
	25-44	282	29.9	19.7	50.4	16.2
	45+	356	18.9	35.0	46.2	17.8
	Male (15+)	390	25.6	28.3	46.1	17.4
	15-24	78	30.8	5.8*	63.5	14.8
	25+	312	24.2	33.9	41.8	18.2
	Female (15+)	399	25.2	19.5	55.2	14.8
	15-24	73	33.9	5.3*	60.8	11.7
	25+	325	23.3	22.7	54.0	15.7
Alberta	Total	2,406	25.1	23.2	51.7	16.3
	15-19	226	24.1	#	70.9	13.0
	20-24	229	34.5	11.3	54.3	14.0
	25-44	993	29.1	19.0	51.9	17.0
	45+	958	19.0	34.5	46.4	16.9
	Male (15+)	1,212	27.9	26.2	45.9	17.7
	15-24	235	31.9	7.5*	60.7	15.3
	25+	978	27.0	30.7	42.3	18.3
	Female (15+)	1,194	22.3	20.0	57.6	14.3
	15-24	221	26.6	8.9*	64.5	11.2
	25+	973	21.3	22.6	56.1	15.1
British Columbia	Total	3,342	16.7	22.8	60.6	14.6
	15-19	273	16.8	5.4*	77.8	11.4
	20-24	273	27.0	9.7*	63.3	10.6
	25-44	1,274	18.9	22.1	59.0	15.3
	45+	1,522	12.9	28.8	58.3	15.6
	Male (15+)	1,647	17.1	26.3	56.6	15.5
	15-24	278	23.8	8.2*	68.0	11.8
	25+	1,368	15.8	29.9	54.3	16.5
	Female (15+)	1,696	16.2	19.4	64.4	13.8
	15-24	268	19.9	6.9*	73.2	9.5
	25+	1,428	15.5	21.7	62.7	14.5

¹ Daily smokers only.

² Note this number should not be rounded up to 23%.

* Moderate sampling variability, interpret with caution.
High sampling variability - although an estimate may be determined from the table, data should be suppressed.
Estimates may not sum to 100 percent due to rounding

Source: Canadian Tobacco Use Monitoring Survey, February - December 2001

Table 2.5. Current smokers, by province, age group and sex, age 15+, Canada 2001

Province	Sex or age group	Population estimate ('000)	Current smokers (%)	Average cigarettes smoked per day ¹
Canada	Total (both sexes)	24,916	21.7	16.2
	Male (15+)	12,270	23.9	17.1
	15-19	1,063	21.4	13.8
	20-24	1,068	35.1	15.0
	25+	10,138	22.9	17.7
	25-44	4,863	28.0	16.8
	45+	5,276	18.3	18.8
	Female (15+)	12,646	19.6	15.0
	15-19	1,010	23.6	12.0
	20-24	1,028	29.0	12.7
	25+	10,607	18.3	15.6
	25-44	4,803	21.9	15.6
	45+	5,804	15.4	15.7
	Newfoundland and Labrador	Total (both sexes)	440	25.7
Male (15+)		217	30.2	18.6
15-19		20	23.7	12.0
20-24		19	40.9	14.9
25+		177	29.8	19.6
25-44		81	37.6	17.0
45+		96	23.3	22.8
Female (15+)		224	21.3	14.0
15-19		20	20.3	11.1
20-24		19	41.9	12.6
25+		185	19.3	14.5
25-44		83	26.2	14.3
45+		102	13.6	14.9
Prince Edward Island		Total (both sexes)	111	25.6
	Male (15+)	54	27.9	19.6
	15-19	5	22.2	14.9
	20-24	5	39.9	16.4

Province	Sex or age group	Population estimate ('000)	Current smokers (%)	Average cigarettes smoked per day ¹
	25+	44	27.3	20.5
	25-44	20	34.4	22.5
	45+	24	21.4	18.1
	Female (15+)	57	23.4	15.1
	15-19	5	18.6	13.6
	20-24	5	29.5	15.1
	25+	47	23.3	15.3
	25-44	20	27.0	15.0
	45+	27	20.4	15.6
Nova Scotia	Total (both sexes)	765	24.9	17.1
	Male (15+)	372	26.3	18.8
	15-19	33	26.1	14.9
	20-24	31	32.3	14.7
	25+	308	25.7	19.7
	25-44	142	34.1	18.6
	45+	167	18.5	21.1
	Female (15+)	393	23.5	15.4
	15-19	31	27.6	13.6
	20-24	31	30.4	12.5
	25+	331	22.5	16.0
	25-44	145	27.8	15.7
45+	186	18.4	16.2	
New Brunswick	Total (both sexes)	614	25.0	17.6
	Male (15+)	301	27.2	19.9
	15-19	26	25.9	14.2
	20-24	26	40.2	17.0
	25+	250	26.0	20.8
	25-44	116	32.4	20.6
	45+	133	20.3	21.2
	Female (15+)	313	22.9	14.9
	15-19	25	23.2	13.2
	20-24	25	38.2	13.2

Province	Sex or age group	Population estimate ('000)	Current smokers (%)	Average cigarettes smoked per day ¹
	25+	263	21.4	15.3
	25-44	115	32.6	15.6
	45+	148	12.7	14.7
Quebec	Total (both sexes)	6,026	24.1	17.3
	Male (15+)	2,963	25.1	18.3
	15-19	238	26.5	13.4
	20-24	260	34.4	15.3
	25+	2,464	24.0	19.1
	25-44	1,153	31.1	18.1
	45+	1,312	17.7	20.3
	Female (15+)	3,064	23.1	16.3
	15-19	227	30.8	13.8
	20-24	249	30.0	13.8
	25+	2,588	21.8	16.8
	25-44	1,117	30.4	17.0
	45+	1,471	15.2	16.6
	Ontario	Total (both sexes)	9,522	19.7
Male (15+)		4,670	23.1	16.2
15-19		403	17.3	14.7
20-24		393	35.0	15.4
25+		3,874	22.6	16.3
25-44		1,895	25.8	14.9
45+		1,979	19.5	17.9
Female (15+)		4,852	16.4	14.7
15-19		381	20.4	10.8
20-24		381	27.4	13.2
25+		4,090	15.1	15.3
25-44		1,893	15.2	15.1
45+		2,197	14.9	15.5
Manitoba		Total (both sexes)	900	25.9
	Male (15+)	445	27.7	15.5
	15-19	42	23.8	12.1

Province	Sex or age group	Population estimate ('000)	Current smokers (%)	Average cigarettes smoked per day ¹
	20-24	40	40.8	11.9
	25+	363	26.7	16.6
	25-44	172	30.9	15.7
	45+	191	22.9	17.7
	Female (15+)	456	24.1	14.0
	15-19	40	32.9	11.3
	20-24	38	32.7	12.6
	25+	377	22.3	14.5
	25-44	165	28.1	14.3
	45+	212	17.9	14.7
Saskatchewan	Total (both sexes)	789	25.4	16.1
	Male (15+)	390	25.6	17.4
	15-19	40	25.6	13.1
	20-24	38	36.2	15.9
	25+	312	24.2	18.2
	25-44	142	30.3	17.3
	45+	170	19.2	19.4
	Female (15+)	399	25.2	14.8
	15-19	38	28.7	11.2
	20-24	36	39.5	12.1
	25+	325	23.3	15.7
	25-44	140	29.5	15.0
45+	185	18.5	16.4	
Alberta	Total (both sexes)	2,406	25.1	16.3
	Male (15+)	1,212	27.9	17.7
	15-19	116	25.0	14.6
	20-24	119	38.5	15.7
	25+	978	27.0	18.3
	25-44	508	32.6	18.8
	45+	470	20.9	17.4
	Female (15+)	1,194	22.3	14.3
	15-19	111	23.3	11.0

Province	Sex or age group	Population estimate ('000)	Current smokers (%)	Average cigarettes smoked per day ¹
	20-24	110	30.0	11.4
	25+	973	21.3	15.1
	25-44	486	25.4	14.4
	45+	487	17.3	16.3
British Columbia	Total (both sexes)	3,342	16.7	14.6
	Male (15+)	1,647	17.1	15.5
	15-19	140	17.4	11.9
	20-24	138	30.3	11.8
	25+	1,368	15.8	16.5
	25-44	636	20.6	15.5
	45+	733	11.6	17.8
	Female (15+)	1,696	16.2	13.8
	15-19	133	16.2	10.7
	20-24	136	23.6	9.0
	25+	1,428	15.5	14.5
	25-44	639	17.2	15.0
	45+	789	14.2	14.1

¹ Daily smokers only.

* Moderate sampling variability, interpret with caution.

High sampling variability - although an estimate may be determined from the table, data should be suppressed.

Estimates may not sum to 100 percent due to rounding.

Source: Canadian Tobacco Use Monitoring Survey, February - December 2001

Table 3. Nicotine dependence by age group and sex, daily smokers, age 15+, Canada 2001

			How soon after waking do you have your first cigarette?			
Sex	Age group (years)	Population estimate ('000)	Within 5 minutes (%)	6-30 minutes (%)	31-60 minutes (%)	>60 minutes (%)
Total	All age groups	4,298	22	37	17	24
Male		2,373	23	37	15	24
Female		1,926	20	36	19	25
Both sexes						
Both sexes	15-19	323	19	25	23	33
	20-24	493	18	27	22	33
	25-44	1,903	20	39	15	26
	45+	1,579	25	39	18	18
Male						
Male	15-19	161	19*	31	20*	30
	20-24	273	20	27	25	28
	25-44	1,061	21	40	14*	25
	45+	877	29	38	13*	20*
Female						
Female	15-19	162	20*	19*	25	35
	20-24	220	17*	27	18*	38
	25-44	842	20*	38	15*	27
	45+	702	21*	40	24*	16*

* Moderate sampling variability, interpret with caution.

High sampling variability - although an estimate may be determined from the table, data should be suppressed.

Estimates may not sum to 100 percent due to rounding.

Source: Canadian Tobacco Use Monitoring Survey, February - December 2001

Table 4. Nicotine dependence by province, age group and sex, daily smokers, age 15+, Canada 2001

			How soon after waking do you have your first cigarette?	
Province	Sex or age group	Population estimate ('000)	Within 30 minutes (%)	31+ minutes (%)
Canada	Total	4,298	58	42
	15-19	323	44	56
	20-24	493	46	54
	25-44	1,903	60	40
	45+	1,579	64	36
	Male (15+)	2,373	61	39
	15-24	434	48	52
	25+	1,939	63	37
	Female (15+)	1,926	56	44
	15-24	382	42	58
	25+	1,544	59	41
Newfoundland	Total	95	56	44
	15-19	6	41*	59
	20-24	12	43	57
	25-44	44	58	42
	45+	33	62	38
	Male (15+)	55	62	38
	15-24	9	41	59
	25+	46	66	34
	Female (15+)	39	48	52
	15-24	8	44	56
	25+	31	50	50
Prince Edward Island	Total	25	61	39
	15-19	2	53	47
	20-24	3	64	36
	25-44	11	59	41
	45+	9	65	35
	Male (15+)	13	64	36

			How soon after waking do you have your first cigarette?	
Province	Sex or age group	Population estimate ('000)	Within 30 minutes (%)	31+ minutes (%)
	15-24	2	58	42
	25+	11	65	35
	Female (15+)	11	58	42
	15-24	2	62	38
	25+	9	57	43
Nova Scotia	Total	158	63	37
	15-19	12	52	48
	20-24	17	49	51
	25-44	72	59	41
	45+	58	75	#
	Male (15+)	81	65	35
	15-24	14	55	45
	25+	67	67	33
	Female (15+)	78	62	38
	15-24	14	45	55
	25+	63	65	35
New Brunswick	Total	129	55	45
	15-19	9	47	53
	20-24	16	55	45
	25-44	66	53	47
	45+	38	61	39*
	Male (15+)	70	57	43
	15-24	14	55	45
	25+	57	57	43
	Female (15+)	59	53	47
	15-24	12	48	52
	25+	48	54	46
Quebec	Total	1,194	65	35
	15-19	88	48	52
	20-24	124	58	42

			How soon after waking do you have your first cigarette?	
Province	Sex or age group	Population estimate ('000)	Within 30 minutes (%)	31+ minutes (%)
	25-44	562	70	30*
	45+	419	65	35*
	Male (15+)	621	68	32
	15-24	107	56	44
	25+	514	71	29*
	Female (15+)	573	62	38
	15-24	105	52	48
	25+	468	64	36
Ontario	Total	1,489	58	42
	15-19	106	36*	64
	20-24	175	38	62
	25-44	598	57	43
	45+	610	69	#
	Male (15+)	893	60	40
	15-24	149	40	60
	25+	744	64	36
	Female (15+)	596	55	45
	15-24	132	33*	67
	25+	464	62	#
Manitoba	Total	180	55	45
	15-19	18	48	52
	20-24	20	35*	65
	25-44	81	56	44
	45+	61	61	39
	Male (15+)	98	56	44
	15-24	22	39	61
	25+	76	60	40
	Female (15+)	82	54	46
	15-24	16	45	55
	25+	66	56	44

			How soon after waking do you have your first cigarette?	
Province	Sex or age group	Population estimate ('000)	Within 30 minutes (%)	31+ minutes (%)
Saskatchewan	Total	153	59	41
	15-19	15	42	58
	20-24	21	57	43
	25-44	64	63	37
	45+	53	60	40
	Male (15+)	76	63	37
	15-24	18	55	45
	25+	58	66	34*
	Female (15+)	77	55	45
	15-24	18	47	53
	25+	59	58	42
Alberta	Total	460	49	51
	15-19	39	51	49
	20-24	58	47	53
	25-44	230	51	49
	45+	134	45	55
	Male (15+)	262	54	46
	15-24	55	55	45
	25+	207	54	46
	Female (15+)	198	41	59
	15-24	41	41	59
	25+	157	41	59
British Columbia	Total	415	52	48
	15-19	27	49	51
	20-24	49	#	63
	25-44	174	49	51
	45+	165	60	40*
	Male (15+)	203	48	52
	15-24	43	41*	59
	25+	160	50	#

			How soon after waking do you have your first cigarette?	
Province	Sex or age group	Population estimate ('000)	Within 30 minutes (%)	31+ minutes (%)
	Female (15+)	213	56	44
	15-24	33	#	59
	25+	180	58	42*

* Moderate sampling variability, interpret with caution.

High sampling variability - although an estimate may be determined from the table, data should be suppressed.

Estimates may not sum to 100 percent due to rounding.

Source: Canadian Tobacco Use Monitoring Survey, February - December 2001

Table 5. Number of quit attempts in the past 12 months by age group and sex, daily smokers, age 15+, Canada 2001

Sex	Age group (years)	Population estimate ('000)	No attempts (%)	1-3 attempts (%)	4 or more attempts (%)
Total	All age groups	4,304	51	38	12
Male		2,358	50	39	11
Female		1,946	51	36	13
Both sexes					
Both sexes	15-17	164	32	46	22*
	18-19	159	37	39	25*
	20-22	326	39	42	19
	23-24	152	45	41	14*
	25-34	893	46	43	12*
	35-44	1,035	49	43	9*
	45+	1,576	61	29	10*
Male					
Male	15-19	160	32	43	25
	20-24	259	37	44	19
	25-44	1,075	46	45	9*
	45+	863	63	30	8*
Female					
Female	15-19	163	36	42	22*
	20-24	218	45	39	16*
	25-44	852	49	40	11*
	45+	713	59	29	12*

* Moderate sampling variability, interpret with caution.

High sampling variability - although an estimate may be determined from the table, data should be suppressed.

Estimates may not sum to 100 percent due to rounding.

Source: Canadian Tobacco Use Monitoring Survey, February - December 2001

Table 6. Number of quit attempts in the past 12 months by province, age group and sex, daily smokers, age 15+, Canada 2001

Province	Sex or age group	Population estimate ('000)	No attempts (%)	1-3 attempts (%)	4 or more attempts (%)
Canada	Total	4,304	51	38	12
	15-19	323	34	42	23
	20-24	478	41	42	17
	25-44	1,927	47	43	10*
	45+	1,576	61	29	10*
	Male (15+)	2,358	50	39	11
	15-24	420	35	43	21
	25+	1,939	53	38	8*
	Female (15+)	1,946	51	36	13
	15-24	381	41	41	18
	25+	1,565	53	35	12*
Newfoundland	Total	95	47	41	12*
	15-19	6	#	44*	36*
	20-24	12	31	56	#
	25-44	44	42	51	#
	45+	33	65	#	#
	Male (15+)	56	47	43	11*
	15-24	9	#	55	#
	25+	47	51	40	#
	Female (15+)	39	48	39	13*
	15-24	8	30*	48	#
	25+	31	53	36*	#
Prince Edward Island	Total	24	51	43	6*
	15-19	2	33*	53*	#
	20-24	3	35*	53	#
	25-44	11	55	40	#
	45+	9	54	41	#
	Male (15+)	13	56	37	#
	15-24	2	35*	49	#
	25+	11	60	34	#

Province	Sex or age group	Population estimate ('000)	No attempts (%)	1-3 attempts (%)	4 or more attempts (%)
	Female (15+)	11	46	49	#
	15-24	2	32*	57	#
	25+	9	48	48	#
Nova Scotia	Total	158	48	41	12*
	15-19	12	#	45	32*
	20-24	16	35*	46	#
	25-44	72	45	41	#
	45+	58	60	38	#
	Male (15+)	80	47	43	11*
	15-24	14	29*	51	#
	25+	66	50	41	#
	Female (15+)	77	49	39	13*
	15-24	14	32*	40	28*
	25+	63	52	39	#
New Brunswick	Total	127	53	36	10*
	15-19	9	#	49	#
	20-24	16	37	49	#
	25-44	65	49	39	#
	45+	37	73	#	#
	Male (15+)	68	56	35	9*
	15-24	13	33	46	#
	25+	55	62	32*	#
	Female (15+)	58	50	38	#
	15-24	12	35	53	#
	25+	47	54	34*	#
Quebec	Total	1,205	48	38	14*
	15-19	90	39*	39	#
	20-24	119	47	39	#
	25-44	571	42	44	#
	45+	424	59	30*	#
	Male (15+)	617	45	41	14*
	15-24	103	44	40	#

Province	Sex or age group	Population estimate ('000)	No attempts (%)	1-3 attempts (%)	4 or more attempts (%)
	25+	514	46	41	#
	Female (15+)	588	51	35	14*
	15-24	106	43	39	#
	25+	481	53	35*	#
Ontario	Total	1,486	52	38	10*
	15-19	106	#	43*	#
	20-24	168	42	40	#
	25-44	607	49	47	#
	45+	605	61	#	#
	Male (15+)	884	52	40	#
	15-24	142	#	43	#
	25+	742	56	40	#
	Female (15+)	602	52	35	#
	15-24	132	44	39*	#
	25+	470	54	#	#
Manitoba	Total	176	53	37	10*
	15-19	17	34	43	#
	20-24	17	37*	44	#
	25-44	79	56	36	#
	45+	62	59	34*	#
	Male (15+)	96	50	41	#
	15-24	19	40*	41	#
	25+	76	53	40	#
	Female (15+)	81	56	32	12*
	15-24	15	31*	47	#
	25+	65	63	29*	#
Saskatchewan	Total	154	50	37	13*
	15-19	15	34	38	#
	20-24	21	36	52	#
	25-44	65	53	39	#
	45+	52	56	#	#
	Male (15+)	78	49	36	15*

Province	Sex or age group	Population estimate ('000)	No attempts (%)	1-3 attempts (%)	4 or more attempts (%)
	15-24	19	29	46	24*
	25+	60	55	#	#
	Female (15+)	76	51	39	#
	15-24	18	41	46	#
	25+	58	54	36	#
Alberta	Total	461	55	33	12*
	15-19	38	39	41	#
	20-24	60	36	44	#
	25-44	232	54	34	#
	45+	132	70	#	#
	Male (15+)	262	56	31	13*
	15-24	56	32*	47	#
	25+	206	63	26*	#
	Female (15+)	200	54	36	#
	15-24	42	46	36*	#
	25+	158	56	35	#
British Columbia	Total	417	48	38	14*
	15-19	28	#	49	#
	20-24	45	#	#	#
	25-44	180	45	42	#
	45+	164	58	#	#
	Male (15+)	204	51	37	#
	15-24	41	#	40*	#
	25+	162	56	#	#
	Female (15+)	214	46	38	#
	15-24	32	#	#	#
	25+	182	47	37*	#

* Moderate sampling variability, interpret with caution.

High sampling variability - although an estimate may be determined from the table, data should be suppressed. Estimates may not sum to 100 percent due to rounding.

Source: Canadian Tobacco Use Monitoring Survey, February - December 2001

Table 7. Quit rates by age group and sex, age 15+, Canada 2001

Sex	Age group	Population estimate ('000)	Total quitters (%)	Short term quitters (%)	Long term quitters (%)
Both sexes	Total	11,351	52	3	48
	15-24	1,437	21	4*	13
	15-19	568	18	5*	10
	20-24	869	23	4*	16
	25+	9,914	57	2*	53
	25-44	4,486	46	3*	41
	45+	5,428	66	2*	63
Male	Total	6,278	53	3*	49
	15-24	748	19	4*	13
	15-19	276	18	#	11*
	20-24	472	21	4*	15
	25+	5,530	58	3*	54
	25-44	2,405	43	4*	38
	45+	3,126	69	2*	66
Female	Total	5,072	51	2*	47
	15-24	689	22	5*	14
	15-19	292	18	5*	10*
	20-24	397	25	5*	17
	25+	4,383	56	2*	52
	25-44	2,081	49	3*	44
	45+	2,302	61	#	59

* Moderate sampling variability, interpret with caution.

High sampling variability - although an estimate may be determined from the table, data should be suppressed.

Estimates may not sum to 100 percent due to rounding.

Source: Canadian Tobacco Use Monitoring Survey, February - December 2001

Table 8. Stages of change categories** by ever smokers (current and former smokers combined) by age group and sex, age 15+, Canada 2001

Sex	Age group (years)	Population estimate ('000)	Precontemplation (%)	Contemplation (%)	Preparation (%)	Action (%)	Maintenance (%)
Total	All age groups	11,351	22	18	8	2	50
Male		6,278	22	17	8	3*	51
Female		5,072	22	19	8	2*	49
Both sexes							
Both sexes	15-19	568	34	28	20	4*	14
	20-24	869	32	32	14	4*	19
	25-44	4,486	23	21	10	3*	43
	45+	5,428	17	12	4*	1*	65
Male							
Male	15-24	748	34	30	17	4*	16
	25+	5,530	20	16	6	2*	56
Female							
Female	15-24	689	31	31	16	4*	18
	25+	4,383	20	17	7	2*	54

* Moderate sampling variability, interpret with caution.

High sampling variability - although an estimate may be determined from the table, data should be suppressed.

Estimates may not sum to 100 percent due to rounding.

The first 3 categories are current smokers, last 2 categories are former smokers.

** **Stages of Change** - a measure that divides ever smokers (i.e., current and former smokers combined) into 5 different categories, depending on their quit status or readiness to quit. The five stages are defined as follows:

Precontemplation - current smokers who answer "no" to the question, "Are you seriously considering quitting within the next 6 months?".

Contemplation - current smokers who are *either* seriously considering quitting within the next 6 months, but answer "no" to the question, "Are you seriously considering quitting within the next 30 days?" OR are seriously considering quitting within the next 30 days, but did not try to quit for at least 24 hours during the past year (i.e., answered "none" to the question, "In the last year, how many times have you quit for at least 24 hours?").

Preparation - current smokers who are seriously considering quitting within the next 30 days and have quit smoking at least once, for at least 24 hours, during the past year.

Action - former smokers (i.e., do not currently smoke) who have quit smoking within the past 5 months (inclusive).

Maintenance - former smokers who, at the time of the interview, had quit smoking at least 6 months ago.

Source: Canadian Tobacco Use Monitoring Survey, February - December 2001

Table 9. Stages of change categories** by ever smokers (current and former smokers combined) by province, age group and sex, age 15+, Canada 2001

Province	Sex or age group	Population estimate ('000)	Precontemplation (%)	Contemplation (%)	Preparation (%)	Action (%)	Maintenance (%)
Canada	Total	11,351	22	18	8	2	50
	15-19	568	34	28	20	4*	14
	20-24	869	32	32	14	4*	19
	25-44	4,486	23	21	10	3*	43
	45+	5,428	17	12	4*	1*	65
	Male (15+)	6,278	22	17	8	3*	51
	15-24	748	34	30	17	4*	16
	25+	5,530	20	16	6	2*	56
	Female (15+)	5,072	22	19	8	2*	49
	15-24	689	31	31	16	4*	18
	25+	4,383	20	17	7	2*	54
Newfoundland	Total	244	20	17	9	2*	52
	15-19	12	23*	34	19*	#	17*
	20-24	19	25	34	24	#	12*
	25-44	94	23	22	11*	#	43
	45+	120	17	9*	#	#	68
	Male (15+)	142	20	16	9*	#	52
	15-24	15	28	31	24*	#	#
	25+	126	19	15	#	#	57
	Female (15+)	102	20	18	8*	#	50
	15-24	15	21*	38	20*	#	15*
	25+	87	20	15*	#	#	56
Prince Edward Island	Total	61	18	20	8	4*	50
	15-19	3	26*	36*	19*	#	#
	20-24	5	31	31	#	#	19*
	25-44	23	21	24	10*	#	39
	45+	32	14	14	#	#	65
	Male (15+)	33	18	21	6*	#	51
	15-24	4	32	33	16*	#	#
	25+	30	16	19	#	#	56

Province	Sex or age group	Population estimate ('000)	Precontemplation (%)	Contemplation (%)	Preparation (%)	Action (%)	Maintenance (%)
	Female (15+)	28	19	19	10*	#	48
	15-24	3	26*	32	#	#	22*
	25+	25	18	17	10*	#	52
Nova Scotia	Total	427	18	19	8	3*	52
	15-19	19	27	35	28	#	#
	20-24	27	23*	34	16*	#	17*
	25-44	161	25	22	#	#	41
	45+	220	12*	13*	#	#	69
	Male (15+)	230	17	17	8*	#	54
	15-24	24	23*	33	22*	#	#
	25+	207	17	15	#	#	59
	Female (15+)	197	19	21	8*	#	51
	15-24	22	26*	36	20*	#	#
	25+	175	18	19	#	#	56
New Brunswick	Total	332	20	18	8	#	52
	15-19	14	27*	43	#	#	#
	20-24	26	28	33	16*	#	20
	25-44	129	23	24	11*	#	39
	45+	163	16	9*	#	#	71
	Male (15+)	182	19	19	7*	#	53
	15-24	20	24*	39	21*	#	#
	25+	161	19	16	#	#	58
	Female (15+)	150	22	18	9*	#	50
	15-24	19	31	34	13*	#	#
	25+	131	20	15*	#	#	55
Quebec	Total	3,065	22	18	8	2*	50
	15-19	171	35	30	#	#	18*
	20-24	224	34	24	14*	#	23
	25-44	1,198	25	25	#	#	39
	45+	1,472	16	10*	#	#	67
	Male (15+)	1,629	20	19	7*	#	53
	15-24	192	34	29	16*	#	18*

Province	Sex or age group	Population estimate ('000)	Precontemplation (%)	Contemplation (%)	Preparation (%)	Action (%)	Maintenance (%)
	25+	1,437	18	18	#	#	57
	Female (15+)	1,435	24	16	9*	#	48
	15-24	203	35	25	#	#	23
	25+	1,232	23	15*	#	#	52
Ontario	Total	3,920	22	19	7*	#	50
	15-19	174	39	#	26*	#	#
	20-24	296	33	39	#	#	15*
	25-44	1,584	22	18*	#	#	49
	45+	1,867	19	15*	#	#	61
	Male (15+)	2,244	23	18	7*	#	49
	15-24	252	40	29	#	#	#
	25+	1,993	21	17	#	#	54
	Female (15+)	1,676	20	19	8*	#	51
	15-24	218	30*	35	19*	#	#
	25+	1,458	19*	17*	#	#	57
Manitoba	Total	432	27	18	9	#	43
	15-19	25	33	42	#	#	#
	20-24	35	30	35	17*	#	16*
	25-44	157	30	23	#	#	32
	45+	215	23	10*	#	#	60
	Male (15+)	237	27	15	10*	#	45
	15-24	31	33	33	17*	#	#
	25+	205	26	12*	#	#	50
	Female (15+)	196	27	23	7*	#	41
	15-24	30	29	43	15*	#	#
	25+	166	26	19	#	#	46
Saskatchewan	Total	389	21	20	10	2*	46
	15-19	23	24*	44	23*	#	#
	20-24	34	36	30	15*	#	15*
	25-44	140	26	25	#	#	36
	45+	191	15	12*	#	#	64
	Male (15+)	210	22	17	9*	#	50

Province	Sex or age group	Population estimate ('000)	Precontemplation (%)	Contemplation (%)	Preparation (%)	Action (%)	Maintenance (%)
	15-24	28	36	29	19*	#	#
	25+	182	20	15	#	#	56
	Female (15+)	179	21	24	12*	#	41
	15-24	29	26*	43	17*	#	#
	25+	150	20	20	#	#	48
Alberta	Total	1,162	24	20	8	4*	44
	15-19	66	32	28	23*	#	#
	20-24	105	27	31	17*	#	20
	25-44	478	25	25	#	#	33
	45+	513	21	12*	#	#	64
	Male (15+)	656	24	17	11	#	45
	15-24	92	25	32	24	#	15*
	25+	564	24	15	#	#	50
	Female (15+)	506	24	23	5*	#	44
	15-24	79	33	28	14*	#	20*
	25+	427	23	22	#	#	48
British Columbia	Total	1,319	19	14	9	3*	55
	15-19	61	27	30	#	#	#
	20-24	100	28*	25*	20*	#	23*
	25-44	523	21	13*	#	#	49
	45+	635	16*	12*	#	#	68
	Male (15+)	715	19	11*	9*	#	57
	15-24	89	28	26*	20*	#	21*
	25+	626	18*	#	#	#	62
	Female (15+)	604	20	18	8*	#	53
	15-24	72	27*	28*	#	#	#
	25+	532	18*	16*	#	#	57

* Moderate sampling variability, interpret with caution.

High sampling variability - although an estimate may be determined from the table, data should be suppressed.

Estimates may not sum to 100 percent due to rounding.

The first 3 categories are current smokers, last 2 categories are former smokers.

Source: Canadian Tobacco Use Monitoring Survey, February - December 2001

Table 10. Use of roll-your-own cigarettes versus manufactured cigarettes by province, age 15+, Canada 2001

Province	Population estimate ('000)	Smokes roll-your-own cigarettes ¹ (%)	Smokes manufactured cigarettes exclusively (%)
Canada ²	5,453	15	85
Newfoundland	115	52	48
Prince Edward Island	30	30	70
Nova Scotia	192	27	73
New Brunswick	155	21	79
Quebec	1,492	15	85
Ontario	1,889	5*	95
Manitoba	235	26	74
Saskatchewan	197	31	69
Alberta	593	19	81
British Columbia	556	17*	83

* Moderate sampling variability, interpret with caution.

High sampling variability - although an estimate may be determined from the table, data should be suppressed.

Estimates may not sum to 100 percent due to rounding.

¹ Smokes roll-your-own cigarettes includes 3 categories combined: all of the time, most of the time and sometimes.

² Nationally, smokes roll-your-own cigarettes 3 categories separately represents: all of the time 6%, most of the time 3%*, sometimes 6%.

Source: Canadian Tobacco Use Monitoring Survey, February - December 2001

Table 11. Average cigarettes smoked per day among those that roll-your-own cigarettes by province, daily smokers, age 15+, Canada 2001

Province	Average cigarettes smoked per day		
	Smokes roll-your-own cigarettes exclusively	Smokes roll-your-own cigarettes most of the time or sometimes	Smokes manufactured cigarettes exclusively
Canada	20.5	18.1	15.6
Newfoundland	20.9	14.3	14.4
Prince Edward Island	19.1	16.7	17.2
Nova Scotia	18.8	17.0	16.8
New Brunswick	21.5	18.7	16.8
Quebec	#	20.5	16.6
Ontario	#	#	15.3
Manitoba	15.7	16.3	14.3
Saskatchewan	15.9	17.1	15.9
Alberta	#	15.9	15.6
British Columbia	#	#	13.9

* Moderate sampling variability, interpret with caution.

High sampling variability - although an estimate may be determined from the table, data should be suppressed.

Estimates may not sum to 100 percent due to rounding.

Source: Canadian Tobacco Use Monitoring Survey, February - December 2001

Table 12. Strength of cigarettes smoked by age group and sex, current smokers, age 15+, Canada 2001

Sex	Age group (years)	Population estimate ('000)	Ultra/Extra light or extra mild (%)	Light or mild (%)	Regular (%)
Total	All age groups	5,189	25	40	35
Male		2,788	23	41	36
Female		2,402	28	39	33
Both sexes					
Both sexes	15-17	234	12*	45	43
	18-19	215	17*	51	32
	20-22	437	29	42	29
	23-24	215	30	41	30
	25-34	1,078	24	46	30
	35-44	1,252	25	42	33
	45+	1,758	27	33	40
Male					
Male	15-19	218	13*	51	36
	20-24	358	24	43	33
	25-44	1,304	22	46	32
	45+	908	26	30	44
Female					
Female	15-19	231	15*	45	40
	20-24	295	35	39	25
	25-44	1,026	28	41	31
	45+	850	28	36	36

* Moderate sampling variability, interpret with caution.

High sampling variability - although an estimate may be determined from the table, data should be suppressed.

Estimates may not sum to 100 percent due to rounding.

Source: Canadian Tobacco Use Monitoring Survey, February - December 2001

Table 13. Strength of cigarettes smoked by province, by age group and sex, current smokers, age 15+, Canada 2001

Province	Sex or age group	Population estimate ('000)	Ultra/Extra light or extra mild (%)	Light or mild (%)	Regular (%)
Canada	Total	5,189	25	40	35
	15-24	1,101	23	44	33
	25+	4,088	26	39	35
	Male (15+)	2,788	23	41	36
	Female (15+)	2,402	28	39	33
Newfoundland	Total	110	14	49	37
	15-24	24	12*	58	30
	25+	86	15*	46	39
	Male (15+)	63	13*	45	41
	Female (15+)	47	15*	54	31
Prince Edward Island	Total	28	23	49	28
	15-24	5	19*	57	24
	25+	23	24	47	29
	Male (15+)	15	17*	53	30
	Female (15+)	13	30	45	25
Nova Scotia	Total	184	30	42	27
	15-24	36	24	49	27
	25+	148	32	41	27
	Male (15+)	94	23	49	28
	Female (15+)	90	38	35	27
New Brunswick	Total	149	24	42	33
	15-24	32	18	46	36
	25+	117	26	42	33
	Male (15+)	78	18*	44	39
	Female (15+)	71	31	41	28
Quebec	Total	1,418	15	37	48
	15-24	290	#	37	56
	25+	1,128	17*	38	46
	Male (15+)	727	#	37	48
	Female (15+)	690	14*	38	48

Province	Sex or age group	Population estimate ('000)	Ultra/Extra light or extra mild (%)	Light or mild (%)	Regular (%)
Ontario	Total	1,812	34	41	25
	15-24	377	39	44	17*
	25+	1,435	32	40	27
	Male (15+)	1,041	31	44	25
	Female (15+)	771	38	37	25*
Manitoba	Total	216	21	42	37
	15-24	50	16*	44	40
	25+	167	22	41	36
	Male (15+)	111	19*	37	43
	Female (15+)	106	22	47	31
Saskatchewan	Total	189	18	46	36
	15-24	46	14*	52	34
	25+	142	19	44	36
	Male (15+)	92	19*	45	37
	Female (15+)	97	17*	48	35
Alberta	Total	563	24	41	34
	15-24	129	19	48	33
	25+	434	26	39	35
	Male (15+)	308	21	41	38
	Female (15+)	255	29	42	30
British Columbia	Total	521	28	38	35
	15-24	114	25	50	25
	25+	407	29	34	37
	Male (15+)	258	20*	38	42
	Female (15+)	263	36	37	27*

* Moderate sampling variability, interpret with caution.

High sampling variability - although an estimate may be determined from the table, data should be suppressed.

Estimates may not sum to 100 percent due to rounding.

Source: Canadian Tobacco Use Monitoring Survey, February - December 2001

Table 14. Exposure of children at home to Environmental Tobacco Smoke (ETS), by province and age group, Canada 2001

Province	% Children Age 0-11 regularly exposed	% Children Age 12-17 regularly exposed	% Children Age 0-17 regularly exposed
Canada	19	27	22
Newfoundland	23	32	27
Prince Edward Island	26	28	27
Nova Scotia	22	31	25
New Brunswick	24	33	28
Quebec	28	36	31
Ontario	15	23	18
Manitoba	23	30	25
Saskatchewan	25	29	27
Alberta	19	27	22
British Columbia	9	18	12

* Moderate sampling variability, interpret with caution.

High sampling variability - although an estimate may be determined from the table, data should be suppressed.

Estimates may not sum to 100 percent due to rounding.

Source: Canadian Tobacco Use Monitoring Survey, Household component, February - December 2001

Table 15. Description of the sample size represented, age 15+, Canada 2001

	Newfoundland	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Canada
Male	981	979	996	974	1,021	1,053	992	1,003	1,067	1,005	10,071
Female	1,159	1,214	1,193	1,155	1,134	1,205	1,114	1,210	1,149	1,184	11,717
15-19	625	622	592	569	513	568	548	591	575	596	5,799
20-24	453	475	455	475	515	508	471	488	532	424	4,796
25-34	227	240	235	212	225	226	204	219	261	214	2,263
35-44	281	228	252	283	271	280	272	241	312	302	2,722
45-54	234	222	270	225	231	242	214	227	231	246	2,342
55+	320	406	385	365	400	434	397	447	305	407	3,866
Total	2,140	2,193	2,189	2,129	2,155	2,258	2,106	2,213	2,216	2,189	21,788

Source: Canadian Tobacco Use Monitoring Survey, February - December 2001