

Concentrations of nitrosamines, nitrite, and nitrate in foods from Total Diet Study in St. John's (NF), 2001

Sample code	Description	Nitrosamines (ppb)	NO ₂ (ppm)	NO ₃ (ppm)
AA09	Cheese	Neg.	Neg.	1.173
AA10	Cheese, cottage	Neg.	Neg.	1.676
AA11	Cheese, processed	Neg.	Neg.	5.11
AA12	Butter	Neg. DMN-0.15	0.171	2.35
BB08	Luncheon meats, cold cuts	ppb	6.777	4.461
BB11	Wieners and sausages	DMN-0.5 ppb	5.194	0.661
DD02	Fish, fresh water	Neg.	0.047	1.353
DD03	Fish, canned	Neg.	0.13	2.06
DD04	Shellfish	Neg.	0.438	2.603
EE01	Soups, meat, canned	Neg.	0.042	4.794
FF15	Pancakes and waffles	Neg.	0.119	2.388
II02	Margarine	Neg.	Neg.	2.089
LL01	Cereals, mixed	Neg.	0.134	1.052
LL02	Desserts	Neg.	0.085	3.541
LL03	Dinners, cereal + vegetable + meat Dinners, meat or poultry + vegetable	Neg.	Neg.	3.893
LL04	vegetable	Neg.	Neg.	3.229
LL05	Formulae, milk base	Neg.	0.297	0.894
LL06	Formulae, soya base	DMN-0.2 ppb	0.334	1.858
LL07	Fruit, apple or peach	Neg.	0.167	2.799
LL08	Meat, poultry or eggs	Neg.	Neg.	2.199
LL09	Vegetable, peas	Neg.	0.057	2.48
MM02	Frozen Entrees	DMN-0.4 ppb	Neg.	6.68
NN03	Hamburger	DMN-0.2 ppb	Neg.	2.05
NN04	Chicken burger	DMN-0.2 ppb	Neg.	2.234
NN05	Hot dog	DMN-0.2 ppb	0.99	2.874
NN06	Chicken, nuggets	Neg.	0.373	1.382