## Concentrations (pg/g wet wt.) of total PCBs in fatty foods from Total Diet Study in St. John's, $2001\,$

Code	Description	Concentration (ppt)
AA01	Whole milk	116.9
AA02	2% milk	40.4
AA03	1% milk	55.5
AA04	Skim milk	6.8
AA05	Evaporated milk, canned	72.7
AA06	Cream	217.9
AA07	Ice cream	241.3
AA08	Yogurt	215.4
AA09	Cheddar cheese	515.4
AA10	Cottage cheese	50.0
AA11	Processed cheese	384.8
AA12	Butter	1513.6
BB01	Beef steak	244.5
BB02	Beef roast	194.6
BB03	Ground beef	582.4
BB04	Fresh pork	419.4
BB05	Pork cured	415.0
BB06	Veal	113.8
BB07	Lamb	206.4
BB08	Cold cuts	328.8
BB09	Luncheon meats, canned	270.5
BB10	Organ meats	660.8
BB11	Wieners	421.2
CC01	Eggs	165.5
CC02	Poultry, chicken and turkey	168.9
CC03	Liver pate	299.0
DD01	Marine fish	1307.9
DD02	Fresh water fish	16201.5
DD03	Canned fish	943.2
DD04	Shell fish	300.9
EE01	Soups, meat, canned	41.2
EE03	Soups, broth, canned	10.0
EE04	Soups, dehydrated	26.5
II01	Cooking fats and salad oils	158.6
1102	Margarine	132.2
1104	Mayonnaise	125.9
JJ01	Chocolate bars	388.6
LL03	Dinner, cereal + vegetable + meat	35.1
LL04	Dinner, meat or poultry + vegetable	57.1
LL05	Formulae, milk base	16.1
LL06	Formulae, soya base	n/a
LL08	Meat, poultry or eggs	151.0
MM02	Frozen entrees	82.9
NN01	Pizza	305.0
NN02	French fries	96.8
NN03	Hamburger	280.2
NN04	Chicken burger	142.2
NN05	Hot dog	657.0
NN06	Chicken nuggets	148.6

n/a: not available