



Index

INDEX

- 2,4-Dichlorophenoxyacetic acid (Weedkiller), 41, 45, 96, 151, see *Contaminant Profiles*
- acoustical radiation, 75
- acetone, 158, see *Contaminant Profiles*
- additive, 17, 48, 125, 126, 138–142, 169, 174, 188
- aesthetic objective (AO), 100, 102
- aflatoxins, 53, 54, 134, 135
- air, 5, 7, 15, 16, 19, 25–27, 31, 35, 37, 39, 40, 46, 47, 49, 51–53, 56, 60, 65, 66, 68, 75, 76, 79–84, 99, 113–125, 139, 147, 151, 152, 155–164, 166, 168, 173, 175, 181–183, 186, 188–190
- air monitoring and regulation, 116
- air pollutants, 15, 31, 39, 113, 115, 116, 118–121, 123
- air pollutants and health, 118
- aldehydes, 155
- aldrin and dieldrin, 138, see *Contaminant Profiles*
- aluminum, 48, 49, 103, 142, 143, 183, see *Contaminant Profiles*
- ammonium phosphates, see *Contaminant Profiles*
- antibiotics & growth hormones (in food), 125, 126, 142
and Bovine Somatotrophin (BST), 143
- Arctic, 28, 37, 41, 115
- arsenic, 48, 49, 96, 108, 115, 149, 185, 188, see *Contaminant Profiles*
- asbestos and fibrous materials, see *Contaminant Profiles*
- automobiles, vehicles, 26, 31, 45, 46, 75, 76, 78, 79, 114–116, 121, 123, 124, 147, 190
- bacteria, 13, 16, 35, 39, 51–55, 81, 89, 95, 96, 98–111, 126–128, 135, 136, 139, 142, 149, 155, 156, 170
- barbecue syndrome, 127, 128
- basements (of homes), 147, 148
- beach postings, 111
- behavioural and neurobehavioural effects, 16, 133, 168
- benzo[a]pyrene and related compounds, 37, 46, 135, 159
- bioaccumulation, 37, 169
- biomagnify, 37, 169
- birds, 14, 17, 45, 52, 76
- birth defects, 5, 15, 16, 43, 63, 174, 187
- bottled water, 27, 107, 109, 184, 191
- breast milk, 46, 47, 79, 130, 132–134, 184, 187–189
- BTEX: Benzene, Toluene, Ethyl benzene & Xylene/Gasoline, 44, 48, 96, 114, 115, 155–157, 159, 173, see *Contaminant Profiles*
- building materials, 36, 81, 156, 163
- cadmium, 35, 36, 37, 48–51, 66, 115, 128, 130, 144, 147, 172, see *Contaminant Profiles*
- Campylobacter* spp., 51, 54, 112, 126, see *Contaminant Profiles*
- Canadian Environmental Assessment Act* (CEAA), 22
- Canadian Environmental Protection Act* (CEPA), 21, 47, 123
- cancer, 5, 6, 13, 15, 22, 26, 27, 29, 30, 46, 47, 50, 55, 58, 60–65, 67, 71, 74, 88–94, 101, 102, 105, 113, 134, 139, 156, 159, 166, 169, 174, 181, 182, 185–187
- carbon dioxide, 107, 114, 155–157, 173
- carbon monoxide (CO), 113–117, 121, 123, 157, 159, 160, 181, see *Contaminant Profiles*
- chemicals (organic or inorganic forms), 17, 35, 36, 95, 100, 112, 148, 172, 173
- children, 3, 14, 25, 30–32, 44, 49, 50, 53, 63, 69, 75, 79, 93, 102
- chlorinated naphthalenes, 45–47
- chlorination by-products (e.g. THMs), 103–106, 112
- chlorofluorocarbons (CFCs), 69, 113, 185, see *Contaminant Profiles*
- chlorophenols/PCP, 96, see *Contaminant Profiles*
- chromium, 48, 50, 115, 143, 149, 185, 190
- Clostridium botulinum*, 54, 112, see *Contaminant Profiles*
- Clostridium perfringens*, 54, 112, see *Contaminant Profiles*

combustion by-products, 157
 consumer products, 36, 47–49, 51, 56, 79, 155, 158, 161
 cookware safety, 142
 copper, 106, 143, 149, 185, 190
Cryptosporidium spp., 52, 53, 55, 102, see *Contaminant Profiles*
 damage to the immune system, 14–16, 46
 DDT and related compounds: DDE, TDE, DDA, methoxychlor, 14, 17, 28, 37, 38, 42, 125, 129, 132, 133, 138, see *Contaminant Profiles*
 dioxins (polychlorinated dibenzodioxins) and furans (polychlorinated dibenzofurans), 17, 31, 33, 35, 37, 45–48, 115, 128, 130–133, 170, 183, 186, 190, see *Contaminant Profiles*
 domestic pesticide use, 151
 dose and response (dose-response), 7, 19, 20, 22, 87, 88, 90–92, 170
 dose-response relationship, 22, 87, 88, 90–92, 170
 drinking water guidelines, 62, 98, 100, 107
 drinking water (treated), 102, 106
 elderly, 30, 31, 77, 93, 103, 118, 119, 121, 126, 127, 157, 161, 181
 electromagnetic fields (EMF), 71, 72, 183, 186, 187
 environmental contamination, 32, 125, 128, 151
 environmental tobacco smoke (ETS), 159, 160
 epidemiological studies, 22, 62, 63, 74, 88–93, 170, 189
Escherichia coli (E. coli), 51, 54, 111, see *Contaminant Profiles*
 estimated daily intake, 83, 84, 93, 171
 exposure pathway, 79, 81–84, 147, 151, 171, 190
 exposure: water, soil, air, food, 5, 26, 31, 79–85, 116–118, 124, 125, 129–134, 147–152, 162, 164–166
 farmers, farm workers, 40–43, 137
 fecal coliforms, 55, 110
 fish, 14, 15, 17, 30–32, 38, 41–43, 45, 48–50, 81, 109, 115, 125, 128–134, 136, 140, 188
 fish consumption advisories, 32, 42, 43, 132
 fluoride, 103, 107, 181, see *Contaminant Profiles*
 food, 3, 6, 7, 13, 19, 27, 30, 35–40, 42–44, 46–55, 59, 60, 63–66, 79–84, 102, 107, 115, 125–129, 132–146, 151, 152, 164, 167, 170, 171, 183, 187, 188, 190
 food additives, 125, 126, 138, 139, 141, 142, 186
Food and Drugs Act and Regulations, 44, 47, 51, 55, 107, 135, 137, 138, 141, 142
 food poisoning, 53, 54, 126, 127, 139
 formulant, 41, 44, 171
 fossil fuels, 46, 49, 113, 115
 gasoline, 48, 114, 115, 157, 173
 greenhouse effect, 114
 groundwater, 42, 48, 49, 59, 66, 79, 80, 95–99, 105, 147, 153, 182
 guideline, 21, 23, 39, 44, 47, 48, 51, 55, 62, 63, 66, 67, 78, 98–102, 105–107, 110, 111, 116, 118, 124, 125, 129, 132, 134, 142, 150–153, 157, 162, 171, 182–184, 188–190
Guidelines for Canadian Drinking Water Quality, 44, 47, 51, 55, 67, 100–102, 182, 183
 guidelines for soil quality, 151
 half-life, 57–59, 60, 64, 65, 172, 173
 hazard, 19, 20, 24, 26, 27, 29, 32, 35, 41, 43, 44, 50, 55, 57, 58, 66, 75, 85, 91, 97, 100, 102, 110–112, 137, 139, 142, 143, 147, 149, 164, 166, 167, 169, 174, 189
Hazardous Products Act, 47, 50, 51
 health care costs, 121
 hexachlorobenzene (HCB), 37, 130, 132, 133, see *Contaminant Profiles*
 high-risk populations, 15
 home products (using them safely), 166
 home renovations, 148, 164
 hormonal (endocrine) function, 14

hospital admissions, 119, 121
incinerators, 35, 48, 50, 115, 161
indoor air quality, 155, 162, 183, 188
inheritable damage, 16
insect repellents, 168
integrative pest management (IPM), 40, 151
interim maximum acceptable concentration (IMAC), 101, 105
kerosene heaters, 156–158
lead, 16, 31, 35–38, 48–51, 66, 67, 81, 93, 100, 106, 107, 110, 113–116, 128, 130, 144, 145, 148–151, 155, 158, 162, 164–166, 172, 183, 185, 190, *see Contaminant Profiles*
lead-based paint, 50, 148, 158, 164–166
lethal dose-50 (LD-50), 87, 88, 172
lifestyle factors: diet, age, smoking, alcohol ingestion, 13, 26, 50, 90
lowest observed adverse effect level (LOAEL), 91, 92, 172
maximum acceptable concentration (MAC), 67, 96, 100, 101, 105, 117, 162, 172
mercury, 14, 31, 36, 37, 48–51, 66, 92, 108, 115, 116, 128–132, 161, 172, *see Contaminant Profiles*
metals, 35–37, 47–51, 66, 82, 114, 115, 143, 151
microbial contamination, 95, 125, 126
micro-organisms: bacteria, fungi viruses, protozoa, 35, 38, 51–53, 55, 81, 82, 102–104, 106, 109, 111, 128, 140, 156
mining, 36, 49, 56, 60, 64, 82, 99, 119
mirex, 37, 128, 130, 131, 133, 138, *see Contaminant Profiles*
moulds, 52, 53, 134, 135, 138, 139, 155, 156, 162, 163, *see Contaminant Profiles*
naturally occurring contaminants, 125, 134
nickel, 48–50, 115, 143
nitrites, nitrates and nitrosamines, 95, 96, 98, 99, 104, 107–109, 134, 135, 139, 171, *see Contaminant Profiles*
nitrogen oxides (NO_x), 113–116, 123, 157, 160, 184, *see Contaminant Profiles*
no observed adverse effect level (NOAEL), 91, 92, 173
noise, 75–78, 183
non-point source, 35, 38, 173
Ontario Drinking Water Objectives, 66, 98, 109, 188, 189
organic agriculture, 40
ozone: see smog and ground-level ozone, *see Contaminant Profiles*
paint strippers, 158, 165, 166
parasites, 52–55, 102, 105, 108, 125, 136
particulate matter, 103, 113–116, 121, 136, 147, 160, 161, *see Contaminant Profiles*
perchloroethylene (Perc)/PCE/Tetrachloroethylene, *see Contaminant Profiles*
pesticide residues, 42, 80, 109, 126, 136–138, 167
pesticides, 3, 6, 14, 17, 31, 34, 39–45, 48, 95–98, 100, 125, 128–130, 132, 134, 136–138, 147, 148, 151, 158, 167, 187, 188, 190
phthalates, *see Contaminant Profiles*
plutonium-239, 58, 64
point of entry (POE) systems, 108
point of use (POU) devices, 108
point source, 35, 38, 148, 153, 173
polychlorinated biphenyls – PCBs, 14, 15, 17, 28, 31, 35, 37, 38, 45–48, 82, 115, 128–134, 173, 186, 188, 189, *see Contaminant Profiles*
polycyclic aromatic hydrocarbons (PAHs), 45–47, 112, 114, 134, 135, 160, *see Contaminant Profiles*
pressure-treated wood, 149, 190
private drinking water supplies, 95, 99
radiation (ionising and non-ionising types), 35, 55–63, 66, 68, 71, 75, 82, 169, 174, 186, 190
radioiodine, 60, 64
radium-226, 58, 60, 64, 65, 67
radon, 56, 58, 60, 65, 66, 81, 99, 161, 163, 185, *see Contaminant Profiles*

recreational water quality, 55, 109, 110, 183
 reducing outdoor air pollution, 123
 reproductive behaviour, 14
 reproductive damage, 16
 respiratory diseases, 13, 31, 118–120, 157, 181, 185
 risk, 5, 7, 13, 15, 19–26, 28–33, 38, 39, 42–48, 51, 55, 58, 59, 61–64, 67, 69, 71, 74, 83, 87, 89–94, 99, 101, 103–105, 110–112, 118, 120, 122, 126, 127, 129, 130, 132, 136, 137, 142, 144, 147–153, 157, 159–161, 164, 166–169, 171, 173, 174, 181–191
 risk communication, 23, 28, 29
 risk determination, 16, 19, 20, 23, 28
 risk factor, 13, 63, 90, 120, 185
 risk perception, 19, 23–26, 28
 road salt, 96, 97, see *Contaminant Profiles*
 routes of exposure (ingestion, inhalation, dermal contact), 46, 81, 87, 152
Salmonella spp., 54, 102, 126, see *Contaminant Profiles*
 seafood toxins, 53, 125, 136
 sexual development, 14, 16
 smog and ground-level ozone, 25, 27, 113–118, 121–123, 125, 183, 184, see *Contaminant Profiles*
 sodium chloride, 36, 96, see *Contaminant Profiles*
 soil, 31, 35, 37, 38, 40, 42, 48–52, 59, 64, 65, 79–82, 84, 96, 115, 125, 147–153, 165, 170, 184, 190
 soil quality, 147, 151–153, 183, 184
 standard, 23, 39, 42, 55, 66, 74, 77, 78, 92, 98, 100, 107, 111, 116, 118, 123, 135, 149, 164, 174, 181, 188
Staphylococcus aureus, 51, 54, 112, see *Contaminant Profiles*
 strontium-90, 58, 60, 65, 67
 subtle effects on the reproductive, endocrine, neurologic, and immune systems in developing offspring, 14, 50
 sulphur dioxide (SO₂), 113–117, 140, 157, see *Contaminant Profiles*
 surface water, 42, 59, 66, 79, 80, 96, 98, 99, 103, 105, 109, 111
 synergistic, 17, 174
 tanning, sunburn, 68–71, 168
 testing, private drinking water supplies, 98–100
 threshold, 32, 61–64, 66, 74, 76, 90–92, 118, 119
 tobacco smoke, 46, 155, 156, 159–161
 toxaphene, 37, 41, 42, 130, 138, see *Contaminant Profiles*
 toxicological studies, 17, 19, 22, 88, 90, 91
 trihalomethanes (THMs), 104–106, 108, see *Contaminant Profiles*
 tritium, 58, 61, 65, 67, 97, 187, see *Contaminant Profiles*
 uranium, 55–58, 64–67, 98, 99
 ventilation systems, 51, 53, 81, 155, 160
Vibrio vulnificus, see *Contaminant Profiles*
 video-display terminals (VDTs), 72, 74
 vinyl chloride, 116, 147, 173, see *Contaminant Profiles*
 viruses, 35, 39, 51–54, 71, 95, 103, 105, 108, 110, 155, 156, 170
 volatile organic compounds (VOCs), 37, 114, 115, 123, 147, 156, 175, 184, 187
 waste dumps, 97
 water treatment systems, 102, 108, 181
 water quality, 7, 26, 27, 37, 44, 47, 51, 55, 67, 95, 96, 98, 100–102, 104, 107–112, 142, 145, 171, 173, 182, 183, 186, 188, 189, 191
 water vapour (humidity), 114, 162
 weight of evidence, 13, 23, 104, 105
 wildlife, 3, 13–15, 23, 28, 30, 32, 37, 43, 47, 49, 81, 109, 115, 128–132
 wood smoke, 46, 155