



Catalogue no. 16-253-XIE

Canadian Environmental Sustainability Indicators: Socio-economic Information

2005



Statistics
Canada Statistique
Canada

Canada

How to obtain more information

Specific inquiries about this product and related statistics or services should be directed to: Environment Accounts and Statistics Division, Statistics Canada, Ottawa, Ontario, K1A 0T6 (telephone: 1 800 263 1136).

For information on the wide range of data available from Statistics Canada, you can contact us by calling one of our toll free numbers. You can also contact us by e-mail or by visiting our website.

National inquiries line **1 800 263-1136**

National telecommunications device for the hearing impaired **1 800 363-7629**

Depository Services Program inquiries **1 800 700-1033**

Fax line for Depository Services Program **1 800 889-9734**

E-mail inquiries ***infostats@statcan.ca***

Website ***www.statcan.ca***

Ordering and subscription information

This product, Catalogue no. 16-253-XIE, is available on the Statistics Canada Internet site free of charge. To obtain single issues visit our website at *www.statcan.ca*, and select Products and Services.

Standards of service to the public

Statistics Canada is committed to serving its clients in a prompt, reliable and courteous manner and in the official language of their choice. To this end, the Agency has developed *standards of service* which its employees observe in serving its clients. To obtain a copy of these service standards, please contact Statistics Canada toll free at 1 800 263-1136. The service standards are also published on *www.statcan.ca* under About Statistics Canada > Providing services to Canadians.



Statistics Canada
Environment Accounts and Statistics Division

Canadian Environmental Sustainability Indicators: Socio-economic Information

2005

Published by authority of the Minister responsible for Statistics Canada

© Minister of Industry, 2006

All rights reserved. The content of this publication may be reproduced, in whole or in part, and by any means, without further permission from Statistics Canada, subject to the following conditions: that it is done solely for the purposes of private study, research, criticism, review, newspaper summary, and/or for non-commercial purposes; and that Statistics Canada be fully acknowledged as follows: Source (or "Adapted from", if appropriate): Statistics Canada, name of product, catalogue, volume and issue numbers, reference period and page(s). Otherwise, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopy, for any purposes, without the prior written permission of Licensing Services, Marketing Division, Statistics Canada, Ottawa, Ontario, Canada K1A 0T6.

March 2006

Catalogue no. 16-253-XIE

ISSN 1715-958X

Frequency: Annual

Ottawa

La version française de cette publication est disponible sur demande (n° 16-253-XIF au catalogue).

Note of appreciation

Canada owes the success of its statistical system to a long standing partnership between Statistics Canada, the citizens of Canada, its businesses, governments and other institutions. Accurate and timely statistical information could not be produced without their continued cooperation and goodwill.

User information

Symbols

The following standard symbols are used in Statistics Canada publications:

- . not available for any reference period
- .. not available for a specific reference period
- ... not applicable
- 0 true zero or a value rounded to zero
- 0^s value rounded to 0 (zero) where there is a meaningful distinction between true zero and the value that was rounded
- p preliminary
- r revised
- x suppressed to meet the confidentiality requirements of the *Statistics Act*
- E use with caution
- F too unreliable to be published

Table of contents

Introduction	17
Putting the indicators in context	18
Socio-economic information	19
Land cover	19
Population	19
Economy	21
Future improvements	24
Related products	25
Statistical tables	
1 Land cover by category, Canada, major drainage area and sub-drainage area, 2000	27
1-1 Maritime Provinces	27
1-2 St. Lawrence	28
1-3 Northern Quebec and Labrador	30
1-4 Southwestern Hudson Bay	31
1-5 Nelson River	32
1-6 Western and Northern Hudson Bay	33
1-7 Great Slave Lake	34
1-8 Pacific	35
1-9 Yukon River	36
1-10 Arctic	37
1-11 Mississippi River	38
2 Population by province and territory	39
2-1 1921 to 1949	39
2-2 1950 to 1979	40
2-3 1980 to 2005	42
3 Selected population characteristics, Canada, provinces and territories, 1981 to 2001	43
3-1 Total population	43
3-2 Female population	43
3-3 Male population	44

Table of contents – continued

3-4	Population density	44
3-5	Urban population	45
3-6	Urban female population	45
3-7	Urban male population	46
3-8	Urban population as a share of total population	46
3-9	Rural population	47
3-10	Rural female population	47
3-11	Rural male population	48
3-12	Rural population as a share of total population	48
3-13	Private dwellings	49
3-14	Private dwelling density	49
3-15	Population per private dwelling	50
4	Total population by major drainage area and sub-drainage area, 1981 to 2001	50
4-1	Maritime Provinces	50
4-2	St. Lawrence	51
4-3	Northern Quebec and Labrador	51
4-4	Southwestern Hudson Bay	52
4-5	Nelson River	52
4-6	Western and Northern Hudson Bay	53
4-7	Great Slave Lake	53
4-8	Pacific	54
4-9	Yukon River	54
4-10	Arctic	55
4-11	Mississippi River	55
5	Female population, by major drainage area and sub-drainage area, 1981 to 2001	56
5-1	Maritime Provinces	56
5-2	St. Lawrence	56
5-3	Northern Quebec and Labrador	57
5-4	Southwestern Hudson Bay	57
5-5	Nelson River	58
5-6	Western and Northern Hudson Bay	58
5-7	Great Slave Lake	59
5-8	Pacific	59
5-9	Yukon River	60
5-10	Arctic	60
5-11	Mississippi River	61

Table of contents – continued

6	Male population, by major drainage area and sub-drainage area, 1981 to 2001	61
6-1	Maritime Provinces	61
6-2	St. Lawrence	62
6-3	Northern Quebec and Labrador	62
6-4	Southwestern Hudson Bay	63
6-5	Nelson River	63
6-6	Western and Northern Hudson Bay	64
6-7	Great Slave Lake	64
6-8	Pacific	65
6-9	Yukon River	65
6-10	Arctic	66
6-11	Mississippi River	66
7	Population density, by major drainage area and sub-drainage area, 1981 to 2001	67
7-1	Maritime Provinces	67
7-2	St. Lawrence	67
7-3	Northern Quebec and Labrador	68
7-4	Southwestern Hudson Bay	68
7-5	Nelson River	69
7-6	Western and Northern Hudson Bay	69
7-7	Great Slave Lake	70
7-8	Pacific	70
7-9	Yukon River	71
7-10	Arctic	71
7-11	Mississippi River	72
8	Urban population, by major drainage area and sub-drainage area, 1981 to 2001	72
8-1	Maritime Provinces	72
8-2	St. Lawrence	73
8-3	Northern Quebec and Labrador	73
8-4	Southwestern Hudson Bay	74
8-5	Nelson River	74
8-6	Western and Northern Hudson Bay	75
8-7	Great Slave Lake	75
8-8	Pacific	76
8-9	Yukon River	76
8-10	Arctic	77
8-11	Mississippi River	77

Table of contents – continued

9	Urban female population, by major drainage area and sub-drainage area, 1981 to 2001	78
9-1	Maritime Provinces	78
9-2	St. Lawrence	78
9-3	Northern Quebec and Labrador	79
9-4	Southwestern Hudson Bay	79
9-5	Nelson River	80
9-6	Western and Northern Hudson Bay	80
9-7	Great Slave Lake	81
9-8	Pacific	81
9-9	Yukon River	82
9-10	Arctic	82
9-11	Mississippi River	83
10	Urban male population, by major drainage area and sub-drainage area, 1981 to 2001	83
10-1	Maritime Provinces	83
10-2	St. Lawrence	84
10-3	Northern Quebec and Labrador	84
10-4	Southwestern Hudson Bay	85
10-5	Nelson River	85
10-6	Western and Northern Hudson Bay	86
10-7	Great Slave Lake	86
10-8	Pacific	87
10-9	Yukon River	87
10-10	Arctic	88
10-11	Mississippi River	88
11	Urban population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001	89
11-1	Maritime Provinces	89
11-2	St. Lawrence	89
11-3	Northern Quebec and Labrador	90
11-4	Southwestern Hudson Bay	90
11-5	Nelson River	91
11-6	Western and Northern Hudson Bay	91
11-7	Great Slave Lake	92
11-8	Pacific	92
11-9	Yukon River	93
11-10	Arctic	93
11-11	Mississippi River	94

Table of contents – continued

12 Rural population, by major drainage area and sub-drainage area, 1981 to 2001	94
12-1 Maritime Provinces	94
12-2 St. Lawrence	95
12-3 Northern Quebec and Labrador	95
12-4 Southwestern Hudson Bay	96
12-5 Nelson River	96
12-6 Western and Northern Hudson Bay	97
12-7 Great Slave Lake	97
12-8 Pacific	98
12-9 Yukon River	98
12-10 Arctic	99
12-11 Mississippi River	99
13 Rural female population, by major drainage area and sub-drainage area, 1981 to 2001	100
13-1 Maritime Provinces	100
13-2 St. Lawrence	100
13-3 Northern Quebec and Labrador	101
13-4 Southwestern Hudson Bay	101
13-5 Nelson River	102
13-6 Western and Northern Hudson Bay	102
13-7 Great Slave Lake	103
13-8 Pacific	103
13-9 Yukon River	104
13-10 Arctic	104
13-11 Mississippi River	105
14 Rural male population, by major drainage area and sub-drainage area, 1981 to 2001	105
14-1 Maritime Provinces	105
14-2 St. Lawrence	106
14-3 Northern Quebec and Labrador	106
14-4 Southwestern Hudson Bay	107
14-5 Nelson River	107
14-6 Western and Northern Hudson Bay	108
14-7 Great Slave Lake	108
14-8 Pacific	109
14-9 Yukon River	109
14-10 Arctic	110
14-11 Mississippi River	110

Table of contents – continued

15 Rural population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001	111
15-1 Maritime Provinces	111
15-2 St. Lawrence	111
15-3 Northern Quebec and Labrador	112
15-4 Southwestern Hudson Bay	112
15-5 Nelson River	113
15-6 Western and Northern Hudson Bay	114
15-7 Great Slave Lake	114
15-8 Pacific	115
15-9 Yukon River	115
15-10 Arctic	116
15-11 Mississippi River	116
16 Private dwellings, by major drainage area and sub-drainage area, 1981 to 2001	117
16-1 Maritime Provinces	117
16-2 St. Lawrence	117
16-3 Northern Quebec and Labrador	118
16-4 Southwestern Hudson Bay	118
16-5 Nelson River	119
16-6 Western and Northern Hudson Bay	119
16-7 Great Slave Lake	120
16-8 Pacific	120
16-9 Yukon River	121
16-10 Arctic	121
16-11 Mississippi River	122
17 Private dwelling density, by major drainage area and sub-drainage area, 1981 to 2001	122
17-1 Maritime Provinces	122
17-2 St. Lawrence	123
17-3 Northern Quebec and Labrador	123
17-4 Southwestern Hudson Bay	124
17-5 Nelson River	124
17-6 Western and Northern Hudson Bay	125
17-7 Great Slave Lake	125
17-8 Pacific	126
17-9 Yukon River	126
17-10 Arctic	127
17-11 Mississippi River	127

Table of contents – continued

18	Population per private dwelling by major drainage area and sub-drainage area, 1981 to 2001	128
18-1	Maritime Provinces	128
18-2	St. Lawrence	128
18-3	Northern Quebec and Labrador	129
18-4	Southwestern Hudson Bay	129
18-5	Nelson River	130
18-6	Western and Northern Hudson Bay	130
18-7	Great Slave Lake	131
18-8	Pacific	131
18-9	Yukon River	132
18-10	Arctic	132
18-11	Mississippi River	133
19	Energy use, by sector, 1990 to 2000	134
20	Energy use intensity by sector, 1990 to 2000	136
21	Greenhouse gas emissions by sector, 1990 to 2000	138
22	Greenhouse gas emissions intensity by sector, 1990 to 2000	140
23	Basic energy indicators, Canada	142
23-1	1961 to 1989	142
23-2	1990 to 2004	142
24	Energy consumption by province	143
24-1	1978 to 1993	143
24-2	1994 to 2004	143
25	Electric power generation by province and territory	144
25-1	1977 to 1992	144
25-2	1993 to 2004	145
26	Electric power generation by source	146
26-1	1977 to 1992	146
26-2	1993 to 2004	146
27	Labour force characteristics for Canada	147
27-1	1976 to 1989	147
27-2	1990 to 2005	147
28	Labour force by province	148
28-1	1976 to 1989	148
28-2	1990 to 2005	148
29	Government capital investments, 1991 to 2005	149

Table of contents – continued

30	Private capital investments, 1991 to 2005	150
31	Gross Domestic Product (GDP), expenditure-based, by province and territory	150
31-1	1981 to 1988	150
31-2	1989 to 1996	151
31-3	1997 to 2004	151
32	Number of cattle	152
32-1	1940 to 1979	152
32-2	1980 to 2006	153
33	Number of pigs	154
33-1	1931 to 1959	154
33-2	1960 to 1989	155
33-3	1990 to 2006	155
34	Production of poultry	156
34-1	1963 to 1989	156
34-2	1990 to 2004	156
35	Number of sheep	157
35-1	1940 to 1964	157
35-2	1965 to 1989	158
35-3	1990 to 2006	158
36	Small grain production and yield	159
36-1	1908 to 1929	159
36-2	1930 to 1959	160
36-3	1960 to 1989	161
36-4	1990 to 2006	161
37	Selected field crop production and yield	162
37-1	1908 to 1929	162
37-2	1930 to 1949	163
37-3	1950 to 1969	164
37-4	1970 to 1989	165
37-5	1990 to 2006	166
38	Land area, by province and territory, 1981 to 2001	167
39	Number of farms, by province and territory, 1981 to 2001	167
40	Agricultural land area, by province and territory, 1981 to 2001	167
41	Average farm size, by province and territory, 1981 to 2001	168
42	Share of total area in agricultural land, by province and territory, 1981 to 2001	168

Table of contents – continued

43	Cropland area, by province and territory, 1981 to 2001	168
44	Improved pasture area, by province and territory, 1981 to 2001	169
45	Area of hay, by province and territory, 1981 to 2001	169
46	Number of cattle, by province and territory, 1981 to 2001	169
47	Density of cattle by province and territory, 1981 to 2001	170
48	Chemical product expenses, by province and territory, 1981 to 2001	170
49	Chemical product expenses per land area, by province and territory, 1981 to 2001	171
50	Fertilizer expenses, by province and territory, 1981 to 2001	171
51	Fertilized area, by province and territory, 1981 to 2001	172
52	Fertilizer expenses per land area, by province and territory, 1981 to 2001	172
53	Number of trucks on farms, by province and territory, 1981 to 2001	172
54	Number of tractors on farms, by province and territory, 1981 to 2001	173
55	Number of automobiles on farms, by province and territory, 1981 to 2001	173
56	Number of farms, by major drainage area and sub-drainage area, 1981 to 2001	173
56-1	Maritime Provinces	173
56-2	St. Lawrence	174
56-3	Northern Quebec and Labrador	174
56-4	Southwestern Hudson Bay	174
56-5	Nelson River	175
56-6	Western and Northern Hudson Bay	175
56-7	Great Slave Lake	175
56-8	Pacific	176
56-9	Mississippi River	176
57	Agricultural land area, by major drainage area and sub-drainage area, 1981 to 2001	176
57-1	Maritime Provinces	176
57-2	St. Lawrence	177
57-3	Northern Quebec and Labrador	177
57-4	Southwestern Hudson Bay	178
57-5	Nelson River	178
57-6	Western and Northern Hudson Bay	178
57-7	Great Slave Lake	179
57-8	Pacific	179
57-9	Mississippi River	179
58	Average farm size, by major drainage area and sub-drainage area, 1981 to 2001	180
58-1	Maritime Provinces	180
58-2	St. Lawrence	180
58-3	Northern Quebec and Labrador	181

Table of contents – continued

58-4	Southwestern Hudson Bay	181
58-5	Nelson River	181
58-6	Western and Northern Hudson Bay	182
58-7	Great Slave Lake	182
58-8	Pacific	182
58-9	Mississippi River	183
59	Share of total area in agricultural land, for major drainage area and sub-drainage area, 1981 to 2001	183
59-1	Maritime Provinces	183
59-2	St. Lawrence	184
59-3	Northern Quebec and Labrador	184
59-4	Southwestern Hudson Bay	185
59-5	Nelson River	185
59-6	Western and Northern Hudson Bay	186
59-7	Great Slave Lake	186
59-8	Pacific	186
59-9	Mississippi River	187
60	Cropland area, by major drainage area and sub-drainage area, 1981 to 2001	187
60-1	Maritime Provinces	187
60-2	St. Lawrence	188
60-3	Northern Quebec and Labrador	188
60-4	Southwestern Hudson Bay	189
60-5	Nelson River	189
60-6	Western and Northern Hudson Bay	189
60-7	Great Slave Lake	190
60-8	Pacific	190
60-9	Mississippi River	190
61	Improved pasture area, by major drainage area and sub-drainage area, 1981 to 2001	191
61-1	Maritime Provinces	191
61-2	St. Lawrence	191
61-3	Northern Quebec and Labrador	192
61-4	Southwestern Hudson Bay	192
61-5	Nelson River	192
61-6	Western and Northern Hudson Bay	193
61-7	Great Slave Lake	193
61-8	Pacific	193
61-9	Mississippi River	194

Table of contents – continued

62	Area of hay, by major drainage area and sub-drainage area, 1981 to 2001	194
62-1	Maritime Provinces	194
62-2	St. Lawrence	195
62-3	Northern Quebec and Labrador	195
62-4	Southwestern Hudson Bay	196
62-5	Nelson River	196
62-6	Western and Northern Hudson Bay	196
62-7	Great Slave Lake	197
62-8	Pacific	197
62-9	Mississippi River	197
63	Number of cattle, by major drainage area and sub-drainage area, 1981 to 2001	198
63-1	Maritime Provinces	198
63-2	St. Lawrence	198
63-3	Northern Quebec and Labrador	199
63-4	Southwestern Hudson Bay	199
63-5	Nelson River	199
63-6	Western and Northern Hudson Bay	200
63-7	Great Slave Lake	200
63-8	Pacific	200
63-9	Mississippi River	201
64	Cattle density by major drainage area and sub-drainage area, 1981 to 2001	201
64-1	Maritime Provinces	201
64-2	St. Lawrence	202
64-3	Northern Quebec and Labrador	202
64-4	Southwestern Hudson Bay	203
64-5	Nelson River	203
64-6	Western and Northern Hudson Bay	203
64-7	Great Slave Lake	204
64-8	Pacific	204
64-9	Mississippi River	204
65	Chemical product expenses by major drainage area and sub-drainage area, 1981 to 2001	205
65-1	Maritime Provinces	205
65-2	St. Lawrence	205
65-3	Northern Quebec and Labrador	206
65-4	Southwestern Hudson Bay	206
65-5	Nelson River	206
65-6	Western and Northern Hudson Bay	207

Table of contents – continued

65-7	Great Slave Lake	207
65-8	Pacific	207
65-9	Mississippi River	208
66	Chemical product expenses per square kilometre of land area, by major drainage area and sub-drainage area, 1981 to 2001	208
66-1	Maritime Provinces	208
66-2	St. Lawrence	209
66-3	Northern Quebec and Labrador	209
66-4	Southwestern Hudson Bay	210
66-5	Nelson River	210
66-6	Western and Northern Hudson Bay	211
66-7	Great Slave Lake	211
66-8	Pacific	211
66-9	Mississippi River	212
67	Fertilizer expenses by major drainage area and sub-drainage area, 1981 to 2001	212
67-1	Maritime Provinces	212
67-2	St. Lawrence	213
67-3	Northern Quebec and Labrador	213
67-4	Southwestern Hudson Bay	214
67-5	Nelson River	214
67-6	Western and Northern Hudson Bay	214
67-7	Great Slave Lake	215
67-8	Pacific	215
67-9	Mississippi River	215
68	Fertilized area, by major drainage area and sub-drainage area, 1981 to 2001	216
68-1	Maritime Provinces	216
68-2	St. Lawrence	216
68-3	Northern Quebec and Labrador	217
68-4	Southwestern Hudson Bay	217
68-5	Nelson River	217
68-6	Western and Northern Hudson Bay	218
68-7	Great Slave Lake	218
68-8	Pacific	218
68-9	Mississippi River	219
69	Fertilizer expenses per land area, by major drainage area and sub-drainage area, 1981 to 2001	219
69-1	Maritime Provinces	219
69-2	St. Lawrence	220

Table of contents – continued

69-3	Northern Quebec and Labrador	220
69-4	Southwestern Hudson Bay	221
69-5	Nelson River	221
69-6	Western and Northern Hudson Bay	222
69-7	Great Slave Lake	222
69-8	Pacific	222
69-9	Mississippi River	223
70	Number of trucks on farms, by major drainage area and sub-drainage area, 1981 to 2001	223
70-1	Maritime Provinces	223
70-2	St. Lawrence	224
70-3	Northern Quebec and Labrador	224
70-4	Southwestern Hudson Bay	224
70-5	Nelson River	225
70-6	Western and Northern Hudson Bay	225
70-7	Great Slave Lake	225
70-8	Pacific	226
70-9	Mississippi River	226
71	Number of tractors on farms, by major drainage area and sub-drainage area, 1981 to 2001	226
71-1	Maritime Provinces	226
71-2	St. Lawrence	227
71-3	Northern Quebec and Labrador	227
71-4	Southwestern Hudson Bay	227
71-5	Nelson River	228
71-6	Western and Northern Hudson Bay	228
71-7	Great Slave Lake	228
71-8	Pacific	229
71-9	Mississippi River	229
72	Number of automobiles on farms, by major drainage area and sub-drainage area, 1981 to 2001	229
72-1	Maritime Provinces	229
72-2	St. Lawrence	230
72-3	Northern Quebec and Labrador	230
72-4	Southwestern Hudson Bay	230
72-5	Nelson River	231
72-6	Western and Northern Hudson Bay	231
72-7	Great Slave Lake	231
72-8	Pacific	232
72-9	Mississippi River	232

Table of contents – continued

Data quality, concepts and methodology

Major drainage area and sub-drainage area geography 233

Footnotes 245

Charts

1. Population of Canada, 1921 to 2004 20

2. Electric power generation, 1950 to 2004 22

Introduction

Canadians' health and their social and economic well-being are fundamentally linked to the quality of their environment. Recognizing this, in 2004 the Government of Canada committed to establishing national indicators of freshwater quality, air quality and greenhouse gas emissions. The goal of these new indicators is to provide Canadians with more regular and reliable information on the state of their environment and how it is linked with human activity. Environment Canada, Statistics Canada and Health Canada are working together to further develop and communicate these indicators.

The first report on the Canadian Environmental Sustainability Indicators presents three indicators. The ***air quality indicator*** tracks Canadians' exposure to ground-level ozone—a key component of smog and one of the most common and harmful air pollutants to which people are exposed. The ***greenhouse gas emissions indicator*** tracks the annual releases of the six greenhouse gases that are the major contributors to climate change. The ***freshwater quality indicator*** reports the status of surface water quality at selected monitoring sites across the country. For this first report, the focus of the indicator is on the protection of aquatic life, such as plants, invertebrates and fish. The main report on the indicators (*Canadian environmental Sustainability Indicators 2005*, product no. 16-251-X), summarizes the key findings for the three indicators.

The **Canadian Environment Sustainability Indicators: Socio-economic Information** fills an essential and complementary need: helping readers put the indicator results in context by providing information about the forces driving the changes in the indicators. It draws on the wealth of information that Statistics Canada has assembled over many decades, presenting data in familiar formats and in ways that will be new to many readers. This report will be updated and expanded as new data becomes available.

Putting the indicators in context

In the last 50 years, Canada's population has more than doubled and its economic output has increased nearly seven times.¹To support this growth, Canadians have relied on the environment to meet an increased demand for energy and materials and to absorb a growing amount of waste. In general, the larger the population, the larger the economy and the consequent demand for resources.

The socio-economic data presented here provide information on some of the human activities that influence the trends in the environmental sustainability indicators. The data are divided into three broad categories: land, population and the economy. Especially within the second and third categories, several different kinds of data are included to reflect the different indicators and the variety of ways that they can be influenced.

Where possible, long time series are presented for the socio-economic variables. In some cases, the available data do not match the timeframes used for the indicators.

Variables are presented for three different spatial levels: the nation, the provinces and territories, and drainage areas. The level of spatial aggregation offered depends on the characteristics of the source data. Wherever source data come from surveys with sufficiently large sample sizes, the socio-economic variables are presented at the level of drainage areas. Drainage areas are natural geographic units defined by the boundaries between river systems. As such, they are particularly useful for analyzing human activities that affect water. For details on the drainage area framework, please see *Data quality, concepts and methodology — Major drainage area and sub-drainage area geography*.

1. *Statistics Canada, 2000, Human Activity and the Environment 2000, Catalogue no. 11-509-X, Ottawa.*


Socio-economic information

Land cover

Canada's territory is vast and varied, ranging from the mountains in the west across the central plains to the rivers and lowlands in the east and the frozen tundra in the north. In total, the nation comprises some 10 million square kilometres.

Land cover describes the physical features found on the surface of the land at a particular location. It is an important determinant of many processes related to trends in the environmental sustainability indicators, including soil erosion and the related impacts on water quality. As another example, the extent and type of forest cover in a given area affects the potential for either the release and absorption of greenhouse gases by vegetation and soils.

Summary data on land cover are presented below using the drainage area framework described above. The map and table provide estimates of land cover types for both major drainage areas and sub-basin areas. (See table 1 – Land cover by category, Canada, oceanic basin and sub-drainage area, 2000)



Population

Population growth, distribution and density shape the impacts that human activities have on the environment. Canada's population has expanded considerably since 1921 when there were just 8.8 million Canadians.¹ This

1. Statistics Canada, 2000, *Human Activity and the Environment 2000*, Catalogue no. 11-509-X, Ottawa.

growing population has contributed to economic expansion and the demand for goods and services. The increase in greenhouse gas emissions since 1990 has been driven by the combination of population and economic growth.²

Basic population characteristics from the Census of Population are presented below for sub-drainage areas across Canada. Although Canada’s overall population density is low, people are increasingly found in densely populated urban centres.³ This has consequences for urban air quality and for related health effects. Drainage areas where the population is dense experience increased stress on water quality from waste water discharges and other human uses of water bodies.


Population by province and territory

For information on **Population** see tables:

- 2 Population by province and territory
- 3 Selected population characteristics, Canada, provinces and territories, 1981 to 2001

Chart 1

Population of Canada, 1921 to 2004



Population by drainage area

For information on **Population by drainage area** see tables:

2. Environment Canada. 2005a. *Canada’s Greenhouse Gas Inventory 1990-2003*. Greenhouse Gas Division, Environment Canada.
 3. Statistics Canada, 2004, *Human Activity and the Environment, Annual Statistics 2004*, Catalogue no. 16-201-X, Ottawa.

4	Total population by major drainage area and sub-drainage area, 1981 to 2001
5	Female population by major drainage area and sub-drainage area, 1981 to 2001
6	Male population, by major drainage area and sub-drainage area 1981 to 2001
7	Population density, by major drainage area and sub-drainage area, 1981 to 2001
8	Urban population, by major drainage area and sub-drainage area, 1981 to 2001
9	Urban female population, by major drainage area and sub-drainage area, 1981 to 2001
10	Urban male population, by major drainage area and sub-drainage area, 1981 to 2001
11	Urban population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001
12	Rural population, by major drainage area and sub-drainage area, 1981 to 2001
13	Rural female population, by major drainage area and sub-drainage area, 1981 to 2001
14	Rural male population, by major drainage area and sub-drainage area, 1981 to 2001
15	Rural population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001
16	Private dwellings, by major drainage area and sub-drainage area, 1981 to 2001
17	Private dwellings density, by major drainage area and sub-drainage area, 1981 to 2001
18	Population by private dwellings, by major drainage area and sub-drainage area, 1981 to 2001

Economy

The environment is an essential backdrop for economic activity. Not only do raw materials and energy come from the environment, but the environment also serves as a repository for the wastes produced by the economy. The tables below provide some basic information about Canada's economy – energy production and use, greenhouse gas intensity, employment, investment and gross domestic product. The links between these variables and the environmental sustainability indicators are numerous; among the more important is the relation between fossil fuel use and air quality in urban areas.⁴

The tables also include Agriculture variables from the Census of Agriculture presented both by province/territory and by drainage area. These variables detail several aspects of farm practices potentially related to trends in the environmental sustainability indicators for air quality and, especially, water quality. For example, fertilizer and pesticide use potentially stress the quality of water bodies located near farmland.

Energy

For more information on **Energy**, see tables:


19	Energy use by sector, 1990 to 2000
20	Energy use intensity by sector, 1990 to 2000
21	Greenhouse gas emissions by sector 1990 to 2000
22	Greenhouse gas emissions intensity by sector, 1990 to 2000
23	Basic energy indicators, Canada, 1961 to 2004
24	Energy consumption by province, 1978 to 2003
25	Electric power generation by province and territory, 1977 to 2005
26	Electric power generation by source, 1977 to 2005

4. *Statistics Canada, 2004, Human Activity and the Environment, Annual Statistics 2004, Catalogue no. 16-201-X, Ottawa.*

Chart 2

Electric power generation, 1950 to 2004

Megawatts Hours (Millions)



Employment

For more information on **Employment** see tables:

- 27 Labour force characteristics for Canada, 1976 to 2004
- 28 Labour force by province, 1976 to 2004

Investment

For more information on **Investment** see tables:

- 29 Government capital investments, 1991 to 2005
- 30 Private investments, 1991 to 2005

Gross domestic product

- 31 Gross domestic product (GDP), expenditure-base, province and territory, 1997 to 2004

Agricultural activity by province

For information on **Agricultural activity by province** area see tables:

32	Number of cattle, 1940 to 2005
33	Number of pigs, 1931 to 2005
34	Number of poultry, 1963 to 2005
35	Number of sheep, 1940 to 2005
36	Small grain production and yield, 1908 to 2005
37	Selected field crop production and yield, 1908 to 2005
38	Land area, by province and territory, 1981 to 2001
39	Number of farms, by province and territory, 1981 to 2001
40	Agricultural land area, by province and territory, 1981 to 2001
41	Average farm size, by province and territory, 1981 to 2001
42	Share of total area in agricultural land, by province and territory, 1981 to 2001
43	Cropland area, by province and territory, 1981 to 2001
44	Improved pasture area, by province and territory, 1981 to 2001
45	Area of hay, by province and territory, 1981 to 2001
46	Number of cattle, by province and territory, 1981 to 2001
47	Density of cattle by province and territory, 1981 to 2001
48	Chemical product expenses, by province and territory, 1981 to 2001
49	Chemical product expenses per land area, by province and territory, 1981 to 2001
50	Fertilizer expenses, by province and territory, 1981 to 2001
51	Fertilized area, by province and territory, 1981 to 2001
52	Fertilizer expenses per land area, by province and territory, 1981 to 2001
53	Number of trucks on farms, by province and territory, 1981 to 2001
54	Number of tractors on farms, by province and territory, 1981 to 2001
55	Number of automobiles on farms, by province and territory, 1981 to 2001

Agricultural activity by drainage area

For information on **Agricultural activity by drainage area** see tables:

56	Number of farms, by major drainage area and sub-drainage area, 1981 to 2001
57	Agricultural land area, by major drainage area and sub-drainage area, 1981 to 2001
58	Average farm size, by major drainage area and sub-drainage area, 1981 to 2001
59	Share of total area in agricultural land for major drainage area and sub-drainage area, 1981 to 2001
60	Cropland area, by major drainage area and sub-drainage area, 1981 to 2001
61	Improved pasture area, by major drainage area and sub-drainage area, 1981 to 2001
62	Area of hay, by major drainage area and sub-drainage area, 1981 to 2001
63	Number of cattle, by major drainage area and sub-drainage area, 1981 to 2001
64	Number of cattle per square kilometre of land area, by major drainage area and sub-drainage area, 1981 to 2001
65	Chemical product expenses (1992 dollars), by major drainage area and sub-drainage area, 1981 to 2001
66	Chemical product expenses (1992 dollars) per hectare of land area, by major drainage area and sub-drainage area, 1981 to 2001
67	Fertilizer expenses (1992 dollar), by major drainage area and sub-drainage area, 1981 to 2001
68	Fertilized area, by major drainage area and sub-drainage area, 1981 to 2001
69	Fertilizer expenses per land area, by major drainage area and sub-drainage area, 1981 to 2001
70	Number of trucks on farms, by major drainage area and sub-drainage area, 1981 to 2001
71	Number of tractors on farms, by major drainage area and sub-drainage area, 1981 to 2001
72	Number of automobiles on farms, by major drainage area and sub-drainage area, 1981 to 2001

Future improvements

In future reports, the linkages between the environmental sustainability indicators and the socio-economic variables will be strengthened. Measuring the efficiency of energy use is of particular interest because of the multiple benefits: lower economic cost, less air pollution and acid precipitation, and lower greenhouse gas emissions. This work will aid in the development of policies that combine economic and social perspectives with those of environmental sustainability.

The socio-economic data gathered in this first report represent only a portion of those of potential interest. Future releases will include variables covering a broader range of issues and presented in greater geographic detail wherever appropriate and possible.

Related products

Selected publications from Statistics Canada

16-251-X	Canadian Environmental Sustainability Indicators
16-252-X	Canadian Environmental Sustainability Indicators: Highlights

Selected CANSIM tables from Statistics Canada

153-0035	Land cover by category, Canada, major drainage areas and sub-drainage areas
----------	---

Selected surveys from Statistics Canada

7525	Land Cover Statistics from Natural Resources Canada
------	---

Statistical tables

Table 1-1

Land cover by category, Canada, major drainage area and sub-drainage area, 2000 — Maritime Provinces

	Drainage area code	Total land cover area	Evergreen needleleaf forest area	Deciduous broadleaf forest area	Mixed forest area	Disturbance area	Shrubland area
km ²							
Maritime Provinces	[01]	163,990	19,597	6,937	109,087	564	3,035
Saint John and Southern Bay of Fundy, N.B.	[01A]	41,987	3,022	3,335	29,373	32	931
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	60,653	6,688	1,419	44,194	460	1,667
Prince Edward Island	[01C]	5,943	2	63	1,290	0	20
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	21,499	1,965	867	14,753	6	69
Southeastern Atlantic Ocean, N.S.	[01E]	23,222	7,587	125	13,040	66	245
Cape Breton Island	[01F]	10,685	333	1,128	6,437	0	103
	Drainage area code	Grassland area	Low vegetation and barren area	Cropland and cropland with woodland area	Snow and ice area	Other land cover area	
km ²							
Maritime Provinces	[01]	0	7	14,258	0	10,506	
Saint John and Southern Bay of Fundy, N.B.	[01A]	0	0	2,943	0	2,352	
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	0	2	4,478	0	1,745	
Prince Edward Island	[01C]	0	3	3,454	0	1,111	
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	0	2	2,128	0	1,708	
Southeastern Atlantic Ocean, N.S.	[01E]	0	0	275	0	1,886	
Cape Breton Island	[01F]	0	0	981	0	1,704	

Note: Figures may not add up to totals due to rounding. See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0035.

Table 1-2

Land cover by category, Canada, major drainage area and sub-drainage area, 2000 — St. Lawrence

Drainage area code	Total land cover area	Evergreen needleleaf forest area	Deciduous broadleaf forest area	Mixed forest area	Disturbance area	Shrubland area	
km ²							
St. Lawrence	[02]	1,067,879	277,069	18,304	385,739	15,230	102,186
Northwestern Lake Superior	[02A]	51,541	15,909	13	18,434	1,151	714
Northeastern Lake Superior	[02B]	61,283	8,429	974	27,253	1,026	471
Northern Lake Huron	[02C]	45,421	5,813	380	24,214	262	452
Wanapitei and French, Ont.	[02D]	19,669	3,149	14	13,699	17	213
Eastern Georgian Bay	[02E]	28,778	919	88	13,789	5	441
Eastern Lake Huron	[02F]	33,728	26	278	1,912	0	32
Northern Lake Erie	[02G]	35,302	22	0	301	6	114
Lake Ontario and Niagara Peninsula	[02H]	39,336	211	56	12,604	7	2,065
Upper Ottawa	[02J]	50,670	6,524	106	38,438	168	316
Central Ottawa	[02K]	40,753	683	1,382	34,129	76	163
Lower Ottawa	[02L]	54,719	1,803	8,590	35,122	176	300
Upper St. Lawrence	[02M]	6,139	35	26	2,152	2	104
Saint-Maurice	[02N]	42,251	8,490	82	29,262	759	950
Central St. Lawrence	[02O]	35,600	54	2,958	16,656	8	343
Lower St. Lawrence	[02P]	37,780	1,224	1,392	27,705	122	359
Northern Gaspé Peninsula	[02Q]	13,383	1,045	1,288	8,332	5	87
Saguenay	[02R]	88,072	35,204	241	31,751	1,993	11,243
Betsiamites, coast	[02S]	27,473	11,981	13	8,664	1,152	3,743
Manicouagan and aux Outardes	[02T]	65,221	37,707	14	5,091	1,605	7,931
Moisie and St. Lawrence Estuary	[02U]	39,589	26,006	11	5,226	812	3,977
Gulf of St. Lawrence, Romaine	[02V]	36,416	25,442	0	2,034	497	5,069
Gulf of St. Lawrence, Natashquan	[02W]	53,841	36,838	15	3,588	2,631	5,632
Petit Mécatina and Strait of Belle Isle	[02X]	50,320	32,300	0	266	2,368	7,677
Northern Newfoundland	[02Y]	66,153	13,736	188	19,153	254	23,241
Southern Newfoundland	[02Z]	44,441	3,519	196	5,963	132	26,549

Table 1-2 – continued

Land cover by category, Canada, major drainage area and sub-drainage area, 2000 — St. Lawrence

Drainage area code	Grassland area	Low vegetation and barren area	Cropland and cropland with woodland area	Snow and ice area	Other land cover area	
km ²						
St. Lawrence	[02]	118	20,755	83,394	0	165,083
Northwestern Lake Superior	[02A]	0	6	102	0	15,211
Northeastern Lake Superior	[02B]	0	0	99	0	23,030
Northern Lake Huron	[02C]	9	29	417	0	13,844
Wanapitei and French, Ont.	[02D]	25	0	116	0	2,438
Eastern Georgian Bay	[02E]	0	0	4,675	0	8,861
Eastern Lake Huron	[02F]	4	2	12,070	0	19,405
Northern Lake Erie	[02G]	9	3	20,925	0	13,923
Lake Ontario and Niagara Peninsula	[02H]	22	9	10,244	0	14,119
Upper Ottawa	[02J]	0	0	1,327	0	3,792
Central Ottawa	[02K]	0	0	2,309	0	2,012
Lower Ottawa	[02L]	0	0	6,125	0	2,605
Upper St. Lawrence	[02M]	0	0	2,378	0	1,441
Saint-Maurice	[02N]	1	21	52	0	2,634
Central St. Lawrence	[02O]	16	0	12,789	0	2,777
Lower St. Lawrence	[02P]	28	0	5,347	0	1,604
Northern Gaspé Peninsula	[02Q]	0	0	2,350	0	276
Saguenay	[02R]	0	1,415	1,882	0	4,342
Betsiamites, coast	[02S]	0	121	32	0	1,766
Manicouagan and aux Outardes	[02T]	0	5,990	19	0	6,865
Moisie and St. Lawrence Estuary	[02U]	0	1,827	0	0	1,730
Gulf of St. Lawrence, Romaine	[02V]	0	1,906	0	0	1,468
Gulf of St. Lawrence, Natashquan	[02W]	5	676	21	0	4,435
Petit Mécatina and Strait of Belle Isle	[02X]	0	4,876	0	0	2,833
Northern Newfoundland	[02Y]	0	1,717	42	0	7,822
Southern Newfoundland	[02Z]	0	2,158	75	0	5,850

Note: Figures may not add up to totals due to rounding. See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0035.

Table 1-3

Land cover by category, Canada, major drainage area and sub-drainage area, 2000 — Northern Quebec and Labrador

	Drainage area code	Total land cover area	Evergreen needleleaf forest area	Deciduous broadleaf forest area	Mixed forest area	Disturbance area	Shrubland area
km ²							
Northern Quebec and Labrador							
	[03]	1,158,292	358,876	53	19,904	26,632	88,757
Northern Labrador	[03N]	92,911	7,273	0	0	1,356	4,297
Churchill, N.L.	[03O]	95,003	48,797	0	50	3,020	6,663
Central Labrador	[03P]	35,678	18,302	0	66	685	2,672
Southern Labrador	[03Q]	37,889	20,310	0	73	282	3,596
Nottaway, coast	[03A]	67,938	35,877	53	18,037	1,062	7,591
Broadback and Rupert	[03B]	77,195	43,465	0	1,408	3,136	18,554
Eastmain	[03C]	45,930	22,446	0	228	3,925	11,325
La Grande, coast	[03D]	112,203	52,289	0	20	4,366	15,986
Grande rivière de la Baleine, coast	[03E]	62,753	27,863	0	0	4,575	3,388
Eastern Hudson Bay	[03F]	46,383	8,729	0	0	992	987
Northeastern Hudson Bay	[03G]	100,054	288	0	0	96	314
Western Ungava Bay	[03H]	78,208	206	0	0	70	722
Aux Feuilles, coast	[03J]	63,722	268	0	0	204	86
Koksoak	[03K]	45,542	5,960	0	0	135	630
Caniapiscau	[03L]	90,094	38,135	0	22	1,604	8,667
Eastern Ungava Bay	[03M]	106,790	28,669	0	0	1,124	3,281
	Drainage area code	Grassland area	Low vegetation and barren area	Cropland and cropland with woodland area	Snow and ice area	Other land cover area	
km ²							
Northern Quebec and Labrador							
	[03]	0	524,749	102	680	138,540	
Northern Labrador	[03N]	0	71,796	0	311	7,878	
Churchill, N.L.	[03O]	0	15,636	0	0	20,837	
Central Labrador	[03P]	0	11,395	0	0	2,558	
Southern Labrador	[03Q]	0	10,424	0	0	3,205	
Nottaway, coast	[03A]	0	21	102	0	5,195	
Broadback and Rupert	[03B]	0	603	0	0	10,028	
Eastmain	[03C]	0	3,158	0	0	4,848	
La Grande, coast	[03D]	0	18,328	0	0	21,214	
Grande rivière de la Baleine, coast	[03E]	0	19,308	0	0	7,618	
Eastern Hudson Bay	[03F]	0	28,067	0	0	7,609	
Northeastern Hudson Bay	[03G]	0	89,458	0	0	9,899	
Western Ungava Bay	[03H]	0	71,545	0	266	5,399	
Aux Feuilles, coast	[03J]	0	57,895	0	0	5,269	
Koksoak	[03K]	0	36,641	0	0	2,177	
Caniapiscau	[03L]	0	26,223	0	0	15,444	
Eastern Ungava Bay	[03M]	0	64,250	0	103	9,362	

Note: Figures may not add up to totals due to rounding. See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0035.

Table 1-4

Land cover by category, Canada, major drainage area and sub-drainage area, 2000 — Southwestern Hudson Bay

	Drainage area code	Total land cover area	Evergreen needleleaf forest area	Deciduous broadleaf forest area	Mixed forest area	Disturbance area	Shrubland area
km ²							
Southwestern Hudson Bay	[04]	735,320	489,743	47	83,377	12,667	105,893
Hayes, Man.	[04A]	109,482	80,010	0	2,231	2,107	14,908
Southwestern Hudson Bay	[04B]	28,384	22,220	0	0	389	3,724
Severn	[04C]	99,533	78,676	0	2,842	2,307	9,014
Winisk, coast	[04D]	79,224	66,251	0	417	1,076	7,569
Ekwan, coast	[04E]	50,484	40,232	0	0	1,054	6,834
Attawapiskat, coast	[04F]	57,243	45,469	0	473	911	8,281
Upper Albany	[04G]	64,914	49,647	0	1,566	1,646	5,867
Lower Albany, coast	[04H]	42,345	22,048	0	24	354	18,793
Kenogami	[04J]	52,370	30,937	0	11,930	1,046	6,544
Moose, Ont.	[04K]	17,949	10,707	0	105	41	6,649
Missinaibi and Mattagami	[04L]	60,593	13,314	11	37,035	1,098	7,183
Abitibi	[04M]	29,291	7,063	12	16,358	213	2,604
Harricana, coast	[04N]	43,509	23,168	24	10,397	424	7,922
	Drainage area code	Grassland area	Low vegetation and barren area	Cropland and cropland with woodland area	Snow and ice area	Other land cover area	
km ²							
Southwestern Hudson Bay	[04]	4	3,150	2,027	0	38,413	
Hayes, Man.	[04A]	0	0	0	0	10,226	
Southwestern Hudson Bay	[04B]	0	1,628	6	0	416	
Severn	[04C]	0	20	0	0	6,674	
Winisk, coast	[04D]	0	233	0	0	3,678	
Ekwan, coast	[04E]	0	1,185	0	0	1,178	
Attawapiskat, coast	[04F]	0	43	0	0	2,066	
Upper Albany	[04G]	0	0	0	0	6,187	
Lower Albany, coast	[04H]	0	27	0	0	1,099	
Kenogami	[04J]	0	0	74	0	1,839	
Moose, Ont.	[04K]	0	0	0	0	448	
Missinaibi and Mattagami	[04L]	0	6	491	0	1,454	
Abitibi	[04M]	4	0	1,100	0	1,937	
Harricana, coast	[04N]	0	8	356	0	1,211	

Note: Figures may not add up to totals due to rounding. See Data quality, concepts and methodology — Footnotes section.
Source: CANSIM table 153-0035.

Table 1-5

Land cover by category, Canada, major drainage area and sub-drainage area, 2000 — Nelson River

	Drainage area code	Total land cover area	Evergreen needleleaf forest area	Deciduous broadleaf forest area	Mixed forest area	Disturbance area	Shrubland area
km ²							
Nelson River	[05]	987,015	226,916	1,029	91,466	7,990	50,463
Upper South Saskatchewan	[05A]	46,410	1,007	10	2,094	41	620
Bow	[05B]	25,628	2,918	20	2,090	37	1,244
Red Deer	[05C]	50,315	2,087	15	1,675	67	465
Upper North Saskatchewan	[05D]	27,983	9,528	5	4,670	81	862
Central North Saskatchewan	[05E]	42,275	99	22	2,326	17	1,050
Battle	[05F]	30,241	0	0	56	0	64
Lower North Saskatchewan	[05G]	49,652	482	122	2,202	13	728
Lower South Saskatchewan	[05H]	55,268	0	0	168	0	166
Qu'Appelle	[05J]	74,589	6	5	181	0	218
Saskatchewan	[05K]	81,194	33,802	310	11,427	862	5,452
Lake Winnipegosis and Lake Manitoba	[05L]	82,719	8,127	454	20,823	172	7,171
Assiniboine	[05M]	51,259	200	66	4,304	78	1,545
Souris	[05N]	39,591	15	0	714	0	375
Red	[05O]	25,266	209	0	2,078	40	670
Winnipeg	[05P]	55,104	25,896	0	16,898	743	1,173
English	[05Q]	52,550	35,073	0	7,694	938	786
Eastern Lake Winnipeg	[05R]	63,642	40,933	0	6,115	1,712	5,679
Western Lake Winnipeg	[05S]	41,819	8,388	0	4,520	201	4,463
Grass and Burntwood	[05T]	42,390	28,880	0	680	1,794	6,978
Nelson	[05U]	49,119	29,269	0	753	1,194	10,752
km ²							
	Drainage area code	Grassland area	Low vegetation and barren area	Cropland and cropland with woodland area	Snow and ice area	Other land cover area	
Nelson River	[05]	36,565	8,841	471,031	1,944	90,770	
Upper South Saskatchewan	[05A]	7,531	175	34,307	0	626	
Bow	[05B]	3,590	2,878	11,607	345	900	
Red Deer	[05C]	10,288	802	34,191	96	628	
Upper North Saskatchewan	[05D]	13	4,039	6,751	1,503	532	
Central North Saskatchewan	[05E]	367	0	37,275	0	1,120	
Battle	[05F]	230	0	29,691	0	201	
Lower North Saskatchewan	[05G]	3,731	0	41,817	0	557	
Lower South Saskatchewan	[05H]	5,497	0	48,322	0	1,115	
Qu'Appelle	[05J]	3,398	5	69,596	0	1,178	
Saskatchewan	[05K]	76	81	16,888	0	12,296	
Lake Winnipegosis and Lake Manitoba	[05L]	161	0	31,636	0	14,176	
Assiniboine	[05M]	277	0	43,764	0	1,026	
Souris	[05N]	599	0	37,575	0	313	
Red	[05O]	755	43	20,957	0	515	
Winnipeg	[05P]	0	0	733	0	9,661	
English	[05Q]	0	5	1	0	8,054	
Eastern Lake Winnipeg	[05R]	0	143	24	0	9,035	
Western Lake Winnipeg	[05S]	52	107	5,896	0	18,191	
Grass and Burntwood	[05T]	0	137	0	0	3,923	
Nelson	[05U]	0	427	0	0	6,725	

Note: Figures may not add up to totals due to rounding. See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0035.

Table 1-6

Land cover by category, Canada, major drainage area and sub-drainage area, 2000 — Western and Northern Hudson Bay

	Drainage area code	Total land cover area	Evergreen needleleaf forest area	Deciduous broadleaf forest area	Mixed forest area	Disturbance area	Shrubland area
km ²							
Western and Northern Hudson Bay	[06]	1,253,213	264,849	251	24,360	65,717	55,665
Beaver, Alta. and Sask.	[06A]	49,940	10,782	228	15,528	471	5,330
Upper Churchill, Manitoba	[06B]	44,288	27,632	23	4,156	4,306	2,176
Central Churchill, upper, Manitoba	[06C]	45,892	30,901	0	3,752	2,608	1,485
Reindeer	[06D]	67,357	37,907	0	632	8,615	4,159
Central Churchill, lower, Manitoba	[06E]	51,295	25,796	0	238	10,688	3,894
Lower Churchill, Manitoba	[06F]	54,799	25,429	0	54	7,697	6,191
Seal, coast	[06G]	75,970	36,087	0	0	15,499	3,946
Western Hudson Bay, Southern	[06H]	73,301	21,622	0	0	5,727	4,922
Thelon	[06J]	85,479	3,985	0	0	100	1,718
Dubawnt	[06K]	68,952	17,969	0	0	3,673	2,433
Kazan	[06L]	70,690	12,240	0	0	5,916	7,978
Chesterfield Inlet	[06M]	67,783	174	0	0	40	61
Western Hudson Bay, central	[06N]	63,743	9,890	0	0	25	8,165
Western Hudson Bay, northern	[06O]	54,523	10	0	0	0	18
Hudson Bay, Southampton Island	[06P]	48,764	2,740	0	0	345	613
Foxe Basin, Southampton Island	[06Q]	13,285	0	0	0	0	4
Foxe Basin, Melville Peninsula	[06R]	59,727	39	0	0	0	10
Foxe Basin, Baffin Island	[06S]	211,083	1,645	0	0	0	2,562
Hudson Strait, Baffin and Southampton Islands	[06T]	46,342	0	0	0	7	1
km ²							
	Drainage area code	Grassland area	Low vegetation and barren area	Cropland and cropland with woodland area	Snow and ice area	Other land cover area	
Western and Northern Hudson Bay	[06]	0	643,076	13,894	38,106	147,295	
Beaver, Alta. and Sask.	[06A]	0	4	13,887	0	3,711	
Upper Churchill, Manitoba	[06B]	0	40	7	0	5,948	
Central Churchill, upper, Manitoba	[06C]	0	0	0	0	7,146	
Reindeer	[06D]	0	165	0	0	15,879	
Central Churchill, lower, Manitoba	[06E]	0	119	0	0	10,560	
Lower Churchill, Manitoba	[06F]	0	11,154	0	0	4,274	
Seal, coast	[06G]	0	12,705	0	0	7,733	
Western Hudson Bay, Southern	[06H]	0	30,425	0	0	10,605	
Thelon	[06J]	0	71,713	0	12	7,951	
Dubawnt	[06K]	0	28,737	0	0	16,140	
Kazan	[06L]	0	31,963	0	0	12,594	
Chesterfield Inlet	[06M]	0	61,485	0	0	6,022	
Western Hudson Bay, central	[06N]	0	37,614	0	0	8,049	
Western Hudson Bay, northern	[06O]	0	52,886	0	23	1,586	
Hudson Bay, Southampton Island	[06P]	0	31,821	0	9,177	4,067	
Foxe Basin, Southampton Island	[06Q]	0	9,930	0	2,605	746	
Foxe Basin, Melville Peninsula	[06R]	0	54,203	0	1,723	3,752	
Foxe Basin, Baffin Island	[06S]	0	165,590	0	23,526	17,760	
Hudson Strait, Baffin and Southampton Islands	[06T]	0	42,522	0	1,041	2,772	

Note: Figures may not add up to totals due to rounding. See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0035.

Table 1-7

Land cover by category, Canada, major drainage area and sub-drainage area, 2000 — Great Slave Lake

	Drainage area code	Total land cover area	Evergreen needleleaf forest area	Deciduous broadleaf forest area	Mixed forest area	Disturbance area	Shrubland area
km ²							
Great Slave Lake	[07]	974,853	339,427	3,983	189,102	56,503	144,759
Upper Athabasca	[07A]	34,856	12,961	42	10,523	870	2,911
Central Athabasca, upper	[07B]	40,496	5,398	305	18,044	990	2,649
Central Athabasca, lower	[07C]	57,030	25,069	13	14,075	3,202	9,222
Lower Athabasca	[07D]	29,942	15,367	95	5,650	472	6,673
Williston Lake	[07E]	72,362	30,757	98	10,915	260	13,740
Upper Peace	[07F]	67,824	13,747	696	26,750	257	7,576
Smoky	[07G]	51,508	11,982	137	21,568	569	2,905
Central Peace, upper	[07H]	35,412	6,141	625	18,768	98	3,028
Central Peace, lower	[07J]	59,401	9,766	987	24,677	1,418	15,360
Lower Peace	[07K]	36,510	7,543	669	11,033	417	9,436
Fond-du-Lac	[07L]	70,913	35,901	0	325	16,014	6,345
Lake Athabasca, shores	[07M]	39,560	21,140	0	32	2,457	3,758
Slave	[07N]	19,009	7,020	0	1,408	566	5,567
Hay	[07O]	51,405	10,957	316	23,252	765	14,036
Southern Great Slave Lake	[07P]	38,067	13,828	0	950	404	15,969
Great Slave Lake, east arm, south shore	[07Q]	103,895	44,127	0	313	20,208	13,265
Lockhart	[07R]	27,124	3,959	0	0	65	1,165
Northeastern Great Slave Lake	[07S]	74,222	37,271	0	0	4,127	2,730
Marian	[07T]	24,262	11,789	0	3	1,329	1,014
Western Great Slave Lake	[07U]	41,056	14,706	0	816	2,015	7,410
km ²							
	Drainage area code	Grassland area	Low vegetation and barren area	Cropland and cropland with woodland area	Snow and ice area	Other land cover area	
Great Slave Lake	[07]	354	77,451	63,650	2,115	97,510	
Upper Athabasca	[07A]	0	4,979	1,351	990	229	
Central Athabasca, upper	[07B]	0	2	11,623	0	1,485	
Central Athabasca, lower	[07C]	0	985	2,305	0	2,159	
Lower Athabasca	[07D]	154	398	512	0	620	
Williston Lake	[07E]	0	12,885	11	500	3,195	
Upper Peace	[07F]	2	834	17,851	30	82	
Smoky	[07G]	0	2,432	11,295	348	271	
Central Peace, upper	[07H]	2	0	6,273	0	477	
Central Peace, lower	[07J]	7	54	5,577	0	1,556	
Lower Peace	[07K]	153	52	4,178	0	3,031	
Fond-du-Lac	[07L]	0	1,081	0	0	11,247	
Lake Athabasca, shores	[07M]	24	2,631	68	238	9,212	
Slave	[07N]	0	136	897	0	3,416	
Hay	[07O]	0	61	1,710	0	309	
Southern Great Slave Lake	[07P]	12	1,592	0	0	5,312	
Great Slave Lake, east arm, south shore	[07Q]	0	8,487	0	0	17,495	
Lockhart	[07R]	0	15,372	0	0	6,563	
Northeastern Great Slave Lake	[07S]	0	16,142	0	2	13,951	
Marian	[07T]	0	5,471	0	6	4,650	
Western Great Slave Lake	[07U]	0	3,858	0	0	12,251	

Note: Figures may not add up to totals due to rounding. See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0035.

Table 1-8

Land cover by category, Canada, major drainage area and sub-drainage area, 2000 — Pacific

	Drainage area code	Total land cover area	Evergreen needleleaf forest area	Deciduous broadleaf forest area	Mixed forest area	Disturbance area	Shrubland area
km ²							
Pacific	[08]	666,349	182,034	3,763	172,780	5,476	134,208
Alsek	[08A]	31,192	2,694	0	30	156	8,390
Northern coastal waters, B.C.	[08B]	22,767	4,769	24	1,263	417	6,858
Stikine, coast	[08C]	49,997	9,888	95	4,886	390	16,346
Nass, coast	[08D]	29,036	2,074	216	7,858	684	10,708
Skeena, coast	[08E]	55,751	15,731	535	14,896	1,553	12,161
Central coastal waters, B.C.	[08F]	54,658	11,830	347	10,724	493	15,820
Southern coastal waters, B.C.	[08G]	41,986	4,803	383	9,748	445	8,980
Vancouver Island	[08H]	34,882	4,052	1,375	22,208	122	2,295
Nechako	[08J]	47,332	26,343	4	11,669	237	3,108
Upper Fraser	[08K]	67,088	26,657	114	20,685	203	11,114
Thompson	[08L]	55,777	18,288	63	21,074	119	7,869
Lower Fraser	[08M]	61,880	25,754	390	11,882	152	9,329
Columbia	[08N]	102,925	28,314	102	29,303	505	19,490
Queen Charlotte Islands	[08O]	10,049	624	114	5,930	0	1,631
Skagit	[08P]	1,027	213	0	623	0	109
	Drainage area code	Grassland area	Low vegetation and barren area	Cropland and cropland with woodland area	Snow and ice area	Other land cover area	
km ²							
Pacific	[08]	1,709	70,351	6,591	43,632	45,805	
Alsek	[08A]	0	6,881	0	3,637	9,404	
Northern coastal waters, B.C.	[08B]	0	2,999	0	2,423	4,013	
Stikine, coast	[08C]	0	10,681	0	5,447	2,264	
Nass, coast	[08D]	0	2,326	0	3,164	2,005	
Skeena, coast	[08E]	0	6,480	0	2,668	1,728	
Central coastal waters, B.C.	[08F]	0	3,940	4	6,168	5,333	
Southern coastal waters, B.C.	[08G]	1	5,366	3	9,253	3,005	
Vancouver Island	[08H]	0	1,432	0	12	3,386	
Nechako	[08J]	0	836	1,038	176	3,921	
Upper Fraser	[08K]	0	5,492	0	1,812	1,011	
Thompson	[08L]	823	2,765	2,190	884	1,702	
Lower Fraser	[08M]	817	6,339	1,852	3,004	2,362	
Columbia	[08N]	68	14,740	1,505	4,984	3,913	
Queen Charlotte Islands	[08O]	0	20	0	0	1,729	
Skagit	[08P]	0	53	0	0	30	

Note: Figures may not add up to totals due to rounding. See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0035.

Table 1-9

Land cover by category, Canada, major drainage area and sub-drainage area, 2000 — Yukon River

	Drainage area code	Total land cover area	Evergreen needleleaf forest area	Deciduous broadleaf forest area	Mixed forest area	Disturbance area	Shrubland area
km ²							
Yukon River	[09]	337,036	103,371	0	5,627	6,607	128,988
Headwaters Yukon	[09A]	94,018	33,710	0	1,190	1,736	30,409
Pelly	[09B]	50,485	22,464	0	25	1,563	15,159
Upper Yukon	[09C]	44,206	12,173	0	360	1,010	14,339
Stewart	[09D]	51,360	19,253	0	160	827	15,734
Central Yukon	[09E]	29,820	8,144	0	105	1,361	11,976
Porcupine	[09F]	61,566	6,967	0	3,706	37	40,674
Tanana	[09H]	1,470	660	0	80	1	697
Copper	[09M]	4,112	0	0	0	71	0
	Drainage area code	Grassland area	Low vegetation and barren area	Cropland and cropland with woodland area	Snow and ice area	Other land cover area	
km ²							
Yukon River	[09]	0	72,195	0	3,390	16,859	
Headwaters Yukon	[09A]	0	19,413	0	2,058	5,502	
Pelly	[09B]	0	10,613	0	67	594	
Upper Yukon	[09C]	0	10,545	0	905	4,874	
Stewart	[09D]	0	14,505	0	283	598	
Central Yukon	[09E]	0	7,290	0	2	942	
Porcupine	[09F]	0	9,802	0	24	355	
Tanana	[09H]	0	4	0	0	28	
Copper	[09M]	0	23	0	51	3,967	

Note: Figures may not add up to totals due to rounding. See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0035.

Table 1-10

Land cover by category, Canada, major drainage area and sub-drainage area, 2000 — Arctic

	Drainage area code	Total land cover area	Evergreen needleleaf forest area	Deciduous broadleaf forest area	Mixed forest area	Disturbance area	Shrubland area
km ²							
Arctic	[10]	2,605,138	394,011	440	60,850	36,681	191,788
Upper Liard	[10A]	61,858	29,752	0	1,541	332	15,362
Central Liard	[10B]	72,031	34,972	81	10,328	343	12,019
Fort Nelson	[10C]	54,771	17,851	151	25,846	710	5,740
Central Liard and Petitot	[10D]	30,563	12,389	151	8,055	406	8,264
Lower Liard	[10E]	55,571	20,724	21	8,398	1,991	6,939
Upper Mackenzie, Mills Lake	[10F]	51,042	25,562	0	601	6,978	10,216
Upper Mackenzie, Camsell Bend	[10G]	57,858	26,800	36	1,799	6,284	7,286
Central Mackenzie, Blackwater Lake	[10H]	67,210	20,080	0	81	4,776	7,845
Great Bear	[10J]	158,140	74,873	0	23	4,765	9,525
Central Mackenzie, The Ramparts	[10K]	46,736	11,340	0	260	2,810	11,324
Lower Mackenzie	[10L]	77,259	39,752	0	956	5,608	15,030
Peel and Southwestern Beaufort Sea	[10M]	107,693	11,805	0	2,769	812	42,865
Southern Beaufort Sea	[10N]	99,387	54,521	0	193	798	23,013
Amundsen Gulf	[10O]	91,087	5,430	0	0	20	2,366
Coppermine	[10P]	50,741	7,106	0	0	7	5,511
Coronation Gulf and Queen Maud Gulf	[10Q]	174,679	302	0	0	6	2,471
Back	[10R]	135,956	591	0	0	33	719
Gulf of Boothia	[10S]	114,752	4	0	0	0	979
Southern Arctic Islands	[10T]	373,180	0	0	0	0	2,054
Baffin Island, Arctic drainage	[10U]	299,813	124	0	0	0	1,426
Northern Arctic Islands	[10V]	424,812	34	0	0	0	834
	Drainage area code	Grassland area	Low vegetation and barren area	Cropland and cropland with woodland area	Snow and ice area	Other land cover area	
km ²							
Arctic	[10]	5	1,176,333	66	586,217	158,746	
Upper Liard	[10A]	0	13,973	0	128	769	
Central Liard	[10B]	0	13,280	0	688	320	
Fort Nelson	[10C]	0	3,921	5	491	55	
Central Liard and Petitot	[10D]	0	223	11	0	1,064	
Lower Liard	[10E]	1	15,314	26	1,021	1,136	
Upper Mackenzie, Mills Lake	[10F]	0	4,735	19	0	2,931	
Upper Mackenzie, Camsell Bend	[10G]	4	12,781	5	488	2,375	
Central Mackenzie, Blackwater Lake	[10H]	0	31,467	0	988	1,974	
Great Bear	[10J]	0	26,390	0	0	42,565	
Central Mackenzie, The Ramparts	[10K]	0	18,746	0	680	1,576	
Lower Mackenzie	[10L]	0	10,571	0	342	5,000	
Peel and Southwestern Beaufort Sea	[10M]	0	45,524	0	774	3,144	
Southern Beaufort Sea	[10N]	0	9,933	0	1	10,928	
Amundsen Gulf	[10O]	0	78,618	0	1,544	3,109	
Coppermine	[10P]	0	30,854	0	0	7,263	
Coronation Gulf and Queen Maud Gulf	[10Q]	0	161,037	0	606	10,257	
Back	[10R]	0	125,716	0	104	8,794	
Gulf of Boothia	[10S]	0	100,196	0	7,587	5,986	
Southern Arctic Islands	[10T]	0	251,600	0	100,399	19,127	
Baffin Island, Arctic drainage	[10U]	0	135,180	0	148,266	14,817	
Northern Arctic Islands	[10V]	0	86,276	0	322,109	15,558	

Note: Figures may not add up to totals due to rounding.

Source: CANSIM table 153-0035.

Table 1-11

Land cover by category, Canada, major drainage area and sub-drainage area, 2000 — Mississippi River

	Drainage area code	Total land cover area	Evergreen needleleaf forest area	Deciduous broadleaf forest area	Mixed forest area	Disturbance area	Shrubland area
		km ²					
Mississippi River	[11]	27,097	0	0	137	0	79
Missouri	[11A]	27,097	0	0	137	0	79
	Drainage area code	Grassland area	Low vegetation and barren area	Cropland and cropland with woodland area	Snow and ice area	Other land cover area	
		km ²					
Mississippi River	[11]	10,927	2	15,594	0	357	
Missouri	[11A]	10,927	2	15,594	0	357	

Note: Figures may not add up to totals due to rounding. See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0035.

Table 2-1

Population by province and territory — 1921 to 1949

	Canada	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario
in thousands							
1921	8,787.8	..	88.6	523.8	387.9	2,360.5	2,933.7
1922	8,919.0	..	89.0	522.0	389.0	2,409.0	2,980.0
1923	9,010.0	..	87.0	518.0	389.0	2,446.0	3,013.0
1924	9,143.0	..	86.0	516.0	391.0	2,495.0	3,059.0
1925	9,294.0	..	86.0	515.0	393.0	2,549.0	3,111.0
1926	9,451.0	..	87.0	515.0	396.0	2,603.3	3,164.3
1927	9,637.0	..	87.0	515.0	398.0	2,657.0	3,219.0
1928	9,835.0	..	88.0	515.0	401.0	2,715.0	3,278.0
1929	10,029.0	..	88.0	515.0	404.0	2,772.0	3,334.0
1930	10,208.0	..	88.0	514.0	406.0	2,825.0	3,386.0
1931	10,376.7	..	88.0	512.8	408.2	2,874.7	3,431.7
1932	10,510.0	..	89.0	519.0	414.0	2,925.0	3,473.0
1933	10,633.0	..	90.0	525.0	419.0	2,972.0	3,512.0
1934	10,741.0	..	91.0	531.0	423.0	3,016.0	3,544.0
1935	10,845.0	..	92.0	536.0	428.0	3,057.0	3,575.0
1936	10,950.0	..	93.0	543.0	433.0	3,098.8	3,605.5
1937	11,045.0	..	93.0	549.0	437.0	3,141.0	3,637.0
1938	11,152.0	..	94.0	555.0	442.0	3,183.0	3,672.0
1939	11,267.0	..	94.0	561.0	447.0	3,230.0	3,708.0
1940	11,381.0	..	95.0	569.0	452.0	3,278.0	3,747.0
1941	11,506.7	..	95.0	578.0	457.4	3,331.9	3,787.7
1942	11,654.0	..	90.0	591.0	464.0	3,390.0	3,884.0
1943	11,795.0	..	91.0	606.0	463.0	3,457.0	3,915.0
1944	11,946.0	..	91.0	611.0	461.0	3,500.0	3,963.0
1945	12,072.0	..	92.0	619.0	467.0	3,560.0	4,000.0
1946	12,292.0	..	94.0	608.0	478.0	3,629.0	4,093.0
1947	12,551.0	..	94.0	615.0	488.0	3,710.0	4,176.0
1948	12,823.0	..	93.0	625.0	498.0	3,788.0	4,275.0
1949	13,447.0	345.0	94.0	629.0	508.0	3,882.0	4,378.0
	Manitoba	Saskat- chewan	Alberta	British Columbia	Yukon Territory	Northwest Territories	
in thousands							
1921	610.1	757.5	588.5	524.6	4.1	8.1	
1922	616.0	769.0	592.0	541.0	4.0	8.0	
1923	619.0	778.0	593.0	555.0	4.0	8.0	
1924	625.0	791.0	597.0	571.0	4.0	8.0	
1925	632.0	806.0	602.0	588.0	4.0	8.0	
1926	639.1	820.7	607.6	606.0	4.0	8.0	
1927	651.0	841.0	633.0	623.0	4.0	9.0	
1928	664.0	862.0	658.0	641.0	4.0	9.0	
1929	677.0	883.0	684.0	659.0	4.0	9.0	
1930	689.0	903.0	708.0	676.0	4.0	9.0	
1931	700.1	921.8	731.6	694.3	4.2	9.3	
1932	705.0	924.0	740.0	707.0	4.0	10.0	
1933	708.0	926.0	750.0	717.0	4.0	10.0	
1934	709.0	928.0	758.0	727.0	4.0	10.0	
1935	710.0	930.0	765.0	736.0	5.0	11.0	
1936	711.2	931.5	772.8	745.2	5.0	11.0	
1937	715.0	922.0	776.0	759.0	5.0	11.0	
1938	720.0	914.0	781.0	775.0	5.0	11.0	
1939	726.0	906.0	786.0	792.0	5.0	12.0	
1940	728.0	900.0	790.0	805.0	5.0	12.0	
1941	729.7	896.0	796.2	817.8	5.0	12.0	
1942	724.0	848.0	776.0	870.0	5.0	12.0	
1943	723.0	838.0	785.0	900.0	5.0	12.0	
1944	727.0	836.0	808.0	932.0	5.0	12.0	
1945	727.0	833.0	808.0	949.0	5.0	12.0	
1946	726.9	832.7	803.4	1,003.0	8.0	16.0	
1947	739.0	836.0	825.0	1,044.0	8.0	16.0	
1948	746.0	838.0	854.0	1,082.0	8.0	16.0	
1949	757.0	832.0	885.0	1,113.0	8.0	16.0	

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 051-0001.

Table 2-2

Population by province and territory — 1950 to 1979

	Canada	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario
in thousands							
1950	13,712.0	351.0	96.0	638.0	512.0	3,969.0	4,471.0
1951	14,009.4	361.4	98.4	642.6	515.7	4,055.7	4,597.6
1952	14,459.0	374.0	100.0	653.0	526.0	4,174.0	4,788.0
1953	14,845.0	383.0	101.0	663.0	533.0	4,269.0	4,941.0
1954	15,287.0	395.0	101.0	673.0	540.0	4,388.0	5,115.0
1955	15,698.0	406.0	100.0	683.0	547.0	4,517.0	5,266.0
1956	16,080.8	415.1	99.3	694.7	554.6	4,628.4	5,404.9
1957	16,610.0	424.0	99.0	701.0	562.0	4,769.0	5,636.0
1958	17,080.0	432.0	100.0	709.0	571.0	4,904.0	5,821.0
1959	17,483.0	441.0	101.0	719.0	582.0	5,024.0	5,969.0
1960	17,870.0	448.0	103.0	727.0	589.0	5,142.0	6,111.0
1961	18,238.3	457.9	104.6	737.0	597.9	5,259.2	6,236.1
1962	18,583.0	468.0	107.0	746.0	605.0	5,371.0	6,351.0
1963	18,931.0	476.0	108.0	751.0	609.0	5,481.0	6,481.0
1964	19,291.0	483.0	109.0	755.0	611.0	5,584.0	6,631.0
1965	19,644.0	488.0	109.0	756.0	615.0	5,685.0	6,788.0
1966	20,014.9	493.4	108.5	756.0	616.8	5,780.8	6,960.9
1967	20,378.0	499.0	109.0	760.0	620.0	5,864.0	7,127.0
1968	20,701.0	506.0	110.0	767.0	625.0	5,928.0	7,262.0
1969	21,001.0	514.0	111.0	775.0	628.0	5,985.0	7,385.0
1970	21,297.0	517.0	110.0	782.0	627.0	6,013.0	7,551.0
1971	21,962.0	530.9	112.6	797.3	642.5	6,137.3	7,849.0
1972	22,218.5	539.1	113.5	802.3	648.8	6,174.2	7,963.1
1973	22,491.8	545.6	114.6	812.4	656.7	6,213.1	8,075.5
1974	22,807.9	549.6	116.0	818.7	664.7	6,268.6	8,204.2
1975	23,143.2	556.5	117.7	826.5	677.0	6,330.3	8,319.7
1976	23,449.8	562.6	118.6	835.2	689.5	6,396.8	8,413.8
1977	23,725.9	565.3	120.0	839.7	695.8	6,431.7	8,505.7
1978	23,963.4	567.7	121.7	844.5	699.5	6,440.2	8,591.7
1979	24,201.8	570.1	123.0	849.2	703.2	6,466.4	8,662.7

	Manitoba	Saskatchewan	Alberta	British Columbia	Yukon Territory	Northwest Territories
in thousands						
1950	768.0	833.0	913.0	1,137.0	8.0	16.0
1951	776.5	831.7	939.5	1,165.2	9.1	16.0
1952	798.0	843.0	973.0	1,205.0	9.0	16.0
1953	809.0	861.0	1,012.0	1,248.0	9.0	16.0
1954	823.0	873.0	1,057.0	1,295.0	10.0	17.0
1955	839.0	878.0	1,091.0	1,342.0	11.0	18.0
1956	850.0	880.7	1,123.1	1,398.5	12.2	19.3
1957	862.0	880.0	1,164.0	1,482.0	12.0	19.0
1958	875.0	891.0	1,206.0	1,538.0	13.0	20.0
1959	891.0	907.0	1,248.0	1,567.0	13.0	21.0
1960	906.0	915.0	1,291.0	1,602.0	14.0	22.0
1961	921.7	925.2	1,332.0	1,629.1	14.6	23.0
1962	936.0	930.0	1,369.0	1,660.0	15.0	25.0
1963	949.0	933.0	1,403.0	1,699.0	15.0	26.0
1964	959.0	942.0	1,430.0	1,745.0	15.0	27.0
1965	965.0	950.0	1,450.0	1,797.0	14.0	27.0
1966	963.1	955.4	1,463.2	1,873.7	14.4	28.7
1967	963.0	957.0	1,490.0	1,945.0	15.0	29.0
1968	971.0	960.0	1,524.0	2,003.0	15.0	30.0
1969	979.0	958.0	1,559.0	2,060.0	16.0	31.0
1970	983.0	941.0	1,595.0	2,128.0	17.0	33.0
1971	998.9	932.0	1,665.7	2,240.5	19.0	34.8
1972	1,001.7	920.8	1,694.1	2,302.1	20.1	38.8
1973	1,007.4	911.9	1,725.3	2,367.3	21.1	40.8
1974	1,018.2	908.5	1,754.6	2,442.6	21.1	41.1
1975	1,025.0	917.4	1,808.7	2,499.6	21.9	42.8
1976	1,031.8	931.6	1,869.3	2,533.8	22.5	44.3
1977	1,038.0	944.8	1,947.7	2,569.7	22.8	44.7
1978	1,041.2	951.9	2,021.8	2,614.0	23.7	45.3
1979	1,037.4	959.5	2,097.6	2,663.0	24.0	45.7

Table 2-2 – continued

Population by province and territory — 1950 to 1979

Note: See *Data quality, concepts and methodology — Footnotes section.*
Source: CANSIM table 051-0001.

Table 2-3

Population by province and territory — 1980 to 2005

	Canada	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario
in thousands							
1980	24,516.1	572.9	123.7	852.9	706.1	6,507.0	8,745.3
1981	24,820.4	574.8	123.7	854.6	706.3	6,547.7	8,811.3
1982	25,117.4	574.6	123.9	860.0	708.2	6,579.3	8,922.3
1983	25,367.0	579.6	125.4	869.2	715.4	6,602.3	9,041.7
1984	25,607.7	580.2	126.6	877.2	721.0	6,631.2	9,171.9
1985	25,842.7	579.3	127.7	885.1	723.7	6,665.7	9,297.6
1986	26,101.2	576.5	128.4	889.3	725.2	6,708.5	9,438.1
1987	26,448.9	575.2	128.6	893.5	727.9	6,782.5	9,644.3
1988	26,795.4	575.0	129.3	897.4	730.4	6,839.0	9,842.2
1989	27,281.8	576.4	130.1	903.9	735.2	6,928.7	10,107.5
1990	27,697.5	578.0	130.5	909.6	740.1	7,003.9	10,297.9
1991	28,031.4	579.5	130.3	915.1	745.5	7,064.6	10,428.1
1992	28,366.7	580.0	130.8	919.6	748.1	7,108.0	10,569.8
1993	28,681.7	579.9	132.1	924.0	748.8	7,155.3	10,688.4
1994	28,999.0	574.5	133.4	927.0	750.2	7,191.9	10,818.3
1995	29,302.1	567.4	134.4	928.2	751.0	7,219.4	10,950.0
1996	29,610.8	559.8	135.8	931.4	752.3	7,246.9	11,083.1
1997	29,907.2	551.0	136.1	932.5	752.5	7,274.6	11,228.3
1998	30,157.1	539.9	135.8	931.9	750.6	7,296.0	11,367.0
1999	30,403.9	533.4	136.3	933.8	750.6	7,323.3	11,506.4
2000	30,689.0	528.0	136.5	933.9	750.5	7,357.0	11,685.4
2001	31,021.3	522.0	136.7	932.4	749.9	7,397.0	11,897.6
2002	31,372.6	519.4	136.9	934.5	750.3	7,445.7	12,102.0
2003	31,669.2	518.5	137.3	936.3	751.2	7,494.0	12,259.6
2004	31,974.4	517.3	137.9	937.5	752.1	7,547.7	12,407.3
2005	32,270.5	516.0	138.1	937.9	752.0	7,598.1	12,541.4
	Manitoba	Saskat- chewan	Alberta	British Columbia	Yukon Territory	Northwest Territories	Nunavut
in thousands							
1980	1,034.6	967.4	2,192.4	2,743.2	24.3	46.3	..
1981	1,036.4	975.9	2,294.2	2,823.9	23.9	47.6	..
1982	1,046.8	987.3	2,368.3	2,872.9	24.5	49.5	..
1983	1,061.1	1,001.9	2,390.4	2,905.5	23.6	51.0	..
1984	1,071.9	1,015.5	2,390.1	2,945.6	23.9	52.6	..
1985	1,082.3	1,025.5	2,403.0	2,974.3	24.4	54.4	..
1986	1,091.7	1,029.3	2,430.9	3,004.1	24.5	54.7	..
1987	1,098.0	1,032.7	2,435.3	3,050.2	25.7	55.0	..
1988	1,102.0	1,028.0	2,454.4	3,115.4	26.6	55.7	..
1989	1,103.6	1,019.2	2,495.2	3,197.9	27.1	57.0	..
1990	1,105.7	1,007.1	2,547.2	3,290.8	27.8	58.9	..
1991	1,109.6	1,002.7	2,592.6	3,373.5	28.9	58.7	22.2
1992	1,112.7	1,004.0	2,632.9	3,468.4	30.1	59.4	22.9
1993	1,117.6	1,006.9	2,667.4	3,567.4	30.4	59.8	23.6
1994	1,123.2	1,009.5	2,700.7	3,675.7	29.7	60.6	24.4
1995	1,129.1	1,014.1	2,734.5	3,777.0	30.4	61.4	25.0
1996	1,134.2	1,019.1	2,775.2	3,874.3	31.4	61.7	25.7
1997	1,136.1	1,018.1	2,830.1	3,948.5	31.8	61.6	25.9
1998	1,137.5	1,017.5	2,899.5	3,983.1	31.1	60.8	26.4
1999	1,142.5	1,014.7	2,953.3	4,011.3	30.8	60.7	26.8
2000	1,147.4	1,007.8	3,004.9	4,039.2	30.4	60.5	27.5
2001	1,151.3	1,000.1	3,056.7	4,078.4	30.1	60.8	28.1
2002	1,155.6	995.9	3,116.3	4,115.4	30.1	61.5	28.7
2003	1,161.6	994.5	3,159.6	4,154.6	30.6	62.2	29.2
2004	1,170.2	994.3	3,204.8	4,201.9	30.9	62.9	29.7
2005	1,177.6	994.1	3,256.8	4,254.5	31.0	63.0	30.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 051-0001.

Table 3-1

Selected population characteristics, Canada, provinces and territories, 1981 to 2001 — Total population

	1981	1986	1991	1996	2001
Canada	24,343,181	25,309,331	27,296,859	28,846,761	30,007,094
Newfoundland and Labrador	567,681	568,349	568,474	551,792	512,930
Prince Edward Island	122,506	126,646	129,765	134,557	135,294
Nova Scotia	847,442	873,176	899,942	909,282	908,007
New Brunswick	696,403	709,442	723,900	738,133	729,498
Quebec	6,438,403	6,532,461	6,895,963	7,138,795	7,237,479
Ontario	8,625,107	9,101,694	10,084,885	10,753,573	11,410,046
Manitoba	1,026,241	1,063,016	1,091,942	1,113,898	1,119,583
Saskatchewan	968,313	1,009,613	988,928	990,237	978,933
Alberta	2,237,724	2,365,825	2,545,553	2,696,826	2,974,807
British Columbia	2,744,467	2,883,367	3,282,061	3,724,500	3,907,738
Yukon Territory	23,153	23,504	27,797	30,766	28,674
Northwest Territories including Nunavut	45,741	52,238	57,649	64,402	..
Northwest Territories	37,360
Nunavut	26,745

Note: See *Data quality, concepts and methodology* — Footnotes section.

Source: CANSIM table 153-0037.

Table 3-2

Selected population characteristics, Canada, provinces and territories, 1981 to 2001 — Female population

	1981	1986	1991	1996	2001
Canada	12,274,885	12,823,680	13,842,285	14,676,735	15,300,245
Newfoundland and Labrador	281,990	283,980	284,635	279,215	261,965
Prince Edward Island	61,565	63,750	65,795	68,495	69,540
Nova Scotia	427,865	442,605	458,295	466,930	468,920
New Brunswick	350,400	358,675	366,715	375,200	372,795
Quebec	3,266,205	3,331,240	3,518,295	3,645,425	3,704,635
Ontario	4,378,320	4,633,900	5,131,810	5,495,665	5,832,990
Manitoba	519,730	539,245	553,415	566,365	569,985
Saskatchewan	482,240	505,250	498,150	500,810	497,180
Alberta	1,094,505	1,173,785	1,268,180	1,348,525	1,488,220
British Columbia	1,379,310	1,455,255	1,656,085	1,884,200	1,988,635
Yukon Territory	10,975	11,175	13,315	14,885	14,230
Northwest Territories including Nunavut	21,780	24,820	27,595	31,020	..
Northwest Territories	18,245
Nunavut	12,905

Note: See *Data quality, concepts and methodology* — Footnotes section.

Source: CANSIM table 153-0037.

Table 3-3

Selected population characteristics, Canada, provinces and territories, 1981 to 2001 — Male population

	1981	1986	1991	1996	2001
Canada	12,068,285	12,485,650	13,454,580	14,170,025	14,706,855
Newfoundland and Labrador	285,690	284,365	283,840	272,575	250,965
Prince Edward Island	60,940	62,900	63,970	66,060	65,755
Nova Scotia	419,575	430,570	441,645	442,350	439,090
New Brunswick	346,000	350,765	357,185	362,935	356,705
Quebec	3,172,195	3,201,220	3,377,670	3,493,370	3,532,845
Ontario	4,246,785	4,467,795	4,953,075	5,257,910	5,577,055
Manitoba	506,510	523,775	538,525	547,535	549,600
Saskatchewan	486,075	504,365	490,780	489,425	481,750
Alberta	1,143,220	1,192,040	1,277,375	1,348,305	1,486,590
British Columbia	1,365,155	1,428,110	1,625,975	1,840,300	1,919,100
Yukon Territory	12,175	12,330	14,485	15,880	14,445
Northwest Territories including Nunavut	23,965	27,415	30,055	33,380	..
Northwest Territories	19,115
Nunavut	13,840

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0037.

Table 3-4

Selected population characteristics, Canada, provinces and territories, 1981 to 2001 — Population density

	1981	1986	1991	1996	2001
	number per square kilometre				
Canada	2.7	2.8	3.0	3.2	3.3
Newfoundland and Labrador	1.5	1.5	1.5	1.5	1.4
Prince Edward Island	21.6	22.3	22.8	23.7	23.8
Nova Scotia	16.0	16.5	17.0	17.2	17.2
New Brunswick	9.8	9.9	10.1	10.3	10.2
Quebec	4.7	4.8	5.1	5.3	5.3
Ontario	9.5	10.0	11.1	11.8	12.6
Manitoba	1.9	1.9	2.0	2.0	2.0
Saskatchewan	1.7	1.7	1.7	1.7	1.7
Alberta	3.5	3.7	4.0	4.2	4.6
British Columbia	3.0	3.1	3.5	4.0	4.2
Yukon Territory	0.0	0.0	0.1	0.1	0.1
Northwest Territories including Nunavut	0.0	0.0	0.0	0.0	..
Northwest Territories	0.0
Nunavut	0.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0037.

Table 3-5

Selected population characteristics, Canada, provinces and territories, 1981 to 2001 — Urban population

	1981	1986	1991	1996	2001
Canada	18,435,925	19,352,085	20,906,880	22,461,215	23,908,105
Newfoundland and Labrador	332,900	334,730	304,450	313,820	296,195
Prince Edward Island	44,515	48,290	51,815	59,460	60,670
Nova Scotia	466,840	471,125	481,510	497,860	507,005
New Brunswick	353,220	350,305	345,215	360,420	367,915
Quebec	4,993,840	5,088,995	5,350,955	5,597,625	5,817,115
Ontario	7,047,030	7,469,420	8,253,840	8,958,740	9,662,505
Manitoba	730,660	766,850	787,175	800,065	805,310
Saskatchewan	563,165	620,195	623,395	627,180	629,035
Alberta	1,727,545	1,877,760	2,030,895	2,142,815	2,405,150
British Columbia	2,139,410	2,285,005	2,640,140	3,057,390	3,309,840
Yukon Territory	14,815	15,200	16,335	18,445	16,845
Northwest Territories including Nunavut	21,985	24,210	21,155	27,395	..
Northwest Territories	21,830
Nunavut	8,690

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0037.

Table 3-6

Selected population characteristics, Canada, provinces and territories, 1981 to 2001 — Urban female population

	1981	1986	1991	1996	2001
Canada	9,422,265	9,935,515	10,731,835	11,558,915	12,313,195
Newfoundland and Labrador	167,995	169,850	155,350	161,610	153,630
Prince Edward Island	23,740	25,760	27,675	31,550	32,470
Nova Scotia	240,805	244,550	251,055	261,670	267,705
New Brunswick	182,615	182,480	180,635	189,045	193,615
Quebec	2,568,350	2,630,815	2,766,750	2,895,945	3,013,525
Ontario	3,611,375	3,837,845	4,235,855	4,615,050	4,974,460
Manitoba	377,765	396,615	406,260	414,150	416,765
Saskatchewan	289,760	319,585	322,545	325,475	327,285
Alberta	853,855	942,550	1,022,150	1,082,620	1,213,345
British Columbia	1,088,385	1,166,515	1,345,425	1,559,390	1,696,735
Yukon Territory	7,105	7,385	7,975	9,070	8,605
Northwest Territories including Nunavut	10,515	11,565	10,160	13,340	..
Northwest Territories	10,840
Nunavut	4,215

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0037.

Table 3-7

Selected population characteristics, Canada, provinces and territories, 1981 to 2001 — Urban male population

	1981	1986	1991	1996	2001
Canada	9,013,660	9,416,560	10,175,050	10,902,295	11,594,915
Newfoundland and Labrador	164,900	164,880	149,100	152,210	142,565
Prince Edward Island	20,775	22,530	24,140	27,910	28,200
Nova Scotia	226,035	226,575	230,455	236,190	239,300
New Brunswick	170,605	167,825	164,580	171,375	174,295
Quebec	2,425,485	2,458,180	2,584,205	2,701,680	2,803,590
Ontario	3,435,660	3,631,575	4,017,985	4,343,690	4,688,045
Manitoba	352,890	370,235	380,915	385,915	388,545
Saskatchewan	273,410	300,610	300,855	301,705	301,755
Alberta	873,690	935,210	1,008,745	1,060,195	1,191,810
British Columbia	1,051,030	1,118,485	1,294,715	1,497,995	1,613,105
Yukon Territory	7,710	7,810	8,360	9,375	8,240
Northwest Territories including Nunavut	11,470	12,645	10,995	14,055	..
Northwest Territories	10,990
Nunavut	4,475

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0037.

Table 3-8

Selected population characteristics, Canada, provinces and territories, 1981 to 2001 — Urban population as a share of total population

	1981	1986	1991	1996	2001
	percent				
Canada	75.7	76.5	76.6	77.9	79.7
Newfoundland and Labrador	58.6	58.9	53.6	56.9	57.7
Prince Edward Island	36.3	38.1	39.9	44.2	44.8
Nova Scotia	55.1	54.0	53.5	54.8	55.8
New Brunswick	50.7	49.4	47.7	48.8	50.4
Quebec	77.6	77.9	77.6	78.4	80.4
Ontario	81.7	82.1	81.8	83.3	84.7
Manitoba	71.2	72.1	72.1	71.8	71.9
Saskatchewan	58.2	61.4	63.0	63.3	64.3
Alberta	77.2	79.4	79.8	79.5	80.9
British Columbia	78.0	79.2	80.4	82.1	84.7
Yukon Territory	64.0	64.7	58.8	60.0	58.7
Northwest Territories including Nunavut	48.1	46.3	36.7	42.5	..
Northwest Territories	58.4
Nunavut	32.5

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0037.

Table 3-9

Selected population characteristics, Canada, provinces and territories, 1981 to 2001 — Rural population

	1981	1986	1991	1996	2001
Canada	5,907,255	5,957,240	6,389,975	6,385,545	6,098,980
Newfoundland and Labrador	234,785	233,615	264,025	237,975	216,735
Prince Edward Island	77,990	78,355	77,950	75,095	74,620
Nova Scotia	380,600	402,050	418,435	411,425	401,000
New Brunswick	343,185	359,140	378,685	377,710	361,585
Quebec	1,444,565	1,443,465	1,545,010	1,541,170	1,420,365
Ontario	1,578,075	1,632,275	1,831,045	1,794,830	1,747,540
Manitoba	295,580	296,165	304,765	313,835	314,275
Saskatchewan	405,145	389,415	365,530	363,060	349,895
Alberta	510,180	488,065	514,660	554,010	569,655
British Columbia	605,055	598,365	641,920	667,110	597,895
Yukon Territory	8,340	8,305	11,460	12,320	11,830
Northwest Territories including Nunavut	23,755	28,025	36,490	37,005	..
Northwest Territories	15,530
Nunavut	18,055

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0037.

Table 3-10

Selected population characteristics, Canada, provinces and territories, 1981 to 2001 — Rural female population

	1981	1986	1991	1996	2001
Canada	2,852,625	2,888,150	3,110,455	3,117,820	2,987,060
Newfoundland and Labrador	113,995	114,130	129,280	117,605	108,340
Prince Edward Island	37,825	37,985	38,125	36,950	37,070
Nova Scotia	187,060	198,055	207,245	205,260	201,215
New Brunswick	167,785	176,195	186,080	186,155	179,175
Quebec	697,855	700,425	751,545	749,480	691,110
Ontario	766,945	796,055	895,955	880,615	858,530
Manitoba	141,965	142,625	147,155	152,215	153,220
Saskatchewan	192,480	185,665	175,605	175,335	169,900
Alberta	240,650	231,235	246,030	265,905	274,875
British Columbia	290,925	288,740	310,660	324,805	291,900
Yukon Territory	3,875	3,785	5,340	5,815	5,625
Northwest Territories including Nunavut	11,265	13,255	17,435	17,680	..
Northwest Territories	7,405
Nunavut	8,695

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0037.

Table 3-11

Selected population characteristics, Canada, provinces and territories, 1981 to 2001 — Rural male population

	1981	1986	1991	1996	2001
Canada	3,054,625	3,069,090	3,279,535	3,267,725	3,111,930
Newfoundland and Labrador	120,790	119,485	134,740	120,365	108,395
Prince Edward Island	40,165	40,370	39,830	38,150	37,550
Nova Scotia	193,540	203,995	211,190	206,160	199,785
New Brunswick	175,395	182,940	192,605	191,560	182,410
Quebec	746,710	743,040	793,465	791,690	729,255
Ontario	811,130	836,220	935,095	914,215	889,010
Manitoba	153,620	153,535	157,610	161,620	161,055
Saskatchewan	212,665	203,755	189,925	187,720	180,000
Alberta	269,525	256,835	268,630	288,110	294,780
British Columbia	314,130	309,625	331,260	342,305	305,995
Yukon Territory	4,465	4,520	6,125	6,505	6,205
Northwest Territories including Nunavut	12,490	14,770	19,060	19,325	..
Northwest Territories	8,125
Nunavut	9,365

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0037.

Table 3-12

Selected population characteristics, Canada, provinces and territories, 1981 to 2001 — Rural population as a share of total population

	1981	1986	1991	1996	2001
	percent				
Canada	24.3	23.5	23.4	22.1	20.3
Newfoundland and Labrador	41.4	41.1	46.4	43.1	42.3
Prince Edward Island	63.7	61.9	60.1	55.8	55.2
Nova Scotia	44.9	46.0	46.5	45.2	44.2
New Brunswick	49.3	50.6	52.3	51.2	49.6
Quebec	22.4	22.1	22.4	21.6	19.6
Ontario	18.3	17.9	18.2	16.7	15.3
Manitoba	28.8	27.9	27.9	28.2	28.1
Saskatchewan	41.8	38.6	37.0	36.7	35.7
Alberta	22.8	20.6	20.2	20.5	19.1
British Columbia	22.0	20.8	19.6	17.9	15.3
Yukon Territory	36.0	35.3	41.2	40.0	41.3
Northwest Territories including Nunavut	51.9	53.7	63.3	57.5	..
Northwest Territories	41.6
Nunavut	67.5

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0037.

Table 3-13

Selected population characteristics, Canada, provinces and territories, 1981 to 2001 — Private dwellings

	1981	1986	1991	1996	2001
Canada	8,281,452	8,991,672	10,018,267	10,899,427	12,548,588
Newfoundland and Labrador	148,421	159,081	174,495	187,406	227,570
Prince Edward Island	37,662	40,694	44,478	48,630	55,992
Nova Scotia	273,194	295,780	324,377	344,779	403,819
New Brunswick	214,897	231,682	253,707	272,915	313,609
Quebec	2,172,809	2,357,104	2,634,301	2,849,149	3,230,196
Ontario	2,969,755	3,221,728	3,638,364	3,951,326	4,556,240
Manitoba	357,979	382,345	405,120	421,096	477,085
Saskatchewan	332,715	358,268	363,149	375,740	431,628
Alberta	758,209	836,127	910,391	984,275	1,171,841
British Columbia	996,689	1,087,116	1,243,894	1,433,533	1,643,969
Yukon Territory	7,588	7,973	9,915	11,584	13,793
Northwest Territories including Nunavut	11,534	13,774	16,076	18,994	..
Northwest Territories	14,669
Nunavut	8,177

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0037.

Table 3-14

Selected population characteristics, Canada, provinces and territories, 1981 to 2001 — Private dwelling density

	1981	1986	1991	1996	2001
	number per square kilometre				
Canada	0.9	1.0	1.1	1.2	1.4
Newfoundland and Labrador	0.4	0.4	0.5	0.5	0.6
Prince Edward Island	6.6	7.2	7.8	8.6	9.9
Nova Scotia	5.2	5.6	6.1	6.5	7.6
New Brunswick	3.0	3.2	3.6	3.8	4.4
Quebec	1.6	1.7	1.9	2.1	2.4
Ontario	3.3	3.5	4.0	4.4	5.0
Manitoba	0.6	0.7	0.7	0.8	0.9
Saskatchewan	0.6	0.6	0.6	0.6	0.7
Alberta	1.2	1.3	1.4	1.5	1.8
British Columbia	1.1	1.2	1.3	1.5	1.8
Yukon Territory	0.0	0.0	0.0	0.0	0.0
Northwest Territories including Nunavut	0.0	0.0	0.0	0.0	..
Northwest Territories	0.0
Nunavut	0.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0037.

Table 3-15

Selected population characteristics, Canada, provinces and territories, 1981 to 2001 — Population per private dwelling

	1981	1986	1991	1996	2001
Canada	2.9	2.8	2.7	2.6	2.4
Newfoundland and Labrador	3.8	3.6	3.3	2.9	2.3
Prince Edward Island	3.3	3.1	2.9	2.8	2.4
Nova Scotia	3.1	3.0	2.8	2.6	2.2
New Brunswick	3.2	3.1	2.9	2.7	2.3
Quebec	3.0	2.8	2.6	2.5	2.2
Ontario	2.9	2.8	2.8	2.7	2.5
Manitoba	2.9	2.8	2.7	2.6	2.3
Saskatchewan	2.9	2.8	2.7	2.6	2.3
Alberta	3.0	2.8	2.8	2.7	2.5
British Columbia	2.8	2.7	2.6	2.6	2.4
Yukon Territory	3.1	2.9	2.8	2.7	2.1
Northwest Territories including Nunavut	4.0	3.8	3.6	3.4	..
Northwest Territories	2.5
Nunavut	3.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0037.

Table 4-1

Total population by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Maritime Provinces	[01]	1,806,205	1,848,245	1,883,845	1,911,685	1,893,695	4.8
Saint John and Southern Bay of Fundy, N.B.	[01A]	385,680	393,945	398,480	408,885	403,755	4.7
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	450,040	454,330	455,665	458,955	446,645	-0.8
Prince Edward Island	[01C]	122,510	126,645	129,765	134,560	135,295	10.4
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	291,055	305,415	315,810	321,270	317,940	9.2
Southeastern Atlantic Ocean, N.S.	[01E]	386,840	401,795	422,445	429,745	441,655	14.2
Cape Breton Island	[01F]	170,085	166,115	161,685	158,275	148,410	-12.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 4-2

Total population by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
St. Lawrence	[02]	15,137,905	15,727,225	17,073,065	17,963,690	18,704,560	23.6
Northwestern Lake Superior	[02A]	133,445	134,360	136,790	137,515	132,490	-0.7
Northeastern Lake Superior	[02B]	55,595	50,145	51,075	49,510	46,625	-16.1
Northern Lake Huron	[02C]	263,665	260,525	266,290	267,435	253,190	-4.0
Wanapitei and French, Ont.	[02D]	91,670	87,530	91,315	91,675	89,015	-2.9
Eastern Georgian Bay	[02E]	410,135	440,775	540,300	610,395	679,535	65.7
Eastern Lake Huron	[02F]	263,420	275,645	302,160	309,535	310,990	18.1
Northern Lake Erie	[02G]	1,649,120	1,690,085	1,838,285	1,933,060	2,028,510	23.0
Lake Ontario and Niagara Peninsula	[02H]	4,549,385	4,879,010	5,463,720	5,882,975	6,356,940	39.7
Upper Ottawa	[02J]	112,510	114,270	120,075	120,200	112,595	0.1
Central Ottawa	[02K]	343,685	356,280	383,730	412,425	429,430	24.9
Lower Ottawa	[02L]	857,915	932,310	1,044,135	1,129,250	1,190,950	38.8
Upper St. Lawrence	[02M]	233,990	246,585	260,335	273,790	270,745	15.7
Saint-Maurice	[02N]	131,615	135,045	126,960	128,740	126,420	-3.9
Central St. Lawrence	[02O]	3,895,360	3,971,215	4,253,605	4,407,750	4,516,340	15.9
Lower St. Lawrence	[02P]	1,052,255	1,068,255	1,118,665	1,149,035	1,154,435	9.7
Northern Gaspé Peninsula	[02Q]	140,060	139,320	132,855	132,995	131,525	-6.1
Saguenay	[02R]	287,275	286,690	287,215	287,765	279,825	-2.6
Betsiamites, coast	[02S]	16,200	15,505	15,155	15,160	15,385	-5.0
Manicouagan and aux Outardes	[02T]	23,655	20,155	20,240	20,495	18,170	-23.2
Moisie and St. Lawrence Estuary	[02U]	61,195	53,820	53,055	52,840	49,250	-19.5
Gulf of St. Lawrence, Romaine	[02V]	2,065	2,030	2,145	2,195	1,560	-24.5
Gulf of St. Lawrence, Natashquan	[02W]	20,755	21,380	19,970	19,685	19,880	-4.2
Petit Mécatina and Strait of Belle Isle	[02X]	6,565	6,650	6,905	6,670	5,705	-13.1
Northern Newfoundland	[02Y]	217,670	214,330	208,475	198,690	178,700	-17.9
Southern Newfoundland	[02Z]	318,690	325,285	329,625	323,905	306,360	-3.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 4-3

Total population by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Northern Quebec and Labrador	[03]	78,220	70,670	72,590	74,460	73,160	-6.5
Nottaway, coast	[03A]	32,305	29,400	27,005	26,985	25,180	-22.1
Broadback and Rupert	[03B]	2,955	3,525	3,380	4,375	4,865	64.6
Eastmain	[03C]	330	360	440	525	615	86.4
La Grande, coast	[03D]	5,410	3,540	4,210	4,725	4,970	-8.1
Grande rivière de la Baleine, coast	[03E]	1,065	1,050	1,115	1,380	1,330	24.9
Eastern Hudson Bay	[03F]	0	55	285	320	350	...
Northeastern Hudson Bay	[03G]	1,665	1,985	2,510	2,765	3,055	83.5
Western Ungava Bay	[03H]	1,320	1,705	2,075	2,335	2,645	100.4
Aux Feuilles, coast	[03J]	175	245	285	355	385	120.0
Koksoak	[03K]	810	1,070	1,405	1,730	1,930	138.3
Caniapiscau	[03L]	3,170	1,075	1,140	1,215	1,255	-60.4
Eastern Ungava Bay	[03M]	145	380	525	650	710	389.7
Northern Labrador	[03N]	2,175	2,445	2,655	2,560	2,895	33.1
Churchill, N.L.	[03O]	19,710	16,185	17,145	16,175	14,165	-28.1
Central Labrador	[03P]	4,310	4,785	5,440	5,520	6,095	41.4
Southern Labrador	[03Q]	2,665	2,875	2,965	2,875	2,715	1.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 4-4

Total population by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Southwestern Hudson Bay	[04]	207,340	199,745	207,410	210,250	200,275	-3.4
Hayes, Man.	[04A]	5,145	7,650	7,365	9,440	10,445	103.0
Southwestern Hudson Bay	[04B]	0	0	0	0	0	...
Severn	[04C]	4,290	575	3,590	4,625	5,760	34.3
Winisk, coast	[04D]	1,575	1,055	1,945	2,295	2,615	66.0
Ekwan, coast	[04E]	0	0	0	0	0	...
Attawapiskat, coast	[04F]	1,400	490	1,945	2,040	1,965	40.4
Upper Albany	[04G]	2,775	1,050	1,550	1,545	2,260	-18.6
Lower Albany, coast	[04H]	1,200	0	1,195	1,605	445	-62.9
Kenogami	[04J]	11,040	10,485	9,060	8,805	8,105	-26.6
Moose, Ont.	[04K]	2,975	1,935	2,855	4,070	2,885	-3.0
Missinaibi and Mattagami	[04L]	71,360	69,265	68,265	67,170	62,010	-13.1
Abitibi	[04M]	51,130	50,430	50,005	48,785	46,375	-9.3
Harricanaw, coast	[04N]	54,450	56,815	59,615	59,880	57,415	5.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 4-5

Total population by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Nelson River	[05]	3,975,415	4,163,310	4,347,520	4,497,255	4,746,290	19.4
Upper South Saskatchewan	[05A]	193,860	201,045	209,695	221,130	231,665	19.5
Bow	[05B]	670,160	716,255	805,825	883,470	1,029,515	53.6
Red Deer	[05C]	167,620	178,675	188,285	202,625	220,550	31.6
Upper North Saskatchewan	[05D]	295,410	284,880	303,690	312,845	342,365	15.9
Central North Saskatchewan	[05E]	576,450	638,380	683,145	697,835	747,370	29.7
Battle	[05F]	107,650	105,455	106,290	111,590	118,105	9.7
Lower North Saskatchewan	[05G]	102,505	105,895	102,620	101,530	100,240	-2.2
Lower South Saskatchewan	[05H]	248,015	274,140	277,460	284,360	289,255	16.6
Qu'Appelle	[05J]	323,500	333,890	330,410	326,810	318,850	-1.4
Saskatchewan	[05K]	71,065	68,755	65,215	65,160	63,130	-11.2
Lake Winnipegosis and Lake Manitoba	[05L]	98,160	94,195	90,590	89,915	91,860	-6.4
Assiniboine	[05M]	374,905	365,480	353,115	349,745	337,010	-10.1
Souris	[05N]	81,070	80,400	74,510	73,520	69,765	-13.9
Red	[05O]	526,560	575,680	611,715	625,545	638,805	21.3
Winnipeg	[05P]	53,830	54,150	56,165	57,430	54,745	1.7
English	[05Q]	28,900	29,365	28,305	29,380	28,455	-1.5
Eastern Lake Winnipeg	[05R]	5,405	5,275	5,350	5,750	5,175	-4.3
Western Lake Winnipeg	[05S]	24,660	22,815	25,455	27,980	30,730	24.6
Grass and Burntwood	[05T]	18,235	19,810	19,830	19,450	17,975	-1.4
Nelson	[05U]	7,460	8,770	9,860	11,185	10,710	43.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 4-6

Total population by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Western and Northern Hudson Bay	[06]	76,300	82,725	85,540	95,660	98,540	29.1
Beaver, Alta. and Sask.	[06A]	46,355	50,875	52,490	57,095	58,215	25.6
Upper Churchill, Manitoba	[06B]	6,795	6,495	7,075	7,830	8,185	20.5
Central Churchill, upper, Manitoba	[06C]	6,570	7,340	8,015	9,610	10,430	58.8
Reindeer	[06D]	1,450	2,340	2,490	3,135	3,160	117.9
Central Churchill, lower, Manitoba	[06E]	6,485	6,165	4,785	5,760	5,560	-14.3
Lower Churchill, Manitoba	[06F]	1,440	1,220	1,175	1,085	960	-33.3
Seal, coast	[06G]	240	215	235	340	315	31.2
Western Hudson Bay, Southern	[06H]	0	0	0	0	0	...
Thelon	[06J]	0	0	0	0	0	...
Dubawnt	[06K]	0	0	0	0	0	...
Kazan	[06L]	0	0	0	0	0	...
Chesterfield Inlet	[06M]	955	1,005	1,190	1,390	1,505	57.6
Western Hudson Bay, central	[06N]	2,570	3,070	3,585	4,260	4,730	84.0
Western Hudson Bay, northern	[06O]	0	0	0	0	0	...
Hudson Bay, Southampton Island	[06P]	810	895	1,100	1,300	1,390	71.6
Foxe Basin, Southampton Island	[06Q]	0	0	0	0	0	...
Foxe Basin, Melville Peninsula	[06R]	1,445	1,725	1,955	2,280	2,505	73.4
Foxe Basin, Baffin Island	[06S]	75	110	45	0	0	-100.0
Hudson Strait, Baffin and Southampton Islands	[06T]	1,085	1,245	1,405	1,565	1,585	46.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 4-7

Total population by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Great Slave Lake	[07]	319,365	334,860	342,895	365,465	378,200	18.4
Upper Athabasca	[07A]	34,185	35,690	37,475	40,960	40,835	19.5
Central Athabasca, upper	[07B]	50,445	52,770	53,530	58,085	57,035	13.1
Central Athabasca, lower	[07C]	32,630	30,520	27,015	26,960	38,450	17.8
Lower Athabasca	[07D]	9,085	15,940	18,120	17,750	15,430	69.8
Williston Lake	[07E]	7,440	6,965	7,460	7,705	6,225	-16.3
Upper Peace	[07F]	71,255	73,515	74,705	78,060	74,465	4.5
Smoky	[07G]	61,190	62,590	65,580	71,490	78,705	28.6
Central Peace, upper	[07H]	15,180	14,505	12,555	13,495	14,795	-2.5
Central Peace, lower	[07J]	10,285	13,950	14,855	15,485	19,290	87.6
Lower Peace	[07K]	825	1,090	1,230	1,660	1,620	96.4
Fond-du-Lac	[07L]	855	1,665	1,700	2,035	1,945	127.5
Lake Athabasca, shores	[07M]	4,230	1,240	1,250	1,290	1,295	-69.4
Slave	[07N]	2,330	2,485	2,510	2,470	2,205	-5.4
Hay	[07O]	5,300	5,435	6,305	7,380	5,845	10.3
Southern Great Slave Lake	[07P]	2,345	2,185	720	640	805	-65.7
Great Slave Lake, east arm, south shore	[07Q]	255	270	290	305	245	-3.9
Lockhart	[07R]	0	0	0	0	0	...
Northeastern Great Slave Lake	[07S]	10,855	13,225	17,170	19,265	18,195	67.6
Marian	[07T]	265	345	390	420	455	71.7
Western Great Slave Lake	[07U]	410	470	0	0	355	-13.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 4-8

Total population by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Pacific	[08]	2,680,660	2,818,275	3,215,895	3,655,150	3,840,750	43.3
Alsek	[08A]	365	520	650	765	560	53.4
Northern coastal waters, B.C.	[08B]	0	0	0	0	0	...
Stikine, coast	[08C]	615	685	875	885	915	48.8
Nass, coast	[08D]	3,625	2,670	2,955	2,985	2,590	-28.6
Skeena, coast	[08E]	59,260	57,095	60,690	64,625	60,850	2.7
Central coastal waters, B.C.	[08F]	18,245	16,330	17,225	17,390	16,285	-10.7
Southern coastal waters, B.C.	[08G]	473,825	491,685	531,145	587,815	625,205	31.9
Vancouver Island	[08H]	496,695	517,380	590,845	655,925	665,695	34.0
Nechako	[08J]	59,570	59,480	59,875	67,415	63,715	7.0
Upper Fraser	[08K]	68,555	69,435	70,240	75,025	74,650	8.9
Thompson	[08L]	143,160	137,485	149,305	172,315	171,985	20.1
Lower Fraser	[08M]	1,008,555	1,118,750	1,347,655	1,570,510	1,708,120	69.4
Columbia	[08N]	341,575	341,290	378,995	433,780	445,045	30.3
Queen Charlotte Islands	[08O]	5,620	5,480	5,320	5,590	4,940	-12.1
Skagit	[08P]	995	0	85	110	210	-78.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 4-9

Total population by major drainage area and sub-drainage area, 1981 to 2001 — Yukon River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Yukon River	[09]	21,945	22,200	26,285	28,730	27,230	24.1
Headwaters Yukon	[09A]	17,305	18,475	21,945	23,725	23,530	36.0
Pelly	[09B]	2,150	990	1,770	1,870	1,025	-52.3
Upper Yukon	[09C]	390	230	290	295	245	-37.2
Stewart	[09D]	935	895	540	555	575	-38.5
Central Yukon	[09E]	915	1,375	1,490	2,005	1,555	69.9
Porcupine	[09F]	240	235	255	280	305	27.1
Tanana	[09H]	0	0	0	0	0	...
Copper	[09M]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 4-10

Total population by major drainage area and sub-drainage area, 1981 to 2001 — Arctic

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Arctic	[10]	26,950	29,925	31,365	34,515	34,300	27.3
Upper Liard	[10A]	2,935	2,945	2,765	2,320	1,775	-39.5
Central Liard	[10B]	0	0	135	105	145	...
Fort Nelson	[10C]	4,590	4,810	4,660	5,495	5,635	22.8
Central Liard and Petitot	[10D]	0	0	0	0	0	...
Lower Liard	[10E]	840	1,035	575	585	1,315	56.5
Upper Mackenzie, Mills Lake	[10F]	735	710	765	865	875	19.0
Upper Mackenzie, Camsell Bend	[10G]	980	990	1,185	1,280	480	-51.0
Central Mackenzie, Blackwater Lake	[10H]	440	510	545	615	640	45.5
Great Bear	[10J]	820	720	805	875	815	-0.6
Central Mackenzie, The Ramparts	[10K]	425	630	645	790	665	56.5
Lower Mackenzie	[10L]	3,730	4,055	3,955	4,190	3,635	-2.5
Peel and Southwestern Beaufort Sea	[10M]	1,355	1,525	1,565	1,645	1,465	8.1
Southern Beaufort Sea	[10N]	825	980	1,025	945	1,035	25.5
Amundsen Gulf	[10O]	620	230	260	1,475	1,490	140.3
Coppermine	[10P]	375	895	0	0	0	-100.0
Coronation Gulf and Queen Maud Gulf	[10Q]	90	80	1,130	65	0	-100.0
Back	[10R]	0	0	0	0	0	...
Gulf of Boothia	[10S]	690	790	985	1,145	1,325	92.0
Southern Arctic Islands	[10T]	1,835	2,125	2,490	2,785	2,780	51.5
Baffin Island, Arctic drainage	[10U]	5,330	6,465	7,545	8,760	9,755	83.0
Northern Arctic Islands	[10V]	310	430	305	525	450	45.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 4-11

Total population by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Mississippi River	[11]	12,875	12,150	10,445	9,905	10,095	-21.6
Missouri	[11A]	12,875	12,150	10,445	9,905	10,095	-21.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 5-1

Female population, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Maritime Provinces	[01]	908,420	933,675	955,765	975,570	972,135	7.0
Saint John and Southern Bay of Fundy, N.B.	[01A]	194,370	199,890	202,600	208,330	206,600	6.3
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	224,350	227,360	229,070	231,810	227,080	1.2
Prince Edward Island	[01C]	61,570	63,750	65,800	68,500	69,540	12.9
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	146,210	154,020	159,800	163,930	162,940	11.4
Southeastern Atlantic Ocean, N.S.	[01E]	196,220	204,490	215,920	221,320	228,630	16.5
Cape Breton Island	[01F]	85,700	84,170	82,570	81,680	77,350	-9.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 5-2

Female population, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
St. Lawrence	[02]	7,686,440	8,015,935	8,699,750	9,182,345	9,572,200	24.5
Northwestern Lake Superior	[02A]	66,260	67,320	68,780	69,550	67,360	1.7
Northeastern Lake Superior	[02B]	27,050	24,480	25,000	24,330	23,130	-14.5
Northern Lake Huron	[02C]	132,000	131,960	135,350	136,630	130,600	-1.1
Wanapitei and French, Ont.	[02D]	46,040	44,280	46,360	46,780	45,620	-0.9
Eastern Georgian Bay	[02E]	205,480	221,510	271,740	308,870	343,860	67.3
Eastern Lake Huron	[02F]	131,450	138,250	152,110	156,850	158,250	20.4
Northern Lake Erie	[02G]	838,440	862,120	937,090	986,780	1,033,480	23.3
Lake Ontario and Niagara Peninsula	[02H]	2,320,930	2,493,470	2,788,090	3,017,850	3,260,210	40.5
Upper Ottawa	[02J]	55,870	56,890	59,750	60,110	56,850	1.8
Central Ottawa	[02K]	173,920	180,940	195,050	210,650	219,790	26.4
Lower Ottawa	[02L]	435,070	473,030	529,510	573,560	606,410	39.4
Upper St. Lawrence	[02M]	117,890	125,830	133,190	139,760	138,350	17.4
Saint-Maurice	[02N]	66,900	69,480	65,450	66,380	65,680	-1.8
Central St. Lawrence	[02O]	1,991,080	2,039,330	2,181,620	2,262,070	2,320,750	16.6
Lower St. Lawrence	[02P]	535,060	545,160	571,550	587,530	591,160	10.5
Northern Gaspé Peninsula	[02Q]	70,120	70,160	67,430	67,640	67,190	-4.2
Saguenay	[02R]	142,430	142,990	144,220	144,580	140,880	-1.1
Betsiamites, coast	[02S]	7,870	7,680	7,500	7,530	7,690	-2.3
Manicouagan and aux Outardes	[02T]	11,610	9,940	9,890	10,050	8,950	-22.9
Moisie and St. Lawrence Estuary	[02U]	29,680	26,360	25,780	25,760	24,220	-18.4
Gulf of St. Lawrence, Romaine	[02V]	1,030	1,010	1,050	1,060	780	-24.3
Gulf of St. Lawrence, Natashquan	[02W]	10,180	10,510	9,920	9,820	10,020	-1.6
Petit Mécatina and Strait of Belle Isle	[02X]	3,130	3,230	3,370	3,260	2,790	-10.9
Northern Newfoundland	[02Y]	107,360	106,330	103,600	99,870	90,780	-15.4
Southern Newfoundland	[02Z]	159,610	163,700	166,350	165,100	157,420	-1.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 5-3

Female population, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Northern Quebec and Labrador	[03]	37,220	34,270	35,095	36,115	35,890	-3.6
Nottaway, coast	[03A]	15,150	14,090	12,940	12,930	12,160	-19.7
Broadback and Rupert	[03B]	1,450	1,800	1,680	2,140	2,450	69.0
Eastmain	[03C]	150	170	220	260	310	106.7
La Grande, coast	[03D]	2,630	1,760	2,080	2,320	2,480	-5.7
Grande rivière de la Baleine, coast	[03E]	510	510	540	650	640	25.5
Eastern Hudson Bay	[03F]	0	0	140	150	160	...
Northeastern Hudson Bay	[03G]	790	960	1,210	1,330	1,490	88.6
Western Ungava Bay	[03H]	650	840	1,020	1,150	1,310	101.5
Aux Feuilles, coast	[03J]	90	120	140	180	190	111.1
Koksoak	[03K]	390	520	670	840	960	146.2
Caniapiscau	[03L]	1,470	530	560	590	610	-58.5
Eastern Ungava Bay	[03M]	70	180	250	310	340	385.7
Northern Labrador	[03N]	1,040	1,180	1,290	1,250	1,440	38.5
Churchill, N.L.	[03O]	9,480	7,890	8,310	7,900	6,980	-26.4
Central Labrador	[03P]	2,100	2,370	2,680	2,760	3,100	47.6
Southern Labrador	[03Q]	1,230	1,340	1,380	1,360	1,280	4.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 5-4

Female population, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Southwestern Hudson Bay	[04]	101,090	97,870	102,120	103,780	99,535	-1.5
Hayes, Man.	[04A]	2,490	3,660	3,510	4,520	5,010	101.2
Southwestern Hudson Bay	[04B]	0	0	0	0	0	...
Severn	[04C]	2,170	290	1,790	2,290	2,880	32.7
Winisk, coast	[04D]	800	500	960	1,110	1,310	63.8
Ekwan, coast	[04E]	0	0	0	0	0	...
Attawapiskat, coast	[04F]	680	230	870	930	960	41.2
Upper Albany	[04G]	1,350	520	760	750	1,060	-21.5
Lower Albany, coast	[04H]	590	0	580	780	210	-64.4
Kenogami	[04J]	5,230	5,050	4,430	4,310	3,950	-24.5
Moose, Ont.	[04K]	1,480	980	1,420	1,990	1,430	-3.4
Missinaibi and Mattagami	[04L]	34,840	34,180	33,910	33,530	31,090	-10.8
Abitibi	[04M]	24,800	24,600	24,620	24,030	23,000	-7.3
Harricanaw, coast	[04N]	26,660	27,860	29,280	29,540	28,640	7.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 5-5

Female population, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Nelson River	[05J]	1,974,845	2,086,510	2,185,975	2,269,515	2,397,255	21.4
Upper South Saskatchewan	[05A]	96,520	100,910	105,650	111,690	117,300	21.5
Bow	[05B]	328,470	357,450	403,330	442,750	515,200	56.8
Red Deer	[05C]	81,490	88,020	93,280	100,470	109,360	34.2
Upper North Saskatchewan	[05D]	147,040	144,030	153,990	159,580	174,690	18.8
Central North Saskatchewan	[05E]	281,090	316,090	339,700	349,360	374,410	33.2
Battle	[05F]	52,760	52,040	53,140	56,150	59,400	12.6
Lower North Saskatchewan	[05G]	50,180	52,380	50,860	50,560	50,160	0.0
Lower South Saskatchewan	[05H]	125,730	139,190	141,850	145,460	148,480	18.1
Qu'Appelle	[05J]	162,420	168,290	167,360	166,420	163,020	0.4
Saskatchewan	[05K]	34,790	33,780	32,330	32,210	31,570	-9.3
Lake Winnipegosis and Lake Manitoba	[05L]	47,830	46,120	44,620	44,470	45,820	-4.2
Assiniboine	[05M]	191,750	186,470	180,450	179,430	173,140	-9.7
Souris	[05N]	39,710	39,460	36,830	36,500	34,820	-12.3
Red	[05O]	267,960	293,900	311,560	319,790	326,380	21.8
Winnipeg	[05P]	26,530	26,730	27,810	28,720	27,540	3.8
English	[05Q]	13,810	14,180	13,890	14,530	14,100	2.1
Eastern Lake Winnipeg	[05R]	2,570	2,510	2,530	2,710	2,500	-2.7
Western Lake Winnipeg	[05S]	11,990	11,190	12,490	13,750	15,240	27.1
Grass and Burntwood	[05T]	8,560	9,550	9,520	9,490	8,900	4.0
Nelson	[05U]	3,630	4,240	4,810	5,480	5,230	44.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 5-6

Female population, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Western and Northern Hudson Bay	[06J]	36,630	39,725	41,195	46,510	48,365	32.0
Beaver, Alta. and Sask.	[06A]	22,260	24,370	25,210	27,670	28,490	28.0
Upper Churchill, Manitoba	[06B]	3,280	3,130	3,450	3,890	4,110	25.3
Central Churchill, upper, Manitoba	[06C]	3,160	3,580	3,910	4,720	5,150	63.0
Reindeer	[06D]	700	1,110	1,200	1,540	1,560	122.9
Central Churchill, lower, Manitoba	[06E]	3,040	2,950	2,270	2,780	2,700	-11.2
Lower Churchill, Manitoba	[06F]	710	590	570	530	470	-33.8
Seal, coast	[06G]	110	100	110	150	140	27.3
Western Hudson Bay, Southern	[06H]	0	0	0	0	0	...
Thelon	[06J]	0	0	0	0	0	...
Dubawnt	[06K]	0	0	0	0	0	...
Kazan	[06L]	0	0	0	0	0	...
Chesterfield Inlet	[06M]	470	480	550	650	720	53.2
Western Hudson Bay, central	[06N]	1,250	1,500	1,750	2,100	2,360	88.8
Western Hudson Bay, northern	[06O]	0	0	0	0	0	...
Hudson Bay, Southampton Island	[06P]	390	450	540	610	680	74.4
Foxe Basin, Southampton Island	[06Q]	0	0	0	0	0	...
Foxe Basin, Melville Peninsula	[06R]	720	830	930	1,090	1,210	68.1
Foxe Basin, Baffin Island	[06S]	0	0	0	0	0	...
Hudson Strait, Baffin and Southampton Islands	[06T]	510	600	680	760	770	51.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 5-7

Female population, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Great Slave Lake	[07]	152,270	161,100	165,460	177,120	183,905	20.8
Upper Athabasca	[07A]	16,080	17,050	17,890	19,650	19,700	22.5
Central Athabasca, upper	[07B]	24,390	25,610	26,060	28,530	28,140	15.4
Central Athabasca, lower	[07C]	15,380	14,590	12,890	12,870	18,290	18.9
Lower Athabasca	[07D]	4,220	7,720	8,770	8,610	7,490	77.5
Williston Lake	[07E]	3,420	3,190	3,450	3,540	2,870	-16.1
Upper Peace	[07F]	34,210	35,340	35,980	37,930	36,400	6.4
Smoky	[07G]	29,180	30,370	31,960	34,690	38,320	31.3
Central Peace, upper	[07H]	7,320	7,000	6,060	6,570	7,170	-2.0
Central Peace, lower	[07J]	4,900	6,760	7,210	7,530	9,440	92.7
Lower Peace	[07K]	410	540	610	800	800	95.1
Fond-du-Lac	[07L]	420	810	840	1,010	940	123.8
Lake Athabasca, shores	[07M]	1,980	580	610	660	640	-67.7
Slave	[07N]	1,160	1,210	1,220	1,210	1,070	-7.8
Hay	[07O]	2,530	2,550	3,030	3,500	2,770	9.5
Southern Great Slave Lake	[07P]	1,080	1,010	330	280	390	-63.9
Great Slave Lake, east arm, south shore	[07Q]	110	120	140	150	110	0.0
Lockhart	[07R]	0	0	0	0	0	...
Northeastern Great Slave Lake	[07S]	5,160	6,240	8,220	9,380	8,990	74.2
Marian	[07T]	120	160	180	190	200	66.7
Western Great Slave Lake	[07U]	200	240	0	0	180	-10.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 5-8

Female population, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Pacific	[08]	1,348,820	1,424,085	1,624,445	1,850,655	1,956,195	45.0
Alsek	[08A]	180	240	320	370	280	55.6
Northern coastal waters, B.C.	[08B]	0	0	0	0	0	...
Stikine, coast	[08C]	280	300	400	410	440	57.1
Nass, coast	[08D]	1,600	1,240	1,330	1,380	1,200	-25.0
Skeena, coast	[08E]	28,210	27,350	29,270	31,310	29,730	5.4
Central coastal waters, B.C.	[08F]	8,670	7,890	8,280	8,370	7,810	-9.9
Southern coastal waters, B.C.	[08G]	240,800	249,950	269,010	297,520	317,690	31.9
Vancouver Island	[08H]	252,530	264,320	301,750	335,900	343,450	36.0
Nechako	[08J]	28,910	29,100	29,130	32,960	31,490	8.9
Upper Fraser	[08K]	33,090	33,880	34,410	36,890	36,820	11.3
Thompson	[08L]	70,390	68,130	74,230	86,210	87,000	23.6
Lower Fraser	[08M]	510,640	567,110	682,230	796,030	870,030	70.4
Columbia	[08N]	170,470	172,120	191,590	220,670	227,850	33.7
Queen Charlotte Islands	[08O]	2,600	2,460	2,440	2,580	2,340	-10.0
Skagit	[08P]	460	0	40	50	100	-78.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 5-9

Female population, by major drainage area and sub-drainage area, 1981 to 2001 — Yukon River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Yukon River	[09]	10,420	10,550	12,580	13,930	13,540	29.9
Headwaters Yukon	[09A]	8,280	8,910	10,600	11,640	11,830	42.9
Pelly	[09B]	1,020	430	800	840	480	-52.9
Upper Yukon	[09C]	190	100	130	150	110	-42.1
Stewart	[09D]	390	390	250	260	260	-33.3
Central Yukon	[09E]	430	620	690	910	720	67.4
Porcupine	[09F]	110	100	120	140	150	36.4
Tanana	[09H]	0	0	0	0	0	...
Copper	[09M]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 5-10

Female population, by major drainage area and sub-drainage area, 1981 to 2001 — Arctic

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Arctic	[10]	12,690	14,155	14,900	16,445	16,345	28.8
Upper Liard	[10A]	1,350	1,370	1,260	1,090	840	-37.8
Central Liard	[10B]	0	0	60	50	70	...
Fort Nelson	[10C]	2,190	2,280	2,220	2,600	2,620	19.6
Central Liard and Petitot	[10D]	0	0	0	0	0	...
Lower Liard	[10E]	370	480	270	280	620	67.6
Upper Mackenzie, Mills Lake	[10F]	350	320	360	410	400	14.3
Upper Mackenzie, Camsell Bend	[10G]	470	460	570	620	230	-51.1
Central Mackenzie, Blackwater Lake	[10H]	210	230	260	290	300	42.9
Great Bear	[10J]	360	340	390	420	390	8.3
Central Mackenzie, The Ramparts	[10K]	190	280	300	380	320	68.4
Lower Mackenzie	[10L]	1,750	1,980	1,900	2,060	1,770	1.1
Peel and Southwestern Beaufort Sea	[10M]	670	740	750	770	710	6.0
Southern Beaufort Sea	[10N]	370	440	460	440	490	32.4
Amundsen Gulf	[10O]	300	100	120	740	740	146.7
Coppermine	[10P]	180	450	0	0	0	-100.0
Coronation Gulf and Queen Maud Gulf	[10Q]	40	40	580	0	0	-100.0
Back	[10R]	0	0	0	0	0	...
Gulf of Boothia	[10S]	310	370	480	550	650	109.7
Southern Arctic Islands	[10T]	890	1,030	1,170	1,370	1,380	55.1
Baffin Island, Arctic drainage	[10U]	2,550	3,090	3,610	4,120	4,640	82.0
Northern Arctic Islands	[10V]	140	160	130	190	190	35.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 5-11

Female population, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Mississippi River	[11]	6,040	5,800	4,990	4,760	4,870	-19.4
Missouri	[11A]	6,040	5,800	4,990	4,760	4,870	-19.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 6-1

Male population, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Maritime Provinces	[01]	897,785	914,570	928,080	936,115	921,560	2.6
Saint John and Southern Bay of Fundy, N.B.	[01A]	191,300	194,060	195,880	200,560	197,150	3.1
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	225,680	226,960	226,590	227,150	219,560	-2.7
Prince Edward Island	[01C]	60,940	62,900	63,970	66,060	65,750	7.9
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	144,850	151,400	156,010	157,340	154,990	7.0
Southeastern Atlantic Ocean, N.S.	[01E]	190,630	197,300	206,520	208,430	213,030	11.8
Cape Breton Island	[01F]	84,380	81,950	79,120	76,590	71,070	-15.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 6-2

Male population, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
St. Lawrence	[02]	7,451,465	7,711,290	8,373,315	8,781,350	9,132,360	22.6
Northwestern Lake Superior	[02A]	67,180	67,040	68,010	67,970	65,130	-3.1
Northeastern Lake Superior	[02B]	28,550	25,670	26,080	25,190	23,500	-17.7
Northern Lake Huron	[02C]	131,670	128,560	130,950	130,810	122,600	-6.9
Wanapitei and French, Ont.	[02D]	45,630	43,250	44,950	44,900	43,390	-4.9
Eastern Georgian Bay	[02E]	204,660	219,270	268,560	301,520	335,680	64.0
Eastern Lake Huron	[02F]	131,970	137,400	150,050	152,680	152,750	15.7
Northern Lake Erie	[02G]	810,690	827,960	901,200	946,280	995,020	22.7
Lake Ontario and Niagara Peninsula	[02H]	2,228,460	2,385,540	2,675,630	2,865,130	3,096,730	39.0
Upper Ottawa	[02J]	56,650	57,390	60,320	60,090	55,740	-1.6
Central Ottawa	[02K]	169,770	175,340	188,680	201,770	209,640	23.5
Lower Ottawa	[02L]	422,840	459,280	514,630	555,700	584,540	38.2
Upper St. Lawrence	[02M]	116,090	120,760	127,140	134,040	132,400	14.0
Saint-Maurice	[02N]	64,720	65,570	61,510	62,370	60,740	-6.1
Central St. Lawrence	[02O]	1,904,280	1,931,880	2,071,990	2,145,680	2,195,590	15.3
Lower St. Lawrence	[02P]	517,200	523,100	547,110	561,500	563,280	8.9
Northern Gaspé Peninsula	[02Q]	69,930	69,160	65,420	65,360	64,330	-8.0
Saguenay	[02R]	144,840	143,710	143,000	143,180	138,940	-4.1
Betsiamites, coast	[02S]	8,330	7,830	7,660	7,630	7,690	-7.7
Manicouagan and aux Outardes	[02T]	12,050	10,220	10,350	10,440	9,220	-23.5
Moisie and St. Lawrence Estuary	[02U]	31,520	27,470	27,280	27,080	25,030	-20.6
Gulf of St. Lawrence, Romaine	[02V]	1,040	1,020	1,100	1,130	780	-25.0
Gulf of St. Lawrence, Natashquan	[02W]	10,580	10,870	10,040	9,870	9,860	-6.8
Petit Mécatina and Strait of Belle Isle	[02X]	3,440	3,430	3,540	3,410	2,920	-15.1
Northern Newfoundland	[02Y]	110,310	108,000	104,880	98,820	87,920	-20.3
Southern Newfoundland	[02Z]	159,080	161,580	163,270	158,810	148,950	-6.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 6-3

Male population, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Northern Quebec and Labrador	[03]	41,000	36,400	37,495	38,345	37,270	-9.1
Nottaway, coast	[03A]	17,160	15,320	14,070	14,060	13,030	-24.1
Broadback and Rupert	[03B]	1,510	1,730	1,700	2,230	2,420	60.3
Eastmain	[03C]	180	190	220	270	300	66.7
La Grande, coast	[03D]	2,780	1,790	2,140	2,400	2,480	-10.8
Grande rivière de la Baleine, coast	[03E]	560	540	570	730	700	25.0
Eastern Hudson Bay	[03F]	0	0	140	160	190	...
Northeastern Hudson Bay	[03G]	870	1,030	1,300	1,430	1,560	79.3
Western Ungava Bay	[03H]	670	860	1,060	1,190	1,340	100.0
Aux Feuilles, coast	[03J]	90	120	150	170	200	122.2
Koksoak	[03K]	410	550	740	880	980	139.0
Caniapiscau	[03L]	1,700	540	580	620	640	-62.4
Eastern Ungava Bay	[03M]	80	200	280	340	370	362.5
Northern Labrador	[03N]	1,140	1,260	1,360	1,310	1,460	28.1
Churchill, N.L.	[03O]	10,220	8,300	8,840	8,270	7,180	-29.7
Central Labrador	[03P]	2,210	2,420	2,760	2,760	2,990	35.3
Southern Labrador	[03Q]	1,430	1,540	1,590	1,510	1,440	0.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 6-4

Male population, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Southwestern Hudson Bay	[04]	106,250	101,875	105,285	106,475	100,740	-5.2
Hayes, Man.	[04A]	2,650	3,990	3,850	4,920	5,430	104.9
Southwestern Hudson Bay	[04B]	0	0	0	0	0	...
Severn	[04C]	2,120	280	1,800	2,340	2,890	36.3
Winisk, coast	[04D]	780	560	980	1,180	1,300	66.7
Ekwan, coast	[04E]	0	0	0	0	0	...
Attawapiskat, coast	[04F]	730	260	1,080	1,110	1,010	38.4
Upper Albany	[04G]	1,420	540	800	790	1,200	-15.5
Lower Albany, coast	[04H]	610	0	620	830	230	-62.3
Kenogami	[04J]	5,820	5,430	4,640	4,490	4,160	-28.5
Moose, Ont.	[04K]	1,500	960	1,440	2,070	1,450	-3.3
Missinaibi and Mattagami	[04L]	36,510	35,090	34,360	33,640	30,920	-15.3
Abitibi	[04M]	26,330	25,830	25,390	24,760	23,370	-11.2
Harricanaw, coast	[04N]	27,790	28,950	30,340	30,340	28,780	3.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 6-5

Male population, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Nelson River	[05]	2,000,575	2,076,800	2,161,550	2,227,740	2,349,035	17.4
Upper South Saskatchewan	[05A]	97,330	100,140	104,040	109,440	114,370	17.5
Bow	[05B]	341,700	358,810	402,500	440,720	514,320	50.5
Red Deer	[05C]	86,130	90,660	95,010	102,160	111,190	29.1
Upper North Saskatchewan	[05D]	148,370	140,840	149,700	153,260	167,680	13.0
Central North Saskatchewan	[05E]	295,370	322,290	343,440	348,480	372,960	26.3
Battle	[05F]	54,890	53,410	53,150	55,440	58,710	7.0
Lower North Saskatchewan	[05G]	52,320	53,520	51,760	50,970	50,070	-4.3
Lower South Saskatchewan	[05H]	122,290	134,950	135,600	138,900	140,780	15.1
Qu'Appelle	[05J]	161,080	165,600	163,040	160,390	155,830	-3.3
Saskatchewan	[05K]	36,270	34,980	32,890	32,950	31,560	-13.0
Lake Winnipegosis and Lake Manitoba	[05L]	50,320	48,080	45,980	45,450	46,040	-8.5
Assiniboine	[05M]	183,160	179,020	172,660	170,320	163,870	-10.5
Souris	[05N]	41,370	40,950	37,680	37,010	34,940	-15.5
Red	[05O]	258,590	281,780	300,160	305,760	312,430	20.8
Winnipeg	[05P]	27,300	27,410	28,360	28,700	27,210	-0.3
English	[05Q]	15,090	15,190	14,420	14,860	14,360	-4.8
Eastern Lake Winnipeg	[05R]	2,840	2,760	2,830	3,040	2,680	-5.6
Western Lake Winnipeg	[05S]	12,670	11,630	12,970	14,230	15,490	22.3
Grass and Burntwood	[05T]	9,670	10,270	10,310	9,960	9,080	-6.1
Nelson	[05U]	3,830	4,530	5,050	5,710	5,480	43.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 6-6

Male population, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Western and Northern Hudson Bay	[06]	39,670	43,000	44,345	49,150	50,175	26.5
Beaver, Alta. and Sask.	[06A]	24,100	26,510	27,290	29,430	29,720	23.3
Upper Churchill, Manitoba	[06B]	3,510	3,370	3,630	3,930	4,070	16.0
Central Churchill, upper, Manitoba	[06C]	3,400	3,770	4,100	4,890	5,280	55.3
Reindeer	[06D]	750	1,230	1,290	1,600	1,600	113.3
Central Churchill, lower, Manitoba	[06E]	3,450	3,210	2,510	2,980	2,850	-17.4
Lower Churchill, Manitoba	[06F]	730	620	610	560	500	-31.5
Seal, coast	[06G]	140	120	120	190	180	28.6
Western Hudson Bay, Southern	[06H]	0	0	0	0	0	...
Thelon	[06J]	0	0	0	0	0	...
Dubawnt	[06K]	0	0	0	0	0	...
Kazan	[06L]	0	0	0	0	0	...
Chesterfield Inlet	[06M]	490	530	630	740	790	61.2
Western Hudson Bay, central	[06N]	1,320	1,560	1,830	2,150	2,370	79.5
Western Hudson Bay, northern	[06O]	0	0	0	0	0	...
Hudson Bay, Southampton Island	[06P]	420	450	560	690	710	69.0
Foxe Basin, Southampton Island	[06Q]	0	0	0	0	0	...
Foxe Basin, Melville Peninsula	[06R]	730	900	1,020	1,180	1,290	76.7
Foxe Basin, Baffin Island	[06S]	0	0	0	0	0	...
Hudson Strait, Baffin and Southampton Islands	[06T]	580	650	720	810	820	41.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 6-7

Male population, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Great Slave Lake	[07]	167,095	173,760	177,435	188,345	194,290	16.3
Upper Athabasca	[07A]	18,100	18,640	19,590	21,310	21,140	16.8
Central Athabasca, upper	[07B]	26,060	27,160	27,470	29,560	28,900	10.9
Central Athabasca, lower	[07C]	17,250	15,920	14,130	14,080	20,160	16.9
Lower Athabasca	[07D]	4,870	8,230	9,350	9,130	7,940	63.0
Williston Lake	[07E]	4,020	3,770	4,010	4,160	3,350	-16.7
Upper Peace	[07F]	37,050	38,180	38,730	40,130	38,060	2.7
Smoky	[07G]	32,000	32,210	33,610	36,800	40,390	26.2
Central Peace, upper	[07H]	7,860	7,510	6,490	6,920	7,630	-2.9
Central Peace, lower	[07J]	5,390	7,190	7,640	7,960	9,860	82.9
Lower Peace	[07K]	410	550	620	860	830	102.4
Fond-du-Lac	[07L]	440	850	860	1,030	1,000	127.3
Lake Athabasca, shores	[07M]	2,250	660	650	630	650	-71.1
Slave	[07N]	1,170	1,280	1,290	1,260	1,140	-2.6
Hay	[07O]	2,780	2,890	3,280	3,880	3,080	10.8
Southern Great Slave Lake	[07P]	1,260	1,170	380	350	420	-66.7
Great Slave Lake, east arm, south shore	[07Q]	140	160	150	160	140	0.0
Lockhart	[07R]	0	0	0	0	0	...
Northeastern Great Slave Lake	[07S]	5,700	6,990	8,950	9,880	9,200	61.4
Marian	[07T]	150	180	210	230	250	66.7
Western Great Slave Lake	[07U]	210	230	0	0	180	-14.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 6-8

Male population, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Pacific	[08]	1,331,840	1,394,185	1,591,455	1,804,500	1,884,555	41.5
Alsek	[08A]	190	280	330	390	280	47.4
Northern coastal waters, B.C.	[08B]	0	0	0	0	0	...
Stikine, coast	[08C]	330	380	470	480	480	45.5
Nass, coast	[08D]	2,020	1,430	1,620	1,610	1,390	-31.2
Skeena, coast	[08E]	31,060	29,740	31,430	33,310	31,130	0.2
Central coastal waters, B.C.	[08F]	9,580	8,440	8,950	9,020	8,480	-11.5
Southern coastal waters, B.C.	[08G]	233,030	241,740	262,140	290,300	307,520	32.0
Vancouver Island	[08H]	244,170	253,060	289,100	320,020	322,250	32.0
Nechako	[08J]	30,660	30,380	30,750	34,450	32,230	5.1
Upper Fraser	[08K]	35,470	35,550	35,840	38,130	37,830	6.7
Thompson	[08L]	72,770	69,360	75,070	86,100	84,990	16.8
Lower Fraser	[08M]	497,920	551,640	665,430	774,480	838,090	68.3
Columbia	[08N]	171,100	169,180	187,400	213,110	217,190	26.9
Queen Charlotte Islands	[08O]	3,020	3,020	2,880	3,020	2,600	-13.9
Skagit	[08P]	530	0	40	60	110	-79.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 6-9

Male population, by major drainage area and sub-drainage area, 1981 to 2001 — Yukon River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Yukon River	[09]	11,520	11,645	13,700	14,800	13,690	18.8
Headwaters Yukon	[09A]	9,020	9,570	11,350	12,090	11,700	29.7
Pelly	[09B]	1,130	570	970	1,030	550	-51.3
Upper Yukon	[09C]	210	120	160	150	140	-33.3
Stewart	[09D]	540	510	290	300	310	-42.6
Central Yukon	[09E]	490	750	800	1,090	840	71.4
Porcupine	[09F]	130	130	130	140	160	23.1
Tanana	[09H]	0	0	0	0	0	...
Copper	[09M]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 6-10

Male population, by major drainage area and sub-drainage area, 1981 to 2001 — Arctic

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Arctic	[10]	14,265	15,770	16,470	18,070	17,955	25.9
Upper Liard	[10A]	1,590	1,580	1,510	1,230	940	-40.9
Central Liard	[10B]	0	0	70	50	70	...
Fort Nelson	[10C]	2,400	2,540	2,440	2,890	3,020	25.8
Central Liard and Petitot	[10D]	0	0	0	0	0	...
Lower Liard	[10E]	480	560	300	310	700	45.8
Upper Mackenzie, Mills Lake	[10F]	390	390	400	460	470	20.5
Upper Mackenzie, Camsell Bend	[10G]	510	530	620	660	250	-51.0
Central Mackenzie, Blackwater Lake	[10H]	230	270	290	330	340	47.8
Great Bear	[10J]	460	390	420	450	420	-8.7
Central Mackenzie, The Ramparts	[10K]	230	350	350	420	350	52.2
Lower Mackenzie	[10L]	1,990	2,080	2,050	2,140	1,860	-6.5
Peel and Southwestern Beaufort Sea	[10M]	680	780	820	880	750	10.3
Southern Beaufort Sea	[10N]	460	540	570	500	550	19.6
Amundsen Gulf	[10O]	320	120	130	740	760	137.5
Coppermine	[10P]	190	440	0	0	0	-100.0
Coronation Gulf and Queen Maud Gulf	[10Q]	50	40	550	0	0	-100.0
Back	[10R]	0	0	0	0	0	...
Gulf of Boothia	[10S]	380	410	510	590	680	78.9
Southern Arctic Islands	[10T]	940	1,090	1,320	1,410	1,410	50.0
Baffin Island, Arctic drainage	[10U]	2,790	3,370	3,940	4,640	5,120	83.5
Northern Arctic Islands	[10V]	170	270	170	330	270	58.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 6-11

Male population, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Mississippi River	[11]	6,830	6,350	5,450	5,140	5,230	-23.4
Missouri	[11A]	6,830	6,350	5,450	5,140	5,230	-23.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 7-1

Population density, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	number per square kilometre						%
Maritime Provinces	[01]	11.0	11.3	11.5	11.7	11.5	4.5
Saint John and Southern Bay of Fundy, N.B.	[01A]	9.2	9.4	9.5	9.7	9.6	4.3
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	7.4	7.5	7.5	7.6	7.4	0.0
Prince Edward Island	[01C]	20.6	21.3	21.8	22.6	22.8	10.7
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	13.5	14.2	14.7	14.9	14.8	9.6
Southeastern Atlantic Ocean, N.S.	[01E]	16.7	17.3	18.2	18.5	19.0	13.8
Cape Breton Island	[01F]	15.9	15.5	15.1	14.8	13.9	-12.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 7-2

Population density, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	number per square kilometre						%
St. Lawrence	[02]	15.6	16.2	17.6	18.5	19.2	23.1
Northwestern Lake Superior	[02A]	3.0	3.0	3.1	3.1	3.0	0.0
Northeastern Lake Superior	[02B]	1.4	1.3	1.3	1.2	1.2	-14.3
Northern Lake Huron	[02C]	7.5	7.4	7.6	7.6	7.2	-4.0
Wanapitei and French, Ont.	[02D]	4.7	4.5	4.7	4.7	4.6	-2.1
Eastern Georgian Bay	[02E]	18.4	19.8	24.3	27.4	30.5	65.8
Eastern Lake Huron	[02F]	17.8	18.6	20.4	20.9	21.0	18.0
Northern Lake Erie	[02G]	72.7	74.5	81.0	85.2	89.4	23.0
Lake Ontario and Niagara Peninsula	[02H]	157.0	168.4	188.6	203.0	219.4	39.7
Upper Ottawa	[02J]	2.2	2.3	2.4	2.4	2.2	0.0
Central Ottawa	[02K]	8.4	8.7	9.4	10.1	10.5	25.0
Lower Ottawa	[02L]	15.7	17.0	19.1	20.6	21.8	38.9
Upper St. Lawrence	[02M]	44.1	46.4	49.0	51.5	51.0	15.6
Saint-Maurice	[02N]	3.1	3.2	3.0	3.0	3.0	-3.2
Central St. Lawrence	[02O]	112.6	114.8	122.9	127.4	130.5	15.9
Lower St. Lawrence	[02P]	28.3	28.7	30.1	30.9	31.1	9.9
Northern Gaspé Peninsula	[02Q]	10.5	10.4	9.9	9.9	9.8	-6.7
Saguenay	[02R]	3.3	3.3	3.3	3.3	3.2	-3.0
Betsiamites, coast	[02S]	0.6	0.6	0.6	0.6	0.6	0.0
Manicouagan and aux Outardes	[02T]	0.4	0.3	0.3	0.3	0.3	-25.0
Moisie and St. Lawrence Estuary	[02U]	1.5	1.4	1.3	1.3	1.2	-20.0
Gulf of St. Lawrence, Romaine	[02V]	0.1	0.1	0.1	0.1	0.0	-100.0
Gulf of St. Lawrence, Natashquan	[02W]	0.4	0.4	0.4	0.4	0.4	0.0
Petit Mécatina and Strait of Belle Isle	[02X]	0.1	0.1	0.1	0.1	0.1	0.0
Northern Newfoundland	[02Y]	3.3	3.2	3.2	3.0	2.7	-18.2
Southern Newfoundland	[02Z]	7.2	7.3	7.4	7.3	6.9	-4.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 7-3

Population density, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	number per square kilometre						%
Northern Quebec and Labrador	[03]	0.1	0.1	0.1	0.1	0.1	0.0
Nottaway, coast	[03A]	0.5	0.4	0.4	0.4	0.4	-20.0
Broadback and Rupert	[03B]	0.0	0.0	0.0	0.1	0.1	...
Eastmain	[03C]	0.0	0.0	0.0	0.0	0.0	...
La Grande, coast	[03D]	0.0	0.0	0.0	0.0	0.0	...
Grande rivière de la Baleine, coast	[03E]	0.0	0.0	0.0	0.0	0.0	...
Eastern Hudson Bay	[03F]	0.0	0.0	0.0	0.0	0.0	...
Northeastern Hudson Bay	[03G]	0.0	0.0	0.0	0.0	0.0	...
Western Ungava Bay	[03H]	0.0	0.0	0.0	0.0	0.0	...
Aux Feuilles, coast	[03J]	0.0	0.0	0.0	0.0	0.0	...
Koksoak	[03K]	0.0	0.0	0.0	0.0	0.0	...
Caniapiscau	[03L]	0.0	0.0	0.0	0.0	0.0	...
Eastern Ungava Bay	[03M]	0.0	0.0	0.0	0.0	0.0	...
Northern Labrador	[03N]	0.0	0.0	0.0	0.0	0.0	...
Churchill, N.L.	[03O]	0.2	0.2	0.2	0.2	0.1	-50.0
Central Labrador	[03P]	0.1	0.1	0.2	0.2	0.2	100.0
Southern Labrador	[03Q]	0.1	0.1	0.1	0.1	0.1	0.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 7-4

Population density, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	number per square kilometre						%
Southwestern Hudson Bay	[04]	0.3	0.3	0.3	0.3	0.3	0.0
Hayes, Man.	[04A]	0.0	0.1	0.1	0.1	0.1	...
Southwestern Hudson Bay	[04B]	0.0	0.0	0.0	0.0	0.0	...
Severn	[04C]	0.0	0.0	0.0	0.0	0.1	...
Winisk, coast	[04D]	0.0	0.0	0.0	0.0	0.0	...
Ekwan, coast	[04E]	0.0	0.0	0.0	0.0	0.0	...
Attawapiskat, coast	[04F]	0.0	0.0	0.0	0.0	0.0	...
Upper Albany	[04G]	0.0	0.0	0.0	0.0	0.0	...
Lower Albany, coast	[04H]	0.0	0.0	0.0	0.0	0.0	...
Kenogami	[04J]	0.2	0.2	0.2	0.2	0.2	0.0
Moose, Ont.	[04K]	0.2	0.1	0.2	0.2	0.2	0.0
Missinaibi and Mattagami	[04L]	1.2	1.1	1.1	1.1	1.0	-16.7
Abitibi	[04M]	1.7	1.7	1.7	1.7	1.6	-5.9
Harricanaw, coast	[04N]	1.3	1.3	1.4	1.4	1.3	0.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 7-5

Population density, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		number per square kilometre					
Nelson River	[05]	4.0	4.2	4.4	4.6	4.8	20.0
Upper South Saskatchewan	[05A]	4.2	4.3	4.5	4.8	5.0	19.0
Bow	[05B]	26.1	27.9	31.4	34.5	40.2	54.0
Red Deer	[05C]	3.3	3.6	3.7	4.0	4.4	33.3
Upper North Saskatchewan	[05D]	10.6	10.2	10.9	11.2	12.2	15.1
Central North Saskatchewan	[05E]	13.6	15.1	16.2	16.5	17.7	30.1
Battle	[05F]	3.6	3.5	3.5	3.7	3.9	8.3
Lower North Saskatchewan	[05G]	2.1	2.1	2.1	2.0	2.0	-4.8
Lower South Saskatchewan	[05H]	4.5	5.0	5.0	5.1	5.2	15.6
Qu'Appelle	[05J]	4.3	4.5	4.4	4.4	4.3	0.0
Saskatchewan	[05K]	0.9	0.8	0.8	0.8	0.8	-11.1
Lake Winnipegosis and Lake Manitoba	[05L]	1.2	1.1	1.1	1.1	1.1	-8.3
Assiniboine	[05M]	7.3	7.1	6.9	6.8	6.6	-9.6
Souris	[05N]	2.0	2.0	1.9	1.9	1.8	-10.0
Red	[05O]	20.8	22.8	24.2	24.8	25.3	21.6
Winnipeg	[05P]	1.0	1.0	1.0	1.0	1.0	0.0
English	[05Q]	0.5	0.6	0.5	0.6	0.5	0.0
Eastern Lake Winnipeg	[05R]	0.1	0.1	0.1	0.1	0.1	0.0
Western Lake Winnipeg	[05S]	1.0	0.9	1.0	1.1	1.2	20.0
Grass and Burntwood	[05T]	0.4	0.5	0.5	0.5	0.4	0.0
Nelson	[05U]	0.2	0.2	0.2	0.2	0.2	0.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 7-6

Population density, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		number per square kilometre					
Western and Northern Hudson Bay	[06]	0.1	0.1	0.1	0.1	0.1	0.0
Beaver, Alta. and Sask.	[06A]	0.9	1.0	1.1	1.1	1.2	33.3
Upper Churchill, Manitoba	[06B]	0.2	0.1	0.2	0.2	0.2	0.0
Central Churchill, upper, Manitoba	[06C]	0.1	0.2	0.2	0.2	0.2	100.0
Reindeer	[06D]	0.0	0.0	0.0	0.0	0.0	...
Central Churchill, lower, Manitoba	[06E]	0.1	0.1	0.1	0.1	0.1	0.0
Lower Churchill, Manitoba	[06F]	0.0	0.0	0.0	0.0	0.0	...
Seal, coast	[06G]	0.0	0.0	0.0	0.0	0.0	...
Western Hudson Bay, Southern	[06H]	0.0	0.0	0.0	0.0	0.0	...
Thelon	[06J]	0.0	0.0	0.0	0.0	0.0	...
Dubawnt	[06K]	0.0	0.0	0.0	0.0	0.0	...
Kazan	[06L]	0.0	0.0	0.0	0.0	0.0	...
Chesterfield Inlet	[06M]	0.0	0.0	0.0	0.0	0.0	...
Western Hudson Bay, central	[06N]	0.0	0.0	0.1	0.1	0.1	...
Western Hudson Bay, northern	[06O]	0.0	0.0	0.0	0.0	0.0	...
Hudson Bay, Southampton Island	[06P]	0.0	0.0	0.0	0.0	0.0	...
Foxe Basin, Southampton Island	[06Q]	0.0	0.0	0.0	0.0	0.0	...
Foxe Basin, Melville Peninsula	[06R]	0.0	0.0	0.0	0.0	0.0	...
Foxe Basin, Baffin Island	[06S]	0.0	0.0	0.0	0.0	0.0	...
Hudson Strait, Baffin and Southampton Islands	[06T]	0.0	0.0	0.0	0.0	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 7-7

Population density, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		number per square kilometre					
Great Slave Lake	[07]	0.3	0.3	0.4	0.4	0.4	33.3
Upper Athabasca	[07A]	1.0	1.0	1.1	1.2	1.2	20.0
Central Athabasca, upper	[07B]	1.2	1.3	1.3	1.4	1.4	16.7
Central Athabasca, lower	[07C]	0.6	0.5	0.5	0.5	0.7	16.7
Lower Athabasca	[07D]	0.3	0.5	0.6	0.6	0.5	66.7
Williston Lake	[07E]	0.1	0.1	0.1	0.1	0.1	0.0
Upper Peace	[07F]	1.1	1.1	1.1	1.2	1.1	0.0
Smoky	[07G]	1.2	1.2	1.3	1.4	1.5	25.0
Central Peace, upper	[07H]	0.4	0.4	0.4	0.4	0.4	0.0
Central Peace, lower	[07J]	0.2	0.2	0.2	0.3	0.3	50.0
Lower Peace	[07K]	0.0	0.0	0.0	0.0	0.0	...
Fond-du-Lac	[07L]	0.0	0.0	0.0	0.0	0.0	...
Lake Athabasca, shores	[07M]	0.1	0.0	0.0	0.0	0.0	-100.0
Slave	[07N]	0.1	0.1	0.1	0.1	0.1	0.0
Hay	[07O]	0.1	0.1	0.1	0.1	0.1	0.0
Southern Great Slave Lake	[07P]	0.1	0.1	0.0	0.0	0.0	-100.0
Great Slave Lake, east arm, south shore	[07Q]	0.0	0.0	0.0	0.0	0.0	...
Lockhart	[07R]	0.0	0.0	0.0	0.0	0.0	...
Northeastern Great Slave Lake	[07S]	0.2	0.2	0.2	0.3	0.3	50.0
Marian	[07T]	0.0	0.0	0.0	0.0	0.0	...
Western Great Slave Lake	[07U]	0.0	0.0	0.0	0.0	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 7-8

Population density, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		number per square kilometre					
Pacific	[08]	4.0	4.2	4.8	5.5	5.8	45.0
Alsek	[08A]	0.0	0.0	0.0	0.0	0.0	...
Northern coastal waters, B.C.	[08B]	0.0	0.0	0.0	0.0	0.0	...
Stikine, coast	[08C]	0.0	0.0	0.0	0.0	0.0	...
Nass, coast	[08D]	0.1	0.1	0.1	0.1	0.1	0.0
Skeena, coast	[08E]	1.1	1.0	1.1	1.2	1.1	0.0
Central coastal waters, B.C.	[08F]	0.3	0.3	0.3	0.3	0.3	0.0
Southern coastal waters, B.C.	[08G]	11.3	11.7	12.7	14.0	14.9	31.9
Vancouver Island	[08H]	14.2	14.8	16.9	18.8	19.1	34.5
Nechako	[08J]	1.3	1.3	1.3	1.4	1.3	0.0
Upper Fraser	[08K]	1.0	1.0	1.0	1.1	1.1	10.0
Thompson	[08L]	2.6	2.5	2.7	3.1	3.1	19.2
Lower Fraser	[08M]	16.3	18.1	21.8	25.4	27.6	69.3
Columbia	[08N]	3.3	3.3	3.7	4.2	4.3	30.3
Queen Charlotte Islands	[08O]	0.6	0.5	0.5	0.6	0.5	-16.7
Skagit	[08P]	1.0	0.0	0.1	0.1	0.2	-80.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 7-9

Population density, by major drainage area and sub-drainage area, 1981 to 2001 — Yukon River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		number per square kilometre					
Yukon River	[09]	0.1	0.1	0.1	0.1	0.1	0.0
Headwaters Yukon	[09A]	0.2	0.2	0.2	0.3	0.3	50.0
Pelly	[09B]	0.0	0.0	0.0	0.0	0.0	...
Upper Yukon	[09C]	0.0	0.0	0.0	0.0	0.0	...
Stewart	[09D]	0.0	0.0	0.0	0.0	0.0	...
Central Yukon	[09E]	0.0	0.0	0.0	0.1	0.1	...
Porcupine	[09F]	0.0	0.0	0.0	0.0	0.0	...
Tanana	[09H]	0.0	0.0	0.0	0.0	0.0	...
Copper	[09M]	0.0	0.0	0.0	0.0	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 7-10

Population density, by major drainage area and sub-drainage area, 1981 to 2001 — Arctic

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		number per square kilometre					
Arctic	[10]	0.0	0.0	0.0	0.0	0.0	...
Upper Liard	[10A]	0.0	0.0	0.0	0.0	0.0	...
Central Liard	[10B]	0.0	0.0	0.0	0.0	0.0	...
Fort Nelson	[10C]	0.1	0.1	0.1	0.1	0.1	0.0
Central Liard and Petitot	[10D]	0.0	0.0	0.0	0.0	0.0	...
Lower Liard	[10E]	0.0	0.0	0.0	0.0	0.0	...
Upper Mackenzie, Mills Lake	[10F]	0.0	0.0	0.0	0.0	0.0	...
Upper Mackenzie, Camsell Bend	[10G]	0.0	0.0	0.0	0.0	0.0	...
Central Mackenzie, Blackwater Lake	[10H]	0.0	0.0	0.0	0.0	0.0	...
Great Bear	[10J]	0.0	0.0	0.0	0.0	0.0	...
Central Mackenzie, The Ramparts	[10K]	0.0	0.0	0.0	0.0	0.0	...
Lower Mackenzie	[10L]	0.0	0.1	0.1	0.1	0.0	...
Peel and Southwestern Beaufort Sea	[10M]	0.0	0.0	0.0	0.0	0.0	...
Southern Beaufort Sea	[10N]	0.0	0.0	0.0	0.0	0.0	...
Amundsen Gulf	[10O]	0.0	0.0	0.0	0.0	0.0	...
Coppermine	[10P]	0.0	0.0	0.0	0.0	0.0	...
Coronation Gulf and Queen Maud Gulf	[10Q]	0.0	0.0	0.0	0.0	0.0	...
Back	[10R]	0.0	0.0	0.0	0.0	0.0	...
Gulf of Boothia	[10S]	0.0	0.0	0.0	0.0	0.0	...
Southern Arctic Islands	[10T]	0.0	0.0	0.0	0.0	0.0	...
Baffin Island, Arctic drainage	[10U]	0.0	0.0	0.0	0.0	0.0	...
Northern Arctic Islands	[10V]	0.0	0.0	0.0	0.0	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 7-11

Population density, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		number per square kilometre					
Mississippi River	[11]	0.5	0.4	0.4	0.4	0.4	-20.0
Missouri	[11A]	0.5	0.4	0.4	0.4	0.4	-20.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 8-1

Urban population, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		Maritime Provinces	[01]	907,640	911,135	910,510	
Saint John and Southern Bay of Fundy, N.B.	[01A]	204,885	201,495	195,670	206,505	208,290	1.7
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	191,395	190,225	181,520	187,745	195,455	2.1
Prince Edward Island	[01C]	44,515	48,285	51,810	59,460	60,675	36.3
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	108,605	112,695	116,860	119,445	125,660	15.7
Southeastern Atlantic Ocean, N.S.	[01E]	255,365	261,335	271,990	285,745	293,530	14.9
Cape Breton Island	[01F]	102,865	97,100	92,660	92,665	87,815	-14.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 8-2

Urban population, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
St. Lawrence	[02]	12,122,685	12,653,810	13,687,235	14,633,430	15,545,985	28.2
Northwestern Lake Superior	[02A]	112,850	112,085	110,405	109,115	103,215	-8.5
Northeastern Lake Superior	[02B]	41,950	36,930	37,415	36,730	32,360	-22.9
Northern Lake Huron	[02C]	213,460	213,105	216,990	218,620	205,595	-3.7
Wanapitei and French, Ont.	[02D]	61,605	57,495	58,985	57,515	55,165	-10.5
Eastern Georgian Bay	[02E]	231,785	255,285	318,065	378,590	453,315	95.6
Eastern Lake Huron	[02F]	119,950	135,270	146,475	154,260	155,515	29.6
Northern Lake Erie	[02G]	1,267,685	1,315,975	1,448,440	1,549,830	1,649,245	30.1
Lake Ontario and Niagara Peninsula	[02H]	4,145,250	4,421,665	4,928,900	5,399,295	5,915,255	42.7
Upper Ottawa	[02J]	62,835	63,580	65,035	63,030	59,185	-5.8
Central Ottawa	[02K]	253,260	256,785	272,020	297,140	313,705	23.9
Lower Ottawa	[02L]	600,580	666,965	752,050	807,815	864,255	43.9
Upper St. Lawrence	[02M]	152,915	159,730	165,835	172,165	177,005	15.8
Saint-Maurice	[02N]	109,840	110,835	101,760	107,335	104,615	-4.8
Central St. Lawrence	[02O]	3,361,735	3,444,400	3,665,865	3,818,295	3,991,865	18.7
Lower St. Lawrence	[02P]	726,720	745,615	775,610	828,250	846,605	16.5
Northern Gaspé Peninsula	[02Q]	70,990	69,740	68,250	68,900	70,495	-0.7
Saguenay	[02R]	197,635	199,365	196,560	201,430	199,920	1.2
Betsiamites, coast	[02S]	5,565	5,225	5,110	5,335	7,150	28.5
Manicouagan and aux Outardes	[02T]	19,315	16,010	16,155	15,785	14,575	-24.5
Moisie and St. Lawrence Estuary	[02U]	49,205	44,900	45,115	44,350	42,580	-13.5
Gulf of St. Lawrence, Romaine	[02V]	0	0	0	0	0	...
Gulf of St. Lawrence, Natashquan	[02W]	4,710	4,690	4,735	4,685	4,575	-2.9
Petit Mécatina and Strait of Belle Isle	[02X]	0	0	0	0	0	...
Northern Newfoundland	[02Y]	109,275	106,190	94,345	93,775	83,520	-23.6
Southern Newfoundland	[02Z]	203,585	211,975	193,130	201,195	196,270	-3.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 8-3

Urban population, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Northern Quebec and Labrador	[03]	47,570	40,060	38,120	39,050	40,465	-14.9
Nottaway, coast	[03A]	25,535	23,220	21,135	20,190	18,790	-26.4
Broadback and Rupert	[03B]	0	0	0	0	1,810	...
Eastmain	[03C]	0	0	0	0	0	...
La Grande, coast	[03D]	0	0	0	0	3,470	...
Grande rivière de la Baleine, coast	[03E]	0	0	0	0	0	...
Eastern Hudson Bay	[03F]	0	0	0	0	0	...
Northeastern Hudson Bay	[03G]	0	0	0	0	0	...
Western Ungava Bay	[03H]	0	0	0	0	0	...
Aux Feuilles, coast	[03J]	0	0	0	0	0	...
Koksoak	[03K]	0	0	0	0	0	...
Caniapiscau	[03L]	1,990	280	0	0	0	-100.0
Eastern Ungava Bay	[03M]	0	0	0	0	0	...
Northern Labrador	[03N]	0	0	0	0	0	...
Churchill, N.L.	[03O]	18,770	15,230	15,315	15,315	13,455	-28.3
Central Labrador	[03P]	1,270	1,340	1,665	3,530	2,950	132.3
Southern Labrador	[03Q]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 8-4

Urban population, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Southwestern Hudson Bay	[04]	119,525	117,745	115,065	127,405	118,600	-0.8
Hayes, Man.	[04A]	0	0	0	0	0	...
Southwestern Hudson Bay	[04B]	0	0	0	0	0	...
Severn	[04C]	0	0	0	0	0	...
Winisk, coast	[04D]	0	0	0	0	0	...
Ekwan, coast	[04E]	0	0	0	0	0	...
Attawapiskat, coast	[04F]	0	0	0	1,255	1,295	...
Upper Albany	[04G]	0	0	0	0	0	...
Lower Albany, coast	[04H]	0	0	0	0	0	...
Kenogami	[04J]	7,235	7,050	6,305	6,155	5,285	-27.0
Moose, Ont.	[04K]	1,235	1,105	1,005	4,070	1,955	58.3
Missinaibi and Mattagami	[04L]	51,935	49,895	46,855	49,935	47,210	-9.1
Abitibi	[04M]	25,880	25,290	25,945	26,445	24,005	-7.2
Harricanaw, coast	[04N]	33,240	34,405	34,945	39,545	38,865	16.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 8-5

Urban population, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Nelson River	[05]	2,908,870	3,134,665	3,308,855	3,428,295	3,681,990	26.6
Upper South Saskatchewan	[05A]	137,745	146,590	152,785	160,715	171,235	24.3
Bow	[05B]	631,545	679,530	762,195	831,910	971,535	53.8
Red Deer	[05C]	85,085	97,490	102,980	109,585	123,680	45.4
Upper North Saskatchewan	[05D]	255,605	248,635	265,260	270,245	302,130	18.2
Central North Saskatchewan	[05E]	448,950	521,935	559,655	570,340	618,885	37.9
Battle	[05F]	47,260	49,595	52,395	55,150	57,380	21.4
Lower North Saskatchewan	[05G]	48,370	51,950	53,645	54,945	54,360	12.4
Lower South Saskatchewan	[05H]	183,845	212,870	220,385	226,365	230,840	25.6
Qu'Appelle	[05J]	221,635	239,125	239,025	239,140	239,330	8.0
Saskatchewan	[05K]	32,100	30,675	27,985	27,090	26,210	-18.3
Lake Winnipegosis and Lake Manitoba	[05L]	25,065	25,255	23,105	22,995	25,055	0.0
Assiniboine	[05M]	283,295	275,125	268,510	267,025	258,540	-8.7
Souris	[05N]	28,700	30,570	28,885	29,575	29,635	3.3
Red	[05O]	416,605	460,195	489,410	501,905	516,555	24.0
Winnipeg	[05P]	27,990	28,655	27,525	27,580	26,225	-6.3
English	[05Q]	14,945	14,550	12,215	11,630	11,295	-24.4
Eastern Lake Winnipeg	[05R]	0	0	0	0	0	...
Western Lake Winnipeg	[05S]	4,015	4,220	5,250	5,295	4,695	16.9
Grass and Burntwood	[05T]	16,130	16,475	16,500	15,645	14,395	-10.8
Nelson	[05U]	0	1,230	1,140	1,155	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 8-6

Urban population, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Western and Northern Hudson Bay	[06]	21,460	27,480	25,595	29,215	28,840	34.4
Beaver, Alta. and Sask.	[06A]	17,745	20,490	22,180	21,625	22,065	24.3
Upper Churchill, Manitoba	[06B]	1,630	2,655	0	0	0	-100.0
Central Churchill, upper, Manitoba	[06C]	0	2,690	2,575	2,965	3,290	...
Reindeer	[06D]	0	0	0	0	0	...
Central Churchill, lower, Manitoba	[06E]	2,090	1,640	835	1,500	1,305	-37.6
Lower Churchill, Manitoba	[06F]	0	0	0	1,075	0	...
Seal, coast	[06G]	0	0	0	0	0	...
Western Hudson Bay, Southern	[06H]	0	0	0	0	0	...
Thelon	[06J]	0	0	0	0	0	...
Dubawnt	[06K]	0	0	0	0	0	...
Kazan	[06L]	0	0	0	0	0	...
Chesterfield Inlet	[06M]	0	0	0	0	0	...
Western Hudson Bay, central	[06N]	0	0	0	2,055	2,180	...
Western Hudson Bay, northern	[06O]	0	0	0	0	0	...
Hudson Bay, Southampton Island	[06P]	0	0	0	0	0	...
Foxe Basin, Southampton Island	[06Q]	0	0	0	0	0	...
Foxe Basin, Melville Peninsula	[06R]	0	0	0	0	0	...
Foxe Basin, Baffin Island	[06S]	0	0	0	0	0	...
Hudson Strait, Baffin and Southampton Islands	[06T]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 8-7

Urban population, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Great Slave Lake	[07]	182,090	190,990	195,615	206,480	220,885	21.3
Upper Athabasca	[07A]	25,525	27,835	29,020	30,985	30,845	20.8
Central Athabasca, upper	[07B]	18,380	19,865	19,110	22,490	22,105	20.3
Central Athabasca, lower	[07C]	24,020	22,230	19,655	18,530	27,550	14.7
Lower Athabasca	[07D]	8,985	15,275	17,605	17,165	14,825	65.0
Williston Lake	[07E]	5,795	5,375	5,560	5,625	4,955	-14.5
Upper Peace	[07F]	36,805	35,510	41,245	41,650	39,755	8.0
Smoky	[07G]	35,865	38,310	41,865	45,820	52,545	46.5
Central Peace, upper	[07H]	5,510	5,555	4,175	4,210	4,505	-18.2
Central Peace, lower	[07J]	2,195	3,005	2,845	3,090	4,855	121.2
Lower Peace	[07K]	0	0	0	0	0	...
Fond-du-Lac	[07L]	0	0	0	0	0	...
Lake Athabasca, shores	[07M]	2,505	155	0	0	0	-100.0
Slave	[07N]	2,290	2,435	0	0	0	-100.0
Hay	[07O]	2,860	2,960	2,665	2,885	2,895	1.2
Southern Great Slave Lake	[07P]	1,865	1,555	0	0	0	-100.0
Great Slave Lake, east arm, south shore	[07Q]	0	0	0	0	0	...
Lockhart	[07R]	0	0	0	0	0	...
Northeastern Great Slave Lake	[07S]	9,480	10,925	11,860	14,025	16,055	69.4
Marian	[07T]	0	0	0	0	0	...
Western Great Slave Lake	[07U]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 8-8

Urban population, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Pacific	[08]	2,102,075	2,249,935	2,598,180	3,014,490	3,269,495	55.5
Alsek	[08A]	0	0	0	0	0	...
Northern coastal waters, B.C.	[08B]	0	0	0	0	0	...
Stikine, coast	[08C]	0	0	0	0	0	...
Nass, coast	[08D]	0	0	0	860	0	...
Skeena, coast	[08E]	35,265	36,980	40,065	42,440	39,770	12.8
Central coastal waters, B.C.	[08F]	12,460	10,745	10,795	10,555	10,235	-17.9
Southern coastal waters, B.C.	[08G]	445,035	465,440	502,090	558,095	599,865	34.8
Vancouver Island	[08H]	368,450	386,975	444,150	497,775	528,995	43.6
Nechako	[08J]	37,915	37,220	37,645	41,910	40,365	6.5
Upper Fraser	[08K]	40,775	41,235	43,045	45,605	47,270	15.9
Thompson	[08L]	78,490	76,915	88,330	104,060	107,285	36.7
Lower Fraser	[08M]	876,605	988,910	1,198,655	1,435,410	1,587,765	81.1
Columbia	[08N]	207,095	205,505	233,400	276,515	307,950	48.7
Queen Charlotte Islands	[08O]	0	0	0	1,265	0	...
Skagit	[08P]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 8-9

Urban population, by major drainage area and sub-drainage area, 1981 to 2001 — Yukon River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Yukon River	[09]	14,815	15,200	16,335	18,445	16,845	13.7
Headwaters Yukon	[09A]	14,810	15,195	16,335	17,190	16,850	13.8
Pelly	[09B]	0	0	0	1,250	0	...
Upper Yukon	[09C]	0	0	0	0	0	...
Stewart	[09D]	0	0	0	0	0	...
Central Yukon	[09E]	0	0	0	0	0	...
Porcupine	[09F]	0	0	0	0	0	...
Tanana	[09H]	0	0	0	0	0	...
Copper	[09M]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 8-10

Urban population, by major drainage area and sub-drainage area, 1981 to 2001 — Arctic

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Arctic	[10]	9,205	10,055	10,430	12,825	13,585	47.6
Upper Liard	[10A]	0	0	0	0	0	...
Central Liard	[10B]	0	0	0	0	0	...
Fort Nelson	[10C]	3,725	3,725	3,805	4,405	4,185	12.3
Central Liard and Petitot	[10D]	0	0	0	0	0	...
Lower Liard	[10E]	0	0	0	0	0	...
Upper Mackenzie, Mills Lake	[10F]	0	0	0	0	0	...
Upper Mackenzie, Camsell Bend	[10G]	0	0	0	0	0	...
Central Mackenzie, Blackwater Lake	[10H]	0	0	0	0	0	...
Great Bear	[10J]	0	0	0	0	0	...
Central Mackenzie, The Ramparts	[10K]	0	0	0	0	0	...
Lower Mackenzie	[10L]	3,145	3,385	3,180	3,265	2,885	-8.3
Peel and Southwestern Beaufort Sea	[10M]	0	0	0	0	0	...
Southern Beaufort Sea	[10N]	0	0	0	0	0	...
Amundsen Gulf	[10O]	0	0	0	0	0	...
Coppermine	[10P]	0	0	0	0	0	...
Coronation Gulf and Queen Maud Gulf	[10Q]	0	0	0	0	0	...
Back	[10R]	0	0	0	0	0	...
Gulf of Boothia	[10S]	0	0	0	0	0	...
Southern Arctic Islands	[10T]	0	0	0	0	0	...
Baffin Island, Arctic drainage	[10U]	2,330	2,940	3,455	5,165	6,510	179.4
Northern Arctic Islands	[10V]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 8-11

Urban population, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Mississippi River	[11]	0	1,010	940	0	0	...
Missouri	[11A]	0	1,010	940	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 9-1

Urban female population, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Maritime Provinces	[01]	468,870	473,920	475,800	499,765	512,435	9.3
Saint John and Southern Bay of Fundy, N.B.	[01A]	106,070	105,270	102,600	108,320	109,700	3.4
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	98,260	98,340	94,480	98,230	102,560	4.4
Prince Edward Island	[01C]	23,740	25,760	27,670	31,550	32,470	36.8
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	56,410	58,950	61,150	63,160	66,440	17.8
Southeastern Atlantic Ocean, N.S.	[01E]	131,720	135,360	141,500	149,630	154,500	17.3
Cape Breton Island	[01F]	52,680	50,240	48,410	48,880	46,760	-11.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 9-2

Urban female population, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
St. Lawrence	[02]	6,224,020	6,519,115	7,046,755	7,553,560	8,024,950	28.9
Northwestern Lake Superior	[02A]	56,560	56,730	56,240	55,940	53,190	-6.0
Northeastern Lake Superior	[02B]	20,580	18,250	18,490	18,260	16,330	-20.7
Northern Lake Huron	[02C]	107,400	108,650	111,140	112,710	107,080	-0.3
Wanapitei and French, Ont.	[02D]	31,550	29,760	30,750	30,200	29,070	-7.9
Eastern Georgian Bay	[02E]	118,390	130,660	162,520	194,650	232,520	96.4
Eastern Lake Huron	[02F]	62,030	69,900	76,100	80,820	81,860	32.0
Northern Lake Erie	[02G]	652,770	679,270	746,030	798,820	847,860	29.9
Lake Ontario and Niagara Peninsula	[02H]	2,123,840	2,269,660	2,525,810	2,779,960	3,042,730	43.3
Upper Ottawa	[02J]	31,970	32,470	33,210	32,400	30,880	-3.4
Central Ottawa	[02K]	130,190	132,510	140,320	153,900	162,620	24.9
Lower Ottawa	[02L]	310,620	344,310	387,020	416,470	446,100	43.6
Upper St. Lawrence	[02M]	78,450	83,290	86,920	89,750	92,100	17.4
Saint-Maurice	[02N]	56,390	57,790	53,310	56,140	55,220	-2.1
Central St. Lawrence	[02O]	1,732,810	1,783,660	1,896,210	1,975,720	2,066,350	19.2
Lower St. Lawrence	[02P]	377,170	388,130	404,160	431,340	441,310	17.0
Northern Gaspé Peninsula	[02Q]	37,060	36,470	36,010	36,480	37,470	1.1
Saguenay	[02R]	99,290	100,890	100,360	102,890	102,410	3.1
Betsiamites, coast	[02S]	2,750	2,630	2,590	2,710	3,620	31.6
Manicouagan and aux Outardes	[02T]	9,490	7,930	7,940	7,790	7,250	-23.6
Moisie and St. Lawrence Estuary	[02U]	24,000	22,060	22,110	21,910	21,130	-12.0
Gulf of St. Lawrence, Romaine	[02V]	0	0	0	0	0	...
Gulf of St. Lawrence, Natashquan	[02W]	2,370	2,380	2,430	2,400	2,360	-0.4
Petit Mécatina and Strait of Belle Isle	[02X]	0	0	0	0	0	...
Northern Newfoundland	[02Y]	54,860	53,700	47,950	48,130	43,250	-21.2
Southern Newfoundland	[02Z]	103,490	108,050	99,150	104,190	102,240	-1.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 9-3

Urban female population, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Northern Quebec and Labrador	[03]	22,605	19,420	18,450	19,015	19,890	-12.0
Nottaway, coast	[03A]	12,050	11,180	10,200	9,720	9,110	-24.4
Broadback and Rupert	[03B]	0	0	0	0	890	...
Eastmain	[03C]	0	0	0	0	0	...
La Grande, coast	[03D]	0	0	0	0	1,740	...
Grande rivière de la Baleine, coast	[03E]	0	0	0	0	0	...
Eastern Hudson Bay	[03F]	0	0	0	0	0	...
Northeastern Hudson Bay	[03G]	0	0	0	0	0	...
Western Ungava Bay	[03H]	0	0	0	0	0	...
Aux Feuilles, coast	[03J]	0	0	0	0	0	...
Koksoak	[03K]	0	0	0	0	0	...
Caniapiscau	[03L]	910	140	0	0	0	-100.0
Eastern Ungava Bay	[03M]	0	0	0	0	0	...
Northern Labrador	[03N]	0	0	0	0	0	...
Churchill, N.L.	[03O]	9,020	7,430	7,410	7,490	6,640	-26.4
Central Labrador	[03P]	630	680	850	1,800	1,510	139.7
Southern Labrador	[03Q]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 9-4

Urban female population, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Southwestern Hudson Bay	[04]	58,990	58,735	57,630	63,835	60,135	1.9
Hayes, Man.	[04A]	0	0	0	0	0	...
Southwestern Hudson Bay	[04B]	0	0	0	0	0	...
Severn	[04C]	0	0	0	0	0	...
Winisk, coast	[04D]	0	0	0	0	0	...
Ekwan, coast	[04E]	0	0	0	0	0	...
Attawapiskat, coast	[04F]	0	0	0	560	640	...
Upper Albany	[04G]	0	0	0	0	0	...
Lower Albany, coast	[04H]	0	0	0	0	0	...
Kenogami	[04J]	3,460	3,420	3,130	3,040	2,600	-24.9
Moose, Ont.	[04K]	630	560	520	1,990	950	50.8
Missinaibi and Mattagami	[04L]	25,610	24,990	23,600	25,150	23,950	-6.5
Abitibi	[04M]	12,760	12,560	12,980	13,300	12,250	-4.0
Harricanaw, coast	[04N]	16,540	17,210	17,410	19,780	19,740	19.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 9-5

Urban female population, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Nelson River	[05]	1,467,400	1,595,345	1,686,380	1,753,460	1,880,755	28.2
Upper South Saskatchewan	[05A]	69,790	74,830	78,280	82,380	87,820	25.8
Bow	[05B]	310,240	340,060	382,320	417,890	486,950	57.0
Red Deer	[05C]	42,250	49,270	52,230	55,920	62,730	48.5
Upper North Saskatchewan	[05D]	128,440	126,920	135,720	139,100	155,190	20.8
Central North Saskatchewan	[05E]	220,600	260,770	280,480	288,190	312,550	41.7
Battle	[05F]	24,230	25,550	27,270	28,840	29,990	23.8
Lower North Saskatchewan	[05G]	24,890	26,960	27,830	28,600	28,320	13.8
Lower South Saskatchewan	[05H]	95,190	109,800	114,220	117,250	119,950	26.0
Qu'Appelle	[05J]	113,760	122,990	123,160	123,780	124,260	9.2
Saskatchewan	[05K]	16,230	15,670	14,420	13,920	13,660	-15.8
Lake Winnipegosis and Lake Manitoba	[05L]	13,050	13,230	12,250	12,240	13,400	2.7
Assiniboine	[05M]	148,130	143,410	139,890	139,400	134,900	-8.9
Souris	[05N]	14,720	15,590	14,810	15,240	15,340	4.2
Red	[05O]	214,840	237,880	252,090	259,550	266,700	24.1
Winnipeg	[05P]	14,050	14,410	13,970	14,180	13,540	-3.6
English	[05Q]	7,320	7,210	6,150	5,920	5,760	-21.3
Eastern Lake Winnipeg	[05R]	0	0	0	0	0	...
Western Lake Winnipeg	[05S]	2,140	2,260	2,830	2,860	2,550	19.2
Grass and Burntwood	[05T]	7,570	7,950	7,940	7,670	7,160	-5.4
Nelson	[05U]	0	590	530	550	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 9-6

Urban female population, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Western and Northern Hudson Bay	[06]	10,515	13,515	12,670	14,435	14,310	36.1
Beaver, Alta. and Sask.	[06A]	8,740	10,100	10,920	10,670	10,940	25.2
Upper Churchill, Manitoba	[06B]	790	1,270	0	0	0	-100.0
Central Churchill, upper, Manitoba	[06C]	0	1,360	1,340	1,530	1,650	...
Reindeer	[06D]	0	0	0	0	0	...
Central Churchill, lower, Manitoba	[06E]	980	790	410	710	620	-36.7
Lower Churchill, Manitoba	[06F]	0	0	0	530	0	...
Seal, coast	[06G]	0	0	0	0	0	...
Western Hudson Bay, Southern	[06H]	0	0	0	0	0	...
Thelon	[06I]	0	0	0	0	0	...
Dubawnt	[06K]	0	0	0	0	0	...
Kazan	[06L]	0	0	0	0	0	...
Chesterfield Inlet	[06M]	0	0	0	0	0	...
Western Hudson Bay, central	[06N]	0	0	0	1,000	1,100	...
Western Hudson Bay, northern	[06O]	0	0	0	0	0	...
Hudson Bay, Southampton Island	[06P]	0	0	0	0	0	...
Foxe Basin, Southampton Island	[06Q]	0	0	0	0	0	...
Foxe Basin, Melville Peninsula	[06R]	0	0	0	0	0	...
Foxe Basin, Baffin Island	[06S]	0	0	0	0	0	...
Hudson Strait, Baffin and Southampton Islands	[06T]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 9-7

Urban female population, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Great Slave Lake	[07]	87,995	93,360	95,635	101,120	108,580	23.4
Upper Athabasca	[07A]	12,070	13,360	13,920	14,930	14,930	23.7
Central Athabasca, upper	[07B]	9,320	10,100	9,680	11,580	11,410	22.4
Central Athabasca, lower	[07C]	11,430	10,680	9,400	8,850	13,080	14.4
Lower Athabasca	[07D]	4,200	7,440	8,570	8,360	7,240	72.4
Williston Lake	[07E]	2,670	2,480	2,600	2,600	2,280	-14.6
Upper Peace	[07F]	18,020	17,570	20,260	20,570	19,800	9.9
Smoky	[07G]	17,390	18,930	20,720	22,360	25,810	48.4
Central Peace, upper	[07H]	2,770	2,810	2,100	2,110	2,240	-19.1
Central Peace, lower	[07J]	1,040	1,420	1,380	1,490	2,380	128.8
Lower Peace	[07K]	0	0	0	0	0	...
Fond-du-Lac	[07L]	0	0	0	0	0	...
Lake Athabasca, shores	[07M]	1,160	70	0	0	0	-100.0
Slave	[07N]	1,150	1,190	0	0	0	-100.0
Hay	[07O]	1,400	1,410	1,290	1,390	1,420	1.4
Southern Great Slave Lake	[07P]	870	720	0	0	0	-100.0
Great Slave Lake, east arm, south shore	[07Q]	0	0	0	0	0	...
Lockhart	[07R]	0	0	0	0	0	...
Northeastern Great Slave Lake	[07S]	4,510	5,190	5,720	6,890	7,990	77.2
Marian	[07T]	0	0	0	0	0	...
Western Great Slave Lake	[07U]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 9-8

Urban female population, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Pacific	[08]	1,070,400	1,149,410	1,325,100	1,538,490	1,677,015	56.7
Alsek	[08A]	0	0	0	0	0	...
Northern coastal waters, B.C.	[08B]	0	0	0	0	0	...
Stikine, coast	[08C]	0	0	0	0	0	...
Nass, coast	[08D]	0	0	0	410	0	...
Skeena, coast	[08E]	17,000	17,970	19,560	20,770	19,640	15.5
Central coastal waters, B.C.	[08F]	5,880	5,220	5,200	5,130	4,940	-16.0
Southern coastal waters, B.C.	[08G]	226,900	237,120	254,790	282,810	305,060	34.4
Vancouver Island	[08H]	189,920	200,280	229,650	257,780	275,690	45.2
Nechako	[08J]	18,640	18,550	18,650	20,750	20,190	8.3
Upper Fraser	[08K]	20,080	20,500	21,470	22,770	23,670	17.9
Thompson	[08L]	39,380	38,940	44,860	53,140	55,420	40.7
Lower Fraser	[08M]	447,140	504,960	610,540	731,050	811,970	81.6
Columbia	[08N]	105,450	105,890	120,390	143,260	160,430	52.1
Queen Charlotte Islands	[08O]	0	0	0	620	0	...
Skagit	[08P]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 9-9

Urban female population, by major drainage area and sub-drainage area, 1981 to 2001 — Yukon River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Yukon River	[09]	7,105	7,385	7,975	9,070	8,605	21.1
Headwaters Yukon	[09A]	7,100	7,390	7,980	8,520	8,610	21.3
Pelly	[09B]	0	0	0	550	0	...
Upper Yukon	[09C]	0	0	0	0	0	...
Stewart	[09D]	0	0	0	0	0	...
Central Yukon	[09E]	0	0	0	0	0	...
Porcupine	[09F]	0	0	0	0	0	...
Tanana	[09H]	0	0	0	0	0	...
Copper	[09M]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 9-10

Urban female population, by major drainage area and sub-drainage area, 1981 to 2001 — Arctic

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Arctic	[10]	4,365	4,835	4,975	6,165	6,510	49.1
Upper Liard	[10A]	0	0	0	0	0	...
Central Liard	[10B]	0	0	0	0	0	...
Fort Nelson	[10C]	1,780	1,780	1,830	2,110	1,970	10.7
Central Liard and Petitot	[10D]	0	0	0	0	0	...
Lower Liard	[10E]	0	0	0	0	0	...
Upper Mackenzie, Mills Lake	[10F]	0	0	0	0	0	...
Upper Mackenzie, Camsell Bend	[10G]	0	0	0	0	0	...
Central Mackenzie, Blackwater Lake	[10H]	0	0	0	0	0	...
Great Bear	[10J]	0	0	0	0	0	...
Central Mackenzie, The Ramparts	[10K]	0	0	0	0	0	...
Lower Mackenzie	[10L]	1,470	1,660	1,520	1,610	1,430	-2.7
Peel and Southwestern Beaufort Sea	[10M]	0	0	0	0	0	...
Southern Beaufort Sea	[10N]	0	0	0	0	0	...
Amundsen Gulf	[10O]	0	0	0	0	0	...
Coppermine	[10P]	0	0	0	0	0	...
Coronation Gulf and Queen Maud Gulf	[10Q]	0	0	0	0	0	...
Back	[10R]	0	0	0	0	0	...
Gulf of Boothia	[10S]	0	0	0	0	0	...
Southern Arctic Islands	[10T]	0	0	0	0	0	...
Baffin Island, Arctic drainage	[10U]	1,110	1,400	1,630	2,450	3,120	181.1
Northern Arctic Islands	[10V]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 9-11

Urban female population, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Mississippi River	[11]	0	480	460	0	0	...
Missouri	[11A]	0	480	460	0	0	...

Note: See *Data quality, concepts and methodology* — Footnotes section.

Source: CANSIM table 153-0036.

Table 10-1

Urban male population, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Maritime Provinces	[01]	438,770	437,215	434,710	451,805	458,985	4.6
Saint John and Southern Bay of Fundy, N.B.	[01A]	98,810	96,230	93,070	98,190	98,590	-0.2
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	93,140	91,890	87,050	89,510	92,890	-0.3
Prince Edward Island	[01C]	20,780	22,530	24,140	27,910	28,200	35.7
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	52,190	53,740	55,710	56,290	59,220	13.5
Southeastern Atlantic Ocean, N.S.	[01E]	123,650	125,970	130,490	136,120	139,030	12.4
Cape Breton Island	[01F]	50,190	46,860	44,250	43,780	41,060	-18.2

Note: See *Data quality, concepts and methodology* — Footnotes section.

Source: CANSIM table 153-0036.

Table 10-2

Urban male population, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
St. Lawrence	[02]	5,898,660	6,134,695	6,640,480	7,079,875	7,521,035	27.5
Northwestern Lake Superior	[02A]	56,290	55,350	54,170	53,170	50,020	-11.1
Northeastern Lake Superior	[02B]	21,370	18,680	18,930	18,480	16,040	-24.9
Northern Lake Huron	[02C]	106,050	104,450	105,850	105,910	98,520	-7.1
Wanapitei and French, Ont.	[02D]	30,060	27,730	28,240	27,310	26,090	-13.2
Eastern Georgian Bay	[02E]	113,400	124,630	155,550	183,950	220,790	94.7
Eastern Lake Huron	[02F]	57,920	65,370	70,370	73,450	73,650	27.2
Northern Lake Erie	[02G]	614,910	636,710	702,410	751,000	801,390	30.3
Lake Ontario and Niagara Peninsula	[02H]	2,021,400	2,152,000	2,403,100	2,619,330	2,872,530	42.1
Upper Ottawa	[02J]	30,870	31,120	31,820	30,640	28,310	-8.3
Central Ottawa	[02K]	123,070	124,270	131,700	143,240	151,090	22.8
Lower Ottawa	[02L]	289,960	322,660	365,030	391,340	418,160	44.2
Upper St. Lawrence	[02M]	74,470	76,440	78,920	82,420	84,910	14.0
Saint-Maurice	[02N]	53,460	53,050	48,450	51,200	49,390	-7.6
Central St. Lawrence	[02O]	1,628,920	1,660,750	1,769,650	1,842,580	1,925,520	18.2
Lower St. Lawrence	[02P]	349,550	357,490	371,440	396,920	405,290	15.9
Northern Gaspé Peninsula	[02Q]	33,940	33,270	32,250	32,420	33,030	-2.7
Saguenay	[02R]	98,340	98,480	96,200	98,540	97,510	-0.8
Betsiamites, coast	[02S]	2,820	2,590	2,520	2,630	3,520	24.8
Manicouagan and aux Outardes	[02T]	9,820	8,080	8,220	7,990	7,330	-25.4
Moisie and St. Lawrence Estuary	[02U]	25,210	22,850	23,000	22,450	21,450	-14.9
Gulf of St. Lawrence, Romaine	[02V]	0	0	0	0	0	...
Gulf of St. Lawrence, Natashquan	[02W]	2,340	2,310	2,300	2,280	2,210	-5.6
Petit Mécatina and Strait of Belle Isle	[02X]	0	0	0	0	0	...
Northern Newfoundland	[02Y]	54,410	52,490	46,400	45,640	40,280	-26.0
Southern Newfoundland	[02Z]	100,100	103,930	93,980	97,010	94,040	-6.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 10-3

Urban male population, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Northern Quebec and Labrador	[03]	24,965	20,640	19,665	20,035	20,575	-17.6
Nottaway, coast	[03A]	13,490	12,040	10,940	10,480	9,680	-28.2
Broadback and Rupert	[03B]	0	0	0	0	920	...
Eastmain	[03C]	0	0	0	0	0	...
La Grande, coast	[03D]	0	0	0	0	1,730	...
Grande rivière de la Baleine, coast	[03E]	0	0	0	0	0	...
Eastern Hudson Bay	[03F]	0	0	0	0	0	...
Northeastern Hudson Bay	[03G]	0	0	0	0	0	...
Western Ungava Bay	[03H]	0	0	0	0	0	...
Aux Feuilles, coast	[03J]	0	0	0	0	0	...
Koksoak	[03K]	0	0	0	0	0	...
Caniapiscau	[03L]	1,090	140	0	0	0	-100.0
Eastern Ungava Bay	[03M]	0	0	0	0	0	...
Northern Labrador	[03N]	0	0	0	0	0	...
Churchill, N.L.	[03O]	9,750	7,800	7,910	7,830	6,820	-30.1
Central Labrador	[03P]	640	660	820	1,730	1,430	123.4
Southern Labrador	[03Q]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 10-4

Urban male population, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Southwestern Hudson Bay	[04]	60,535	59,015	57,435	63,570	58,460	-3.4
Hayes, Man.	[04A]	0	0	0	0	0	...
Southwestern Hudson Bay	[04B]	0	0	0	0	0	...
Severn	[04C]	0	0	0	0	0	...
Winisk, coast	[04D]	0	0	0	0	0	...
Ekwan, coast	[04E]	0	0	0	0	0	...
Attawapiskat, coast	[04F]	0	0	0	700	660	...
Upper Albany	[04G]	0	0	0	0	0	...
Lower Albany, coast	[04H]	0	0	0	0	0	...
Kenogami	[04J]	3,780	3,630	3,180	3,120	2,680	-29.1
Moose, Ont.	[04K]	610	540	490	2,070	1,000	63.9
Missinaibi and Mattagami	[04L]	26,330	24,910	23,260	24,780	23,260	-11.7
Abitibi	[04M]	13,110	12,730	12,970	13,140	11,750	-10.4
Harricanaw, coast	[04N]	16,710	17,200	17,530	19,760	19,120	14.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 10-5

Urban male population, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Nelson River	[05]	1,441,470	1,539,320	1,622,475	1,674,835	1,801,235	25.0
Upper South Saskatchewan	[05A]	67,950	71,750	74,510	78,340	83,420	22.8
Bow	[05B]	321,310	339,470	379,880	414,020	484,590	50.8
Red Deer	[05C]	42,840	48,220	50,760	53,670	60,950	42.3
Upper North Saskatchewan	[05D]	127,160	121,710	129,550	131,150	146,930	15.5
Central North Saskatchewan	[05E]	228,350	261,170	279,170	282,150	306,340	34.2
Battle	[05F]	23,020	24,050	25,130	26,300	27,400	19.0
Lower North Saskatchewan	[05G]	23,480	24,990	25,810	26,350	26,040	10.9
Lower South Saskatchewan	[05H]	88,660	103,070	106,160	109,110	110,890	25.1
Qu'Appelle	[05J]	107,870	116,130	115,860	115,360	115,070	6.7
Saskatchewan	[05K]	15,880	15,010	13,560	13,170	12,550	-21.0
Lake Winnipegosis and Lake Manitoba	[05L]	12,020	12,020	10,850	10,760	11,650	-3.1
Assiniboine	[05M]	135,170	131,720	128,630	127,630	123,640	-8.5
Souris	[05N]	13,990	14,980	14,080	14,330	14,300	2.2
Red	[05O]	201,770	222,320	237,320	242,360	249,860	23.8
Winnipeg	[05P]	13,940	14,240	13,550	13,400	12,690	-9.0
English	[05Q]	7,630	7,340	6,060	5,710	5,530	-27.5
Eastern Lake Winnipeg	[05R]	0	0	0	0	0	...
Western Lake Winnipeg	[05S]	1,880	1,960	2,420	2,440	2,140	13.8
Grass and Burntwood	[05T]	8,560	8,520	8,570	7,980	7,240	-15.4
Nelson	[05U]	0	640	610	610	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 10-6

Urban male population, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Western and Northern Hudson Bay	[06]	10,945	13,965	12,925	14,780	14,525	32.7
Beaver, Alta. and Sask.	[06A]	9,000	10,390	11,260	10,950	11,130	23.7
Upper Churchill, Manitoba	[06B]	840	1,380	0	0	0	-100.0
Central Churchill, upper, Manitoba	[06C]	0	1,330	1,240	1,440	1,630	...
Reindeer	[06D]	0	0	0	0	0	...
Central Churchill, lower, Manitoba	[06E]	1,110	860	430	800	680	-38.7
Lower Churchill, Manitoba	[06F]	0	0	0	550	0	...
Seal, coast	[06G]	0	0	0	0	0	...
Western Hudson Bay, Southern	[06H]	0	0	0	0	0	...
Thelon	[06I]	0	0	0	0	0	...
Dubawnt	[06K]	0	0	0	0	0	...
Kazan	[06L]	0	0	0	0	0	...
Chesterfield Inlet	[06M]	0	0	0	0	0	...
Western Hudson Bay, central	[06N]	0	0	0	1,050	1,080	...
Western Hudson Bay, northern	[06O]	0	0	0	0	0	...
Hudson Bay, Southampton Island	[06P]	0	0	0	0	0	...
Foxe Basin, Southampton Island	[06Q]	0	0	0	0	0	...
Foxe Basin, Melville Peninsula	[06R]	0	0	0	0	0	...
Foxe Basin, Baffin Island	[06S]	0	0	0	0	0	...
Hudson Strait, Baffin and Southampton Islands	[06T]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 10-7

Urban male population, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Great Slave Lake	[07]	94,095	97,630	99,975	105,360	112,305	19.4
Upper Athabasca	[07A]	13,450	14,470	15,090	16,060	15,920	18.4
Central Athabasca, upper	[07B]	9,060	9,770	9,430	10,920	10,690	18.0
Central Athabasca, lower	[07C]	12,600	11,560	10,250	9,670	14,470	14.8
Lower Athabasca	[07D]	4,790	7,840	9,030	8,810	7,580	58.2
Williston Lake	[07E]	3,130	2,890	2,970	3,030	2,680	-14.4
Upper Peace	[07F]	18,780	17,930	20,990	21,090	19,960	6.3
Smoky	[07G]	18,470	19,380	21,140	23,460	26,740	44.8
Central Peace, upper	[07H]	2,750	2,750	2,080	2,100	2,270	-17.5
Central Peace, lower	[07J]	1,150	1,580	1,470	1,600	2,470	114.8
Lower Peace	[07K]	0	0	0	0	0	...
Fond-du-Lac	[07L]	0	0	0	0	0	...
Lake Athabasca, shores	[07M]	1,350	90	0	0	0	-100.0
Slave	[07N]	1,150	1,250	0	0	0	-100.0
Hay	[07O]	1,460	1,550	1,380	1,490	1,470	0.7
Southern Great Slave Lake	[07P]	990	840	0	0	0	-100.0
Great Slave Lake, east arm, south shore	[07Q]	0	0	0	0	0	...
Lockhart	[07R]	0	0	0	0	0	...
Northeastern Great Slave Lake	[07S]	4,970	5,740	6,140	7,140	8,060	62.2
Marian	[07T]	0	0	0	0	0	...
Western Great Slave Lake	[07U]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 10-8

Urban male population, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Pacific	[08]	1,031,675	1,100,525	1,273,075	1,476,000	1,592,480	54.4
Alsek	[08A]	0	0	0	0	0	...
Northern coastal waters, B.C.	[08B]	0	0	0	0	0	...
Stikine, coast	[08C]	0	0	0	0	0	...
Nass, coast	[08D]	0	0	0	450	0	...
Skeena, coast	[08E]	18,260	19,010	20,510	21,670	20,130	10.2
Central coastal waters, B.C.	[08F]	6,580	5,530	5,600	5,420	5,290	-19.6
Southern coastal waters, B.C.	[08G]	218,140	228,320	247,300	275,290	294,800	35.1
Vancouver Island	[08H]	178,530	186,700	214,500	239,990	253,310	41.9
Nechako	[08J]	19,270	18,680	18,990	21,150	20,180	4.7
Upper Fraser	[08K]	20,690	20,740	21,570	22,840	23,600	14.1
Thompson	[08L]	39,120	37,970	43,470	50,920	51,860	32.6
Lower Fraser	[08M]	429,460	483,960	588,120	704,370	775,790	80.6
Columbia	[08N]	101,640	99,620	113,020	133,260	147,520	45.1
Queen Charlotte Islands	[08O]	0	0	0	650	0	...
Skagit	[08P]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 10-9

Urban male population, by major drainage area and sub-drainage area, 1981 to 2001 — Yukon River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Yukon River	[09]	7,710	7,810	8,360	9,375	8,240	6.9
Headwaters Yukon	[09A]	7,710	7,810	8,360	8,670	8,240	6.9
Pelly	[09B]	0	0	0	700	0	...
Upper Yukon	[09C]	0	0	0	0	0	...
Stewart	[09D]	0	0	0	0	0	...
Central Yukon	[09E]	0	0	0	0	0	...
Porcupine	[09F]	0	0	0	0	0	...
Tanana	[09H]	0	0	0	0	0	...
Copper	[09M]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 10-10

Urban male population, by major drainage area and sub-drainage area, 1981 to 2001 — Arctic

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Arctic	[10]	4,840	5,220	5,455	6,655	7,075	46.2
Upper Liard	[10A]	0	0	0	0	0	...
Central Liard	[10B]	0	0	0	0	0	...
Fort Nelson	[10C]	1,940	1,950	1,980	2,290	2,220	14.4
Central Liard and Petitot	[10D]	0	0	0	0	0	...
Lower Liard	[10E]	0	0	0	0	0	...
Upper Mackenzie, Mills Lake	[10F]	0	0	0	0	0	...
Upper Mackenzie, Camsell Bend	[10G]	0	0	0	0	0	...
Central Mackenzie, Blackwater Lake	[10H]	0	0	0	0	0	...
Great Bear	[10J]	0	0	0	0	0	...
Central Mackenzie, The Ramparts	[10K]	0	0	0	0	0	...
Lower Mackenzie	[10L]	1,670	1,730	1,660	1,650	1,460	-12.6
Peel and Southwestern Beaufort Sea	[10M]	0	0	0	0	0	...
Southern Beaufort Sea	[10N]	0	0	0	0	0	...
Amundsen Gulf	[10O]	0	0	0	0	0	...
Coppermine	[10P]	0	0	0	0	0	...
Coronation Gulf and Queen Maud Gulf	[10Q]	0	0	0	0	0	...
Back	[10R]	0	0	0	0	0	...
Gulf of Boothia	[10S]	0	0	0	0	0	...
Southern Arctic Islands	[10T]	0	0	0	0	0	...
Baffin Island, Arctic drainage	[10U]	1,220	1,540	1,820	2,710	3,400	178.7
Northern Arctic Islands	[10V]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 10-11

Urban male population, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Mississippi River	[11]	0	520	480	0	0	...
Missouri	[11A]	0	520	480	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 11-1

Urban population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 —
Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		percent					
Maritime Provinces	[01]	50.3	49.3	48.3	49.8	51.3	2.0
Saint John and Southern Bay of Fundy, N.B.	[01A]	53.1	51.1	49.1	50.5	51.6	-2.8
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	42.5	41.9	39.8	40.9	43.8	3.1
Prince Edward Island	[01C]	36.3	38.1	39.9	44.2	44.8	23.4
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	37.3	36.9	37.0	37.2	39.5	5.9
Southeastern Atlantic Ocean, N.S.	[01E]	66.0	65.0	64.4	66.5	66.5	0.8
Cape Breton Island	[01F]	60.5	58.5	57.3	58.5	59.2	-2.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 11-2

Urban population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 —
St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		percent					
St. Lawrence	[02]	80.1	80.5	80.2	81.5	83.1	3.7
Northwestern Lake Superior	[02A]	84.6	83.4	80.7	79.3	77.9	-7.9
Northeastern Lake Superior	[02B]	75.5	73.6	73.3	74.2	69.4	-8.1
Northern Lake Huron	[02C]	81.0	81.8	81.5	81.7	81.2	0.2
Wanapitei and French, Ont.	[02D]	67.2	65.7	64.6	62.7	62.0	-7.7
Eastern Georgian Bay	[02E]	56.5	57.9	58.9	62.0	66.7	18.1
Eastern Lake Huron	[02F]	45.5	49.1	48.5	49.8	50.0	9.9
Northern Lake Erie	[02G]	76.9	77.9	78.8	80.2	81.3	5.7
Lake Ontario and Niagara Peninsula	[02H]	91.1	90.6	90.2	91.8	93.1	2.2
Upper Ottawa	[02J]	55.9	55.6	54.2	52.4	52.6	-5.9
Central Ottawa	[02K]	73.7	72.1	70.9	72.0	73.1	-0.8
Lower Ottawa	[02L]	70.0	71.5	72.0	71.5	72.6	3.7
Upper St. Lawrence	[02M]	65.4	64.8	63.7	62.9	65.4	0.0
Saint-Maurice	[02N]	83.5	82.1	80.1	83.4	82.7	-1.0
Central St. Lawrence	[02O]	86.3	86.7	86.2	86.6	88.4	2.4
Lower St. Lawrence	[02P]	69.1	69.8	69.3	72.1	73.3	6.1
Northern Gaspé Peninsula	[02Q]	50.7	50.1	51.4	51.8	53.6	5.7
Saguenay	[02R]	68.8	69.5	68.4	70.0	71.4	3.8
Betsiamites, coast	[02S]	34.3	33.7	33.7	35.2	46.5	35.6
Manicouagan and aux Outardes	[02T]	81.6	79.4	79.8	77.0	80.2	-1.7
Moisie and St. Lawrence Estuary	[02U]	80.4	83.4	85.0	83.9	86.4	7.5
Gulf of St. Lawrence, Romaine	[02V]	0.0	0.0	0.0	0.0	0.0	...
Gulf of St. Lawrence, Natashquan	[02W]	22.7	21.9	23.7	23.8	23.0	1.3
Petit Mécatina and Strait of Belle Isle	[02X]	0.0	0.0	0.0	0.0	0.0	...
Northern Newfoundland	[02Y]	50.2	49.5	45.3	47.2	46.7	-7.0
Southern Newfoundland	[02Z]	63.9	65.2	58.6	62.1	64.1	0.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 11-3

Urban population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	percent						
Northern Quebec and Labrador	[03]	60.8	56.7	52.5	52.4	55.3	-9.0
Nottaway, coast	[03A]	79.0	79.0	78.3	74.8	74.6	-5.6
Broadback and Rupert	[03B]	0.0	0.0	0.0	0.0	37.2	...
Eastmain	[03C]	0.0	0.0	0.0	0.0	0.0	...
La Grande, coast	[03D]	0.0	0.0	0.0	0.0	69.8	...
Grande rivière de la Baleine, coast	[03E]	0.0	0.0	0.0	0.0	0.0	...
Eastern Hudson Bay	[03F]	0.0	0.0	0.0	0.0	0.0	...
Northeastern Hudson Bay	[03G]	0.0	0.0	0.0	0.0	0.0	...
Western Ungava Bay	[03H]	0.0	0.0	0.0	0.0	0.0	...
Aux Feuilles, coast	[03J]	0.0	0.0	0.0	0.0	0.0	...
Koksoak	[03K]	0.0	0.0	0.0	0.0	0.0	...
Caniapiscau	[03L]	63.0	25.8	0.0	0.0	0.0	-100.0
Eastern Ungava Bay	[03M]	0.0	0.0	0.0	0.0	0.0	...
Northern Labrador	[03N]	0.0	0.0	0.0	0.0	0.0	...
Churchill, N.L.	[03O]	95.2	94.1	89.3	94.7	95.0	-0.2
Central Labrador	[03P]	29.5	27.9	30.7	64.0	48.4	64.1
Southern Labrador	[03Q]	0.0	0.0	0.0	0.0	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 11-4

Urban population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	percent						
Southwestern Hudson Bay	[04]	57.6	58.9	55.5	60.6	59.2	2.8
Hayes, Man.	[04A]	0.0	0.0	0.0	0.0	0.0	...
Southwestern Hudson Bay	[04B]	0.0	0.0	0.0	0.0	0.0	...
Severn	[04C]	0.0	0.0	0.0	0.0	0.0	...
Winisk, coast	[04D]	0.0	0.0	0.0	0.0	0.0	...
Ekwan, coast	[04E]	0.0	0.0	0.0	0.0	0.0	...
Attawapiskat, coast	[04F]	0.0	0.0	0.0	61.8	65.9	...
Upper Albany	[04G]	0.0	0.0	0.0	0.0	0.0	...
Lower Albany, coast	[04H]	0.0	0.0	0.0	0.0	0.0	...
Kenogami	[04J]	65.5	67.3	69.6	70.0	65.2	-0.5
Moose, Ont.	[04K]	41.4	56.8	35.2	100.0	67.6	63.3
Missinaibi and Mattagami	[04L]	72.8	72.0	68.6	74.3	76.1	4.5
Abitibi	[04M]	50.6	50.2	51.9	54.2	51.8	2.4
Harricanaw, coast	[04N]	61.1	60.6	58.6	66.0	67.7	10.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 11-5

Urban population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		percent					
Nelson River	[05]	73.2	75.3	76.1	76.2	77.6	6.0
Upper South Saskatchewan	[05A]	71.1	72.9	72.9	72.7	73.9	3.9
Bow	[05B]	94.2	94.9	94.6	94.2	94.4	0.2
Red Deer	[05C]	50.8	54.6	54.7	54.1	56.1	10.4
Upper North Saskatchewan	[05D]	86.5	87.3	87.3	86.4	88.2	2.0
Central North Saskatchewan	[05E]	77.9	81.8	81.9	81.7	82.8	6.3
Battle	[05F]	43.9	47.0	49.3	49.4	48.6	10.7
Lower North Saskatchewan	[05G]	47.2	49.1	52.3	54.1	54.2	14.8
Lower South Saskatchewan	[05H]	74.1	77.7	79.4	79.6	79.8	7.7
Qu'Appelle	[05J]	68.5	71.6	72.3	73.2	75.1	9.6
Saskatchewan	[05K]	45.2	44.6	42.9	41.6	41.5	-8.2
Lake Winnipegosis and Lake Manitoba	[05L]	25.5	26.8	25.5	25.6	27.3	7.1
Assiniboine	[05M]	75.6	75.3	76.0	76.3	76.7	1.5
Souris	[05N]	35.4	38.0	38.8	40.2	42.5	20.1
Red	[05O]	79.1	79.9	80.0	80.2	80.9	2.3
Winnipeg	[05P]	52.0	52.9	49.0	48.0	47.9	-7.9
English	[05Q]	51.7	49.5	43.1	39.6	39.7	-23.2
Eastern Lake Winnipeg	[05R]	0.0	0.0	0.0	0.0	0.0	...
Western Lake Winnipeg	[05S]	16.3	18.5	20.6	18.9	15.3	-6.1
Grass and Burntwood	[05T]	88.4	83.1	83.2	80.4	80.1	-9.4
Nelson	[05U]	0.0	14.0	11.6	10.3	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 11-6

Urban population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		percent					
Western and Northern Hudson Bay	[06]	28.1	33.2	29.9	30.5	29.3	4.3
Beaver, Alta. and Sask.	[06A]	38.3	40.3	42.3	37.9	37.9	-1.0
Upper Churchill, Manitoba	[06B]	24.0	40.8	0.0	0.0	0.0	-100.0
Central Churchill, upper, Manitoba	[06C]	0.0	36.7	32.2	30.9	31.5	...
Reindeer	[06D]	0.0	0.0	0.0	0.0	0.0	...
Central Churchill, lower, Manitoba	[06E]	32.2	26.7	17.4	26.0	23.5	-27.0
Lower Churchill, Manitoba	[06F]	0.0	0.0	0.0	98.5	0.0	...
Seal, coast	[06G]	0.0	0.0	0.0	0.0	0.0	...
Western Hudson Bay, Southern	[06H]	0.0	0.0	0.0	0.0	0.0	...
Thelon	[06J]	0.0	0.0	0.0	0.0	0.0	...
Dubawnt	[06K]	0.0	0.0	0.0	0.0	0.0	...
Kazan	[06L]	0.0	0.0	0.0	0.0	0.0	...
Chesterfield Inlet	[06M]	0.0	0.0	0.0	0.0	0.0	...
Western Hudson Bay, central	[06N]	0.0	0.0	0.0	0.0	46.1	...
Western Hudson Bay, northern	[06O]	0.0	0.0	0.0	0.0	0.0	...
Hudson Bay, Southampton Island	[06P]	0.0	0.0	0.0	0.0	0.0	...
Foxe Basin, Southampton Island	[06Q]	0.0	0.0	0.0	0.0	0.0	...
Foxe Basin, Melville Peninsula	[06R]	0.0	0.0	0.0	0.0	0.0	...
Foxe Basin, Baffin Island	[06S]	0.0	0.0	0.0	0.0	0.0	...
Hudson Strait, Baffin and Southampton Islands	[06T]	0.0	0.0	0.0	0.0	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 11-7

Urban population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		percent					
Great Slave Lake	[07]	57.0	57.0	57.0	56.5	58.4	2.5
Upper Athabasca	[07A]	74.7	78.0	77.4	0.0	75.5	1.1
Central Athabasca, upper	[07B]	36.4	37.6	35.7	0.0	38.8	6.6
Central Athabasca, lower	[07C]	73.6	72.8	72.7	0.0	71.7	-2.6
Lower Athabasca	[07D]	98.9	95.8	97.2	0.0	96.1	-2.8
Williston Lake	[07E]	77.9	77.1	74.5	0.0	79.7	2.3
Upper Peace	[07F]	51.6	48.3	55.2	0.0	53.4	3.5
Smoky	[07G]	58.6	61.2	63.8	0.0	66.8	14.0
Central Peace, upper	[07H]	36.3	38.3	33.3	0.0	30.5	-16.0
Central Peace, lower	[07J]	21.3	21.5	19.2	0.0	25.2	18.3
Lower Peace	[07K]	0.0	0.0	0.0	0.0	0.0	...
Fond-du-Lac	[07L]	0.0	0.0	0.0	0.0	0.0	...
Lake Athabasca, shores	[07M]	59.2	12.8	0.0	0.0	0.0	-100.0
Slave	[07N]	98.8	97.9	0.0	0.0	0.0	-100.0
Hay	[07O]	54.0	54.5	42.3	0.0	49.5	-8.3
Southern Great Slave Lake	[07P]	79.5	71.3	0.0	0.0	0.0	-100.0
Great Slave Lake, east arm, south shore	[07Q]	0.0	0.0	0.0	0.0	0.0	...
Lockhart	[07R]	0.0	0.0	0.0	0.0	0.0	...
Northeastern Great Slave Lake	[07S]	87.4	82.6	69.1	0.0	88.2	0.9
Marian	[07T]	0.0	0.0	0.0	0.0	0.0	...
Western Great Slave Lake	[07U]	0.0	0.0	0.0	0.0	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 11-8

Urban population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		percent					
Pacific	[08]	78.4	79.8	80.8	82.5	85.1	8.5
Alsek	[08A]	0.0	0.0	0.0	0.0	0.0	...
Northern coastal waters, B.C.	[08B]	0.0	0.0	0.0	0.0	0.0	...
Stikine, coast	[08C]	0.0	0.0	0.0	0.0	0.0	...
Nass, coast	[08D]	0.0	0.0	0.0	0.0	0.0	...
Skeena, coast	[08E]	59.5	64.8	66.0	0.0	65.3	9.7
Central coastal waters, B.C.	[08F]	68.3	65.8	62.7	0.0	62.9	-7.9
Southern coastal waters, B.C.	[08G]	93.9	94.7	94.5	0.0	95.9	2.1
Vancouver Island	[08H]	74.2	74.8	75.2	0.0	79.5	7.1
Nechako	[08J]	63.6	62.6	62.9	0.0	63.4	-0.3
Upper Fraser	[08K]	59.5	59.4	61.3	0.0	63.3	6.4
Thompson	[08L]	54.8	55.9	59.2	0.0	62.4	13.9
Lower Fraser	[08M]	86.9	88.4	88.9	0.0	93.0	7.0
Columbia	[08N]	60.6	60.2	61.6	0.0	69.2	14.2
Queen Charlotte Islands	[08O]	0.0	0.0	0.0	0.0	0.0	...
Skagit	[08P]	0.0	0.0	0.0	0.0	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 11-9

Urban population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Yukon River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	percent						
Yukon River	[09]	67.5	68.5	62.2	64.2	61.9	-8.3
Headwaters Yukon	[09A]	85.6	82.3	74.4	0.0	71.6	-16.4
Pelly	[09B]	0.0	0.0	0.0	0.0	0.0	...
Upper Yukon	[09C]	0.0	0.0	0.0	0.0	0.0	...
Stewart	[09D]	0.0	0.0	0.0	0.0	0.0	...
Central Yukon	[09E]	0.0	0.0	0.0	0.0	0.0	...
Porcupine	[09F]	0.0	0.0	0.0	0.0	0.0	...
Tanana	[09H]	0.0	0.0	0.0	0.0	0.0	...
Copper	[09M]	0.0	0.0	0.0	0.0	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 11-10

Urban population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Arctic

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	percent						
Arctic	[10]	34.1	33.6	33.3	37.2	39.6	16.1
Upper Liard	[10A]	0.0	0.0	0.0	0.0	0.0	...
Central Liard	[10B]	0.0	0.0	0.0	0.0	0.0	...
Fort Nelson	[10C]	81.2	77.5	81.6	0.0	74.3	-8.5
Central Liard and Petitot	[10D]	0.0	0.0	0.0	0.0	0.0	...
Lower Liard	[10E]	0.0	0.0	0.0	0.0	0.0	...
Upper Mackenzie, Mills Lake	[10F]	0.0	0.0	0.0	0.0	0.0	...
Upper Mackenzie, Camsell Bend	[10G]	0.0	0.0	0.0	0.0	0.0	...
Central Mackenzie, Blackwater Lake	[10H]	0.0	0.0	0.0	0.0	0.0	...
Great Bear	[10J]	0.0	0.0	0.0	0.0	0.0	...
Central Mackenzie, The Ramparts	[10K]	0.0	0.0	0.0	0.0	0.0	...
Lower Mackenzie	[10L]	84.4	83.5	80.4	0.0	79.3	-6.0
Peel and Southwestern Beaufort Sea	[10M]	0.0	0.0	0.0	0.0	0.0	...
Southern Beaufort Sea	[10N]	0.0	0.0	0.0	0.0	0.0	...
Amundsen Gulf	[10O]	0.0	0.0	0.0	0.0	0.0	...
Coppermine	[10P]	0.0	0.0	0.0	0.0	0.0	...
Coronation Gulf and Queen Maud Gulf	[10Q]	0.0	0.0	0.0	0.0	0.0	...
Back	[10R]	0.0	0.0	0.0	0.0	0.0	...
Gulf of Boothia	[10S]	0.0	0.0	0.0	0.0	0.0	...
Southern Arctic Islands	[10T]	0.0	0.0	0.0	0.0	0.0	...
Baffin Island, Arctic drainage	[10U]	43.7	45.5	45.7	0.0	66.7	52.6
Northern Arctic Islands	[10V]	0.0	0.0	0.0	0.0	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 11-11

Urban population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		percent					
Mississippi River	[11]	0.0	8.3	9.0	0.0	0.0	...
Missouri	[11A]	0.0	8.3	9.0	0.0	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 12-1

Rural population, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Maritime Provinces	[01]	898,565	937,110	973,335	960,110	922,275	2.6
Saint John and Southern Bay of Fundy, N.B.	[01A]	180,790	192,455	202,815	202,375	195,460	8.1
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	258,640	264,090	274,135	271,210	251,185	-2.9
Prince Edward Island	[01C]	77,995	78,360	77,950	75,090	74,625	-4.3
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	182,450	192,720	198,955	201,820	192,275	5.4
Southeastern Atlantic Ocean, N.S.	[01E]	131,475	140,465	150,455	143,995	148,125	12.7
Cape Breton Island	[01F]	67,215	69,010	69,025	65,605	60,595	-9.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 12-2

Rural population, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
St. Lawrence	[02]	3,015,225	3,073,415	3,385,835	3,330,260	3,158,575	4.8
Northwestern Lake Superior	[02A]	20,595	22,280	26,380	28,405	29,275	42.1
Northeastern Lake Superior	[02B]	13,645	13,225	13,655	12,785	14,260	4.5
Northern Lake Huron	[02C]	50,210	47,425	49,305	48,815	47,605	-5.2
Wanapitei and French, Ont.	[02D]	30,055	30,040	32,330	34,165	33,850	12.6
Eastern Georgian Bay	[02E]	178,345	185,490	222,235	231,795	226,225	26.8
Eastern Lake Huron	[02F]	143,475	140,380	155,690	155,270	155,480	8.4
Northern Lake Erie	[02G]	381,435	374,110	389,845	383,230	379,255	-0.6
Lake Ontario and Niagara Peninsula	[02H]	404,135	457,350	534,810	483,685	441,685	9.3
Upper Ottawa	[02J]	49,670	50,695	55,040	57,170	53,405	7.5
Central Ottawa	[02K]	90,425	99,505	111,710	115,280	115,715	28.0
Lower Ottawa	[02L]	257,330	265,345	292,090	321,440	326,695	27.0
Upper St. Lawrence	[02M]	81,080	86,850	94,495	101,625	93,745	15.6
Saint-Maurice	[02N]	21,775	24,210	25,200	21,410	21,805	0.1
Central St. Lawrence	[02O]	533,630	526,815	587,745	589,460	524,470	-1.7
Lower St. Lawrence	[02P]	325,545	322,650	343,055	320,775	307,840	-5.4
Northern Gaspé Peninsula	[02Q]	69,065	69,585	64,600	64,095	61,025	-11.6
Saguenay	[02R]	89,640	87,320	90,655	86,330	79,905	-10.9
Betsiamites, coast	[02S]	10,635	10,285	10,055	9,815	8,235	-22.6
Manicouagan and aux Outardes	[02T]	4,345	4,150	4,080	4,715	3,595	-17.3
Moisie and St. Lawrence Estuary	[02U]	11,995	8,920	7,935	8,490	6,680	-44.3
Gulf of St. Lawrence, Romaine	[02V]	2,065	2,025	2,150	2,195	1,555	-24.7
Gulf of St. Lawrence, Natashquan	[02W]	16,055	16,690	15,235	15,010	15,300	-4.7
Petit Mécatina and Strait of Belle Isle	[02X]	6,565	6,650	6,905	6,665	5,705	-13.1
Northern Newfoundland	[02Y]	108,390	108,135	114,125	104,920	95,180	-12.2
Southern Newfoundland	[02Z]	115,105	113,300	136,495	122,720	110,085	-4.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 12-3

Rural population, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Northern Quebec and Labrador	[03]	30,650	30,605	34,470	35,410	32,695	6.7
Nottaway, coast	[03A]	6,775	6,185	5,875	6,785	6,390	-5.7
Broadback and Rupert	[03B]	2,955	3,530	3,385	4,370	3,060	3.6
Eastmain	[03C]	330	355	440	530	610	84.8
La Grande, coast	[03D]	5,415	3,545	4,215	4,725	1,505	-72.2
Grande rivière de la Baleine, coast	[03E]	1,065	1,050	1,115	1,375	1,335	25.4
Eastern Hudson Bay	[03F]	0	55	280	315	350	...
Northeastern Hudson Bay	[03G]	1,665	1,980	2,510	2,765	3,055	83.5
Western Ungava Bay	[03H]	1,325	1,705	2,080	2,335	2,645	99.6
Aux Feuilles, coast	[03J]	175	250	285	350	390	122.9
Koksoak	[03K]	810	1,065	1,410	1,730	1,935	138.9
Caniapiscau	[03L]	1,170	790	1,145	1,215	1,250	6.8
Eastern Ungava Bay	[03M]	145	385	525	645	710	389.7
Northern Labrador	[03N]	2,170	2,440	2,655	2,560	2,890	33.2
Churchill, N.L.	[03O]	945	960	1,835	855	710	-24.9
Central Labrador	[03P]	3,040	3,455	3,770	1,980	3,145	3.5
Southern Labrador	[03Q]	2,670	2,875	2,965	2,875	2,720	1.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 12-4

Rural population, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Southwestern Hudson Bay	[04]	87,815	82,000	92,345	82,850	81,675	-7.0
Hayes, Man.	[04A]	5,145	7,645	7,370	9,435	10,445	103.0
Southwestern Hudson Bay	[04B]	0	0	0	0	0	...
Severn	[04C]	4,290	580	3,590	4,625	5,760	34.3
Winisk, coast	[04D]	1,575	1,060	1,950	2,290	2,610	65.7
Ekwan, coast	[04E]	0	0	0	0	0	...
Attawapiskat, coast	[04F]	1,400	490	1,945	775	665	-52.5
Upper Albany	[04G]	2,775	1,055	1,555	1,545	2,260	-18.6
Lower Albany, coast	[04H]	1,200	0	1,195	1,605	440	-63.3
Kenogami	[04J]	3,805	3,430	2,750	2,640	2,825	-25.8
Moose, Ont.	[04K]	1,745	835	1,845	0	940	-46.1
Missinaibi and Mattagami	[04L]	19,415	19,375	21,410	17,235	14,790	-23.8
Abitibi	[04M]	25,250	25,135	24,060	22,340	22,370	-11.4
Harricanaw, coast	[04N]	21,205	22,400	24,670	20,340	18,560	-12.5

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 12-5

Rural population, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Nelson River	[05]	1,066,545	1,028,650	1,038,670	1,068,960	1,064,300	-0.2
Upper South Saskatchewan	[05A]	56,120	54,465	56,900	60,405	60,430	7.7
Bow	[05B]	38,615	36,730	43,630	51,555	57,975	50.1
Red Deer	[05C]	82,535	81,180	85,310	93,040	96,865	17.4
Upper North Saskatchewan	[05D]	39,805	36,250	38,425	42,590	40,245	1.1
Central North Saskatchewan	[05E]	127,495	116,445	123,485	127,505	128,485	0.8
Battle	[05F]	60,390	55,855	53,895	56,445	60,725	0.6
Lower North Saskatchewan	[05G]	54,130	53,950	48,980	46,585	45,870	-15.3
Lower South Saskatchewan	[05H]	64,165	61,270	57,070	57,995	58,420	-9.0
Qu'Appelle	[05J]	101,875	94,765	91,380	87,680	79,525	-21.9
Saskatchewan	[05K]	38,965	38,085	37,235	38,065	36,920	-5.2
Lake Winnipegosis and Lake Manitoba	[05L]	73,085	68,940	67,495	66,920	66,810	-8.6
Assiniboine	[05M]	91,610	90,355	84,595	82,725	78,475	-14.3
Souris	[05N]	52,370	49,835	45,620	43,945	40,125	-23.4
Red	[05O]	109,955	115,480	122,315	123,640	122,255	11.2
Winnipeg	[05P]	25,835	25,490	28,645	29,840	28,525	10.4
English	[05Q]	13,960	14,825	16,095	17,760	17,165	23.0
Eastern Lake Winnipeg	[05R]	5,405	5,275	5,355	5,750	5,175	-4.3
Western Lake Winnipeg	[05S]	20,655	18,590	20,210	22,675	26,030	26.0
Grass and Burntwood	[05T]	2,105	3,345	3,330	3,810	3,580	70.1
Nelson	[05U]	7,455	7,535	8,715	10,035	10,710	43.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 12-6

Rural population, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Western and Northern Hudson Bay	[06]	54,845	55,245	59,950	66,445	69,700	27.1
Beaver, Alta. and Sask.	[06A]	28,615	30,385	30,320	35,475	36,145	26.3
Upper Churchill, Manitoba	[06B]	5,160	3,840	7,075	7,825	8,180	58.5
Central Churchill, upper, Manitoba	[06C]	6,565	4,650	5,435	6,645	7,150	8.9
Reindeer	[06D]	1,450	2,345	2,495	3,135	3,160	117.9
Central Churchill, lower, Manitoba	[06E]	4,390	4,515	3,950	4,265	4,250	-3.2
Lower Churchill, Manitoba	[06F]	1,445	1,215	1,175	0	965	-33.2
Seal, coast	[06G]	240	220	230	340	320	33.3
Western Hudson Bay, Southern	[06H]	0	0	0	0	0	...
Thelon	[06J]	0	0	0	0	0	...
Dubawnt	[06K]	0	0	0	0	0	...
Kazan	[06L]	0	0	0	0	0	...
Chesterfield Inlet	[06M]	955	1,005	1,185	1,385	1,510	58.1
Western Hudson Bay, central	[06N]	2,565	3,065	3,585	2,195	2,545	-0.8
Western Hudson Bay, northern	[06O]	0	0	0	0	0	...
Hudson Bay, Southampton Island	[06P]	810	895	1,100	1,305	1,395	72.2
Foxe Basin, Southampton Island	[06Q]	0	0	0	0	0	...
Foxe Basin, Melville Peninsula	[06R]	1,445	1,725	1,950	2,275	2,505	73.4
Foxe Basin, Baffin Island	[06S]	75	115	50	0	0	-100.0
Hudson Strait, Baffin and Southampton Islands	[06T]	1,085	1,245	1,405	1,565	1,585	46.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 12-7

Rural population, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Great Slave Lake	[07]	137,275	143,870	147,285	158,980	157,315	14.6
Upper Athabasca	[07A]	8,660	7,850	8,460	9,975	9,990	15.4
Central Athabasca, upper	[07B]	32,070	32,905	34,420	35,585	34,930	8.9
Central Athabasca, lower	[07C]	8,600	8,290	7,370	8,435	10,895	26.7
Lower Athabasca	[07D]	105	675	510	585	600	471.4
Williston Lake	[07E]	1,640	1,590	1,900	2,075	1,265	-22.9
Upper Peace	[07F]	34,455	38,010	33,465	36,400	34,710	0.7
Smoky	[07G]	25,325	24,275	23,705	25,675	26,160	3.3
Central Peace, upper	[07H]	9,665	8,955	8,375	9,290	10,290	6.5
Central Peace, lower	[07J]	8,090	10,950	12,000	12,395	14,445	78.6
Lower Peace	[07K]	820	1,090	1,230	1,660	1,625	98.2
Fond-du-Lac	[07L]	860	1,660	1,705	2,035	1,950	126.7
Lake Athabasca, shores	[07M]	1,730	1,075	1,255	1,295	1,295	-25.1
Slave	[07N]	0	55	2,510	2,470	2,205	...
Hay	[07O]	2,445	2,475	3,635	4,490	2,950	20.7
Southern Great Slave Lake	[07P]	480	630	715	635	805	67.7
Great Slave Lake, east arm, south shore	[07Q]	250	275	290	310	245	-2.0
Lockhart	[07R]	0	0	0	0	0	...
Northeastern Great Slave Lake	[07S]	1,370	2,290	5,310	5,235	2,145	56.6
Marian	[07T]	265	350	390	420	455	71.7
Western Great Slave Lake	[07U]	410	470	0	0	355	-13.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 12-8

Rural population, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Pacific	[08]	578,585	568,340	617,720	640,660	571,255	-1.3
Alsek	[08A]	365	515	650	760	560	53.4
Northern coastal waters, B.C.	[08B]	0	0	0	0	0	...
Stikine, coast	[08C]	610	690	880	885	910	49.2
Nass, coast	[08D]	3,630	2,665	2,955	2,125	2,590	-28.7
Skeena, coast	[08E]	24,005	20,105	20,625	22,185	21,085	-12.2
Central coastal waters, B.C.	[08F]	5,780	5,575	6,430	6,835	6,045	4.6
Southern coastal waters, B.C.	[08G]	28,790	26,255	29,055	29,720	25,345	-12.0
Vancouver Island	[08H]	128,235	130,400	146,695	158,150	136,690	6.6
Nechako	[08J]	21,655	22,250	22,235	25,505	23,340	7.8
Upper Fraser	[08K]	27,785	28,195	27,200	29,410	27,380	-1.5
Thompson	[08L]	64,665	60,580	60,965	68,250	64,710	0.1
Lower Fraser	[08M]	131,960	129,835	149,010	135,095	120,360	-8.8
Columbia	[08N]	134,480	135,790	145,590	157,265	137,095	1.9
Queen Charlotte Islands	[08O]	5,620	5,480	5,315	4,330	4,940	-12.1
Skagit	[08P]	990	0	85	110	210	-78.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 12-9

Rural population, by major drainage area and sub-drainage area, 1981 to 2001 — Yukon River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Yukon River	[09]	7,125	7,000	9,950	10,285	10,385	45.8
Headwaters Yukon	[09A]	2,490	3,285	5,610	6,535	6,685	168.5
Pelly	[09B]	2,150	990	1,770	620	1,020	-52.6
Upper Yukon	[09C]	395	225	290	295	245	-38.0
Stewart	[09D]	935	890	535	555	575	-38.5
Central Yukon	[09E]	915	1,375	1,485	2,005	1,550	69.4
Porcupine	[09F]	245	230	255	275	305	24.5
Tanana	[09H]	0	0	0	0	0	...
Copper	[09M]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 12-10

Rural population, by major drainage area and sub-drainage area, 1981 to 2001 — Arctic

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Arctic	[10]	17,750	19,870	20,935	21,690	20,720	16.7
Upper Liard	[10A]	2,935	2,945	2,765	2,325	1,775	-39.5
Central Liard	[10B]	0	0	135	100	140	...
Fort Nelson	[10C]	865	1,085	855	1,090	1,450	67.6
Central Liard and Petitot	[10D]	0	0	0	0	0	...
Lower Liard	[10E]	845	1,035	575	590	1,315	55.6
Upper Mackenzie, Mills Lake	[10F]	730	705	760	865	870	19.2
Upper Mackenzie, Camsell Bend	[10G]	985	990	1,185	1,280	485	-50.8
Central Mackenzie, Blackwater Lake	[10H]	435	505	545	620	640	47.1
Great Bear	[10J]	820	720	800	875	810	-1.2
Central Mackenzie, The Ramparts	[10K]	420	625	640	790	670	59.5
Lower Mackenzie	[10L]	585	675	775	935	755	29.1
Peel and Southwestern Beaufort Sea	[10M]	1,350	1,525	1,570	1,645	1,460	8.1
Southern Beaufort Sea	[10N]	825	980	1,025	940	1,030	24.8
Amundsen Gulf	[10O]	625	225	255	1,475	1,495	139.2
Coppermine	[10P]	370	895	0	0	0	-100.0
Coronation Gulf and Queen Maud Gulf	[10Q]	90	80	1,135	65	0	-100.0
Back	[10R]	0	0	0	0	0	...
Gulf of Boothia	[10S]	685	785	985	1,145	1,320	92.7
Southern Arctic Islands	[10T]	1,830	2,120	2,495	2,785	2,780	51.9
Baffin Island, Arctic drainage	[10U]	3,005	3,530	4,090	3,605	3,245	8.0
Northern Arctic Islands	[10V]	310	430	300	525	455	46.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 12-11

Rural population, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Mississippi River	[11]	12,875	11,145	9,495	9,900	10,095	-21.6
Missouri	[11A]	12,875	11,145	9,495	9,900	10,095	-21.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 13-1

Rural female population, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Maritime Provinces	[01]	439,550	459,755	479,965	475,805	459,700	4.6
Saint John and Southern Bay of Fundy, N.B.	[01A]	88,310	94,620	100,010	100,010	96,900	9.7
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	126,100	129,020	134,600	133,580	124,510	-1.3
Prince Edward Island	[01C]	37,830	37,990	38,120	36,950	37,070	-2.0
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	89,800	95,060	98,660	100,770	96,500	7.5
Southeastern Atlantic Ocean, N.S.	[01E]	64,500	69,130	74,420	71,690	74,130	14.9
Cape Breton Island	[01F]	33,030	33,930	34,160	32,800	30,580	-7.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 13-2

Rural female population, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
St. Lawrence	[02]	1,462,420	1,496,820	1,652,995	1,628,785	1,547,255	5.8
Northwestern Lake Superior	[02A]	9,700	10,590	12,550	13,600	14,160	46.0
Northeastern Lake Superior	[02B]	6,460	6,230	6,510	6,070	6,800	5.3
Northern Lake Huron	[02C]	24,590	23,310	24,210	23,920	23,520	-4.4
Wanapitei and French, Ont.	[02D]	14,490	14,520	15,610	16,580	16,550	14.2
Eastern Georgian Bay	[02E]	87,080	90,860	109,220	114,230	111,330	27.8
Eastern Lake Huron	[02F]	69,420	68,350	76,010	76,040	76,390	10.0
Northern Lake Erie	[02G]	185,660	182,860	191,050	187,950	185,620	0.0
Lake Ontario and Niagara Peninsula	[02H]	197,080	223,810	262,280	237,880	217,480	10.4
Upper Ottawa	[02J]	23,890	24,420	26,540	27,710	25,980	8.7
Central Ottawa	[02K]	43,730	48,430	54,730	56,750	57,160	30.7
Lower Ottawa	[02L]	124,450	128,720	142,490	157,090	160,310	28.8
Upper St. Lawrence	[02M]	39,450	42,540	46,270	50,010	46,250	17.2
Saint-Maurice	[02N]	10,520	11,690	12,150	10,240	10,460	-0.6
Central St. Lawrence	[02O]	258,270	255,680	285,410	286,350	254,400	-1.5
Lower St. Lawrence	[02P]	157,900	157,030	167,390	156,200	149,850	-5.1
Northern Gaspé Peninsula	[02Q]	33,070	33,700	31,430	31,160	29,720	-10.1
Saguenay	[02R]	43,140	42,100	43,850	41,690	38,470	-10.8
Betsiamites, coast	[02S]	5,130	5,040	4,910	4,830	4,070	-20.7
Manicouagan and aux Outardes	[02T]	2,120	2,020	1,950	2,260	1,710	-19.3
Moisie and St. Lawrence Estuary	[02U]	5,680	4,300	3,670	3,860	3,090	-45.6
Gulf of St. Lawrence, Romaine	[02V]	1,030	1,010	1,050	1,060	780	-24.3
Gulf of St. Lawrence, Natashquan	[02W]	7,810	8,130	7,490	7,410	7,660	-1.9
Petit Mécatina and Strait of Belle Isle	[02X]	3,130	3,230	3,370	3,260	2,790	-10.9
Northern Newfoundland	[02Y]	52,490	52,630	55,650	51,740	47,540	-9.4
Southern Newfoundland	[02Z]	56,130	55,650	67,200	60,910	55,180	-1.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 13-3

Rural female population, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Northern Quebec and Labrador	[03]	14,620	14,850	16,645	17,100	16,000	9.4
Nottaway, coast	[03A]	3,100	2,910	2,740	3,210	3,040	-1.9
Broadback and Rupert	[03B]	1,450	1,800	1,680	2,140	1,560	7.6
Eastmain	[03C]	150	170	220	260	310	106.7
La Grande, coast	[03D]	2,630	1,760	2,080	2,320	740	-71.9
Grande rivière de la Baleine, coast	[03E]	510	510	540	650	640	25.5
Eastern Hudson Bay	[03F]	0	0	140	150	160	...
Northeastern Hudson Bay	[03G]	790	960	1,210	1,330	1,490	88.6
Western Ungava Bay	[03H]	650	840	1,020	1,150	1,310	101.5
Aux Feuilles, coast	[03J]	90	120	140	180	190	111.1
Koksoak	[03K]	390	520	670	840	960	146.2
Caniapiscau	[03L]	560	390	560	590	610	8.9
Eastern Ungava Bay	[03M]	70	180	250	310	340	385.7
Northern Labrador	[03N]	1,040	1,180	1,290	1,250	1,440	38.5
Churchill, N.L.	[03O]	470	460	910	410	350	-25.5
Central Labrador	[03P]	1,470	1,700	1,830	960	1,580	7.5
Southern Labrador	[03Q]	1,230	1,340	1,380	1,360	1,280	4.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 13-4

Rural female population, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Southwestern Hudson Bay	[04]	42,100	39,135	44,490	39,945	39,400	-6.4
Hayes, Man.	[04A]	2,490	3,660	3,510	4,520	5,010	101.2
Southwestern Hudson Bay	[04B]	0	0	0	0	0	...
Severn	[04C]	2,170	290	1,790	2,290	2,880	32.7
Winisk, coast	[04D]	800	500	960	1,110	1,310	63.8
Ekwan, coast	[04E]	0	0	0	0	0	...
Attawapiskat, coast	[04F]	680	230	870	370	320	-52.9
Upper Albany	[04G]	1,350	520	760	750	1,060	-21.5
Lower Albany, coast	[04H]	590	0	580	780	210	-64.4
Kenogami	[04J]	1,770	1,630	1,300	1,270	1,340	-24.3
Moose, Ont.	[04K]	860	420	900	0	480	-44.2
Missinaibi and Mattagami	[04L]	9,240	9,200	10,320	8,370	7,130	-22.8
Abitibi	[04M]	12,040	12,040	11,640	10,720	10,750	-10.7
Harricanaw, coast	[04N]	10,120	10,660	11,860	9,760	8,900	-12.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 13-5

Rural female population, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Nelson River	[05]	507,440	491,165	499,595	516,050	516,500	1.8
Upper South Saskatchewan	[05A]	26,740	26,080	27,370	29,310	29,490	10.3
Bow	[05B]	18,230	17,400	21,010	24,860	28,240	54.9
Red Deer	[05C]	39,240	38,750	41,050	44,550	46,630	18.8
Upper North Saskatchewan	[05D]	18,600	17,110	18,270	20,480	19,500	4.8
Central North Saskatchewan	[05E]	60,480	55,320	59,220	61,170	61,860	2.3
Battle	[05F]	28,530	26,500	25,870	27,310	29,420	3.1
Lower North Saskatchewan	[05G]	25,290	25,420	23,030	21,970	21,840	-13.6
Lower South Saskatchewan	[05H]	30,540	29,380	27,630	28,210	28,540	-6.5
Qu'Appelle	[05J]	48,660	45,300	44,200	42,650	38,760	-20.3
Saskatchewan	[05K]	18,570	18,110	17,910	18,290	17,910	-3.6
Lake Winnipegosis and Lake Manitoba	[05L]	34,790	32,880	32,370	32,230	32,420	-6.8
Assiniboine	[05M]	43,620	43,060	40,570	40,040	38,240	-12.3
Souris	[05N]	24,990	23,860	22,020	21,270	19,480	-22.0
Red	[05O]	53,130	56,030	59,470	60,240	59,680	12.3
Winnipeg	[05P]	12,480	12,320	13,840	14,540	14,000	12.2
English	[05Q]	6,490	6,970	7,730	8,600	8,340	28.5
Eastern Lake Winnipeg	[05R]	2,570	2,510	2,530	2,710	2,500	-2.7
Western Lake Winnipeg	[05S]	9,850	8,930	9,660	10,890	12,690	28.8
Grass and Burntwood	[05T]	1,000	1,600	1,590	1,830	1,740	74.0
Nelson	[05U]	3,630	3,650	4,270	4,930	5,230	44.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 13-6

Rural female population, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Western and Northern Hudson Bay	[06]	26,120	26,210	28,530	32,075	34,055	30.4
Beaver, Alta. and Sask.	[06A]	13,510	14,280	14,290	16,990	17,550	29.9
Upper Churchill, Manitoba	[06B]	2,490	1,860	3,450	3,890	4,110	65.1
Central Churchill, upper, Manitoba	[06C]	3,160	2,220	2,570	3,190	3,500	10.8
Reindeer	[06D]	700	1,110	1,200	1,540	1,560	122.9
Central Churchill, lower, Manitoba	[06E]	2,050	2,160	1,860	2,080	2,080	1.5
Lower Churchill, Manitoba	[06F]	710	590	570	0	470	-33.8
Seal, coast	[06G]	110	100	110	150	140	27.3
Western Hudson Bay, Southern	[06H]	0	0	0	0	0	...
Thelon	[06I]	0	0	0	0	0	...
Dubawnt	[06K]	0	0	0	0	0	...
Kazan	[06L]	0	0	0	0	0	...
Chesterfield Inlet	[06M]	470	480	550	650	720	53.2
Western Hudson Bay, central	[06N]	1,250	1,500	1,750	1,100	1,260	0.8
Western Hudson Bay, northern	[06O]	0	0	0	0	0	...
Hudson Bay, Southampton Island	[06P]	390	450	540	610	680	74.4
Foxe Basin, Southampton Island	[06Q]	0	0	0	0	0	...
Foxe Basin, Melville Peninsula	[06R]	720	830	930	1,090	1,210	68.1
Foxe Basin, Baffin Island	[06S]	0	0	0	0	0	...
Hudson Strait, Baffin and Southampton Islands	[06T]	510	600	680	760	770	51.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 13-7

Rural female population, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Great Slave Lake	[07]	64,280	67,740	69,820	76,000	75,325	17.2
Upper Athabasca	[07A]	4,010	3,680	3,970	4,720	4,770	19.0
Central Athabasca, upper	[07B]	15,070	15,510	16,380	16,950	16,720	10.9
Central Athabasca, lower	[07C]	3,960	3,920	3,480	4,020	5,210	31.6
Lower Athabasca	[07D]	0	280	200	260	250	...
Williston Lake	[07E]	750	710	860	940	590	-21.3
Upper Peace	[07F]	16,190	17,760	15,720	17,360	16,600	2.5
Smoky	[07G]	11,790	11,450	11,240	12,340	12,510	6.1
Central Peace, upper	[07H]	4,550	4,200	3,960	4,470	4,920	8.1
Central Peace, lower	[07J]	3,860	5,340	5,830	6,040	7,060	82.9
Lower Peace	[07K]	410	540	610	800	800	95.1
Fond-du-Lac	[07L]	420	810	840	1,010	940	123.8
Lake Athabasca, shores	[07M]	820	510	610	660	640	-22.0
Slave	[07N]	0	0	1,220	1,210	1,070	...
Hay	[07O]	1,130	1,140	1,740	2,100	1,350	19.5
Southern Great Slave Lake	[07P]	220	290	330	280	390	77.3
Great Slave Lake, east arm, south shore	[07Q]	110	120	140	150	110	0.0
Lockhart	[07R]	0	0	0	0	0	...
Northeastern Great Slave Lake	[07S]	640	1,050	2,500	2,500	1,010	57.8
Marian	[07T]	120	160	180	190	200	66.7
Western Great Slave Lake	[07U]	200	240	0	0	180	-10.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 13-8

Rural female population, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Pacific	[08]	278,425	274,680	299,340	312,165	279,180	0.3
Alsek	[08A]	180	240	320	370	280	55.6
Northern coastal waters, B.C.	[08B]	0	0	0	0	0	...
Stikine, coast	[08C]	280	300	400	410	440	57.1
Nass, coast	[08D]	1,600	1,240	1,330	970	1,200	-25.0
Skeena, coast	[08E]	11,210	9,380	9,710	10,540	10,090	-10.0
Central coastal waters, B.C.	[08F]	2,780	2,670	3,080	3,240	2,860	2.9
Southern coastal waters, B.C.	[08G]	13,900	12,830	14,220	14,710	12,630	-9.1
Vancouver Island	[08H]	62,600	64,040	72,100	78,110	67,760	8.2
Nechako	[08J]	10,270	10,550	10,470	12,210	11,290	9.9
Upper Fraser	[08K]	13,010	13,390	12,940	14,110	13,150	1.1
Thompson	[08L]	31,010	29,190	29,370	33,070	31,570	1.8
Lower Fraser	[08M]	63,500	62,150	71,690	64,980	58,060	-8.6
Columbia	[08N]	65,020	66,230	71,210	77,410	67,430	3.7
Queen Charlotte Islands	[08O]	2,600	2,460	2,440	1,960	2,340	-10.0
Skagit	[08P]	460	0	40	50	100	-78.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 13-9

Rural female population, by major drainage area and sub-drainage area, 1981 to 2001 — Yukon River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Yukon River	[09]	3,315	3,165	4,605	4,860	4,930	48.7
Headwaters Yukon	[09A]	1,180	1,520	2,620	3,120	3,220	172.9
Pelly	[09B]	1,020	430	800	290	480	-52.9
Upper Yukon	[09C]	190	100	130	150	110	-42.1
Stewart	[09D]	390	390	250	260	260	-33.3
Central Yukon	[09E]	430	620	690	910	720	67.4
Porcupine	[09F]	110	100	120	140	150	36.4
Tanana	[09H]	0	0	0	0	0	...
Copper	[09M]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 13-10

Rural female population, by major drainage area and sub-drainage area, 1981 to 2001 — Arctic

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Arctic	[10]	8,325	9,320	9,925	10,275	9,840	18.2
Upper Liard	[10A]	1,350	1,370	1,260	1,090	840	-37.8
Central Liard	[10B]	0	0	60	50	70	...
Fort Nelson	[10C]	410	500	400	490	650	58.5
Central Liard and Petitot	[10D]	0	0	0	0	0	...
Lower Liard	[10E]	370	480	270	280	620	67.6
Upper Mackenzie, Mills Lake	[10F]	350	320	360	410	400	14.3
Upper Mackenzie, Camsell Bend	[10G]	470	460	570	620	230	-51.1
Central Mackenzie, Blackwater Lake	[10H]	210	230	260	290	300	42.9
Great Bear	[10J]	360	340	390	420	390	8.3
Central Mackenzie, The Ramparts	[10K]	190	280	300	380	320	68.4
Lower Mackenzie	[10L]	270	320	380	450	350	29.6
Peel and Southwestern Beaufort Sea	[10M]	670	740	750	770	710	6.0
Southern Beaufort Sea	[10N]	370	440	460	440	490	32.4
Amundsen Gulf	[10O]	300	100	120	740	740	146.7
Coppermine	[10P]	180	450	0	0	0	-100.0
Coronation Gulf and Queen Maud Gulf	[10Q]	40	40	580	40	0	-100.0
Back	[10R]	0	0	0	0	0	...
Gulf of Boothia	[10S]	310	370	480	550	650	109.7
Southern Arctic Islands	[10T]	890	1,030	1,170	1,370	1,380	55.1
Baffin Island, Arctic drainage	[10U]	1,440	1,690	1,980	1,670	1,520	5.6
Northern Arctic Islands	[10V]	140	160	130	190	190	35.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 13-11

Rural female population, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Mississippi River	[11]	6,040	5,320	4,530	4,760	4,870	-19.4
Missouri	[11A]	6,040	5,320	4,530	4,760	4,870	-19.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 14-1

Rural male population, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Maritime Provinces	[01]	459,015	477,355	493,370	484,310	462,575	0.8
Saint John and Southern Bay of Fundy, N.B.	[01A]	92,490	97,840	102,810	102,370	98,560	6.6
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	132,540	135,080	139,540	137,630	126,680	-4.4
Prince Edward Island	[01C]	40,160	40,370	39,830	38,150	37,550	-6.5
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	92,660	97,660	100,300	101,050	95,780	3.4
Southeastern Atlantic Ocean, N.S.	[01E]	66,970	71,330	76,030	72,310	74,000	10.5
Cape Breton Island	[01F]	34,190	35,080	34,860	32,810	30,010	-12.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 14-2

Rural male population, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
St. Lawrence	[02]	1,552,800	1,576,590	1,732,840	1,701,475	1,611,320	3.8
Northwestern Lake Superior	[02A]	10,890	11,700	13,840	14,800	15,110	38.8
Northeastern Lake Superior	[02B]	7,180	6,990	7,150	6,710	7,460	3.9
Northern Lake Huron	[02C]	25,620	24,110	25,100	24,900	24,080	-6.0
Wanapitei and French, Ont.	[02D]	15,570	15,530	16,720	17,590	17,300	11.1
Eastern Georgian Bay	[02E]	91,260	94,630	113,020	117,570	114,890	25.9
Eastern Lake Huron	[02F]	74,060	72,030	79,680	79,240	79,100	6.8
Northern Lake Erie	[02G]	195,780	191,250	198,790	195,280	193,640	-1.1
Lake Ontario and Niagara Peninsula	[02H]	207,050	233,540	272,540	245,800	224,210	8.3
Upper Ottawa	[02J]	25,780	26,270	28,500	29,460	27,430	6.4
Central Ottawa	[02K]	46,700	51,070	56,980	58,530	58,560	25.4
Lower Ottawa	[02L]	132,880	136,630	149,590	164,360	166,380	25.2
Upper St. Lawrence	[02M]	41,630	44,320	48,230	51,620	47,490	14.1
Saint-Maurice	[02N]	11,260	12,520	13,060	11,170	11,350	0.8
Central St. Lawrence	[02O]	275,360	271,140	302,340	303,110	270,070	-1.9
Lower St. Lawrence	[02P]	167,650	165,610	175,660	164,580	157,980	-5.8
Northern Gaspé Peninsula	[02Q]	36,000	35,890	33,180	32,940	31,300	-13.1
Saguenay	[02R]	46,500	45,220	46,800	44,640	41,440	-10.9
Betsiamites, coast	[02S]	5,510	5,240	5,140	4,990	4,170	-24.3
Manicouagan and aux Outardes	[02T]	2,230	2,140	2,120	2,450	1,890	-15.2
Moisie and St. Lawrence Estuary	[02U]	6,320	4,620	4,270	4,640	3,580	-43.4
Gulf of St. Lawrence, Romaine	[02V]	1,040	1,020	1,100	1,130	780	-25.0
Gulf of St. Lawrence, Natashquan	[02W]	8,240	8,560	7,740	7,590	7,640	-7.3
Petit Mécatina and Strait of Belle Isle	[02X]	3,440	3,430	3,540	3,410	2,920	-15.1
Northern Newfoundland	[02Y]	55,900	55,510	58,480	53,180	47,640	-14.8
Southern Newfoundland	[02Z]	58,980	57,650	69,290	61,800	54,910	-6.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 14-3

Rural male population, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Northern Quebec and Labrador	[03]	16,030	15,755	17,825	18,310	16,695	4.1
Nottaway, coast	[03A]	3,670	3,270	3,130	3,580	3,350	-8.7
Broadback and Rupert	[03B]	1,510	1,730	1,700	2,230	1,500	-0.7
Eastmain	[03C]	180	190	220	270	300	66.7
La Grande, coast	[03D]	2,780	1,790	2,140	2,400	760	-72.7
Grande rivière de la Baleine, coast	[03E]	560	540	570	730	700	25.0
Eastern Hudson Bay	[03F]	0	0	140	160	190	...
Northeastern Hudson Bay	[03G]	870	1,030	1,300	1,430	1,560	79.3
Western Ungava Bay	[03H]	670	860	1,060	1,190	1,340	100.0
Aux Feuilles, coast	[03J]	90	120	150	170	200	122.2
Koksoak	[03K]	410	550	740	880	980	139.0
Caniapiscau	[03L]	620	400	580	620	640	3.2
Eastern Ungava Bay	[03M]	80	200	280	340	370	362.5
Northern Labrador	[03N]	1,140	1,260	1,360	1,310	1,460	28.1
Churchill, N.L.	[03O]	480	500	930	440	360	-25.0
Central Labrador	[03P]	1,570	1,750	1,940	1,030	1,560	-0.6
Southern Labrador	[03Q]	1,430	1,540	1,590	1,510	1,440	0.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 14-4

Rural male population, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Southwestern Hudson Bay	[04]	45,715	42,865	47,855	42,905	42,275	-7.5
Hayes, Man.	[04A]	2,650	3,990	3,850	4,920	5,430	104.9
Southwestern Hudson Bay	[04B]	0	0	0	0	0	...
Severn	[04C]	2,120	280	1,800	2,340	2,890	36.3
Winisk, coast	[04D]	780	560	980	1,180	1,300	66.7
Ekwan, coast	[04E]	0	0	0	0	0	...
Attawapiskat, coast	[04F]	730	260	1,080	410	350	-52.1
Upper Albany	[04G]	1,420	540	800	790	1,200	-15.5
Lower Albany, coast	[04H]	610	0	620	830	230	-62.3
Kenogami	[04J]	2,040	1,800	1,450	1,370	1,480	-27.5
Moose, Ont.	[04K]	890	420	950	0	460	-48.3
Missinaibi and Mattagami	[04L]	10,180	10,180	11,100	8,860	7,670	-24.7
Abitibi	[04M]	13,210	13,100	12,410	11,620	11,620	-12.0
Harricanaw, coast	[04N]	11,080	11,750	12,800	10,580	9,650	-12.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 14-5

Rural male population, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Nelson River	[05]	559,105	537,480	539,075	552,905	547,800	-2.0
Upper South Saskatchewan	[05A]	29,380	28,380	29,530	31,100	30,940	5.3
Bow	[05B]	20,390	19,330	22,620	26,700	29,730	45.8
Red Deer	[05C]	43,290	42,430	44,260	48,490	50,240	16.1
Upper North Saskatchewan	[05D]	21,210	19,140	20,160	22,110	20,750	-2.2
Central North Saskatchewan	[05E]	67,020	61,120	64,270	66,330	66,620	-0.6
Battle	[05F]	31,860	29,360	28,020	29,140	31,310	-1.7
Lower North Saskatchewan	[05G]	28,840	28,530	25,950	24,620	24,030	-16.7
Lower South Saskatchewan	[05H]	33,630	31,890	29,440	29,780	29,890	-11.1
Qu'Appelle	[05J]	53,210	49,470	47,180	45,030	40,760	-23.4
Saskatchewan	[05K]	20,400	19,970	19,330	19,780	19,010	-6.8
Lake Winnipegosis and Lake Manitoba	[05L]	38,300	36,060	35,130	34,690	34,390	-10.2
Assiniboine	[05M]	47,990	47,300	44,030	42,690	40,230	-16.2
Souris	[05N]	27,380	25,970	23,600	22,680	20,640	-24.6
Red	[05O]	56,830	59,450	62,840	63,400	62,570	10.1
Winnipeg	[05P]	13,360	13,170	14,810	15,300	14,520	8.7
English	[05Q]	7,460	7,850	8,360	9,150	8,830	18.4
Eastern Lake Winnipeg	[05R]	2,840	2,760	2,830	3,040	2,680	-5.6
Western Lake Winnipeg	[05S]	10,800	9,670	10,550	11,790	13,340	23.5
Grass and Burntwood	[05T]	1,110	1,740	1,740	1,980	1,840	65.8
Nelson	[05U]	3,830	3,890	4,440	5,100	5,480	43.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 14-6

Rural male population, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Western and Northern Hudson Bay	[06]	28,725	29,035	31,420	34,370	35,645	24.1
Beaver, Alta. and Sask.	[06A]	15,100	16,110	16,030	18,480	18,590	23.1
Upper Churchill, Manitoba	[06B]	2,670	1,980	3,630	3,930	4,070	52.4
Central Churchill, upper, Manitoba	[06C]	3,400	2,430	2,870	3,450	3,650	7.4
Reindeer	[06D]	750	1,230	1,290	1,600	1,600	113.3
Central Churchill, lower, Manitoba	[06E]	2,340	2,360	2,090	2,190	2,170	-7.3
Lower Churchill, Manitoba	[06F]	730	620	610	0	500	-31.5
Seal, coast	[06G]	140	120	120	190	180	28.6
Western Hudson Bay, Southern	[06H]	0	0	0	0	0	...
Thelon	[06I]	0	0	0	0	0	...
Dubawnt	[06K]	0	0	0	0	0	...
Kazan	[06L]	0	0	0	0	0	...
Chesterfield Inlet	[06M]	490	530	630	740	790	61.2
Western Hudson Bay, central	[06N]	1,320	1,560	1,830	1,100	1,290	-2.3
Western Hudson Bay, northern	[06O]	0	0	0	0	0	...
Hudson Bay, Southampton Island	[06P]	420	450	560	690	710	69.0
Foxe Basin, Southampton Island	[06Q]	0	0	0	0	0	...
Foxe Basin, Melville Peninsula	[06R]	730	900	1,020	1,180	1,290	76.7
Foxe Basin, Baffin Island	[06S]	0	0	0	0	0	...
Hudson Strait, Baffin and Southampton Islands	[06T]	580	650	720	810	820	41.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 14-7

Rural male population, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Great Slave Lake	[07]	73,000	76,130	77,460	82,980	81,990	12.3
Upper Athabasca	[07A]	4,650	4,170	4,490	5,250	5,220	12.3
Central Athabasca, upper	[07B]	17,000	17,390	18,040	18,640	18,210	7.1
Central Athabasca, lower	[07C]	4,650	4,370	3,880	4,410	5,680	22.2
Lower Athabasca	[07D]	80	390	310	330	350	337.5
Williston Lake	[07E]	890	880	1,040	1,130	670	-24.7
Upper Peace	[07F]	18,270	20,250	17,740	19,040	18,110	-0.9
Smoky	[07G]	13,530	12,830	12,470	13,340	13,650	0.9
Central Peace, upper	[07H]	5,120	4,760	4,410	4,820	5,360	4.7
Central Peace, lower	[07J]	4,230	5,610	6,180	6,360	7,390	74.7
Lower Peace	[07K]	410	550	620	860	830	102.4
Fond-du-Lac	[07L]	440	850	860	1,030	1,000	127.3
Lake Athabasca, shores	[07M]	910	570	650	630	650	-28.6
Slave	[07N]	0	0	1,290	1,260	1,140	...
Hay	[07O]	1,320	1,330	1,890	2,390	1,600	21.2
Southern Great Slave Lake	[07P]	270	340	380	350	420	55.6
Great Slave Lake, east arm, south shore	[07Q]	140	160	150	160	140	0.0
Lockhart	[07R]	0	0	0	0	0	...
Northeastern Great Slave Lake	[07S]	730	1,250	2,810	2,740	1,140	56.2
Marian	[07T]	150	180	210	230	250	66.7
Western Great Slave Lake	[07U]	210	230	0	0	180	-14.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 14-8

Rural male population, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Pacific	[08]	300,160	293,660	318,375	328,500	292,075	-2.7
Alsek	[08A]	190	280	330	390	280	47.4
Northern coastal waters, B.C.	[08B]	0	0	0	0	0	...
Stikine, coast	[08C]	330	380	470	480	480	45.5
Nass, coast	[08D]	2,020	1,430	1,620	1,160	1,390	-31.2
Skeena, coast	[08E]	12,800	10,730	10,920	11,640	11,000	-14.1
Central coastal waters, B.C.	[08F]	3,000	2,910	3,350	3,600	3,190	6.3
Southern coastal waters, B.C.	[08G]	14,900	13,420	14,830	15,010	12,710	-14.7
Vancouver Island	[08H]	65,640	66,360	74,590	80,030	68,940	5.0
Nechako	[08J]	11,390	11,700	11,760	13,300	12,050	5.8
Upper Fraser	[08K]	14,780	14,810	14,270	15,300	14,230	-3.7
Thompson	[08L]	33,660	31,390	31,600	35,180	33,140	-1.5
Lower Fraser	[08M]	68,460	67,680	77,310	70,110	62,310	-9.0
Columbia	[08N]	69,460	69,560	74,390	79,850	69,670	0.3
Queen Charlotte Islands	[08O]	3,020	3,020	2,880	2,370	2,600	-13.9
Skagit	[08P]	530	0	40	60	110	-79.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 14-9

Rural male population, by major drainage area and sub-drainage area, 1981 to 2001 — Yukon River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Yukon River	[09]	3,810	3,835	5,340	5,425	5,450	43.0
Headwaters Yukon	[09A]	1,310	1,760	2,990	3,420	3,460	164.1
Pelly	[09B]	1,130	570	970	330	550	-51.3
Upper Yukon	[09C]	210	120	160	150	140	-33.3
Stewart	[09D]	540	510	290	300	310	-42.6
Central Yukon	[09E]	490	750	800	1,090	840	71.4
Porcupine	[09F]	130	130	130	140	160	23.1
Tanana	[09H]	0	0	0	0	0	...
Copper	[09M]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 14-10

Rural male population, by major drainage area and sub-drainage area, 1981 to 2001 — Arctic

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Arctic	[10]	9,425	10,550	11,010	11,410	10,880	15.4
Upper Liard	[10A]	1,590	1,580	1,510	1,230	940	-40.9
Central Liard	[10B]	0	0	70	50	70	...
Fort Nelson	[10C]	450	580	460	600	800	77.8
Central Liard and Petitot	[10D]	0	0	0	0	0	...
Lower Liard	[10E]	480	560	300	310	700	45.8
Upper Mackenzie, Mills Lake	[10F]	390	390	400	460	470	20.5
Upper Mackenzie, Camsell Bend	[10G]	510	530	620	660	250	-51.0
Central Mackenzie, Blackwater Lake	[10H]	230	270	290	330	340	47.8
Great Bear	[10J]	460	390	420	450	420	-8.7
Central Mackenzie, The Ramparts	[10K]	230	350	350	420	350	52.2
Lower Mackenzie	[10L]	310	350	400	480	410	32.3
Peel and Southwestern Beaufort Sea	[10M]	680	780	820	880	750	10.3
Southern Beaufort Sea	[10N]	460	540	570	500	550	19.6
Amundsen Gulf	[10O]	320	120	130	740	760	137.5
Coppermine	[10P]	190	440	0	0	0	-100.0
Coronation Gulf and Queen Maud Gulf	[10Q]	50	40	550	0	0	-100.0
Back	[10R]	0	0	0	0	0	...
Gulf of Boothia	[10S]	380	410	510	590	680	78.9
Southern Arctic Islands	[10T]	940	1,090	1,320	1,410	1,410	50.0
Baffin Island, Arctic drainage	[10U]	1,560	1,830	2,120	1,930	1,730	10.9
Northern Arctic Islands	[10V]	170	270	170	330	270	58.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 14-11

Rural male population, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Mississippi River	[11]	6,830	5,830	4,970	5,140	5,230	-23.4
Missouri	[11A]	6,830	5,830	4,970	5,140	5,230	-23.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 15-1

Rural population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		percent					
Maritime Provinces	[01]	49.7	50.7	51.7	50.2	48.7	-2.0
Saint John and Southern Bay of Fundy, N.B.	[01A]	46.9	48.9	50.9	49.5	48.4	3.2
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	57.5	58.1	60.2	59.1	56.2	-2.3
Prince Edward Island	[01C]	63.7	61.9	60.1	55.8	55.2	-13.3
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	62.7	63.1	63.0	62.8	60.5	-3.5
Southeastern Atlantic Ocean, N.S.	[01E]	34.0	35.0	35.6	33.5	33.5	-1.5
Cape Breton Island	[01F]	39.5	41.5	42.7	41.5	40.8	3.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 15-2

Rural population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		percent					
St. Lawrence	[02]	19.9	19.5	19.8	18.5	16.9	-15.1
Northwestern Lake Superior	[02A]	15.4	16.6	19.3	20.7	22.1	43.5
Northeastern Lake Superior	[02B]	24.5	26.4	26.7	25.8	30.6	24.9
Northern Lake Huron	[02C]	19.0	18.2	18.5	18.3	18.8	-1.1
Wanapitei and French, Ont.	[02D]	32.8	34.3	35.4	37.3	38.0	15.9
Eastern Georgian Bay	[02E]	43.5	42.1	41.1	38.0	33.3	-23.4
Eastern Lake Huron	[02F]	54.5	50.9	51.5	50.2	50.0	-8.3
Northern Lake Erie	[02G]	23.1	22.1	21.2	19.8	18.7	-19.0
Lake Ontario and Niagara Peninsula	[02H]	8.9	9.4	9.8	8.2	6.9	-22.5
Upper Ottawa	[02J]	44.1	44.4	45.8	47.6	47.4	7.5
Central Ottawa	[02K]	26.3	27.9	29.1	28.0	26.9	2.3
Lower Ottawa	[02L]	30.0	28.5	28.0	28.5	27.4	-8.7
Upper St. Lawrence	[02M]	34.6	35.2	36.3	37.1	34.6	0.0
Saint-Maurice	[02N]	16.5	17.9	19.9	16.6	17.3	4.8
Central St. Lawrence	[02O]	13.7	13.3	13.8	13.4	11.6	-15.3
Lower St. Lawrence	[02P]	30.9	30.2	30.7	27.9	26.7	-13.6
Northern Gaspé Peninsula	[02Q]	49.3	49.9	48.6	48.2	46.4	-5.9
Saguenay	[02R]	31.2	30.5	31.6	30.0	28.6	-8.3
Betsiamites, coast	[02S]	65.7	66.3	66.3	64.8	53.5	-18.6
Manicouagan and aux Outardes	[02T]	18.4	20.6	20.2	23.0	19.8	7.6
Moisie and St. Lawrence Estuary	[02U]	19.6	16.6	15.0	16.1	13.6	-30.6
Gulf of St. Lawrence, Romaine	[02V]	100.0	100.0	100.0	100.0	100.0	0.0
Gulf of St. Lawrence, Natashquan	[02W]	77.3	78.1	76.3	76.2	77.0	-0.4
Petit Mécatina and Strait of Belle Isle	[02X]	100.0	100.0	100.0	100.0	100.0	0.0
Northern Newfoundland	[02Y]	49.8	50.5	54.7	52.8	53.3	7.0
Southern Newfoundland	[02Z]	36.1	34.8	41.4	37.9	35.9	-0.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 15-3

Rural population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	percent						
Northern Quebec and Labrador	[03]	39.2	43.3	47.5	47.6	44.7	14.0
Nottaway, coast	[03A]	21.0	21.0	21.7	25.2	25.4	21.0
Broadback and Rupert	[03B]	100.0	100.0	100.0	100.0	62.8	-37.2
Eastmain	[03C]	100.0	100.0	100.0	100.0	100.0	0.0
La Grande, coast	[03D]	100.0	100.0	100.0	100.0	30.2	-69.8
Grande rivière de la Baleine, coast	[03E]	100.0	100.0	100.0	100.0	100.0	0.0
Eastern Hudson Bay	[03F]	0.0	100.0	100.0	100.0	100.0	...
Northeastern Hudson Bay	[03G]	100.0	100.0	100.0	100.0	100.0	0.0
Western Ungava Bay	[03H]	100.0	100.0	100.0	100.0	100.0	0.0
Aux Feuilles, coast	[03J]	100.0	100.0	100.0	100.0	100.0	0.0
Koksoak	[03K]	100.0	100.0	100.0	100.0	100.0	0.0
Caniapiscau	[03L]	37.0	74.2	100.0	100.0	100.0	170.3
Eastern Ungava Bay	[03M]	100.0	100.0	100.0	100.0	100.0	0.0
Northern Labrador	[03N]	100.0	100.0	100.0	100.0	100.0	0.0
Churchill, N.L.	[03O]	4.8	5.9	10.7	5.3	5.0	4.2
Central Labrador	[03P]	70.5	72.1	69.3	36.0	51.6	-26.8
Southern Labrador	[03Q]	100.0	100.0	100.0	100.0	100.0	0.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 15-4

Rural population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	percent						
Southwestern Hudson Bay	[04]	42.4	41.1	44.5	39.4	40.8	-3.8
Hayes, Man.	[04A]	100.0	100.0	100.0	100.0	100.0	0.0
Southwestern Hudson Bay	[04B]	0.0	0.0	100.0	0.0	0.0	...
Severn	[04C]	100.0	100.0	100.0	100.0	100.0	0.0
Winisk, coast	[04D]	100.0	100.0	100.0	100.0	100.0	0.0
Ekwan, coast	[04E]	0.0	0.0	0.0	0.0	0.0	...
Attawapiskat, coast	[04F]	100.0	100.0	100.0	38.2	34.1	-65.9
Upper Albany	[04G]	100.0	100.0	100.0	100.0	100.0	0.0
Lower Albany, coast	[04H]	100.0	0.0	100.0	100.0	100.0	0.0
Kenogami	[04J]	34.5	32.7	30.4	30.0	34.8	0.9
Moose, Ont.	[04K]	58.6	43.2	64.8	0.0	32.4	-44.7
Missinaibi and Mattagami	[04L]	27.2	28.0	31.4	25.7	23.9	-12.1
Abitibi	[04M]	49.4	49.8	48.1	45.8	48.2	-2.4
Harricanaw, coast	[04N]	38.9	39.4	41.4	34.0	32.3	-17.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 15-5

Rural population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	percent						
Nelson River	[05]	26.8	24.7	23.9	23.8	22.4	-16.4
Upper South Saskatchewan	[05A]	28.9	27.1	27.1	27.3	26.1	-9.7
Bow	[05B]	5.8	5.1	5.4	5.8	5.6	-3.4
Red Deer	[05C]	49.2	45.4	45.3	45.9	43.9	-10.8
Upper North Saskatchewan	[05D]	13.5	12.7	12.7	13.6	11.8	-12.6
Central North Saskatchewan	[05E]	22.1	18.2	18.1	18.3	17.2	-22.2
Battle	[05F]	56.1	53.0	50.7	50.6	51.4	-8.4
Lower North Saskatchewan	[05G]	52.8	50.9	47.7	45.9	45.8	-13.3
Lower South Saskatchewan	[05H]	25.9	22.3	20.6	20.4	20.2	-22.0
Qu'Appelle	[05J]	31.5	28.4	27.7	26.8	24.9	-21.0
Saskatchewan	[05K]	54.8	55.4	57.1	58.4	58.5	6.8
Lake Winnipegosis and Lake Manitoba	[05L]	74.5	73.2	74.5	74.4	72.7	-2.4
Assiniboine	[05M]	24.4	24.7	24.0	23.7	23.3	-4.5
Souris	[05N]	64.6	62.0	61.2	59.8	57.5	-11.0
Red	[05O]	20.9	20.1	20.0	19.8	19.1	-8.6
Winnipeg	[05P]	48.0	47.1	51.0	52.0	52.1	8.5
English	[05Q]	48.3	50.5	56.9	60.4	60.3	24.8
Eastern Lake Winnipeg	[05R]	100.0	100.0	100.0	100.0	100.0	0.0
Western Lake Winnipeg	[05S]	83.7	81.5	79.4	81.1	84.7	1.2
Grass and Burntwood	[05T]	11.6	16.9	16.8	19.6	19.9	71.6
Nelson	[05U]	100.0	86.0	88.4	89.7	100.0	0.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 15-6

Rural population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	percent						
Western and Northern Hudson Bay	[06]	71.9	66.8	70.1	69.5	70.7	-1.7
Beaver, Alta. and Sask.	[06A]	61.7	59.7	57.7	62.1	62.1	0.6
Upper Churchill, Manitoba	[06B]	76.0	59.2	100.0	100.0	100.0	31.6
Central Churchill, upper, Manitoba	[06C]	100.0	63.3	67.8	69.1	68.5	-31.5
Reindeer	[06D]	100.0	100.0	100.0	100.0	100.0	0.0
Central Churchill, lower, Manitoba	[06E]	67.8	73.3	82.6	74.0	76.5	12.8
Lower Churchill, Manitoba	[06F]	100.0	100.0	100.0	1.5	100.0	0.0
Seal, coast	[06G]	100.0	100.0	100.0	100.0	100.0	0.0
Western Hudson Bay, Southern	[06H]	0.0	0.0	0.0	0.0	0.0	...
Thelon	[06J]	0.0	0.0	0.0	0.0	0.0	...
Dubawnt	[06K]	0.0	0.0	100.0	0.0	0.0	...
Kazan	[06L]	0.0	0.0	0.0	0.0	0.0	...
Chesterfield Inlet	[06M]	100.0	100.0	100.0	0.0	100.0	0.0
Western Hudson Bay, central	[06N]	100.0	100.0	100.0	0.0	53.9	-46.1
Western Hudson Bay, northern	[06O]	100.0	100.0	0.0	0.0	0.0	-100.0
Hudson Bay, Southampton Island	[06P]	100.0	100.0	100.0	0.0	100.0	0.0
Foxe Basin, Southampton Island	[06Q]	0.0	0.0	0.0	0.0	0.0	...
Foxe Basin, Melville Peninsula	[06R]	100.0	100.0	100.0	0.0	100.0	0.0
Foxe Basin, Baffin Island	[06S]	100.0	100.0	100.0	0.0	0.0	-100.0
Hudson Strait, Baffin and Southampton Islands	[06T]	100.0	100.0	100.0	0.0	100.0	0.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 15-7

Rural population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	percent						
Great Slave Lake	[07]	43.0	43.0	43.0	43.5	41.6	-3.3
Upper Athabasca	[07A]	25.3	22.0	22.6	0.0	24.5	-3.2
Central Athabasca, upper	[07B]	63.6	62.4	64.3	0.0	61.2	-3.8
Central Athabasca, lower	[07C]	26.4	27.2	27.3	0.0	28.3	7.2
Lower Athabasca	[07D]	1.1	4.2	2.8	0.0	3.9	254.5
Williston Lake	[07E]	22.1	22.9	25.5	0.0	20.3	-8.1
Upper Peace	[07F]	48.4	51.7	44.8	0.0	46.6	-3.7
Smoky	[07G]	41.4	38.8	36.2	0.0	33.2	-19.8
Central Peace, upper	[07H]	63.7	61.7	66.7	0.0	69.5	9.1
Central Peace, lower	[07J]	78.7	78.5	80.8	0.0	74.8	-5.0
Lower Peace	[07K]	100.0	100.0	100.0	0.0	100.0	0.0
Fond-du-Lac	[07L]	100.0	100.0	100.0	0.0	100.0	0.0
Lake Athabasca, shores	[07M]	40.8	87.2	100.0	0.0	100.0	145.1
Slave	[07N]	1.2	2.1	100.0	0.0	100.0	8,233.3
Hay	[07O]	46.0	45.5	57.7	0.0	50.5	9.8
Southern Great Slave Lake	[07P]	20.5	28.7	100.0	0.0	100.0	387.8
Great Slave Lake, east arm, south shore	[07Q]	100.0	100.0	100.0	0.0	100.0	0.0
Lockhart	[07R]	0.0	0.0	0.0	0.0	0.0	...
Northeastern Great Slave Lake	[07S]	12.6	17.4	30.9	0.0	11.8	-6.3
Marian	[07T]	100.0	100.0	100.0	0.0	100.0	0.0
Western Great Slave Lake	[07U]	100.0	100.0	100.0	0.0	100.0	0.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 15-8

Rural population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		percent					
Pacific	[08]	21.6	20.2	19.2	17.5	14.9	-31.0
Alsek	[08A]	100.0	100.0	100.0	0.0	100.0	0.0
Northern coastal waters, B.C.	[08B]	0.0	0.0	100.0	0.0	0.0	...
Stikine, coast	[08C]	100.0	100.0	100.0	0.0	100.0	0.0
Nass, coast	[08D]	100.0	100.0	100.0	0.0	100.0	0.0
Skeena, coast	[08E]	40.5	35.2	34.0	0.0	34.7	-14.3
Central coastal waters, B.C.	[08F]	31.7	34.2	37.3	0.0	37.1	17.0
Southern coastal waters, B.C.	[08G]	6.1	5.3	5.5	0.0	4.1	-32.8
Vancouver Island	[08H]	25.8	25.2	24.8	0.0	20.5	-20.5
Nechako	[08J]	36.4	37.4	37.1	0.0	36.6	0.5
Upper Fraser	[08K]	40.5	40.6	38.7	0.0	36.7	-9.4
Thompson	[08L]	45.2	44.1	40.8	0.0	37.6	-16.8
Lower Fraser	[08M]	13.1	11.6	11.1	0.0	7.0	-46.6
Columbia	[08N]	39.4	39.8	38.4	0.0	30.8	-21.8
Queen Charlotte Islands	[08O]	100.0	100.0	100.0	0.0	100.0	0.0
Skagit	[08P]	100.0	0.0	100.0	0.0	100.0	0.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 15-9

Rural population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Yukon River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		percent					
Yukon River	[09]	32.5	31.5	37.8	35.8	38.1	17.2
Headwaters Yukon	[09A]	14.4	17.7	25.6	0.0	28.4	97.2
Pelly	[09B]	100.0	100.0	100.0	0.0	100.0	0.0
Upper Yukon	[09C]	100.0	100.0	100.0	0.0	100.0	0.0
Stewart	[09D]	100.0	100.0	100.0	0.0	100.0	0.0
Central Yukon	[09E]	100.0	100.0	100.0	0.0	100.0	0.0
Porcupine	[09F]	100.0	100.0	100.0	0.0	100.0	0.0
Tanana	[09H]	0.0	0.0	0.0	0.0	0.0	...
Copper	[09M]	0.0	0.0	0.0	0.0	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 15-10

Rural population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Arctic

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		percent					
Arctic	[10]	65.9	66.4	66.7	62.8	60.4	-8.3
Upper Liard	[10A]	100.0	100.0	100.0	0.0	100.0	0.0
Central Liard	[10B]	100.0	100.0	100.0	0.0	100.0	0.0
Fort Nelson	[10C]	18.8	22.5	18.4	0.0	25.7	36.7
Central Liard and Petitot	[10D]	0.0	0.0	100.0	0.0	0.0	...
Lower Liard	[10E]	100.0	100.0	100.0	0.0	100.0	0.0
Upper Mackenzie, Mills Lake	[10F]	100.0	100.0	100.0	0.0	100.0	0.0
Upper Mackenzie, Camsell Bend	[10G]	100.0	100.0	100.0	0.0	100.0	0.0
Central Mackenzie, Blackwater Lake	[10H]	100.0	100.0	100.0	0.0	100.0	0.0
Great Bear	[10J]	100.0	100.0	100.0	0.0	100.0	0.0
Central Mackenzie, The Ramparts	[10K]	100.0	100.0	100.0	0.0	100.0	0.0
Lower Mackenzie	[10L]	15.6	16.5	19.6	0.0	20.7	32.7
Peel and Southwestern Beaufort Sea	[10M]	100.0	100.0	100.0	0.0	100.0	0.0
Southern Beaufort Sea	[10N]	100.0	100.0	100.0	0.0	100.0	0.0
Amundsen Gulf	[10O]	100.0	100.0	100.0	0.0	100.0	0.0
Coppermine	[10P]	100.0	100.0	0.0	0.0	0.0	-100.0
Coronation Gulf and Queen Maud Gulf	[10Q]	100.0	100.0	100.0	0.0	100.0	0.0
Back	[10R]	0.0	0.0	0.0	0.0	100.0	...
Gulf of Boothia	[10S]	100.0	100.0	100.0	0.0	100.0	0.0
Southern Arctic Islands	[10T]	100.0	100.0	100.0	0.0	100.0	0.0
Baffin Island, Arctic drainage	[10U]	56.3	54.5	54.3	0.0	33.3	-40.9
Northern Arctic Islands	[10V]	100.0	100.0	100.0	0.0	100.0	0.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 15-11

Rural population as a share of total population, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		percent					
Mississippi River	[11]	100.0	91.7	91.0	0.0	100.0	0.0
Missouri	[11A]	100.0	91.7	91.0	0.0	100.0	0.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 16-1

Private dwellings, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Maritime Provinces	[01]	564,815	611,445	667,440	713,710	828,005	46.6
Saint John and Southern Bay of Fundy, N.B.	[01A]	122,630	132,195	142,140	152,865	175,760	43.3
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	131,155	142,725	156,440	167,430	192,435	46.7
Prince Edward Island	[01C]	37,665	40,690	44,480	48,635	55,995	48.7
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	93,165	102,095	112,040	119,310	139,095	49.3
Southeastern Atlantic Ocean, N.S.	[01E]	130,965	141,720	157,415	168,325	199,090	52.0
Cape Breton Island	[01F]	49,240	52,010	54,915	57,145	65,635	33.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 16-2

Private dwellings, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
St. Lawrence	[02]	5,145,855	5,586,690	6,285,030	6,815,775	7,811,970	51.8
Northwestern Lake Superior	[02A]	45,720	47,645	51,145	53,465	61,315	34.1
Northeastern Lake Superior	[02B]	17,600	16,545	17,865	18,535	22,920	30.2
Northern Lake Huron	[02C]	84,820	90,085	97,930	104,110	121,285	43.0
Wanapitei and French, Ont.	[02D]	29,680	30,245	33,385	35,840	44,455	49.8
Eastern Georgian Bay	[02E]	136,080	150,645	188,735	219,895	315,045	131.5
Eastern Lake Huron	[02F]	89,135	95,950	108,170	115,665	144,335	61.9
Northern Lake Erie	[02G]	571,555	602,890	669,995	725,025	811,285	41.9
Lake Ontario and Niagara Peninsula	[02H]	1,577,905	1,724,245	1,950,790	2,117,385	2,385,190	51.2
Upper Ottawa	[02J]	36,525	39,670	44,265	46,805	52,270	43.1
Central Ottawa	[02K]	116,325	126,380	141,175	154,255	185,905	59.8
Lower Ottawa	[02L]	299,545	341,570	397,835	444,825	539,485	80.1
Upper St. Lawrence	[02M]	79,355	89,590	99,425	108,265	122,920	54.9
Saint-Maurice	[02N]	44,575	49,785	50,810	54,640	62,210	39.6
Central St. Lawrence	[02O]	1,376,310	1,485,830	1,659,020	1,779,685	1,979,255	43.8
Lower St. Lawrence	[02P]	338,740	370,690	420,730	458,720	520,290	53.6
Northern Gaspé Peninsula	[02Q]	42,320	46,390	48,805	52,155	62,965	48.8
Saguenay	[02R]	82,225	90,080	98,775	105,300	116,370	41.5
Betsiamites, coast	[02S]	4,090	4,465	4,835	5,315	6,085	48.8
Manicouagan and aux Outardes	[02T]	6,875	6,350	7,060	7,655	8,220	19.6
Moisie and St. Lawrence Estuary	[02U]	18,790	17,730	19,290	20,285	22,450	19.5
Gulf of St. Lawrence, Romaine	[02V]	515	565	690	745	725	40.8
Gulf of St. Lawrence, Natashquan	[02W]	5,155	6,045	6,345	6,725	8,000	55.2
Petit Mécatina and Strait of Belle Isle	[02X]	1,470	1,640	1,945	2,110	2,185	48.6
Northern Newfoundland	[02Y]	55,515	59,165	63,490	67,345	83,225	49.9
Southern Newfoundland	[02Z]	85,045	92,505	102,510	111,030	133,565	57.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 16-3

Private dwellings, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Northern Quebec and Labrador	[03]	20,100	18,840	20,855	22,990	26,135	30.0
Nottaway, coast	[03A]	9,405	9,190	9,130	9,795	10,275	9.3
Broadback and Rupert	[03B]	420	555	695	975	1,205	186.9
Eastmain	[03C]	55	70	95	115	145	163.6
La Grande, coast	[03D]	1,140	680	865	1,025	1,285	12.7
Grande rivière de la Baleine, coast	[03E]	80	230	295	355	385	381.2
Eastern Hudson Bay	[03F]	0	0	65	80	80	...
Northeastern Hudson Bay	[03G]	285	360	520	640	720	152.6
Western Ungava Bay	[03H]	230	320	425	525	595	158.7
Aux Feuilles, coast	[03J]	0	45	65	80	105	...
Koksoak	[03K]	185	235	405	505	645	248.6
Caniapiscau	[03L]	920	275	290	345	525	-42.9
Eastern Ungava Bay	[03M]	0	65	115	140	145	...
Northern Labrador	[03N]	435	495	590	615	820	88.5
Churchill, N.L.	[03O]	5,190	4,365	5,030	5,295	5,760	11.0
Central Labrador	[03P]	1,120	1,295	1,495	1,675	2,430	117.0
Southern Labrador	[03Q]	560	650	775	825	1,005	79.5

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 16-4

Private dwellings, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Southwestern Hudson Bay	[04]	63,125	65,505	71,590	75,745	85,025	34.7
Hayes, Man.	[04A]	925	1,460	1,450	1,965	2,480	168.1
Southwestern Hudson Bay	[04B]	0	0	0	0	0	...
Severn	[04C]	880	125	870	1,170	1,675	90.3
Winisk, coast	[04D]	430	235	430	555	730	69.8
Ekwan, coast	[04E]	0	0	0	0	0	...
Attawapiskat, coast	[04F]	325	135	520	495	655	101.5
Upper Albany	[04G]	840	230	325	390	855	1.8
Lower Albany, coast	[04H]	215	0	215	305	165	-23.3
Kenogami	[04J]	3,475	3,275	3,080	3,185	3,550	2.2
Moose, Ont.	[04K]	670	490	735	1,085	835	24.6
Missinaibi and Mattagami	[04L]	22,570	23,655	24,735	25,525	28,285	25.3
Abitibi	[04M]	15,730	16,650	17,650	18,065	21,145	34.4
Harricanaw, coast	[04N]	17,080	19,245	21,580	23,005	24,675	44.5

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 16-5

Private dwellings, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

Drainage area code	1981	1986	1991	1996	2001	Percent change
Nelson River [05]	1,375,245	1,494,405	1,591,610	1,685,015	1,966,620	43.0
Upper South Saskatchewan [05A]	64,805	69,280	73,855	79,440	91,795	41.6
Bow [05B]	234,915	263,245	293,230	327,695	398,915	69.8
Red Deer [05C]	55,630	61,685	66,200	72,375	87,495	57.3
Upper North Saskatchewan [05D]	112,505	112,285	120,215	125,935	146,235	30.0
Central North Saskatchewan [05E]	187,775	217,965	237,895	249,445	292,910	56.0
Battle [05F]	34,960	36,160	37,470	40,205	48,330	38.2
Lower North Saskatchewan [05G]	34,035	36,230	36,285	37,030	43,130	26.7
Lower South Saskatchewan [05H]	88,105	99,890	103,875	110,095	123,050	39.7
Qu'Appelle [05J]	113,615	120,805	123,735	126,845	141,565	24.6
Saskatchewan [05K]	22,850	23,025	22,870	23,615	27,860	21.9
Lake Winnipegosis and Lake Manitoba [05L]	32,215	32,960	33,015	33,520	41,465	28.7
Assiniboine [05M]	140,885	140,560	141,000	143,725	154,685	9.8
Souris [05N]	27,990	28,915	27,870	28,250	32,510	16.1
Red [05O]	182,100	205,590	224,435	233,305	253,085	39.0
Winnipeg [05P]	17,910	18,925	20,415	21,830	36,220	102.2
English [05Q]	9,155	9,780	10,070	10,705	12,755	39.3
Eastern Lake Winnipeg [05R]	1,035	1,105	1,170	1,360	1,845	78.3
Western Lake Winnipeg [05S]	8,155	8,155	9,485	10,555	22,555	176.6
Grass and Burntwood [05T]	5,175	5,945	6,305	6,490	7,260	40.3
Nelson [05U]	1,440	1,895	2,230	2,590	2,965	105.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 16-6

Private dwellings, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change
Western and Northern Hudson Bay [06]	19,795	22,705	24,880	28,310	37,750	90.7
Beaver, Alta. and Sask. [06A]	13,115	15,465	16,815	18,450	23,990	82.9
Upper Churchill, Manitoba [06B]	1,395	1,390	1,705	2,005	2,760	97.8
Central Churchill, upper, Manitoba [06C]	1,585	1,785	2,080	2,635	4,390	177.0
Reindeer [06D]	285	425	475	615	715	150.9
Central Churchill, lower, Manitoba [06E]	1,630	1,575	1,265	1,480	1,925	18.1
Lower Churchill, Manitoba [06F]	450	430	435	415	560	24.4
Seal, coast [06G]	45	65	80	100	170	277.8
Western Hudson Bay, Southern [06H]	0	0	0	0	0	...
Thelon [06J]	0	0	0	0	0	...
Dubawnt [06K]	0	0	0	0	0	...
Kazan [06L]	0	0	0	0	0	...
Chesterfield Inlet [06M]	210	220	305	365	465	121.4
Western Hudson Bay, central [06N]	525	645	870	1,100	1,395	165.7
Western Hudson Bay, northern [06O]	0	0	0	0	0	...
Hudson Bay, Southampton Island [06P]	135	155	205	285	355	163.0
Foxe Basin, Southampton Island [06Q]	0	0	0	0	0	...
Foxe Basin, Melville Peninsula [06R]	235	285	345	460	590	151.1
Foxe Basin, Baffin Island [06S]	0	0	0	0	0	...
Hudson Strait, Baffin and Southampton Islands [06T]	185	255	285	390	440	137.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 16-7

Private dwellings, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Great Slave Lake	[07]	97,330	106,775	113,690	123,685	146,455	50.5
Upper Athabasca	[07A]	10,910	12,010	12,845	14,305	16,275	49.2
Central Athabasca, upper	[07B]	16,045	17,660	18,585	20,425	23,905	49.0
Central Athabasca, lower	[07C]	9,745	9,840	9,145	9,555	15,180	55.8
Lower Athabasca	[07D]	2,680	4,505	5,525	5,710	5,090	89.9
Williston Lake	[07E]	2,115	2,120	2,375	2,505	2,525	19.4
Upper Peace	[07F]	22,470	24,550	26,040	27,485	30,425	35.4
Smoky	[07G]	18,865	20,050	21,910	24,110	29,365	55.7
Central Peace, upper	[07H]	4,330	4,395	4,125	4,455	5,455	26.0
Central Peace, lower	[07J]	2,390	3,460	3,845	4,195	5,980	150.2
Lower Peace	[07K]	150	205	215	290	310	106.7
Fond-du-Lac	[07L]	165	315	325	440	465	181.8
Lake Athabasca, shores	[07M]	1,115	340	360	405	485	-56.5
Slave	[07N]	630	755	775	810	990	57.1
Hay	[07O]	1,490	1,570	1,895	2,325	2,275	52.7
Southern Great Slave Lake	[07P]	620	660	220	225	380	-38.7
Great Slave Lake, east arm, south shore	[07Q]	50	55	70	90	80	60.0
Lockhart	[07R]	0	0	0	0	0	...
Northeastern Great Slave Lake	[07S]	3,415	4,115	5,375	6,275	6,970	104.1
Marian	[07T]	0	50	70	85	120	...
Western Great Slave Lake	[07U]	110	125	0	0	165	50.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 16-8

Private dwellings, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Pacific	[08]	976,845	1,065,605	1,221,075	1,409,430	1,616,265	65.5
Alsek	[08A]	115	180	245	275	255	121.7
Northern coastal waters, B.C.	[08B]	0	0	0	0	0	...
Stikine, coast	[08C]	140	175	265	285	440	214.3
Nass, coast	[08D]	1,005	690	875	885	1,225	21.9
Skeena, coast	[08E]	18,110	18,395	20,290	22,220	24,600	35.8
Central coastal waters, B.C.	[08F]	5,355	5,065	5,640	5,965	6,815	27.3
Southern coastal waters, B.C.	[08G]	197,195	212,945	229,445	259,175	296,615	50.4
Vancouver Island	[08H]	188,260	204,195	235,830	270,030	305,880	62.5
Nechako	[08J]	18,600	19,050	19,965	23,490	25,865	39.1
Upper Fraser	[08K]	22,075	23,340	24,595	26,985	31,315	41.9
Thompson	[08L]	48,285	49,315	55,450	65,820	80,570	66.9
Lower Fraser	[08M]	351,970	400,230	478,435	557,805	635,700	80.6
Columbia	[08N]	123,650	130,295	148,120	174,285	204,265	65.2
Queen Charlotte Islands	[08O]	1,735	1,745	1,875	2,140	2,485	43.2
Skagit	[08P]	335	0	0	55	235	-29.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 16-9

Private dwellings, by major drainage area and sub-drainage area, 1981 to 2001 — Yukon River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Yukon River	[09]	7,210	7,555	9,425	10,880	13,210	83.2
Headwaters Yukon	[09A]	5,790	6,350	7,755	9,005	10,835	87.1
Pelly	[09B]	600	310	675	675	855	42.5
Upper Yukon	[09C]	140	80	120	125	155	10.7
Stewart	[09D]	290	285	195	225	350	20.7
Central Yukon	[09E]	315	450	575	740	860	173.0
Porcupine	[09F]	70	85	110	105	160	128.6
Tanana	[09H]	0	0	0	0	0	...
Copper	[09M]	0	0	0	0	0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 16-10

Private dwellings, by major drainage area and sub-drainage area, 1981 to 2001 — Arctic

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Arctic	[10]	6,830	7,995	8,930	10,285	12,745	86.6
Upper Liard	[10A]	890	975	985	880	875	-1.7
Central Liard	[10B]	0	0	0	0	85	...
Fort Nelson	[10C]	1,480	1,540	1,535	1,800	2,165	46.3
Central Liard and Petitot	[10D]	0	0	0	0	0	...
Lower Liard	[10E]	165	285	160	165	485	193.9
Upper Mackenzie, Mills Lake	[10F]	160	150	200	265	305	90.6
Upper Mackenzie, Camsell Bend	[10G]	260	290	390	430	220	-15.4
Central Mackenzie, Blackwater Lake	[10H]	90	120	155	180	210	133.3
Great Bear	[10J]	155	135	180	230	300	93.5
Central Mackenzie, The Ramparts	[10K]	135	230	240	290	325	140.7
Lower Mackenzie	[10L]	1,050	1,195	1,275	1,385	1,515	44.3
Peel and Southwestern Beaufort Sea	[10M]	290	365	400	490	665	129.3
Southern Beaufort Sea	[10N]	150	215	265	255	380	153.3
Amundsen Gulf	[10O]	115	45	55	375	460	300.0
Coppermine	[10P]	85	180	0	0	0	-100.0
Coronation Gulf and Queen Maud Gulf	[10Q]	0	0	280	0	0	...
Back	[10R]	0	0	0	0	0	...
Gulf of Boothia	[10S]	125	160	190	255	315	152.0
Southern Arctic Islands	[10T]	395	485	605	755	895	126.6
Baffin Island, Arctic drainage	[10U]	1,195	1,515	1,895	2,415	3,370	182.0
Northern Arctic Islands	[10V]	60	70	70	90	135	125.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 16-11

Private dwellings, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Mississippi River	[11]	4,310	4,155	3,740	3,590	4,415	2.4
Missouri	[11A]	4,310	4,155	3,740	3,590	4,415	2.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 17-1

Private dwelling density, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		number per square kilometre					%
Maritime Provinces	[01]	3.4	3.7	4.1	4.4	5.0	47.1
Saint John and Southern Bay of Fundy, N.B.	[01A]	2.9	3.1	3.4	3.6	4.2	44.8
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	2.2	2.4	2.6	2.8	3.2	45.5
Prince Edward Island	[01C]	6.3	6.8	7.5	8.2	9.4	49.2
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	4.3	4.7	5.2	5.5	6.5	51.2
Southeastern Atlantic Ocean, N.S.	[01E]	5.6	6.1	6.8	7.2	8.6	53.6
Cape Breton Island	[01F]	4.6	4.9	5.1	5.3	6.1	32.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 17-2

Private dwelling density, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		number per square kilometre					%
St. Lawrence	[02]	5.3	5.7	6.5	7.0	8.0	50.9
Northwestern Lake Superior	[02A]	1.0	1.1	1.2	1.2	1.4	40.0
Northeastern Lake Superior	[02B]	0.4	0.4	0.4	0.5	0.6	50.0
Northern Lake Huron	[02C]	2.4	2.6	2.8	3.0	3.5	45.8
Wanapitei and French, Ont.	[02D]	1.5	1.6	1.7	1.8	2.3	53.3
Eastern Georgian Bay	[02E]	6.1	6.8	8.5	9.9	14.2	132.8
Eastern Lake Huron	[02F]	6.0	6.5	7.3	7.8	9.7	61.7
Northern Lake Erie	[02G]	25.2	26.6	29.5	31.9	35.7	41.7
Lake Ontario and Niagara Peninsula	[02H]	54.5	59.5	67.3	73.1	82.3	51.0
Upper Ottawa	[02J]	0.7	0.8	0.9	0.9	1.0	42.9
Central Ottawa	[02K]	2.9	3.1	3.5	3.8	4.6	58.6
Lower Ottawa	[02L]	5.5	6.2	7.3	8.1	9.9	80.0
Upper St. Lawrence	[02M]	14.9	16.9	18.7	20.4	23.1	55.0
Saint-Maurice	[02N]	1.1	1.2	1.2	1.3	1.5	36.4
Central St. Lawrence	[02O]	39.8	42.9	47.9	51.4	57.2	43.7
Lower St. Lawrence	[02P]	9.1	10.0	11.3	12.3	14.0	53.8
Northern Gaspé Peninsula	[02Q]	3.2	3.5	3.6	3.9	4.7	46.9
Saguenay	[02R]	0.9	1.0	1.1	1.2	1.3	44.4
Betsiamites, coast	[02S]	0.1	0.2	0.2	0.2	0.2	100.0
Manicouagan and aux Outardes	[02T]	0.1	0.1	0.1	0.1	0.1	0.0
Moisie and St. Lawrence Estuary	[02U]	0.5	0.4	0.5	0.5	0.6	20.0
Gulf of St. Lawrence, Romaine	[02V]	0.0	0.0	0.0	0.0	0.0	...
Gulf of St. Lawrence, Natashquan	[02W]	0.1	0.1	0.1	0.1	0.1	0.0
Petit Mécatina and Strait of Belle Isle	[02X]	0.0	0.0	0.0	0.0	0.0	...
Northern Newfoundland	[02Y]	0.8	0.9	1.0	1.0	1.3	62.5
Southern Newfoundland	[02Z]	1.9	2.1	2.3	2.5	3.0	57.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 17-3

Private dwelling density, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		number per square kilometre					%
Northern Quebec and Labrador	[03]	0.0	0.0	0.0	0.0	0.0	...
Nottaway, coast	[03A]	0.1	0.1	0.1	0.1	0.2	100.0
Broadback and Rupert	[03B]	0.0	0.0	0.0	0.0	0.0	...
Eastmain	[03C]	0.0	0.0	0.0	0.0	0.0	...
La Grande, coast	[03D]	0.0	0.0	0.0	0.0	0.0	...
Grande rivière de la Baleine, coast	[03E]	0.0	0.0	0.0	0.0	0.0	...
Eastern Hudson Bay	[03F]	0.0	0.0	0.0	0.0	0.0	...
Northeastern Hudson Bay	[03G]	0.0	0.0	0.0	0.0	0.0	...
Western Ungava Bay	[03H]	0.0	0.0	0.0	0.0	0.0	...
Aux Feuilles, coast	[03J]	0.0	0.0	0.0	0.0	0.0	...
Koksoak	[03K]	0.0	0.0	0.0	0.0	0.0	...
Caniapiscau	[03L]	0.0	0.0	0.0	0.0	0.0	...
Eastern Ungava Bay	[03M]	0.0	0.0	0.0	0.0	0.0	...
Northern Labrador	[03N]	0.0	0.0	0.0	0.0	0.0	...
Churchill, N.L.	[03O]	0.1	0.0	0.1	0.1	0.1	0.0
Central Labrador	[03P]	0.0	0.0	0.0	0.0	0.1	...
Southern Labrador	[03Q]	0.0	0.0	0.0	0.0	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 17-4

Private dwelling density, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	number per square kilometre						%
Southwestern Hudson Bay	[04]	0.1	0.1	0.1	0.1	0.1	0.0
Hayes, Man.	[04A]	0.0	0.0	0.0	0.0	0.0	...
Southwestern Hudson Bay	[04B]	0.0	0.0	0.0	0.0	0.0	...
Severn	[04C]	0.0	0.0	0.0	0.0	0.0	...
Winisk, coast	[04D]	0.0	0.0	0.0	0.0	0.0	...
Ekwan, coast	[04E]	0.0	0.0	0.0	0.0	0.0	...
Attawapiskat, coast	[04F]	0.0	0.0	0.0	0.0	0.0	...
Upper Albany	[04G]	0.0	0.0	0.0	0.0	0.0	...
Lower Albany, coast	[04H]	0.0	0.0	0.0	0.0	0.0	...
Kenogami	[04J]	0.1	0.1	0.1	0.1	0.1	0.0
Moose, Ont.	[04K]	0.0	0.0	0.0	0.1	0.0	...
Missinaibi and Mattagami	[04L]	0.4	0.4	0.4	0.4	0.5	25.0
Abitibi	[04M]	0.5	0.6	0.6	0.6	0.7	40.0
Harricanaw, coast	[04N]	0.4	0.4	0.5	0.5	0.6	50.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 17-5

Private dwelling density, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	number per square kilometre						%
Nelson River	[05]	1.4	1.5	1.6	1.7	2.0	42.9
Upper South Saskatchewan	[05A]	1.4	1.5	1.6	1.7	2.0	42.9
Bow	[05B]	9.2	10.3	11.4	12.8	15.6	69.6
Red Deer	[05C]	1.1	1.2	1.3	1.4	1.7	54.5
Upper North Saskatchewan	[05D]	4.0	4.0	4.3	4.5	5.2	30.0
Central North Saskatchewan	[05E]	4.4	5.2	5.6	5.9	6.9	56.8
Battle	[05F]	1.2	1.2	1.2	1.3	1.6	33.3
Lower North Saskatchewan	[05G]	0.7	0.7	0.7	0.7	0.9	28.6
Lower South Saskatchewan	[05H]	1.6	1.8	1.9	2.0	2.2	37.5
Qu'Appelle	[05J]	1.5	1.6	1.7	1.7	1.9	26.7
Saskatchewan	[05K]	0.3	0.3	0.3	0.3	0.3	0.0
Lake Winnipegosis and Lake Manitoba	[05L]	0.4	0.4	0.4	0.4	0.5	25.0
Assiniboine	[05M]	2.7	2.7	2.8	2.8	3.0	11.1
Souris	[05N]	0.7	0.7	0.7	0.7	0.8	14.3
Red	[05O]	7.2	8.1	8.9	9.2	10.0	38.9
Winnipeg	[05P]	0.3	0.3	0.4	0.4	0.7	133.3
English	[05Q]	0.2	0.2	0.2	0.2	0.2	0.0
Eastern Lake Winnipeg	[05R]	0.0	0.0	0.0	0.0	0.0	...
Western Lake Winnipeg	[05S]	0.3	0.3	0.4	0.4	0.9	200.0
Grass and Burntwood	[05T]	0.1	0.1	0.1	0.2	0.2	100.0
Nelson	[05U]	0.0	0.0	0.0	0.1	0.1	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 17-6

Private dwelling density, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	number per square kilometre						%
Western and Northern Hudson Bay	[06]	0.0	0.0	0.0	0.0	0.0	...
Beaver, Alta. and Sask.	[06A]	0.3	0.3	0.3	0.4	0.5	66.7
Upper Churchill, Manitoba	[06B]	0.0	0.0	0.0	0.0	0.1	...
Central Churchill, upper, Manitoba	[06C]	0.0	0.0	0.0	0.1	0.1	...
Reindeer	[06D]	0.0	0.0	0.0	0.0	0.0	...
Central Churchill, lower, Manitoba	[06E]	0.0	0.0	0.0	0.0	0.0	...
Lower Churchill, Manitoba	[06F]	0.0	0.0	0.0	0.0	0.0	...
Seal, coast	[06G]	0.0	0.0	0.0	0.0	0.0	...
Western Hudson Bay, Southern	[06H]	0.0	0.0	0.0	0.0	0.0	...
Thelon	[06J]	0.0	0.0	0.0	0.0	0.0	...
Dubawnt	[06K]	0.0	0.0	0.0	0.0	0.0	...
Kazan	[06L]	0.0	0.0	0.0	0.0	0.0	...
Chesterfield Inlet	[06M]	0.0	0.0	0.0	0.0	0.0	...
Western Hudson Bay, central	[06N]	0.0	0.0	0.0	0.0	0.0	...
Western Hudson Bay, northern	[06O]	0.0	0.0	0.0	0.0	0.0	...
Hudson Bay, Southampton Island	[06P]	0.0	0.0	0.0	0.0	0.0	...
Foxe Basin, Southampton Island	[06Q]	0.0	0.0	0.0	0.0	0.0	...
Foxe Basin, Melville Peninsula	[06R]	0.0	0.0	0.0	0.0	0.0	...
Foxe Basin, Baffin Island	[06S]	0.0	0.0	0.0	0.0	0.0	...
Hudson Strait, Baffin and Southampton Islands	[06T]	0.0	0.0	0.0	0.0	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 17-7

Private dwelling density, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	number per square kilometre						%
Great Slave Lake	[07]	0.1	0.1	0.1	0.1	0.2	100.0
Upper Athabasca	[07A]	0.3	0.3	0.4	0.4	0.5	66.7
Central Athabasca, upper	[07B]	0.4	0.4	0.5	0.5	0.6	50.0
Central Athabasca, lower	[07C]	0.2	0.2	0.2	0.2	0.3	50.0
Lower Athabasca	[07D]	0.1	0.2	0.2	0.2	0.2	100.0
Williston Lake	[07E]	0.0	0.0	0.0	0.0	0.0	...
Upper Peace	[07F]	0.3	0.4	0.4	0.4	0.4	33.3
Smoky	[07G]	0.4	0.4	0.4	0.5	0.6	50.0
Central Peace, upper	[07H]	0.1	0.1	0.1	0.1	0.2	100.0
Central Peace, lower	[07J]	0.0	0.1	0.1	0.1	0.1	...
Lower Peace	[07K]	0.0	0.0	0.0	0.0	0.0	...
Fond-du-Lac	[07L]	0.0	0.0	0.0	0.0	0.0	...
Lake Athabasca, shores	[07M]	0.0	0.0	0.0	0.0	0.0	...
Slave	[07N]	0.0	0.0	0.0	0.0	0.1	...
Hay	[07O]	0.0	0.0	0.0	0.0	0.0	...
Southern Great Slave Lake	[07P]	0.0	0.0	0.0	0.0	0.0	...
Great Slave Lake, east arm, south shore	[07Q]	0.0	0.0	0.0	0.0	0.0	...
Lockhart	[07R]	0.0	0.0	0.0	0.0	0.0	...
Northeastern Great Slave Lake	[07S]	0.0	0.1	0.1	0.1	0.1	...
Marian	[07T]	0.0	0.0	0.0	0.0	0.0	...
Western Great Slave Lake	[07U]	0.0	0.0	0.0	0.0	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 17-8

Private dwelling density, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	number per square kilometre					%	
Pacific	[08]	1.5	1.6	1.8	2.1	2.4	60.0
Alsek	[08A]	0.0	0.0	0.0	0.0	0.0	...
Northern coastal waters, B.C.	[08B]	0.0	0.0	0.0	0.0	0.0	...
Stikine, coast	[08C]	0.0	0.0	0.0	0.0	0.0	...
Nass, coast	[08D]	0.0	0.0	0.0	0.0	0.0	...
Skeena, coast	[08E]	0.3	0.3	0.4	0.4	0.4	33.3
Central coastal waters, B.C.	[08F]	0.1	0.1	0.1	0.1	0.1	0.0
Southern coastal waters, B.C.	[08G]	4.7	5.1	5.5	6.2	7.1	51.1
Vancouver Island	[08H]	5.4	5.9	6.8	7.7	8.8	63.0
Nechako	[08J]	0.4	0.4	0.4	0.5	0.5	25.0
Upper Fraser	[08K]	0.3	0.3	0.4	0.4	0.5	66.7
Thompson	[08L]	0.9	0.9	1.0	1.2	1.4	55.6
Lower Fraser	[08M]	5.7	6.5	7.7	9.0	10.3	80.7
Columbia	[08N]	1.2	1.3	1.4	1.7	2.0	66.7
Queen Charlotte Islands	[08O]	0.2	0.2	0.2	0.2	0.2	0.0
Skagit	[08P]	0.3	0.0	0.0	0.1	0.2	-33.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 17-9

Private dwelling density, by major drainage area and sub-drainage area, 1981 to 2001 — Yukon River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	number per square kilometre					%	
Yukon River	[09]	0.0	0.0	0.0	0.0	0.0	...
Headwaters Yukon	[09A]	0.1	0.1	0.1	0.1	0.1	0.0
Pelly	[09B]	0.0	0.0	0.0	0.0	0.0	...
Upper Yukon	[09C]	0.0	0.0	0.0	0.0	0.0	...
Stewart	[09D]	0.0	0.0	0.0	0.0	0.0	...
Central Yukon	[09E]	0.0	0.0	0.0	0.0	0.0	...
Porcupine	[09F]	0.0	0.0	0.0	0.0	0.0	...
Tanana	[09H]	0.0	0.0	0.0	0.0	0.0	...
Copper	[09M]	0.0	0.0	0.0	0.0	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 17-10

Private dwelling density, by major drainage area and sub-drainage area, 1981 to 2001 — Arctic

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		number per square kilometre					%
Arctic	[10]	0.0	0.0	0.0	0.0	0.0	...
Upper Liard	[10A]	0.0	0.0	0.0	0.0	0.0	...
Central Liard	[10B]	0.0	0.0	0.0	0.0	0.0	...
Fort Nelson	[10C]	0.0	0.0	0.0	0.0	0.0	...
Central Liard and Petitot	[10D]	0.0	0.0	0.0	0.0	0.0	...
Lower Liard	[10E]	0.0	0.0	0.0	0.0	0.0	...
Upper Mackenzie, Mills Lake	[10F]	0.0	0.0	0.0	0.0	0.0	...
Upper Mackenzie, Camsell Bend	[10G]	0.0	0.0	0.0	0.0	0.0	...
Central Mackenzie, Blackwater Lake	[10H]	0.0	0.0	0.0	0.0	0.0	...
Great Bear	[10J]	0.0	0.0	0.0	0.0	0.0	...
Central Mackenzie, The Ramparts	[10K]	0.0	0.0	0.0	0.0	0.0	...
Lower Mackenzie	[10L]	0.0	0.0	0.0	0.0	0.0	...
Peel and Southwestern Beaufort Sea	[10M]	0.0	0.0	0.0	0.0	0.0	...
Southern Beaufort Sea	[10N]	0.0	0.0	0.0	0.0	0.0	...
Amundsen Gulf	[10O]	0.0	0.0	0.0	0.0	0.0	...
Coppermine	[10P]	0.0	0.0	0.0	0.0	0.0	...
Coronation Gulf and Queen Maud Gulf	[10Q]	0.0	0.0	0.0	0.0	0.0	...
Back	[10R]	0.0	0.0	0.0	0.0	0.0	...
Gulf of Boothia	[10S]	0.0	0.0	0.0	0.0	0.0	...
Southern Arctic Islands	[10T]	0.0	0.0	0.0	0.0	0.0	...
Baffin Island, Arctic drainage	[10U]	0.0	0.0	0.0	0.0	0.0	...
Northern Arctic Islands	[10V]	0.0	0.0	0.0	0.0	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 17-11

Private dwelling density, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		number per square kilometre					%
Mississippi River	[11]	0.2	0.2	0.4	0.1	0.2	0.0
Missouri	[11A]	0.2	0.2	0.1	0.1	0.2	0.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 18-1

Population per private dwelling by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Maritime Provinces	[01]	3.2	3.0	2.8	2.7	2.3	-28.1
Saint John and Southern Bay of Fundy, N.B.	[01A]	3.1	3.0	2.8	2.7	2.3	-25.8
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	3.4	3.2	2.9	2.7	2.3	-32.4
Prince Edward Island	[01C]	3.3	3.1	2.9	2.8	2.4	-27.3
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	3.1	3.0	2.8	2.7	2.3	-25.8
Southeastern Atlantic Ocean, N.S.	[01E]	3.0	2.8	2.7	2.6	2.2	-26.7
Cape Breton Island	[01F]	3.5	3.2	2.9	2.8	2.3	-34.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 18-2

Population per private dwelling by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
St. Lawrence	[02]	2.9	2.8	2.7	2.6	2.4	-17.2
Northwestern Lake Superior	[02A]	2.9	2.8	2.7	2.6	2.2	-24.1
Northeastern Lake Superior	[02B]	3.2	3.0	2.9	2.7	2.0	-37.5
Northern Lake Huron	[02C]	3.1	2.9	2.7	2.6	2.1	-32.3
Wanapitei and French, Ont.	[02D]	3.1	2.9	2.7	2.6	2.0	-35.5
Eastern Georgian Bay	[02E]	3.0	2.9	2.9	2.8	2.2	-26.7
Eastern Lake Huron	[02F]	3.0	2.9	2.8	2.7	2.2	-26.7
Northern Lake Erie	[02G]	2.9	2.8	2.7	2.7	2.5	-13.8
Lake Ontario and Niagara Peninsula	[02H]	2.9	2.8	2.8	2.8	2.7	-6.9
Upper Ottawa	[02J]	3.1	2.9	2.7	2.6	2.2	-29.0
Central Ottawa	[02K]	3.0	2.8	2.7	2.7	2.3	-23.3
Lower Ottawa	[02L]	2.9	2.7	2.6	2.5	2.2	-24.1
Upper St. Lawrence	[02M]	2.9	2.8	2.6	2.5	2.2	-24.1
Saint-Maurice	[02N]	3.0	2.7	2.5	2.4	2.0	-33.3
Central St. Lawrence	[02O]	2.8	2.7	2.6	2.5	2.3	-17.9
Lower St. Lawrence	[02P]	3.1	2.9	2.7	2.5	2.2	-29.0
Northern Gaspé Peninsula	[02Q]	3.3	3.0	2.7	2.5	2.1	-36.4
Saguenay	[02R]	3.5	3.2	2.9	2.7	2.4	-31.4
Betsiamites, coast	[02S]	4.0	3.5	3.1	2.9	2.5	-37.5
Manicouagan and aux Outardes	[02T]	3.4	3.2	2.9	2.7	2.2	-35.3
Moisie and St. Lawrence Estuary	[02U]	3.3	3.0	2.7	2.6	2.2	-33.3
Gulf of St. Lawrence, Romaine	[02V]	4.0	3.6	3.1	3.0	2.1	-47.5
Gulf of St. Lawrence, Natashquan	[02W]	4.0	3.5	3.1	2.9	2.5	-37.5
Petit Mécatina and Strait of Belle Isle	[02X]	4.5	4.1	3.6	3.2	2.6	-42.2
Northern Newfoundland	[02Y]	3.9	3.6	3.3	3.0	2.1	-46.2
Southern Newfoundland	[02Z]	3.7	3.5	3.2	2.9	2.3	-37.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 18-3

Population per private dwelling by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Northern Quebec and Labrador	[03]	3.9	3.8	3.5	3.2	2.8	-28.2
Nottaway, coast	[03A]	3.4	3.2	3.0	2.8	2.5	-26.5
Broadback and Rupert	[03B]	7.1	6.4	4.8	4.5	4.0	-43.7
Eastmain	[03C]	5.9	5.1	4.9	4.7	4.1	-30.5
La Grande, coast	[03D]	4.7	5.2	4.9	4.6	3.9	-17.0
Grande rivière de la Baleine, coast	[03E]	13.0	4.5	3.7	3.8	3.5	-73.1
Eastern Hudson Bay	[03F]	0.0	6.6	4.3	4.1	4.2	...
Northeastern Hudson Bay	[03G]	5.8	5.5	4.8	4.3	4.2	-27.6
Western Ungava Bay	[03H]	5.9	5.3	4.9	4.4	4.4	-25.4
Aux Feuilles, coast	[03J]	6.2	5.8	4.6	4.3	3.8	-38.7
Koksoak	[03K]	4.5	4.6	3.5	3.4	3.0	-33.3
Caniapiscau	[03L]	3.4	4.0	3.9	3.5	2.4	-29.4
Eastern Ungava Bay	[03M]	4.3	5.8	4.7	4.7	4.8	11.6
Northern Labrador	[03N]	4.9	5.0	4.5	4.1	3.6	-26.5
Churchill, N.L.	[03O]	3.8	3.7	3.4	3.1	2.5	-34.2
Central Labrador	[03P]	3.9	3.7	3.6	3.3	2.5	-35.9
Southern Labrador	[03Q]	4.7	4.4	3.8	3.5	2.7	-42.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 18-4

Population per private dwelling by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Southwestern Hudson Bay	[04]	3.3	3.0	2.9	2.8	2.4	-27.3
Hayes, Man.	[04A]	5.6	5.2	5.1	4.8	4.2	-25.0
Southwestern Hudson Bay	[04B]	0.0	0.0	0.0	0.0	0.0	...
Severn	[04C]	4.9	4.5	4.1	3.9	3.4	-30.6
Winisk, coast	[04D]	3.7	4.5	4.5	4.1	3.6	-2.7
Ekwan, coast	[04E]	0.0	0.0	0.0	0.0	0.0	...
Attawapiskat, coast	[04F]	4.3	3.5	3.7	4.2	3.0	-30.2
Upper Albany	[04G]	3.3	4.7	4.9	3.9	2.7	-18.2
Lower Albany, coast	[04H]	5.7	0.0	5.6	5.2	2.8	-50.9
Kenogami	[04J]	3.2	3.2	2.9	2.8	2.3	-28.1
Moose, Ont.	[04K]	4.5	3.9	3.9	3.7	3.5	-22.2
Missinaibi and Mattagami	[04L]	3.2	2.9	2.8	2.6	2.2	-31.2
Abitibi	[04M]	3.2	3.0	2.8	2.7	2.2	-31.2
Harricanaw, coast	[04N]	3.2	3.0	2.8	2.6	2.3	-28.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 18-5

Population per private dwelling by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Nelson River	[05]	2.9	2.8	2.7	2.7	2.4	-17.2
Upper South Saskatchewan	[05A]	3.0	2.9	2.8	2.8	2.5	-16.7
Bow	[05B]	2.9	2.7	2.7	2.7	2.6	-10.3
Red Deer	[05C]	3.0	2.9	2.8	2.8	2.5	-16.7
Upper North Saskatchewan	[05D]	2.6	2.5	2.5	2.5	2.3	-11.5
Central North Saskatchewan	[05E]	3.1	2.9	2.9	2.8	2.6	-16.1
Battle	[05F]	3.1	2.9	2.8	2.8	2.4	-22.6
Lower North Saskatchewan	[05G]	3.0	2.9	2.8	2.7	2.3	-23.3
Lower South Saskatchewan	[05H]	2.8	2.7	2.7	2.6	2.4	-14.3
Qu'Appelle	[05J]	2.8	2.8	2.7	2.6	2.3	-17.9
Saskatchewan	[05K]	3.1	3.0	2.9	2.8	2.3	-25.8
Lake Winnipegosis and Lake Manitoba	[05L]	3.0	2.9	2.7	2.7	2.2	-26.7
Assiniboine	[05M]	2.7	2.6	2.5	2.4	2.2	-18.5
Souris	[05N]	2.9	2.8	2.7	2.6	2.1	-27.6
Red	[05O]	2.9	2.8	2.7	2.7	2.5	-13.8
Winnipeg	[05P]	3.0	2.9	2.8	2.6	1.5	-50.0
English	[05Q]	3.2	3.0	2.8	2.7	2.2	-31.2
Eastern Lake Winnipeg	[05R]	5.2	4.8	4.6	4.2	2.8	-46.2
Western Lake Winnipeg	[05S]	3.0	2.8	2.7	2.6	1.4	-53.3
Grass and Burntwood	[05T]	3.5	3.3	3.1	3.0	2.5	-28.6
Nelson	[05U]	5.2	4.6	4.4	4.3	3.6	-30.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 18-6

Population per private dwelling by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Western and Northern Hudson Bay	[06]	3.9	3.6	3.4	3.4	2.6	-33.3
Beaver, Alta. and Sask.	[06A]	3.5	3.3	3.1	3.1	2.4	-31.4
Upper Churchill, Manitoba	[06B]	4.9	4.6	4.2	3.9	3.0	-38.8
Central Churchill, upper, Manitoba	[06C]	4.1	4.1	3.8	3.7	2.4	-41.5
Reindeer	[06D]	5.2	5.5	5.2	5.1	4.4	-15.4
Central Churchill, lower, Manitoba	[06E]	4.0	3.9	3.8	3.9	2.9	-27.5
Lower Churchill, Manitoba	[06F]	3.2	2.8	2.7	2.6	1.7	-46.9
Seal, coast	[06G]	5.6	3.2	2.9	3.4	1.9	-66.1
Western Hudson Bay, Southern	[06H]	0.0	0.0	0.0	0.0	0.0	...
Thelon	[06J]	0.0	0.0	0.0	0.0	0.0	...
Dubawnt	[06K]	0.0	0.0	0.0	0.0	0.0	...
Kazan	[06L]	0.0	0.0	0.0	0.0	0.0	...
Chesterfield Inlet	[06M]	4.6	4.5	3.9	3.8	3.2	-30.4
Western Hudson Bay, central	[06N]	4.9	4.8	4.1	3.9	3.4	-30.6
Western Hudson Bay, northern	[06O]	8.0	0.0	0.0	0.0	0.0	-100.0
Hudson Bay, Southampton Island	[06P]	5.8	5.9	5.3	4.6	4.0	-31.0
Foxe Basin, Southampton Island	[06Q]	0.0	0.0	0.0	0.0	0.0	...
Foxe Basin, Melville Peninsula	[06R]	6.3	6.0	5.6	4.9	4.3	-31.7
Foxe Basin, Baffin Island	[06S]	8.7	18.3	7.8	6.0	0.0	-100.0
Hudson Strait, Baffin and Southampton Islands	[06T]	5.8	5.0	4.9	4.0	3.6	-37.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 18-7

Population per private dwelling by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Great Slave Lake	[07]	3.3	3.1	3.0	3.0	2.6	-21.2
Upper Athabasca	[07A]	3.1	3.0	2.9	2.9	2.5	-19.4
Central Athabasca, upper	[07B]	3.1	3.0	2.9	2.8	2.4	-22.6
Central Athabasca, lower	[07C]	3.3	3.1	3.0	2.8	2.5	-24.2
Lower Athabasca	[07D]	3.4	3.5	3.3	3.1	3.0	-11.8
Williston Lake	[07E]	3.5	3.3	3.1	3.1	2.5	-28.6
Upper Peace	[07F]	3.2	3.0	2.9	2.8	2.4	-25.0
Smoky	[07G]	3.2	3.1	3.0	3.0	2.7	-15.6
Central Peace, upper	[07H]	3.5	3.3	3.0	3.0	2.7	-22.9
Central Peace, lower	[07J]	4.3	4.0	3.9	3.7	3.2	-25.6
Lower Peace	[07K]	5.7	5.4	5.7	5.7	5.2	-8.8
Fond-du-Lac	[07L]	5.2	5.3	5.2	4.6	4.1	-21.2
Lake Athabasca, shores	[07M]	3.8	3.7	3.5	3.2	2.6	-31.6
Slave	[07N]	3.7	3.3	3.2	3.0	2.2	-40.5
Hay	[07O]	3.6	3.5	3.3	3.2	2.6	-27.8
Southern Great Slave Lake	[07P]	3.8	3.3	3.3	2.9	2.1	-44.7
Great Slave Lake, east arm, south shore	[07Q]	5.5	5.2	4.0	3.6	3.3	-40.0
Lockhart	[07R]	0.0	0.0	0.0	0.0	0.0	...
Northeastern Great Slave Lake	[07S]	3.2	3.2	3.2	3.1	2.6	-18.8
Marian	[07T]	7.9	6.6	5.9	4.8	3.8	-51.9
Western Great Slave Lake	[07U]	3.8	3.7	3.3	3.3	2.2	-42.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 18-8

Population per private dwelling by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Pacific	[08]	2.7	2.6	2.6	2.6	2.4	-11.1
Alsek	[08A]	3.1	3.0	2.7	2.8	2.1	-32.3
Northern coastal waters, B.C.	[08B]	0.0	0.0	2.4	1.8	0.0	...
Stikine, coast	[08C]	4.3	4.0	3.3	3.1	2.1	-51.2
Nass, coast	[08D]	3.6	3.8	3.4	3.4	2.1	-41.7
Skeena, coast	[08E]	3.3	3.1	3.0	2.9	2.5	-24.2
Central coastal waters, B.C.	[08F]	3.4	3.2	3.1	2.9	2.4	-29.4
Southern coastal waters, B.C.	[08G]	2.4	2.3	2.3	2.3	2.1	-12.5
Vancouver Island	[08H]	2.6	2.5	2.5	2.4	2.2	-15.4
Nechako	[08J]	3.2	3.1	3.0	2.9	2.5	-21.9
Upper Fraser	[08K]	3.1	3.0	2.9	2.8	2.4	-22.6
Thompson	[08L]	3.0	2.8	2.7	2.6	2.1	-30.0
Lower Fraser	[08M]	2.9	2.8	2.8	2.8	2.7	-6.9
Columbia	[08N]	2.8	2.6	2.6	2.5	2.2	-21.4
Queen Charlotte Islands	[08O]	3.2	3.1	2.8	2.6	2.0	-37.5
Skagit	[08P]	3.0	0.0	2.4	2.1	0.9	-70.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 18-9

Population per private dwelling by major drainage area and sub-drainage area, 1981 to 2001 — Yukon River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Yukon River	[09]	3.0	2.9	2.8	2.6	2.1	-30.0
Headwaters Yukon	[09A]	3.0	2.9	2.8	2.6	2.2	-26.7
Pelly	[09B]	3.6	3.2	2.6	2.8	1.2	-66.7
Upper Yukon	[09C]	2.9	3.0	2.5	2.4	1.7	-41.4
Stewart	[09D]	3.2	3.1	2.7	2.5	1.7	-46.9
Central Yukon	[09E]	2.9	3.0	2.6	2.7	1.8	-37.9
Porcupine	[09F]	3.4	2.8	2.4	2.6	2.0	-41.2
Tanana	[09H]	0.0	0.0	0.0	0.0	0.0	...
Copper	[09M]	0.0	0.0	0.0	0.0	0.0	...

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 18-10

Population per private dwelling by major drainage area and sub-drainage area, 1981 to 2001 — Arctic

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Arctic	[10]	3.9	3.7	3.5	3.4	2.7	-30.8
Upper Liard	[10A]	3.3	3.0	2.8	2.6	2.0	-39.4
Central Liard	[10B]	3.1	2.2	4.6	9.4	1.6	-48.4
Fort Nelson	[10C]	3.1	3.1	3.0	3.0	2.6	-16.1
Central Liard and Petitot	[10D]	0.0	0.0	2.1	2.3	0.0	...
Lower Liard	[10E]	5.0	3.7	3.6	3.5	2.7	-46.0
Upper Mackenzie, Mills Lake	[10F]	4.7	4.7	3.8	3.3	2.8	-40.4
Upper Mackenzie, Camsell Bend	[10G]	3.8	3.4	3.0	3.0	2.2	-42.1
Central Mackenzie, Blackwater Lake	[10H]	4.5	4.4	3.5	3.5	3.0	-33.3
Great Bear	[10J]	5.4	5.2	4.4	3.8	2.7	-50.0
Central Mackenzie, The Ramparts	[10K]	3.2	2.8	2.7	2.8	2.1	-34.4
Lower Mackenzie	[10L]	3.6	3.4	3.1	3.0	2.4	-33.3
Peel and Southwestern Beaufort Sea	[10M]	4.7	4.2	3.9	3.4	2.2	-53.2
Southern Beaufort Sea	[10N]	5.4	4.5	3.9	3.7	2.7	-50.0
Amundsen Gulf	[10O]	5.3	4.8	4.9	4.0	3.2	-39.6
Coppermine	[10P]	4.2	4.9	0.0	0.0	0.0	-100.0
Coronation Gulf and Queen Maud Gulf	[10Q]	5.1	4.1	4.1	3.6	0.5	-90.2
Back	[10R]	0.0	0.0	0.0	0.0	0.0	...
Gulf of Boothia	[10S]	5.4	5.0	5.0	4.5	4.2	-22.2
Southern Arctic Islands	[10T]	4.7	4.3	4.1	3.7	3.1	-34.0
Baffin Island, Arctic drainage	[10U]	4.5	4.3	4.0	3.6	2.9	-35.6
Northern Arctic Islands	[10V]	5.0	5.7	4.2	5.8	3.4	-32.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 18-11

Population per private dwelling by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Mississippi River	[11]	3.0	2.9	2.8	2.8	2.3	-23.3
Missouri	[11A]	3.0	2.9	2.8	2.8	2.3	-23.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0036.

Table 19

Energy use, by sector, 1990 to 2000

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
	terajoules										
Total, all sectors	8,412,018	8,287,084	8,474,277	8,516,036	8,738,126	8,949,739	9,217,036	9,383,712	9,539,445	9,829,050	10,242,350
Business sector	6,013,878	5,915,933	6,069,722	6,061,356	6,251,620	6,482,896	6,645,011	6,868,367	7,103,135	7,318,339	7,643,573
Crop and animal production	174,297	177,648	179,338	183,937	193,614	231,248	259,202	233,158	211,245	202,291	194,932
Forestry and logging	32,545	27,337	31,344	32,622	35,823	54,798	43,394	53,048	52,352	48,030	61,042
Fishing, hunting and trapping	9,087	9,225	7,985	6,480	13,271	12,542	13,060	20,789	18,797	19,013	18,164
Support activities for agriculture and forestry	5,534	4,736	4,962	5,075	5,951	5,517	5,479	4,964	3,804	7,736	11,740
Oil and gas extraction	616,262	605,295	642,638	648,057	688,856	709,827	697,430	678,282	754,138	916,638	959,851
Coal mining	20,379	21,040	15,867	17,047	16,971	19,291	23,200	24,090	18,699	18,586	16,824
Metal ore mining	104,172	96,222	83,883	78,168	81,845	88,933	88,325	89,357	84,211	71,154	76,365
Non-metallic mineral mining and quarrying	45,216	46,049	41,934	42,917	49,782	51,781	50,844	53,168	52,606	54,927	54,027
Support activities for mining and oil and gas extraction	25,329	22,574	23,914	27,150	27,759	24,020	30,681	38,867	36,183	30,791	33,303
Electric power generation, transmission and distribution	1,198,437	1,210,180	1,307,355	1,203,470	1,224,109	1,280,426	1,268,110	1,401,411	1,586,526	1,568,959	1,728,973
Natural gas distribution, water and other systems	24,176	23,185	28,201	33,678	29,223	31,084	49,150	48,039	29,178	26,401	21,856
Residential building construction	17,536	15,309	15,261	14,132	15,510	12,167	15,533	18,333	16,522	16,803	19,016
Non-residential building construction	15,248	15,635	11,827	10,564	10,462	10,373	12,919	13,721	13,245	16,179	16,838
Transportation engineering construction	37,671	35,887	32,285	31,237	33,002	37,073	31,770	33,061	28,317	27,456	27,634
Oil and gas engineering construction	7,699	11,885	9,069	11,622	15,085	14,573	17,382	21,489	19,308	19,141	22,968
Electric power engineering construction	5,479	6,596	5,650	4,566	3,346	2,826	3,188	2,089	1,554	1,252	1,655
Communication engineering construction	956	1,505	1,163	1,218	862	840	1,482	1,346	858	1,292	1,243
Other engineering construction	2,289	2,726	1,919	2,023	1,719	1,859	2,448	1,499	1,121	1,101	1,309
Repair construction	15,105	13,684	14,525	13,874	15,603	13,368	15,337	17,330	14,897	15,217	16,780
Other activities of the construction industry	4,115	4,253	4,113	4,123	4,499	4,105	4,742	5,305	4,508	4,116	4,274
Animal food manufacturing	8,162	7,986	7,167	8,347	9,875	9,356	9,642	9,297	8,419	7,731	9,196
Sugar and confectionery product manufacturing	6,829	8,031	7,446	7,559	7,997	7,062	8,446	7,907	7,763	8,068	7,785
Fruit and vegetable preserving and specialty food manufacturing	10,245	10,164	8,968	10,211	11,360	12,207	12,321	12,793	13,497	11,421	13,906
Dairy product manufacturing	14,364	13,501	13,345	12,230	14,175	14,664	13,727	12,496	13,779	14,233	12,981
Meat product manufacturing	17,773	17,470	16,039	17,163	20,535	18,260	18,649	16,559	16,788	17,436	20,367
Seafood product preparation and packaging	3,854	4,417	4,472	3,917	4,452	3,949	4,977	3,947	3,835	3,909	4,488
Miscellaneous food manufacturing	34,827	28,619	31,728	33,495	40,336	38,886	38,895	37,202	32,679	31,151	33,768
Soft-drink and ice manufacturing	2,196	2,263	2,238	3,373	3,242	2,816	3,306	3,508	4,017	3,522	3,130
Breweries	7,999	7,138	7,359	6,979	7,177	6,731	6,616	6,332	6,105	6,154	6,460
Wineries	340	463	340	378	286	282	393	334	336	403	349
Distilleries	6,578	5,688	3,761	4,499	4,711	4,445	4,249	3,344	3,664	4,538	3,979
Tobacco manufacturing	1,487	1,204	1,272	1,182	1,271	1,236	1,282	1,189	1,131	1,093	1,050
Textile and textile product mills	22,362	15,788	15,792	15,771	16,545	16,570	16,475	16,051	20,458	17,218	15,446
Clothing manufacturing	6,761	5,429	5,808	5,988	6,103	6,318	6,697	5,429	5,810	5,116	6,945
Leather and allied product manufacturing	1,588	1,329	1,329	1,434	1,492	1,185	1,296	1,323	1,320	1,299	1,261
Wood product manufacturing	41,925	41,558	47,820	54,304	65,171	67,536	66,352	68,808	72,538	73,458	72,400
Pulp, paper and paperboard mills	393,175	392,316	386,148	382,422	408,775	408,139	406,862	408,444	396,903	405,567	408,978
Converted paper products manufacturing	11,656	10,334	10,180	10,410	11,676	11,172	11,377	12,394	11,239	10,792	12,076
Printing and related support activities	11,707	9,218	9,485	9,521	10,269	10,273	11,297	8,921	8,924	8,716	10,909
Petroleum and coal products manufacturing	352,874	332,515	340,161	349,212	342,598	320,277	335,320	323,969	330,585	333,169	312,311
Basic chemical manufacturing	159,876	165,348	155,542	140,338	150,037	141,912	143,603	190,146	174,484	159,478	163,112
Resin, synthetic rubber, and artificial and synthetic fibres and filaments manufacturing	25,185	26,068	24,760	36,432	44,337	48,556	38,876	23,126	32,111	33,976	38,503
Pesticides, fertilizer and other agricultural chemical manufacturing	36,846	37,936	37,951	49,470	42,191	51,429	50,151	61,226	59,459	62,276	62,586
Pharmaceutical and medicine manufacturing	4,245	2,967	3,077	3,304	3,963	3,536	3,803	5,114	6,424	4,542	5,339
Miscellaneous chemical product manufacturing	18,099	12,659	12,868	12,426	13,679	13,093	14,930	16,389	22,971	14,661	16,620
Plastics product manufacturing	20,401	16,581	18,897	19,920	21,336	23,940	24,058	21,770	22,790	20,413	23,745
Rubber product manufacturing	9,922	9,339	9,806	9,600	8,684	8,875	9,564	10,914	11,991	13,551	12,712
Cement and concrete product manufacturing	73,249	60,558	58,810	59,813	66,204	70,186	68,712	68,025	69,062	70,470	69,654
Miscellaneous non-metallic mineral product manufacturing	55,288	47,081	52,243	51,106	57,378	55,485	55,572	58,297	55,127	60,288	56,453
Primary metal manufacturing	464,216	486,378	496,991	521,771	502,033	512,104	527,275	526,700	526,262	540,680	539,997
Fabricated metal product manufacturing	42,711	31,224	32,135	34,004	37,780	36,273	43,786	39,965	39,577	38,404	38,573
Machinery manufacturing	23,055	18,821	18,505	18,261	18,906	20,394	20,761	21,426	18,428	15,533	16,210
Computer and peripheral equipment manufacturing	1,006	804	720	741	834	915	669	838	902	764	934
Electronic product manufacturing	8,155	5,823	6,490	6,655	6,909	7,085	6,851	6,846	7,272	6,494	6,735
Household appliance manufacturing	3,271	2,228	2,132	2,109	2,009	1,952	1,761	1,505	1,487	1,519	1,411
Electrical equipment and component manufacturing	13,346	8,899	9,513	9,735	9,578	8,752	8,952	7,742	7,469	6,602	6,473
Motor vehicle manufacturing	21,849	20,431	22,333	26,012	25,346	25,581	24,860	27,825	27,153	28,652	28,649
Motor vehicle body and trailer manufacturing	2,104	1,425	1,632	1,645	1,909	2,263	2,473	2,018	2,166	1,896	2,600
Motor vehicle parts manufacturing	23,305	19,651	19,951	21,444	23,813	24,113	24,577	24,591	21,336	22,062	23,855
Aerospace product and parts manufacturing	9,001	6,955	5,327	5,190	5,504	6,208	6,228	5,314	5,713	5,212	5,088
Railroad rolling stock manufacturing	3,107	2,398	2,380	2,295	1,827	2,019	2,601	1,668	2,141	2,488	1,847
Ship and boat building	2,064	1,703	1,854	1,693	1,687	1,512	1,521	1,395	1,179	1,181	1,174
Other transportation equipment manufacturing	144	210	326	436	432	473	453	663	588	347	481
Furniture and related product manufacturing	11,908	7,535	8,664	9,412	9,528	9,916	9,511	8,590	8,098	8,700	10,797
Miscellaneous manufacturing	7,328	4,538	4,851	4,861	5,247	5,130	5,656	3,999	5,909	6,217	6,174
Wholesale trade	120,219	122,858	124,562	131,599	144,872	148,674	183,018	187,772	200,684	233,522	271,231
Retail trade	183,871	193,243	184,259	183,809	187,260	191,403	212,395	221,766	214,399	240,734	272,745
Air transportation	171,758	152,139	152,147	149,582	163,819	181,011	193,925	199,678	224,150	223,425	220,723
Rail transportation	96,122	82,455	82,946	81,212	83,942	83,345	83,103	91,440	85,467	79,664	78,379
Water transportation	48,760	50,495	44,322	48,335	45,609	46,740	42,515	51,929	51,044	48,531	52,848

Table 19 – continued

Energy use, by sector, 1990 to 2000

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
	terajoules										
Truck transportation	210,792	198,968	218,736	230,153	232,508	247,764	254,808	273,111	264,390	278,598	271,126
Transit and ground passenger transportation	60,499	59,057	59,501	58,616	62,983	55,526	50,572	41,385	44,991	42,022	43,707
Pipeline transportation	141,063	155,916	199,823	210,205	220,111	241,938	249,950	254,112	252,522	254,450	227,902
Scenic and sightseeing transportation and support activities for transport	16,835	17,756	17,405	17,378	16,934	20,277	23,482	20,427	16,939	17,711	16,298
Postal service and couriers and messengers	12,159	13,524	14,770	14,815	15,533	16,386	18,412	17,483	18,547	19,619	19,043
Warehousing and storage	4,465	4,633	4,371	4,787	4,908	4,806	4,536	5,921	5,072	4,627	4,504
Motion picture and sound recording industries	9,223	11,626	11,466	12,303	11,122	12,987	17,746	19,040	17,151	16,689	15,308
Radio and television broadcasting	1,009	1,159	1,088	1,033	1,029	851	1,167	1,369	1,325	1,084	916
Pay television, specialty television and program distribution and telecommunications	15,870	13,186	11,794	14,716	16,644	21,037	25,575	14,930	15,484	13,933	14,537
Publishing industries, information services and data processing service	3,316	3,385	3,729	3,963	4,173	3,841	3,527	2,698	7,383	5,122	5,085
Monetary authorities and depository credit intermediation	21,564	23,143	22,276	21,090	20,357	22,433	21,328	37,231	37,272	36,316	41,872
Insurance carriers	5,553	4,860	5,705	5,741	5,683	6,399	6,758	7,215	6,695	2,712	2,249
Lessors of real estate	188,172	192,655	171,937	174,907	171,019	208,098	184,809	164,731	172,386	185,004	226,575
Owner-occupied dwellings
Rental and leasing services and lessors of non-financial intangible associations	30,304	24,949	27,230	21,859	20,171	17,877	18,843	17,011	29,764	26,357	28,502
Other finance, insurance and real estate and management of companies	54,909	48,620	48,519	49,154	51,357	50,481	57,352	54,805	55,779	59,256	62,199
Advertising and related services	2,444	2,734	2,777	2,457	2,630	2,704	3,203	3,560	3,694	3,748	3,727
Architectural, engineering, legal and accounting services	8,166	9,106	9,176	9,456	9,149	9,415	10,372	17,710	17,684	20,012	20,135
Other professional, scientific and technical services	8,631	9,760	9,572	8,697	9,042	9,620	11,760	14,804	13,923	23,602	25,610
Administrative and support services	11,236	12,408	12,168	11,373	11,730	14,004	16,522	18,091	20,732	29,198	29,715
Waste management and remediation services	28,140	29,581	26,959	20,063	9,499	11,975	15,091	18,046	19,427	14,203	18,677
Educational services (except universities)	3,577	3,982	3,929	3,755	3,285	3,190	5,079	6,152	11,567	13,931	12,987
Health care services (except hospitals) and social assistance	28,692	28,965	27,478	26,354	25,398	26,837	30,163	37,749	37,171	37,124	43,367
Arts, entertainment and recreation	11,792	12,801	12,665	11,593	11,446	11,705	12,520	12,372	13,182	13,596	14,124
Accommodation and food services	65,859	68,389	65,529	62,671	61,129	54,874	64,587	79,626	76,331	74,845	73,386
Repair and maintenance	20,877	20,535	19,358	19,711	20,531	20,970	24,498	21,217	33,279	40,564	42,990
Grant-making, civic, and professional and similar organizations	1,464	1,700	1,794	1,844	1,869	1,659	1,620	1,255	693	743	785
Personal and laundry services and private households	14,188	15,262	16,306	15,848	15,345	14,446	15,770	19,932	17,400	17,166	16,497
Operating supplies
Office supplies
Cafeteria supplies
Laboratory supplies
Travel and entertainment	54,434	62,120	63,581	73,247	74,046	69,905	70,944	78,111	78,654	81,753	79,521
Advertising and promotion
Transportation margins
Non-business sector	422,403	432,538	411,746	393,698	366,627	375,797	381,814	365,914	369,501	376,545	411,012
Religious organizations	17,564	19,698	19,259	18,294	16,073	16,371	19,429	20,505	19,520	21,843	23,550
Non-profit welfare organization	3,043	3,269	3,731	3,812	3,508	3,485	3,995	4,119	4,462	4,860	4,714
Non-profit sports and recreation clubs	3,276	3,363	3,150	3,039	3,042	3,050	3,013	3,299	3,558	6,484	5,790
Other non-profit institutions serving households	14,624	15,353	15,479	15,844	14,368	14,939	17,049	19,599	17,607	17,745	17,926
Non-profit education services	4,842	5,501	5,395	4,849	4,308	5,222	6,851	7,763	7,305	8,511	9,546
Hospitals	26,888	27,230	24,890	22,074	19,699	30,109	25,891	29,626	28,252	31,618	39,353
Government residential care facilities	2,944	3,381	3,252	2,840	2,786	2,655	2,716	2,365	2,162	2,134	2,464
Universities	23,945	25,018	25,978	25,112	23,787	24,324	25,177	26,339	26,828	30,045	37,083
Government education services	87,264	90,410	84,413	83,540	75,675	76,726	80,802	61,801	74,701	75,452	85,124
Other municipal government services	85,235	84,575	78,918	78,843	77,621	80,888	87,023	86,127	92,120	83,613	86,314
Other provincial and territorial government services	63,136	72,067	68,763	60,179	54,901	48,031	41,922	42,999	40,690	43,579	43,994
Other federal government services and defence services	89,643	82,675	78,517	75,272	70,858	69,996	67,946	61,372	52,297	50,660	55,154
Household sector	1,975,737	1,938,613	1,992,809	2,060,982	2,119,879	2,091,046	2,190,211	2,149,431	2,066,808	2,134,166	2,187,765
Heating, lighting and appliances	1,193,833	1,172,753	1,209,315	1,254,057	1,283,710	1,255,434	1,352,009	1,290,364	1,178,038	1,228,065	1,282,480
Motor fuels and lubricants	781,904	765,860	783,494	806,925	836,169	835,612	838,202	859,067	888,770	906,101	905,285

Source: CANSIM table 153-0032.

Table 20

Energy use intensity by sector, 1990 to 2000

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
	gigajoules per thousand dollars										
Crop and animal production	18.7	20.6	21.6	19.7	18.7	18.4	17.6	17.9	17.1	16.3	15.5
Forestry and logging	11.8	12.0	12.2	10.7	10.5	11.7	10.2	11.6	11.2	10.8	10.8
Fishing, hunting and trapping	11.8	12.6	11.4	9.6	13.6	12.1	13.6	19.1	18.3	15.8	14.2
Support activities for agriculture and forestry	11.8	10.9	11.3	10.8	10.5	9.9	9.4	9.4	7.5	9.9	11.7
Oil and gas extraction	32.5	37.1	36.9	33.7	31.9	33.4	26.1	25.5	34.2	29.8	17.6
Coal mining	18.2	19.2	18.8	17.0	17.2	17.0	18.0	18.3	16.6	19.8	17.2
Metal ore mining	17.8	19.5	18.8	20.0	17.9	15.5	16.0	16.8	18.3	16.8	14.4
Non-metallic mineral mining and quarrying	22.9	23.8	22.7	22.4	21.7	20.4	20.3	19.2	17.9	16.4	16.0
Support activities for mining and oil and gas extraction	14.9	14.4	17.0	16.1	13.5	12.1	11.7	11.7	12.1	11.8	9.6
Electric power generation, transmission and distribution	62.6	57.5	57.9	51.1	49.5	50.2	49.0	53.4	60.8	57.5	57.1
Natural gas distribution, water and other systems	12.3	10.7	12.1	13.5	11.6	11.2	15.0	14.9	9.8	8.8	7.5
Residential building construction	8.9	9.4	9.7	9.4	9.1	8.5	8.3	8.0	8.2	7.7	6.9
Non-residential building construction	7.9	8.4	8.6	8.6	8.3	7.7	7.6	7.0	7.0	7.0	6.2
Transportation engineering construction	18.6	19.4	18.9	18.1	17.6	16.9	15.6	15.0	14.5	13.9	12.4
Oil and gas engineering construction	11.6	12.3	12.9	12.0	11.2	10.0	10.7	10.2	10.5	10.5	8.6
Electric power engineering construction	7.0	7.1	7.3	7.1	6.7	6.3	6.4	5.3	5.3	5.1	4.6
Communication engineering construction	7.6	8.7	8.6	8.5	8.2	7.7	7.6	7.5	7.6	7.6	6.7
Other engineering construction	8.2	8.7	9.1	8.8	8.1	7.7	7.5	6.7	6.6	6.4	5.5
Repair construction	8.1	8.3	8.6	8.2	7.9	7.1	6.8	6.4	6.3	5.9	5.2
Other activities of the construction industry	9.5	10.4	10.4	10.4	10.0	9.4	9.7	13.9	12.4	12.5	11.6
Animal food manufacturing	15.6	16.2	16.4	15.7	15.3	14.7	14.5	13.9	13.1	12.3	11.8
Sugar and confectionery product manufacturing	9.7	11.0	10.2	9.6	9.5	8.4	8.5	8.3	7.9	7.6	7.5
Fruit and vegetable preserving and specialty food manufacturing	13.1	12.5	12.7	12.5	12.6	11.7	11.2	10.8	11.6	10.1	9.9
Dairy product manufacturing	15.5	16.3	17.0	15.9	15.4	15.2	13.9	13.8	13.3	12.8	11.9
Meat product manufacturing	15.9	16.7	17.1	16.3	15.7	15.1	14.4	14.3	13.3	13.3	12.5
Seafood product preparation and packaging	10.5	11.1	11.4	10.2	11.2	10.5	11.8	13.8	13.1	11.4	10.6
Miscellaneous food manufacturing	12.0	10.8	11.2	11.3	11.4	10.8	10.9	11.1	10.4	10.4	9.8
Soft-drink and ice manufacturing	10.7	11.1	10.3	11.0	11.4	11.3	10.8	10.4	10.5	9.9	8.5
Breweries	8.9	8.1	8.5	8.1	7.5	6.8	6.6	6.5	6.6	6.1	5.8
Wineries	10.8	12.0	11.3	11.3	10.0	10.1	8.7	8.7	9.0	8.4	6.4
Distilleries	16.3	15.2	12.6	14.1	13.2	12.3	11.3	10.6	10.2	12.2	9.8
Tobacco manufacturing	8.4	8.3	8.6	8.2	6.8	6.0	6.0	5.9	4.9	5.0	4.9
Textile and textile product mills	16.1	14.9	15.6	14.7	14.2	12.9	12.1	11.6	12.6	11.5	10.0
Clothing manufacturing	9.2	8.6	9.0	8.6	8.3	7.6	7.3	6.7	7.2	6.5	6.2
Leather and allied product manufacturing	9.2	9.4	9.3	9.2	8.5	8.1	8.4	8.2	8.5	7.6	6.5
Wood product manufacturing	12.8	13.5	13.4	11.4	10.5	11.5	10.5	10.8	11.1	9.8	9.4
Pulp, paper and paperboard mills	36.1	41.7	43.2	40.5	35.2	24.8	27.6	30.2	30.6	29.7	24.9
Converted paper products manufacturing	20.5	21.8	22.7	21.1	19.0	15.1	15.1	15.2	15.6	14.7	12.9
Printing and related support activities	13.5	14.7	14.3	14.0	13.0	11.1	11.4	11.7	11.9	11.0	9.3
Petroleum and coal products manufacturing	47.8	48.2	53.1	51.5	48.2	46.1	38.9	38.3	47.9	41.2	25.3
Basic chemical manufacturing	39.2	44.9	45.3	40.9	36.5	30.5	32.0	37.0	38.4	36.1	29.1
Resin, synthetic rubber, and artificial and synthetic fibres and filaments manufacturing	26.1	28.5	28.4	29.2	27.2	23.4	21.6	20.7	22.8	23.1	21.1
Pesticides, fertilizer and other agricultural chemical manufacturing	45.8	52.0	50.8	52.8	42.2	37.8	31.6	33.9	35.0	37.0	36.3
Pharmaceutical and medicine manufacturing	6.1	6.0	6.6	6.4	6.7	6.2	6.2	7.8	8.6	7.5	6.1
Miscellaneous chemical product manufacturing	14.3	13.8	14.4	13.7	12.9	11.5	11.9	13.6	14.9	13.2	11.7
Plastics product manufacturing	16.4	16.6	16.7	16.1	15.3	14.0	12.7	12.1	13.0	12.1	11.0
Rubber product manufacturing	14.5	15.4	14.6	13.3	11.6	11.2	10.5	10.3	11.2	11.0	10.2
Cement and concrete product manufacturing	31.0	31.8	33.7	33.2	33.1	32.9	29.9	27.4	26.7	26.1	22.1
Miscellaneous non-metallic mineral product manufacturing	28.0	28.3	30.3	28.5	28.7	25.6	23.5	24.0	22.5	23.1	19.7
Primary metal manufacturing	38.2	42.9	44.1	43.5	37.1	32.5	33.3	31.0	31.6	30.9	27.5
Fabricated metal product manufacturing	17.8	18.6	19.5	19.5	17.5	15.4	15.4	14.0	14.2	13.0	11.0
Machinery manufacturing	12.0	12.8	13.2	12.2	11.3	10.1	9.9	9.3	9.3	8.4	7.5
Computer and peripheral equipment manufacturing	6.3	7.0	7.9	6.3	5.9	6.7	7.0	5.4	5.1	5.4	4.9
Electronic product manufacturing	6.3	5.9	6.2	5.9	5.8	5.3	5.4	5.6	5.7	4.5	4.5
Household appliance manufacturing	13.4	13.5	13.8	14.3	12.6	11.9	9.7	9.6	9.9	9.9	9.0
Electrical equipment and component manufacturing	14.7	15.9	16.8	15.8	14.3	13.5	12.2	12.2	11.5	10.8	9.0
Motor vehicle manufacturing	13.7	14.2	14.9	13.9	12.0	10.8	10.4	10.4	10.2	9.1	8.2
Motor vehicle body and trailer manufacturing	13.4	14.5	14.3	13.9	12.7	12.2	11.3	10.7	11.1	10.7	9.1
Motor vehicle parts manufacturing	16.3	16.9	17.8	16.5	14.3	12.8	12.1	11.5	11.3	11.0	10.0
Aerospace product and parts manufacturing	9.5	9.8	8.4	7.8	7.1	6.0	6.1	5.9	6.3	5.7	5.0
Railroad rolling stock manufacturing	12.1	11.2	12.7	13.9	10.5	11.8	14.1	12.1	11.9	9.9	9.0
Ship and boat building	9.9	9.3	9.8	7.4	8.0	7.3	7.9	8.5	10.7	9.8	8.7
Other transportation equipment manufacturing	8.5	9.3	9.9	9.1	7.8	6.9	6.8	6.3	6.4	5.7	6.1
Furniture and related product manufacturing	10.5	10.5	10.5	10.2	9.3	8.7	8.3	8.0	8.1	7.5	7.0
Miscellaneous manufacturing	13.1	13.1	13.6	14.8	11.9	10.5	10.1	9.8	10.6	10.0	8.6
Wholesale trade	6.5	6.6	6.8	6.8	6.7	6.3	6.7	6.4	6.6	6.7	6.8
Retail trade	7.8	7.9	8.0	7.6	7.4	7.3	7.5	7.1	6.8	6.9	6.8
Air transportation	30.8	29.6	29.7	28.6	27.5	27.7	26.8	26.0	27.1	24.7	23.1
Rail transportation	24.1	22.0	22.7	21.7	20.2	20.6	19.2	18.4	18.1	16.6	14.8
Water transportation	33.8	34.5	33.5	33.8	32.0	30.7	29.0	34.3	33.0	31.7	30.1
Truck transportation	24.1	24.8	26.0	24.9	22.6	21.1	21.3	21.4	20.1	20.4	17.7
Transit and ground passenger transportation	21.9	22.0	21.2	20.5	20.1	18.0	16.4	14.0	15.2	13.9	13.1

Table 20 – continued

Energy use intensity by sector, 1990 to 2000

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
	Gigajoules per thousand dollars										
Pipeline transportation	51.5	50.3	58.2	59.9	58.6	56.2	55.1	55.1	53.1	48.2	40.6
Scenic and sightseeing transportation and support activities for transport	10.5	10.7	11.0	10.1	9.7	9.7	9.8	8.7	7.8	6.9	6.5
Postal service and couriers and messengers	7.0	7.3	7.4	7.5	7.2	7.2	7.0	6.8	7.2	7.1	6.5
Warehousing and storage	8.3	8.6	8.9	9.2	8.5	7.3	6.8	7.4	7.0	6.0	5.5
Motion picture and sound recording industries	11.4	12.3	12.4	11.5	10.5	10.4	11.6	11.0	9.9	9.2	8.5
Radio and television broadcasting	4.8	4.9	4.8	4.7	4.3	4.3	5.0	5.3	5.1	4.4	4.1
Pay television, specialty television and program distribution and telecommunications	3.2	2.8	2.7	2.9	3.0	3.2	3.5	3.1	3.2	2.8	2.8
Publishing industries, information services and data processing service	6.8	7.0	7.0	6.7	6.1	5.4	5.4	4.7	6.4	5.7	5.2
Monetary authorities and depository credit intermediation	3.4	3.3	3.2	3.0	2.7	2.8	2.6	3.1	3.1	3.3	3.1
Insurance carriers	3.9	3.6	3.8	3.6	3.4	3.1	3.2	3.0	2.9	2.6	2.3
Lessors of real estate	10.1	9.8	9.4	8.9	8.7	9.5	8.5	7.4	7.7	7.3	7.9
Owner-occupied dwellings	0.6	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4
Rental and leasing services and lessors of non-financial intangible associations	9.0	8.0	8.8	7.6	6.8	5.7	5.8	5.1	6.6	5.6	5.6
Other finance, insurance and real estate and management of companies	7.4	7.0	7.1	6.8	6.6	6.3	6.4	5.8	5.9	5.4	5.0
Advertising and related services	5.2	5.4	5.3	4.8	4.7	4.6	4.6	4.7	5.2	4.7	4.2
Architectural, engineering, legal and accounting services	3.1	3.2	3.3	3.4	3.1	3.0	3.1	3.5	3.5	3.7	3.4
Other professional, scientific and technical services	3.8	4.0	4.1	3.9	3.9	3.6	3.7	4.2	4.1	4.1	4.1
Administrative and support services	3.4	3.5	3.5	3.1	3.0	3.1	3.4	3.5	3.7	4.0	3.9
Waste management and remediation services	26.8	26.3	24.3	17.6	10.2	10.3	11.1	12.0	12.5	9.7	10.5
Educational services (except universities)	12.2	12.4	12.3	11.2	10.2	9.7	7.2	6.0	7.9	8.1	7.4
Health care services (except hospitals) and social assistance	4.4	4.3	4.0	3.8	3.5	3.4	3.5	4.0	4.3	4.0	3.8
Arts, entertainment and recreation	7.3	7.4	7.4	6.9	6.4	6.2	5.9	5.4	5.8	5.4	5.1
Accommodation and food services	7.9	8.2	8.2	7.8	7.5	6.8	7.1	7.5	7.3	6.9	6.5
Repair and maintenance	6.8	7.0	7.0	6.7	6.5	6.3	6.7	6.1	7.8	7.9	7.7
Grant-making, civic, and professional and similar organizations	5.8	5.7	5.6	6.0	5.8	5.0	4.5	2.9	1.9	2.2	3.8
Personal and laundry services and private households	5.4	5.9	6.2	5.9	5.4	4.9	5.1	5.8	5.6	5.3	4.9
Operating supplies	11.4	12.7	13.2	12.6	11.7	10.7	10.3	10.6	10.6	10.1	9.0
Office supplies	11.3	12.6	12.6	12.4	11.7	9.9	10.2	10.2	10.5	9.7	8.2
Cafeteria supplies	14.1	14.4	14.8	14.3	13.8	13.2	12.6	12.7	12.3	11.9	11.4
Laboratory supplies	10.9	11.6	11.7	11.1	10.6	9.5	9.6	10.3	10.7	9.7	8.7
Travel and entertainment	19.4	19.6	19.6	19.4	18.6	16.9	16.8	16.2	16.6	16.0	14.6
Advertising and promotion	6.6	7.0	6.8	6.6	6.1	5.6	5.7	5.8	6.3	5.7	5.3
Transportation margins	23.6	23.4	24.2	22.9	21.2	20.4	20.0	19.7	18.8	18.4	16.3
Religious organizations	10.6	11.0	10.6	9.8	8.9	8.8	9.5	9.8	9.6	9.7	9.6
Non-profit welfare organization	6.6	6.6	6.8	6.0	5.2	4.9	5.2	5.1	5.3	5.0	4.7
Non-profit sports and recreation clubs	11.5	11.1	10.8	10.4	10.1	9.8	8.7	9.1	9.1	11.2	10.2
Other non-profit institutions serving households	9.2	8.8	8.6	8.1	7.2	7.1	7.3	7.3	7.0	6.4	7.1
Non-profit education services	8.3	8.4	8.1	7.2	6.5	6.8	7.3	7.5	7.4	7.7	7.8
Hospitals	3.9	3.8	3.7	3.3	3.1	3.6	3.4	3.6	3.8	3.7	3.7
Government residential care facilities	3.3	3.4	3.4	3.1	2.9	2.5	2.7	2.3	2.1	2.2	2.1
Universities	6.2	6.0	6.0	5.7	5.4	5.1	5.3	5.5	5.7	5.7	5.9
Government education services	5.6	5.3	5.0	4.7	4.4	4.3	4.4	3.7	4.1	3.9	3.9
Other municipal government services	8.6	8.1	7.5	7.0	6.7	6.7	6.8	6.7	7.1	6.5	6.5
Other provincial and territorial government services	5.7	5.8	5.6	5.2	4.9	4.4	4.3	4.5	4.7	4.4	4.2
Other federal government services and defence services	6.7	6.3	6.2	6.0	5.7	5.4	5.4	5.0	4.7	4.4	4.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0039.

Table 21

Greenhouse gas emissions by sector, 1990 to 2000

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
	kilotonnes										
Total, all sectors	581,135	563,321	577,306	577,113	596,695	613,840	629,113	639,526	645,810	657,736	678,817
Business sector	467,441	452,129	463,642	460,397	478,172	495,875	506,092	519,076	528,825	537,200	555,016
Crop and animal production	69,359	60,497	60,657	61,142	63,954	66,476	68,058	65,266	63,915	63,455	62,414
Forestry and logging	3,175	2,834	2,827	3,215	3,430	4,938	3,835	4,350	4,298	4,060	4,999
Fishing, hunting and trapping	666	673	582	470	978	914	943	1,530	1,386	1,393	1,334
Support activities for agriculture and forestry	378	316	337	348	409	388	386	339	261	565	874
Oil and gas extraction	60,350	60,531	65,428	66,901	70,839	74,699	75,906	74,994	79,838	90,752	94,304
Coal mining	3,153	3,348	2,780	2,864	2,848	2,963	3,270	3,188	2,582	2,327	2,024
Metal ore mining	4,214	3,819	3,146	2,915	3,219	3,462	3,538	3,600	3,838	3,135	3,414
Non-metallic mineral mining and quarrying	1,993	2,129	1,861	1,928	2,233	2,378	2,326	2,441	2,436	2,578	2,575
Support activities for mining and oil and gas extraction	1,529	1,289	1,443	1,572	1,659	1,381	1,754	2,295	2,207	1,852	1,941
Electric power generation, transmission and distribution	92,442	93,615	100,112	91,020	92,678	96,668	95,644	106,628	118,373	115,769	126,257
Natural gas distribution, water and other systems	3,943	3,981	4,297	4,503	4,364	4,489	5,442	5,449	4,700	4,666	4,478
Residential building construction	1,214	1,061	1,045	971	1,078	839	1,092	1,293	1,160	1,175	1,341
Non-residential building construction	1,060	1,088	800	721	714	705	908	955	927	1,129	1,186
Transportation engineering construction	2,839	2,718	2,436	2,375	2,516	2,809	2,427	2,513	2,162	2,087	2,106
Oil and gas engineering construction	569	882	667	865	1,117	1,078	1,309	1,605	1,439	1,428	1,716
Electric power engineering construction	398	482	409	335	245	207	236	153	113	91	121
Communication engineering construction	66	109	82	88	60	60	109	95	59	89	87
Other engineering construction	135	173	115	124	96	107	152	90	64	62	77
Repair construction	1,117	1,000	1,054	1,009	1,146	971	1,127	1,276	1,104	1,120	1,243
Other activities of the construction industry	263	272	262	266	296	272	318	364	294	270	284
Animal food manufacturing	347	339	296	347	408	388	386	328	317	305	374
Sugar and confectionery product manufacturing	329	409	346	359	372	315	384	336	384	373	363
Fruit and vegetable preserving and specialty food manufacturing	480	519	422	479	536	606	611	594	601	493	680
Dairy product manufacturing	647	589	572	512	587	617	556	488	548	550	527
Meat product manufacturing	745	723	629	667	832	711	686	611	602	643	754
Seafood product preparation and packaging	143	192	187	149	171	147	147	104	123	126	160
Miscellaneous food manufacturing	1,518	1,156	1,289	1,352	1,664	1,546	1,576	1,458	1,303	1,233	1,353
Soft-drink and ice manufacturing	101	102	111	166	150	129	153	178	203	175	142
Breweries	362	309	314	291	300	276	277	266	256	259	281
Wineries	13	19	12	14	10	9	14	12	12	15	12
Distilleries	309	265	171	207	224	204	199	159	173	239	212
Tobacco manufacturing	54	38	40	36	38	38	38	35	32	30	29
Textile and textile product mills	936	576	547	553	585	559	564	533	640	571	538
Clothing manufacturing	238	166	169	171	176	189	204	151	163	153	263
Leather and allied product manufacturing	59	47	43	46	48	36	39	43	43	43	40
Wood product manufacturing	1,436	1,412	1,578	1,841	2,294	2,393	2,438	2,381	2,403	2,348	2,427
Pulp, paper and paperboard mills	13,945	13,780	12,596	12,505	13,547	12,923	12,859	12,462	11,480	11,480	11,248
Converted paper products manufacturing	505	424	391	400	461	447	436	451	437	388	406
Printing and related support activities	423	297	284	292	308	310	364	274	266	248	348
Petroleum and coal products manufacturing	22,551	21,481	21,884	22,933	22,046	21,300	22,819	21,754	22,829	23,168	21,812
Basic chemical manufacturing	9,960	10,628	10,987	9,414	11,182	11,031	9,683	12,236	9,075	8,934	8,387
Resin, synthetic rubber, and artificial and synthetic fibres and filaments manufacturing	11,779	11,073	10,890	10,671	12,886	12,877	13,118	10,595	6,348	3,389	2,553
Pesticides, fertilizer and other agricultural chemical manufacturing	7,453	7,430	7,612	8,715	8,409	9,652	9,631	10,281	10,123	10,481	10,556
Pharmaceutical and medicine manufacturing	309	225	110	115	139	122	127	157	246	122	156
Miscellaneous chemical product manufacturing	912	614	657	642	619	609	782	680	1,065	591	623
Plastics product manufacturing	643	442	468	483	539	553	534	503	522	428	555
Rubber product manufacturing	389	364	385	380	294	290	316	399	442	483	447
Cement and concrete product manufacturing	10,044	8,648	8,437	8,805	9,872	10,368	10,401	10,477	10,718	11,156	11,213
Miscellaneous non-metallic mineral product manufacturing	4,809	4,198	4,511	4,447	4,844	4,726	4,689	4,894	4,741	5,089	4,816
Primary metal manufacturing	22,320	23,997	24,431	24,742	23,539	23,641	24,214	24,559	25,657	25,124	24,989
Fabricated metal product manufacturing	1,799	1,235	1,226	1,316	1,461	1,410	1,714	1,586	1,484	1,411	1,535
Machinery manufacturing	924	734	694	681	687	739	760	772	625	576	626
Computer and peripheral equipment manufacturing	22	15	11	12	16	14	15	19	22	18	22
Electronic product manufacturing	258	139	147	154	160	144	142	145	185	124	143
Household appliance manufacturing	134	84	78	80	74	73	65	57	63	56	56
Electrical equipment and component manufacturing	558	345	351	358	369	379	375	353	301	236	224
Motor vehicle manufacturing	951	854	907	1,052	1,058	1,062	1,050	1,155	1,363	1,204	1,202
Motor vehicle body and trailer manufacturing	90	60	66	65	75	93	103	87	99	77	114
Motor vehicle parts manufacturing	838	667	651	686	786	784	809	797	646	652	768
Aerospace product and parts manufacturing	427	290	177	163	169	205	207	184	212	159	157
Railroad rolling stock manufacturing	128	85	84	80	57	64	91	62	92	90	68
Ship and boat building	86	73	71	65	58	54	50	55	43	31	39
Other transportation equipment manufacturing	5	7	9	16	14	17	13	29	27	11	19
Furniture and related product manufacturing	458	263	289	319	317	339	358	281	266	285	384
Miscellaneous manufacturing	296	166	172	172	177	178	199	158	223	235	258
Wholesale trade	7,214	7,259	7,412	7,691	8,374	8,595	10,531	10,763	11,853	14,020	16,065
Retail trade	7,526	7,744	7,126	7,192	7,400	7,678	8,853	9,344	8,989	10,398	12,094
Air transportation	12,330	10,908	10,859	10,683	11,712	12,944	13,875	14,320	15,653	15,593	15,430
Rail transportation	7,530	6,455	6,480	6,365	6,568	6,540	6,519	7,177	6,798	6,302	6,240
Water transportation	3,683	3,817	3,345	3,667	3,474	3,545	3,207	3,789	3,755	3,588	3,917

Table 21 – continued

Greenhouse gas emissions by sector, 1990 to 2000

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
	kilotonnes										
Truck transportation	14,782	13,937	15,318	16,174	16,323	17,396	17,862	19,265	18,880	19,922	19,334
Transit and ground passenger transportation	3,911	3,774	3,834	3,817	4,150	3,614	3,236	2,658	2,925	2,699	2,808
Pipeline transportation	11,331	12,193	14,725	15,301	15,890	17,212	17,718	17,890	17,622	17,741	16,711
Scenic and sightseeing transportation and support activities for transport	998	1,065	1,036	1,050	1,012	1,180	1,366	1,084	858	893	795
Postal service and couriers and messengers	747	823	913	926	982	1,021	1,166	1,126	1,214	1,281	1,231
Warehousing and storage	243	233	229	251	263	253	232	308	258	232	218
Motion picture and sound recording industries	421	538	533	579	515	614	843	915	815	785	709
Radio and television broadcasting	51	53	51	46	46	38	41	47	49	42	34
Pay television, specialty television and program distribution and telecommunications	786	622	570	707	807	1,043	1,273	832	882	750	783
Publishing industries, information services and data processing service	110	117	116	119	122	114	101	71	198	141	132
Monetary authorities and depository credit intermediation	909	974	959	899	842	969	918	1,483	1,495	1,441	1,657
Insurance carriers	217	194	231	224	216	251	274	300	274	149	126
Lessors of real estate	7,614	7,595	6,608	6,777	6,407	8,207	6,860	5,752	6,146	6,564	8,635
Owner-occupied dwellings
Rental and leasing services and lessors of non-financial intangible associations	2,040	1,666	1,809	1,456	1,352	1,175	1,227	1,076	1,778	1,626	1,737
Other finance, insurance and real estate and management of companies	2,603	2,129	2,210	2,232	2,351	2,375	2,759	2,712	2,758	2,902	2,976
Advertising and related services	131	145	146	129	138	145	168	214	212	217	212
Architectural, engineering, legal and accounting services	355	391	408	426	422	431	477	872	844	934	928
Other professional, scientific and technical services	388	437	428	387	396	428	519	715	615	1,114	1,202
Administrative and support services	521	582	582	564	585	749	880	1,039	1,194	1,734	1,748
Waste management and remediation services	1,882	1,982	1,801	1,369	690	858	1,081	1,292	1,401	1,023	1,350
Educational services (except universities)	143	160	157	148	125	124	198	252	579	745	657
Health care services (except hospitals) and social assistance	1,099	1,078	1,094	1,037	992	1,075	1,198	1,366	1,247	1,249	1,586
Arts, entertainment and recreation	239	263	278	259	253	265	291	324	326	349	341
Accommodation and food services	2,357	2,447	2,378	2,231	2,121	1,812	2,271	2,830	2,617	2,465	2,402
Repair and maintenance	1,004	969	887	920	969	1,000	1,196	1,039	1,599	1,870	1,942
Grant-making, civic, and professional and similar organizations	72	81	86	91	94	83	78	60	31	33	35
Personal and laundry services and private households	663	698	750	738	709	636	693	864	721	696	612
Operating supplies	62	54	54	40	33	24	27	34	12	13	26
Office supplies
Cafeteria supplies
Laboratory supplies
Travel and entertainment	3,885	4,457	4,587	5,320	5,404	5,110	5,186	5,697	5,669	5,877	5,688
Advertising and promotion
Transportation margins
Non-business sector	16,736	16,671	16,190	14,986	13,631	14,337	14,595	13,793	14,156	14,616	16,138
Religious organizations	591	716	730	656	546	559	712	778	727	856	936
Non-profit welfare organization	76	77	92	98	88	88	105	106	116	127	122
Non-profit sports and recreation clubs	86	93	88	76	73	72	95	107	116	237	198
Other non-profit institutions serving households	305	325	372	387	337	333	409	511	426	484	464
Non-profit education services	175	203	199	175	146	183	250	292	268	329	368
Hospitals	906	841	765	642	540	904	820	833	754	841	1,196
Government residential care facilities	96	119	119	94	89	88	95	86	80	86	103
Universities	1,016	1,059	1,171	1,104	1,028	1,053	1,058	1,098	1,102	1,253	1,577
Government education services	3,382	3,394	3,157	3,037	2,636	2,737	2,854	2,115	2,863	3,010	3,555
Other municipal government services	2,530	2,460	2,404	2,352	2,258	2,425	2,777	2,812	3,124	2,920	2,961
Other provincial and territorial government services	2,443	2,889	2,757	2,334	2,114	2,115	1,762	1,721	1,596	1,713	1,687
Other federal government services and defence services	5,130	4,495	4,336	4,032	3,776	3,780	3,658	3,334	2,983	2,759	2,972
Household sector	96,959	94,521	97,474	101,730	104,892	103,628	108,425	106,656	102,829	105,921	107,662
Heating, lighting and appliances	40,943	39,395	40,780	43,012	43,748	42,427	47,026	43,804	38,542	40,446	42,424
Motor fuels and lubricants	56,016	55,125	56,694	58,718	61,144	61,201	61,399	62,853	64,287	65,474	65,239

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0034.

Table 22

Greenhouse gas emissions intensity by sector, 1990 to 2000

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
	Tonnes per thousand dollars										
Crop and animal production	4.5	4.4	4.5	4.0	3.9	3.6	3.2	3.4	3.3	3.2	3.0
Forestry and logging	1.0	1.0	1.0	0.9	0.8	0.9	0.8	0.9	0.8	0.8	0.8
Fishing, hunting and trapping	0.9	0.9	0.9	0.7	1.0	0.9	1.0	1.4	1.3	1.1	1.0
Support activities for agriculture and forestry	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.5	0.7	0.8
Oil and gas extraction	3.1	3.6	3.6	3.3	3.2	3.4	2.7	2.7	3.4	2.8	1.6
Coal mining	2.2	2.4	2.5	2.2	2.3	2.1	2.1	2.0	1.9	2.1	1.8
Metal ore mining	1.0	1.0	1.0	1.0	1.0	0.8	0.9	0.9	1.0	0.9	0.8
Non-metallic mineral mining and quarrying	1.3	1.3	1.3	1.2	1.2	1.1	1.1	1.1	1.0	0.9	0.9
Support activities for mining and oil and gas extraction	1.0	1.0	1.1	1.1	0.9	0.8	0.8	0.8	0.8	0.8	0.6
Electric power generation, transmission and distribution	4.9	4.5	4.5	3.9	3.8	3.8	3.7	4.1	4.6	4.3	4.2
Natural gas distribution, water and other systems	1.8	1.6	1.7	1.7	1.6	1.5	1.6	1.6	1.4	1.3	1.2
Residential building construction	0.7	0.7	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5
Non-residential building construction	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5
Transportation engineering construction	1.5	1.5	1.5	1.4	1.4	1.4	1.3	1.2	1.2	1.1	1.0
Oil and gas engineering construction	0.7	0.8	0.8	0.8	0.7	0.6	0.7	0.7	0.7	0.7	0.6
Electric power engineering construction	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.3
Communication engineering construction	0.5	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.4
Other engineering construction	0.6	0.6	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.5	0.4
Repair construction	0.6	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.4	0.4
Other activities of the construction industry	0.6	0.7	0.7	0.7	0.7	0.7	0.7	1.0	0.8	0.8	0.8
Animal food manufacturing	1.9	1.9	2.0	1.8	1.8	1.7	1.7	1.6	1.5	1.4	1.4
Sugar and confectionery product manufacturing	0.7	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5
Fruit and vegetable preserving and specialty food manufacturing	1.2	1.2	1.2	1.1	1.1	1.0	1.0	0.9	1.0	0.9	0.9
Dairy product manufacturing	2.6	2.5	2.6	2.3	2.3	2.2	1.9	2.0	1.9	1.8	1.7
Meat product manufacturing	3.0	2.8	2.9	2.7	2.5	2.3	2.1	2.2	2.0	2.1	2.0
Seafood product preparation and packaging	0.9	1.0	1.0	0.9	1.0	0.9	1.0	1.2	1.2	1.0	0.8
Miscellaneous food manufacturing	1.3	1.1	1.1	1.1	1.2	1.1	1.1	1.2	1.1	1.0	1.0
Soft-drink and ice manufacturing	0.7	0.8	0.7	0.8	0.8	0.8	0.7	0.7	0.7	0.6	0.5
Breweries	0.6	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4
Wineries	0.9	0.9	0.9	1.0	0.8	0.8	0.7	0.7	0.8	0.7	0.6
Distilleries	1.1	1.0	0.8	0.9	0.8	0.8	0.7	0.7	0.6	0.8	0.6
Tobacco manufacturing	1.1	1.0	1.0	1.0	0.8	0.7	0.7	0.7	0.6	0.6	0.5
Textile and textile product mills	1.5	1.4	1.5	1.3	1.3	1.2	1.1	1.0	0.8	0.7	0.6
Clothing manufacturing	0.8	0.8	0.8	0.7	0.7	0.6	0.6	0.5	0.5	0.4	0.4
Leather and allied product manufacturing	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5
Wood product manufacturing	0.9	0.9	0.9	0.8	0.7	0.8	0.7	0.7	0.7	0.6	0.6
Pulp, paper and paperboard mills	1.8	2.1	2.1	2.0	1.7	1.2	1.3	1.4	1.4	1.4	1.1
Converted paper products manufacturing	1.2	1.2	1.3	1.2	1.1	0.9	0.8	0.8	0.8	0.8	0.6
Printing and related support activities	0.7	0.8	0.8	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.5
Petroleum and coal products manufacturing	3.9	3.9	4.4	4.2	3.9	3.9	3.4	3.3	4.1	3.4	2.1
Basic chemical manufacturing	2.8	3.2	3.4	3.0	2.8	2.4	2.4	2.6	2.4	2.4	1.9
Resin, synthetic rubber, and artificial and synthetic fibres and filaments manufacturing	4.6	4.8	4.8	4.1	4.0	3.5	3.4	2.9	2.2	1.8	1.4
Pesticides, fertilizer and other agricultural chemical manufacturing	7.3	8.1	8.1	7.7	6.5	5.7	5.0	4.9	4.9	5.2	5.2
Pharmaceutical and medicine manufacturing	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.6	0.6	0.5	0.4
Miscellaneous chemical product manufacturing	1.1	1.1	1.2	1.1	1.0	1.0	1.0	1.0	1.0	0.9	0.7
Plastics product manufacturing	1.7	1.7	1.7	1.6	1.6	1.4	1.3	1.1	1.0	0.8	0.7
Rubber product manufacturing	1.0	1.1	1.0	0.9	0.8	0.8	0.7	0.8	0.7	0.7	0.6
Cement and concrete product manufacturing	3.6	3.8	4.0	4.1	4.2	4.2	3.8	3.5	3.4	3.4	2.9
Miscellaneous non-metallic mineral product manufacturing	2.3	2.3	2.5	2.3	2.3	2.1	1.9	1.9	1.8	1.8	1.6
Primary metal manufacturing	2.1	2.4	2.5	2.4	2.0	1.7	1.8	1.7	1.8	1.7	1.5
Fabricated metal product manufacturing	1.0	1.1	1.1	1.1	1.0	0.9	0.8	0.8	0.8	0.7	0.6
Machinery manufacturing	0.7	0.8	0.8	0.7	0.6	0.6	0.6	0.5	0.6	0.5	0.4
Computer and peripheral equipment manufacturing	0.4	0.4	0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3
Electronic product manufacturing	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.4	0.4	0.3	0.3
Household appliance manufacturing	0.8	0.8	0.9	0.9	0.8	0.7	0.6	0.6	0.6	0.6	0.5
Electrical equipment and component manufacturing	0.9	1.0	1.1	1.0	0.9	0.9	0.8	0.8	0.7	0.6	0.5
Motor vehicle manufacturing	0.8	0.9	0.9	0.8	0.8	0.7	0.6	0.6	0.6	0.5	0.5
Motor vehicle body and trailer manufacturing	0.8	0.9	0.9	0.8	0.8	0.7	0.7	0.6	0.7	0.6	0.5
Motor vehicle parts manufacturing	1.0	1.0	1.1	1.0	0.8	0.8	0.7	0.7	0.7	0.6	0.6
Aerospace product and parts manufacturing	0.6	0.6	0.5	0.4	0.4	0.3	0.4	0.4	0.4	0.3	0.3
Railroad rolling stock manufacturing	0.7	0.6	0.7	0.8	0.6	0.7	0.8	0.7	0.7	0.6	0.5
Ship and boat building	0.6	0.6	0.6	0.4	0.5	0.5	0.5	0.6	0.7	0.6	0.5
Other transportation equipment manufacturing	0.5	0.6	0.6	0.6	0.5	0.4	0.4	0.4	0.4	0.4	0.4
Furniture and related product manufacturing	0.7	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.5	0.4	0.4
Miscellaneous manufacturing	0.9	0.9	0.9	0.9	0.8	0.7	0.7	0.6	0.6	0.6	0.5
Wholesale trade	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Retail trade	0.4	0.4	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Air transportation	2.3	2.2	2.2	2.1	2.0	2.0	2.0	1.9	2.0	1.8	1.6
Rail transportation	1.9	1.7	1.8	1.7	1.6	1.6	1.5	1.4	1.4	1.3	1.2
Water transportation	2.6	2.6	2.5	2.6	2.4	2.3	2.2	2.5	2.4	2.4	2.2
Truck transportation	1.7	1.8	1.9	1.8	1.6	1.5	1.5	1.6	1.5	1.5	1.3
Transit and ground passenger transportation	1.5	1.5	1.5	1.4	1.4	1.2	1.1	1.0	1.0	0.9	0.9

Table 22 – continued

Greenhouse gas emissions intensity by sector, 1990 to 2000

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
	Tonnes per thousand dollars										
Pipeline transportation	4.1	3.9	4.3	4.4	4.2	4.0	3.9	3.9	3.7	3.4	3.0
Scenic and sightseeing transportation and support activities for transport	0.7	0.7	0.8	0.7	0.7	0.6	0.6	0.6	0.5	0.4	0.4
Postal service and couriers and messengers	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.4
Warehousing and storage	0.5	0.5	0.6	0.6	0.5	0.5	0.4	0.5	0.4	0.4	0.3
Motion picture and sound recording industries	0.7	0.7	0.8	0.7	0.6	0.6	0.7	0.7	0.6	0.5	0.5
Radio and television broadcasting	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2
Pay television, specialty television and program distribution and telecommunications	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Publishing industries, information services and data processing service	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.4	0.3	0.3
Monetary authorities and depository credit intermediation	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Insurance carriers	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Lessors of real estate	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4
Owner-occupied dwellings	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rental and leasing services and lessors of non-financial intangible associations	0.6	0.6	0.6	0.5	0.5	0.4	0.4	0.3	0.4	0.4	0.4
Other finance, insurance and real estate and management of companies	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3
Advertising and related services	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Architectural, engineering, legal and accounting services	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Other professional, scientific and technical services	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2
Administrative and support services	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2
Waste management and remediation services	1.9	1.8	1.7	1.2	0.7	0.7	0.8	0.9	0.9	0.7	0.8
Educational services (except universities)	0.7	0.7	0.7	0.6	0.6	0.6	0.4	0.3	0.5	0.5	0.4
Health care services (except hospitals) and social assistance	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Arts, entertainment and recreation	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.4	0.3	0.3
Accommodation and food services	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.5
Repair and maintenance	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.4
Grant-making, civic, and professional and similar organizations	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.2	0.1	0.1	0.2
Personal and laundry services and private households	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.4	0.3	0.3	0.3
Operating supplies	0.8	0.9	0.9	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6
Office supplies	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.4
Cafeteria supplies	2.0	2.0	2.0	1.9	1.8	1.7	1.6	1.6	1.5	1.5	1.4
Laboratory supplies	0.8	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.5
Travel and entertainment	1.5	1.5	1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1
Advertising and promotion	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.4	0.4	0.3	0.3
Transportation margins	1.7	1.7	1.8	1.7	1.6	1.5	1.5	1.4	1.4	1.4	1.2
Religious organizations	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Non-profit welfare organization	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2
Non-profit sports and recreation clubs	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.6	0.6
Other non-profit institutions serving households	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.4
Non-profit education services	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Hospitals	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Government residential care facilities	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Universities	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Government education services	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Other municipal government services	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Other provincial and territorial government services	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2
Other federal government services and defence services	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0033.

Table 23-1

Basic energy indicators, Canada — 1961 to 1989

	Population	Gross domestic product	Primary energy	Energy consumption per capita	Energy consumption per dollar of real GDP
	millions of chained 1997 dollars	terajoules	GJ/person	MJ/\$	
1961	18,363,000	245,230
1962	18,708,000	262,382
1963	19,061,000	276,306
1964	19,420,000	294,196
1965	19,777,000	312,930
1966	20,146,000	333,724
1967	20,509,000	343,454
1968	20,814,000	360,214
1969	21,111,000	378,344
1970	21,400,000	389,809
1971	22,039,258	405,860
1972	22,288,561	427,962
1973	22,570,369	457,766
1974	22,907,390	474,663
1975	23,240,551	483,316
1976	23,533,614	508,445
1977	23,801,586	526,028
1978	24,025,678	546,825	2,097,988	87.3	3.8
1979	24,279,366	567,631	2,181,627	89.9	3.8
1980	24,604,001	579,907	2,207,577	89.7	3.8
1981	24,920,645	600,253	2,058,461	82.6	3.4
1982	25,194,087	583,089	1,902,595	75.5	3.3
1983	25,434,720	598,941	2,058,388	80.9	3.4
1984	25,678,315	633,756	2,064,214	80.4	3.3
1985	25,915,464	664,059	2,204,752	85.1	3.3
1986	26,188,863	680,144	2,113,216	80.7	3.1
1987	26,544,972	709,058	2,235,932	84.2	3.2
1988	26,936,642	744,333	2,309,172	85.7	3.1
1989	27,408,060	763,837	2,398,027	87.5	3.1

Source: CANSIM tables 153-0036, 051-0005 and 380-0017.

Table 23-2

Basic energy indicators, Canada — 1990 to 2004

	Population	Gross domestic product	Primary energy	Energy consumption per capita	Energy consumption per dollar of real GDP
	millions of chained 1997 dollars	terajoules	GJ/person	MJ/\$	
1990	27,814,329	765,311	2,496,066	89.7	3.3
1991	28,121,708	749,294	2,472,200	87.9	3.3
1992	28,470,057	755,848	2,487,580	87.4	3.3
1993	28,783,938	773,528	2,478,770	86.1	3.2
1994	29,095,125	810,695	2,510,124	86.3	3.1
1995	29,396,463	833,456	2,613,401	88.9	3.1
1996	29,708,936	846,952	2,723,676	91.7	3.2
1997	29,996,204	882,733	2,717,395	90.6	3.1
1998	30,233,741	918,910	2,729,076	90.3	3.0
1999	30,494,888	969,750	2,735,804	89.7	2.8
2000	30,787,468	1,020,488	2,886,885	93.8	2.8
2001	31,135,823	1,038,702	2,857,917	91.8	2.8
2002	31,468,449	1,070,789	11,163,501	354.8	10.4
2003	31,761,823	1,092,388	11,478,526	361.4	10.5
2004	32,069,999	1,124,428	11,617,600	362.3	10.3

Source: CANSIM tables 153-0036, 051-0005 and 380-0017.

Table 24-1

Energy consumption by province — 1978 to 1993

	Canada	Atlantic Provinces	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Yukon Territory, Northwest Territories and Nunavut
	terajoules								
1978	7,641,345	712,624	1,686,875	2,652,276	205,983	281,869	1,184,637	654,518	8,801
1979	8,176,028	798,525	1,642,949	2,882,199	204,687	305,881	1,363,679	703,168	8,893
1980	8,214,887	724,946	1,677,248	2,884,464	211,481	321,596	1,374,512	706,309	9,350
1981	7,862,627	607,537	1,635,740	2,783,009	194,348	315,695	1,383,516	695,595	9,838
1982	7,381,457	430,069	1,484,296	2,589,329	198,273	319,795	1,388,070	685,997	9,715
1983	7,299,903	444,651	1,363,786	2,664,443	166,723	301,651	1,499,222	648,188	9,671
1984	7,737,547	455,309	1,360,476	2,833,099	136,510	329,917	1,650,700	671,690	9,881
1985	7,908,762	468,777	1,361,066	2,780,943	142,108	378,216	2,018,421	732,122	18,242
1986	7,834,444	565,001	1,318,121	2,675,836	140,411	351,936	2,060,285	691,385	14,852
1987	8,122,249	619,598	1,348,690	2,757,239	132,856	x	2,137,774	725,022	x
1988	8,660,052	779,948	1,399,448	2,869,665	157,562	x	2,275,440	753,674	x
1989	8,945,237	772,946	1,395,481	3,018,684	161,226	x	2,411,380	748,589	x
1990	9,229,938	845,558	1,519,124	2,964,897	x	x	2,441,151	841,426	x
1991	9,090,962	864,179	1,479,547	2,882,304	x	x	2,417,194	832,920	x
1992	9,176,260	798,999	1,515,756	2,917,974	x	x	2,427,312	835,036	x
1993	9,314,103	959,880	1,564,645	2,763,719	x	x	2,523,623	790,920	x

Source: CANSIM table 128-0002.

Table 24-2

Energy consumption by province — 1994 to 2004

	Canada	Atlantic Provinces	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Yukon Territory, Northwest Territories and Nunavut
	terajoules								
1994	9,564,313	867,818	1,629,557	2,841,778	x	x	2,688,702	787,604	x
1995	9,695,204	902,797	1,638,582	2,853,794	x	x	2,745,377	790,190	x
1996	10,097,156	1,001,356	1,682,894	2,992,887	x	x	2,840,341	794,535	x
1997	10,200,117	1,017,213	1,719,306	3,037,874	x	x	2,907,726	735,534	x
1998	10,194,873	993,480	1,725,183	3,048,108	x	x	2,874,536	750,953	x
1999	10,518,257	1,041,883	1,741,289	3,097,035	x	x	3,058,153	x	x
2000	10,830,985	1,034,783	1,843,057	3,195,139	x	x	3,158,211	x	x
2001	10,950,393	1,193,285	1,790,458	3,243,941	x	x	3,166,185	x	x
2002	11,163,501	1,258,288	1,874,889	3,227,414	x	x	3,246,962	x	x
2003	11,478,526	1,300,279	1,934,438	3,302,443	x	x	3,371,016	x	x
2004	11,617,600	1,286,216	1,939,120	3,268,745	x	x	3,491,789	x	x

Source: CANSIM table 128-0002.

Table 25-1

Electric power generation by province and territory — 1977 to 1992

	Canada	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario
	thousands of megawatt hours						
1977	316,780.6	41,021.5	385.0	5,759.0	8,154.6	83,280.2	95,693.0
1978	335,644.6	44,907.8	208.7	6,131.7	7,786.6	85,900.2	102,120.6
1979	352,246.0	43,515.9	151.1	6,165.6	9,165.5	88,887.4	109,052.1
1980	366,677.1	46,257.7	126.7	6,863.0	9,283.0	97,807.0	110,125.2
1981	378,531.2	44,665.1	30.8	6,569.4	8,935.5	102,904.2	110,945.4
1982	376,485.0	44,264.5	34.6	6,580.8	8,395.1	100,019.5	110,292.9
1983	395,464.4	39,992.1	11.4	6,159.8	11,588.1	110,538.9	117,819.6
1984	424,852.9	45,534.3	2.0	7,222.2	12,231.5	122,069.5	120,614.0
1985	446,412.2	41,387.2	1.5	7,511.0	11,422.5	136,726.1	121,661.5
1986	455,820.0	40,407.2	11.9	7,398.4	12,196.2	148,260.9	125,222.4
1987	482,107.6	40,089.4	56.4	7,749.1	12,601.3	156,951.7	131,581.5
1988	489,046.1	41,149.7	84.7	8,891.8	15,906.6	149,004.9	142,743.3
1989	482,151.7	34,864.0	104.4	9,167.8	17,588.8	144,848.3	141,436.5
1990	466,061.8	36,503.3	80.8	9,429.6	16,664.9	135,458.4	129,342.9
1991	489,845.7	36,967.5	71.1	9,385.1	15,759.4	142,281.2	140,670.7
1992	501,523.3	36,680.7	34.1	9,722.3	15,962.3	147,077.2	138,517.5

	Manitoba	Saskat- chewan	Alberta	British Columbia	Yukon Territory	Northwest Territories including Nunavut
	thousands of megawatt hours					
1977	12,511.6	8,390.4	17,756.4	43,091.5	367.1	370.3
1978	17,473.6	8,842.5	19,083.2	42,436.9	369.0	383.8
1979	20,614.0	9,105.9	21,602.8	43,244.3	353.4	387.9
1980	19,461.7	9,188.1	23,391.3	43,333.9	384.4	455.1
1981	18,423.9	9,676.4	24,501.2	51,007.8	391.5	479.9
1982	20,778.7	9,842.9	27,229.5	48,238.0	345.8	462.6
1983	22,084.2	10,353.4	29,028.0	47,213.2	242.8	432.9
1984	21,479.4	11,525.0	31,058.9	52,368.8	255.4	491.9
1985	22,741.4	11,815.9	33,252.9	59,126.3	256.5	509.3
1986	24,052.9	11,913.4	34,718.8	50,759.1	344.1	534.8
1987	19,902.3	12,440.2	36,770.2	63,066.4	432.3	466.9
1988	16,307.7	12,936.9	40,172.3	60,942.8	439.2	466.0
1989	18,740.7	13,501.0	43,335.4	57,654.8	440.2	469.9
1990	20,149.2	13,939.8	42,874.4	60,662.2	484.6	471.7
1991	22,871.0	13,576.0	44,339.6	62,981.4	460.6	477.4
1992	26,763.1	14,126.8	47,520.3	64,057.6	480.5	580.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 127-0001.

Table 25-2

Electric power generation by province and territory — 1993 to 2004

	Canada	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	
thousands of megawatt hours								
1993	511,276.2	40,846.2	58.8	9,713.6	15,111.7	154,443.5	140,708.7	
1994	533,487.2	38,405.0	39.9	9,760.3	15,866.7	162,899.0	148,433.3	
1995	537,075.7	37,902.4	16.1	9,550.9	12,666.7	172,556.3	147,293.5	
1996	551,888.2	36,816.5	8.8	9,985.3	15,367.7	170,520.3	146,584.8	
1997	554,439.7	41,748.7	20.9	10,494.2	16,699.6	165,997.3	146,651.6	
1998	543,933.7	45,116.4	2.6	10,756.7	18,990.3	154,734.5	141,321.3	
1999	558,092.9	42,637.9	8.2	11,071.8	18,576.4	168,884.8	148,066.5	
2000	583,373.4	43,597.9	48.1	11,605.1	18,778.2	179,728.1	152,928.0	
2001	565,757.3	41,219.1	43.4	11,826.3	20,169.2	170,791.1	152,308.1	
2002	578,728.9	44,122.7	18.9	12,109.2	19,417.6	176,951.8	153,764.4	
2003	564,218.5	42,039.2	42.4	12,386.9	20,923.7	177,461.0	150,063.4	
2004	568,719.4	41,530.7	42.9	12,563.8	20,797.8	174,572.3	155,998.7	
	Manitoba	Saskat- chewan	Alberta	British Columbia	Yukon Territory	Northwest Territories including Nunavut	Northwest Territories	Nunavut
thousands of megawatt hours								
1993	27,121.4	15,302.6	48,276.6	58,773.8	334.9	584.4
1994	28,434.8	15,470.6	52,274.2	61,015.3	297.1	591.0
1995	29,224.6	16,356.0	52,317.9	58,006.3	386.6	798.2
1996	31,172.4	16,512.2	51,816.9	71,764.7	500.0	838.7
1997	33,749.4	16,877.5	54,046.7	66,961.3	376.4	816.1
1998	31,738.2	16,948.0	55,603.1	67,709.7	317.5	695.3
1999	28,690.9	16,804.4	54,253.2	68,044.9	295.7
2000	32,500.1	17,479.1	57,406.0	68,240.9	296.4	..	550.9	214.4
2001	33,447.7	17,146.1	60,408.5	57,332.1	303.1	..	545.4	215.2
2002	29,437.2	17,809.4	59,082.9	64,945.0	312.2	..	566.0	191.6
2003	21,152.2	19,719.2	56,254.7	63,050.9	320.1	..	646.2	133.2
2004	27,703.2	18,206.4	55,669.0	60,495.6	328.6	..	646.3	139.4
2005

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 127-0001.

Table 26-1

Electric power generation by source — 1977 to 1992

	Canada	Total ¹ utility generation	Total ² hydro generation	Total ³ conventional steam generation	Total ⁴ steam nuclear generation	Total ⁵ internal combustion generation	Total ⁶ combustion turbine generation
	thousands of megawatt hours						
1977	316,780.6	279,804.2	220,129.5	69,180.6	24,850.5	880.1	1,739.9
1978	335,644.6	297,206.8	234,039.4	69,692.5	29,434.6	799.7	1,678.5
1979	352,246.0	316,914.1	242,941.6	73,420.1	33,275.4	819.8	1,789.1
1980	366,677.1	328,406.9	250,997.7	76,925.0	35,879.6	793.2	2,081.6
1981	378,531.2	340,173.0	263,137.4	74,804.8	37,799.1	841.1	1,948.8
1982	376,485.0	339,256.4	255,184.9	81,764.0	36,167.5	789.0	2,579.6
1983	395,464.4	357,422.8	263,363.1	82,755.3	46,220.1	695.1	2,430.8
1984	424,852.9	387,243.4	283,370.1	89,144.4	49,254.7	702.5	2,381.1
1985	446,412.2	408,643.0	300,736.2	85,322.8	57,095.2	734.3	2,523.8
1986	455,820.0	418,436.4	307,653.3	77,551.9	67,233.0	714.3	2,664.3
1987	482,107.6	445,383.0	313,188.9	92,279.1	72,888.2	684.7	3,066.7
1988	489,046.1	450,941.6	303,546.0	103,413.3	78,176.0	725.4	3,185.3
1989	482,151.7	443,766.7	287,642.3	114,994.5	75,350.6	798.2	3,366.2
1990	466,061.8	426,047.0	292,836.4	100,541.3	68,836.6	802.1	3,045.4
1991	489,845.7	449,460.4	304,313.1	101,330.5	80,122.2	813.2	3,261.9
1992	501,523.3	461,713.6	312,132.8	108,409.0	76,021.0	716.1	4,244.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 127-0001.

Table 26-2

Electric power generation by source — 1993 to 2004

	Canada	Total ¹ utility generation	Total ² hydro generation	Total ³ conventional steam generation	Total ⁴ steam nuclear generation	Total ⁵ internal combustion generation	Total ⁶ combustion turbine generation
	thousands of megawatt hours						
1993	511,276.2	469,117.5	319,101.6	98,450.6	88,620.0	718.8	4,385.2
1994	533,487.2	490,147.4	324,686.9	101,105.7	101,730.1	777.3	5,187.2
1995	537,075.7	493,749.1	330,829.0	104,785.6	92,305.8	1,088.2	8,067.1
1996	551,888.2	509,260.4	351,156.0	103,255.0	87,516.2	1,158.4	8,802.6
1997	554,439.7	509,959.7	345,302.7	119,084.8	77,856.9	1,117.8	11,077.4
1998	543,933.7	500,373.1	327,671.1	135,581.8	67,443.0	1,126.7	12,097.4
1999	558,092.9	511,541.0	341,660.7	132,678.4	69,330.7	1,036.4	13,191.8
2000	583,373.4	537,231.6	353,302.4	142,762.9	68,678.6	1,247.9	17,378.6
2001	565,757.3	521,255.1	328,315.7	145,435.7	72,353.6	1,212.6	18,439.8
2002	578,728.9	532,403.6	345,891.8	140,355.0	71,250.5	972.4	20,259.2
2003	564,218.5	518,389.8	332,887.9	139,798.1	70,652.5	937.0	19,943.5
2004	568,719.4	520,546.8	335,078.2	126,923.9	85,270.4	995.6	20,451.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 127-0001.

Table 27-1

Labour force characteristics for Canada — 1976 to 1989

	Population	Labour force	Employment	Unemployment	Not in labour force	Unemployment rate	Participation rate
	in thousands				percent		
1976	17,058.0	10,491.3	9,747.5	743.8	6,566.8	7.1	61.5
1977	17,435.5	10,785.2	9,917.1	868.1	6,650.2	8.0	61.9
1978	17,778.8	11,154.6	10,220.3	934.3	6,624.3	8.4	62.7
1979	18,119.4	11,536.7	10,668.6	868.2	6,582.7	7.5	63.7
1980	18,483.5	11,879.4	10,984.0	895.3	6,604.2	7.5	64.3
1981	18,814.4	12,235.8	11,305.0	930.8	6,578.5	7.6	65.0
1982	19,103.4	12,301.8	10,943.7	1,358.2	6,801.6	11.0	64.4
1983	19,355.0	12,527.6	11,022.0	1,505.6	6,827.4	12.0	64.7
1984	19,597.9	12,747.9	11,301.7	1,446.2	6,850.0	11.3	65.0
1985	19,842.7	13,012.4	11,627.3	1,385.1	6,830.4	10.6	65.6
1986	20,093.2	13,272.1	11,986.6	1,285.5	6,821.1	9.7	66.1
1987	20,348.1	13,526.0	12,333.0	1,193.0	6,822.1	8.8	66.5
1988	20,612.2	13,779.1	12,709.6	1,069.5	6,833.1	7.8	66.8
1989	20,898.5	14,057.0	12,996.2	1,060.8	6,841.5	7.5	67.3

Source: CANSIM table 282-0002.

Table 27-2

Labour force characteristics for Canada — 1990 to 2005

	Population	Labour force	Employment	Unemployment	Not in labour force	Unemployment rate	Participation rate
	in thousands				percent		
1990	21,214,700	14,244,600	13,086,400	1,158,300	6,970,100	8.1	67.1
1991	21,533,300	14,336,300	12,857,400	1,479,000	7,197,000	10.3	66.6
1992	21,820,200	14,336,100	12,730,900	1,605,200	7,484,000	11.2	65.7
1993	22,092,900	14,435,000	12,792,700	1,642,300	7,657,900	11.4	65.3
1994	22,367,700	14,573,700	13,058,700	1,515,000	7,794,000	10.4	65.2
1995	22,660,000	14,689,200	13,295,400	1,393,800	7,970,800	9.5	64.8
1996	22,967,100	14,853,500	13,421,400	1,432,200	8,113,600	9.6	64.7
1997	23,255,500	15,079,100	13,706,000	1,373,100	8,176,400	9.1	64.8
1998	23,522,800	15,316,300	14,046,200	1,270,100	8,206,400	8.3	65.1
1999	23,786,900	15,588,300	14,406,700	1,181,600	8,198,600	7.6	65.5
2000	24,094,200	15,847,000	14,764,200	1,082,800	8,247,200	6.8	65.8
2001	24,444,300	16,109,800	14,946,200	1,163,600	8,334,500	7.2	65.9
2002	24,797,300	16,579,300	15,310,400	1,268,900	8,218,000	7.7	66.9
2003	25,106,500	16,958,500	15,672,300	1,286,200	8,147,900	7.6	67.5
2004	25,443,400	17,182,300	15,947,000	1,235,300	8,261,100	7.2	67.5
2005	25,805,500	17,342,600	16,169,700	1,172,800	8,462,900	6.8	67.2

Source: CANSIM table 282-0002.

Table 28-1

Labour force by province — 1976 to 1989

	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
in thousands										
1976	183.3	47.3	328.0	259.6	2,785.5	3,985.5	455.6	397.7	890.0	1,158.7
1977	190.3	48.2	332.7	263.3	2,852.0	4,086.4	464.4	413.5	946.2	1,188.3
1978	197.6	49.7	342.0	273.3	2,917.6	4,228.2	475.4	423.8	1,007.1	1,240.0
1979	207.5	52.5	352.5	280.7	2,982.6	4,381.1	481.1	434.3	1,076.2	1,288.2
1980	210.6	53.4	359.2	285.7	3,062.8	4,472.8	488.9	442.1	1,146.8	1,357.2
1981	215.1	53.1	364.8	291.4	3,120.0	4,594.8	498.4	451.3	1,230.9	1,416.0
1982	215.8	53.3	368.2	289.0	3,069.5	4,655.9	503.2	458.7	1,261.5	1,426.8
1983	220.7	55.6	375.3	295.3	3,127.2	4,743.5	517.1	473.2	1,274.0	1,445.7
1984	224.1	56.6	390.8	298.8	3,178.4	4,844.7	523.9	482.1	1,283.5	1,464.8
1985	228.6	58.4	396.1	308.7	3,237.1	4,967.8	529.8	491.4	1,303.2	1,491.2
1986	230.2	60.0	403.9	316.2	3,294.4	5,087.6	541.0	499.4	1,315.3	1,524.0
1987	231.6	60.9	408.1	323.0	3,363.9	5,213.6	545.9	498.5	1,313.8	1,566.8
1988	238.2	62.2	416.0	329.8	3,404.6	5,352.5	548.7	499.5	1,328.9	1,598.8
1989	244.1	63.7	423.3	337.6	3,461.2	5,473.0	554.1	492.6	1,348.0	1,659.3

Source: CANSIM table 282-0002.

Table 28-2

Labour force by province — 1990 to 2005

	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
in thousands										
1990	249.2	64.4	431.4	341.5	3,505.4	5,535.7	554.6	488.6	1,370.9	1,703.0
1991	249.7	64.1	433.0	338.2	3,510.9	5,546.6	554.5	489.3	1,399.3	1,750.8
1992	243.6	65.3	424.6	341.3	3,481.0	5,528.9	551.0	486.8	1,413.9	1,799.8
1993	242.5	65.7	427.9	343.2	3,493.7	5,543.5	555.6	489.1	1,425.9	1,847.8
1994	241.8	66.8	430.7	341.4	3,529.9	5,548.2	556.3	488.0	1,452.2	1,918.4
1995	237.1	67.1	427.9	347.2	3,540.9	5,589.1	556.9	491.1	1,480.8	1,950.9
1996	231.7	68.9	430.1	345.5	3,551.7	5,680.2	558.0	489.6	1,509.4	1,988.4
1997	230.9	69.4	435.1	354.1	3,582.3	5,776.4	562.1	495.7	1,542.6	2,030.6
1998	234.3	69.2	441.8	359.1	3,631.5	5,877.2	565.8	499.5	1,599.6	2,038.3
1999	241.9	70.4	446.8	362.4	3,670.5	6,018.2	573.7	501.9	1,637.7	2,064.8
2000	237.8	71.3	452.8	368.0	3,717.5	6,172.7	581.1	499.2	1,666.8	2,079.9
2001	242.7	72.3	460.0	371.5	3,771.1	6,327.0	583.7	488.5	1,710.3	2,082.6
2002	248.5	73.5	467.7	382.0	3,907.7	6,493.7	597.8	496.4	1,764.2	2,147.6
2003	254.1	74.3	474.6	382.4	3,992.8	6,676.2	600.3	504.3	1,808.8	2,190.7
2004	254.3	75.4	485.0	388.0	4,024.1	6,775.4	608.9	506.7	1,842.4	2,221.9
2005	252.5	76.5	483.9	388.2	4,052.7	6,849.1	609.4	509.4	1,857.5	2,263.4

Source: CANSIM table 282-0002.

Table 29

Government capital investments, 1991 to 2005

	Canada	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba
millions of dollars								
1991	32,268.3	548.8	110.5	970.8	1,181.1	8,599.0	11,858.2	1,244.0
1992	30,433.0	569.2	132.4	598.1	1,103.9	8,277.3	11,665.1	1,082.6
1993	29,012.9	763.1	139.1	712.4	908.2	8,781.9	9,579.4	1,193.2
1994	29,361.9	898.7	107.8	707.2	772.0	8,470.1	9,782.0	1,048.0
1995	29,561.1	760.6	95.2	725.3	833.8	8,332.0	10,465.3	1,167.4
1996	27,565.3	350.4	98.4	607.4	747.7	7,567.8	10,095.5	1,088.7
1997	26,876.1	365.3	124.4	615.8	712.5	6,628.6	10,575.4	1,098.9
1998	27,689.0	400.3	112.7	528.9	679.3	7,312.8	10,458.5	1,074.1
1999	30,916.7	610.8	116.0	502.1	886.5	6,822.6	12,146.3	1,394.1
2000	32,586.1	704.0	119.1	483.1	884.8	7,259.1	12,688.1	1,309.5
2001	36,126.4	716.3	137.1	669.8	796.0	8,200.7	14,195.6	1,360.6
2002	39,580.9	774.6	165.7	942.3	802.8	9,703.1	14,900.2	1,363.3
2003	40,792.8	490.9	156.7	966.1	1,051.2	10,062.7	16,434.6	1,442.1
2004	44,277.4	413.8	97.4	994.8	1,184.1	11,132.4	16,919.3	1,672.9
2005	48,858.6	466.2	122.3	1,044.1	1,124.8	12,184.4	18,523.5	1,968.6
		Saskat- chewan	Alberta	British Columbia	Yukon Territory		Northwest Territories	Nunavut
millions of dollars								
1991		1,327.3	2,809.1	3,315.6	91.2	
1992		936.8	2,478.5	3,288.4	107.1	
1993		994.9	2,482.6	3,133.7	92.3	
1994		1,070.5	2,136.5	4,030.2	122.2	
1995		1,044.9	1,985.3	3,780.7	150.1	
1996		873.6	1,749.6	4,064.5	117.9	
1997		1,005.2	1,880.8	3,620.8	78.4	
1998		1,087.3	2,082.5	3,716.1	69.1	
1999		1,231.8	2,501.5	4,393.6	85.0		126.7	99.8
2000		1,203.1	3,023.9	4,641.4	87.3		90.3	92.3
2001		1,561.5	3,616.6	4,520.4	119.3		125.5	106.9
2002		1,529.0	4,340.3	4,670.5	129.8		187.0	72.2
2003		1,334.2	3,791.6	4,611.1	147.0		143.1	161.4
2004		1,528.0	4,493.3	5,337.2	200.9		168.0	135.3
2005		1,853.9	5,098.4	6,010.6	181.4		153.3	127.0

Source: CANSIM table 032-0002.

Table 30

Private capital investments, 1991 to 2005

	Canada	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba
millions of dollars								
1991	97,002.8	1,586.1	322.4	2,280.9	1,433.7	19,296.7	38,453.7	2,206.4
1992	95,475.0	1,572.1	267.4	2,331.3	1,436.1	18,589.8	36,377.5	2,402.7
1993	97,180.3	1,742.5	383.1	2,255.7	1,546.1	17,923.4	35,509.6	2,418.7
1994	109,560.9	2,091.0	468.0	2,462.2	1,710.6	20,289.6	39,134.5	2,679.2
1995	108,993.4	2,223.6	496.4	2,342.9	1,810.2	18,764.0	39,630.8	2,841.4
1996	114,624.2	2,106.7	383.3	2,509.5	2,078.5	20,733.9	42,365.9	3,136.9
1997	141,296.9	2,422.7	343.4	3,443.4	2,028.0	24,048.7	50,977.1	3,940.3
1998	147,093.9	2,424.5	381.6	3,811.6	2,432.0	25,817.4	53,484.6	3,980.3
1999	153,691.7	2,999.7	433.0	4,793.6	3,092.4	28,523.0	57,481.9	4,021.6
2000	162,340.2	2,695.4	477.3	4,227.7	3,201.9	29,228.3	59,751.3	4,210.9
2001	170,744.1	2,655.0	479.3	4,516.8	2,696.8	29,358.2	61,893.5	4,442.0
2002	174,397.9	2,586.7	473.4	4,947.9	2,745.6	31,039.6	63,833.2	4,649.2
2003	184,056.9	3,221.0	520.2	4,688.1	2,928.9	33,422.7	65,791.1	4,720.7
2004	199,594.0	3,808.9	601.0	4,851.2	3,091.9	38,012.0	68,715.8	5,101.4
2005	209,751.7	3,836.7	649.2	4,923.4	3,455.0	38,025.5	72,173.1	5,284.9

	Saskatchewan	Alberta	British Columbia	Yukon Territory	Northwest Territories	Nunavut
millions of dollars						
1991	3,260.9	13,660.3	14,054.7	153.2
1992	3,159.5	14,214.6	14,690.8	131.8
1993	3,153.6	16,060.9	15,741.1	160.3
1994	3,666.1	19,187.2	17,322.7	162.4
1995	4,086.5	19,361.5	16,810.6	171.5
1996	4,922.7	20,262.5	15,343.6	150.1
1997	6,621.3	27,729.4	18,931.0	161.1
1998	5,532.7	31,171.1	17,102.9	145.1
1999	5,625.2	29,182.6	16,758.1	187.1	427.3	166.1
2000	5,889.4	34,450.4	17,157.6	161.8	733.4	154.8
2001	5,574.2	38,621.6	18,893.8	166.5	1,275.8	170.5
2002	5,231.1	38,303.4	19,061.1	167.7	1,163.3	195.6
2003	5,908.1	40,952.3	20,823.1	206.1	673.6	201.0
2004	6,005.6	44,037.7	23,802.9	265.1	1,021.5	278.9
2005	6,631.4	47,213.2	25,513.6	288.7	1,469.2	288.1

Source: CANSIM table 032-0002.

Table 31-1

Gross Domestic Product (GDP), expenditure-based, by province and territory — 1981 to 1988

	1981	1982	1983	1984	1985	1986	1987	1988
millions of chained 1997 dollars								
Canada	600,253	583,089	598,941	633,756	664,059	680,144	709,058	744,333
Newfoundland and Labrador	8,235	8,317	8,578	8,814	8,935	8,941	9,248	9,824
Prince Edward Island	1,840	1,857	2,033	2,079	2,072	2,162	2,194	2,266
Nova Scotia	14,542	15,084	15,458	16,424	17,222	17,568	18,146	18,365
New Brunswick	11,510	11,727	12,546	12,812	13,204	14,115	14,859	14,948
Quebec	143,885	138,695	141,280	147,372	152,117	155,144	161,847	169,229
Ontario	237,013	230,610	240,958	260,070	270,904	281,956	296,072	311,990
Manitoba	22,655	22,059	22,216	24,049	25,604	25,661	26,047	25,910
Saskatchewan	20,992	20,601	21,196	21,630	22,195	23,465	23,568	22,763
Alberta	68,559	66,378	65,595	68,385	73,863	72,197	73,698	79,583
British Columbia	79,745	74,877	75,349	75,930	81,203	81,355	86,373	91,395
Yukon Territory	620	604	527	540	562	714	946	956
Northwest Territories including Nunavut	1,615	2,061	2,236	2,194	2,321	2,032	2,053	2,312
Northwest Territories
Nunavut
Outside Canada	417	430	471	501	630	572	504	524

Source: CANSIM table 384-0002.

Table 31-2

Gross Domestic Product (GDP), expenditure-based, by province and territory — 1989 to 1996

	1989	1990	1991	1992	1993	1994	1995	1996
	millions of chained 1997 dollars							
Canada	763,837	765,311	749,294	755,848	773,528	810,695	833,456	846,952
Newfoundland and Labrador	10,242	10,255	10,301	10,148	10,231	10,672	10,913	10,407
Prince Edward Island	2,327	2,341	2,335	2,399	2,427	2,546	2,708	2,789
Nova Scotia	18,782	18,730	18,570	18,831	19,011	19,090	19,410	19,529
New Brunswick	15,088	15,000	14,999	15,243	15,681	16,013	16,533	16,652
Quebec	170,240	170,851	166,241	166,930	170,259	177,782	180,781	182,564
Ontario	322,499	316,929	304,468	307,233	310,170	328,500	340,081	343,826
Manitoba	26,599	27,254	26,339	26,614	26,711	27,753	27,828	28,683
Saskatchewan	23,315	24,945	25,219	24,251	25,846	26,968	27,269	28,063
Alberta	80,711	82,518	82,925	83,691	89,695	95,278	98,268	100,264
British Columbia	94,400	95,722	95,897	98,373	102,770	105,669	108,194	110,857
Yukon Territory	972	1,020	985	1,151	919	915	1,065	1,173
Northwest Territories including Nunavut	2,461	2,462	2,478	2,394	2,435	2,526	2,494	2,612
Northwest Territories
Nunavut
Outside Canada	539	493	562	482	282	240	208	225

Source: CANSIM table 384-0002.

Table 31-3

Gross Domestic Product (GDP), expenditure-based, by province and territory — 1997 to 2004

	1997	1998	1999	2000	2001	2002	2003	2004
	millions of dollars							
Canada	882,733	918,910	969,750	1,020,488	1,038,702	1,070,789	1,092,388	1,124,428
Newfoundland and Labrador	10,533	11,107	11,715	12,322	12,515	14,564	15,471	15,248
Prince Edward Island	2,800	2,928	3,052	3,111	3,078	3,255	3,304	3,365
Nova Scotia	20,368	21,127	22,285	22,970	23,700	24,702	24,925	25,271
New Brunswick	16,845	17,462	18,553	18,942	19,257	20,105	20,449	20,867
Quebec	188,424	194,414	206,467	215,424	218,626	224,574	229,244	234,445
Ontario	359,353	376,716	405,034	429,105	436,762	450,636	457,649	470,026
Manitoba	29,751	31,014	31,503	32,846	33,111	33,735	34,338	35,136
Saskatchewan	29,157	30,398	30,459	31,252	30,953	30,894	32,073	33,168
Alberta	107,048	112,677	114,227	121,153	123,250	126,328	130,256	135,837
British Columbia	114,383	115,883	119,604	125,145	125,924	130,324	133,888	139,205
Yukon Territory	1,107	1,093	1,070	1,112	1,161	1,165	1,165	1,206
Northwest Territories including Nunavut	2,691	2,797
Northwest Territories	2,267	2,412	2,924	3,123	3,649	3,838
Nunavut	739	800	847	901	858	862
Outside Canada	273	275	292	301	315	317	309	304

Source: CANSIM table 384-0002.

Table 32-1

Number of cattle — 1940 to 1979

	Canada	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskat- chewan	Alberta	British Columbia
	thousands										
1940	7,709	..	89	202	197	1,543	2,430	626	1,088	1,238	297
1941	7,952	..	88	196	188	1,535	2,427	663	1,223	1,316	316
1942	8,166	..	91	193	182	1,510	2,474	678	1,308	1,403	326
1943	8,616	..	95	203	191	1,602	2,496	718	1,468	1,507	336
1944	9,080	..	100	207	197	1,670	2,566	767	1,618	1,605	351
1945	8,679	..	98	197	182	1,554	2,516	738	1,484	1,561	349
1946	8,336	..	91	186	167	1,552	2,441	686	1,364	1,509	340
1947	8,359	..	84	167	162	1,556	2,463	718	1,341	1,555	314
1948	7,966	..	81	163	156	1,500	2,340	686	1,238	1,498	304
1949	7,801	..	90	165	156	1,479	2,313	654	1,190	1,446	309
1950	7,601	..	88	162	144	1,430	2,335	611	1,137	1,393	301
1951	7,956	..	92	163	147	1,450	2,500	641	1,198	1,469	296
1952	8,807	..	101	174	160	1,570	2,730	705	1,376	1,672	319
1953	9,346	..	106	178	163	1,650	2,900	725	1,452	1,829	343
1954	9,655	..	110	182	164	1,685	2,920	738	1,519	1,969	368
1955	9,997	..	114	184	166	1,710	2,885	792	1,623	2,130	393
1956	10,358	..	118	176	166	1,764	2,936	833	1,726	2,260	379
1957	10,273	..	113	160	160	1,711	2,913	811	1,724	2,309	372
1958	10,084	..	105	152	150	1,651	2,902	799	1,658	2,294	373
1959	10,387	..	105	152	147	1,668	2,978	844	1,711	2,396	386
1960	10,696	..	110	157	147	1,679	3,017	897	1,831	2,449	409
1961	10,933	..	115	158	144	1,700	3,198	881	1,800	2,509	428
1962	11,223	..	114	155	139	1,705	3,281	957	1,851	2,587	434
1963	11,678	..	118	153	140	1,714	3,202	1,030	2,004	2,845	472
1964	12,128	..	122	152	139	1,699	3,248	1,095	2,125	3,055	493
1965	11,902	..	122	146	129	1,644	3,136	1,055	2,090	3,100	480
1966	11,723	..	116	139	119	1,599	3,163	1,017	2,012	3,081	477
1967	11,677	..	111	136	115	1,593	3,274	958	1,931	3,081	478
1968	11,401	..	110	133	114	1,602	3,226	900	1,850	3,000	466
1969	11,626	..	103	129	107	1,629	3,175	985	1,980	3,040	478
1970	11,985	..	101	127	103	1,641	3,150	1,013	2,160	3,190	500
1971	12,324	..	96	124	103	1,596	3,115	1,026	2,340	3,401	523
1972	12,847	..	93	125	96	1,579	3,159	1,095	2,451	3,709	540
1973	x	..	x	x	x	x	x	x	x	x	x
1974	13,481	..	96	123	99	1,626	3,245	1,180	2,627	3,929	556
1975	14,278	..	104	132	104	1,734	3,336	1,285	2,787	4,211	585
1976	14,048	..	105	131	111	1,653	3,252	1,272	2,795	4,148	581
1977	13,362	6	102	127	110	1,590	3,140	1,230	2,455	4,035	567
1978	12,526	6	97	125	103	1,515	2,915	1,195	2,170	3,805	595
1979	11,996	6	96	124	100	1,430	2,865	1,115	1,990	3,665	605

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 003-0032.

Table 32-2

Number of cattle — 1980 to 2006

	Canada	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saska- tchewan	Alberta	British Columbia
	thousands										
1980	12,126	6	96	127	98	1,470	2,860	1,105	2,035	3,695	634
1981	12,166	6	99	129	103	1,530	2,930	1,045	1,970	3,690	664
1982	12,162	6	100	131	104	1,574	2,792	1,053	2,032	3,690	680
1983	11,861	7	99	130	102	1,539	2,752	1,001	1,952	3,630	649
1984	11,629	7	99	129	101	1,491	2,653	1,004	1,925	3,555	665
1985	11,330	7	98	128	100	1,443	2,600	1,008	1,777	3,520	648
1986	10,956	7	97	126	100	1,433	2,507	978	1,695	3,400	612
1987	10,667	7	96	123	99	1,385	2,354	961	1,699	3,372	570
1988	10,756	8	95	120	98	1,335	2,227	932	1,763	3,605	573
1989	10,984	8	95	120	96	1,347	2,293	918	1,749	3,749	609
1990	11,220	8	96	120	99	1,316	2,300	912	1,801	3,953	615
1991	11,289	8	93	119	98	1,295	2,264	919	1,823	4,055	615
1992	11,869	8	93	119	98	1,296	2,244	988	2,158	4,234	632
1993	11,860	8	94	118	96	1,299	2,103	993	2,214	4,325	610
1994	12,012	8	94	120	95	1,336	2,076	986	2,210	4,495	593
1995	12,709	8	92	118	94	1,374	2,188	1,069	2,349	4,783	634
1996	13,402	8	93	118	94	1,391	2,289	1,154	2,545	5,038	672
1997	13,412	8	94	119	94	1,404	2,216	1,229	2,500	5,074	674
1998	13,360	8	95	113	95	1,362	2,147	1,212	2,425	5,258	646
1999	13,211	8	94	111	95	1,306	2,044	1,176	2,334	5,398	645
2000	13,201	9	90	109	92	1,256	1,995	1,160	2,250	5,590	650
2001	13,608	9	86	106	92	1,280	2,045	1,205	2,300	5,829	655
2002	13,762	10	85	106	91	1,286	2,026	1,245	2,418	5,825	670
2003	13,488	9	84	106	90	1,303	2,110	1,250	2,543	5,310	683
2004	14,653	9	84	106	90	1,420	2,224	1,450	2,855	5,675	740
2005	15,063	9	84	106	90	1,415	2,189	1,490	3,040	5,930	710
2006	14,830	9	83	105	89	1,405	2,139	1,490	2,950	5,900	660

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 003-0032.

Table 33-1

Number of pigs — 1931 to 1959

	Canada	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	thousands										
1931	4,265.4	..	38.8	43.6	80.5	581.1	1,420.9	353.6	705.3	1,000.0	41.6
1932	4,137.8	..	44.6	46.4	69.5	534.2	1,314.8	294.1	804.7	980.3	49.2
1933	3,621.1	..	38.0	39.1	53.9	466.7	1,154.4	211.8	659.9	954.5	42.8
1934	3,692.1	..	39.2	43.7	59.3	559.5	1,143.9	220.2	647.8	939.5	39.0
1935	3,988.9	..	42.8	46.6	61.9	622.4	1,449.8	191.2	628.7	898.3	47.2
1936	4,459.6	..	42.9	54.7	71.2	673.5	1,655.5	241.9	698.2	966.0	55.7
1937	3,649.6	..	50.2	57.2	70.5	651.3	1,449.3	211.1	401.1	707.6	51.3
1938	3,565.1	..	50.8	53.4	72.5	618.4	1,357.5	212.7	381.5	774.2	44.1
1939	4,814.5	..	53.8	55.6	82.1	752.4	1,657.5	347.2	615.2	1,197.5	53.2
1940	6,143.3	..	58.2	67.5	83.1	807.0	2,058.0	448.0	868.0	1,668.0	85.5
1941	6,573.6	..	59.2	56.7	77.7	738.0	2,022.0	492.0	1,016.0	2,025.0	87.0
1942	6,944.4	..	64.1	62.0	85.9	832.0	1,800.0	639.0	1,215.0	2,165.0	81.4
1943	8,681.6	..	71.6	75.3	96.6	937.0	2,000.0	792.0	1,840.0	2,772.0	97.1
1944	6,570.8	..	63.8	64.9	80.8	840.0	1,728.0	488.0	1,172.0	2,045.0	88.3
1945	4,923.8	..	58.4	53.0	65.0	682.0	1,594.0	333.0	664.0	1,403.0	71.4
1946	4,894.6	..	58.7	52.6	74.4	815.0	1,882.0	280.0	572.0	1,093.0	66.9
1947	5,155.8	..	72.6	56.8	92.0	940.0	1,892.0	312.0	580.0	1,136.0	74.4
1948	4,065.3	..	65.2	49.2	66.1	753.0	1,756.0	240.0	350.0	730.0	55.8
1949	4,790.6	..	79.2	53.6	87.5	921.0	1,938.0	292.0	420.0	943.0	56.3
1950	4,584.4	..	73.8	55.4	85.3	966.0	1,800.0	264.0	394.0	889.0	56.9
1951	5,353.0	..	80.0	62.0	90.0	1,227.0	1,825.0	362.0	555.0	1,080.0	72.0
1952	4,991.0	..	67.0	53.0	70.0	998.0	1,620.0	350.0	555.0	1,220.0	58.0
1953	4,069.0	..	63.0	42.0	68.0	808.0	1,350.0	269.0	400.0	1,025.0	44.0
1954	4,652.0	..	61.0	41.0	63.0	941.0	1,370.0	354.0	505.0	1,265.0	52.0
1955	4,819.0	..	58.0	38.0	57.0	953.0	1,525.0	320.0	556.0	1,255.0	57.0
1956	4,541.0	..	50.0	34.0	52.0	807.0	1,579.0	276.0	513.0	1,186.0	44.0
1957	5,012.0	..	52.0	33.0	53.0	843.0	1,595.0	325.0	617.0	1,450.0	44.0
1958	6,601.0	..	61.0	46.0	56.0	1,062.0	2,087.0	508.0	875.0	1,850.0	56.0
1959	6,049.0	..	59.0	54.0	59.0	1,026.0	1,964.0	466.0	693.0	1,671.0	57.0

Source: CANSIM table 003-0004.

Table 33-2

Number of pigs — 1960 to 1989

	Canada	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	thousands										
1960	5,001.0	..	56.0	50.0	51.0	847.0	1,728.0	379.0	503.0	1,342.0	45.0
1961	5,118.0	..	53.0	49.0	47.0	915.0	1,627.0	407.0	577.0	1,402.0	41.0
1962	4,993.0	..	50.0	50.0	46.0	1,002.0	1,956.0	349.0	400.0	1,101.0	39.0
1963	5,392.0	..	60.0	52.0	44.0	1,142.0	1,969.0	430.0	472.0	1,183.0	40.0
1964	5,596.0	..	66.0	57.0	43.0	1,077.0	1,908.0	460.0	544.0	1,401.0	40.0
1965	5,088.0	..	76.0	56.0	36.0	1,037.0	1,854.0	456.0	431.0	1,103.0	39.0
1966	5,828.0	..	81.0	63.0	36.0	1,222.0	2,047.0	562.0	532.0	1,241.0	44.0
1967	6,140.0	..	95.0	68.0	45.0	1,261.0	2,134.0	593.0	552.0	1,337.0	55.0
1968	5,789.0	..	91.0	71.0	48.0	1,082.0	2,052.0	574.0	550.0	1,268.0	53.0
1969	6,559.0	..	105.0	72.0	57.0	1,135.0	2,134.0	781.0	772.0	1,441.0	62.0
1970	7,720.0	..	111.0	79.0	57.0	1,283.0	2,245.0	1,030.0	1,107.0	1,721.0	87.0
1971	7,412.7	..	105.0	79.0	54.0	1,307.0	2,217.0	914.0	1,040.0	1,629.0	67.7
1972	7,207.4	..	100.0	72.0	51.0	1,322.0	2,217.0	951.0	942.0	1,499.0	53.4
1973	6,972.0	..	95.0	75.0	51.0	1,413.0	2,040.0	928.0	886.0	1,431.0	53.0
1974	6,030.5	..	79.0	72.0	49.0	1,463.0	1,892.0	678.0	602.0	1,141.0	54.5
1975	5,692.1	..	76.0	71.0	42.0	1,484.0	1,918.0	618.0	516.0	915.0	52.1
1976	6,196.9	16.4	82.0	77.0	43.0	1,829.0	1,967.0	660.0	501.0	961.0	60.5
1977	6,798.9	16.9	92.0	81.0	43.0	2,076.0	2,210.0	697.0	515.0	1,001.0	67.0
1978	8,363.2	17.2	107.0	96.0	51.0	2,707.0	2,875.0	783.0	565.0	1,070.0	92.0
1979	10,091.2	19.2	114.0	116.0	77.0	3,450.0	3,322.0	904.0	660.0	1,255.0	174.0
1980	10,189.7	19.7	118.0	134.0	87.0	3,523.0	3,300.0	893.0	625.0	1,240.0	250.0
1981	9,969.6	20.2	112.4	139.0	103.0	3,360.0	3,300.0	893.0	540.0	1,235.0	267.0
1982	9,889.6	19.6	108.0	140.0	119.0	3,230.0	3,345.0	913.0	515.0	1,250.0	250.0
1983	10,345.9	20.9	121.0	154.0	123.0	3,205.0	3,440.0	1,012.0	595.0	1,420.0	255.0
1984	10,572.6	18.6	121.0	154.0	123.0	3,200.0	3,345.0	1,152.0	670.0	1,535.0	254.0
1985	9,967.0	17.0	113.0	140.0	108.0	3,030.0	3,180.0	1,088.0	605.0	1,465.0	221.0
1986	9,997.8	16.0	120.0	137.0	101.0	2,931.0	3,195.0	1,097.0	644.0	1,555.0	201.8
1987	10,800.9	16.5	126.0	142.0	97.0	3,025.0	3,349.0	1,274.0	770.0	1,766.0	235.4
1988	10,951.0	15.5	122.0	146.0	102.0	3,073.0	3,222.0	1,347.0	847.0	1,828.0	248.5
1989	10,392.4	16.5	116.0	133.0	84.0	2,982.0	3,041.0	1,222.0	754.0	1,794.0	249.9

Source: CANSIM table 003-0004.

Table 33-3

Number of pigs — 1990 to 2006

	Canada	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	thousands										
1990	10,172.0	16.5	108.0	133.0	74.0	2,900.0	2,913.0	1,275.0	817.0	1,696.0	239.5
1991	10,596.3	15.5	108.0	128.0	80.0	3,027.9	2,904.3	1,371.6	905.5	1,824.2	231.3
1992	10,743.3	13.5	100.0	122.0	80.0	3,127.1	3,043.6	1,380.4	880.4	1,794.4	201.9
1993	10,533.8	5.0	104.0	120.0	76.0	3,062.0	2,926.6	1,431.3	871.8	1,731.5	205.6
1994	11,290.5	5.0	114.0	125.0	74.0	3,200.0	3,161.9	1,602.0	887.1	1,934.9	186.6
1995	11,588.0	4.5	117.0	132.0	77.0	3,421.0	3,069.1	1,751.1	830.0	2,003.5	182.8
1996	11,479.5	4.5	117.0	132.0	82.0	3,447.8	3,096.4	1,806.8	817.0	1,806.3	169.7
1997	11,985.3	4.5	114.0	133.0	94.0	3,610.6	3,192.3	1,917.7	897.7	1,842.9	178.6
1998	12,429.4	3.8	130.0	143.0	101.0	3,657.9	3,440.8	2,002.9	922.6	1,854.0	173.4
1999	12,904.4	4.4	119.0	133.0	110.0	3,935.1	3,440.2	2,148.1	961.8	1,882.5	170.3
2000	13,575.5	3.2	126.0	127.0	132.0	4,082.2	3,520.0	2,381.6	1,070.9	1,964.8	167.8
2001	14,367.1	2.4	130.0	127.0	131.0	4,290.8	3,525.0	2,688.1	1,180.1	2,125.1	167.6
2002	14,671.9	2.5	130.0	119.0	122.0	4,280.2	3,661.4	2,825.0	1,230.0	2,139.8	162.0
2003	14,623.0	2.3	132.0	108.0	124.0	4,250.0	3,670.0	2,852.0	1,265.0	2,050.0	169.7
2004	14,675.0	2.2	130.0	101.0	123.0	4,280.0	3,610.0	2,870.0	1,342.0	2,045.0	171.8
2005	14,496.0	2.2	125.0	101.0	105.8	4,200.0	3,560.0	2,900.0	1,315.0	2,020.0	167.0
2006

Source: CANSIM table 003-0004.

Table 34-1

Production of poultry — 1963 to 1989

	Canada	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	thousands										
1963	144,128.0	..	348.0	4,683.0	1,803.0	43,499.0	53,808.0	7,601.0	6,254.0	13,099.0	13,033.0
1964	155,267.0	..	300.0	5,131.0	1,793.0	48,068.0	58,358.0	8,332.0	6,517.0	14,194.0	12,574.0
1965	162,538.0	..	312.0	5,054.0	2,484.0	52,696.0	61,539.0	8,675.0	5,608.0	12,919.0	13,251.0
1966	179,538.0	..	301.0	6,392.0	3,269.0	59,560.0	64,255.0	9,627.0	6,105.0	15,028.0	15,001.0
1967	187,079.0	..	287.0	5,860.0	3,266.0	64,851.0	65,739.0	9,783.0	6,899.0	14,957.0	15,437.0
1968	188,578.0	..	211.0	5,875.0	3,696.0	65,639.0	66,131.0	10,342.0	7,373.0	13,672.0	15,639.0
1969	215,686.0	..	280.0	6,673.0	4,508.0	77,799.0	73,434.0	12,011.0	8,334.0	15,663.0	16,984.0
1970	238,995.0	..	341.0	7,549.0	4,987.0	85,797.0	79,524.0	13,677.0	10,177.0	17,945.0	18,998.0
1971	222,997.0	..	267.0	7,282.0	4,627.0	73,258.0	78,748.0	11,606.0	9,141.0	18,374.0	19,694.0
1972	234,172.0	..	335.0	7,693.0	5,319.0	77,700.0	81,620.0	12,534.0	8,735.0	18,629.0	21,607.0
1973	250,072.0	..	378.0	8,878.0	6,033.0	81,047.0	86,091.0	13,796.0	9,392.0	20,532.0	23,925.0
1974	242,355.0	..	322.0	8,550.0	5,493.0	77,998.0	86,470.0	12,564.0	8,965.0	18,954.0	23,039.0
1975	226,342.0	..	312.0	8,841.0	5,296.0	69,816.0	79,980.0	12,438.0	8,855.0	19,106.0	21,698.0
1976	251,734.0	..	359.0	9,450.0	6,814.0	79,394.0	87,345.0	13,579.0	8,712.0	21,784.0	24,297.0
1977	259,556.0	..	355.0	9,404.0	7,547.0	84,258.0	87,246.0	13,305.0	9,005.0	24,134.0	24,302.0
1978	277,434.0	..	454.0	10,639.0	7,818.0	85,399.0	94,480.0	14,736.0	8,487.0	27,171.0	28,250.0
1979	309,331.0	..	490.0	11,397.0	8,039.0	90,195.0	108,028.0	15,529.0	10,080.0	31,951.0	33,622.0
1980	304,125.0	..	285.0	11,534.0	8,140.0	89,712.0	105,834.0	15,895.0	9,672.0	31,655.0	31,398.0
1981	309,479.0	3,416.0	139.0	11,450.0	8,342.0	86,914.0	106,900.0	15,735.0	9,378.0	33,810.0	33,395.0
1982	305,236.0	4,078.0	395.0	11,217.0	8,307.0	88,428.0	104,296.0	15,283.0	9,390.0	34,475.0	29,367.0
1983	301,120.0	3,869.0	268.0	11,345.0	8,400.0	83,223.0	105,509.0	15,635.0	9,645.0	32,720.0	30,506.0
1984	317,771.0	4,124.0	342.0	12,444.0	8,652.0	89,137.0	109,536.0	16,543.0	10,116.0	34,848.0	32,029.0
1985	346,563.0	5,185.0	410.0	12,160.0	9,220.0	98,927.0	122,779.0	17,711.0	10,515.0	35,399.0	34,257.0
1986	354,864.0	5,210.0	642.0	12,771.0	9,811.0	102,886.0	124,238.0	18,049.0	10,770.0	33,866.0	36,621.0
1987	385,526.0	5,448.0	531.0	14,082.0	10,252.0	110,442.0	136,918.0	19,073.0	11,219.0	36,651.0	40,911.0
1988	392,302.0	5,406.0	895.0	14,481.0	10,333.0	113,785.0	139,091.0	18,600.0	11,263.0	35,410.0	43,038.0
1989	390,438.0	5,618.0	971.0	13,880.0	10,181.0	113,877.0	135,409.0	18,334.0	11,199.0	35,000.0	45,970.0

Source: CANSIM table 003-0019.

Table 34-2

Production of poultry — 1990 to 2004

	Canada	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	thousands										
1990	406,940.0	5,576.0	1,215.0	14,530.0	10,528.0	117,780.0	137,749.0	19,607.0	11,251.0	37,115.0	51,588.0
1991	411,090.0	5,512.0	1,552.0	14,372.0	10,597.0	118,036.0	140,855.0	19,838.0	11,437.0	36,492.0	52,400.0
1992	408,810.0	5,659.0	1,548.0	14,259.0	10,736.0	116,396.0	138,693.0	19,250.0	11,405.0	37,099.0	53,766.0
1993	430,258.0	6,650.0	1,569.0	14,742.0	10,792.0	119,956.0	144,520.0	19,070.0	13,032.0	40,032.0	59,895.0
1994	486,338.0	7,396.0	1,725.0	16,438.0	12,353.0	135,646.0	164,134.0	20,551.0	14,323.0	44,917.0	68,855.0
1995	486,218.0	7,888.0	1,938.0	17,618.0	12,478.0	136,260.0	158,432.0	21,038.0	12,696.0	45,395.0	72,475.0
1996	501,289.0	8,002.0	1,974.0	18,104.0	13,116.0	141,701.0	161,795.0	22,434.0	12,453.0	45,326.0	76,385.0
1997	516,952.0	7,616.0	2,108.0	18,818.0	13,522.0	146,847.0	165,806.0	22,872.0	12,497.0	47,632.0	79,233.0
1998	541,278.0	x	x	20,175.0	14,644.0	152,801.0	170,146.0	25,011.0	12,884.0	51,560.0	84,117.0
1999	570,468.0	x	x	21,118.0	14,812.0	156,129.0	182,097.0	27,034.0	14,540.0	53,997.0	90,303.0
2000	590,623.0	x	x	20,936.0	15,544.0	156,981.0	188,751.0	28,847.0	17,696.0	55,577.0	95,599.0
2001	624,792.0	x	x	21,260.0	17,187.0	167,393.0	200,298.0	29,253.0	20,216.0	59,032.0	98,924.0
2002	625,692.0	x	x	22,255.0	15,680.0	167,109.0	201,965.0	28,641.0	21,531.0	55,358.0	102,135.0
2003	615,623.0	x	x	21,464.0	17,144.0	163,548.0	197,089.0	27,567.0	23,136.0	52,142.0	102,354.0
2004	613,251.0	x	x	21,924.0	18,153.0	168,782.0	203,977.0	28,530.0	25,160.0	54,846.0	80,133.0

Source: CANSIM table 003-0019.

Table 35-1

Number of sheep — 1940 to 1964

	Canada	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskat- chewan	Alberta	British Columbia
	thousands										
1940	1,870.1	..	26.6	95.0	60.0	338.8	419.0	147.9	206.0	497.0	79.8
1941	1,950.6	..	27.6	90.3	57.5	350.5	422.0	177.0	225.0	522.8	77.9
1942	2,090.3	..	28.1	97.1	63.1	373.0	449.0	195.0	238.5	566.4	80.1
1943	2,215.9	..	33.2	101.2	65.2	395.8	467.0	220.0	242.0	609.0	82.5
1944	2,204.0	..	29.8	94.6	61.0	423.7	460.0	217.2	238.0	600.0	79.7
1945	1,944.5	..	30.6	91.3	54.3	387.3	400.0	140.6	217.0	550.0	73.4
1946	1,757.1	..	26.0	82.8	45.4	357.1	383.0	96.0	192.0	515.8	59.0
1947	1,515.7	..	22.4	69.4	43.5	325.8	360.0	75.0	157.0	411.0	51.6
1948	1,229.0	..	18.1	62.0	36.9	250.0	286.0	58.0	128.0	344.7	45.3
1949	1,065.0	..	17.1	57.4	33.7	214.0	258.0	46.0	106.0	291.4	41.4
1950	967.3	..	18.5	58.1	33.0	194.0	241.0	43.0	94.0	243.1	42.6
1951	1,015.5	..	19.5	65.0	35.0	196.0	241.0	43.0	93.0	280.0	43.0
1952	1,061.5	..	21.0	63.0	35.0	213.0	260.0	45.5	97.0	279.0	48.0
1953	1,073.5	..	21.0	65.0	37.0	207.0	264.0	47.5	96.0	288.0	48.0
1954	1,114.5	..	20.0	65.0	39.5	204.0	256.0	52.0	101.0	327.0	50.0
1955	1,106.0	..	19.5	59.0	39.0	197.0	250.0	48.0	98.0	342.0	53.5
1956	1,067.0	..	18.0	50.0	38.0	193.0	240.0	47.0	101.0	325.0	55.0
1957	1,082.0	..	16.0	46.0	38.0	184.0	243.0	48.0	109.0	341.0	57.0
1958	1,066.1	..	14.1	45.0	37.0	160.0	240.0	46.0	108.0	355.0	61.0
1959	1,058.9	..	13.9	44.0	37.0	143.0	226.0	48.0	123.0	365.0	59.0
1960	1,051.6	..	13.6	41.0	33.0	121.0	229.0	50.0	122.0	381.0	61.0
1961	974.0	..	12.0	35.0	28.0	105.0	226.0	44.0	110.0	351.0	63.0
1962	904.0	..	11.0	33.0	25.0	95.0	207.0	49.0	99.0	320.0	65.0
1963	848.5	..	10.5	29.0	21.0	85.0	196.0	49.0	103.0	285.0	70.0
1964	777.5	..	9.5	25.0	18.0	80.0	182.0	41.0	95.0	270.0	57.0

Source: CANSIM table 003-0031.

Table 35-2

Number of sheep — 1965 to 1989

	Canada	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskat- chewan	Alberta	British Columbia
	thousands										
1965	715.0	..	9.0	23.0	16.0	71.0	186.0	38.0	89.0	240.0	43.0
1966	673.9	..	7.4	23.0	15.0	67.0	175.0	32.5	87.0	228.0	39.0
1967	608.5	..	7.0	22.0	14.0	65.0	173.0	27.5	85.0	179.0	36.0
1968	551.0	..	7.0	22.0	12.0	62.0	171.0	25.0	86.0	130.0	36.0
1969	528.0	..	7.0	21.0	11.0	63.0	157.0	25.0	88.0	122.0	34.0
1970	546.0	..	5.0	21.0	10.0	58.0	146.0	28.0	94.0	151.0	33.0
1971	589.6	..	4.8	22.3	9.0	54.0	151.0	28.5	101.0	183.0	36.0
1972	565.0	..	4.6	20.9	9.2	49.0	146.0	26.3	97.0	176.0	36.0
1973	x	..	x	x	x	x	x	x	x	x	x
1974	529.4	..	4.8	20.3	8.5	45.5	139.0	22.3	91.0	164.0	34.0
1975	497.1	..	4.3	20.2	7.9	40.7	130.0	18.5	78.0	165.0	32.5
1976	458.3	..	3.9	21.4	7.5	36.0	122.0	16.5	69.0	152.0	30.0
1977	390.4	5.7	3.9	23.5	7.3	35.0	112.0	15.0	51.5	109.5	27.0
1978	388.0	5.3	4.1	24.0	7.0	37.3	128.0	17.0	44.0	94.5	26.8
1979	425.7	5.8	4.2	25.0	7.5	43.0	153.5	17.5	42.5	97.5	29.2
1980	485.1	5.3	4.3	26.0	8.0	56.5	176.0	19.5	44.5	111.7	33.3
1981	529.9	5.0	4.5	28.0	8.0	68.8	184.0	21.7	47.5	123.0	39.4
1982	571.6	4.5	4.6	28.0	9.0	80.5	184.0	22.5	50.0	143.0	45.5
1983	565.5	4.0	5.0	29.0	8.3	83.0	184.0	22.5	44.7	140.0	45.0
1984	550.3	4.2	4.9	30.0	8.2	83.5	177.0	20.5	40.0	137.0	45.0
1985	513.5	4.5	4.5	29.0	7.9	82.5	165.0	18.2	35.2	122.0	44.7
1986	489.5	4.5	4.2	27.0	7.6	77.5	158.5	15.4	33.8	123.0	38.0
1987	484.9	4.6	4.3	24.5	7.0	77.0	147.0	14.5	34.0	134.5	37.5
1988	520.5	4.7	3.8	24.0	7.0	76.0	160.0	15.0	39.5	152.0	38.5
1989	560.4	5.2	3.2	22.5	7.0	76.0	170.0	17.0	45.0	173.0	41.5

Source: CANSIM table 003-0031.

Table 35-3

Number of sheep — 1990 to 2006

	Canada	Newfoundland and Labrador	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskat- chewan	Alberta	British Columbia
	thousands										
1990	590.5	5.7	2.8	21.0	7.5	78.0	165.0	23.0	52.0	189.0	46.5
1991	628.3	5.9	2.2	20.0	7.5	80.0	175.0	23.7	60.0	204.0	50.0
1992	647.9	6.0	2.9	18.5	7.5	86.0	165.0	33.0	58.0	221.5	49.5
1993	632.5	5.2	2.5	19.5	6.3	88.0	172.0	27.0	73.0	192.0	47.0
1994	639.3	4.2	2.5	18.5	5.8	93.0	185.0	39.3	69.0	170.0	52.0
1995	617.3	3.5	2.4	17.2	5.6	95.0	159.0	41.0	68.6	171.0	54.0
1996	643.0	3.5	2.6	16.1	4.6	103.0	175.0	43.0	68.2	175.0	52.0
1997	627.8	3.8	2.9	16.9	5.0	112.2	179.9	45.9	50.7	159.5	51.0
1998	662.0	3.7	2.7	16.8	5.6	130.2	175.0	47.0	58.0	170.0	53.0
1999	717.0	3.7	3.1	18.0	6.3	139.9	190.0	49.0	80.0	175.0	52.0
2000	793.0	4.0	3.1	18.3	6.4	160.2	209.0	63.0	91.0	187.0	51.0
2001	947.8	5.1	2.6	17.3	6.8	208.0	268.0	75.0	110.0	205.0	50.0
2002	993.6	5.4	2.3	17.3	7.0	225.2	266.0	76.2	117.2	218.0	59.0
2003	975.6	5.2	2.6	18.0	7.2	230.0	280.0	74.0	115.0	187.0	56.6
2004	997.0	5.1	3.2	18.5	7.2	250.0	270.0	82.0	125.0	175.0	61.0
2005	980.3	5.2	2.9	18.6	6.6	245.0	265.0	70.0	130.0	171.0	66.0
2006	919.0	5.3	3.4	19.0	6.3	255.0	230.0	65.0	110.0	155.0	70.0

Source: CANSIM table 003-0031.

Table 36-1

Small grain production and yield — 1908 to 1929

	Average yield					Production				
	All wheat	Oats	Barley	All rye	Mixed grains	All wheat	Oats	Barley	All rye	Mixed grains
	kilograms per hectare					thousands of tonnes				
1908	1,145	1,205	1,440	1,065	1,650	3,060.2	3,861.6	1,016.8	43.9	388.8
1909	1,445	1,450	1,600	1,180	1,680	4,537.8	5,451.4	1,206.4	43.9	395.8
1910	1,000	1,080	1,215	850	1,545	3,595.2	3,785.2	628.6	39.9	267.2
1911	1,400	1,445	1,575	1,200	1,505	6,293.5	5,640.1	968.7	64.3	320.6
1912	1,370	1,500	1,680	1,210	1,750	6,101.4	6,039.8	1,076.5	62.0	351.0
1913	1,415	1,480	1,610	1,240	1,680	6,305.2	6,240.3	1,051.7	59.0	322.2
1914	1,055	1,185	1,305	1,130	1,785	4,389.2	4,828.1	788.8	51.2	334.4
1915	1,750	1,535	1,695	1,285	1,890	10,711.0	7,171.1	1,176.2	63.2	357.4
1916	1,150	1,420	1,275	1,225	1,295	7,151.0	6,326.1	931.6	72.8	216.0
1917	1,065	1,155	1,240	1,125	1,640	6,360.9	6,215.5	1,198.6	97.4	329.8
1918	735	1,100	1,320	965	1,950	5,145.6	6,574.2	1,683.2	216.0	727.8
1919	680	1,005	1,145	850	1,560	5,259.7	6,083.1	1,227.2	259.9	568.4
1920	970	1,275	1,335	1,090	2,015	7,162.4	8,184.5	1,377.9	287.1	661.8
1921	870	960	1,150	730	1,305	8,189.0	6,574.2	1,301.2	545.5	454.5
1922	1,200	1,290	1,485	965	1,795	10,879.2	7,575.8	1,564.5	822.8	565.6
1923	1,455	1,495	1,490	1,005	1,780	12,905.4	8,697.4	1,676.9	589.9	607.5
1924	800	1,070	1,400	970	1,905	7,132.2	6,260.8	1,933.7	349.4	653.0
1925	1,280	1,220	1,330	900	1,940	10,762.9	6,204.6	1,896.4	232.8	675.6
1926	1,195	1,145	1,475	1,010	1,790	11,081.0	5,912.2	2,177.4	309.3	691.6
1927	1,435	1,265	1,485	1,315	1,890	13,054.8	6,780.8	2,110.2	395.4	767.8
1928	1,580	1,310	1,505	1,095	1,780	15,424.0	6,973.4	2,970.2	371.5	798.6
1929	810	865	930	835	1,610	8,224.0	4,362.0	2,227.5	334.1	729.8

Source: CANSIM table 001-0010.

Table 36-2

Small grain production and yield — 1930 to 1959

	Average yield					Production				
	All wheat	Oats	Barley	All rye	Mixed grains	All wheat	Oats	Barley	All rye	Mixed grains
	kilograms per hectare					thousands of tonnes				
1930	1,135	1,215	1,310	950	1,860	11,449.0	6,526.5	2,942.8	558.5	903.8
1931	820	975	955	415	1,665	8,745.4	5,062.6	1,466.8	134.2	804.7
1932	1,095	1,135	1,155	690	1,665	12,058.6	6,038.0	1,758.6	215.0	796.8
1933	730	865	930	455	1,425	7,672.2	4,741.7	1,379.0	106.7	673.8
1934	775	890	950	430	1,650	7,508.0	4,952.1	1,387.7	119.5	774.2
1935	785	1,065	1,165	835	1,730	7,673.6	6,081.6	1,829.0	243.5	807.0
1936	575	780	870	435	1,450	5,967.0	4,192.0	1,565.3	109.3	686.6
1937	475	785	1,030	405	1,615	4,904.5	4,139.7	1,809.8	146.0	737.4
1938	935	1,090	1,235	930	1,705	9,797.2	5,727.5	2,225.9	279.2	799.4
1939	1,310	1,145	1,275	875	1,825	14,169.4	5,928.2	2,246.2	389.5	899.5
1940	1,265	1,180	1,295	845	1,785	14,700.8	5,867.8	2,270.8	355.9	880.3
1941	965	950	1,120	755	1,605	8,563.8	4,719.1	2,403.4	283.3	931.3
1942	1,735	1,805	2,000	1,160	2,095	15,134.6	9,893.6	5,574.6	614.5	1,256.7
1943	1,140	1,195	1,375	775	1,210	7,711.4	7,118.6	4,536.2	162.0	613.6
1944	1,230	1,345	1,440	820	1,935	11,291.4	7,310.2	4,078.8	215.9	999.2
1945	915	1,015	1,155	745	1,685	8,609.6	5,417.1	3,239.4	148.9	824.5
1946	1,135	1,165	1,275	765	2,065	11,201.0	5,564.9	3,197.3	220.5	972.0
1947	945	960	1,020	710	1,555	9,211.6	4,167.4	3,045.5	346.3	616.9
1948	1,080	1,215	1,280	735	2,040	10,380.8	5,326.4	3,314.8	698.6	1,095.8
1949	900	1,055	1,070	530	1,680	9,962.0	4,697.8	2,569.9	258.9	986.0
1950	1,150	1,370	1,385	720	2,230	12,696.6	6,196.2	3,646.6	330.9	1,282.6
1951	1,475	1,580	1,685	980	2,295	15,068.6	7,616.2	5,343.1	446.9	1,417.2
1952	1,805	1,625	1,850	1,220	2,055	19,105.4	7,264.5	6,348.2	609.5	1,307.4
1953	1,615	1,600	1,585	1,200	2,205	17,256.3	6,383.8	5,706.0	732.7	1,382.6
1954	875	1,160	1,200	1,020	1,920	9,035.2	4,724.7	3,814.6	325.6	1,299.0
1955	1,540	1,390	1,365	1,165	1,965	14,129.2	6,159.9	5,466.7	351.3	1,352.6
1956	1,690	1,700	1,725	965	2,155	15,595.5	7,210.4	5,856.7	214.5	1,359.8
1957	1,225	1,370	1,235	965	2,200	10,687.0	4,887.3	4,702.6	212.5	1,281.6
1958	1,210	1,425	1,380	945	2,300	10,834.3	5,331.4	5,178.2	195.4	1,302.8
1959	1,220	1,445	1,470	990	2,155	12,112.2	5,308.0	4,694.7	214.4	1,278.4

Source: CANSIM table 001-0010.

Table 36-3

Small grain production and yield — 1960 to 1989

	Average yield					Production				
	All wheat	Oats	Barley	All rye	Mixed grains	All wheat	Oats	Barley	All rye	Mixed grains
	kilograms per hectare					thousands of tonnes				
1960	1,420	1,580	1,520	1,140	2,175	14,107.4	6,145.8	4,212.9	259.5	1,202.8
1961	755	1,265	1,095	730	1,975	7,714.0	4,378.9	2,451.7	165.4	1,251.4
1962	1,420	1,775	1,690	1,210	2,395	15,393.4	7,597.3	3,611.4	312.0	1,475.4
1963	1,765	1,820	1,925	1,235	2,435	19,689.6	6,876.0	4,816.3	350.2	1,444.0
1964	1,360	1,655	1,650	1,110	2,340	16,348.8	5,351.6	3,667.6	314.2	1,452.3
1965	1,545	1,825	1,920	1,400	2,485	17,674.0	6,168.8	4,752.9	453.4	1,649.2
1966	1,875	1,790	2,135	1,490	2,325	22,516.8	5,717.4	6,450.0	437.6	1,662.4
1967	1,325	1,560	1,675	1,095	2,310	16,136.4	4,654.8	5,505.8	304.5	1,568.8
1968	1,485	1,830	1,980	1,205	2,595	17,690.4	5,501.0	7,098.2	330.4	1,772.2
1969	1,810	1,855	2,135	1,120	2,525	18,268.0	5,473.1	8,082.8	385.7	1,792.6
1970	1,785	1,955	2,220	1,425	2,555	9,023.0	5,444.3	8,889.2	479.8	2,026.2
1971	1,835	2,030	2,315	1,440	2,625	14,411.9	5,640.6	13,099.2	556.6	2,183.7
1972	1,680	1,875	2,230	1,345	2,550	14,514.4	4,664.3	11,284.8	347.5	2,127.4
1973	1,685	1,860	2,115	1,420	2,445	16,160.4	5,071.0	10,217.8	369.0	1,980.7
1974	1,490	1,590	1,845	1,415	2,245	13,302.3	3,977.6	8,790.6	498.4	1,635.8
1975	1,800	1,855	2,130	1,650	2,470	17,081.6	4,480.2	9,509.0	550.3	1,819.6
1976	2,095	2,005	2,415	1,755	2,415	23,586.7	4,831.5	10,513.7	439.9	1,558.8
1977	1,965	2,020	2,485	1,625	2,560	19,858.7	4,282.8	11,801.9	406.5	1,596.9
1978	2,000	1,980	2,435	1,905	2,705	21,135.6	3,568.0	10,397.8	605.2	1,635.2
1979	1,635	1,930	2,275	1,595	2,635	17,196.3	2,878.4	8,478.0	530.4	1,560.0
1980	1,720	2,005	2,430	1,455	2,655	19,291.4	2,912.0	11,395.2	455.8	1,509.2
1981	2,000	2,040	2,510	2,090	2,680	24,802.2	3,188.3	13,724.2	922.9	1,458.9
1982	2,130	2,250	2,710	2,040	2,800	26,714.8	3,636.8	13,965.0	928.3	1,483.6
1983	1,930	1,980	2,360	1,940	2,270	26,464.2	2,773.3	10,209.0	822.7	1,146.2
1984	1,610	1,930	2,260	1,800	2,680	21,187.9	2,576.1	10,278.6	652.3	1,238.1
1985	1,770	2,170	2,610	1,610	2,880	24,252.2	2,735.7	12,387.0	568.9	1,264.8
1986	2,200	2,500	3,000	1,900	2,800	31,359.3	3,218.4	14,568.0	514.6	884.3
1987	1,900	2,400	2,800	1,600	2,800	25,945.3	2,957.2	13,916.1	408.9	883.6
1988	1,200	2,200	2,500	1,100	2,300	15,912.7	2,941.7	10,326.1	277.0	652.4
1989	1,800	2,100	2,500	1,800	2,700	24,796.2	3,265.0	11,784.1	806.4	720.0

Source: CANSIM table 001-0010.

Table 36-4

Small grain production and yield — 1990 to 2006

	Average yield					Production				
	All wheat	Oats	Barley	All rye	Mixed grains	All wheat	Oats	Barley	All rye	Mixed grains
	kilograms per hectare					thousands of tonnes				
1990	2,300	2,300	3,000	1,800	2,800	32,098.3	2,692.2	13,441.4	599.4	698.3
1991	2,300	2,100	2,800	1,900	2,500	31,945.6	1,793.9	11,617.3	338.7	618.1
1992	2,200	2,300	2,900	1,900	3,000	29,877.2	2,828.5	11,031.5	281.1	604.1
1993	2,200	2,600	3,100	2,000	2,800	27,225.9	3,556.8	12,972.1	318.6	712.1
1994	2,100	2,400	2,900	2,100	2,700	22,919.5	3,640.5	11,692.0	399.7	630.9
1995	2,200	2,400	3,000	1,900	2,800	24,989.4	2,872.8	13,032.5	309.6	653.3
1996	2,400	2,600	3,200	1,900	2,700	29,801.4	4,361.1	15,562.0	309.4	581.9
1997	2,100	2,300	2,900	2,000	2,800	24,299.4	3,489.3	13,533.9	320.0	626.4
1998	2,300	2,500	3,000	2,000	2,800	24,082.3	3,957.5	12,708.7	408.2	540.0
1999	2,600	2,600	3,200	2,300	2,900	26,959.9	3,641.3	13,196.0	386.6	462.8
2000	2,400	2,600	3,000	2,300	3,000	26,535.5	3,403.3	13,228.6	260.3	434.9
2001	1,900	2,200	2,600	1,900	2,800	20,630.2	2,690.7	10,845.6	227.8	446.5
2002	1,800	2,100	2,200	1,700	2,700	16,197.5	2,910.7	7,489.4	133.8	358.9
2003	2,300	2,300	2,800	2,200	2,800	23,552.0	3,691.0	12,327.6	327.1	384.4
2004	2,600	2,800	3,300	2,500	2,900	25,860.4	3,683.1	13,186.4	417.9	318.0
2005	2,700	2,600	3,200	2,400	2,800	26,775.0	3,432.3	12,481.2	358.6	303.1
2006

Source: CANSIM table 001-0010.

Table 37-1

Selected field crop production and yield — 1908 to 1929

	Average yield						
	Corn for grain	Dry field peas	Total dry beans (white and coloured)	Soybeans	Canola (rapeseed)	Sunflower seed	Fodder corn
	kilograms per hectare						
1908	3,935	1,150	1,395	25,360
1909	3,450	1,395	1,595	23,060
1910	3,065	910	1,210	20,630
1911	3,730	1,065	1,290	20,270
1912	3,565	1,010	1,180	22,660
1913	3,795	1,215	1,155	19,340
1914	3,410	1,100	1,225	22,980
1915	3,555	1,190	1,125	22,810
1916	2,265	985	855	14,630
1917	2,070	1,020	925	16,500
1918	3,575	1,230	1,050	21,400
1919	4,040	995	1,110	21,610
1920	3,080	1,270	1,180	21,450
1921	3,165	965	1,175	24,420
1922	2,730	1,215	1,095	20,100
1923	2,700	1,155	1,110	18,080
1924	2,545	1,215	1,115	17,910
1925	2,775	1,255	1,240	20,280
1926	2,325	1,220	1,090	19,680
1927	2,010	1,245	1,045	16,890
1928	2,345	1,125	1,120	18,640
1929	2,125	1,065	1,165	17,640

	Production						
	Corn for grain	Dry field peas	Total dry beans (white and coloured)	Soybeans	Canola (rapeseed)	Sunflower seed	Fodder corn
	tonnes						
1908	580,600	192,100	33,800	2,665,000
1909	489,600	221,650	35,950	2,521,000
1910	363,600	130,450	22,550	2,456,000
1911	487,400	127,000	27,600	2,433,000
1912	430,100	106,450	25,050	2,756,000
1913	425,900	107,550	21,750	2,374,000
1914	354,100	91,450	21,650	2,950,000
1915	364,900	94,550	19,650	3,069,000
1916	159,200	60,400	11,200	1,730,000
1917	196,800	82,250	34,650	2,444,000
1918	361,200	117,450	97,050	4,344,000
1919	430,400	92,650	37,750	4,481,000
1920	364,100	96,050	34,400	5,118,000
1921	378,600	75,400	29,650	5,774,000
1922	350,900	93,300	35,500	5,333,000
1923	346,000	78,900	28,400	4,827,000
1924	304,800	88,150	32,450	5,207,000
1925	268,000	92,900	40,850	4,256,000
1926	198,500	71,750	31,500	4,073,000
1927	108,000	76,050	28,150	3,219,000
1928	132,900	70,400	31,850	3,326,000
1929	131,600	53,900	40,650	3,013,000

Source: CANSIM table 001-0010.

Table 37-2

Selected field crop production and yield — 1930 to 1949

	Average yield						
	Corn for grain	Dry field peas	Total dry beans (white and coloured)	Soybeans	Canola (rapeseed)	Sunflower seed	Fodder corn
	kilograms per hectare						
1930	2,255	1,240	980	18,290
1931	2,580	1,135	1,035	19,230
1932	2,415	1,200	1,150	17,580
1933	2,325	1,095	1,010	18,460
1934	2,660	1,120	965	17,200
1935	2,895	1,145	1,215	19,060
1936	2,315	895	925	17,480
1937	2,060	960	1,285	19,730
1938	2,670	1,145	1,485	21,530
1939	2,785	1,155	1,405	20,450
1940	2,360	1,120	1,025	18,800
1941	2,610	1,130	1,125	1,340	20,880
1942	2,530	1,235	1,345	1,410	21,570
1943	2,135	1,040	1,135	1,140	770	490	20,120
1944	2,710	1,020	945	1,270	650	555	21,340
1945	2,755	1,040	880	1,230	760	380	16,890
1946	2,670	1,280	1,160	1,215	620	635	19,220
1947	2,395	955	1,005	1,225	420	785	18,330
1948	3,100	1,200	1,205	1,305	895	895	21,080
1949	3,145	1,155	1,305	1,685	950	475	21,610
	Production						
	Corn for grain	Dry field peas	Total dry beans (white and coloured)	Soybeans	Canola (rapeseed)	Sunflower seed	Fodder corn
	tonnes						
1930	148,200	64,550	39,150	3,152,000
1931	138,600	37,250	35,600	2,616,000
1932	128,000	41,300	31,050	2,594,000
1933	128,000	37,450	24,200	2,834,000
1934	173,000	43,200	22,150	3,462,000
1935	197,000	44,000	31,650	3,699,000
1936	155,000	33,500	23,850	2,837,000
1937	138,000	32,700	35,200	3,563,000
1938	195,000	37,150	42,400	4,004,000
1939	206,000	35,600	41,550	4,095,000
1940	177,000	36,950	40,150	3,770,000
1941	347,700	32,150	44,900	5,900	3,431,000
1942	373,100	37,900	35,850	23,700	3,566,000
1943	203,300	36,500	32,900	14,800	1,000	2,450	3,270,000
1944	303,800	26,950	32,900	18,400	2,800	3,900	3,448,000
1945	269,800	36,250	29,850	22,900	3,800	1,400	2,781,000
1946	279,800	55,650	37,150	29,200	5,900	5,900	3,015,000
1947	175,400	42,450	35,000	30,200	9,900	7,300	2,808,000
1948	322,500	31,800	39,050	49,600	29,000	10,500	3,569,000
1949	355,000	21,000	43,450	71,000	7,700	11,600	3,763,000

Source: CANSIM table 001-0010.

Table 37-3

Selected field crop production and yield — 1950 to 1969

	Average yield						
	Corn for grain	Dry field peas	Total dry beans (white and coloured)	Soybeans	Canola (rapeseed)	Sunflower seed	Fodder corn
kilograms per hectare							
1950	2,840	1,135	1,210	1,570	250	430	22,910
1951	3,175	1,350	1,425	1,670	1,040	390	21,300
1952	3,660	1,390	1,465	1,615	855	750	23,760
1953	3,620	1,355	1,200	1,460	935	1,075	22,550
1954	3,395	1,215	955	1,310	815	800	19,340
1955	3,900	935	1,070	1,775	635	915	21,080
1956	3,430	1,385	1,175	1,465	955	595	19,670
1957	3,620	1,100	1,180	1,710	785	445	21,890
1958	3,785	1,065	1,230	1,700	695	510	22,260
1959	4,005	995	1,155	1,830	935	740	24,140
1960	3,595	1,235	1,010	1,485	815	955	20,340
1961	4,590	1,050	1,355	2,105	885	800	25,200
1962	4,785	1,115	1,465	2,010	885	850	27,020
1963	4,110	1,325	1,460	1,475	980	1,060	25,270
1964	5,065	1,525	1,665	2,030	935	440	26,420
1965	5,015	1,520	1,560	2,040	885	480	24,800
1966	5,165	1,200	1,675	2,175	950	695	25,600
1967	5,310	1,590	1,125	1,875	850	885	27,500
1968	5,325	1,280	1,200	2,060	1,035	695	28,100
1969	4,720	1,180	1,460	1,600	930	795	27,700

	Production						
	Corn for grain	Dry field peas	Total dry beans (white and coloured)	Soybeans	Canola (rapeseed)	Sunflower seed	Fodder corn
tonnes							
1950	357,900	17,750	32,250	90,400	50	4,500	4,279,000
1951	403,800	20,450	33,500	104,600	2,700	3,400	3,321,000
1952	538,000	26,000	35,300	112,300	6,400	900	3,521,000
1953	586,400	35,750	32,150	136,400	11,100	2,800	3,285,000
1954	631,900	29,850	27,600	130,000	13,100	6,800	2,763,000
1955	902,800	27,700	33,100	163,100	35,400	7,400	3,117,000
1956	706,500	49,400	31,200	144,250	136,000	8,000	3,129,000
1957	750,100	36,700	29,800	177,050	196,400	5,400	3,271,000
1958	756,400	30,450	33,250	181,000	176,000	10,050	3,406,000
1959	784,800	27,650	31,450	185,800	80,800	14,700	3,575,000
1960	662,500	30,450	27,050	136,050	252,200	13,300	3,015,000
1961	742,100	28,300	36,100	180,500	254,500	10,950	3,677,000
1962	848,400	22,350	38,800	179,800	132,900	7,900	4,340,000
1963	919,600	28,400	41,700	136,100	189,500	18,000	4,521,000
1964	1,342,200	46,950	56,050	189,900	300,000	14,000	5,321,000
1965	1,511,800	36,100	59,900	218,500	512,600	13,250	5,453,000
1966	1,685,600	29,750	79,800	245,300	585,100	14,850	6,026,000
1967	1,882,800	30,250	39,100	220,200	563,600	16,400	6,677,000
1968	2,076,800	27,500	44,150	245,700	441,400	11,250	7,235,000
1969	1,883,200	34,650	53,100	208,600	760,300	15,400	7,780,000

Source: CANSIM table 001-0010.

Table 37-4

Selected field crop production and yield — 1970 to 1989

	Average yield						
	Corn for grain	Dry field peas	Total dry beans (white and coloured)	Soybeans	Canola (rapeseed)	Sunflower seed	Fodder corn
kilograms per hectare							
1970	5,280	1,265	1,520	2,085	1,000	880	30,300
1971	5,165	1,610	1,730	1,885	1,000	790	31,000
1972	4,705	1,575	1,620	2,285	980	880	28,300
1973	5,285	1,615	1,455	2,085	945	790	29,100
1974	4,390	1,440	1,390	1,790	910	975	25,400
1975	5,735	1,610	1,380	2,325	1,005	1,190	30,600
1976	5,305	1,760	1,355	1,635	1,165	1,190	29,600
1977	5,770	1,600	715	2,605	1,360	1,190	29,500
1978	5,260	2,035	1,275	1,805	1,240	1,315	28,400
1979	5,540	1,780	1,815	2,355	1,000	1,350	30,200
1980	5,630	1,540	1,830	2,490	1,195	1,215	29,100
1981	5,860	1,860	1,450	2,170	1,320	1,420	30,600
1982	5,880	2,000	1,530	2,330	1,250	1,220	28,200
1983	5,520	1,810	1,400	2,020	1,120	1,110	26,400
1984	5,900	1,760	1,480	2,260	1,110	1,070	29,900
1985	6,200	2,270	1,610	2,500	1,260	1,190	29,700
1986	5,900	1,800	1,000	2,500	1,400	1,430	28,900
1987	7,000	1,800	2,000	2,800	1,400	1,530	34,700
1988	5,500	1,200	1,600	2,200	1,100	1,220	28,800
1989	6,400	1,600	1,600	2,300	1,100	1,280	29,900

	Production						
	Corn for grain	Dry field peas	Total dry beans (white and coloured)	Soybeans	Canola (rapeseed)	Sunflower seed	Fodder corn
tonnes							
1970	2,633,800	44,050	50,550	282,600	1,646,500	25,150	8,910,000
1971	2,941,500	52,500	79,250	279,800	2,165,900	76,700	9,724,000
1972	2,566,800	43,250	88,050	374,800	1,317,700	77,050	9,789,000
1973	2,879,700	43,500	78,700	396,500	1,223,700	41,250	10,969,000
1974	2,620,100	46,000	101,950	300,700	1,163,500	8,300	11,873,000
1975	3,644,700	49,250	91,000	366,800	1,839,200	29,900	14,528,000
1976	3,759,200	43,450	90,000	250,400	836,900	24,000	14,423,410
1977	4,248,800	55,000	50,200	580,000	1,973,100	81,000	14,350,400
1978	4,479,800	79,700	76,500	515,600	3,497,100	120,200	13,763,600
1979	5,276,100	77,550	61,650	657,300	3,411,100	217,800	13,650,400
1980	5,753,200	75,950	70,300	689,800	2,483,400	166,100	12,805,700
1981	6,682,600	110,500	64,650	606,800	1,848,500	165,200	12,095,900
1982	6,522,300	156,800	68,050	848,000	2,218,100	94,600	11,234,000
1983	5,930,800	116,700	38,600	735,000	2,593,300	46,200	9,593,000
1984	6,777,500	131,100	45,100	917,000	3,411,900	84,800	10,292,000
1985	6,969,900	168,800	58,500	1,012,000	3,497,900	61,700	9,530,000
1986	5,911,700	238,900	41,800	959,800	3,713,700	39,900	8,293,700
1987	7,064,700	415,000	110,200	1,269,700	3,719,500	51,800	8,570,600
1988	5,449,500	319,700	59,000	1,152,600	4,218,300	48,500	6,573,900
1989	6,570,900	234,100	71,200	1,218,700	3,209,200	68,200	6,700,500

Source: CANSIM table 001-0010.

Table 37-5

Selected field crop production and yield — 1990 to 2006

	Average yield						
	Corn for grain	Dry field peas	Total dry beans (white and coloured)	Soybeans	Canola (rapeseed)	Sunflower seed	Fodder corn
	kilograms per hectare						
1990	6,900	2,100	1,800	2,600	1,300	1,700	34,500
1991	6,700	2,100	0	2,400	1,300	1,640	28,600
1992	5,700	1,900	1,100	2,300	1,300	1,271	25,900
1993	6,700	2,100	1,600	2,600	1,300	1,021	29,200
1994	7,400	2,100	2,100	2,700	1,300	1,410	29,000
1995	7,300	1,800	1,900	2,800	1,200	1,488	29,300
1996	6,900	2,300	1,600	2,500	1,500	1,560	28,500
1997	6,900	2,100	1,800	2,600	1,300	1,287	27,000
1998	8,000	2,200	2,000	2,800	1,400	1,625	32,200
1999	8,000	2,700	1,900	2,800	1,600	1,545	35,430
2000	6,300	2,300	1,700	2,500	1,500	1,734	29,070
2001	6,600	1,600	1,700	1,500	1,300	1,554	27,670
2002	7,000	1,300	1,900	2,300	1,200	1,664	28,920
2003	7,800	1,700	2,100	2,200	1,400	1,313	32,230
2004	8,200	2,500	1,700	2,600	1,600	928	35,590
2005	8,600	2,300	1,800	2,700	1,800	1,194	36,420
2006
	Production						
	Corn for grain	Dry field peas	Total dry beans (white and coloured)	Soybeans	Canola (rapeseed)	Sunflower seed	Fodder corn
	tonnes						
1990	7,066,600	264,000	99,800	1,262,100	3,265,900	110,300	7,018,600
1991	7,412,500	409,700	0	1,459,900	4,224,200	134,600	5,536,600
1992	4,882,600	504,800	73,200	1,453,300	3,872,400	64,800	5,273,800
1993	6,755,200	970,200	130,800	1,944,900	5,524,900	78,500	5,248,800
1994	7,189,900	1,441,000	170,700	2,253,700	7,232,500	117,000	4,743,800
1995	7,280,900	1,454,700	203,100	2,297,500	6,434,200	66,200	4,995,700
1996	7,541,700	1,173,000	133,000	2,169,500	5,062,300	54,900	5,375,400
1997	7,179,800	1,762,300	168,000	2,737,700	6,393,100	65,100	5,466,600
1998	8,952,400	2,336,800	185,100	2,736,600	7,643,300	111,800	6,425,600
1999	9,161,300	2,251,900	284,500	2,780,900	8,798,300	121,900	6,611,500
2000	6,953,700	2,864,300	261,400	2,703,000	7,205,300	119,300	5,890,300
2001	8,389,200	2,044,800	289,200	1,635,200	5,017,100	103,800	6,079,000
2002	8,998,800	1,365,500	406,800	2,335,700	4,520,500	157,400	6,355,800
2003	9,587,300	2,124,400	344,300	2,268,300	6,771,200	150,300	7,213,000
2004	8,836,800	3,338,200	213,600	3,048,000	7,728,100	54,400	7,908,700
2005	9,460,800	3,099,800	309,100	3,161,300	9,660,200	89,300	7,469,000
2006

Source: CANSIM table 001-0010.

Table 38

Land area, by province and territory, 1981 to 2001

	1981	1986	1991	1996	2001	Percent change
	km ²					%
Newfoundland and Labrador	406,102.2	406,102.2	406,102.2	406,102.2	406,102.2	0.0
Prince Edward Island	5,943.0	5,943.0	5,943.0	5,943.0	5,943.0	0.0
Nova Scotia	55,360.7	55,360.7	55,360.7	55,360.7	55,360.7	0.0
New Brunswick	73,021.9	73,021.9	73,021.9	73,021.9	73,021.9	0.0
Quebec	1,498,799.1	1,498,799.1	1,498,799.1	1,498,799.1	1,498,799.1	0.0
Ontario	989,282.1	989,282.1	989,282.1	989,282.1	989,282.1	0.0
Manitoba	626,171.1	626,171.1	626,171.1	626,171.1	626,171.1	0.0
Saskatchewan	646,822.0	646,822.0	646,822.0	646,822.0	646,822.0	0.0
Alberta	660,930.9	660,930.9	660,930.9	660,930.9	660,930.9	0.0
British Columbia	946,997.8	946,997.8	946,997.8	946,997.8	946,997.8	0.0

Source: CANSIM table 153-0039.

Table 39

Number of farms, by province and territory, 1981 to 2001

	1981	1986	1991	1996	2001	Percent change
Newfoundland and Labrador	679.0	651.0	725.0	742.0	643.0	-5.3
Prince Edward Island	3,154.0	2,833.0	2,361.0	2,217.0	1,845.0	-41.5
Nova Scotia	5,045.0	4,283.0	3,980.0	4,453.0	3,923.0	-22.2
New Brunswick	4,063.0	3,554.0	3,252.0	3,405.0	3,034.0	-25.3
Quebec	48,144.0	41,448.0	38,076.0	35,991.0	32,139.0	-33.2
Ontario	82,448.0	72,713.0	68,633.0	67,520.0	59,728.0	-27.6
Manitoba	29,442.0	27,336.0	25,706.0	24,383.0	21,071.0	-28.4
Saskatchewan	67,318.0	63,431.0	60,840.0	56,995.0	50,598.0	-24.8
Alberta	58,056.0	57,777.0	57,245.0	59,007.0	53,652.0	-7.6
British Columbia	20,012.0	19,063.0	19,225.0	21,835.0	20,290.0	1.4

Source: CANSIM table 153-0039.

Table 40

Agricultural land area, by province and territory, 1981 to 2001

	1981	1986	1991	1996	2001	Percent change
	km ²					%
Newfoundland and Labrador	334.5	365.6	473.5	438.4	405.6	21.2
Prince Edward Island	2,830.2	2,724.3	2,588.8	2,652.2	2,614.8	-7.6
Nova Scotia	4,660.2	4,165.1	3,970.3	4,273.2	4,070.4	-12.7
New Brunswick	4,378.9	4,088.9	3,756.3	3,860.2	3,880.3	-11.4
Quebec	37,791.7	36,388.0	34,296.1	34,562.1	34,170.2	-9.6
Ontario	60,392.4	56,465.8	54,513.8	56,168.6	54,661.7	-9.5
Manitoba	76,159.3	77,402.3	77,249.9	77,321.4	76,017.7	-0.2
Saskatchewan	259,470.8	265,993.5	268,654.9	265,690.6	262,656.4	1.2
Alberta	191,085.1	206,553.4	208,110.0	210,292.3	210,674.7	10.3
British Columbia	21,786.0	24,110.6	23,923.4	25,290.6	25,870.7	18.7

Source: CANSIM table 153-0039.

Table 41

Average farm size, by province and territory, 1981 to 2001

	1981	1986	1991	1996	2001	Percent change
	km ²					%
Canada	2.1	2.3	2.4	2.5	2.7	31.9
Newfoundland and Labrador	0.5	0.6	0.6	0.6	0.6	28.6
Prince Edward Island	0.9	1.0	1.1	1.2	1.4	57.8
Nova Scotia	0.9	1.0	1.0	1.0	1.0	13.0
New Brunswick	1.1	1.2	1.2	1.1	1.3	18.5
Quebec	0.8	0.9	0.9	1.0	1.1	35.9
Ontario	0.7	0.8	0.8	0.8	0.9	26.0
Manitoba	2.6	2.8	3.0	3.2	3.6	39.4
Saskatchewan	3.8	4.2	4.4	4.7	5.2	34.8
Alberta	3.3	3.6	3.6	3.6	3.9	19.5
British Columbia	1.1	1.3	1.2	1.2	1.3	17.4

Source: CANSIM table 153-0039.

Table 42

Share of total area in agricultural land, by province and territory, 1981 to 2001

	1981	1986	1991	1996	2001	Percent change
	percent					
Canada	11.2	11.5	11.5	11.5	11.4	2.4
Newfoundland and Labrador	0.1	0.1	0.1	0.1	0.1	25.0
Prince Edward Island	47.6	45.8	43.6	44.6	44.0	-7.6
Nova Scotia	8.4	7.5	7.2	7.7	7.4	-12.7
New Brunswick	6.0	5.6	5.1	5.3	5.3	-11.5
Quebec	2.5	2.4	2.3	2.3	2.3	-9.5
Ontario	6.1	5.7	5.5	5.7	5.5	-9.3
Manitoba	12.2	12.4	12.3	12.4	12.1	-0.2
Saskatchewan	40.1	41.1	41.5	41.1	40.6	1.2
Alberta	28.9	31.2	31.5	31.8	31.9	10.3
British Columbia	2.3	2.6	2.5	2.7	2.7	18.7

Source: CANSIM table 153-0039.

Table 43

Cropland area, by province and territory, 1981 to 2001

	1981	1986	1991	1996	2001	Percent change
	km ²					%
Canada	309,658.1	331,812.3	335,077.8	349,187.3	363,949.7	17.5
Newfoundland and Labrador	47.4	48.8	62.7	71.8	84.2	77.5
Prince Edward Island	1,582.8	1,565.0	1,541.0	1,703.6	1,755.0	10.9
Nova Scotia	1,127.8	1,095.1	1,062.3	1,123.6	1,192.1	5.7
New Brunswick	1,305.3	1,294.8	1,222.5	1,350.1	1,488.7	14.1
Quebec	17,560.4	17,444.0	16,384.5	17,388.1	18,499.1	5.3
Ontario	36,327.3	34,579.7	34,116.7	35,449.3	36,566.4	0.7
Manitoba	44,203.7	45,193.3	47,610.5	46,991.5	47,148.2	6.7
Saskatchewan	117,408.6	133,258.1	134,589.1	143,986.5	153,759.3	31.0
Alberta	84,412.4	91,625.2	92,920.4	95,465.5	97,281.7	15.2
British Columbia	5,682.4	5,708.4	5,568.0	5,657.4	6,175.0	8.7

Source: CANSIM table 153-0039.

Table 44

Improved pasture area, by province and territory, 1981 to 2001

	1981	1986	1991	1996	2001	Percent change
	km ²					%
Canada	44,047.3	35,592.2	41,412.2	43,491.4	48,042.8	9.1
Newfoundland and Labrador	41.5	38.2	46.1	23.6	25.2	-39.2
Prince Edward Island	362.3	226.2	192.8	118.2	118.1	-67.4
Nova Scotia	461.1	362.4	307.2	250.0	228.6	-50.4
New Brunswick	414.8	272.0	250.5	198.7	181.9	-56.1
Quebec	4,435.6	3,011.3	2,709.2	1,973.4	1,827.9	-58.8
Ontario	6,570.1	4,312.9	3,902.1	3,483.5	3,130.3	-52.4
Manitoba	3,525.1	2,749.4	3,412.9	3,562.4	3,834.7	8.8
Saskatchewan	9,753.6	8,787.3	10,756.6	12,333.1	14,057.2	44.1
Alberta	15,814.4	13,768.1	17,424.8	19,146.0	22,308.8	41.1
British Columbia	2,668.8	2,064.3	2,410.0	2,402.4	2,330.2	-12.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0039.

Table 45

Area of hay, by province and territory, 1981 to 2001

	1981	1986	1991	1996	2001	Percent change
	km ²					%
Canada	62,451.8	62,168.0	58,232.7	62,108.7	73,140.9	17.1
Newfoundland and Labrador	35.1	39.1	49.0	51.1	64.4	83.5
Prince Edward Island	540.9	545.9	509.8	545.4	580.8	7.4
Nova Scotia	768.4	725.7	675.2	712.6	749.0	-2.5
New Brunswick	744.8	732.4	647.1	700.4	784.5	5.3
Quebec	11,502.1	10,831.6	8,692.5	8,816.8	7,803.1	-32.2
Ontario	13,417.6	12,207.6	10,409.6	10,181.3	10,132.9	-24.5
Manitoba	5,955.4	6,091.8	6,978.9	7,493.1	8,773.0	47.3
Saskatchewan	8,986.6	8,636.4	9,455.6	10,892.9	15,172.1	68.8
Alberta	17,114.5	18,840.6	17,548.6	19,235.4	25,071.4	46.5
British Columbia	3,386.4	3,517.0	3,266.3	3,479.7	4,009.6	18.4

Source: CANSIM table 153-0039.

Table 46

Number of cattle, by province and territory, 1981 to 2001

	1981	1986	1991	1996	2001	Percent change
Canada	13,501,904.0	11,997,608.0	12,972,038.0	14,893,034.0	15,551,449.0	15.2
Newfoundland and Labrador	6,963.0	7,717.0	8,446.0	8,252.0	9,483.0	36.2
Prince Edward Island	102,454.0	100,373.0	94,573.0	94,611.0	84,791.0	-17.2
Nova Scotia	140,209.0	132,624.0	128,619.0	128,971.0	108,401.0	-22.7
New Brunswick	110,942.0	107,131.0	105,137.0	100,297.0	91,176.0	-17.8
Quebec	1,665,691.0	1,525,582.0	1,445,906.0	1,439,743.0	1,362,788.0	-18.2
Ontario	2,898,494.0	2,441,785.0	2,285,954.0	2,285,996.0	2,140,731.0	-26.1
Manitoba	1,175,966.0	1,114,720.0	1,108,780.0	1,355,162.0	1,424,427.0	21.1
Saskatchewan	2,418,457.0	2,050,576.0	2,285,844.0	2,723,642.0	2,899,502.0	19.9
Alberta	4,192,887.0	3,827,143.0	4,756,365.0	5,942,257.0	6,615,201.0	57.8
British Columbia	789,841.0	689,957.0	752,414.0	814,103.0	814,949.0	3.2

Source: CANSIM table 153-0039.

Table 47

Density of cattle by province and territory, 1981 to 2001

	1981	1986	1991	1996	2001	Percent change
	number per square kilometre					%
Canada	2.3	2.0	2.2	2.5	2.6	15.4
Newfoundland and Labrador	0.0	0.0	0.0	0.0	0.0	0.0
Prince Edward Island	17.2	16.9	15.9	15.9	14.3	-17.2
Nova Scotia	2.5	2.4	2.3	2.3	2.0	-22.5
New Brunswick	1.5	1.5	1.4	1.4	1.2	-17.8
Quebec	1.1	1.0	1.0	1.0	0.9	-18.0
Ontario	2.9	2.5	2.3	2.3	2.2	-26.3
Manitoba	1.9	1.8	1.8	2.2	2.3	20.7
Saskatchewan	3.7	3.2	3.5	4.2	4.5	19.8
Alberta	6.3	5.8	7.2	9.0	10.0	57.9
British Columbia	0.8	0.7	0.8	0.9	0.9	3.6

Source: CANSIM table 153-0039.

Table 48

Chemical product expenses, by province and territory, 1981 to 2001

	1981	1986	1991	1996	2001	Percent change
	1992 dollars					%
Canada	555,370,083.6	795,421,986.7	772,494,290.8	992,042,896.8	1,289,200,412.6	132.1
Newfoundland and Labrador	197,408.9	141,990.4	281,492.2	277,580.5	304,355.2	54.2
Prince Edward Island	8,491,739.5	9,115,288.5	9,603,906.9	15,984,827.1	21,371,603.2	151.7
Nova Scotia	3,952,251.6	4,280,999.1	4,766,679.4	5,309,799.7	6,667,667.2	68.7
New Brunswick	7,051,162.1	7,054,879.9	7,660,651.1	9,433,047.9	11,091,901.0	57.3
Quebec	37,304,489.8	41,265,322.5	46,152,523.2	53,791,513.0	73,180,418.5	96.2
Ontario	143,390,848.0	162,551,396.7	158,110,018.2	179,578,388.9	213,982,136.4	49.2
Manitoba	90,914,431.3	128,183,110.1	124,205,217.8	167,804,205.1	192,223,016.6	111.4
Saskatchewan	140,013,870.2	254,219,018.9	234,425,380.9	331,645,516.8	472,028,197.2	237.1
Alberta	108,702,880.7	171,878,544.8	169,785,487.4	207,218,192.2	275,007,777.0	153.0
British Columbia	15,351,001.7	16,731,435.8	17,502,933.7	20,999,825.6	23,343,340.3	52.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0039.

Table 49

Chemical product expenses per land area, by province and territory, 1981 to 2001

	1981	1986	1991	1996	2001	Percent change
	1992 dollars per square kilometre					%
Canada	94.0	134.6	130.7	167.9	218.2	132.1
Newfoundland and Labrador	0.5	0.4	0.7	0.7	0.8	53.1
Prince Edward Island	1,428.9	1,533.8	1,616.0	2,689.7	3,596.1	151.7
Nova Scotia	71.4	77.3	86.1	95.9	120.4	68.7
New Brunswick	96.6	96.6	104.9	129.2	151.9	57.3
Quebec	24.9	27.5	30.8	35.9	48.8	96.2
Ontario	144.9	164.3	159.8	181.5	216.3	49.2
Manitoba	145.2	204.7	198.4	268.0	307.0	111.4
Saskatchewan	216.5	393.0	362.4	512.7	729.8	237.1
Alberta	164.5	260.1	256.9	313.5	416.1	153.0
British Columbia	16.2	17.7	18.5	22.2	24.6	52.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0039.

Table 50

Fertilizer expenses, by province and territory, 1981 to 2001

	1981	1986	1991	1996	2001	Percent change
	1992 dollars					%
Canada	923,874,159.6	1,256,376,823.6	1,247,466,023.9	1,439,333,557.6	1,615,693,211.6	74.9
Newfoundland and Labrador	829,685.0	870,404.7	1,238,799.5	1,071,768.4	1,179,484.0	42.2
Prince Edward Island	14,070,782.8	16,961,554.7	20,104,346.6	24,588,842.3	27,603,835.3	96.2
Nova Scotia	7,700,069.7	8,854,455.8	10,583,396.5	8,360,146.3	10,077,606.6	30.9
New Brunswick	10,433,632.3	11,224,384.3	14,454,112.8	13,090,461.5	15,535,876.7	48.9
Quebec	106,343,406.6	135,824,267.5	155,267,798.9	135,698,246.8	151,314,626.1	42.3
Ontario	241,101,994.3	265,809,822.5	275,575,918.4	268,836,027.1	283,917,145.2	17.8
Manitoba	145,611,985.8	198,435,843.9	187,412,656.8	216,794,323.1	227,333,548.0	56.1
Saskatchewan	160,116,624.7	281,533,284.1	248,199,987.9	381,098,413.0	449,564,107.7	180.8
Alberta	209,810,863.7	303,823,946.0	295,062,428.1	348,387,302.6	400,653,475.4	91.0
British Columbia	27,855,114.5	33,038,860.0	39,566,578.4	41,408,026.6	48,513,506.6	74.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0039.

Table 51

Fertilized area, by province and territory, 1981 to 2001

	1981	1986	1991	1996	2001	Percent change
	km ²					%
Canada	185,052.0	231,479.7	215,618.3	249,426.4	240,146.4	29.8
Newfoundland and Labrador	44.1	47.6	54.3	64.6	64.0	45.0
Prince Edward Island	1,074.4	1,133.0	1,021.2	1,195.4	1,101.0	2.5
Nova Scotia	885.4	850.4	822.7	885.5	883.6	-0.2
New Brunswick	760.0	840.5	781.4	907.4	900.6	18.5
Quebec	11,054.0	11,892.3	9,967.2	9,910.6	10,017.2	-9.4
Ontario	25,338.2	25,911.3	22,734.5	24,075.2	22,317.7	-11.9
Manitoba	31,964.6	37,263.7	36,883.4	38,303.9	35,311.7	10.5
Saskatchewan	55,258.5	81,250.3	76,545.5	100,156.2	99,085.5	79.3
Alberta	55,051.7	68,548.8	63,498.8	70,314.3	67,000.2	21.7
British Columbia	3,621.0	3,741.9	3,309.4	3,613.2	3,464.9	-4.3

Source: CANSIM table 153-0039.

Table 52

Fertilizer expenses per land area, by province and territory, 1981 to 2001

	1981	1986	1991	1996	2001	Percent change
	1992 dollars per square kilometre					%
Canada	156.3	212.6	211.1	243.6	273.4	74.9
Newfoundland and Labrador	2.0	2.1	3.0	2.6	2.9	42.2
Prince Edward Island	2,367.6	2,854.1	3,382.9	4,137.5	4,644.8	96.2
Nova Scotia	139.1	159.9	191.2	151.0	182.0	30.9
New Brunswick	142.9	153.7	197.9	179.3	212.8	48.9
Quebec	71.0	90.6	103.6	90.5	101.0	42.3
Ontario	243.7	268.7	278.6	271.8	287.0	17.8
Manitoba	232.5	316.9	299.3	346.2	363.0	56.1
Saskatchewan	247.5	435.3	383.7	589.2	695.0	180.8
Alberta	317.4	459.7	446.4	527.1	606.2	91.0
British Columbia	29.4	34.9	41.8	43.7	51.2	74.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0039.

Table 53

Number of trucks on farms, by province and territory, 1981 to 2001

	1981	1986	1991	1996	2001	Percent change
Canada	474,408	514,236	526,806	518,919	492,710	3.9
Newfoundland and Labrador	522	656	796	737	786	50.6
Prince Edward Island	4,099	4,408	4,448	4,707	4,500	9.8
Nova Scotia	4,608	4,670	4,856	4,869	4,926	6.9
New Brunswick	4,544	4,826	4,955	4,899	4,858	6.9
Quebec	28,397	31,424	32,418	32,600	32,854	15.7
Ontario	80,454	79,228	79,920	77,074	72,040	-10.5
Manitoba	54,070	57,502	57,904	55,704	51,779	-4.2
Saskatchewan	150,792	159,867	159,733	153,372	142,827	-5.3
Alberta	123,835	146,309	155,003	156,170	149,161	20.5
British Columbia	23,087	25,346	26,773	28,789	28,980	25.5

Source: CANSIM table 153-0039.

Table 54

Number of tractors on farms, by province and territory, 1981 to 2001

	1981	1986	1991	1996	2001	Percent change
Canada	657,606	618,341	734,149	711,335	732,596	11.4
Newfoundland and Labrador	648	556	844	899	1,006	55.2
Prince Edward Island	5,804	5,491	5,730	5,579	5,211	-10.2
Nova Scotia	7,613	6,682	7,834	8,005	8,865	16.4
New Brunswick	7,012	6,316	7,127	7,247	7,865	12.2
Quebec	92,809	84,016	95,893	95,332	100,838	8.7
Ontario	178,041	156,657	184,761	180,213	183,720	3.2
Manitoba	67,342	63,591	73,523	68,735	69,209	2.8
Saskatchewan	145,362	142,698	169,038	155,574	151,498	4.2
Alberta	124,214	126,340	155,872	153,390	163,429	31.6
British Columbia	28,761	25,994	33,527	36,361	40,954	42.4

Source: CANSIM table 153-0039.

Table 55

Number of automobiles on farms, by province and territory, 1981 to 2001

	1981	1986	1991	1996	2001	Percent change
Canada	334,731	212,336	191,365	157,107	141,062	-57.9
Newfoundland and Labrador	504	155	182	204	222	-56.0
Prince Edward Island	3,670	2,031	1,636	1,245	1,066	-71.0
Nova Scotia	4,807	1,883	1,807	1,478	1,460	-69.6
New Brunswick	3,985	2,112	1,859	1,366	1,273	-68.1
Quebec	44,192	32,420	22,216	13,771	12,007	-72.8
Ontario	96,701	54,418	49,004	39,331	35,587	-63.2
Manitoba	30,057	21,209	20,564	17,182	14,519	-51.7
Saskatchewan	67,297	48,609	46,674	39,047	34,226	-49.1
Alberta	61,950	40,918	38,838	35,508	32,419	-47.7
British Columbia	21,568	8,581	8,585	7,974	8,283	-61.6

Source: CANSIM table 153-0039.

Table 56-1

Number of farms, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

Drainage area code	1981	1986	1991	1996	2001	Percent change
Maritime Provinces	[01]	13,970	12,093	10,887	11,328	-27.9
Saint John and Southern Bay of Fundy, N.B.	[01A]	3,516	3,027	2,847	2,910	-23.5
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	2,235	1,942	1,699	1,748	-27.5
Prince Edward Island	[01C]	3,154	2,833	2,361	2,217	-41.5
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	3,708	3,186	2,996	3,159	-25.6
Southeastern Atlantic Ocean, N.S.	[01E]	955	739	659	1,008	-8.2
Cape Breton Island	[01F]	402	366	325	286	-28.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 56-2

Number of farms, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
St. Lawrence	[02]	127,822	111,910	104,911	101,874	90,183	-29.4
Northwestern Lake Superior	[02A]	352	272	266	303	236	-33.0
Northeastern Lake Superior	[02B]	62	60	58	35	50	-19.4
Northern Lake Huron	[02C]	1,099	951	889	880	771	-29.8
Wanapitei and French, Ont.	[02D]	698	551	480	487	494	-29.2
Eastern Georgian Bay	[02E]	6,603	5,727	5,382	5,449	4,683	-29.1
Eastern Lake Huron	[02F]	13,846	12,619	12,105	11,952	10,904	-21.2
Northern Lake Erie	[02G]	28,290	25,039	23,768	23,068	20,459	-27.7
Lake Ontario and Niagara Peninsula	[02H]	17,996	15,835	14,577	14,420	12,317	-31.6
Upper Ottawa	[02J]	1,418	1,160	1,131	1,126	1,004	-29.2
Central Ottawa	[02K]	4,107	3,638	3,496	3,429	2,997	-27.0
Lower Ottawa	[02L]	8,733	7,492	7,116	6,771	6,079	-30.4
Upper St. Lawrence	[02M]	3,274	2,788	2,578	2,617	2,308	-29.5
Saint-Maurice	[02N]	185	158	130	138	116	-37.3
Central St. Lawrence	[02O]	22,802	19,796	18,523	17,456	15,297	-32.9
Lower St. Lawrence	[02P]	13,580	11,733	10,789	10,344	9,318	-31.4
Northern Gaspé Peninsula	[02Q]	2,015	1,674	1,385	1,277	1,266	-37.2
Saguenay	[02R]	1,937	1,650	1,405	1,288	1,180	-39.1
Gulf of St. Lawrence, Natashquan	[02W]	152	127	118	104	74	-51.3
Northern Newfoundland	[02Y]	231	231	266	282	239	3.5
Southern Newfoundland	[02Z]	442	409	449	448	391	-11.5

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 56-3

Number of farms, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Northern Quebec and Labrador	[03]	78	55	53	52	58	-25.6
Nottaway, coast	[03A]	78	55	53	52	58	-25.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 56-4

Number of farms, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Southwestern Hudson Bay	[04]	1,073	909	700	628	566	-47.3
Missinaibi and Mattagami	[04L]	115	102	91	78	62	-46.1
Abitibi	[04M]	646	544	444	392	356	-44.9
Harricana, coast	[04N]	312	263	165	158	148	-52.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 56-5

Number of farms, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Nelson River	[05]	136,848	130,459	126,624	123,092	109,124	-20.3
Upper South Saskatchewan	[05A]	6,764	6,910	6,865	7,269	6,471	-4.3
Bow	[05B]	3,247	3,240	3,448	3,643	3,570	9.9
Red Deer	[05C]	10,764	10,772	11,036	11,842	10,554	-2.0
Upper North Saskatchewan	[05D]	3,286	3,444	3,349	3,618	3,301	0.5
Central North Saskatchewan	[05E]	12,871	12,294	12,216	12,114	10,828	-15.9
Battle	[05F]	8,219	7,912	7,418	7,700	6,876	-16.3
Lower North Saskatchewan	[05G]	9,189	8,625	8,648	8,109	7,232	-21.3
Lower South Saskatchewan	[05H]	11,272	10,744	10,512	10,159	9,148	-18.8
Qu'Appelle	[05J]	18,810	17,572	16,825	15,210	12,873	-31.6
Saskatchewan	[05K]	4,962	4,511	4,563	4,359	3,692	-25.6
Lake Winnipegosis and Lake Manitoba	[05L]	9,947	9,421	8,844	8,268	7,470	-24.9
Assiniboine	[05M]	14,608	13,779	12,946	12,013	10,286	-29.6
Souris	[05N]	9,584	9,045	8,701	8,071	7,549	-21.2
Red	[05O]	10,260	9,450	8,699	8,372	7,218	-29.6
Winnipeg	[05P]	923	812	740	722	588	-36.3
English	[05Q]	109	107	109	84	75	-31.2
Western Lake Winnipeg	[05S]	2,033	1,821	1,705	1,539	1,393	-31.5

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 56-6

Number of farms, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Western and Northern Hudson Bay	[06]	2,900	2,910	2,822	2,856	2,912	0.4
Beaver, Alta. and Sask.	[06A]	2,900	2,910	2,822	2,856	2,912	0.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 56-7

Number of farms, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Great Slave Lake	[07]	15,339	15,341	14,665	14,883	13,715	-10.6
Upper Athabasca	[07A]	564	635	611	724	687	21.8
Central Athabasca, upper	[07B]	4,418	4,437	4,380	4,556	4,102	-7.2
Central Athabasca, lower	[07C]	902	955	701	715	703	-22.1
Upper Peace	[07F]	4,208	4,143	3,870	3,914	3,630	-13.7
Smoky	[07G]	3,308	3,175	3,282	3,179	2,941	-11.1
Central Peace, upper	[07H]	1,512	1,505	1,190	1,183	1,130	-25.3
Central Peace, lower	[07J]	427	491	631	612	522	22.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 56-8

Number of farms, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Pacific	[08]	18,129	17,229	17,523	20,001	18,508	2.1
Skeena, coast	[08E]	419	390	406	526	453	8.1
Central coastal waters, B.C.	[08F]	50	63	41	99	71	42.0
Southern coastal waters, B.C.	[08G]	179	144	227	269	245	36.9
Vancouver Island	[08H]	2,098	2,213	2,328	2,893	2,704	28.9
Nechako	[08J]	720	671	688	782	795	10.4
Upper Fraser	[08K]	966	873	854	1,000	1,061	9.8
Thompson	[08L]	2,077	2,068	2,116	2,415	2,319	11.7
Lower Fraser	[08M]	6,397	6,103	6,158	6,904	5,989	-6.4
Columbia	[08N]	5,223	4,704	4,705	5,113	4,871	-6.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 56-9

Number of farms, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Mississippi River	[11]	2,202	2,183	1,858	1,834	1,781	-19.1
Missouri	[11A]	2,202	2,183	1,858	1,834	1,781	-19.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 57-1

Agricultural land area, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		km ²					%
Maritime Provinces	[01]	13,877	12,911	11,958	12,469	12,392	-10.7
Saint John and Southern Bay of Fundy, N.B.	[01A]	4,078	3,824	3,498	3,573	3,692	-9.5
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	2,282	2,189	1,901	1,970	2,015	-11.7
Prince Edward Island	[01C]	2,830	2,724	2,589	2,652	2,615	-7.6
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	3,611	3,245	3,102	3,150	2,926	-19.0
Southeastern Atlantic Ocean, N.S.	[01E]	734	595	559	862	847	15.3
Cape Breton Island	[01F]	341	334	309	262	297	-12.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 57-2

Agricultural land area, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		km ²					%
St. Lawrence	[02]	93,744	88,724	85,393	87,261	85,073	-9.2
Northwestern Lake Superior	[02A]	341	306	256	261	240	-29.6
Northeastern Lake Superior	[02B]	24	24	27	17	20	-13.6
Northern Lake Huron	[02C]	1,480	1,328	1,316	1,296	1,255	-15.2
Wanapitei and French, Ont.	[02D]	785	675	568	557	578	-26.4
Eastern Georgian Bay	[02E]	4,720	4,325	4,060	4,264	3,967	-15.9
Eastern Lake Huron	[02F]	10,827	10,337	10,109	10,611	10,554	-2.5
Northern Lake Erie	[02G]	17,772	17,044	16,963	17,622	16,942	-4.7
Lake Ontario and Niagara Peninsula	[02H]	11,467	10,621	10,052	10,254	9,861	-14.0
Upper Ottawa	[02J]	2,146	1,935	1,838	1,882	1,869	-12.9
Central Ottawa	[02K]	4,277	3,887	3,669	3,567	3,502	-18.1
Lower Ottawa	[02L]	7,477	6,966	6,549	6,541	6,525	-12.7
Upper St. Lawrence	[02M]	2,690	2,540	2,385	2,456	2,469	-8.2
Saint-Maurice	[02N]	144	118	106	118	81	-43.5
Central St. Lawrence	[02O]	15,168	14,643	14,357	14,650	14,497	-4.4
Lower St. Lawrence	[02P]	9,536	9,189	8,550	8,684	8,455	-11.3
Northern Gaspé Peninsula	[02Q]	2,309	2,180	1,887	1,957	1,889	-18.2
Saguenay	[02R]	2,149	2,130	2,086	1,924	1,904	-11.4
Gulf of St. Lawrence, Natashquan	[02W]	100	111	142	160	63	-37.3
Northern Newfoundland	[02Y]	74	117	147	124	131	78.4
Southern Newfoundland	[02Z]	261	248	325	313	272	4.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 57-3

Agricultural land area, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		km ²					%
Northern Quebec and Labrador	[03]	159	133	116	103	123	-22.5
Nottaway, coast	[03A]	159	133	116	103	123	-22.5

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 57-4

Agricultural land area, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Southwestern Hudson Bay	[04]	1,591	1,494	1,221	1,240	1,299	-18.3
Missinaibi and Mattagami	[04L]	124	113	101	97	76	-38.3
Abitibi	[04M]	999	910	799	812	853	-14.6
Harricanaw, coast	[04N]	469	471	321	330	371	-21.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 57-5

Agricultural land area, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Nelson River	[05]	460,963	474,584	483,005	481,125	474,513	2.9
Upper South Saskatchewan	[05A]	33,172	36,179	38,899	39,411	39,772	19.9
Bow	[05B]	11,505	12,616	13,535	13,737	16,019	39.2
Red Deer	[05C]	41,344	43,131	42,808	43,289	39,846	-3.6
Upper North Saskatchewan	[05D]	5,181	6,200	5,810	6,226	6,204	19.7
Central North Saskatchewan	[05E]	32,871	34,447	34,945	35,088	34,602	5.3
Battle	[05F]	27,426	27,859	25,990	27,404	27,266	-0.6
Lower North Saskatchewan	[05G]	41,168	42,146	44,980	43,344	42,229	2.6
Lower South Saskatchewan	[05H]	48,817	50,481	52,281	51,539	52,781	8.1
Qu'Appelle	[05J]	71,373	71,482	72,847	71,213	66,824	-6.4
Saskatchewan	[05K]	13,788	13,848	14,391	14,635	13,780	-0.1
Lake Winnipegosis and Lake Manitoba	[05L]	30,007	31,480	31,663	31,215	31,763	5.9
Assiniboine	[05M]	41,350	42,469	42,537	41,452	40,368	-2.4
Souris	[05N]	36,769	36,482	37,260	37,024	37,754	2.7
Red	[05O]	20,150	19,668	19,321	19,606	19,316	-4.1
Winnipeg	[05P]	1,490	1,416	1,340	1,388	1,242	-16.6
English	[05Q]	171	173	214	140	137	-19.9
Western Lake Winnipeg	[05S]	4,382	4,507	4,185	4,412	4,610	5.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 57-6

Agricultural land area, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Western and Northern Hudson Bay	[06]	9,144	11,912	11,191	11,575	12,565	37.4
Beaver, Alta. and Sask.	[06A]	9,144	11,912	11,191	11,575	12,565	37.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 57-7

Agricultural land area, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Great Slave Lake	[07]	42,994	49,748	48,988	49,382	50,013	16.3
Upper Athabasca	[07A]	1,100	1,473	1,406	1,628	1,756	59.7
Central Athabasca, upper	[07B]	9,556	10,668	10,832	10,962	11,049	15.6
Central Athabasca, lower	[07C]	2,138	2,502	2,077	2,096	2,261	5.7
Upper Peace	[07F]	15,032	17,549	16,512	16,649	16,724	11.3
Smoky	[07G]	9,355	10,665	11,403	11,506	11,483	22.7
Central Peace, upper	[07H]	4,470	5,149	4,563	4,595	4,951	10.8
Central Peace, lower	[07J]	1,342	1,742	2,195	1,947	1,789	33.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 57-8

Agricultural land area, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Pacific	[08]	14,541	15,268	15,656	16,889	17,171	18.1
Skeena, coast	[08E]	818	717	686	839	885	8.2
Central coastal waters, B.C.	[08F]	53	89	68	101	119	126.4
Southern coastal waters, B.C.	[08G]	107	249	98	101	162	51.9
Vancouver Island	[08H]	475	531	537	555	587	23.4
Nechako	[08J]	1,439	1,908	1,868	1,911	2,153	49.6
Upper Fraser	[08K]	1,464	1,477	1,686	1,792	2,276	55.5
Thompson	[08L]	4,506	4,303	4,723	5,023	4,606	2.2
Lower Fraser	[08M]	2,967	3,094	3,301	3,697	3,025	2.0
Columbia	[08N]	2,712	2,900	2,687	2,870	3,357	23.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 57-9

Agricultural land area, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Mississippi River	[11]	21,877	23,483	20,008	20,506	21,872	0.0
Missouri	[11A]	21,877	23,483	20,008	20,506	21,872	0.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 58-1

Average farm size, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		km ²					
Maritime Provinces	[01]	1.0	1.1	1.1	1.1	1.2	24.2
Saint John and Southern Bay of Fundy, N.B.	[01A]	1.2	1.3	1.2	1.2	1.4	18.1
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	1.0	1.1	1.1	1.1	1.2	21.6
Prince Edward Island	[01C]	0.9	1.0	1.1	1.2	1.4	57.8
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	1.0	1.0	1.0	1.0	1.1	9.3
Southeastern Atlantic Ocean, N.S.	[01E]	0.8	0.8	0.8	0.9	1.0	26.0
Cape Breton Island	[01F]	0.8	0.9	1.0	0.9	1.0	22.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 58-2

Average farm size, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		km ²					
St. Lawrence	[02]	0.7	0.8	0.8	0.9	0.9	28.8
Northwestern Lake Superior	[02A]	1.0	1.1	1.0	0.9	1.0	5.2
Northeastern Lake Superior	[02B]	0.4	0.4	0.5	0.5	0.4	7.9
Northern Lake Huron	[02C]	1.4	1.4	1.5	1.5	1.6	20.7
Wanapitei and French, Ont.	[02D]	1.1	1.2	1.2	1.1	1.2	4.5
Eastern Georgian Bay	[02E]	0.7	0.8	0.8	0.8	0.8	19.7
Eastern Lake Huron	[02F]	0.8	0.8	0.8	0.9	1.0	24.4
Northern Lake Erie	[02G]	0.6	0.7	0.7	0.8	0.8	31.7
Lake Ontario and Niagara Peninsula	[02H]	0.6	0.7	0.7	0.7	0.8	25.0
Upper Ottawa	[02J]	1.5	1.7	1.6	1.7	1.9	23.2
Central Ottawa	[02K]	1.0	1.1	1.0	1.0	1.2	12.5
Lower Ottawa	[02L]	0.9	0.9	0.9	1.0	1.1	24.4
Upper St. Lawrence	[02M]	0.8	0.9	0.9	0.9	1.1	30.5
Saint-Maurice	[02N]	0.8	0.8	0.8	0.9	0.7	-10.3
Central St. Lawrence	[02O]	0.7	0.7	0.8	0.8	1.0	41.8
Lower St. Lawrence	[02P]	0.7	0.8	0.8	0.8	0.9	30.0
Northern Gaspé Peninsula	[02Q]	1.2	1.3	1.4	1.5	1.5	29.6
Saguenay	[02R]	1.1	1.3	1.5	1.5	1.6	45.0
Gulf of St. Lawrence, Natashquan	[02W]	0.7	0.9	1.2	1.5	0.8	28.8
Northern Newfoundland	[02Y]	0.3	0.5	0.6	0.4	0.6	71.9
Southern Newfoundland	[02Z]	0.6	0.6	0.7	0.7	0.7	18.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 58-3

Average farm size, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Northern Quebec and Labrador	[03]	2.0	2.4	2.2	2.0	2.1	4.4
Nottaway, coast	[03A]	2.0	2.4	2.2	2.0	2.1	4.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 58-4

Average farm size, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Southwestern Hudson Bay	[04]	1.5	1.6	1.7	2.0	2.3	55.4
Missinaibi and Mattagami	[04L]	1.1	1.1	1.1	1.2	1.2	15.0
Abitibi	[04M]	1.6	1.7	1.8	2.1	2.4	54.8
Harricanaw, coast	[04N]	1.5	1.8	1.9	2.1	2.5	66.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 58-5

Average farm size, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Nelson River	[05]	3.4	3.6	3.8	3.9	4.4	29.1
Upper South Saskatchewan	[05A]	4.9	5.2	5.7	5.4	6.2	25.5
Bow	[05B]	3.5	3.9	3.9	3.8	4.5	26.8
Red Deer	[05C]	3.8	4.0	3.9	3.7	3.8	-1.6
Upper North Saskatchewan	[05D]	1.6	1.8	1.7	1.7	1.9	19.0
Central North Saskatchewan	[05E]	2.6	2.8	2.9	2.9	3.2	25.5
Battle	[05F]	3.3	3.5	3.5	3.6	4.0	18.9
Lower North Saskatchewan	[05G]	4.5	4.9	5.2	5.4	5.8	30.4
Lower South Saskatchewan	[05H]	4.3	4.7	5.0	5.1	5.8	33.3
Qu'Appelle	[05J]	3.8	4.1	4.3	4.7	5.2	36.9
Saskatchewan	[05K]	2.8	3.1	3.2	3.4	3.7	34.2
Lake Winnipegosis and Lake Manitoba	[05L]	3.0	3.3	3.6	3.8	4.2	40.7
Assiniboine	[05M]	2.8	3.1	3.3	3.4	3.9	38.5
Souris	[05N]	3.8	4.0	4.3	4.6	5.0	30.2
Red	[05O]	2.0	2.1	2.2	2.3	2.7	36.7
Winnipeg	[05P]	1.6	1.7	1.8	1.9	2.1	31.1
English	[05Q]	1.6	1.6	2.0	1.7	1.8	16.6
Western Lake Winnipeg	[05S]	2.2	2.5	2.4	2.9	3.3	53.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 58-6

Average farm size, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		km ²					%
Western and Northern Hudson Bay	[06]	3.2	4.1	4.0	4.0	4.3	37.1
Beaver, Alta. and Sask.	[06A]	3.2	4.1	4.0	4.0	4.3	37.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 58-7

Average farm size, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		km ²					%
Great Slave Lake	[07]	2.8	3.2	3.3	3.3	3.6	30.4
Upper Athabasca	[07A]	2.0	2.3	2.3	2.2	2.6	31.3
Central Athabasca, upper	[07B]	2.2	2.4	2.5	2.4	2.7	24.5
Central Athabasca, lower	[07C]	2.4	2.6	3.0	2.9	3.2	35.9
Upper Peace	[07F]	3.6	4.2	4.3	4.2	4.6	29.1
Smoky	[07G]	2.8	3.4	3.5	3.6	3.9	37.8
Central Peace, upper	[07H]	3.0	3.4	3.8	3.9	4.4	48.0
Central Peace, lower	[07J]	3.1	3.6	3.5	3.2	3.4	9.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 58-8

Average farm size, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		km ²					%
Pacific	[08]	0.8	0.9	0.9	0.8	0.9	16.2
Skeena, coast	[08E]	2.0	1.8	1.7	1.6	2.0	0.0
Central coastal waters, B.C.	[08F]	1.0	1.4	1.7	1.0	1.7	60.0
Southern coastal waters, B.C.	[08G]	0.6	1.7	0.4	0.4	0.7	10.0
Vancouver Island	[08H]	0.2	0.2	0.2	0.2	0.2	-4.3
Nechako	[08J]	2.0	2.8	2.7	2.4	2.7	35.5
Upper Fraser	[08K]	1.5	1.7	2.0	1.8	2.2	41.4
Thompson	[08L]	2.2	2.1	2.2	2.1	2.0	-8.3
Lower Fraser	[08M]	0.5	0.5	0.5	0.5	0.5	10.9
Columbia	[08N]	0.5	0.6	0.6	0.6	0.7	32.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 58-9

Average farm size, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Mississippi River	[11]	9.9	10.8	10.8	11.2	12.3	23.7
Missouri	[11A]	9.9	10.8	10.8	11.2	12.3	23.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 59-1

Share of total area in agricultural land, for major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	percent						
Maritime Provinces	[01]	8.5	7.9	7.3	7.6	7.6	-10.6
Saint John and Southern Bay of Fundy, N.B.	[01A]	9.7	9.1	8.3	8.5	8.8	-9.5
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	3.8	3.6	3.1	3.2	3.3	-11.7
Prince Edward Island	[01C]	47.6	45.8	43.6	44.6	44.0	-7.6
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	16.8	15.1	14.4	14.6	13.6	-18.9
Southeastern Atlantic Ocean, N.S.	[01E]	3.2	2.6	2.4	3.7	3.6	15.5
Cape Breton Island	[01F]	3.2	3.1	2.9	2.4	2.8	-12.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 59-2

Share of total area in agricultural land, for major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		percent					
St. Lawrence	[02]	12.4	11.8	11.3	11.6	11.3	-9.2
Northwestern Lake Superior	[02A]	0.8	0.7	0.6	0.6	0.6	-29.5
Northeastern Lake Superior	[02B]	0.1	0.1	0.1	0.0	0.0	-16.7
Northern Lake Huron	[02C]	4.3	3.8	3.8	3.7	3.6	-15.2
Wanapitei and French, Ont.	[02D]	4.0	3.5	2.9	2.9	3.0	-26.4
Eastern Georgian Bay	[02E]	21.5	19.7	18.5	19.4	18.1	-15.9
Eastern Lake Huron	[02F]	73.3	70.0	68.4	71.8	71.4	-2.5
Northern Lake Erie	[02G]	78.6	75.4	75.1	78.0	75.0	-4.7
Lake Ontario and Niagara Peninsula	[02H]	39.9	37.0	35.0	35.7	34.3	-14.0
Upper Ottawa	[02J]	4.2	3.8	3.6	3.7	3.7	-12.8
Central Ottawa	[02K]	10.5	9.5	9.0	8.8	8.6	-18.1
Lower Ottawa	[02L]	13.7	12.7	12.0	12.0	11.9	-12.7
Upper St. Lawrence	[02M]	52.5	49.6	46.6	48.0	48.2	-8.2
Saint-Maurice	[02N]	0.3	0.3	0.2	0.3	0.2	-44.1
Central St. Lawrence	[02O]	43.9	42.4	41.5	42.4	41.9	-4.4
Lower St. Lawrence	[02P]	28.0	27.0	25.2	25.5	24.9	-11.3
Northern Gaspé Peninsula	[02Q]	17.2	16.3	14.1	14.6	14.1	-18.2
Saguenay	[02R]	2.4	2.4	2.4	2.2	2.2	-11.5
Gulf of St. Lawrence, Natashquan	[02W]	0.2	0.2	0.3	0.3	0.1	-36.8
Northern Newfoundland	[02Y]	0.1	0.2	0.2	0.2	0.2	81.8
Southern Newfoundland	[02Z]	0.6	0.6	0.7	0.7	0.6	3.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 59-3

Share of total area in agricultural land, for major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		percent					
Northern Quebec and Labrador	[03]	0.2	0.2	0.2	0.2	0.2	-21.7
Nottaway, coast	[03A]	0.2	0.2	0.2	0.2	0.2	-21.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 59-4

Share of total area in agricultural land, for major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	percent						
Southwestern Hudson Bay	[04]	1.2	1.1	0.9	0.9	1.0	-18.5
Missinaibi and Mattagami	[04L]	0.2	0.2	0.2	0.2	0.1	-35.0
Abitibi	[04M]	3.4	3.1	2.7	2.8	2.9	-14.7
Harricanaw, coast	[04N]	1.1	1.1	0.7	0.8	0.8	-21.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 59-5

Share of total area in agricultural land, for major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	percent						
Nelson River	[05]	55.4	57.0	58.1	57.8	57.0	2.9
Upper South Saskatchewan	[05A]	71.5	78.0	83.8	84.9	85.7	19.9
Bow	[05B]	44.9	49.2	52.8	53.6	62.5	39.2
Red Deer	[05C]	82.2	85.7	85.1	86.0	79.2	-3.6
Upper North Saskatchewan	[05D]	18.5	22.2	20.8	22.2	22.2	19.8
Central North Saskatchewan	[05E]	77.8	81.5	82.7	83.0	81.8	5.3
Battle	[05F]	90.7	92.1	85.9	90.6	90.2	-0.6
Lower North Saskatchewan	[05G]	82.9	84.9	90.6	87.3	85.0	2.6
Lower South Saskatchewan	[05H]	88.3	91.3	94.6	93.2	95.5	8.1
Qu'Appelle	[05J]	95.7	95.8	97.7	95.5	89.6	-6.4
Saskatchewan	[05K]	17.0	17.1	17.7	18.0	17.0	-0.1
Lake Winnipegosis and Lake Manitoba	[05L]	36.3	38.1	38.3	37.7	38.4	5.8
Assiniboine	[05M]	80.7	82.8	83.0	80.9	78.8	-2.4
Souris	[05N]	92.9	92.2	94.1	93.5	95.4	2.7
Red	[05O]	79.8	77.8	76.5	77.6	76.4	-4.1
Winnipeg	[05P]	2.7	2.6	2.4	2.5	2.2	-16.7
English	[05Q]	0.3	0.3	0.4	0.3	0.3	-21.2
Western Lake Winnipeg	[05S]	10.5	10.8	10.0	10.6	11.0	5.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 59-6

Share of total area in agricultural land, for major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change
	percent					
Western and Northern Hudson Bay	[06]	18.3	23.8	22.4	23.2	37.4
Beaver, Alta. and Sask.	[06A]	18.3	23.8	22.4	23.2	37.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 59-7

Share of total area in agricultural land, for major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

Drainage area code	1981	1986	1991	1996	2001	Percent change
	percent					
Great Slave Lake	[07]	12.4	14.4	14.1	14.2	16.3
Upper Athabasca	[07A]	3.2	4.2	4.0	4.7	60.0
Central Athabasca, upper	[07B]	23.6	26.3	26.8	27.1	15.6
Central Athabasca, lower	[07C]	3.8	4.4	3.6	3.7	5.6
Upper Peace	[07F]	22.2	25.9	24.4	24.6	11.3
Smoky	[07G]	18.2	20.7	22.1	22.3	22.7
Central Peace, upper	[07H]	12.6	14.5	12.9	13.0	10.8
Central Peace, lower	[07J]	2.3	2.9	3.7	3.3	33.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 59-8

Share of total area in agricultural land, for major drainage area and sub-drainage area, 1981 to 2001 — Pacific

Drainage area code	1981	1986	1991	1996	2001	Percent change
	percent					
Pacific	[08]	2.8	2.9	3.0	3.2	18.3
Skeena, coast	[08E]	1.5	1.3	1.2	1.5	8.2
Central coastal waters, B.C.	[08F]	0.1	0.2	0.1	0.2	120.0
Southern coastal waters, B.C.	[08G]	0.2	0.6	0.2	0.2	56.0
Vancouver Island	[08H]	1.4	1.5	1.5	1.6	23.5
Nechako	[08J]	3.0	4.0	4.0	4.0	49.7
Upper Fraser	[08K]	2.2	2.2	2.5	2.7	55.5
Thompson	[08L]	8.1	7.7	8.5	9.0	2.2
Lower Fraser	[08M]	4.8	5.0	5.3	6.0	2.1
Columbia	[08N]	2.6	2.8	2.6	2.8	24.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 59-9

Share of total area in agricultural land, for major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		percent					
Mississippi River	[11]	80.7	86.7	73.8	75.7	80.7	0.0
Missouri	[11A]	80.7	86.7	73.8	75.7	80.7	0.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 60-1

Cropland area, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		km ²					%
Maritime Provinces	[01]	4,634	4,560	4,323	4,713	5,041	8.8
Saint John and Southern Bay of Fundy, N.B.	[01A]	1,178	1,166	1,076	1,173	1,287	9.3
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	740	731	644	713	806	8.9
Prince Edward Island	[01C]	1,583	1,565	1,541	1,704	1,755	10.9
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	961	945	913	971	1,012	5.2
Southeastern Atlantic Ocean, N.S.	[01E]	105	89	87	95	112	6.3
Cape Breton Island	[01F]	66	63	62	58	69	3.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 60-2

Cropland area, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		km ²					%
St. Lawrence	[02]	52,455	50,676	49,393	51,590	53,691	2.4
Northwestern Lake Superior	[02A]	139	125	106	109	112	-19.0
Northeastern Lake Superior	[02B]	9	8	7	4	5	-43.2
Northern Lake Huron	[02C]	358	324	324	321	345	-3.6
Wanapitei and French, Ont.	[02D]	252	216	183	189	206	-18.2
Eastern Georgian Bay	[02E]	2,561	2,356	2,309	2,352	2,378	-7.1
Eastern Lake Huron	[02F]	6,966	6,799	6,752	7,180	7,503	7.7
Northern Lake Erie	[02G]	14,252	13,728	13,809	14,308	14,235	-0.1
Lake Ontario and Niagara Peninsula	[02H]	6,137	5,711	5,480	5,623	5,890	-4.0
Upper Ottawa	[02J]	917	816	750	853	912	-0.6
Central Ottawa	[02K]	1,420	1,332	1,263	1,249	1,350	-4.9
Lower Ottawa	[02L]	3,544	3,391	3,270	3,414	3,732	5.3
Upper St. Lawrence	[02M]	1,407	1,378	1,357	1,410	1,537	9.3
Saint-Maurice	[02N]	49	43	40	49	31	-36.7
Central St. Lawrence	[02O]	8,471	8,528	8,327	8,695	9,212	8.7
Lower St. Lawrence	[02P]	3,966	3,922	3,550	3,806	4,088	3.1
Northern Gaspé Peninsula	[02Q]	966	986	839	895	956	-1.1
Saguenay	[02R]	964	933	937	1,023	1,097	13.8
Gulf of St. Lawrence, Natashquan	[02W]	30	31	27	37	18	-39.4
Northern Newfoundland	[02Y]	19	22	28	34	37	94.7
Southern Newfoundland	[02Z]	28	26	34	38	47	63.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 60-3

Cropland area, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		km ²					%
Northern Quebec and Labrador	[03]	48	32	24	36	35	-26.1
Nottaway, coast	[03A]	48	32	24	36	35	-26.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 60-4

Cropland area, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Southwestern Hudson Bay	[04]	535	498	384	485	536	0.3
Missinaibi and Mattagami	[04L]	48	41	37	31	29	-39.0
Abitibi	[04M]	325	303	253	316	358	10.1
Harricanaw, coast	[04N]	162	154	94	138	149	-7.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 60-5

Cropland area, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Nelson River	[05]	220,444	240,982	245,852	256,272	265,962	20.6
Upper South Saskatchewan	[05A]	13,542	14,954	14,689	16,039	16,051	18.5
Bow	[05B]	4,735	5,015	5,287	5,357	6,182	30.5
Red Deer	[05C]	16,779	17,803	17,713	18,109	17,350	3.4
Upper North Saskatchewan	[05D]	2,426	2,694	2,503	2,560	2,788	14.9
Central North Saskatchewan	[05E]	16,642	17,984	18,705	19,198	19,181	15.3
Battle	[05F]	14,329	15,606	15,142	15,879	15,613	9.0
Lower North Saskatchewan	[05G]	17,593	19,805	20,804	21,242	22,861	29.9
Lower South Saskatchewan	[05H]	20,357	22,219	22,971	24,415	27,091	33.1
Qu'Appelle	[05J]	32,064	36,650	36,154	39,831	42,810	33.5
Saskatchewan	[05K]	8,930	9,801	10,175	10,517	10,685	19.7
Lake Winnipegosis and Lake Manitoba	[05L]	13,740	14,823	15,621	15,194	16,578	20.7
Assiniboine	[05M]	21,987	25,253	26,604	26,666	26,481	20.4
Souris	[05N]	19,376	20,994	21,389	23,427	24,459	26.2
Red	[05O]	15,232	14,934	15,261	15,017	14,885	-2.3
Winnipeg	[05P]	589	571	584	576	517	-12.2
English	[05Q]	51	52	64	46	46	-9.6
Western Lake Winnipeg	[05S]	2,071	1,824	2,187	2,197	2,383	15.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 60-6

Cropland area, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Western and Northern Hudson Bay	[06]	3,562	4,299	4,195	4,171	4,764	33.7
Beaver, Alta. and Sask.	[06A]	3,562	4,299	4,195	4,171	4,764	33.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 60-7

Cropland area, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Great Slave Lake	[07]	19,915	21,749	23,032	23,253	24,439	22.7
Upper Athabasca	[07A]	318	367	389	416	500	56.9
Central Athabasca, upper	[07B]	4,335	4,756	4,922	4,876	5,245	21.0
Central Athabasca, lower	[07C]	878	1,038	867	878	991	12.9
Upper Peace	[07F]	6,570	6,975	7,204	7,359	7,605	15.7
Smoky	[07G]	5,005	5,295	6,062	6,138	6,379	27.5
Central Peace, upper	[07H]	2,253	2,535	2,474	2,515	2,737	21.5
Central Peace, lower	[07J]	555	783	1,114	1,072	982	76.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 60-8

Cropland area, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Pacific	[08]	3,072	3,042	2,966	3,081	3,381	10.0
Skeena, coast	[08E]	168	152	145	157	172	2.5
Central coastal waters, B.C.	[08F]	12	17	12	26	26	106.9
Southern coastal waters, B.C.	[08G]	24	23	16	26	21	-14.5
Vancouver Island	[08H]	156	152	153	185	205	31.3
Nechako	[08J]	392	389	471	460	533	35.8
Upper Fraser	[08K]	346	338	373	411	471	36.2
Thompson	[08L]	567	611	535	522	552	-2.7
Lower Fraser	[08M]	748	750	684	720	772	3.2
Columbia	[08N]	659	609	577	573	630	-4.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 60-9

Cropland area, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Mississippi River	[11]	4,993	5,974	4,909	5,585	6,101	22.2
Missouri	[11A]	4,993	5,974	4,909	5,585	6,101	22.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 61-1

Improved pasture area, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²						%
Maritime Provinces	[01]	1,426	1,000	858	650	614	-56.9
Saint John and Southern Bay of Fundy, N.B.	[01A]	339	231	208	160	157	-53.8
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	257	179	150	122	111	-57.0
Prince Edward Island	[01C]	362	226	193	118	118	-67.4
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	381	291	251	199	183	-51.8
Southeastern Atlantic Ocean, N.S.	[01E]	55	40	35	33	30	-45.8
Cape Breton Island	[01F]	31	34	21	19	16	-50.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 61-2

Improved pasture area, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²						%
St. Lawrence	[02]	10,503	6,975	6,316	5,179	4,657	-55.7
Northwestern Lake Superior	[02A]	35	27	21	18	14	-60.8
Northeastern Lake Superior	[02B]	2	2	2	1	1	-26.1
Northern Lake Huron	[02C]	176	113	138	108	111	-36.9
Wanapitei and French, Ont.	[02D]	82	47	45	37	34	-57.9
Eastern Georgian Bay	[02E]	566	365	311	259	242	-57.3
Eastern Lake Huron	[02F]	1,520	1,093	1,031	948	843	-44.5
Northern Lake Erie	[02G]	968	654	548	580	458	-52.7
Lake Ontario and Niagara Peninsula	[02H]	1,325	868	743	654	603	-54.5
Upper Ottawa	[02J]	248	171	203	140	153	-38.1
Central Ottawa	[02K]	671	396	406	328	319	-52.5
Lower Ottawa	[02L]	1,049	646	545	435	401	-61.7
Upper St. Lawrence	[02M]	351	208	170	135	120	-65.8
Saint-Maurice	[02N]	16	10	17	7	6	-60.7
Central St. Lawrence	[02O]	1,617	1,017	924	717	591	-63.5
Lower St. Lawrence	[02P]	1,181	847	776	535	525	-55.5
Northern Gaspé Peninsula	[02Q]	288	208	178	125	89	-69.0
Saguenay	[02R]	357	260	203	125	119	-66.8
Gulf of St. Lawrence, Natashquan	[02W]	10	7	8	5	1	-85.3
Northern Newfoundland	[02Y]	9	10	15	7	5	-49.0
Southern Newfoundland	[02Z]	32	29	31	16	20	-36.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 61-3

Improved pasture area, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Northern Quebec and Labrador	[03]	21	11	10	7	8	-62.8
Nottaway, coast	[03A]	21	11	10	7	8	-62.8

Note: See Data quality, concepts and methodology — Footnotes section.
Source: CANSIM table 153-0038.

Table 61-4

Improved pasture area, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Southwestern Hudson Bay	[04]	193	143	127	106	118	-38.8
Missinaibi and Mattagami	[04L]	12	11	14	11	9	-25.2
Abitibi	[04M]	122	88	87	69	79	-35.5
Harricanaw, coast	[04N]	59	43	26	26	30	-48.3

Note: See Data quality, concepts and methodology — Footnotes section.
Source: CANSIM table 153-0038.

Table 61-5

Improved pasture area, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Nelson River	[05]	24,559	20,419	25,414	28,422	32,187	31.1
Upper South Saskatchewan	[05A]	2,009	1,524	2,015	2,141	2,382	18.6
Bow	[05B]	989	767	907	906	1,262	27.6
Red Deer	[05C]	3,359	2,648	3,532	3,976	4,365	30.0
Upper North Saskatchewan	[05D]	904	852	1,052	1,094	1,221	35.1
Central North Saskatchewan	[05E]	2,794	2,508	3,249	3,576	4,167	49.2
Battle	[05F]	2,063	1,746	1,934	2,480	3,179	54.1
Lower North Saskatchewan	[05G]	2,024	1,756	2,266	2,470	2,626	29.7
Lower South Saskatchewan	[05H]	1,906	1,769	2,107	2,447	2,807	47.2
Qu'Appelle	[05J]	2,582	1,844	2,190	2,676	2,899	12.2
Saskatchewan	[05K]	341	406	525	640	555	62.9
Lake Winnipegosis and Lake Manitoba	[05L]	1,481	1,409	1,933	1,898	2,011	35.7
Assiniboine	[05M]	1,533	1,348	1,638	1,814	1,943	26.8
Souris	[05N]	1,409	1,020	1,231	1,440	1,862	32.1
Red	[05O]	718	500	517	510	588	-18.1
Winnipeg	[05P]	167	107	109	125	124	-25.9
English	[05Q]	20	12	14	10	12	-41.3
Western Lake Winnipeg	[05S]	260	203	195	219	185	-28.9

Note: See Data quality, concepts and methodology — Footnotes section.
Source: CANSIM table 153-0038.

Table 61-6

Improved pasture area, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Western and Northern Hudson Bay	[06]	720	934	1,291	1,255	1,598	122.0
Beaver, Alta. and Sask.	[06A]	720	934	1,291	1,255	1,598	122.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 61-7

Improved pasture area, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Great Slave Lake	[07]	3,510	3,848	4,968	5,434	5,924	68.8
Upper Athabasca	[07A]	190	187	178	212	268	40.7
Central Athabasca, upper	[07B]	1,511	1,509	1,870	1,859	2,061	36.5
Central Athabasca, lower	[07C]	221	238	265	251	312	40.7
Upper Peace	[07F]	884	1,055	1,416	1,674	1,693	91.5
Smoky	[07G]	481	526	836	967	1,076	123.6
Central Peace, upper	[07H]	187	255	279	354	393	110.4
Central Peace, lower	[07J]	36	78	124	118	122	242.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 61-8

Improved pasture area, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Pacific	[08]	2,161	1,431	1,515	1,424	1,396	-35.4
Skeena, coast	[08E]	120	71	110	99	103	-14.3
Central coastal waters, B.C.	[08F]	4	14	7	4	18	310.3
Southern coastal waters, B.C.	[08G]	17	9	13	7	7	-56.1
Vancouver Island	[08H]	71	94	96	51	58	-17.8
Nechako	[08J]	243	204	280	287	346	42.5
Upper Fraser	[08K]	283	208	227	231	241	-14.8
Thompson	[08L]	711	301	281	264	219	-69.2
Lower Fraser	[08M]	326	323	248	244	166	-49.2
Columbia	[08N]	387	207	254	236	238	-38.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 61-9

Improved pasture area, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		km ²					%
Mississippi River	[11]	955	830	914	1,014	1,539	61.3
Missouri	[11A]	955	830	914	1,014	1,539	61.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 62-1

Area of hay, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		km ²					%
Maritime Provinces	[01]	2,522	2,473	2,186	2,346	2,502	-0.8
Saint John and Southern Bay of Fundy, N.B.	[01A]	669	677	574	610	673	0.6
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	540	523	427	477	500	-7.5
Prince Edward Island	[01C]	541	546	510	545	581	7.4
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	622	599	554	590	609	-2.2
Southeastern Atlantic Ocean, N.S.	[01E]	89	72	68	72	81	-8.7
Cape Breton Island	[01F]	62	57	54	50	59	-3.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 62-2

Area of hay, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²						%
St. Lawrence	[02]	23,746	21,933	18,246	18,008	16,900	-28.8
Northwestern Lake Superior	[02A]	111	98	79	82	86	-22.6
Northeastern Lake Superior	[02B]	7	7	6	4	5	-33.1
Northern Lake Huron	[02C]	283	268	258	272	290	2.5
Wanapitei and French, Ont.	[02D]	199	173	145	152	163	-18.1
Eastern Georgian Bay	[02E]	1,117	1,017	910	900	863	-22.7
Eastern Lake Huron	[02F]	2,554	2,230	1,856	1,788	1,751	-31.4
Northern Lake Erie	[02G]	2,632	2,414	1,827	1,634	1,631	-38.1
Lake Ontario and Niagara Peninsula	[02H]	2,755	2,645	2,381	2,354	2,340	-15.1
Upper Ottawa	[02J]	632	538	499	574	566	-10.5
Central Ottawa	[02K]	1,008	969	857	865	891	-11.7
Lower Ottawa	[02L]	2,387	2,133	1,818	1,795	1,679	-29.6
Upper St. Lawrence	[02M]	848	721	601	600	557	-34.3
Saint-Maurice	[02N]	34	33	28	30	20	-42.7
Central St. Lawrence	[02O]	4,595	4,179	3,273	3,092	2,560	-44.3
Lower St. Lawrence	[02P]	3,095	3,035	2,494	2,615	2,361	-23.7
Northern Gaspé Peninsula	[02Q]	714	737	606	637	606	-15.2
Saguenay	[02R]	716	674	542	540	460	-35.7
Gulf of St. Lawrence, Natashquan	[02W]	22	24	17	23	9	-57.5
Northern Newfoundland	[02Y]	13	17	22	22	28	114.7
Southern Newfoundland	[02Z]	22	22	27	29	36	62.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 62-3

Area of hay, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²						%
Northern Quebec and Labrador	[03]	44	30	22	31	28	-36.1
Nottaway, coast	[03A]	44	30	22	31	28	-36.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 62-4

Area of hay, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Southwestern Hudson Bay	[04]	487	449	332	409	433	-11.1
Missinaibi and Mattagami	[04L]	39	32	32	26	23	-40.5
Abitibi	[04M]	303	279	225	269	293	-3.4
Harricanaw, coast	[04N]	145	138	76	114	117	-19.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 62-5

Area of hay, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Nelson River	[05]	25,831	26,989	26,822	29,695	38,213	47.9
Upper South Saskatchewan	[05A]	1,644	1,749	1,502	1,654	2,214	34.7
Bow	[05B]	982	1,060	837	867	1,130	15.1
Red Deer	[05C]	3,297	3,693	3,068	3,681	4,571	38.6
Upper North Saskatchewan	[05D]	1,096	1,377	1,317	1,270	1,519	38.6
Central North Saskatchewan	[05E]	2,832	3,043	3,128	3,398	4,437	56.7
Battle	[05F]	1,988	2,246	1,610	1,818	2,428	22.1
Lower North Saskatchewan	[05G]	1,626	1,558	1,548	1,824	2,291	40.9
Lower South Saskatchewan	[05H]	1,630	1,594	1,561	1,637	2,315	42.0
Qu'Appelle	[05J]	1,752	1,627	1,757	2,249	3,352	91.4
Saskatchewan	[05K]	762	817	1,091	1,023	1,002	31.4
Lake Winnipegosis and Lake Manitoba	[05L]	2,393	2,588	3,299	3,472	4,395	83.7
Assiniboine	[05M]	1,805	2,001	2,358	2,626	3,172	75.8
Souris	[05N]	1,554	1,379	1,403	1,638	2,560	64.8
Red	[05O]	1,523	1,449	1,498	1,573	1,793	17.7
Winnipeg	[05P]	305	259	241	292	294	-3.5
English	[05Q]	35	37	40	33	37	5.9
Western Lake Winnipeg	[05S]	607	511	567	641	701	15.5

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 62-6

Area of hay, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Western and Northern Hudson Bay	[06]	1,198	1,312	1,488	1,734	2,383	98.8
Beaver, Alta. and Sask.	[06A]	1,198	1,312	1,488	1,734	2,383	98.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 62-7

Area of hay, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

Drainage area code	1981	1986	1991	1996	2001	Percent change
	km ²					%
Great Slave Lake	[07]	5,572	5,961	6,499	7,045	65.7
Upper Athabasca	[07A]	223	255	265	270	44.0
Central Athabasca, upper	[07B]	1,974	2,265	2,376	2,209	32.0
Central Athabasca, lower	[07C]	315	414	340	404	71.7
Upper Peace	[07F]	1,581	1,623	1,751	1,974	65.3
Smoky	[07G]	1,033	1,043	1,265	1,501	107.4
Central Peace, upper	[07H]	389	295	369	500	95.6
Central Peace, lower	[07J]	58	66	134	187	326.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 62-8

Area of hay, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

Drainage area code	1981	1986	1991	1996	2001	Percent change
	km ²					%
Pacific	[08]	2,496	2,510	2,232	2,279	3.2
Skeena, coast	[08E]	156	143	130	137	0.4
Central coastal waters, B.C.	[08F]	12	17	12	25	102.9
Southern coastal waters, B.C.	[08G]	22	21	13	23	-23.1
Vancouver Island	[08H]	130	132	127	142	21.2
Nechako	[08J]	341	334	408	365	28.8
Upper Fraser	[08K]	319	312	324	359	31.8
Thompson	[08L]	521	567	458	443	-7.8
Lower Fraser	[08M]	556	578	404	426	-16.2
Columbia	[08N]	437	406	357	360	-5.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 62-9

Area of hay, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

Drainage area code	1981	1986	1991	1996	2001	Percent change
	km ²					%
Mississippi River	[11]	555	510	405	562	57.8
Missouri	[11A]	555	510	405	562	57.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 63-1

Number of cattle, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Maritime Provinces	[01]	410,425	394,168	372,037	366,941	324,110	-21.0
Saint John and Southern Bay of Fundy, N.B.	[01A]	94,311	91,301	85,142	79,957	72,723	-22.9
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	72,825	69,347	63,703	63,402	58,195	-20.1
Prince Edward Island	[01C]	102,454	100,373	94,573	94,611	84,791	-17.2
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	114,427	109,538	105,511	107,052	90,072	-21.3
Southeastern Atlantic Ocean, N.S.	[01E]	17,413	14,593	14,526	13,399	10,937	-37.2
Cape Breton Island	[01F]	8,995	9,016	8,582	8,520	7,392	-17.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 63-2

Number of cattle, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
St. Lawrence	[02]	4,440,351	3,852,121	3,634,615	3,628,766	3,406,335	-23.3
Northwestern Lake Superior	[02A]	11,833	11,125	10,235	9,454	8,025	-32.2
Northeastern Lake Superior	[02B]	546	480	479	267	289	-47.1
Northern Lake Huron	[02C]	42,628	38,081	38,746	37,761	33,756	-20.8
Wanapitei and French, Ont.	[02D]	21,406	18,661	15,566	15,126	13,447	-37.2
Eastern Georgian Bay	[02E]	234,262	190,628	168,464	166,347	139,627	-40.4
Eastern Lake Huron	[02F]	767,961	609,590	564,572	603,804	613,511	-20.1
Northern Lake Erie	[02G]	761,181	632,276	593,333	573,896	561,048	-26.3
Lake Ontario and Niagara Peninsula	[02H]	483,972	435,663	401,641	395,550	335,914	-30.6
Upper Ottawa	[02J]	63,821	58,291	57,653	58,682	58,727	-8.0
Central Ottawa	[02K]	179,704	160,870	163,159	162,302	138,257	-23.1
Lower Ottawa	[02L]	359,622	316,327	304,013	290,481	264,091	-26.6
Upper St. Lawrence	[02M]	128,592	111,859	104,774	103,322	95,445	-25.8
Saint-Maurice	[02N]	4,045	3,384	3,526	3,335	3,049	-24.6
Central St. Lawrence	[02O]	729,777	660,354	636,327	646,624	607,243	-16.8
Lower St. Lawrence	[02P]	461,825	433,599	423,707	422,340	404,113	-12.5
Northern Gaspé Peninsula	[02Q]	84,192	77,521	63,918	61,702	60,615	-28.0
Saguenay	[02R]	94,892	82,451	73,103	66,977	58,342	-38.5
Gulf of St. Lawrence, Natashquan	[02W]	3,135	3,254	2,957	2,544	1,353	-56.8
Northern Newfoundland	[02Y]	1,546	2,178	2,838	2,849	3,665	137.1
Southern Newfoundland	[02Z]	5,411	5,529	5,604	5,403	5,818	7.5

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 63-3

Number of cattle, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Northern Quebec and Labrador	[03]	4,002	2,895	2,731	2,325	2,171	-45.8
Nottaway, coast	[03A]	4,002	2,895	2,731	2,325	2,171	-45.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 63-4

Number of cattle, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Southwestern Hudson Bay	[04]	44,838	43,091	35,679	34,399	38,550	-14.0
Missinaibi and Mattagami	[04L]	3,320	3,217	2,900	2,086	1,488	-55.2
Abitibi	[04M]	28,312	26,761	24,513	23,390	28,251	-0.2
Harricana, coast	[04N]	13,206	13,113	8,266	8,923	8,811	-33.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 63-5

Number of cattle, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Nelson River	[05]	6,862,676	6,078,725	7,059,872	8,699,381	9,501,173	38.4
Upper South Saskatchewan	[05A]	744,113	634,618	889,364	1,316,222	1,582,555	112.7
Bow	[05B]	326,310	272,511	313,529	392,852	527,272	61.6
Red Deer	[05C]	1,099,870	936,035	1,126,728	1,367,223	1,460,633	32.8
Upper North Saskatchewan	[05D]	179,795	179,863	231,522	244,227	246,494	37.1
Central North Saskatchewan	[05E]	616,191	577,496	717,562	849,489	888,551	44.2
Battle	[05F]	602,037	557,434	628,438	767,043	852,417	41.6
Lower North Saskatchewan	[05G]	450,815	392,139	494,247	545,038	531,959	18.0
Lower South Saskatchewan	[05H]	420,404	378,982	419,771	503,480	550,030	30.8
Qu'Appelle	[05J]	587,752	465,405	523,742	635,408	688,906	17.2
Saskatchewan	[05K]	76,307	69,218	76,134	102,408	101,637	33.2
Lake Winnipegosis and Lake Manitoba	[05L]	448,265	455,551	462,423	568,209	602,262	34.4
Assiniboine	[05M]	485,632	445,953	452,276	539,935	527,662	8.7
Souris	[05N]	434,870	354,375	375,689	436,915	502,694	15.6
Red	[05O]	281,662	255,982	250,722	308,479	314,896	11.8
Winnipeg	[05P]	32,392	29,317	28,947	33,495	31,923	-1.4
English	[05Q]	2,654	2,542	3,085	3,025	2,662	0.3
Western Lake Winnipeg	[05S]	73,607	71,304	65,693	85,933	88,620	20.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 63-6

Number of cattle, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Western and Northern Hudson Bay	[06]	192,818	203,645	235,496	262,306	320,644	66.3
Beaver, Alta. and Sask.	[06A]	192,818	203,645	235,496	262,306	320,644	66.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 63-7

Number of cattle, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Great Slave Lake	[07]	587,035	609,489	802,072	991,839	1,032,953	76.0
Upper Athabasca	[07A]	31,400	32,618	43,786	52,982	65,669	109.1
Central Athabasca, upper	[07B]	288,205	302,491	380,241	425,207	439,667	52.6
Central Athabasca, lower	[07C]	43,051	47,904	45,202	49,905	54,582	26.8
Upper Peace	[07F]	127,252	124,055	177,328	239,383	241,284	89.6
Smoky	[07G]	72,637	77,589	120,612	174,843	167,651	130.8
Central Peace, upper	[07H]	20,741	20,094	26,576	34,928	48,665	134.6
Central Peace, lower	[07J]	3,749	4,738	8,327	14,591	15,435	311.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 63-8

Number of cattle, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Pacific	[08]	707,762	612,421	643,188	677,448	674,350	-4.7
Skeena, coast	[08E]	23,528	15,907	18,558	19,489	20,809	-11.6
Central coastal waters, B.C.	[08F]	2,689	4,037	3,949	4,649	4,638	72.5
Southern coastal waters, B.C.	[08G]	4,747	4,314	4,457	4,092	4,602	-3.1
Vancouver Island	[08H]	33,835	31,792	33,641	33,182	31,773	-6.1
Nechako	[08J]	43,915	38,844	54,101	57,274	67,738	54.2
Upper Fraser	[08K]	56,913	41,616	52,958	59,691	65,826	15.7
Thompson	[08L]	180,377	154,086	157,809	179,640	159,855	-11.4
Lower Fraser	[08M]	242,523	219,867	213,927	215,099	202,669	-16.4
Columbia	[08N]	119,235	101,958	103,788	104,332	116,440	-2.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 63-9

Number of cattle, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Mississippi River	[11]	251,997	201,053	186,348	229,629	251,163	-0.3
Missouri	[11A]	251,997	201,053	186,348	229,629	251,163	-0.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 64-1

Cattle density by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		number per square kilometre					%
Maritime Provinces	[01]	2.5	2.4	2.3	2.2	2.0	-20.8
Saint John and Southern Bay of Fundy, N.B.	[01A]	2.2	2.2	2.0	1.9	1.7	-23.1
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	1.2	1.1	1.0	1.0	1.0	-20.0
Prince Edward Island	[01C]	17.2	16.9	15.9	15.9	14.3	-17.2
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	5.3	5.1	4.9	5.0	4.2	-21.2
Southeastern Atlantic Ocean, N.S.	[01E]	0.8	0.6	0.6	0.6	0.5	-37.3
Cape Breton Island	[01F]	0.8	0.8	0.8	0.8	0.7	-17.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 64-2

Cattle density by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	number per square kilometre					%	
St. Lawrence	[02]	5.9	5.1	4.8	4.8	4.5	-23.3
Northwestern Lake Superior	[02A]	0.3	0.2	0.2	0.2	0.2	-33.3
Northeastern Lake Superior	[02B]	0.0	0.0	0.0	0.0	0.0	0.0
Northern Lake Huron	[02C]	1.2	1.1	1.1	1.1	1.0	-21.1
Wanapitei and French, Ont.	[02D]	1.1	1.0	0.8	0.8	0.7	-37.3
Eastern Georgian Bay	[02E]	10.7	8.7	7.7	7.6	6.4	-40.4
Eastern Lake Huron	[02F]	52.0	41.3	38.2	40.9	41.5	-20.1
Northern Lake Erie	[02G]	33.7	28.0	26.2	25.4	24.8	-26.3
Lake Ontario and Niagara Peninsula	[02H]	16.8	15.2	14.0	13.8	11.7	-30.6
Upper Ottawa	[02J]	1.3	1.2	1.1	1.2	1.2	-7.9
Central Ottawa	[02K]	4.4	4.0	4.0	4.0	3.4	-23.1
Lower Ottawa	[02L]	6.6	5.8	5.6	5.3	4.8	-26.5
Upper St. Lawrence	[02M]	25.1	21.8	20.5	20.2	18.6	-25.8
Saint-Maurice	[02N]	0.1	0.1	0.1	0.1	0.1	-30.0
Central St. Lawrence	[02O]	21.1	19.1	18.4	18.7	17.6	-16.8
Lower St. Lawrence	[02P]	13.6	12.8	12.5	12.4	11.9	-12.4
Northern Gaspé Peninsula	[02Q]	6.3	5.8	4.8	4.6	4.5	-28.0
Saguenay	[02R]	1.1	0.9	0.8	0.8	0.7	-38.9
Gulf of St. Lawrence, Natashquan	[02W]	0.1	0.1	0.0	0.0	0.0	-50.0
Northern Newfoundland	[02Y]	0.0	0.0	0.0	0.0	0.1	200.0
Southern Newfoundland	[02Z]	0.1	0.1	0.1	0.1	0.1	8.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 64-3

Cattle density by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	number per square kilometre					%	
Northern Quebec and Labrador	[03]	0.1	0.0	0.0	0.0	0.0	-50.0
Nottaway, coast	[03A]	0.1	0.0	0.0	0.0	0.0	-50.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 64-4

Cattle density by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change
	number per square kilometre					%
Southwestern Hudson Bay	[04]	0.3	0.3	0.3	0.3	-14.7
Missinaibi and Mattagami	[04L]	0.0	0.0	0.0	0.0	-60.0
Abitibi	[04M]	1.0	0.9	0.8	0.8	-1.0
Harricanaw, coast	[04N]	0.3	0.3	0.2	0.2	-33.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 64-5

Cattle density by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

Drainage area code	1981	1986	1991	1996	2001	Percent change
	number per square kilometre					%
Nelson River	[05]	8.2	7.3	8.5	10.5	38.4
Upper South Saskatchewan	[05A]	16.0	13.7	19.2	28.4	112.7
Bow	[05B]	12.7	10.6	12.2	15.3	61.6
Red Deer	[05C]	21.9	18.6	22.4	27.2	32.8
Upper North Saskatchewan	[05D]	6.4	6.4	8.3	8.7	37.0
Central North Saskatchewan	[05E]	14.6	13.7	17.0	20.1	44.2
Battle	[05F]	19.9	18.4	20.8	25.4	41.6
Lower North Saskatchewan	[05G]	9.1	7.9	10.0	11.0	18.0
Lower South Saskatchewan	[05H]	7.6	6.9	7.6	9.1	30.7
Qu'Appelle	[05J]	7.9	6.2	7.0	8.5	17.3
Saskatchewan	[05K]	0.9	0.8	0.9	1.3	33.0
Lake Winnipegosis and Lake Manitoba	[05L]	5.4	5.5	5.6	6.9	34.3
Assiniboine	[05M]	9.5	8.7	8.8	10.5	8.7
Souris	[05N]	11.0	9.0	9.5	11.0	15.7
Red	[05O]	11.2	10.1	9.9	12.2	11.7
Winnipeg	[05P]	0.6	0.5	0.5	0.6	-1.7
English	[05Q]	0.0	0.0	0.1	0.1	0.0
Western Lake Winnipeg	[05S]	1.8	1.7	1.6	2.0	20.5

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 64-6

Cattle density by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change
	number per square kilometre					%
Western and Northern Hudson Bay	[06]	3.9	4.1	4.7	5.2	66.3
Beaver, Alta. and Sask.	[06A]	3.9	4.1	4.7	5.2	66.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 64-7

Cattle density by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	number per square kilometre					%	
Great Slave Lake	[07]	1.7	1.8	2.3	2.9	3.0	76.3
Upper Athabasca	[07A]	0.9	0.9	1.3	1.5	1.9	108.9
Central Athabasca, upper	[07B]	7.1	7.5	9.4	10.5	10.9	52.5
Central Athabasca, lower	[07C]	0.8	0.8	0.8	0.9	1.0	28.0
Upper Peace	[07F]	1.9	1.8	2.6	3.5	3.6	89.4
Smoky	[07G]	1.4	1.5	2.3	3.4	3.2	130.5
Central Peace, upper	[07H]	0.6	0.6	0.8	1.0	1.4	132.2
Central Peace, lower	[07J]	0.1	0.1	0.1	0.2	0.3	333.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 64-8

Cattle density by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	number per square kilometre					%	
Pacific	[08]	1.4	1.2	1.2	1.3	1.3	-5.1
Skeena, coast	[08E]	0.4	0.3	0.3	0.4	0.4	-11.9
Central coastal waters, B.C.	[08F]	0.0	0.1	0.1	0.1	0.1	60.0
Southern coastal waters, B.C.	[08G]	0.1	0.1	0.1	0.1	0.1	0.0
Vancouver Island	[08H]	1.0	0.9	1.0	1.0	0.9	-6.2
Nechako	[08J]	0.9	0.8	1.1	1.2	1.4	53.8
Upper Fraser	[08K]	0.8	0.6	0.8	0.9	1.0	15.3
Thompson	[08L]	3.2	2.8	2.8	3.2	2.9	-11.1
Lower Fraser	[08M]	3.9	3.6	3.5	3.5	3.3	-16.3
Columbia	[08N]	1.2	1.0	1.0	1.0	1.1	-2.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 64-9

Cattle density by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	number per square kilometre					%	
Mississippi River	[11]	9.3	7.4	6.9	8.5	9.3	-0.3
Missouri	[11A]	9.3	7.4	6.9	8.5	9.3	-0.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 65-1

Chemical product expenses by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Maritime Provinces	[01]	19,831,224.8	20,764,909.3	22,341,022.7	31,188,544.2	39,761,683.0	100.5
Saint John and Southern Bay of Fundy, N.B.	[01A]	6,530,247.9	6,437,648.4	6,958,645.4	8,559,562.2	9,951,386.9	52.4
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	856,742.8	930,973.3	1,011,791.0	1,334,355.2	1,771,025.8	106.7
Prince Edward Island	[01C]	8,491,739.5	9,115,288.5	9,603,906.9	15,984,827.1	21,371,603.2	151.7
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	3,789,923.7	4,070,421.3	4,262,545.6	4,831,147.3	6,106,233.8	61.1
Southeastern Atlantic Ocean, N.S.	[01E]	131,100.6	155,555.3	183,374.4	378,182.8	479,695.5	265.9
Cape Breton Island	[01F]	31,470.3	55,022.5	320,759.4	100,469.5	81,737.9	159.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 65-2

Chemical product expenses by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
St. Lawrence	[02]	180,409,228.3	203,363,298.6	203,779,762.1	232,918,715.1	286,534,920.1	58.8
Northwestern Lake Superior	[02A]	73,277.4	106,004.8	121,853.5	182,329.2	180,594.8	146.5
Northeastern Lake Superior	[02B]	2,983.7	7,537.3	37,538.8	15,806.4	98,048.2	3,186.2
Northern Lake Huron	[02C]	158,300.6	191,403.4	246,419.1	385,129.0	335,075.7	111.7
Wanapitei and French, Ont.	[02D]	114,855.3	96,142.2	112,162.0	129,089.1	156,577.4	36.3
Eastern Georgian Bay	[02E]	9,761,247.0	10,245,333.1	10,974,052.9	12,125,948.6	15,382,386.9	57.6
Eastern Lake Huron	[02F]	20,632,253.2	27,094,340.9	25,861,879.6	30,664,183.5	35,363,220.5	71.4
Northern Lake Erie	[02G]	83,423,174.5	90,944,926.5	87,400,064.5	97,325,989.2	112,102,505.8	34.4
Lake Ontario and Niagara Peninsula	[02H]	21,495,364.3	24,130,805.8	23,700,378.9	26,642,114.2	32,153,581.5	49.6
Upper Ottawa	[02J]	405,953.5	541,759.7	503,420.1	683,279.5	951,863.6	134.5
Central Ottawa	[02K]	1,530,019.6	1,559,190.1	1,124,152.3	1,252,282.2	2,047,851.1	33.8
Lower Ottawa	[02L]	5,661,497.7	7,300,105.3	7,027,643.9	9,275,975.5	14,479,796.2	155.8
Upper St. Lawrence	[02M]	2,656,818.4	3,476,317.3	3,750,314.9	4,391,576.3	6,258,554.9	135.6
Saint-Maurice	[02N]	184,232.4	104,666.9	102,594.9	218,366.7	97,523.3	-47.1
Central St. Lawrence	[02O]	27,416,345.9	30,523,770.9	34,436,001.4	40,139,411.6	53,393,178.0	94.7
Lower St. Lawrence	[02P]	5,183,273.2	5,310,615.2	6,087,985.7	6,437,399.4	9,617,170.6	85.5
Northern Gaspé Peninsula	[02Q]	615,582.0	675,882.9	669,361.9	748,290.8	812,651.4	32.0
Saguenay	[02R]	847,048.5	862,084.7	1,311,727.3	1,987,201.3	2,748,712.2	224.5
Gulf of St. Lawrence, Natashquan	[02W]	50,056.7	51,504.7	33,825.7	37,485.3	52,797.8	5.5
Northern Newfoundland	[02Y]	87,652.3	62,569.0	114,467.0	144,729.2	125,485.0	43.2
Southern Newfoundland	[02Z]	109,292.1	78,337.8	163,917.6	132,128.4	177,345.3	62.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 65-3

Chemical product expenses by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Northern Quebec and Labrador	[03]	6,142.3	2,670.1	214.3	1,807.5	6,740.4	9.7
Nottaway, coast	[03A]	6,142.3	2,670.1	214.3	1,807.5	6,740.4	9.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 65-4

Chemical product expenses by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Southwestern Hudson Bay	[04]	103,544.6	120,399.1	216,156.4	163,097.6	219,617.3	112.1
Missinaibi and Mattagami	[04L]	25,126.7	33,316.6	22,704.8	54,421.3	40,983.4	63.1
Abitibi	[04M]	51,264.4	54,698.3	144,564.7	74,556.6	109,811.2	114.2
Harricanaw, coast	[04N]	27,153.5	32,384.2	48,886.9	34,119.7	68,822.8	153.5

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 65-5

Chemical product expenses by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Nelson River	[05]	318,920,809.9	516,923,300.8	485,604,667.5	652,558,506.7	875,778,699.7	174.6
Upper South Saskatchewan	[05A]	18,999,749.6	27,024,175.0	26,070,561.7	36,791,710.9	58,647,866.1	208.7
Bow	[05B]	6,980,211.9	11,218,908.4	10,314,828.2	13,180,074.4	21,932,953.4	214.2
Red Deer	[05C]	24,637,574.6	38,212,693.5	35,368,594.6	40,398,188.0	51,555,136.4	109.3
Upper North Saskatchewan	[05D]	2,008,601.7	3,138,761.8	2,696,490.9	3,530,287.4	5,087,907.6	153.3
Central North Saskatchewan	[05E]	23,189,568.2	38,156,446.5	37,078,846.5	44,067,730.7	56,406,008.3	143.2
Battle	[05F]	24,420,543.4	38,442,201.7	34,313,846.8	41,880,093.8	51,970,954.2	112.8
Lower North Saskatchewan	[05G]	23,510,492.3	38,427,280.5	36,725,651.1	47,204,906.4	67,748,658.9	188.2
Lower South Saskatchewan	[05H]	25,374,259.5	42,081,518.8	36,053,108.8	55,346,714.7	87,074,775.4	243.2
Qu'Appelle	[05J]	29,320,443.1	60,958,372.3	56,151,916.6	91,007,556.2	130,053,767.0	343.6
Saskatchewan	[05K]	18,778,519.3	27,844,876.5	21,645,363.0	28,592,980.7	37,488,244.6	99.6
Lake Winnipegosis and Lake Manitoba	[05L]	23,594,315.6	38,937,041.0	37,144,536.9	47,374,770.3	55,609,511.6	135.7
Assiniboine	[05M]	33,188,320.2	60,817,444.9	63,382,250.2	78,187,754.4	96,699,613.1	191.4
Souris	[05N]	22,379,647.6	34,096,965.8	35,851,593.5	55,644,738.7	74,583,509.2	233.3
Red	[05O]	39,298,874.5	51,994,112.2	46,417,527.9	62,136,821.5	72,680,494.2	84.9
Winnipeg	[05P]	489,468.6	980,711.7	1,256,130.2	959,855.0	1,001,975.0	104.7
English	[05Q]	3,483.8	15,129.6	8,983.1	30,641.2	18,501.7	431.1
Western Lake Winnipeg	[05S]	2,746,736.0	4,576,660.5	5,124,437.6	6,223,682.5	7,218,822.8	162.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 65-6

Chemical product expenses by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Western and Northern Hudson Bay	[06]	3,067,971.3	5,758,317.6	5,052,982.0	4,626,671.1	6,896,869.4	124.8
Beaver, Alta. and Sask.	[06A]	3,067,971.3	5,758,317.6	5,052,982.0	4,626,671.1	6,896,869.4	124.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 65-7

Chemical product expenses by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Great Slave Lake	[07]	16,708,835.0	27,509,349.8	34,137,150.6	44,779,502.3	48,264,337.8	188.9
Upper Athabasca	[07A]	78,561.9	148,336.4	153,497.4	183,270.9	421,613.1	436.7
Central Athabasca, upper	[07B]	3,184,492.7	5,687,401.4	5,747,385.8	6,923,008.7	7,771,005.8	144.0
Central Athabasca, lower	[07C]	626,916.0	907,589.3	1,019,389.6	1,001,604.1	1,198,028.3	91.1
Upper Peace	[07F]	5,550,644.9	9,152,347.4	9,974,350.5	14,535,548.1	15,964,622.3	187.6
Smoky	[07G]	5,202,277.7	7,960,072.8	11,778,875.3	14,220,677.5	13,912,595.7	167.4
Central Peace, upper	[07H]	1,773,897.6	2,909,213.6	3,945,610.7	5,646,689.8	6,172,538.3	248.0
Central Peace, lower	[07J]	292,044.3	744,389.0	1,518,041.2	2,268,703.1	2,823,934.3	867.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 65-8

Chemical product expenses by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Pacific	[08]	13,136,369.8	13,723,815.4	15,076,165.8	17,515,257.4	19,015,224.6	44.8
Skeena, coast	[08E]	35,592.0	30,550.2	114,591.3	41,555.7	43,788.7	23.0
Central coastal waters, B.C.	[08F]	1,614.9	1,463.9	192.9	2,704.0	1,373.5	-14.9
Southern coastal waters, B.C.	[08G]	13,518.7	11,514.5	36,965.5	33,370.5	26,448.4	95.6
Vancouver Island	[08H]	526,243.6	663,397.1	574,809.3	908,930.3	855,407.6	62.5
Nechako	[08J]	34,337.8	43,368.3	105,242.8	127,368.4	109,448.4	218.7
Upper Fraser	[08K]	63,400.4	77,448.9	88,471.4	606,862.1	249,255.4	293.1
Thompson	[08L]	401,533.0	519,668.9	540,126.3	1,616,993.9	1,236,397.7	207.9
Lower Fraser	[08M]	5,651,233.7	6,520,425.0	7,889,188.6	8,270,349.7	9,817,652.2	73.7
Columbia	[08N]	6,408,895.7	5,855,978.6	5,726,577.7	5,907,122.8	6,675,452.6	4.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 65-9

Chemical product expenses by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Mississippi River	[11]	3,185,957.4	7,255,926.0	6,286,169.4	8,290,795.0	12,722,320.3	299.3
Missouri	[11A]	3,185,957.4	7,255,926.0	6,286,169.4	8,290,795.0	12,722,320.3	299.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 66-1

Chemical product expenses per square kilometre of land area, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Maritime Provinces	[01]	120.9	126.6	136.2	190.2	242.5	100.5
Saint John and Southern Bay of Fundy, N.B.	[01A]	155.5	153.3	165.7	203.9	237.0	52.4
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	14.1	15.4	16.7	22.0	29.2	106.7
Prince Edward Island	[01C]	1,428.9	1,533.8	1,616.0	2,689.7	3,596.1	151.7
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	176.3	189.3	198.3	224.7	284.0	61.1
Southeastern Atlantic Ocean, N.S.	[01E]	5.6	6.7	7.9	16.3	20.7	265.7
Cape Breton Island	[01F]	3.0	5.2	30.0	9.4	7.6	159.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 66-2

Chemical product expenses per square kilometre of land area, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
St. Lawrence	[02]	239.4	269.9	270.4	309.1	380.3	58.8
Northwestern Lake Superior	[02A]	1.7	2.4	2.8	4.2	4.1	145.8
Northeastern Lake Superior	[02B]	0.1	0.2	1.0	0.4	2.5	2,987.5
Northern Lake Huron	[02C]	4.6	5.5	7.1	11.1	9.7	111.4
Wanapitei and French, Ont.	[02D]	5.9	5.0	5.8	6.7	8.1	36.5
Eastern Georgian Bay	[02E]	444.6	466.6	499.8	552.2	700.5	57.6
Eastern Lake Huron	[02F]	1,396.4	1,833.8	1,750.4	2,075.4	2,393.5	71.4
Northern Lake Erie	[02G]	3,691.2	4,024.0	3,867.2	4,306.3	4,960.2	34.4
Lake Ontario and Niagara Peninsula	[02H]	748.4	840.1	825.2	927.6	1,119.4	49.6
Upper Ottawa	[02J]	8.0	10.7	9.9	13.5	18.8	134.6
Central Ottawa	[02K]	37.5	38.3	27.6	30.7	50.2	33.9
Lower Ottawa	[02L]	103.5	133.4	128.4	169.5	264.6	155.8
Upper St. Lawrence	[02M]	519.0	679.1	732.6	857.9	1,222.6	135.6
Saint-Maurice	[02N]	4.4	2.5	2.4	5.2	2.3	-47.0
Central St. Lawrence	[02O]	793.1	883.0	996.2	1,161.2	1,544.6	94.7
Lower St. Lawrence	[02P]	152.5	156.2	179.1	189.4	282.9	85.5
Northern Gaspé Peninsula	[02Q]	46.0	50.5	50.0	55.9	60.7	32.0
Saguenay	[02R]	9.6	9.8	14.9	22.6	31.2	224.4
Gulf of St. Lawrence, Natashquan	[02W]	0.9	1.0	0.6	0.7	1.0	5.4
Northern Newfoundland	[02Y]	1.3	1.0	1.7	2.2	1.9	43.9
Southern Newfoundland	[02Z]	2.5	1.8	3.7	3.0	4.0	62.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 66-3

Chemical product expenses per square kilometre of land area, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Northern Quebec and Labrador	[03]	0.1	0.0	0.0	0.0	0.1	11.1
Nottaway, coast	[03A]	0.1	0.0	0.0	0.0	0.1	11.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 66-4

Chemical product expenses per square kilometre of land area, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Southwestern Hudson Bay	[04]	0.8	0.9	1.6	1.2	1.6	111.5
Missinaibi and Mattagami	[04L]	0.4	0.6	0.4	0.9	0.7	65.9
Abitibi	[04M]	1.8	1.9	4.9	2.6	3.8	114.3
Harricanaw, coast	[04N]	0.6	0.7	1.1	0.8	1.6	154.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 66-5

Chemical product expenses per square kilometre of land area, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Nelson River	[05]	383.4	621.4	583.8	784.4	1,052.8	174.6
Upper South Saskatchewan	[05A]	409.4	582.3	561.7	792.8	1,263.7	208.7
Bow	[05B]	272.4	437.8	402.5	514.3	855.8	214.2
Red Deer	[05C]	489.7	759.5	702.9	802.9	1,024.6	109.3
Upper North Saskatchewan	[05D]	71.8	112.2	96.4	126.2	181.8	153.3
Central North Saskatchewan	[05E]	548.5	902.6	877.1	1,042.4	1,334.3	143.2
Battle	[05F]	807.5	1,271.2	1,134.7	1,384.9	1,718.6	112.8
Lower North Saskatchewan	[05G]	473.5	773.9	739.7	950.7	1,364.5	188.2
Lower South Saskatchewan	[05H]	459.1	761.4	652.3	1,001.4	1,575.5	243.2
Qu'Appelle	[05J]	393.1	817.3	752.8	1,220.1	1,743.6	343.6
Saskatchewan	[05K]	231.3	342.9	266.6	352.2	461.7	99.6
Lake Winnipegosis and Lake Manitoba	[05L]	285.2	470.7	449.0	572.7	672.3	135.7
Assiniboine	[05M]	647.5	1,186.5	1,236.5	1,525.4	1,886.5	191.4
Souris	[05N]	565.3	861.2	905.6	1,405.5	1,883.8	233.3
Red	[05O]	1,555.4	2,057.8	1,837.1	2,459.3	2,876.6	84.9
Winnipeg	[05P]	8.9	17.8	22.8	17.4	18.2	104.7
English	[05Q]	0.1	0.3	0.2	0.6	0.4	400.0
Western Lake Winnipeg	[05S]	65.7	109.4	122.5	148.8	172.6	162.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 66-6

Chemical product expenses per square kilometre of land area, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change
	1992 dollars					%
Western and Northern Hudson Bay	61.4	115.3	101.2	92.6	138.1	124.8
Beaver, Alta. and Sask.	[06A] 61.4	115.3	101.2	92.6	138.1	124.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 66-7

Chemical product expenses per square kilometre of land area, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

Drainage area code	1981	1986	1991	1996	2001	Percent change
	1992 dollars					%
Great Slave Lake	48.2	79.4	98.5	129.2	139.3	188.8
Upper Athabasca	[07A] 2.2	4.3	4.4	5.3	12.1	437.8
Central Athabasca, upper	[07B] 78.6	140.4	141.9	171.0	191.9	144.0
Central Athabasca, lower	[07C] 11.0	15.9	17.9	17.6	21.0	91.2
Upper Peace	[07F] 81.8	134.9	147.1	214.3	235.4	187.6
Smoky	[07G] 101.0	154.5	228.7	276.1	270.1	167.4
Central Peace, upper	[07H] 50.1	82.2	111.4	159.5	174.3	248.0
Central Peace, lower	[07J] 4.9	12.5	25.6	38.2	47.5	866.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 66-8

Chemical product expenses per square kilometre of land area, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

Drainage area code	1981	1986	1991	1996	2001	Percent change
	1992 dollars					%
Pacific	25.2	26.3	28.9	33.5	36.4	44.8
Skeena, coast	[08E] 0.6	0.6	2.1	0.8	0.8	23.4
Central coastal waters, B.C.	[08F] 0.0	0.0	0.0	0.0	0.0	0.0
Southern coastal waters, B.C.	[08G] 0.3	0.3	0.9	0.8	0.6	96.9
Vancouver Island	[08H] 15.1	19.0	16.5	26.1	24.5	62.5
Nechako	[08J] 0.7	0.9	2.2	2.7	2.3	216.4
Upper Fraser	[08K] 1.0	1.2	1.3	9.0	3.7	291.6
Thompson	[08L] 7.2	9.3	9.7	29.0	22.2	207.9
Lower Fraser	[08M] 91.3	105.4	127.5	133.6	158.7	73.7
Columbia	[08N] 62.3	56.9	55.6	57.4	64.9	4.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 66-9

Chemical product expenses per square kilometre of land area, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		1992 dollars					%
Mississippi River	[11]	117.6	267.8	232.0	306.0	469.5	299.3
Missouri	[11A]	117.6	267.8	232.0	306.0	469.5	299.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 67-1

Fertilizer expenses by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		1992 dollars					%
Maritime Provinces	[01]	34,085,456	39,104,361	47,410,800	48,022,093	55,497,685	62.8
Saint John and Southern Bay of Fundy, N.B.	[01A]	9,239,812	9,716,334	12,479,426	11,338,722	13,310,980	44.1
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	3,067,741	3,566,820	4,243,631	3,734,383	4,505,264	46.9
Prince Edward Island	[01C]	14,070,783	16,961,555	20,104,347	24,588,842	27,603,835	96.2
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	6,640,365	7,627,021	8,696,152	6,977,806	8,723,949	31.4
Southeastern Atlantic Ocean, N.S.	[01E]	640,323	647,459	805,982	954,882	925,613	44.6
Cape Breton Island	[01F]	426,432	585,172	1,081,262	427,458	428,044	0.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 67-2

Fertilizer expenses by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
St. Lawrence	[02]	344,701,880	398,243,199	427,747,437	401,976,639	432,366,228	25.4
Northwestern Lake Superior	[02A]	557,271	639,957	729,169	714,498	554,887	-0.4
Northeastern Lake Superior	[02B]	24,997	26,134	95,917	136,590	211,913	747.7
Northern Lake Huron	[02C]	722,862	826,750	1,032,303	867,008	1,331,948	84.3
Wanapitei and French, Ont.	[02D]	567,859	527,870	505,572	373,202	461,518	-18.7
Eastern Georgian Bay	[02E]	14,406,814	15,481,717	18,069,145	18,012,438	18,897,380	31.2
Eastern Lake Huron	[02F]	45,618,348	50,151,757	49,137,606	45,900,897	47,940,207	5.1
Northern Lake Erie	[02G]	125,993,630	134,228,802	139,172,694	137,908,120	144,244,173	14.5
Lake Ontario and Niagara Peninsula	[02H]	31,046,266	36,403,438	37,161,645	39,485,698	38,106,407	22.7
Upper Ottawa	[02J]	2,198,853	2,162,138	1,692,069	1,676,319	2,217,311	0.8
Central Ottawa	[02K]	3,843,698	3,992,234	4,084,148	3,234,312	4,155,145	8.1
Lower Ottawa	[02L]	16,216,157	21,101,405	23,131,406	20,093,968	25,852,749	59.4
Upper St. Lawrence	[02M]	7,836,905	12,039,778	12,424,538	10,625,709	11,926,230	52.2
Saint-Maurice	[02N]	354,959	274,072	252,088	301,436	241,472	-32.0
Central St. Lawrence	[02O]	69,422,928	90,512,439	107,011,302	93,843,704	102,644,577	47.9
Lower St. Lawrence	[02P]	18,415,540	21,305,330	23,390,207	20,146,674	23,929,763	29.9
Northern Gaspé Peninsula	[02Q]	3,439,890	3,929,458	4,506,727	3,503,031	3,561,836	3.5
Saguenay	[02R]	2,984,330	3,584,161	3,940,346	3,935,491	4,794,904	60.7
Gulf of St. Lawrence, Natashquan	[02W]	221,720	195,329	181,431	150,580	120,310	-45.7
Northern Newfoundland	[02Y]	477,119	443,383	553,000	491,904	539,543	13.1
Southern Newfoundland	[02Z]	351,734	417,048	676,124	575,059	633,956	80.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 67-3

Fertilizer expenses by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Northern Quebec and Labrador	[03]	99,749	101,470	50,393	67,656	49,617	-50.3
Nottaway, coast	[03A]	99,749	101,470	50,393	67,656	49,617	-50.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 67-4

Fertilizer expenses by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Southwestern Hudson Bay	[04]	954,216	1,388,304	1,215,480	1,018,282	1,130,393	18.5
Missinaibi and Mattagami	[04L]	189,459	204,177	154,564	127,168	123,730	-34.7
Abitibi	[04M]	498,089	828,901	690,993	555,016	689,195	38.4
Harricana, coast	[04N]	266,669	355,226	369,922	336,099	317,468	19.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 67-5

Fertilizer expenses by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Nelson River	[05]	472,597,285	710,907,939	656,585,949	858,909,829	983,913,943	108.2
Upper South Saskatchewan	[05A]	37,106,146	45,082,835	43,203,247	63,076,554	75,743,677	104.1
Bow	[05B]	13,850,124	19,267,412	17,339,468	21,395,648	29,150,256	110.5
Red Deer	[05C]	47,002,501	65,135,093	61,917,912	69,656,247	78,692,755	67.4
Upper North Saskatchewan	[05D]	5,035,427	7,106,561	6,733,628	7,500,370	10,161,908	101.8
Central North Saskatchewan	[05E]	41,301,640	67,003,219	67,244,133	69,967,151	78,704,366	90.6
Battle	[05F]	39,449,294	58,498,431	51,359,964	60,854,860	66,418,674	68.4
Lower North Saskatchewan	[05G]	26,904,597	47,457,083	41,718,286	55,477,794	66,634,163	147.7
Lower South Saskatchewan	[05H]	22,451,236	38,063,790	28,109,005	52,601,788	67,900,260	202.4
Qu'Appelle	[05J]	28,869,229	53,615,834	47,244,933	96,225,467	113,982,813	294.8
Saskatchewan	[05K]	27,404,928	38,198,626	31,990,720	41,733,226	45,402,876	65.7
Lake Winnipegosis and Lake Manitoba	[05L]	37,551,464	58,277,878	55,421,176	63,197,581	74,024,996	97.1
Assiniboine	[05M]	47,784,803	87,102,228	85,133,446	102,869,280	111,893,712	134.2
Souris	[05N]	28,278,462	38,013,052	35,443,289	63,070,782	67,327,222	138.1
Red	[05O]	63,897,678	79,350,686	73,426,616	79,980,175	85,440,773	33.7
Winnipeg	[05P]	1,156,391	1,684,488	1,807,116	1,745,656	1,575,678	36.3
English	[05Q]	98,320	124,250	167,903	114,947	142,349	44.8
Western Lake Winnipeg	[05S]	4,455,045	6,926,473	8,325,107	9,442,302	10,717,466	140.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 67-6

Fertilizer expenses by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Western and Northern Hudson Bay	[06]	5,981,869	12,387,133	11,990,754	9,420,649	11,421,843	90.9
Beaver, Alta. and Sask.	[06A]	5,981,869	12,387,133	11,990,754	9,420,649	11,421,843	90.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 67-7

Fertilizer expenses by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Great Slave Lake	[07]	40,714,187	64,669,083	66,160,210	77,525,730	80,489,600	97.7
Upper Athabasca	[07A]	438,346	852,711	936,489	1,043,706	1,183,484	170.0
Central Athabasca, upper	[07B]	8,405,747	13,387,866	13,491,944	14,336,340	17,719,018	110.8
Central Athabasca, lower	[07C]	1,285,015	2,163,367	2,342,969	2,295,801	2,607,767	102.9
Upper Peace	[07F]	13,930,479	20,924,376	18,773,375	24,591,226	24,653,218	77.0
Smoky	[07G]	11,742,158	18,303,436	20,295,869	23,197,968	21,981,330	87.2
Central Peace, upper	[07H]	4,165,316	7,327,907	7,528,206	8,972,690	9,074,831	117.9
Central Peace, lower	[07J]	747,125	1,709,419	2,791,357	3,087,999	3,269,952	337.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 67-8

Fertilizer expenses by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Pacific	[08]	21,674,139	25,499,246	33,490,352	34,788,503	41,379,286	90.9
Skeena, coast	[08E]	284,216	272,994	501,695	398,576	455,966	60.4
Central coastal waters, B.C.	[08F]	11,893	19,160	13,954	42,127	41,434	248.4
Southern coastal waters, B.C.	[08G]	61,893	85,447	210,230	130,625	173,781	180.8
Vancouver Island	[08H]	1,912,581	2,386,318	2,872,062	3,270,256	3,339,257	74.6
Nechako	[08J]	808,863	933,712	1,256,835	1,364,874	1,678,416	107.5
Upper Fraser	[08K]	747,611	861,431	1,190,416	1,675,165	1,432,393	91.6
Thompson	[08L]	1,705,046	2,128,654	2,285,302	2,282,712	2,447,578	43.5
Lower Fraser	[08M]	12,842,979	14,552,105	19,950,667	20,366,686	25,274,607	96.8
Columbia	[08N]	3,299,058	4,259,424	5,209,191	5,257,483	6,535,855	98.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 67-9

Fertilizer expenses by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars					%	
Mississippi River	[11]	3,065,379	4,076,089	2,814,650	7,604,175	9,444,614	208.1
Missouri	[11A]	3,065,379	4,076,089	2,814,650	7,604,175	9,444,614	208.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 68-1

Fertilized area, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Maritime Provinces	[01]	3,084	3,156	2,879	3,222	3,100	0.5
Saint John and Southern Bay of Fundy, N.B.	[01A]	687	754	664	752	732	6.5
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	437	418	371	390	383	-12.2
Prince Edward Island	[01C]	1,074	1,133	1,021	1,195	1,101	2.5
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	747	723	695	733	726	-2.8
Southeastern Atlantic Ocean, N.S.	[01E]	84	71	72	103	113	34.2
Cape Breton Island	[01F]	55	57	55	49	45	-18.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 68-2

Fertilized area, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
St. Lawrence	[02]	35,726	37,181	32,204	33,526	31,851	-10.8
Northwestern Lake Superior	[02A]	112	101	80	74	64	-43.0
Northeastern Lake Superior	[02B]	3	4	2	1	1	-61.3
Northern Lake Huron	[02C]	148	147	153	130	134	-9.8
Wanapitei and French, Ont.	[02D]	123	115	88	68	65	-46.8
Eastern Georgian Bay	[02E]	1,599	1,564	1,363	1,383	1,304	-18.5
Eastern Lake Huron	[02F]	5,354	5,586	4,883	5,176	4,815	-10.1
Northern Lake Erie	[02G]	11,385	11,430	10,314	11,156	9,918	-12.9
Lake Ontario and Niagara Peninsula	[02H]	3,630	3,811	3,086	3,293	3,022	-16.7
Upper Ottawa	[02J]	394	374	253	288	340	-13.9
Central Ottawa	[02K]	497	523	441	413	475	-4.4
Lower Ottawa	[02L]	1,973	2,192	1,880	1,906	2,085	5.7
Upper St. Lawrence	[02M]	753	906	836	824	853	13.2
Saint-Maurice	[02N]	21	23	19	21	13	-38.9
Central St. Lawrence	[02O]	6,013	6,796	6,142	6,203	6,291	4.6
Lower St. Lawrence	[02P]	2,497	2,484	1,822	1,754	1,674	-32.9
Northern Gaspé Peninsula	[02Q]	702	644	442	382	350	-50.1
Saguenay	[02R]	464	419	333	380	378	-18.5
Gulf of St. Lawrence, Natashquan	[02W]	12	15	13	11	6	-49.1
Northern Newfoundland	[02Y]	13	17	26	27	29	123.5
Southern Newfoundland	[02Z]	31	30	28	38	34	9.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 68-3

Fertilized area, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Northern Quebec and Labrador	[03]	13	8	5	7	8	-37.5
Nottaway, coast	[03A]	13	8	5	7	8	-37.5

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 68-4

Fertilized area, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Southwestern Hudson Bay	[04]	167	187	130	140	164	-2.0
Missinaibi and Mattagami	[04L]	29	26	24	18	16	-45.9
Abitibi	[04M]	95	124	85	95	119	25.1
Harricanaw, coast	[04N]	43	37	20	28	29	-32.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 68-5

Fertilized area, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Nelson River	[05]	129,636	169,592	160,990	190,292	184,133	42.0
Upper South Saskatchewan	[05A]	8,011	10,073	9,831	11,925	12,414	55.0
Bow	[05B]	3,177	3,786	3,711	4,224	4,948	55.7
Red Deer	[05C]	11,452	13,714	12,234	13,754	12,524	9.4
Upper North Saskatchewan	[05D]	1,412	1,574	1,259	1,427	1,506	6.7
Central North Saskatchewan	[05E]	12,377	15,244	14,415	14,838	13,078	5.7
Battle	[05F]	11,356	13,843	12,623	13,683	11,975	5.5
Lower North Saskatchewan	[05G]	10,354	14,703	13,304	15,517	15,358	48.3
Lower South Saskatchewan	[05H]	8,533	12,760	9,845	15,144	16,792	96.8
Qu'Appelle	[05J]	10,779	17,713	17,477	26,082	27,028	150.8
Saskatchewan	[05K]	6,837	8,436	7,986	8,711	7,846	14.8
Lake Winnipegosis and Lake Manitoba	[05L]	9,278	11,894	11,318	11,703	11,275	21.5
Assiniboine	[05M]	13,711	20,213	20,716	21,779	19,427	41.7
Souris	[05N]	8,518	10,449	11,409	16,746	16,007	87.9
Red	[05O]	12,363	13,342	13,100	12,847	12,006	-2.9
Winnipeg	[05P]	280	329	313	342	321	14.5
English	[05Q]	32	25	35	21	33	4.2
Western Lake Winnipeg	[05S]	1,167	1,494	1,415	1,550	1,593	36.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 68-6

Fertilized area, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Western and Northern Hudson Bay	[06]	1,869	2,851	2,412	2,082	2,014	7.8
Beaver, Alta. and Sask.	[06A]	1,869	2,851	2,412	2,082	2,014	7.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 68-7

Fertilized area, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Great Slave Lake	[07]	11,451	15,129	14,062	15,612	14,322	25.1
Upper Athabasca	[07A]	178	235	216	253	261	46.9
Central Athabasca, upper	[07B]	2,213	2,750	2,495	2,594	2,692	21.7
Central Athabasca, lower	[07C]	405	555	431	393	415	2.5
Upper Peace	[07F]	3,922	5,081	4,399	5,206	4,615	17.7
Smoky	[07G]	3,179	4,099	4,149	4,456	3,954	24.3
Central Peace, upper	[07H]	1,269	1,866	1,640	1,943	1,786	40.8
Central Peace, lower	[07J]	286	543	732	768	599	109.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 68-8

Fertilized area, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	km ²					%	
Pacific	[08]	2,122	2,127	1,956	2,174	2,052	-3.3
Skeena, coast	[08E]	122	88	81	98	87	-28.2
Central coastal waters, B.C.	[08F]	2	3	2	5	3	47.2
Southern coastal waters, B.C.	[08G]	11	11	9	10	8	-25.5
Vancouver Island	[08H]	148	138	133	166	155	5.0
Nechako	[08J]	272	309	349	366	394	45.0
Upper Fraser	[08K]	267	238	245	285	245	-8.2
Thompson	[08L]	293	301	261	312	304	3.7
Lower Fraser	[08M]	576	606	496	514	471	-18.2
Columbia	[08N]	432	434	380	418	384	-11.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 68-9

Fertilized area, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		km ²					%
Mississippi River	[11]	984	1,248	981	2,371	2,502	154.3
Missouri	[11A]	984	1,248	981	2,371	2,502	154.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 69-1

Fertilizer expenses per land area, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		1992 dollars per km ²					%
Maritime Provinces	[01]	207.8	238.5	289.1	292.8	338.4	62.8
Saint John and Southern Bay of Fundy, N.B.	[01A]	220.1	231.4	297.2	270.0	317.0	44.1
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	50.6	58.8	70.0	61.6	74.3	46.9
Prince Edward Island	[01C]	2,367.6	2,854.1	3,382.9	4,137.5	4,644.8	96.2
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	308.9	354.8	404.5	324.6	405.8	31.4
Southeastern Atlantic Ocean, N.S.	[01E]	27.6	27.9	34.7	41.1	39.9	44.6
Cape Breton Island	[01F]	39.9	54.8	101.2	40.0	40.1	0.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 69-2

Fertilizer expenses per land area, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars per km ²					%	
St. Lawrence	[02]	457.5	528.5	567.7	533.5	573.8	25.4
Northwestern Lake Superior	[02A]	12.7	14.6	16.7	16.3	12.7	-0.4
Northeastern Lake Superior	[02B]	0.6	0.7	2.4	3.4	5.3	747.6
Northern Lake Huron	[02C]	20.8	23.8	29.8	25.0	38.4	84.3
Wanapitei and French, Ont.	[02D]	29.3	27.2	26.1	19.2	23.8	-18.7
Eastern Georgian Bay	[02E]	656.1	705.1	822.9	820.3	860.6	31.2
Eastern Lake Huron	[02F]	3,087.6	3,394.4	3,325.8	3,106.7	3,244.7	5.1
Northern Lake Erie	[02G]	5,574.8	5,939.2	6,157.9	6,102.0	6,382.3	14.5
Lake Ontario and Niagara Peninsula	[02H]	1,080.9	1,267.4	1,293.8	1,374.7	1,326.7	22.7
Upper Ottawa	[02J]	43.4	42.7	33.4	33.1	43.8	0.8
Central Ottawa	[02K]	94.3	98.0	100.2	79.4	102.0	8.1
Lower Ottawa	[02L]	296.4	385.6	422.7	367.2	472.5	59.4
Upper St. Lawrence	[02M]	1,531.0	2,352.0	2,427.2	2,075.8	2,329.8	52.2
Saint-Maurice	[02N]	8.4	6.5	6.0	7.1	5.7	-31.9
Central St. Lawrence	[02O]	2,008.3	2,618.4	3,095.7	2,714.8	2,969.4	47.9
Lower St. Lawrence	[02P]	541.7	626.7	688.0	592.6	703.9	29.9
Northern Gaspé Peninsula	[02Q]	257.0	293.6	336.8	261.8	266.2	3.5
Saguenay	[02R]	33.9	40.7	44.7	44.7	54.4	60.6
Gulf of St. Lawrence, Natashquan	[02W]	4.1	3.6	3.4	2.8	2.2	-45.9
Northern Newfoundland	[02Y]	7.2	6.7	8.4	7.4	8.2	13.2
Southern Newfoundland	[02Z]	7.9	9.4	15.2	12.9	14.3	80.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 69-3

Fertilizer expenses per land area, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars per km ²					%	
Northern Quebec and Labrador	[03]	1.5	1.5	0.7	1.0	0.7	-50.3
Nottaway, coast	[03A]	1.5	1.5	0.7	1.0	0.7	-50.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 69-4

Fertilizer expenses per land area, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars per km ²					%	
Southwestern Hudson Bay	[04]	7.2	10.4	9.1	7.6	8.5	18.5
Missinaibi and Mattagami	[04L]	3.1	3.4	2.6	2.1	2.0	-34.8
Abitibi	[04M]	17.0	28.3	23.6	19.0	23.5	38.4
Harricanaw, coast	[04N]	6.1	8.2	8.5	7.7	7.3	19.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 69-5

Fertilizer expenses per land area, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars per km ²					%	
Nelson River	[05]	568.1	854.6	789.3	1,032.5	1,182.8	108.2
Upper South Saskatchewan	[05A]	799.5	971.4	930.9	1,359.1	1,632.0	104.1
Bow	[05B]	540.4	751.8	676.6	834.8	1,137.4	110.5
Red Deer	[05C]	934.2	1,294.5	1,230.6	1,384.4	1,564.0	67.4
Upper North Saskatchewan	[05D]	179.9	254.0	240.6	268.0	363.1	101.8
Central North Saskatchewan	[05E]	977.0	1,584.9	1,590.6	1,655.0	1,861.7	90.6
Battle	[05F]	1,304.5	1,934.4	1,698.4	2,012.4	2,196.3	68.4
Lower North Saskatchewan	[05G]	541.9	955.8	840.2	1,117.3	1,342.0	147.7
Lower South Saskatchewan	[05H]	406.2	688.7	508.6	951.8	1,228.6	202.4
Qu'Appelle	[05J]	387.0	718.8	633.4	1,290.1	1,528.2	294.8
Saskatchewan	[05K]	337.5	470.5	394.0	514.0	559.2	65.7
Lake Winnipegosis and Lake Manitoba	[05L]	454.0	704.5	670.0	764.0	894.9	97.1
Assiniboine	[05M]	932.2	1,699.3	1,660.8	2,006.8	2,182.9	134.2
Souris	[05N]	714.3	960.1	895.2	1,593.1	1,700.6	138.1
Red	[05O]	2,529.0	3,140.6	2,906.1	3,165.5	3,381.6	33.7
Winnipeg	[05P]	21.0	30.6	32.8	31.7	28.6	36.2
English	[05Q]	1.9	2.4	3.2	2.2	2.7	44.9
Western Lake Winnipeg	[05S]	106.5	165.6	199.1	225.8	256.3	140.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 69-6

Fertilizer expenses per land area, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars per km ²					%	
Western and Northern Hudson Bay	[06]	119.8	248.0	240.1	188.6	228.7	90.9
Beaver, Alta. and Sask.	[06A]	119.8	248.0	240.1	188.6	228.7	90.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 69-7

Fertilizer expenses per land area, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars per km ²					%	
Great Slave Lake	[07]	117.5	186.6	190.9	223.7	232.3	97.7
Upper Athabasca	[07A]	12.6	24.5	26.9	29.9	34.0	169.9
Central Athabasca, upper	[07B]	207.6	330.6	333.2	354.0	437.6	110.8
Central Athabasca, lower	[07C]	22.5	37.9	41.1	40.3	45.7	103.0
Upper Peace	[07F]	205.4	308.5	276.8	362.6	363.5	77.0
Smoky	[07G]	228.0	355.4	394.0	450.4	426.8	87.2
Central Peace, upper	[07H]	117.6	206.9	212.6	253.4	256.3	117.9
Central Peace, lower	[07J]	12.6	28.8	47.0	52.0	55.0	337.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 69-8

Fertilizer expenses per land area, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

Drainage area code	1981	1986	1991	1996	2001	Percent change	
	1992 dollars per km ²					%	
Pacific	[08]	41.5	48.8	64.1	66.6	79.2	90.9
Skeena, coast	[08E]	5.1	4.9	9.0	7.2	8.2	60.4
Central coastal waters, B.C.	[08F]	0.2	0.4	0.3	0.8	0.8	245.5
Southern coastal waters, B.C.	[08G]	1.5	2.0	5.0	3.1	4.1	181.6
Vancouver Island	[08H]	54.8	68.4	82.3	93.8	95.7	74.6
Nechako	[08J]	17.1	19.7	26.6	28.8	35.5	107.5
Upper Fraser	[08K]	11.1	12.8	17.7	25.0	21.4	91.7
Thompson	[08L]	30.6	38.2	41.0	40.9	43.9	43.5
Lower Fraser	[08M]	207.6	235.2	322.4	329.1	408.4	96.8
Columbia	[08N]	32.0	41.4	50.6	51.1	63.5	98.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 69-9

Fertilizer expenses per land area, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
		1992 dollars per km ²					%
Mississippi River	[11]	113.1	150.4	103.9	280.6	348.6	208.1
Missouri	[11A]	113.1	150.4	103.9	280.6	348.6	208.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 70-1

Number of trucks on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Maritime Provinces	[01]	14,304	14,983	15,288	15,534	15,456	8.1
Saint John and Southern Bay of Fundy, N.B.	[01A]	3,774	3,984	4,046	4,072	4,078	8.1
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	1,806	1,913	1,938	1,887	1,952	8.1
Prince Edward Island	[01C]	4,099	4,408	4,448	4,707	4,500	9.8
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	3,617	3,664	3,776	3,667	3,692	2.1
Southeastern Atlantic Ocean, N.S.	[01E]	672	646	729	937	913	35.9
Cape Breton Island	[01F]	336	368	351	265	322	-4.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 70-2

Number of trucks on farms, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
St. Lawrence	[02]	106,922	108,786	110,768	108,152	103,353	-3.3
Northwestern Lake Superior	[02A]	393	392	372	400	373	-5.1
Northeastern Lake Superior	[02B]	51	62	65	30	43	-15.7
Northern Lake Huron	[02C]	928	929	968	921	802	-13.6
Wanapitei and French, Ont.	[02D]	585	520	499	483	510	-12.8
Eastern Georgian Bay	[02E]	6,707	6,656	6,719	6,455	6,096	-9.1
Eastern Lake Huron	[02F]	12,691	12,828	13,186	12,889	12,466	-1.8
Northern Lake Erie	[02G]	30,364	29,464	29,319	28,557	26,458	-12.9
Lake Ontario and Niagara Peninsula	[02H]	17,533	17,522	17,351	16,513	14,922	-14.9
Upper Ottawa	[02J]	1,172	1,115	1,179	1,172	1,058	-9.7
Central Ottawa	[02K]	3,614	3,615	3,834	3,532	3,289	-9.0
Lower Ottawa	[02L]	6,670	6,544	6,837	6,472	6,276	-5.9
Upper St. Lawrence	[02M]	2,444	2,402	2,493	2,545	2,487	1.8
Saint-Maurice	[02N]	107	132	114	116	108	0.9
Central St. Lawrence	[02O]	14,555	15,985	16,760	16,863	16,832	15.6
Lower St. Lawrence	[02P]	5,775	7,048	7,485	7,807	8,114	40.5
Northern Gaspé Peninsula	[02Q]	1,288	1,269	1,191	1,147	1,284	-0.3
Saguenay	[02R]	1,431	1,531	1,499	1,422	1,394	-2.6
Gulf of St. Lawrence, Natashquan	[02W]	92	125	109	101	71	-22.8
Northern Newfoundland	[02Y]	203	254	316	292	298	46.8
Southern Newfoundland	[02Z]	319	393	472	437	473	48.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 70-3

Number of trucks on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Northern Quebec and Labrador	[03]	57	49	49	52	50	-12.3
Nottaway, coast	[03A]	57	49	49	52	50	-12.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 70-4

Number of trucks on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Southwestern Hudson Bay	[04]	783	817	701	655	607	-22.5
Missinaibi and Mattagami	[04L]	128	115	121	108	65	-49.2
Abitibi	[04M]	438	468	413	393	384	-12.3
Harricanaw, coast	[04N]	217	234	167	154	158	-27.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 70-5

Number of trucks on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Nelson River	[05]	292,597	319,594	327,827	319,993	300,058	2.5
Upper South Saskatchewan	[05A]	19,191	21,855	22,720	23,281	22,169	15.5
Bow	[05B]	7,774	8,823	9,678	9,688	10,078	29.6
Red Deer	[05C]	24,359	27,966	30,072	31,119	28,746	18.0
Upper North Saskatchewan	[05D]	5,506	6,916	7,218	7,499	7,456	35.4
Central North Saskatchewan	[05E]	25,298	29,296	31,505	30,768	28,915	14.3
Battle	[05F]	18,084	20,280	20,431	20,785	19,829	9.6
Lower North Saskatchewan	[05G]	22,546	23,756	24,685	23,372	21,952	-2.6
Lower South Saskatchewan	[05H]	27,007	28,552	29,176	28,328	26,893	-0.4
Qu'Appelle	[05J]	41,802	44,334	43,867	41,539	36,746	-12.1
Saskatchewan	[05K]	10,775	11,194	11,562	11,276	10,077	-6.5
Lake Winnipegosis and Lake Manitoba	[05L]	18,144	19,668	19,768	19,118	18,447	1.7
Assiniboine	[05M]	27,406	30,212	30,464	28,831	26,421	-3.6
Souris	[05N]	21,034	21,968	22,292	21,252	20,540	-2.3
Red	[05O]	19,274	20,188	19,611	18,752	17,557	-8.9
Winnipeg	[05P]	1,070	1,109	1,153	1,015	861	-19.5
English	[05Q]	103	135	128	103	94	-8.7
Western Lake Winnipeg	[05S]	3,224	3,342	3,497	3,268	3,276	1.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 70-6

Number of trucks on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Western and Northern Hudson Bay	[06]	5,179	6,255	6,528	6,536	7,101	37.1
Beaver, Alta. and Sask.	[06A]	5,179	6,255	6,528	6,536	7,101	37.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 70-7

Number of trucks on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Great Slave Lake	[07]	28,261	35,251	36,740	37,010	35,049	24.0
Upper Athabasca	[07A]	775	1,061	1,180	1,292	1,322	70.6
Central Athabasca, upper	[07B]	7,609	9,292	10,097	10,508	9,966	31.0
Central Athabasca, lower	[07C]	1,506	1,989	1,643	1,701	1,688	12.1
Upper Peace	[07F]	8,101	9,949	9,977	9,965	9,392	15.9
Smoky	[07G]	6,716	7,977	8,937	8,659	7,933	18.1
Central Peace, upper	[07H]	2,857	3,803	3,412	3,408	3,407	19.3
Central Peace, lower	[07J]	697	1,180	1,494	1,477	1,341	92.4

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 70-8

Number of trucks on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Pacific	[08]	19,848	21,654	23,110	25,075	25,189	26.9
Skeena, coast	[08E]	510	526	586	704	661	29.6
Central coastal waters, B.C.	[08F]	52	77	57	104	92	76.9
Southern coastal waters, B.C.	[08G]	172	162	255	265	249	44.8
Vancouver Island	[08H]	1,983	2,282	2,681	2,935	3,068	54.7
Nechako	[08J]	987	1,118	1,229	1,305	1,346	36.4
Upper Fraser	[08K]	1,269	1,353	1,473	1,587	1,695	33.6
Thompson	[08L]	2,745	3,009	3,237	3,741	3,664	33.5
Lower Fraser	[08M]	6,547	7,355	7,444	7,920	7,828	19.6
Columbia	[08N]	5,583	5,772	6,148	6,515	6,586	18.0

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 70-9

Number of trucks on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Mississippi River	[11]	6,457	6,847	5,795	5,911	5,846	-9.5
Missouri	[11A]	6,457	6,847	5,795	5,911	5,846	-9.5

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 71-1

Number of tractors on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Maritime Provinces	[01]	23,148	20,832	23,148	23,209	24,808	7.2
Saint John and Southern Bay of Fundy, N.B.	[01A]	6,215	5,539	6,103	6,146	6,889	10.8
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	3,484	3,106	3,481	3,479	3,841	10.2
Prince Edward Island	[01C]	5,804	5,491	5,730	5,579	5,211	-10.2
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	6,049	5,330	6,207	6,222	6,758	11.7
Southeastern Atlantic Ocean, N.S.	[01E]	1,051	825	1,024	1,242	1,490	41.8
Cape Breton Island	[01F]	545	541	603	541	619	13.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 71-2

Number of tractors on farms, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
St. Lawrence	[02]	265,248	235,915	276,043	271,279	279,563	5.4
Northwestern Lake Superior	[02A]	759	684	757	765	752	-0.9
Northeastern Lake Superior	[02B]	91	80	106	56	103	13.2
Northern Lake Huron	[02C]	1,931	1,645	1,888	1,881	1,939	0.4
Wanapitei and French, Ont.	[02D]	1,342	1,099	1,137	1,121	1,324	-1.3
Eastern Georgian Bay	[02E]	13,515	11,462	13,619	13,109	13,575	0.4
Eastern Lake Huron	[02F]	30,930	27,984	32,568	32,133	33,567	8.5
Northern Lake Erie	[02G]	69,243	60,395	71,843	69,140	68,504	-1.1
Lake Ontario and Niagara Peninsula	[02H]	33,779	29,740	35,272	34,806	34,924	3.4
Upper Ottawa	[02J]	2,926	2,463	2,792	2,859	3,025	3.4
Central Ottawa	[02K]	7,269	6,504	7,617	7,373	7,958	9.5
Lower Ottawa	[02L]	17,087	15,299	17,951	17,482	18,405	7.7
Upper St. Lawrence	[02M]	6,626	6,068	6,964	7,110	7,454	12.5
Saint-Maurice	[02N]	301	257	264	300	275	-8.6
Central St. Lawrence	[02O]	47,244	42,837	50,693	50,422	51,869	9.8
Lower St. Lawrence	[02P]	23,599	21,661	24,480	24,657	27,144	15.0
Northern Gaspé Peninsula	[02Q]	3,926	3,594	3,354	3,394	3,763	-4.2
Saguenay	[02R]	3,848	3,425	3,700	3,591	3,846	-0.1
Gulf of St. Lawrence, Natashquan	[02W]	190	166	199	189	142	-25.3
Northern Newfoundland	[02Y]	284	248	353	408	443	56.0
Southern Newfoundland	[02Z]	358	304	486	484	550	53.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 71-3

Number of tractors on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Northern Quebec and Labrador	[03]	156	118	128	131	155	-0.6
Nottaway, coast	[03A]	156	118	128	131	155	-0.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 71-4

Number of tractors on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Southwestern Hudson Bay	[04]	2,102	1,794	1,650	1,553	1,716	-18.4
Missinaibi and Mattagami	[04L]	222	190	206	191	155	-30.2
Abitibi	[04M]	1,274	1,076	1,044	941	1,089	-14.5
Harricanaw, coast	[04N]	606	528	400	421	472	-22.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 71-5

Number of tractors on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Nelson River	[05]	300,152	294,189	353,816	333,465	334,870	11.6
Upper South Saskatchewan	[05A]	15,915	15,903	19,047	18,820	19,460	22.3
Bow	[05B]	6,537	6,709	8,899	8,833	9,972	52.5
Red Deer	[05C]	23,510	23,955	30,617	30,891	32,334	37.5
Upper North Saskatchewan	[05D]	6,684	7,060	8,746	9,079	10,061	50.5
Central North Saskatchewan	[05E]	27,280	26,927	33,270	31,345	31,952	17.1
Battle	[05F]	18,185	17,969	21,597	21,208	21,937	20.6
Lower North Saskatchewan	[05G]	20,037	19,850	24,563	22,399	21,869	9.1
Lower South Saskatchewan	[05H]	22,874	22,454	28,032	26,587	26,017	13.7
Qu'Appelle	[05J]	39,909	39,151	46,540	42,183	38,953	-2.4
Saskatchewan	[05K]	10,455	9,990	12,425	11,537	10,870	4.0
Lake Winnipegosis and Lake Manitoba	[05L]	23,354	22,388	25,067	23,311	24,655	5.6
Assiniboine	[05M]	34,080	33,613	37,924	34,733	33,125	-2.8
Souris	[05N]	22,036	21,157	25,175	22,891	23,513	6.7
Red	[05O]	22,129	20,714	24,788	23,238	23,306	5.3
Winnipeg	[05P]	1,933	1,672	1,920	1,738	1,809	-6.4
English	[05Q]	250	223	261	198	212	-15.2
Western Lake Winnipeg	[05S]	4,984	4,454	4,945	4,475	4,824	-3.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 71-6

Number of tractors on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Western and Northern Hudson Bay	[06]	5,965	6,240	7,072	6,916	8,572	43.7
Beaver, Alta. and Sask.	[06A]	5,965	6,240	7,072	6,916	8,572	43.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 71-7

Number of tractors on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Great Slave Lake	[07]	30,617	31,630	37,273	37,324	41,389	35.2
Upper Athabasca	[07A]	1,117	1,228	1,525	1,653	2,118	89.6
Central Athabasca, upper	[07B]	9,207	9,626	11,725	12,025	13,092	42.2
Central Athabasca, lower	[07C]	1,860	1,903	1,785	1,833	2,164	16.3
Upper Peace	[07F]	8,220	8,220	9,360	9,394	10,413	26.7
Smoky	[07G]	6,405	6,542	8,279	7,858	8,712	36.0
Central Peace, upper	[07H]	3,007	3,122	3,161	3,108	3,492	16.1
Central Peace, lower	[07J]	801	989	1,438	1,454	1,399	74.7

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 71-8

Number of tractors on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Pacific	[08]	25,172	22,527	29,781	32,429	36,282	44.1
Skeena, coast	[08E]	713	581	702	809	906	27.1
Central coastal waters, B.C.	[08F]	70	82	76	125	128	82.9
Southern coastal waters, B.C.	[08G]	202	152	303	265	343	69.8
Vancouver Island	[08H]	2,325	2,114	3,133	3,713	4,198	80.6
Nechako	[08J]	1,278	1,254	1,502	1,565	1,833	43.4
Upper Fraser	[08K]	1,701	1,522	1,818	1,968	2,341	37.6
Thompson	[08L]	3,279	3,045	3,660	4,074	4,734	44.4
Lower Fraser	[08M]	9,105	8,208	11,175	12,101	12,743	40.0
Columbia	[08N]	6,499	5,569	7,412	7,809	9,056	39.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 71-9

Number of tractors on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Mississippi River	[11]	5,046	5,096	5,238	5,028	5,243	3.9
Missouri	[11A]	5,046	5,096	5,238	5,028	5,243	3.9

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 72-1

Number of automobiles on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Maritime Provinces

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Maritime Provinces	[01]	13,768	6,893	5,915	4,504	4,213	-69.4
Saint John and Southern Bay of Fundy, N.B.	[01A]	3,508	1,933	1,629	1,179	1,108	-68.4
Gulf of St. Lawrence and Northern Bay of Fundy, N.B.	[01B]	1,759	1,043	843	602	578	-67.1
Prince Edward Island	[01C]	3,670	2,031	1,636	1,245	1,066	-71.0
Bay of Fundy and Gulf of St. Lawrence, N.S.	[01D]	3,623	1,504	1,412	1,132	1,088	-70.0
Southeastern Atlantic Ocean, N.S.	[01E]	851	244	256	250	281	-67.0
Cape Breton Island	[01F]	357	138	139	96	92	-74.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 72-2

Number of automobiles on farms, by major drainage area and sub-drainage area, 1981 to 2001 — St. Lawrence

	Drainage area code	1981	1986	1991	1996	2001	Percent change
St. Lawrence	[02]	138,596	85,274	70,142	52,419	46,958	-66.1
Northwestern Lake Superior	[02A]	389	176	160	155	147	-62.2
Northeastern Lake Superior	[02B]	48	20	23	10	16	-66.7
Northern Lake Huron	[02C]	1,085	526	507	402	382	-64.8
Wanapitei and French, Ont.	[02D]	641	335	279	231	249	-61.2
Eastern Georgian Bay	[02E]	7,719	3,903	3,486	2,928	2,706	-64.9
Eastern Lake Huron	[02F]	15,697	10,294	9,615	7,590	6,798	-56.7
Northern Lake Erie	[02G]	34,831	19,886	17,806	14,122	12,608	-63.8
Lake Ontario and Niagara Peninsula	[02H]	21,404	10,827	9,463	7,816	7,070	-67.0
Upper Ottawa	[02J]	1,248	780	707	601	478	-61.7
Central Ottawa	[02K]	4,271	2,393	2,214	1,805	1,703	-60.1
Lower Ottawa	[02L]	9,100	5,645	4,754	3,450	3,249	-64.3
Upper St. Lawrence	[02M]	3,505	2,137	1,710	1,328	1,175	-66.5
Saint-Maurice	[02N]	142	106	70	34	32	-77.5
Central St. Lawrence	[02O]	22,142	16,374	11,428	6,922	6,075	-72.6
Lower St. Lawrence	[02P]	12,451	9,224	6,203	3,892	3,267	-73.8
Northern Gaspé Peninsula	[02Q]	1,718	1,234	774	509	469	-72.7
Saguenay	[02R]	1,617	1,213	726	407	299	-81.5
Gulf of St. Lawrence, Natashquan	[02W]	88	46	36	16	14	-84.1
Northern Newfoundland	[02Y]	172	62	61	75	73	-57.6
Southern Newfoundland	[02Z]	328	93	120	127	147	-55.2

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 72-3

Number of automobiles on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Northern Quebec and Labrador

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Northern Quebec and Labrador	[03]	55	28	30	17	20	-63.6
Nottaway, coast	[03A]	55	28	30	17	20	-63.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 72-4

Number of automobiles on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Southwestern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Southwestern Hudson Bay	[04]	837	541	351	221	191	-77.2
Missinaibi and Mattagami	[04L]	85	67	42	30	22	-74.1
Abitibi	[04M]	534	318	237	149	131	-75.5
Harricanaw, coast	[04N]	218	156	72	42	39	-82.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 72-5

Number of automobiles on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Nelson River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Nelson River	[05]	142,264	99,799	95,816	82,163	71,941	-49.4
Upper South Saskatchewan	[05A]	7,975	5,622	5,172	4,644	4,099	-48.6
Bow	[05B]	3,918	2,452	2,406	2,188	2,043	-47.9
Red Deer	[05C]	11,747	8,251	8,140	7,467	6,638	-43.5
Upper North Saskatchewan	[05D]	3,655	2,419	2,227	2,151	2,026	-44.6
Central North Saskatchewan	[05E]	13,140	8,379	8,201	7,234	6,666	-49.3
Battle	[05F]	8,941	6,046	5,473	5,097	4,431	-50.4
Lower North Saskatchewan	[05G]	8,955	6,350	6,513	5,486	4,865	-45.7
Lower South Saskatchewan	[05H]	11,860	8,392	8,209	7,134	6,254	-47.3
Qu'Appelle	[05J]	19,073	14,224	13,321	10,820	8,960	-53.0
Saskatchewan	[05K]	4,851	3,296	3,242	2,815	2,396	-50.6
Lake Winnipegosis and Lake Manitoba	[05L]	9,230	6,631	6,518	5,368	4,879	-47.1
Assiniboine	[05M]	14,762	10,873	10,303	8,461	7,054	-52.2
Souris	[05N]	10,074	7,411	7,141	5,728	5,269	-47.7
Red	[05O]	11,184	7,724	7,235	6,082	5,045	-54.9
Winnipeg	[05P]	874	478	418	421	355	-59.4
English	[05Q]	111	50	56	32	34	-69.4
Western Lake Winnipeg	[05S]	1,914	1,201	1,241	1,034	927	-51.6

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 72-6

Number of automobiles on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Western and Northern Hudson Bay

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Western and Northern Hudson Bay	[06]	2,551	1,755	1,693	1,585	1,727	-32.3
Beaver, Alta. and Sask.	[06A]	2,551	1,755	1,693	1,585	1,727	-32.3

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 72-7

Number of automobiles on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Great Slave Lake

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Great Slave Lake	[07]	14,870	8,768	8,239	7,732	7,390	-50.3
Upper Athabasca	[07A]	584	321	311	384	380	-34.9
Central Athabasca, upper	[07B]	4,238	2,799	2,614	2,516	2,357	-44.4
Central Athabasca, lower	[07C]	819	555	406	363	423	-48.4
Upper Peace	[07F]	4,169	2,080	2,047	1,832	1,783	-57.2
Smoky	[07G]	3,167	1,935	1,938	1,681	1,555	-50.9
Central Peace, upper	[07H]	1,508	841	592	604	587	-61.1
Central Peace, lower	[07J]	385	237	331	353	305	-20.8

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 72-8

Number of automobiles on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Pacific

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Pacific	[08]	19,639	7,749	7,778	7,253	7,512	-61.7
Skeena, coast	[08E]	410	150	163	200	191	-53.4
Central coastal waters, B.C.	[08F]	41	6	6	19	17	-58.5
Southern coastal waters, B.C.	[08G]	127	44	99	96	86	-32.3
Vancouver Island	[08H]	2,071	769	848	984	1,101	-46.8
Nechako	[08J]	745	294	343	305	351	-52.9
Upper Fraser	[08K]	930	344	390	386	403	-56.7
Thompson	[08L]	2,237	978	982	912	925	-58.6
Lower Fraser	[08M]	7,386	2,788	2,754	2,447	2,509	-66.0
Columbia	[08N]	5,692	2,376	2,193	1,904	1,929	-66.1

Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.

Table 72-9

Number of automobiles on farms, by major drainage area and sub-drainage area, 1981 to 2001 — Mississippi River

	Drainage area code	1981	1986	1991	1996	2001	Percent change
Mississippi River	[11]	2,151	1,529	1,401	1,213	1,110	-48.4
Missouri	[11A]	2,151	1,529	1,401	1,213	1,110	-48.4


Note: See Data quality, concepts and methodology — Footnotes section.

Source: CANSIM table 153-0038.













Major drainage area and sub-drainage area geography

Hydrologists identify eleven major drainage areas in Canada and 164 sub-drainage areas. The complete drainage area framework can be obtained from *Natural Resources Canada*. Descriptions of each of the drainage areas follow.

Major drainage areas



Legend

 01 Maritime Provinces drainage area	 08 Pacific drainage area
 02 St. Lawrence drainage area	 09 Yukon River drainage area
 03 Northern Quebec and Labrador drainage area	 10 Arctic drainage area
 04 Southwestern Hudson Bay drainage area	 11 Mississippi River drainage area
 05 Nelson River drainage area	 Major water bodies
 06 Western and Northern Hudson Bay drainage area	
 07 Great Slave Lake drainage area	


Scale



Sources:
 Natural Resources Canada, National Scale Frameworks Hydrology - Drainage Areas, Canada.
 Statistics Canada, 2005, Interim hydrography for 2006 Census release.

Major drainage area descriptions


Maritime Provinces major drainage area



Sources:
 Natural Resources Canada, National Scale Frameworks Hydrology - Drainage Areas, Canada.
 Statistics Canada, 2005, Interim hydrography for 2006 Census release.

The **Maritime Provinces** drainage area covers New Brunswick, Prince Edward Island, Nova Scotia and part of the Gaspé Peninsula in eastern Quebec. This area drains into the Gulf of St. Lawrence and the Atlantic Ocean. Halifax, Fredericton and Charlottetown are located in this drainage area.


St. Lawrence major drainage area



Sub-drainage areas


- | | |
|--|---|
| 02A Northwestern Lake Superior | 02R Saguenay |
| 02B Northeastern Lake Superior | 02S Betsiamites, coast |
| 02C Northern Lake Huron | 02T Manicouagan and aux Outardes |
| 02D Wanapitei and French, Ont. | 02U Moisie and St. Lawrence Estuary |
| 02E Eastern Georgian Bay | 02V Gulf of St. Lawrence, Romaine |
| 02F Eastern Lake Huron | 02W Gulf of St. Lawrence, Natashquan |
| 02G Northern Lake Erie | 02X Petit Mécatina and Strait of Belle Isle |
| 02H Lake Ontario and Niagara Peninsula | 02Y Northern Newfoundland |
| 02J Upper Ottawa | 02Z Southern Newfoundland |
| 02K Central Ottawa | Lakes |
| 02L Lower Ottawa | Rivers |
| 02M Upper St. Lawrence | |
| 02N Saint-Maurice | |
| 02O Central St. Lawrence | |
| 02P Lower St. Lawrence | |
| 02Q Northern Gaspé Peninsula | |

Sources:
 Natural Resources Canada, National Scale Frameworks Hydrology - Drainage Areas, Canada.
 Statistics Canada, 2005, Interim hydrography for 2006 Census release.



The **St. Lawrence** drainage area includes all of southern Quebec, southern Ontario and Newfoundland. Cities in this drainage area include Montreal, Toronto, Ottawa and Thunder Bay in Ontario and St. John's and Corner Brook in Newfoundland.


Northern Quebec and Labrador major drainage area



Sub-drainage areas

03A Nottaway, coast	03H Western Ungava Bay	03P Central Labrador
03B Broadback and Rupert	03J Aux Feuilles, coast	03Q Southern Labrador
03C Eastmain	03K Koksoak	Lakes
03D La Grande, coast	03L Caniapiscau	Rivers
03E Grande rivière de la Baleine, coast	03M Eastern Ungava Bay	
03F Eastern Hudson Bay	03N Northern Labrador	
03G Northeastern Hudson Bay	03O Churchill, N.L.	

Sources:
 Natural Resources Canada,
 National Scale Framework's Hydrology - Drainage Areas, Canada.
 Statistics Canada, 2005, Interim hydrography for 2006 Census release.


















The **Northern Quebec and Labrador** drainage area covers all the area just north of the St. Lawrence drainage area. Most of the water in this drainage area drains into Hudson, James and Ungava bays. The Labrador portion of the drainage area drains directly into the Atlantic Ocean. Communities in this drainage area include Chibougamau and Kuujuaq in Quebec and HappyValley–GooseBay in Labrador.


Southwestern Hudson Bay major drainage area



Sub-drainage areas


 O4A Hayes, Man.	 O4J Kenogami
 O4B Southwestern Hudson Bay	 O4K Moose, Ont.
 O4C Severn	 O4L Missinaibi and Mattagami
 O4D Winisk, coast	 O4M Abitibi
 O4E Ekwon, coast	 O4N Harricanaw, coast
 O4F Attawapiskat, coast	 Lakes
 O4G Upper Albany	 Rivers
 O4H Lower Albany, coast	

Sources:
 Natural Resources Canada, National Scale Frameworks Hydrology -
 Drainage Areas, Canada.
 Statistics Canada, 2005, Interim hydrography for 2006 Census release.



The **Southwestern Hudson Bay** drainage area covers a large portion of northern Ontario, a small part of western Quebec and northeastern Manitoba. Communities in this drainage area include Val-d'Or in Quebec and Kapuskasing and Timmins in Ontario.


Nelson River major drainage area



Sub-drainage areas


- | | |
|---|---------------------------|
| 05A Upper South Saskatchewan | 05O Red |
| 05B Bow | 05P Winnipeg |
| 05C Red Deer | 05Q English |
| 05D Upper North Saskatchewan | 05R Eastern Lake Winnipeg |
| 05E Central North Saskatchewan | 05S Western Lake Winnipeg |
| 05F Battle | 05T Grass and Burntwood |
| 05G Lower North Saskatchewan | 05U Nelson |
| 05H Lower South Saskatchewan | Lakes |
| 05J Qu'Appelle | Rivers |
| 05K Saskatchewan | |
| 05L Lake Winnipegosis and Lake Manitoba | |
| 05M Assiniboine | |
| 05N Souris | |

Sources:
 Natural Resources Canada, National Scale Frameworks Hydrology - Drainage Areas, Canada.
 Statistics Canada, 2005, Interim hydrography for 2006 Census release.



The **Nelson River** drainage area covers most of the southern Prairie provinces, from the Rockies to northwestern Ontario. Major cities within this drainage are Winnipeg, Regina, Saskatoon, Calgary and Edmonton. Water from the Nelson River drainage area ultimately drains into Hudson Bay.


Western and Northern Hudson Bay major drainage area



Sub-drainage areas

06A Beaver, Alta. and Sask.	06N Western Hudson Bay, central
06B Upper Churchill, Man.	06O Western Hudson Bay, northern
06C Central Churchill, upper, Man.	06P Hudson Bay, Southampton Island
06D Reindeer	06Q Foxe Basin, Southampton Island
06E Central Churchill, lower, Man.	06R Foxe Basin, Melville Peninsula
06F Lower Churchill, Man.	06S Foxe Basin, Baffin Island
06G Seal, coast	06T Hudson Strait, Baffin and Southampton Islands
06H Western Hudson Bay, Southern	Lakes
06J Thelon	Rivers
06K Dubawnt	
06L Kazan	
06M Chesterfield Inlet	

Sources:
 Natural Resources Canada, National Scale Frameworks Hydrology - Drainage Areas, Canada.
 Statistics Canada, 2005, Interim hydrography for 2006 Census release.




The **Western and Northern Hudson Bay** drainage area includes parts of eastern Alberta, all of the middle portions of Saskatchewan, northeastern Manitoba, the northeastern portion of the Northwest Territories, southeastern Nunavut, the Hudson Bay islands and part of Baffin Island. The following communities are found in this drainage area: Bonnyville, Alberta; La Ronge, Saskatchewan; and Rankin Inlet, Nunavut.

Great Slave Lake major drainage area



Sub-drainage areas


- | | |
|------------------------------|---|
| 07A Upper Athabasca | 07O Hay |
| 07B Central Athabasca, upper | 07P Southern Great Slave Lake |
| 07C Central Athabasca, lower | 07Q Great Slave Lake, east arm, south shore |
| 07D Lower Athabasca | 07R Lockhart |
| 07E Williston Lake | 07S Northeastern Great Slave Lake |
| 07F Upper Peace | 07T Marian |
| 07G Smoky | 07U Western Great Slave Lake |
| 07H Central Peace, upper | Lakes |
| 07J Central Peace, lower | Rivers |
| 07K Lower Peace | |
| 07L Fond-du-Lac | |
| 07M Lake Athabasca, shores | |
| 07N Slave | |



Sources:
 Natural Resources Canada, National Scale Frameworks Hydrology -
 Drainage Areas, Canada.
 Statistics Canada, 2005, Interim hydrography for 2006 Census release.

The **Great Slave Lake** drainage area is composed of northern Alberta, northern Saskatchewan, southern Northwest Territories and a small portion of British Columbia. Cities within this watershed are Grande Prairie and High Level in Alberta, Yellowknife and Hay River in the Northwest Territories, and Fort St. John in British Columbia.


Pacific major drainage area



Sources:
Natural Resources Canada,
National Scale Framework's Hydrology - Drainage Areas, Canada.
Statistics Canada, 2005, Interim hydrography for 2006 Census release.


The **Pacific** drainage area includes all the area that is west of the continental divide, representing about 70% of the province of British Columbia. The southwestern part of the Yukon is also part of this drainage area. Some of the communities in the eastern portion of the drainage area are Kimberley, Golden and Invermere, all in British Columbia. Cities in the western portion include Vancouver, Victoria, Abbotsford and Whistler. Terrace and Prince Rupert in British Columbia are among the northern communities in this drainage area.

Yukon River major drainage area



The **Yukon River** drainage area contains most of the western portion of the Yukon territory. The most southerly portion of this drainage area is in British Columbia. Communities and cities in this drainage area are Whitehorse, Dawson and Old Crow in the Yukon. The Yukon River flows through central Alaska, and ultimately into the Bering Sea.

Arctic major drainage area



The **Arctic** drainage area, the largest of all drainage areas in Canada, covers most of the arctic islands and large portions of the Northwest Territories, Nunavut, the Yukon Territory and, to a lesser extent, British Columbia and Alberta. Communities within this drainage area include Inuvik in the Northwest Territories, Fort Nelson in British Columbia, and Pangnirtung, Iqaluit and Resolute Bay in Nunavut.


Mississippi River major drainage area



Sub-drainage area

- 11A Missouri
- Lakes
- Rivers

Sources:
Natural Resources Canada, National Scale Frameworks Hydrology -
Drainage Areas, Canada.
Statistics Canada, 2005, Interim hydrography for 2006 Census release.



Finally, the **Mississippi** drainage area covers a small area in the southernmost parts of Alberta and Saskatchewan.

Footnotes

Table 1

Data sources: Latifovic, Rasim and Darren Pouliot, "Multi-temporal landcover mapping for Canada: methodology and products", Canadian Journal of Remote Sensing, in press, Natural Resources Canada, 2003, National Scale Frameworks Hydrology - Drainage Areas, Canada, Version 5.0, www.geogratis.cgdi.gc.ca (accessed February 27, 2005), Statistics Canada, Environment Accounts and Statistics Division, Spatial Environmental Information System

The satellite images used for this compilation came originally from United States Department of Commerce, National Oceanic and Atmospheric Administration weather satellites, from Advanced Very High Resolution Radiometer (AVHRR) Sensors 11 and 14. The resolution of the AVHRR imagery is approximately 1 kilometre. Land cover information was derived and classified by the Canada Centre for Remote Sensing from average images of red, near infrared and Normalized Difference Vegetative Index for the peak of the season (July 15 to August 15). Satellite data quality is determined by the resolution of the imagery, the limitations of the classification method, landscape heterogeneity, atmospheric conditions at the time of image capture, and image registration during image processing. Figures may not add up to totals due to rounding.

A sub-drainage area, also called a watershed or drainage basin, is an area where all contributing surface waters share the same drainage outlet. Drainage areas channel runoff from precipitation and snow melt into stream flow. The resulting hierarchy of streams and rivers and their associated sub-drainage areas form the National Hydrological Network of Canada. There are 11 major drainage areas and 164 sub-drainage areas in Canada. Canada's entire land and fresh water area has been allocated to individual drainage areas.

The disturbance area category refers to forest disturbance, which can be caused by changes in forest structure or composition resulting from natural events such as fire, flood or wind, from mortality caused by insect or disease outbreaks, or from human-caused events such as forest harvesting.

The other land cover area category consists of water, urban and built-up areas.

Table 2

Postcensal estimates are based on the most recent census adjusted for net census undercoverage and estimates of the components of demographic growth since that last census. Intercensal estimates are based on postcensal estimates and data from censuses, adjusted for net undercount.

From 1971 to 1995, estimates are revised intercensal; final intercensal from 1996 to 2000; final postcensal for 2001 and 2002; updated postcensal for 2003 and 2004 and preliminary postcensal for 2005.

The estimates of population for Northwest Territories and Nunavut are provided separately from July 1991.

Prior to July 1, 1991, only data for Northwest Territories and Nunavut combined are available.

Age at last birthday in years.

Estimates of population for persons aged 90 to 100 years and over will be available in October 2006.

Table 3-1 to table 3-4

Data sources: Statistics Canada, Census of Population, Environment Accounts and Statistics Division

Table 3-5 to table 3-12

Data sources: Statistics Canada, Census of Population, Environment Accounts and Statistics Division

Urban areas are those continuously built-up areas having a population concentration of 1,000 or more and a population density of 400 or more per square kilometre based on the previous census; rural areas have concentrations or densities below these thresholds.

Table 3-13 to table 3-15

Data sources: Statistics Canada, Census of Population, Environment Accounts and Statistics Division

Refers to a set of living quarters in which a person or a group of persons resides or could reside.

Table 4 to table 7

Data sources: Statistics Canada, Census of Population, Natural Resources Canada, 2003, National Scale Frameworks Hydrology - Drainage Areas, Canada, Version 5.0, www.geogratias.cgdi.gc.ca (accessed February 27, 2005), Statistics Canada, Environment Accounts and Statistics Division, Spatial Environmental Information System

This compilation of statistics uses historical Census of Population data by major drainage area and sub-drainage area that have been derived from small-area census information (enumeration areas for 1971 to 1996 and dissemination areas for 2001). Enumeration areas were assigned to drainage areas by overlaying drainage areas on top of enumeration area and dissemination area representative points. If a representative point fell within a given drainage area it was then assigned to that drainage area. The boundaries for some enumeration areas and dissemination areas may cross drainage area boundaries. This is particularly true in northern and sparsely populated regions of the country, where both enumeration areas and dissemination areas can be very large. Therefore caution is advised in interpreting data for remote regions of the country.

A sub-drainage area, also called a watershed or drainage basin, is an area where all contributing surface waters share the same drainage outlet. Drainage areas channel runoff from precipitation and snow melt into stream flow. The resulting hierarchy of streams and rivers and their associated sub-drainage areas form the National Hydrological Network of Canada. There are 11 major drainage areas and 164 sub-drainage areas in Canada. Canada's entire land and fresh water area has been allocated to individual drainage areas.

Table 8 to table 18

Data sources: Statistics Canada, Census of Population, Natural Resources Canada, 2003, National Scale Frameworks Hydrology - Drainage Areas, Canada, Version 5.0, www.geogratias.cgdi.gc.ca (accessed February 27, 2005), Statistics Canada, Environment Accounts and Statistics Division, Spatial Environmental Information System

This compilation of statistics uses historical Census of Population data by major drainage area and sub-drainage area that have been derived from small-area census information (enumeration areas for 1971 to 1996 and dissemination areas for 2001). Enumeration areas were assigned to drainage areas by overlaying drainage areas on top of enumeration area and dissemination area representative points. If a representative point fell within a given drainage area it was then assigned to that drainage area. The boundaries for some enumeration areas and dissemination areas may cross drainage area boundaries. This is particularly true in northern and sparsely populated regions of the country, where both enumeration areas and dissemination areas can be very large. Therefore caution is advised in interpreting data for remote regions of the country.

A sub-drainage area, also called a watershed or drainage basin, is an area where all contributing surface waters share the same drainage outlet. Drainage areas channel runoff from precipitation and snow melt into stream flow. The resulting hierarchy of streams and rivers and their associated sub-drainage areas form the National Hydrological Network of Canada. There are 11 major drainage areas and 164 sub-drainage areas in Canada. Canada's entire land and fresh water area has been allocated to individual drainage areas.

Urban areas are those continuously built-up areas having a population concentration of 1,000 or more and a population density of 400 or more per square kilometre based on the previous census; rural areas have concentrations or densities below these thresholds.

Table 20

Intensity of production is measured as direct plus indirect energy use per thousand dollars of production (in current dollars). Direct energy use is that associated with the industry's own production; indirect use is that associated with the production of the goods and services that are used by the industry.

Table 21

Carbon dioxide equivalent emissions are estimated using global warming potentials for methane and nitrous oxide of 21 and 310 respectively.

Table 22

Intensity of production is measured as direct plus indirect greenhouse gas emissions per thousand dollars of production (in current dollars). Direct emissions are those associated with the industry's own production; indirect emissions are those associated with the production of the goods and services that are used by the industry.

Emission estimates for methane and nitrous oxide are not considered sufficiently reliable for intensities to be presented for these two gases.

Emission sources included in these estimates: combustion of fossil fuels; non-combustion uses of fossil fuels; industrial processes; agricultural soils; livestock manure and enteric fermentation. Emissions from prescribed burning in the forestry industry and from waste management are excluded.

Carbon dioxide equivalent emissions are estimated using global warming potentials for methane and nitrous oxide of 21 and 310 respectively.

Table 25

Total utility and industry generation made by hydro (including tidal and wind), steam (conventional and nuclear), internal combustion and combustion turbine.

Table 26

Total utility and industry generation made by hydro (including tidal and wind), steam (conventional and nuclear), internal combustion and combustion turbine.

Electric power generated from a plant in which the turbine generators are driven by falling water. This is the sum of utility hydro generation and industrial hydro generation.

A plant in which the prime mover is a steam turbine. The steam used to drive the turbine is produced in a boiler where fossil fuels are burned. This is the sum of utility conventional steam generation and industrial conventional steam generation.

Nuclear power is electricity generated at an electric power plant whose turbines are driven by steam generation in a reactor by heat from the fission of nuclear fuel.

A power plant in which the prime mover is an internal combustion engine. Electric power is generated by the rapid burning of a fuel-air mixture into mechanical energy. It is the sum of utility internal combustion generation and industrial internal combustion generation.

Generation from the conversion of heat energy as a gas into mechanical energy. This is the sum of utility combustion turbine generation and industrial combustion turbine generation.

Table 32

In 1975 The June Survey date has been changed to July 1.

Data for Newfoundland and Labrador starts in 1976. These figures are included in the Canada totals.

Due to changes in the definition of a cow, data for 1979 is not comparable to previous years.

For calves born, refer to CANSIM table 003-0030 and for sheep and lambs, refer to CANSIM table 003-0031.

Table 42

Calculations are based on the entire area of the province.

Table 44

Improved pasture includes tame or seeded pasture.

Table 47

Calculations are based on the entire area of the province.

Table 48

Chemical product expenses include herbicides, insecticides, fungicides and other products.

Table 49

Chemical product expenses include herbicides, insecticides, fungicides and other products.

Calculations are based on the entire area of the province.

Table 50

Fertilizer expenses include fertilizers and lime.

Table 52

Fertilizer expenses include fertilizers and lime.

Data sources: Statistics Canada, Census of Population, Environment Accounts and Statistics Division

Calculations are based on the entire area of the province.

Table 56 to table 72

Data sources: Statistics Canada, Census of Agriculture, Natural Resources Canada, 2003, National Scale Frameworks Hydrology - Drainage Areas, Canada, Version 5.0, www.geogratia.cgdi.gc.ca (accessed February 27, 2005), Statistics Canada, Environment Accounts and Statistics Division, Spatial Environmental Information System

This compilation of statistics uses historical Census of Agriculture data by major drainage area and sub-drainage area that have been derived from small-area census information (enumeration areas for 1971 to 1996 and dissemination areas for 2001). Enumeration areas were assigned to drainage areas by overlaying drainage areas on top of enumeration area and dissemination area representative points. If a representative point fell within a given drainage area it was then assigned to that drainage area. The boundaries for some enumeration areas and dissemination areas may cross drainage area boundaries.

A sub-drainage area, also called a watershed or drainage basin, is an area where all contributing surface waters share the same drainage outlet. Drainage areas channel runoff from precipitation and snow melt into stream flow. The resulting hierarchy of streams and rivers and their associated sub-drainage areas form the National Hydrological Network of Canada. There are 11 major drainage areas and 164 sub-drainage areas in Canada. Canada's entire land and fresh water area has been allocated to individual drainage areas.

Calculations are based on only the sub-drainage areas where agricultural activity occurs.