ONTARIO LOW WATER RESPONSE

Ontario Ministry of Natural Resources
Ontario Ministry of the Environment
Ontario Ministry of Agriculture, Food and Rural Affairs
Ontario Ministry of Municipal Affairs and Housing
Ontario Ministry of Economic Development and Trade
Association of Municipalities of Ontario
Conservation Ontario

PREFACE

During the spring and summer of 1999, southwestern and eastern Ontario experienced an extended period of low rainfall and high temperatures. These weather conditions resulted in some of the lowest surface water levels and driest soils recorded for several decades.

Historically, periods of dry weather and low water levels or drought are relatively uncommon in Ontario (about every 10-15 years). However, recent studies on changing weather patterns indicate that low water levels may become more common, potentially compounded by the province's steadily increasing demands for water.

The provincial government has, therefore, decided to prepare, for the first time in its history, a response plan to deal with low water conditions. *Ontario Low Water Response* is intended to ensure provincial preparedness, to assist in co-ordination and to support local response in the event of a drought.

EXECUTIVE SUMMARY

Ontario Low Water Response (formerly Ontario Water Response-2000) is intended to ensure provincial preparedness, to assist in coordination and to support local response in the event of a drought. This plan is based on existing legislation and regulations and builds on existing relationships between the province and local government bodies.

Ontario experienced lower than average precipitation and low water levels in 1998 and 1999. Some Great Lake water levels (Superior, Huron) were lower than they have been for many years, and tributary flow had decreased. Groundwater levels may also have been decreasing.

The Provincial Low Water Level Response Task Force was formed in May, 1999, to coordinate an inter-ministry response to low water levels and make recommendations for long term management of low water conditions. The task force recommended that the government develop a provincial low water level plan by March 2000. The ministries involved set up a project team to develop the low water response plan.

Ontario Low Water Response has been produced to ensure that the province is prepared, in case of low water conditions. This plan recognizes the partnership between provincial and local authorities and that natural resource and environmental management must be approached at both the provincial and local levels. The province provides overall direction and coordinates policies, science and information systems and emergency support. At the local jurisdiction, the emphasis is directed to collecting information, interpreting policy, delivering programs and responding to emergencies.

The report provides definitions of drought and low water and describes the means of measuring and quantifying drought and the conditions leading up to it. Three condition levels are described: Level I (warning), Level II (conservation) and Level III (restrictions). Precipitation and streamflow indicators, used to determine the level for watersheds, are identified. Thresholds for these indicators are provided and the methodology for determining when an area of the province passes from one level to another is described.

The roles and responsibilities of the province and its agencies are described. This plan recommends the formation of a local subcommittee of the Ontario Water Directors' Committee, which will become active when any watershed enters a Level II condition. This plan also provides detail on the response process at the local level. This includes the proposed creation of local Water Response Teams, their membership, roles and responsibilities. Also outlined are steps a local Water Response Team could take.

ONTARIO LOW WATER RESPONSE

TABLE OF CONTENTS

EXE	CUTIVE SUMMARY	ii
1. CO	ONTEXT	1
1.1	The Spectrum of Water Management	1
1.2	Provincial and Local Management	1
1.3	Existing Legislation and Information	
2. M(ONITORING AND REPORTING ON DROUGHT	2
2.1	Definition – Drought/Low Water	2
2.2	Indicators	2
2.3	Monitoring and Reporting	7
3. PR	OVINCIAL RESPONSE	8
3.1	Principles	8
3.2	Agency Roles and Responsibilities	8
3.3	Response Framework	
3.4	A local subcommittee of the Ontario Water Directors' Committee (OWDC)	
3.5	Priority Water Uses	
4. LO	OCAL WATERSHED RESPONSE	13
4.1	Generic Response Model	
4.2	Water Response Teams	
4.3	Water Response Team Membership and Roles	
5. CO	OORDINATION AND ADMINISTRATION	16
5.1	Water Response Team Action Plan	16
5.2	Future Refinements	21
6. SU	MMARY	22
A	ndir 1. Evisting I egisletion	22
Appe	ndix 1: Existing Legislation	

Appendix 2: Additional Technical Information	30
Appendix 3: Project Team	36

ONTARIO LOW WATER RESPONSE

1. CONTEXT

Fresh water is a natural resource crucial to the economic and environmental well being of Ontario. Water supports almost all aspects of human activity including health, industrial development, and recreation. Because water is critical to so much of our activity, it is managed from several perspectives and by many jurisdictions, groups and individuals.

1.1 The Spectrum of Water Management

Ontario Low Water Response (formerly Ontario Water Response-2000) is a response plan that deals with the low water end of the spectrum of water management issues, which varies from flood through normal to low water conditions. This plan is for mitigating the effects of drought through low water management long-term approaches that manage both water supply and demand. These include public education, conservation, and the development of appropriate land use policies and efficient water management infrastructures such as reservoirs and aquifer recharge facilities.

1.2 Provincial and Local Management

Ontario is large and geographically diverse. One area can have high water levels while another is dealing with lower than normal water levels. In the summer of 1999, for example, southwestern Ontario had near-record low water levels while above average rainfall in some parts of northwestern Ontario resulted in rivers and lake levels returning to normal.

Natural resource and environmental management must be approached at two scales - provincial and local. The province provides overall direction and coordinates policies, science and information systems, and emergency support. At the local jurisdiction, the emphasis is directed to collecting information, interpreting policy, delivering programs and responding to emergencies.

Ontario Low Water Response reflects this historical partnership between the province and local jurisdiction. Much of Ontario, organized on a municipality and conservation authority basis, has the institutions and will to effectively deal with low water conditions at the two scales.

1.3 Existing Legislation and Information

Ontario Low Water Response is based on existing legislation and regulations. This plan has been developed using existing science, data collection networks and analysis processes. It can be implemented under established legal authorities (see Appendix 1) such as the *Municipal Act*, the *Lakes and Rivers Improvement Act* and the *Ontario Water Resources Act*. As is the case with developing and implementing any plan, especially one for unusual or emergency situations, this plan will be improved over time based on experiences.

2. MONITORING AND REPORTING ON DROUGHT

This section provides a definition of drought, the means of measuring and quantifying drought and the conditions leading to it. For additional technical information, see Appendix 2.

2.1 Definition – Drought/Low Water

Drought is a complex term that has various definitions, depending on individual perceptions. In this document, drought is defined as weather and low water conditions characterized by one or more of the following:

- a) below normal precipitation for an extended period of time (3 months or more), potentially combined with high rates of evaporation that result in lower lake levels, streamflows or baseflow or reduced soil moisture or groundwater storage,
- streamflows at the minimum required to sustain aquatic life while only meeting high priority demands for water, water wells becoming dry, surface water in storage allocated to maintain minimum streamflows, and
- c) socio-economic effects occurring on individual properties and extending to larger areas of a watershed or beyond.

As larger areas are affected and as low water and precipitation conditions worsen, the effects usually become more severe.

Three Levels of Low Water Conditions

The Level I condition is the first indication of a potential water supply problem. Level II indicates a potentially serious problem. Level III indicates the failure of the water supply to meet the demand, resulting in progressively more severe and widespread socio-economic effects.

Each level requires a water management response from the local Water Response Team or the province. The authority learning of the change in level will alert the other to the condition.

2.2 Indicators

Measuring drought is a complex process, requiring the collection of data for variables such as rainfall, streamflow, soil moisture, and water in storage. Indicators have been chosen that integrate a number of factors and functions, are based on readily available data, are useful over a range of time periods and allow water managers to speak consistently about water supply. (Refer to Appendix 2 to understand the application of this section.)

This plan currently uses precipitation and streamflow (surface water flow) measurements as the primary indicators for defining low water levels and drought.

Indicators to measure baseflow, groundwater and aquifer levels are to be developed.

Precipitation Indicators

Precipitation is the most important and convenient indicator. Reviewing the precipitation data and comparing it to trends will warn of an impending water shortage.

Precipitation Indicator 1

The Ministry of Natural Resources (MNR) will compare monthly data from each precipitation station with the average monthly precipitation for that station. These calculations will be made for the previous 18 months (long-term), for the previous 3 months (seasonal) and, under a Level I condition or higher, for the previous month (short-term), with weekly updates.

Precipitation Indicator 2

If a watershed is under a Level I or Level II condition, MNR will add up the number of consecutive weeks that register no rain (less than 7.6mm).

Streamflow Indicator

Gauges in streams measure streamflow and are used to provide indicators to show there is enough streamflow in the river to meet the basic needs of the ecosystem and to show that water is available for other uses such as recreation, hydropower generation or irrigation.

MNR will compare the monthly flow for each streamgauge station with the lowest average summer month flow for the station.

TABLE 1: Summary of Indicators

Precipitation	Surface Flow
1. % of average = 100 X monthly precipitation/ average precipitation for that month	% of average precipitation =
	Monthly Flow X 100
2) Weeks with less than 7.6mm of rain	Lowest Average Summer Month Flow
(number of consecutive readings)	

Moving from one level to another

If the indicator for precipitation or streamflow crosses a threshold, than a watershed, or a portion of it, has changed to a Level I, Level II, or Level III condition. A water response is undertaken when a watershed condition changes. When a threshold is crossed, the determining authority (local or provincial) will alert the other authority to the change. The values of thresholds have been set for precipitation and streamflow at selected stations. Indicators will be monitored and reviewed periodically to determine if the thresholds are set at the correct levels.

Precipitation thresholds

A watershed enters Level I when its 3 month or 18 month total precipitation drops below 80% of the average 3 month or 18 month precipitation for those months.

From an existing Level I or Level III condition a watershed enters Level II when its 3 month or 18 month total precipitation is between 60% and 40% of the average 3 month or 18 month precipitation for those months or when its 1-month total precipitation is between 60% and 40% of the average precipitation for that month. An additional indicator is used when a watershed is already in a Level I or a watershed enters a Level II if it has had no rain (less than 7.6mm) for 2 readings in succession (high demand areas) or for 3 readings in succession (moderate demand areas).

From an existing Level II, a watershed enters Level III when its 3 month or 18 month total precipitation drops below 40% of the average 3 month or 18 month precipitation for those months or when its 1 month total precipitation drops below 40% of the average precipitation for that month.

TABLE 2: Precipitation Thresholds

Level I	Level II*	Level III**
18-month precipitation < 80% of average precipitation or 3 month precipitation < 80% of average precipitation	18 month precipitation < 60% of average precipitation or 3 month precipitation < 60% of average precipitation or 1 month precipitation < 60% of average precipitation <	18 month precipitation < 40% of average precipitation or 3 month precipitation < 40% of average precipitation or 1 month precipitation < 40% of average precipitation
	Weeks with less than 7.6mm of rain – more than 1 week for high demand areas; more than 2 weeks for moderate demand areas	

^{*} A watershed can only enter a Level II from an existing confirmed Level I or Level III condition

Streamflow

In the spring (see Appendix 2 Spring Indicator), a watershed enters Level I when its monthly flow drops below the lowest average summer month flow for that station (see Appendix 2 Streamflow Indicator paragraph 2). For the rest of the year, the watershed enters Level I when its monthly flow drops below 70% of the lowest average summer month flow.

In the spring, a watershed enters Level II (from an existing Level I condition or Level III) when its monthly flow is between 70% and 50% of the lowest average summer month flow. In summer, fall and winter, the watershed enters Level II if its monthly flow is between 50% and 30% of the lowest average summer month flow.

In the spring, a watershed enters Level III (from an existing Level II condition) when its monthly flow drops below 50% of the lowest average summer month flow. In the other seasons, the watershed enters Level III if its monthly flow drops below 30% of the lowest average summer month flow.

^{**} A watershed can only enter a Level III from an existing confirmed Level II condition

TABLE 3: Streamflow Thresholds

Level I	Level II*	Level III**	
Spring: – monthly flow <	Spring: – monthly flow <	Spring: – monthly flow <	
100% lowest average	70% of lowest average	50% of lowest average	
summer month flow	summer month flow	summer month flow	
Other times: – monthly flow	Other times: – monthly flow	Other times: – monthly flow	
< 70% of lowest average	< 50% of lowest average	< 30% of lowest average	
summer month flow	summer month flow	summer month flow	

^{*} A watershed can only enter a Level II from an existing confirmed Level I or Level III condition

TABLE 4: Summary of Levels and Thresholds


	111222 11 8 4111111111	y of Devels and Thresholds
Condition	Indicator	
	Precipitation	Streamflows
Level I	<80% of average	Spring: – monthly flow < 100% lowest average summer month flow Other times: – monthly flow < 70% of lowest
		average summer month flow
Level II	<60% of average weeks with < 7.6mm	Spring: – monthly flow < 70% of lowest average summer month flow Other times: – monthly flow < 50% of lowest
	1001 0	average summer month flow
Level III	<40% of average	Spring: – monthly flow < 50% of lowest average summer month flow
		Other times: – monthly flow < 30% of lowest
		average summer month flow

^{**} A watershed can only enter a Level III from an existing confirmed Level II condition

2.3 Monitoring and Reporting

Chart 1 shows the participants, data sources, products and information flow for drought monitoring. Data is provided to MNR, which analyzes it and produces and distributes condition reports and maps. Feedback is provided to MNR on local conditions as well as when environmental management responses are made.

CHART 1: INFORMATION FLOW



CAs- Conservation Authorities WRT- Water Response Team EC – Environment Canada

3. PROVINCIAL RESPONSE

3.1 Principles

Ontario Low Water Response is based on three principles: the response process should be simple and straightforward, low water and drought response is a partnership, and planning is crucial.

a) Simple process

Experience from across the province suggests that effective emergency response happens when there is a straightforward system that sets out clearly who are involved and what their responsibilities are. This plan details this system for low water conditions. Section 2 sets out how low water information is to be collected and used, Sections 3.3 and 3.4 detail provincial level roles and responsibilities, and Section 4 covers local response. Section 5 provides an action plan.

b) Low water and drought response partnership

The management of water must occur on at least two levels – provincial and local. For example, this plan indicates that the province is responsible for collecting and analyzing information on water levels across the province, while the local conservation authorities play a major role in providing the information and, more importantly, in interpreting it in terms of their local knowledge and experience.

c) Plan

Low water conditions do not occur in a few hours or even days, but build up over a number of weeks or months. This time factor allows advance preparation, both at the provincial and municipal levels.

3.2 Agency Roles and Responsibilities

The key provincial agencies in water management are the Ministries of Municipal Affairs and Housing; Economic Development and Trade; Agriculture, Food and Rural Affairs; Environment; and Natural Resources. They work in a cooperative, integrated fashion to develop and implement provincial water policy.

These efforts are directed by the Land and Resources Committee of deputy ministers and implemented by the existing provincial Ontario Water Directors Committee (OWDC). This committee is co-chaired by the water policy directors from the Ministries of Natural Resources and Environment. A project team reporting to this committee has prepared Ontario Low Water Response.

Ministry of Municipal Affairs and Housing (MMAH) is responsible for overseeing such legislation as the *Planning Act*, the *Municipal Act* and the *Public Utilities Act*. The *Planning Act* provides for and supports land development in the organized sections of the province. The appropriate use of this legislation helps ensure that areas critical to the long-term ecological health of aquatic ecosystems are not degraded by changes in land use. The *Municipal* and *Public Utilities Acts* allow municipalities to construct and maintain water supply infrastructures and pass bylaws to regulate water use.

Ministry of Economic Development and Trade (MEDT) plays a leading role in promoting and explaining the government's position and policies on water management issues that cross provincial or national boundaries. Recently, MEDT has represented the province in discussions over bulk water transfers and diversions from the Great Lakes.

Ministry of Agriculture, Food and Rural Affairs (OMAFRA) has an important role in the protection of aquatic ecosystems across the rural landscape of Ontario. The ministry supports programs for the agricultural sector that assist in maintaining potable water supplies, supports the use of appropriate irrigation and drainage methods and helps protect surface and ground water quality.

Ministry of the Environment (MOE) administers several pieces of legislation directed at environmental protection, conservation and stewardship of Ontario's resources. In particular, the Ontario Water Resources Act (and companion regulations) is directed at the protection of the quality and quantity of Ontario's surface and groundwater resources. The legislation provides for prohibitions related to the discharging of pollutants to surface or groundwater and water quality standards. The legislation also provides for a permit system that governs the taking of large amounts of surface or groundwater.

Ministry of Natural Resources (MNR) has two primary focuses in water management: managing surface water flows and levels and protecting fish and wildlife habitat. In many areas MNR is directly responsible for operating water control structures. The major pieces of legislation this ministry oversees include the *Lakes and Rivers Improvement Act* (regulates location, design and operation of dams and other water structures), the *Public Lands Act* (allocation of water power sites), some aspects of the federal *Fisheries Act*, the *Conservation Authorities Act* (supporting legislation for the province's 38 watershed-based conservation authorities), the *Fish and Wildlife Conservation Act* and the *Crown Forest Sustainability Act*. Under the *Emergency Plans Act*, MNR is listed as the lead agency for large-scale flooding, fire and drought emergencies (effective 2000).

Although MMAH, MEDT, OMAFRA, MOE and MNR are the five provincial agencies with a clear leadership role in water management, other agencies and organizations are also involved in water issues. The Ministry of Northern Development and Mines has a responsibility for setting policy regulating mine waste control structures, and the Ministry of Transportation is involved with water crossing standards. In addition, the federal government has legislation, such as the

Fisheries Act and the Beds of Navigable Waters Act, that must be considered in any approach to water management.

Municipalities and conservation authorities also have discrete water management responsibilities, which require them to be included in any low water and drought response.

3.3 Response Framework

One of the ways Ontario prepares for, and manages, emergency situations is through the *Emergency Plans Act*. This Act, administered by the Ministry of the Solicitor General, identifies lead agencies, which vary depending on the nature of the emergency, and provides for the development of response strategies by both ministries and municipalities. This Act also authorizes mayors and reeves to declare local emergencies and ministers of the Crown to declare emergencies on a broader scale.

Drought, although it is not a sudden and unpredicted event, is identified in the policies and procedures under the *Emergency Plans Act*. By order in council the Ministry of Natural Resources has been designated as the lead ministry for drought emergencies. This plan sets out a model consistent with other emergency plans under the Act.

This plan provides that:

- a) In the organized areas of the province where conservation authorities exist, the local conservation authority will establish a water response team (WRT) if Level I conditions are confirmed. Efforts should be made to have these teams in place for watersheds that reach Level I. Other areas may want to establish these teams as a precautionary measure.
- b) In organized areas with no conservation authorities the district office of the Ministry of Natural Resources establishes a WRT if Level I conditions are confirmed.
- c) The municipalities review their Emergency Response Plans and consider incorporating drought response strategies.
- d) In unorganized areas the Ministry of Natural Resources maintains responsibility for water management issues, dealing directly with local communities, First Nations and dam owners/operators and other stakeholders.
- e) A local subcommittee of the Ontario Water Directors' Committee (OWDC) shall be set up if one is not already in place when any watershed confirms Level II conditions. The principal members of the subcommittee will be the appropriate field and water directors of the Ministries of Environment, Agriculture, Food and Rural Affairs, Economic Development and Trade, Municipal Affairs and Housing and Natural Resources. The local subcommittee of the

Ontario Water Directors' Committee will be responsible for coordinating the provincial response efforts.

Conditions Verification

The local Conservation Authority and/or MNR district office will confirm a watershed condition. Once the leading agency (CA or MNR) has confirmed that the watershed(s) has entered a Level I condition they will make appropriate contacts and host the first water response team meeting. The leading agency should have collected appropriate information, which characterizes the watershed before the first water response team meeting. The local WRT should lead discussions with their local groups well in advance of a drought. These discussions would help establish priorities and set up mitigating strategies.

Level I - Voluntary Conservation

The Level I condition will be managed through existing programs of the key provincial agencies and municipalities with leadership and direction provided by the WRT. The WRT, using a variety of communications tools, will emphasize the need for voluntary water conservation with a target reduction of water use of 10 per cent. District or regional level provincial ministry staff will be part of the WRT.

Level II - Conservation and Restrictions on Non-Essential Use

The watershed's water response team will confirm that a watershed has entered a Level II condition. In this condition the WRT will continue in a leadership role, communicating a strong conservation message and implementing restrictions through the municipalities on non-essential use. A local subcommittee of the OWDC shall be set up if one is not already in place and cross-ministry program co-ordination emphasized. The local subcommittee of the OWDC will inform Emergency Measures Ontario of a Level II condition.

Level III - Conservation, Restriction, Regulation

The watersheds' WRT, after consulting the local subcommittee of the OWDC chair, will determine that a watershed has entered a Level III condition. In this condition, the appropriate mayor or reeve or their representatives will join the WRT. The OWDC with support of the WRT will make decisions on implementing water use restriction. The OWDC with support of the WRT will provide recommendations to the MOE Water Director on water allocation priorities. Provincial representatives on the WRT will maintain regular contact with the local subcommittee of the OWDC to keep them informed on the watershed conditions and the water use and demand conditions.

Emergency Measures Ontario will be included in the discussions at both the local and provincial levels and if necessary assist with implementation of an emergency response plan.

Sections 4 and 5 provide more detail on the response process.

3.4 A local subcommittee of the Ontario Water Directors' Committee (OWDC)

A local subcommittee of the OWDC shall be set up if one is not already in place once a watershed moves into a confirmed Level II condition. The existing OWDC will be modified to include the appropriate field directors from the Ministries of Natural Resources, Environment and Agriculture, Food and Rural Affairs. The existing provincial OWDC that includes water policy directors from MOE, MNR, OMAFRA, MEDT and MMAH will also be part of this committee.

This group will be directly linked to the water response team through provincial representatives (see section 4.2).

The primary tasks of these local subcommittees of the OWDC come into play when a watershed enters a Level III condition and will be to:

- coordinate provincial response to WRT recommendations
- ensure that the provincial responsibilities are fulfilled
- deal with water use restrictions and allocation decisions with support of the WRT.

3.5 Priority Water Uses

Under conditions anticipated when a watershed enters drought conditions, governments have to deal with the question of priority use. Various approaches to this difficult situation have been proposed and used in Ontario and in other jurisdictions. In Ontario when a watershed enters a Level III condition water allocations and water restrictions priorities are implemented. A synthesis of these approaches suggests a basic model that can be applied. This model divides water uses into three classes: essential, important and non-essential.

Essential

Essential uses of water deal with human life and health: a reasonable supply of water for drinking and sanitation, water for health care, water for public institutions and public protection (wastewater treatment, some fire protection, schools) and water necessary for basic ecological functions.

Important

The second category deals with uses important for the social and economic well being of a particular area. This includes activities critical to industrial processes, commercial facilities such as hotels and restaurants and key agricultural crops. This category poses the most difficulty, as it may be necessary to rank priorities between activities and between groups within the same activity, for example between farm irrigation and a local car manufacturing plant or between tobacco and corn farming. Another factor is that priorities will vary between watersheds.

The local WRT should lead discussions with their local groups well in advance of a drought. These discussions would help establish priorities and set up mitigating strategies. For example, depending on the nature of the business it may be economically viable to truck in water.

Non-Essential

Non-essential uses can be interrupted for the short term without significant impact. These include private swimming pools, lawn watering, public and private fountains and vehicle washing. Many Ontario jurisdictions already have bylaws and other controls to deal with this category.

Long term Management

Restricting water use is only a short-term solution. Best planning practices and good long-term management of supply and demand must be our first effort. Ecological health is considered essential and is covered under basic ecological functions. Long term economic health and welfare of the citizens are intertwined with ecological health, and if natural water systems are consistently starved of water, major negative effects will be realized. The resulting degradation of the water quality and quantity can have considerable effects on all users.

4. LOCAL WATERSHED RESPONSE

4.1 Generic Response Model

Allocation decisions can be facilitated with input from local stakeholders. Ultimately, the goal is to balance efficient use, protection of the resource, and equity among users. For these reasons, decisions on low water and drought response and water allocation are best made by a combination of provincial regulators and local water managers and users.

4.2 Water Response Teams

Watershed-based water response teams (WRT) are proposed to coordinate local activities. Teams will consist of local water users and local and provincial water managers. Water response teams will use a combination of water data, provincial and local legislation, communication techniques and local tools to advocate for conservation. Success of any WRT depends on local support and commitment to abide by the team's recommendations. In cases of extreme drought, the WRT will ensure that key local and provincial decision-makers participate actively in the process to see that water allocation decisions are understood, supported and enforced.

Water response teams are focused on reacting to current low water conditions. Long term drought prevention efforts must be developed and are the responsibility of existing water management agencies and users. Drought management will only be successful through this combination of long-term preventive strategies and shorter-term crisis management actions.

4.2.1 Institutional Arrangements

Several existing institutions, policies and statutes in Ontario address water management, including drought. Examples are provincial ministries (Environment and Natural Resources) and conservation authorities. WRTs will not replace the functions of these organizations, but permit coordination of response among these institutions, non-government groups and users. The WRT does not possess any unique legislative authority but can help by advising on the use of current regulations and tools, such as: the *Ontario Water Resources Act* and *Environmental Protection Act*.

4.2.2. Scale

Water response teams will be based on watershed boundaries. Conservation authority boundaries will determine each team's geographic jurisdiction. Where no conservation authority exists, the Ministry of Natural Resources will determine the appropriate watershed units. Watersheds may be combined into larger units for drought response.

4.3 Water Response Team Membership and Roles

The WRT will provide a coordinated response from provincial, conservation authority, municipal, private and special interest water managers and users. Members of the teams will work cooperatively, sharing all information and being accountable.

WRTs will include provincial, municipal and conservation authority staff as well as representatives for local interests and users. Team membership will vary, but representation from the following sectors should be considered:

- agriculture
- rural private industry and business
- recreation
- resource management interests
- First Nations
- municipal government
- provincial government

Their organizational mandates, legislative tools, communications abilities and background data require certain organizations to be members of the WRT. These include:

- a) Local municipalities
 - may monitor and control public water supplies and can provide useful data on watershed characterization
 - may control water consumption through bylaws

- can promote strong water conservation messages
- maintain communication links with large local water consumers, specifically commercial and industrial operations
- have specific responsibilities under the *Emergency Plans Act*.

b) Local conservation authorities

- maintain detailed water monitoring networks, which will enhance provincial networks and better describe drought variations
- are watershed based and maintain data that can be used to characterize the watershed's unique features.
- maintain strong links with local community groups, media and government and may facilitate coordination of water conservation messages
- operate dams and reservoirs
- can verify MNR data and low water conditions in the field
- administer sections of the Federal *Fisheries Act* and have some legislative authority for maintaining baseflows to protect aquatic life
- are responsible for some local stream health and water quality monitoring.

c) Ontario Ministry of Natural Resources

- maintains a provincial network to monitor precipitation and low flow conditions. This data can be provided to WRTs. MNR will also analyze data to provide early warnings.
- administers portions of the federal *Fisheries Act* and has some legislative authority for maintaining baseflows to protect aquatic life
- operates dams and reservoirs
- maintains links with local outdoor recreation groups
- participates as a representative of the province on WRTs to ensure long term drought prevention activities are coordinated across ministries and with WRTs.
- administers the *Lakes and Rivers Improvement Act*.

d) Ontario Ministry of the Environment

- assists in maintaining a provincial water monitoring network
- manages the Permit to Take Water Program (PTTW) under the *Ontario Water Resources Act*. This database of local users can be provided to the WRT to help characterize local water demand conditions. In cases of extreme drought, MOE may control new water takings or limit water takings by existing permit holders.
- maintains communication links with permit holders
- administers the *Ontario Water Resources Act* and the *Environmental Protection Act* and has legislative authority for maintaining baseflows to protect water quality and aquatic life
- maintains a provincial representation on WRTs to ensure long term drought prevention activities are coordinated across ministries and with WRTs.

- e) Ontario Ministry of Agriculture, Food and Rural Affairs
 - maintains communication links with agricultural water users and can advise groups of potential local drought conditions and water conservation recommendations
 - can coordinate local agricultural representation on the WRT
 - maintains a provincial representation on WRTs to ensure long term drought prevention activities are coordinated across ministries and with WRTs.

The participation of other local groups and users is also necessary for success of the WRT. Examples include First Nation communities, dominant local industries (i.e., pulp and paper, aggregates, hydro-electric power generators), recreation users (Trent Severn Waterway, downhill ski facilities) or special interest bodies (such as OFAH, Ducks Unlimited).

There is no distinction in decision-making power or responsibility among members of the WRT (excluding all provincial representatives whom are not part of the decision making process). Each representative should have equal opportunity for input, sharing information and being accountable. It is therefore imperative that the membership of the WRT accurately reflect the balance among the sectors within the watershed.

Responsibilities for team members include attending meetings, communicating back to their sector, sharing relevant data, and using drought management tools.

In certain regions, conservation authorities or municipalities may not exist, and the network of local users may vary significantly. For these reasons WRT membership is intended to be flexible.

Confirming membership, electing a chair and appointing a secretary will be done during initial meetings of the WRT. Teams should not be too big to function. Where they exist, local conservation authorities will take the lead in establishing the water response team.

Several watersheds in Ontario already have multi-stakeholder committees that address issues such as local water quality and natural heritage. These committees are encouraged to assume the responsibilities of a WRT if appropriate. They may need to add members.

5. COORDINATION AND ADMINISTRATION

5.1 Water Response Team Action Plan

The Ministries of Natural Resources and Environment are responsible for monitoring low water conditions. MNR will notify conservation authorities and MNR district offices of potential low water conditions. Conservation authorities and MNR Districts will verify this data with their own monitoring network, as well as contact other information sources in addition to their own monitoring network. CA, and/or MNR will verify the conditions and predetermine watershed

characteristics. Following this assessment, conservation authorities and/or MNR will confirm a Level I condition. If the leading authority chooses to proceed, they can then establish a WRT.

- 1. Conservation authorities and/or MNR Districts will arrange and host the first WRT meeting in order to establish its goals and objectives. These should include:
 - WRT structure
 - characterize the watershed
 - identify local water supply needs and concerns
 - identify severity of low water situation/condition
 - implement water conservation, preservation and allocation strategies
 - evaluate effectiveness of local actions
 - provide advice to local and provincial decision-makers.
- 2. Conservation authorities and/or MNR Districts confirm or determine if the watershed is in a Level I. The WRT confirm or determine if the watershed is in a Level II based on monitoring network data. OWDC with support of the WRT recommendations confirm or determine if the watershed is in a Level III condition based on monitoring network data, local water shortages, use allocation difficulties and stakeholder concerns.
- 3. WRT will complete its membership. Members will represent agriculture, rural private industry and business, recreation, resource management interests, First Nations, municipal government and provincial government.
- 4. WRT will elect a chair and secretary from its membership.
- 5. WRT will develop its terms of reference, detailing mandate, membership, roles (chair, secretary), meeting frequency, quorum conditions and team and external communications needs.
- 6. WRT will develop a brief summary of existing information that characterizes the watershed which generally describes supply and demand conditions. The summary will help the WRT to target their response and serve as a context for communications.
- a) The local water supply information should include:
 - MNR, MOE and conservation authority precipitation, streamflow and groundwater level data summaries if information is available
 - general status of municipal wells, rural dug and drilled wells
 - anecdotal information on local effects.
- b) The water demand information should include:
 - summary listing of water takers based on Permit to Take Water Program and other databases
 - general assessment of water taking sectors i.e., agriculture (irrigation areas, livestock demands), recreation (golf courses), industry (aggregates)

7. WRT identifies the actions needed to manage the drought or low water conditions and carries them out. The actions will maximize water supply, reduce demand, or do both. The recommendations offered here are the minimum. Teams should develop their own solutions to address local problems.

Level I Response: Actions to Consider

Goal: Promote voluntary water conservation among all users to prevent

further water shortages

Target: 10% reduction in water use among all sectors

Action	Detail
Communicate	 each WRT member is responsible for contributing to developing and communicating water conservation messages within their sector include media releases, farm papers, newsletters, newspapers, radio, etc. messages focus on watershed characterization information statement of local conditions and near term prognosis strong encouragement for voluntary water conservation with 10% reduction target
Impose restrictions	- none
Prepare for Level II	 develop a database of users based on Permit to Take Water database prepare to inform OWDC of potential Level II conditions

Recommendations for water conservation will be sector specific. Many examples are already in place and are to be used by the WRT where available. Residential examples include:

- installing toilet dams
- using rain barrels
- repairing leaky faucets
- encouraging minimal use of non-essential water (car washing, lawn watering)

Other examples are in *Green Tips*, published by the Ontario Ministry of the Environment.

For the agricultural sector, see OMAFRA fact sheets (1999) *How to Prepare for Irrigation During Water Shortages* and *Private Water Well Owners – Dealing with Water Shortages*.

Level II Response: Actions to Consider

Goals: Target water conservation messages more directly

Publicize water use restrictions Ensure compliance with restrictions

Consider priorities for water allocation at Level III

Target: Further 10% water use reduction (20% total)

Action	Detail
Communicate	 strongly encourage voluntary reductions by contacting key users key users identified from database developed during Level I Response contact includes mailings, personal contact, advertising, provincial contact with permit holders and meetings messages focus on specific water conservation examples using fact sheets where available further 10% reduction target
	 inform existing OWDC of confirmed Level II conditions OWDC should begin to incorporate additional field directors within the affected watershed to form the local OWDC
Manage supply	 modify flood prevention, flow augmentation and power generation reservoir operations to minimize effects of drought increase monitoring of compliance with effective water conservation practices
Impose restrictions	 limit new permit approvals consider limits for existing permit holders enforce municipal water restrictions bylaws monitor water takings for compliance with permits and bylaws
Prepare for Level III (Drought)	 assess impact of water allocation reduction scenarios on each sector (agriculture, recreation, municipal government, provincial government, resource management interests, private industry and business, First Nations) consider priorities for water allocation notify local and provincial decision-makers of actions already taken to prepare them for their involvement at Level III

Level III Response (Drought): Actions to Consider

Goal: Develop and implement water allocation protocols

Target: Maximum possible reduction in water consumption in all sectors

Action	Detail
Involve senior decision-makers	- involve senior local and provincial decision-makers directly in developing and implementing water allocation decisions; maintain regular contact with the OWDC
Develop and implement allocation priorities	 use notes from Level II Response in assessing impact of water allocation reduction scenarios on each sector develop priorities for water allocation among sectors through a consensus building process rather than a vote taking process continue to enforce water allocations using existing tools such as local bylaws and provincial legislation (OWRA).

Water allocation rather than conservation becomes the focus during the severe shortages experienced in a Level III condition. Actions move from largely voluntary compliance to regulatory control. Because of this shift, senior local and provincial decisions-makers should be included as part of the WRT if they are not already members. Strong local and provincial support will be necessary to make and enforce allocation decisions. Heads of local municipal councils and conservation authorities as well as provincial district managers should now be directly involved in the process. Local team representatives of private groups are also encouraged to involve their senior provincial representatives. WRT should provide recommendations for reallocation to the local subcommittee of the OWDC to act on. Existing legislation may be used to implement water allocation decisions. The Ministry of the Environment Water Director would be responsible for revoking water-taking permits and implement water allocation decisions based on legislation under the *Ontario Water Resources Act*. Local municipalities may pass bylaws restricting water usage.

8. Monitoring

During all three levels of response, MNR and MOE as well as conservation authorities and municipalities should continue monitoring activities and communicate results through their members on the WRT. This allows the WRT to anticipate and respond to changes in an effort to avoid further conflict.

9. Communications

The WRT will maintain communication links with the province, conservation authorities, municipalities and private and special interests through its members. These communications are critical to generate awareness and support for local needs and WRT decisions.

10. Evaluation

WRTs will conduct annual self-evaluations during the drought and at the conclusion of the drought to assess equity, efficiency and effectiveness of communications, information, actions and monitoring.

5.2 Future Refinements

A comprehensive low water and drought management plan for Ontario requires a combination of long term preventive strategies and shorter-term response to depleted groundwater and surface water resources during extreme dry conditions. Ontario Low Water Response is designed to protect existing water supplies and modify the demand for water during those extreme dry conditions. While longer term preventive strategies are also necessary, there is still a need for ongoing monitoring and coordinated response to extraordinary circumstance and a need for a more comprehensive water management strategy.

6. SUMMARY

Level	Indicator	Information	Decision	Goal	Target	Communicat	Supply	Imposed
		flow				ions	management	restrictions
I – potential	Precipitation:	From: Env.	By province,	Voluntary	10%	WRT		
water supply	<80% long or	Canada, MNR,	in some cases	conservation	reduction in	members to		
problems	mid-term	CAs, MOE	by WRT		water use	own groups		
	average	To: MNR for	chair			Media		
		analysis	Confirmed by			releases,		
	Streamflow:	Then: WRT for	WRT chair			newsletters,		
	<70% lowest	confirmation				etc.		
	average					Local		
	summer month					conditions		
II – minor	Precipitation:	as above	By province	Conservation	Additional	Direct	Modify	Limit new permits
problems,	<60% long,		or WRT chair	and	10%	contact with	reservoir	Implement bylaws
potential	mid-term or		Confirmed by	restrictions	reduction	major users	operations	Monitor
major supply	short-term		WRT			Sector-		compliance
problems	average or		Set up a local			specific info		
	more than 1		subcommittee			on		
	week no rain		of the OWDC			restrictions		
	Streamflow:							
	<50% lowest							
	average							
	summer month							
III – supply	Precipitation:	as above	Usually by	Conservation	Maximum	Sector and	Modify	Reduce permit
fails to meet	<40% long,		WRT chair	, restrictions	reduction	user specific	reservoir,	levels
usual	mid or short-		with chair of	and		info on	water power	Set and institute
demand,	term average		the local	regulation		restrictions,	operations	allocation
social and			subcommittee			regulations	Consider	priorities
economic	Streamflow:		of the OWDC				hauling water	Enforcement
impact	<30% lowest							
	average							
	summer month							

Appendix 1: Existing Legislation

Summary of Water-related Legislation - Water Quality, Water Quantity, and Water-Related Land Management

SUMMARY OF MAJOR LEGISLATION ON WATER QUALITY

Legislation by Administering function agency		Description of legislation	Implementing agency
Provincial Legislation	1		
*Ontario Water Resources Act	MOE	 allows for the regulation of water supply allows surveillance and monitoring of all surface and ground water in Ontario regulates sewage disposal and controls water pollution allows MOE to construct and operate wastewater facilities or require it be done by an industry or municipality 	MOE
*Environmental Protection Act	MOE	 forbids discharge of any contaminant to the environment in amounts exceeding regulations prohibits discharge of any substance likely to impair the environment requires spills of pollutants be reported and cleaned up promptly and establishes a liability on the party at fault 	MOE
Environmental Assessment Act	MOE	requires environmental assessment of any major public or designated private undertaking	MOE

Legislation by function	Administering agency	Description of legislation	Implementing agency
Pesticides Act	MOE	controls use of chemicals for the destruction of plant and animal pest and investigates possible harmful effects of pesticides on the environment	MOE
Conservation Authorities Act	MNR	establishes conservation authorities with the mandate to operate dams for water quality enhancement, undertake water quality surveys and comment on planning documents	CAs
Lakes and Rivers Improvement Act	MNR	ensures proposed water works do not adversely affect water quality or cause undue erosion and silting	MNR
Planning Act	ММАН	• guides municipal planning activities (e.g. requires local governments to assess the impact of a proposed subdivision on existing water supplies)	Municipalities, MMAH
Municipal Act	MMAH	• grants municipalities the power to pass bylaws that prohibit the injuring or fouling of drains and sewer connections	Municipalities, MMAH
Federal Legislation			
*Fisheries Act	DFO	 protects fish habitat by prohibiting habitat disturbance and deposition of deleterious substances in water frequented by fish 	DFO, MNR
Environmental Contaminants Act	Env. Canada HWC	• prevents dangerous contaminants from entering the environment	Env. Canada HWC
Canada Shipping Act	Transport Canada	• controls pollution from ships by imposing penalties for dumping pollutants or failing to report a spill	Dept. of Transport

Legislation by function	Administering agency	Description of legislation	Implementing agency
Canada Water Act	Env. Canada	authorizes agreements with provinces for designation of water quality management areas and other projects	Env. Canada
Canadian Environmental Protection Act	Env. Canada	controls manufacture, transportation, use, disposal of chemicals and wastes not adequately regulated by other legislation	Env. Canada
Pest Control Products Act	Agriculture Canada	regulates products used to control pests via registration according to prescribed standards	Agriculture Canada

^{*}Includes tools that can be used for drought management response within 24 hours.

SUMMARY OF MAJOR LEGISLATION ON WATER QUANTITY

Legislation by function	Administering agency	Description of legislation	Implementing agency
Provincial Legislation	on		
Conservation Authorities Act	MNR	 authorizes conservation authorities to prohibit or regulate fill, construction and watercourse alteration allows for construction and maintenance of flood and erosion control structures 	CAs
Lakes and River Improvement Act	MNR	 empowers MNR to regulate the construction and operation of water works requires that new water works be approved 	MNR

Legislation by function	Administering agency	Description of legislation	Implementing agency
Public Lands Act	MNR	 authorizes MNR to construct and operate dams and acquire land for their purposes authorizes power generation projects on Crown land 	MNR
Municipal Act	MMAH	 allows municipalities to enact bylaws for the construction, repair and maintenance of drains prohibits the injury or fouling of drains in rivers empowers municipalities to pass bylaws governing the construction and maintenance of dams and the straightening of water courses for flood protection 	municipalities, MMAH
Public Utilities Act	MMAH	empowers municipalities to acquire and operate water works and divert a lake or river for their purposes	municipalities, MMAH
Ontario Water Resources Act	MOE	 requires the issuance of a permit for the taking of more than a total of 50, 000 litres of water in a day from a ground or surface source of supply allows the MOE Director to refuse to issue, cancel, impose terms and conditions in issuing a permit or alter the terms and conditions of a permit after it is issued. requires the issuance of a permit for the construction of a well allows municipalities to establish or replace water works with ministerial approval 	MOE

Legislation by function	Administering agency	Description of legislation	Implementing agency
Federal Legislation			
Fisheries Act	DFO	 protects fish habitat by prohibiting habitat disturbance ensures construction of a fishway around any obstruction in a waterway 	DFO, MNR
Navigable Waters Protection Act	Transport Canada	 prohibits dumping of wastes that may interfere with navigation prohibits construction in navigable waters 	Dept. of Transport
Canada Water Act	Env. Canada	authorizes agreements with provinces for the delineation of flood plains and hazardous shorelines for flood and erosion control	Env. Canada
International Rivers Improvement Act	External Affairs Env. Canada	• prohibits damming or changing the flow of a river flowing out of Canada	Env. Canada

SUMMARY OF WATER-RELATED LAND MANAGEMENT LEGISLATION

Legislation by function	Administering agency	Description of Legislation	Implementing agency
Provincial Legislation	on		
Drainage Act	OMAFRA	 facilitates construction, operation and maintenance of rural drainage works provides legal mechanism where riparian landowners can drain their lands and divide the costs among themselves 	OMAFRA, municipalities
Tile Drainage Act	OMAFRA	• provides for low interest loans to farmers from municipalities for tile draining their property	municipalities, MMAH

Planning Act	ММАН	 provides for and governs land use planning deals with provincial administration in land use planning and local planning provides for development of statements of provincial interest to be regarded in the planning process 	municipalities, MMAH	
Public Lands Act	MNR	 authorizes MNR to manage and control activities on Crown land 	MNR	
Mining Act	MNDM	 registers mining lands and lands forfeited to the Crown exempts lands and mining rights from taxes 	MNDM, MNR	
Beds of Navigable Waters Protection Act	MNR	• declares the beds of navigable waters as the Crown's responsibility	MNR	
Public Transportation and Highway Improvement Act	МТО	• requires a permit for any work carried out within the right-of-way of a provincial highway	МТО	
Conservation Authorities Act	MNR	• empowers conservation authorities to manage, regulate or acquire floodplains, hazardous shorelines and conservation lands		
Environmental Assessment Act	MOE	 requires environmental assessment of any major public or designated private undertaking 	MOE	
Federal Legislation				
Fisheries Act	DFO	• controls erosion and sedimentation for the purpose of fish habitat preservation	DFO, MNR	

EMERGENCY RELATED LEGISLATION

Legislation by	Administering		Description of	Implementing
function	agency		Legislation	agency
Emergency Plans	EMO	•	may take action and make such	MNR,
Act			orders as he or she considers	Municipalities
7 ict			necessary to implement the	
			emergency plans to protect property	
			and health, safety and welfare of	
			inhabitants of the emergency area	

MNR - Ministry of Natural Resources

MOE - Ministry of the Environment

DFO - Department of Fisheries and Oceans Canada

MTO - Ministry of Transportation

MNDM - Ministry of Northern Development and Mines

OMAFRA - Ministry of Agriculture, Food and Rural Affairs

EMO – Emergency Measures Ontario

Appendix 2: Additional Technical Information

Distinguishing Between the Levels of Response

Thresholds for Level I must be sensitive enough to give enough time for action but not so sensitive as to activate when problems are not likely to occur. Some areas may reach the threshold for Level I several years in a row. Indicators will be monitored and reviewed periodically to determine if the thresholds are set at the correct levels.

Indicators

Research was done in 1999 to find out how precipitation and streamflow data might be used to quantify low water and drought conditions. Based on this experience, the project team has used precipitation and streamflow as the two primary indicators.

Precipitation Indicator 1

For each station, MNR will compare the monthly precipitation with the average monthly precipitation for that station, for that month. For each month, the comparison will use the total precipitation in the month divided by the average precipitation for that month. These calculations will then be averaged over the previous 18 months (long term) and the previous 3 months (seasonal).

When an area reaches a Level I or higher condition, the comparison for the previous month for each station will also be used. As well, a weekly comparison will be made on the 7th, 14th, and 21st of each month comparing the accumulated 1, 2 and 3-week precipitation to the average precipitation for the current month.

Precipitation Indicator 2

In a Level I condition or greater, the number of consecutive readings of less than 7.6mm (no rain) will be determined at each reading (on the 7th, 14th, 21st and at the end of the month). In sensitive watersheds (very high water demand or very sandy soils), all readings of less than 7.6mm will be noted. In a less sensitive watershed, (moderate water demand and sandy soils or high demand and silty soils), two or more consecutive readings of less than 7.6mm will be noted. These one or two readings of less than 7.6mm will be used as thresholds.

Streamflow

Surface flow indicators demonstrate if there is enough streamflow in the river to meet the basic needs of the ecosystem and if there is additional water available for needs such as navigation, recreation, hydropower generation, irrigation, and other takings.

Baseflow response contributes to surface flow and indicates the state of the groundwater supply. After a rainfall or snowmelt, there may be an immediate surface runoff response in streamflow, followed sometimes after a delay, by a baseflow response from groundwater. In many cases,

baseflow is relied upon to provide the needs of the ecosystem and to maintain the surface water quality at an acceptable level. Baseflow response will indicate if there is enough water to meet basic needs. If baseflow is insufficient, water management authorities will have to manage the structures to provide water for surface water takings.

In the spring, a surplus of supply means surface flows will be much higher than at other times of the year. It is necessary to take this into account when determining streamflow indicators. As a result, thresholds were selected to reflect seasonal variability. It is also necessary to recognize that wide, flat streams and headwater streams (streams at the top of the watershed) are more sensitive to low flows. Representative streamgauge stations need to be selected to take account of varying stream channel conditions.

Streamflow Indicator

Water level gauges that relate water level to water flow (streamflow) provide data used for surface flow, or streamflow, indicators. An indication of streamflow approaching the minimum needed to maintain the ecosystem is the statistical flow value, 7Q20. (The minimum 7-day, 1-in-20-year flow that is calculated for individual gauges.)

The historical average monthly flow, for each month for each station is available from the Environment Canada streamflow historical archive HYDAT. For each station, the lowest average summer month flow will be the lowest average monthly flow for July, August or September. Comparing the value of the current flow with the historic low value will determine when the streamflow is approaching the 7Q20. All flow indicators will be expressed as a per cent of the lowest average summer month flow. On the 14th of each month, when a Level I or greater condition has been attained, there will also be a calculation of the flow for the first half of the month that will be compared to the lowest average flow.

Spring Indicator

For the analysis at the provincial level, the criteria will be the same for all streamflow gauges. In April, May, and June flows are expected to be higher, therefore, the indicator flows will be expected to be higher. This will be factored into the streamflow thresholds. While a low flow in the springtime may not indicate existing water supply problems, it indicates potential problems in the summer.

Local Streamflow Indicator

Streams in the headwaters or those having high width-to-depth ratio are expected to be more sensitive to low flows. An indication of streamflow approaching the minimum needed to maintain the ecosystem in these streams is the statistical flow value, 7Q2. (The minimum 7-day 1-in-2-year flow, which is also calculated for individual gauges.). At the local level, where this detail is known, the indicator flows can be higher than for the main channel streams or streams that are narrow and deep. The local WRT can factor this into the streamflow thresholds.

Precipitation Thresholds

Level I Condition

A watershed enters Level I when its 3-month or 18-month precipitation drops below 80% of the average 3-month or 18-month precipitation for those months.

Level II Condition

The threshold for Level II condition is 60% of the 1-month, 3-month or 18-month average precipitation. A watershed enters Level II when its 1-month, 3-month or 18-month total precipitation drops below 60% of the average 1-month, 3-month or 18-month precipitation for those months and it is already in a Level I condition.

The weekly update to the monthly per cent of average (calculated on the 7th, 14th, and 21st) indicates improving or degrading conditions but is not used to determine a Level II condition. This measurement is only taken during an existing Level I or Level II condition.

OR

The threshold for Level II condition may also be more 2 or more consecutive readings of less than 7.6mm precipitation (no rain). A watershed enters Level II when there is an existing Level I condition and, in high-demand areas, a reading of cumulative precipitation less than 7.6mm and, in moderate-demand areas, 2 or 3 readings in succession when the cumulative precipitation is less than 7.6mm. At the local level, when precipitation is monitored daily, a watershed enters Level II if it has 7 to 14 days of less than 7.6mm in a sensitive area and, in a less sensitive area, 14 to 21 days of less than 7.6 mm.

The watershed reenters Level I when both indicators have risen above the Level II thresholds.

Level III Condition

The threshold for the Level III condition is 40% of the 1-month, 3-month or 18-month average precipitation. A watershed enters Level III when the 1-month, 3-month or 18 month total precipitation drops below 40% of the average 1-month, 3-month or 18-month precipitation for those months and there is an existing Level II condition.

The weekly update to the monthly per cent of average (calculated on the 7th, 14th, and 21st) indicates improving or degrading conditions but is not used to determine a Level III condition. This measurement is only taken during an existing Level I or Level II condition.

The watershed reenters Level II when both indicators have risen above the Level III thresholds.

Streamflow Thresholds

Level 1 Condition

A watershed enters Level I when its 1-month flow drops below 100% of the lowest average summer month flow in the spring or if the flow drops below 70% of the lowest average summer month flow during other times.

Level II Condition

A watershed enters Level II when its 1-month flow drops below 70% of the lowest average summer month flow in the spring or if the flow drops below 50% of the lowest average summer month flow during other times.

Level III Condition

A watershed enters Level III when its 1-month flow drops below 50% of the lowest average summer month flow in the spring or if the flow drops below 30% of the lowest average summer month flow during other times.

For Level II and Level III conditions, streamgauges known to represent more sensitive streams (streams in headwaters or wide and shallow streams) may have the comparison levels raised by 10%. For example, more sensitive streams may enter a Level II in the spring when the flow drops below 80% instead of 70% of the lowest average summer month flow. The WRT should address this level of detail at the local level. A watershed can only enter a Level II from an existing confirmed Level I condition and a watershed can only enter a Level III from an existing confirmed Level II condition.

Groundwater Baseflow Protection

Baseflow indicators have not to date been identified. In the future, baseflow will be measured and comparisons made with observed conditions. At present, it is believed that a Level I threshold would occur when baseflow approaches demands minimum for natural function. Level II and Level III thresholds would be set a number of days ahead of the dates the thresholds are reached to deal with wells that cause induced recharge. There is a need to identify wells that significantly influence baseflow.

Groundwater Aquifer levels

Aquifer level indicators have not to date been identified. Well log data can be used to estimate representative groundwater elevations. A network for measuring the water table is currently being developed. Threshold water table levels will be subsequently developed and matched against demand. Water table levels near demand level would generate a Level I condition. Exceeding the demand level would generate a Level II condition. A Level III condition would occur when water levels drop below the level needed for high-priority demand. Critical water table heights for baseflow protection need to be determined.

Monitoring and Reporting

Data Acquisition

- precipitation and streamflow data is obtained through the MNR Water Resources Information System (WRIS) computer located in Toronto and maintained through the MNR Sault Ste.
 Marie office
- climate data is obtained from Environment Canada through satellite connection and decoded by WRIS. This data is obtained through a cost sharing agreement between Environment Canada and MNR (including the conservation authorities) and MOE
- streamflow data and precipitation data located at streamflow sites is collected by telephone modem and decoded by WRIS
- historic streamflow and climate records are used to determine monthly average historical values for each station

Addressing Gaps

- MNR will continue to work with partners to improve the monitoring network to cover a greater geographic area and to measure conditions for a greater variety of areas that are sensitive to drought (i.e. sensitive soils, differing stream types, high demand areas)
- Groundwater indicators will be developed and applied to the Provincial Groundwater Monitoring Network data that MOE will provide to MNR Peterborough. This information will be included in the analysis and conditions reports.
- MNR will continue to investigate the application of snowpack and snowmelt information to improve on the inadequacies of snowfall information.
- we need a means of determining how much water is available for melting from the snowpack and whether it is replenishing the supply or evaporating
- SSM/I data from satellite imagery will be used to determine the snow water content of the snowpack across Ontario
- Snowpack and the depth of snow on the ground will be measured and the snow pack density determined. This data will be used to augment and interpolate between the snow survey data collected by the flood program.

Assessment Process and Communicating

- •Summary precipitation data and data from streamgauges is obtained manually from WRIS over intranet
- Additional precipitation and streamgauge information unavailable through WRIS is obtained by e-mail (e.g. from Conservation Authorities with gauges off line, from monitoring network of volunteers)
- Additional sources of precipitation and streamflow monitoring networks will be sought after
- Data collected by MNR Peterborough, in text flat files and text email messages are entered into spreadsheets and generate streamflow indicator plots
- Peterborough Geomatics Centre will continue to obtain fire weather data, run routines to incorporate data into databases containing monthly precipitation averages and the lowest average summer flows where the percent of the average is calculated and generate precipitation plots and present these to MNR Peterborough for review.
- MNR Peterborough will continue to verify data and information, determine corrected data where necessary and provide this information to Peterborough Geomatics Centre
- Peterborough Geomatics Centre will produce coutour maps using indicator thresholds as breakpoints on base mapping showing the watershed boundaries and provide these to MNR Peterborough in Adobe format for review.
- MNR Peterborough will continue to verify data and information, determine corrected data where necessary and provide this information to Peterborough Geomatics Centre to update products

Appendix 3: Project Team

Ron Running - Ministry of Natural Resources

Ian Cameron - Ministry of Natural Resources

Maxine Kingston - Ontario Ministry of Agriculture, Food & Rural Affairs

Jim Myslik - Ontario Ministry of Agriculture, Food & Rural Affairs

Jim Richardson - Ministry of the Environment

Mel Plewes - Ministry of the Environment

Ian Wilcox - Conservation Ontario

Gary Cousins - Association of Municipalities of Ontario

Support provided by: Margaret Mack, Ministry of Natural Resources

Pam Jeff, Ministry of Natural Resources

Pat Inett, Ontario Ministry of Agriculture, Food & Rural Affairs

Jim Clifford, Ministry of the Environment Jena Leavoy, Ministry of Natural Resources Rhonda Bateman, Ministry of Natural Resources Jennifer Jacobson, Ministry of Natural Resources