

Your Comments on this Catalogue

Any comments on this catalogue or its contents
may be directed to:

Sign Shop
Sign Design Section
945 McMaster Way
Kamloops B.C. V2C 6K2

This edition replaces the 2001 printing

Downloading a Copy of the Catalogue

On-Line Publication

<http://www.th.gov.bc.ca/bchighways/publications/repopubs.htm>

Here you will find the most up-to-date
version of the catalogue in PDF format.

Simply “click” the link and the PDF file
will appear on screen. To download and save,
simply “right-click” and select save target as...

Introduction

The Ministry of Transportation's Provincial Sign Shop produces all signs installed on the road system of British Columbia. Based centrally in Kamloops, our 1,600 square-metre facility is one of the most modern production centres of its kind in North America.

We fabricate custom signs for our growing client base which includes government branches such as:

- Ministry of Forests
- Ministry of Environment, Lands, and Parks
- Ministry of Small Business, Tourism and Culture
- Federal Government
- Airport Authorities
- I.C.B.C.
- B.C. Ferries
- B.C. Building Corporation

Our Sign Shop produces durable, high quality standard and custom highway signs of all shapes and sizes, specific to our client's needs. We can easily accommodate the production of large signs that are in excess of 30 square metres in surface area to small signs of less than half a square metre.

Signs are fabricated using a variety of substrates such as aluminum, extruded aluminum, plastic and medium density plywood.

When you order a sign through the Provincial Sign Shop, you will have full support from concept stages through to the final fabrication.

Questions pertaining to sign designs can be directed to our Sign Design Technologist at:

Phone: (250) 377 - 4476
Fax: (250) 377 - 4479
Email: Murray.Smith@gems6.gov.bc.ca

Refer to Chapter 10.0 for details on custom sign design.

Please feel free to call Ross McLean - the Sign Shop Manager, for informed advice on any signing issue. He may be reached during business hours at:

Phone: (250) 377 - 4478
Fax: (250) 377 - 4477
Email: Ross.McLean@gems2.gov.bc.ca

Catalogue and Ordering Information	1.0
How to use and understand this catalogue	1.1
How to order	1.2
Forms	1.3
Standard Regulatory	2.0
Standard Parking / Stopping	2.11
Standard Warning	3.0
Standard Guide	4.0
Standard School & Pedestrian	5.0
Standard Information	6.0
Standard Construction	7.0
Standard Temporary Warning	8.0
Service & Attraction Signs (Restricted to district use)	9.0
Custom Signs	10.0
Obtaining Custom Guide Signs G-001, G-003, G-005 & G-006	10.2
Other Ministries, & Organizations Concept and Sign Design.	10.4

How to use and understand this Catalogue...

This Catalogue contains all of the standard and custom signs used by the Ministry of Transportation.

Bold text represents changes from previous catalogue.

Every standard sign has a graphic depicting the sign and has a catalogue item number directly beneath it for reference purposes.

At the bottom of each page, find the corresponding catalogue reference number on the left side of the information list.

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
G-010	ROUTE MARKER - T.C.H. ('1' OR '16' Only. <i>State Number</i>)	45 x 60	W, G	ENG	AL
G-010 x	ROUTE MARKER - T.C.H. ('1' OR '16' Only. <i>State Number</i>)	60 x 75	W, G	ENG	AL
G-011	ROUTE MARKER - B.C. (<i>State Number</i>)	51 x 60	Various	ENG	AL

"State" indicates additional information required on order form.

SIGN ABBREVIATIONS

In addition to the sign numbering system, there may be an "**Abbreviation**" attached. This would indicate the following:

L	Left
R	Right
X	Indicates if the sign is available "extra large"
U	Indicates that the sign is "undersize"
T	States if a "tab" is used for additional information
DS	Double Sided
OX	Oversized - Extra Large
O/L	Overlay

DESCRIPTION (DETAILS)

The "**Description**" simply states what the sign says, where it may be used and what additional information may be required.

SIZE (cm)

The "**Size**" is always in metric units (cm) - In the case where decimals are used, inches have been converted. (Specified as length x height)

COLOUR

The "**Colour**" scheme is as follows:

B	Black	G	Green
Or	Orange	R	Red
W	White	Y	Yellow
Bl	Blue	Br	Brown

REFLECT

The "**Reflect**" column indicates the type of reflective material on the sign face.

ENG	Engineering Grade *
HI	High-Intensity *
DI	Diamond-Grade *
N/R	Non Reflective
FL	Flourescent

SUBSTRATE

The "**Substrate**" column indicates the materials the sign is fabricated with.

AL	Aluminum
EXT AL	Extruded Aluminum
MD PLY	Medium-Density Plywood
CORR	Corrugated Plastic

* Or equivalent, by Traffic Engineering Approval

This page was revised Jan / 2001

How To Order

When Can I expect Delivery

- 2 Weeks Standard Signs, (Non-Site Specific)
- 4 Weeks Custom Signs as indicated for each sign within this catalogue.

Was my order received

After your order is received, an order confirmation will be sent to you by fax for your review. If the confirmation is in error you have **24 hours** to contact the Sign Shop at (250) 377-4474 to advise.

I Require a Custom Sign

Refer to Chapter 10.0 for custom signing and associated fabrication records

BRITISH COLUMBIA Ministry of Transportation **97 STOP SIGN ORDER**

SIGN SHOP
945 McMaster Way, Kamloops, BC V2V 6 K2
Telephone (250) 377-4474 Fax (250) 377-4479

Customer Order / P.O. Number _____
Date Ordered (yyyy/mm/dd) _____ Customer Number _____

INVOICE TO _____ SHIP TO _____

Telephone _____ Telephone _____
Fax _____ Fax _____

CATALOGUE ITEM NUMBER	QUANTITY	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
I-183O/L	1	"15,000 GVW" Blk/Eng Wht 60 cm X 50cm		
R-007X	1	REPLACEMENT		
G-005	1	21-1-231MVA		
I-183	1	11,000 GVW		

Subtotal _____
G.S.T. _____
P.S.T. _____
Freight _____
TOTAL _____

Ship Via _____
Charge To _____
Approved By _____

I require an overlay

- Catalogue Item number (specify Overlay "O/L")
- Quantity
- Details required: Size & Reflect to match parent sign

Description

Description (Details) State additional Information if applicable i.e.

- MVA (Motor Vehicle Accident) Excludes S&A
- REPLACEMENT (For Previously Approved)
- Custom sign record **NUMBER** (Attach Records)
- **DETAILS** required to fabricate applicable signs

Standard or custom Sign Order

- Catalogue Item number
- Quantity for the specified item number

Order Form H-0309 (97/05) on following page

Regulatory **2.0**

REGULATORY SIGNS



R-001



R-001 T3



R-001 T4



R-002



R-003



R-004



R-005



R-006



R-007



R-008R



R-008L



R-011




R-012



R-012 T



R-013



R-014 L



R-014 R




R-008TR



R-008TL



R-009



R-010

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
R-001	STOP SIGN	60 x 60	R, W	HI	AL
R-001 X	STOP SIGN	75 x 75	R, W	HI	AL
R-001 T3	3 WAY	40 x 20	B, W	HI	AL
R-001 T4	4 WAY	40 x 20	B, W	HI	AL
R-002	YIELD	75 x 75 x 75	R, W	HI	AL
R-003	Urban Areas (For Posted Speeds of 20, 30, 40, 50, & 60 km/hr)	60 x 75	B, W	ENG	AL
R-003 X	Conventional Highways, Expressways (For Posted Speeds of 70, 80, 90, & 100 km/hr)	75 x 90	B, W	ENG	AL
R-003 XX	Freeways or High Speed Multilane Facilities (For Speeds of 110 km/hr or Greater)	90 x 120	B, W	ENG	AL
R-004	Urban Areas (For Posted Speeds of 20, 30, 40, 50, & 60 km/hr)	60 x 75	B, W	ENG	AL
R-004 X	Conventional Highways, Expressways (For Posted Speeds of 70, 80, 90, & 100 km/hr)	75 x 90	B, W	ENG	AL
R-004 XX	Freeways or High Speed Multilane Facilities (For Speeds of 110 km/hr or Greater)	90 x 120	B, W	ENG	AL
R-005	MAXIMUM 0 ENDS (State speed limit)	60 x 75	B, W	ENG	AL
R-006	MAXIMUM 50 UNLESS OTHERWISE POSTED	60 x 75	B, W	ENG	AL
R-007	SLOWER TRAFFIC KEEP RIGHT	60 x 75	B, W	ENG	AL
R-008L or R	ONE WAY	90 x 30	B, W	HI	AL
R-008TL or TR	ONE WAY (TEXT)	90 x 30	B, W	HI	AL
R-009	DO NOT ENTER (See also R-139)	60 x 60	B, R, W	HI	AL
R-010	TWO WAY TRAFFIC	60 x 75	B, W	ENG	AL
R-011	NO THRU ROAD	45 x 60	B, W	ENG	AL
R-012	ROAD CLOSED	60 x 45	B, W	ENG	AL
R-012 T	LOCAL TRAFFIC ONLY - TAB	60 x 30	B, W	ENG	AL
R-013	VEHICLES INCAPABLE OF 60 km/h PEDS. BIKES etc.	60 x 75	B, W	ENG	AL
R-014 L	KEEP LEFT	60 x 75	B, W	ENG	AL
R-014 R	KEEP RIGHT	60 x 75	B, W	ENG	AL


REGULATORY SIGNS



R-015 L




R-015 R



R-015 T



R-016 L



R-016 R



R-017



R-018



R-019




R-022



R-023



R-024



R-024 SP



R-024 T1



R-024 T2

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
R-015 L	NO LEFT TURN	60 x 60	B, R, W	ENG	AL
R-015 LX	NO LEFT TURN	75 x 75	B, R, W	ENG	AL
R-015 R	NO RIGHT TURN	60 x 60	B, R, W	ENG	AL
R-015 RX	NO RIGHT TURN	75 x 75	B, R, W	ENG	AL
R-015 T	TIME RESTRICTION TAB (<i>State message</i>)	60 x 30	B, W	ENG	AL
R-016 L	TURN LEFT	60 x 60	B, G, W	ENG	AL
R-016 R	TURN RIGHT	60 x 60	B, G, W	ENG	AL
R-017	NO TURNS	60 x 60	B, G, W	ENG	AL
R-018	TURN	60 x 60	B, G, W	ENG	AL
R-019	NO U TURN	60 x 60	B, G, W	ENG	AL
R-022	NO PASSING	60 x 60	B, R, W	ENG	AL
R-023	PASSING PERMITTED	60 x 60	B, G, W	ENG	AL
R-024	BRIDGE LOAD LIMIT __,000 kg G.V.W.	60 x 75	B, W	ENG	AL
R-024 SP	BRIDGE LOAD LIMIT __,000 kg G.V.W. - (<i>State kgs</i>) SINGLE AXLE __,000 kg, TANDEM AXLE __,000 kg, TRIDEM AXLE __,000 kg (<i>State kgs</i>)	90 x 90	B, W	ENG	AL
R-024 T1	TRUCKS MAXIMUM SPEED __0 km/h - TAB (<i>State speed limit</i>)	60 x 45	B, W	ENG	AL
R-024 T2	__km AHEAD - TAB	60 x 30	B, W	ENG	AL

REGULATORY SIGNS




R-025 L




R-025 R



R-026



R-027



R-029

100%

R-029 O/L



R-030



R-042




R-042 T



R-043



R-044



R-045

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
R-025 L	STOP LINE - LEFT	45 x 60	B, W	ENG	AL
R-025 R	STOP LINE - RIGHT	45 x 60	B, W	ENG	AL
R-026	VEHICLES WITH FLANGES OR LUGS MUST PROTECT BRIDGE	45 x 60	B, W	ENG	AL
R-027	ONE BUS OR TRUCK ONLY ON BRIDGE	45 x 60	B, W	ENG	AL
R-029	LOAD LIMIT MAXIMUM 70% OF LEGAL AXLE WEIGHTS	60 x 75	B, W	ENG	AL
R-029 O/L	_% OVERLAY FOR R-029 (State percent)	47 x 15	B, W	ENG	AL
R-030	LOAD LIMIT (__,000 kg G.V.W.)	60 x 75	B, W	ENG	AL
R-042	\$2000.00 MAXIMUM PENALTY FOR LITTERING	60 x 60	B, W	ENG	AL
R-042 T	OR DUMPING WASTE OR SEWAGE	60 x 30	B, W	ENG	AL
R-043	DO NOT DUMP REFUSE	45 x 60	B, W	ENG	AL
R-044	KEEP OFF MEDIAN	60 x 75	B, W	ENG	AL
R-045	TRUCKS OVER 5500kg LICENCED G.V.W. CHECK BRAKES EXIT _m (State distance)	122.0 x 91.5	B, W	ENG	MD PLY or EXT AL
R-045 X	TRUCKS OVER 5500kg LICENCED G.V.W. CHECK BRAKES EXIT _m (State distance)	244.0 x 213.5	B, W	ENG	MD PLY or EXT AL
R-045 XX	TRUCKS OVER 5500kg LICENCED G.V.W. CHECK BRAKES EXIT _m (State distance)	366.0 x 305.0	B, W	ENG	MD PLY or EXT AL

REGULATORY SIGNS

Extruded Aluminum Version



R-046




R-047




R-050



R-052




Hinged Down



Hinged Up

MD Plywood Version



Hinged Down



Hinged Up

R-053



R-053 O/L



R-055



R-056



R-057



R-058



R-059



R-060

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
R-046	TRUCKS STOP HERE CHECK BRAKES STEEP HILL AHEAD	90 x 120	B, R, W	ENG	AL
R-047	CARRY CHAINS BEYOND THIS POINT	122.0 x 61.0	B, W	ENG	MD PLY
R-050	CHAINS MANDATORY ON ALL TIRES OF DRIVE AXLE BEYOND THIS POINT	122.0 x 81.0	B, W	ENG	MD PLY
R-052	CHAINS MAY BE REMOVED	122.0 x 61.0	B, W	ENG	MD PLY
R-053 PLY	VEHICLE COMBINATIONS WITH 4 +AXLES... (HINGED PANEL) PLY WILL BE CUT	244.0 x 122.0	B, W	ENG	MD PLY
R-053 EXT	VEHICLE COMBINATIONS WITH 4 +AXLES... (HINGED PANEL)	244.0 x 122.0	B, W	ENG	EXT AL
R-053 O/L	4, 5, 6 OVERLAYS FOR R-053	25 x 20	B, W	ENG	AL
yR-055	YIELD CENTRE LANE TO OPPOSING TRAFFIC	90 x 120	B, W	ENG	AL
R-056	YIELD TO ONCOMING TRAFFIC	90 x 120	B, R, W	HI	AL
R-056 U	YIELD TO ONCOMING TRAFFIC - RESTRICTED	45 x 60	B, R, W	HI	AL
R-057	USE HEAD LIGHTS THRU TUNNEL	90 x 120	B, W	ENG	AL
R-058	NO TRESPASSING	45 x 30	B, W	ENG	AL
R-059	DANGER NO TRESPASSING EXCAVATION	60 x 45	B, W	ENG	AL
R-060	NO ENTRY GRAVEL PIT (State pit name, district name and phone number)	45 x 60	B, R, W	ENG	AL

REGULATORY SIGNS




R-80



R-81




R-082 L



R-082 R



R-083 L




R-083 R



R-84



R-85 L



R-85 R




R-86 L



R-86 R



R-87 L



R-87 R



R-88



R-89




R-90

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
R-080	THIS LANE LEFT OR RIGHT (OVERHEAD)	75 x 75	B, W	ENG	AL
R-081	THIS LANE THRU (OVERHEAD)	75 x 75	B, W	ENG	AL
R-082 L	THIS LANE LEFT (OVERHEAD)	75 x 75	B, W	ENG	AL
R-082 R	THIS LANE RIGHT (OVERHEAD)	75 x 75	B, W	ENG	AL
R-083 L	THIS LANE THRU OR LEFT (OVERHEAD)	75 x 75	B, W	ENG	AL
R-083 R	THIS LANE THRU OR RIGHT (OVERHEAD)	75 x 75	B, W	ENG	AL
R-084	THIS LANE LEFT, THRU OR RIGHT (OVERHEAD)	75 x 75	B, W	ENG	AL
R-085 L	TWO LANES LEFT (SIDE-MOUNT)	60 x 60	B, W	ENG	AL
R-085 R	TWO LANES RIGHT (SIDE-MOUNT)	60 x 60	B, W	ENG	AL
R-086 L	LEFT LANE LEFT, RIGHT LANE THRU (SIDE-MOUNT)	60 x 60	B, W	ENG	AL
R-086 R	LEFT LANE THRU, RIGHT LANE RIGHT (SIDE-MOUNT)	60 x 60	B, W	ENG	AL
R-087 L	LEFT LANE LEFT, RIGHT LANE LEFT OR THRU (SIDE-MOUNT)	60 x 60	B, W	ENG	AL
R-087 R	LEFT LANE THRU OR RIGHT, RIGHT LANE RIGHT (SIDE-MOUNT)	60 x 60	B, W	ENG	AL
R-88	TWO WAY LEFT TURN LANE BEGINS (OVERHEAD)	60 x 75	B, W	ENG	AL
R-88 X	TWO WAY LEFT TURN LANE BEGINS (OVERHEAD)	90 x 120	B, W	ENG	AL
R-89	TWO WAY LEFT TURN LANE ENDS (OVERHEAD)	60 x 75	B, W	ENG	AL
R-89 X	TWO WAY LEFT TURN LANE ENDS (OVERHEAD)	90 x 120	B, W	ENG	AL
R-90	TWO WAY LEFT TURN LANE (OVERHEAD)	75 x 75	B, W	ENG	AL
R-90 X	TWO WAY LEFT TURN LANE (OVERHEAD)	90 x 90	B, W	ENG	AL


REGULATORY SIGNS



R-100



R-101



R-102



R-103



R-104

INCLUDING BUSES NOT LICENCED IN B.C.

R-104 B

EMPTY CHIP TRUCKS EXEMPT

R-104 C

EMPTY FARM TRUCKS EXEMPT

R-104 F

EMPTY LOG TRUCKS EXEMPT


R-104 L

RECREATIONAL VEHICLES EXEMPT


R-104 R

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
R-100	AIRCRAFT PATROLLED	75 x 60	B, W	ENG	AL
R-101	END OF PUBLIC ROAD	60 x 75	B, W	ENG	AL
R-102	END OF MAINTAINED PUBLIC ROAD	60 x 75	B, W	ENG	AL
R-103	EXCEPT BUSES	60 x 30	B, W	ENG	AL
R-104	VEHICLES OVER 5500kg L.G.V.W. REPORT TO SCALES <i>(Fold-up sign only on request.)</i>	244.0 x 122.0	B, W	ENG	MD PLY or EXT AL
R-104 B	INCLUDING BUSES NOT LICENCED IN B.C.	244.0 x 30.5	B, W	ENG	MD PLY or EXT AL
R-104 C	EMPTY CHIP TRUCKS EXEMPT	244.0 x 30.5	B, W	ENG	MD PLY or EXT AL
R-104 F	EMPTY FARM TRUCKS EXEMPT	244.0 x 30.5	B, W	ENG	MD PLY or EXT AL
R-104 L	EMPTY LOG TRUCKS EXEMPT	244.0 x 30.5	B, W	ENG	MD PLY or EXT AL
R-104 R	RECREATIONAL VEHICLES EXEMPT	244.0 x 30.5	B, W	ENG	MD PLY or EXT AL
R-104 X	VEHICLES OVER 5500kg L.G.V.W. REPORT TO SCALES	305.0 x 152.5	B, W	ENG	EXT AL
R-104 BX	INCLUDING BUSES NOT LICENCED IN B.C.	305.0 x 30.5	B, W	ENG	EXT AL
R-104 CX	EMPTY CHIP TRUCKS EXEMPT	305.0 x 30.5	B, W	ENG	EXT AL
R-104 FX	EMPTY FARM TRUCKS EXEMPT	305.0 x 30.5	B, W	ENG	EXT AL
R-104 LX	EMPTY LOG TRUCKS EXEMPT	305.0 x 30.5	B, W	ENG	EXT AL
R-104 RX	RECREATIONAL VEHICLES EXEMPT	305.0 x 30.5	B, W	ENG	EXT AL

REGULATORY SIGNS



R-106



R-107



R-109 L



R-109 R



R-109 T



R-110



R-112



R-117 L



R-117 R



R-120



R-121



R-130



R-136



R-139



R-140



R-152




R-153



R-155

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
R-106	DO NOT BLOCK INTERSECTION	60 x 75	B, W	ENG	AL
R-107	DO NOT BLOCK ACCESS	60 x 75	B, W	ENG	AL
R-109 L	LEFT TURN SIGNAL	45 x 60	B, W	ENG	AL
R-109 R	RIGHT TURN SIGNAL	45 x 60	B, W	ENG	AL
R-109 T	DELAYED TAB	45 x 20	B, W	ENG	AL
R-110	LEFT TURN YIELD ON SOLID GREEN	60 x 75	B, W	ENG	AL
R-112	NO HITCH HIKING PICKUP IS ILLEGAL	90 x 120	B, W	ENG	AL
R-117 L	NO LEFT TURN ON RED	45 x 90	B, R, W	ENG	AL
R-117 R	NO RIGHT TURN ON RED	45 x 90	B, R, W	ENG	AL
R-120	NO TRUCKS	60 x 60	B, R, W	ENG	AL
R-121	TRUCK ROUTE	60 x 60	B, G, W	ENG	AL
R-130	STOP BEFORE DRIVING ONTO SCALE	60 x 60	B, W	ENG	AL
R-136	WAIT HERE FOR FERRY	60 x 30	B, W	ENG	AL
R-139	WRONG WAY	60 x 45	W, R	ENG	AL
R-140	YIELD TO ONCOMING TRAFFIC	45 x 30	B, W	ENG	AL
R-152	NO BICYCLES	60 x 60	B, R, W	ENG	AL
R-153	CYCLISTS STOP AND DISMOUNT	60 x 30	B, W	ENG	AL
R-155	CYCLISTS USE SIDEWALK - YIELD RIGHT OF WAY TO PEDESTRIANS	45 x 60	B, W	ENG	AL

REGULATORY SIGNS



SPECIFY THIRD PERSON IN H.O.V. IF REQUIRED

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
R-200	BUS LANE	90.00 x 90.00	B, W	ENG or HI	AL
R-200 X	BUS LANE	122.0 x 122.0	B, W	ENG or HI	MD PLY or EXT AL
R-201 D	BUS LANE - DOWN ARROW	91.50 x 122.0	B, W	ENG or HI	MD PLY or EXT AL
R-201 DX	BUS LANE - DOWN ARROW	122.0 x 183.0	B, W	ENG or HI	MD PLY or EXT AL
R-201 L	BUS LANE - DOWN ANGLED LEFT ARROW	91.50 x 122.0	B, W	ENG or HI	MD PLY or EXT AL
R-201 LX	BUS LANE - DOWN ANGLED LEFT ARROW	122.0 x 183.0	B, W	ENG or HI	MD PLY or EXT AL
R-201 R	BUS LANE - DOWN ANGLED RIGHT ARROW	91.50 x 122.0	B, W	ENG or HI	MD PLY or EXT AL
R-201 RX	BUS LANE - DOWN ANGLED RIGHT ARROW	122.0 x 183.0	B, W	ENG or HI	MD PLY or EXT AL
R-205	BUS LANE - TIME/DAYS (<i>State time & days</i>)	91.50 x 122.0	B, W	ENG or HI	MD PLY or EXT AL
R-206 D	BUS LANE - TIME/DAYS - DOWNARROW (<i>State time & days</i>)	91.50 x 183.0	B, W	ENG or HI	MD PLY or EXT AL
R-206 L	BUS LANE - TIME/DAYS - DOWN ANGLED LEFT ARROW (<i>State time & days</i>)	91.50 x 152.5	B, W	ENG or HI	MD PLY or EXT AL
R-206 R	BUS LANE - TIME/DAYS - DOWN ANGLED RIGHT ARROW (<i>State time & days</i>)	91.50 x 152.5	B, W	ENG or HI	MD PLY or EXT AL
R-207	BUS LANE - TIME/DAYS - HORIZONTAL (<i>State time & days</i>)	244.0 x 91.5	B, W	ENG or HI	MD PLY or EXT AL
R-207 X	BUS LANE - TIME/DAYS - HORIZONTAL (<i>State time & days</i>)	305.0 x 122.0	B, W	ENG or HI	MD PLY or EXT AL
R-208	BUS LANE - TIME/DAYS - DOWN ARROW - HORIZONTAL (<i>State time & days</i>)	244.0 x 122.0	B, W	ENG or HI	MD PLY or EXT AL
R-208 X	BUS LANE - TIME/DAYS - DOWNARROW - HORIZONTAL (<i>State time & days</i>)	305.0 x 152.5	B, W	ENG or HI	MD PLY or EXT AL
R-210	H.O.V. LANE	91.50 x 91.5	B, W	ENG or HI	MD PLY or EXT AL
R-210 X	H.O.V. LANE	122.0 x 122.0	B, W	ENG or HI	MD PLY or EXT AL
R-211 D	H.O.V. LANE - DOWNARROW	91.50 x 122.0	B, W	ENG or HI	MD PLY or EXT AL
R-211 DX	H.O.V. LANE - DOWNARROW	122.0 x 183.0	B, W	ENG or HI	MD PLY or EXT AL
R-211 L	H.O.V. LANE - DOWNANGLED LEFT ARROW	91.50 x 122.0	B, W	ENG or HI	MD PLY or EXT AL
R-211 LX	H.O.V. LANE - DOWNANGLED LEFT ARROW	122.0 x 183.0	B, W	ENG or HI	MD PLY or EXT AL
R-211 R	H.O.V. LANE - DOWN ANGLED RIGHT ARROW	91.50 x 122.0	B, W	ENG or HI	MD PLY or EXT AL
R-211 RX	H.O.V. LANE - DOWNANGLED RIGHT ARROW	122.0 x 183.0	B, W	ENG or HI	MD PLY or EXT AL

REGULATORY SIGNS



R-215



R-216 D




R-216 L



R-216 R



R-217



R-218

SPECIFY THIRD PERSON IN H.O.V. IF REQUIRED



R-220



R-221



R-222



R-223



R-224



R-225



R-226

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
R-215	H.O.V. LANE - TIME/DAYS (<i>State time & days</i>)	91.5 x 122.0	B, W	ENG or HI	MD PLY or EXT AL
R-216 D	H.O.V. LANE - TIME/DAYS - DOWN ARROW (<i>State time & days</i>)	91.5 x 152.5	B, W	ENG or HI	MD PLY or EXT AL
R-216 L	H.O.V. LANE - TIME/DAYS - DOWN ANGLED LEFT ARROW (<i>State time & days</i>)	91.5 x 152.5	B, W	ENG or HI	MD PLY or EXT AL
R-216 R	H.O.V. LANE - TIME/DAYS - DOWN ANGLED RIGHT ARROW (<i>State time & days</i>)	91.5 x 152.5	B, W	ENG or HI	MD PLY or EXT AL
R-217	H.O.V. LANE - TIME/DAYS - HORIZONTAL (<i>State time & days</i>)	244.0 x 91.5	B, W	ENG or HI	MD PLY or EXT AL
R-217 X	H.O.V. LANE - TIME/DAYS - HORIZONTAL (<i>State time & days</i>)	305.0 x 122.0	B, W	ENG or HI	MD PLY or EXT AL
R-218	H.O.V. LANE - TIME/DAYS - DOWN ARROW - HORIZONTAL (<i>State time & days</i>)	244.0 x 122.0	B, W	ENG or HI	MD PLY or EXT AL
R-218 X	H.O.V. LANE - TIME/DAYS - DOWN ARROW - HORIZONTAL (<i>State time & days</i>)	305.0 x 152.5	B, W	ENG or HI	MD PLY or EXT AL
R-220	AHEAD TAB FOR H.O.V. & BUS LANES	91.5 x 30.5	B, W	ENG or HI	MD PLY or EXT AL
R-220 X	AHEAD TAB FOR H.O.V. & BUS LANES	122.0 x 61.0	B, W	ENG or HI	MD PLY or EXT AL
R-221	BEGINS TAB FOR H.O.V. & BUS LANES	91.5 x 30.5	B, W	ENG or HI	MD PLY or EXT AL
R-221 X	BEGINS TAB FOR H.O.V. & BUS LANES	122.0 x 61.0	B, W	ENG or HI	MD PLY or EXT AL
R-222	ENDS TAB FOR H.O.V. & BUS LANES	91.5 x 30.5	B, W	ENG or HI	MD PLY or EXT AL
R-222 X	ENDS TAB FOR H.O.V. & BUS LANES	122.0 x 61.0	B, W	ENG or HI	MD PLY or EXT AL
R-223	LEFT LANE TAB FOR H.O.V. & BUS LANES	91.5 x 30.5	B, W	ENG or HI	MD PLY or EXT AL
R-223 X	LEFT LANE TAB FOR H.O.V. & BUS LANES	122.0 x 61.0	B, W	ENG or HI	MD PLY or EXT AL
R-224	RIGHT LANE TAB FOR H.O.V. & BUS LANES	91.5 x 30.5	B, W	ENG or HI	MD PLY or EXT AL
R-224 X	RIGHT LANE TAB FOR H.O.V. & BUS LANES	122.0 x 61.0	B, W	ENG or HI	MD PLY or EXT AL
R-225	BUS LANE TAB FOR BUS LANES	91.5 x 30.5	B, W	ENG or HI	MD PLY or EXT AL
R-226	BUS & H.O.V. LANE TAB FOR H.O.V. & BUS LANES	91.5 x 30.5	B, W	ENG or HI	MD PLY or EXT AL
R-226 X	BUS & H.O.V. LANE TAB FOR H.O.V. & BUS LANES	122.0 x 61.0	B, W	ENG or HI	MD PLY or EXT AL

REGULATORY SIGNS



R-230



R-231



R-232



R-233



R-234



R-235




R-236




R-237



R-238



R-239



R-240




R-241

SPECIFY THIRD PERSON IN H.O.V. IF REQUIRED

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
R-230	AHEAD TAB FOR H.O.V. & BUS LANES - HORIZONTAL	244.0 x 61.0	B, W	ENG	MD PLY or EXT AL
R-231	BEGINS TAB FOR H.O.V. & BUS LANES - HORIZONTAL	244.0 x 61.0	B, W	ENG	MD PLY or EXT AL
R-231 X	BEGINS TAB FOR H.O.V. & BUS LANES - HORIZONTAL	305.0 x 61.0	B, W	ENG	MD PLY or EXT AL
R-232	ENDS TAB FOR H.O.V. & BUS LANES - HORIZONTAL	244.0 x 61.0	B, W	ENG	MD PLY or EXT AL
R-232 X	ENDS TAB FOR H.O.V. & BUS LANES - HORIZONTAL	305.0 x 61.0	B, W	ENG	MD PLY or EXT AL
R-233	LEFT LANE TAB FOR H.O.V. & BUS LANES - HORIZONTAL	244.0 x 61.0	B, W	ENG	MD PLY or EXT AL
R-233 X	LEFT LANE TAB FOR H.O.V. & BUS LANES - HORIZONTAL	305.0 x 61.0	B, W	ENG	MD PLY or EXT AL
R-234	RIGHT LANE TAB FOR H.O.V. & BUS LANES - HORIZONTAL	244.0 x 61.0	B, W	ENG	MD PLY or EXT AL
R-234 X	RIGHT LANE TAB FOR H.O.V. & BUS LANES - HORIZONTAL	305.0 x 61.0	B, W	ENG	MD PLY or EXT AL
R-235	BUS LANE TAB FOR BUS LANES - HORIZONTAL	244.0 x 61.0	B, W	ENG	MD PLY or EXT AL
R-235 X	BUS LANE TAB FOR BUS LANES - HORIZONTAL	305.0 x 61.0	B, W	ENG	MD PLY or EXT AL
R-236	BUS & H.O.V. LANE TAB FOR H.O.V. & BUS LANES - HORIZONTAL	244.0 x 61.0	B, W	ENG	MD PLY or EXT AL
R-236 X	BUS & H.O.V. LANE TAB FOR H.O.V. & BUS LANES - HORIZONTAL	305.0 x 61.0	B, W	ENG	MD PLY or EXT AL
R-237	VANPOOL PERMITTED	75 x 75	B, W	ENG	AL
R-237 X	VANPOOL PERMITTED	90 x 90	B, W	ENG	AL
R-238	VANPOOL PERMITTED - TAB	90 x 45	B, W	ENG	AL
R-239	VANPOOL 4 OR MORE PERSONS PER VEHICLE	90 x 120	B, W	ENG	AL
R-239 X	VANPOOL 4 OR MORE PERSONS PER VEHICLE	122.0 x 152.5	B, W	ENG	MD PLY or EXT AL
R-240	HOV 2 OR MORE PERSONS PER VEHICLE (Please state 2 or 3 persons if necessary)	90 x 120	B, W	ENG	AL
R-240 X	HOV 2 OR MORE PERSONS PER VEHICLE (Please state 2 or 3 persons if necessary)	122.0 x 152.5	B, W	ENG	MD PLY or EXT AL
R-241	MOTORCYCLES OK TAB	90 x 30	B, W	ENG	AL
R-241 X	MOTORCYCLES OK TAB	122.0 x 30.5	B, W	ENG	MD PLY or EXT AL

PARKING & STOPPING SIGNS



ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
P-001 D	NO PARKING - DOUBLE	30 x 30	R, B, W	ENG	AL
P-001 L	NO PARKING - LEFT	30 x 30	R, B, W	ENG	AL
P-001 R	NO PARKING - RIGHT	30 x 30	R, B, W	ENG	AL
P-002 L	NO PARKING BUS STOP - LEFT	30 x 45	R, B, W	ENG	AL
P-002 R	NO PARKING BUS STOP - RIGHT	30 x 45	R, B, W	ENG	AL
P-003 L	NO PARKING LOADING ZONE - LEFT	30 x 45	R, B, W	ENG	AL
P-003 R	NO PARKING LOADING ZONE - RIGHT	30 x 45	R, B, W	ENG	AL
P-004 L	NO PARKING HERE TO CORNER - LEFT	30 x 45	R, B, W	ENG	AL
P-004 R	NO PARKING HERE TO CORNER - RIGHT	30 x 45	R, B, W	ENG	AL
P-005 D	NO PARKING __ AM TO __ PM - DOUBLE (State times.)	30 x 45	R, B, W	ENG	AL
P-005 L	NO PARKING __ AM TO __ PM - LEFT (State times.)	30 x 45	R, B, W	ENG	AL
P-005 R	NO PARKING __ AM TO __ PM - RIGHT (State times.)	30 x 45	R, B, W	ENG	AL
P-006 D	1 HOUR PARKING __ AM __ PM - DOUBLE (State times.)	30 x 45	G, B, W	ENG	AL
P-006 L	1 HOUR PARKING __ AM __ PM - LEFT (State times.)	30 x 45	G, B, W	ENG	AL
P-006 R	1 HOUR PARKING __ AM __ PM - RIGHT (State times.)	30 x 45	G, B, W	ENG	AL
P-007 D	PARALLEL PARKING ONLY - DOUBLE	30 x 45	G, B, W	ENG	AL
P-007 L	PARALLEL PARKING ONLY - LEFT	30 x 45	G, B, W	ENG	AL
P-007 R	PARALLEL PARKING ONLY - RIGHT	30 x 45	G, B, W	ENG	AL
P-008	NO STOPPING	60 x 60	R, B, W	ENG	AL
P-008 D	NO STOPPING - DOUBLE	30 x 30	R, B, W	ENG	AL
P-008 L	NO STOPPING - LEFT	30 x 30	R, B, W	ENG	AL
P-008 R	NO STOPPING - RIGHT	30 x 30	R, B, W	ENG	AL

PARKING & STOPPING SIGNS



P-009



P-010



P-011



P-012



P-013



P-014



P-015



P-100



P-103 L



P-103 R



P-104

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
P-009	NO PARKING ON PAVEMENT	45 x 60	R, B, W	ENG	AL
P-010	EMERGENCY STOPPING ONLY	45 x 60	G, B, W	ENG	AL
P-011	NO STOPPING ON PAVEMENT	45 x 60	R, B, W	ENG	AL
P-012	NO STOPPING ON BRIDGE	45 x 60	R, B, W	ENG	AL
P-013	NO CAMPING OR OVERNIGHT PARKING	45 x 60	R, W	ENG	AL
P-014	NO STOPPING ON TRACKS	45 x 60	R, B, W	ENG	AL
P-015	PLEASE LIMIT YOUR STAY TO _ HOURS - NO FIRES OR CAMPING (<i>State Time Limit</i>)	60 x 60	R, B, W	ENG	AL
P-100	EMPLOYEE PARKING ONLY	30 x 45	G, B, W	ENG	AL
P-103 L	HANDI-CAP PARKING ONLY - LEFT	30 x 60	G, R, B, W	ENG	AL
P-103 R	HANDI-CAP PARKING ONLY - RIGHT	30 x 60	G, R, B, W	ENG	AL
P-104	NO STOPPING AVALANCHE AREA	90 x 120	R, B, W	ENG	AL

Warning
3.0

WARNING SIGNS



W-001 L



W-001 R



W-002 L



W-002 R



W-003 L



W-003 R



W-004 L




W-004 R



W-005 L



W-005 R



W-006



W-007




W-008




W-009

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
W-001 L	CURVE LEFT AHEAD	60 x 60	B, Y	ENG	AL
W-001 LX	CURVE LEFT AHEAD	90 x 90	B, Y	ENG	AL
W-001 R	CURVE RIGHT AHEAD	60 x 60	B, Y	ENG	AL
W-001 RX	CURVE RIGHT AHEAD	90 x 90	B, Y	ENG	AL
W-002 L	SHARP CURVE LEFT AHEAD	60 x 60	B, Y	ENG	AL
W-002 LX	SHARP CURVE LEFT AHEAD	90 x 90	B, Y	ENG	AL
W-002 R	SHARP CURVE RIGHT AHEAD	60 x 60	B, Y	ENG	AL
W-002 RX	SHARP CURVE RIGHT AHEAD	90 x 90	B, Y	ENG	AL
W-003 L	REVERSE CURVE LEFT AHEAD	60 x 60	B, Y	ENG	AL
W-003 R	REVERSE CURVE RIGHT AHEAD	60 x 60	B, Y	ENG	AL
W-004 L	SWITCHBACK LEFT AHEAD	60 x 60	B, Y	ENG	AL
W-004 LX	SWITCHBACK LEFT AHEAD	90 x 90	B, Y	ENG	AL
W-004 R	SWITCHBACK RIGHT AHEAD	60 x 60	B, Y	ENG	AL
W-004 RX	SWITCHBACK RIGHT AHEAD	90 x 90	B, Y	ENG	AL
W-005 L	WINDING ROAD LEFT AHEAD	60 x 60	B, Y	ENG	AL
W-005 R	WINDING ROAD RIGHT AHEAD	60 x 60	B, Y	ENG	AL
W-006	CROSSROAD AHEAD	60 x 60	B, Y	ENG	AL
W-006 X	CROSSROAD AHEAD	90 x 90	B, Y	ENG	AL
W-007	SIDE-ROAD AHEAD	60 x 60	B, Y	ENG	AL
W-007 X	SIDE-ROAD AHEAD	90 x 90	B, Y	ENG	AL
W-008	"T" INTERSECTION AHEAD	60 x 60	B, Y	ENG	AL
W-009	"Y" INTERSECTION AHEAD	60 x 60	B, Y	ENG	AL


WARNING SIGNS




W-010 A




W-010 BL




W-010 BR



W-010 CL




W-010 CR



W-010 DL



W-010 DR




W-011




W-012




W-013



W-014



W-015



W-016



W-017

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
W-010 A	RAILWAY CROSSING AHEAD	75 x 75	B, Y	ENG	AL
W-010 BL	RAILWAY CROSSING AHEAD	75 x 75	B, Y	ENG	AL
W-010 BR	RAILWAY CROSSING AHEAD	75 x 75	B, Y	ENG	AL
W-010 CL	RAILWAY CROSSING SIDE ROAD AHEAD	75 x 75	B, Y	ENG	AL
W-010 CR	RAILWAY CROSSING SIDE ROAD AHEAD	75 x 75	B, Y	ENG	AL
W-010 DL	RAILWAY CROSSING SIDE ROAD AHEAD	75 x 75	B, Y	ENG	AL
W-010 DR	RAILWAY CROSSING SIDE ROAD AHEAD	75 x 75	B, Y	ENG	AL
W-011	STOP AHEAD	75 x 75	B, R, Y	ENG	AL
W-012	SIGNAL AHEAD	75 x 75	B, R, G, Y	ENG	AL
W-013	YIELD AHEAD	75 x 75	B, W, R, Y	ENG	AL
W-014	CHECKERBOARD - PLAIN	75 x 75	B, Y	ENG	AL
W-014 X	CHECKERBOARD - PLAIN	122.0 x 122.0	B, Y	ENG	MD Ply
W-015	CHECKERBOARD - SINGLE ARROW	75 x 75	B, Y	ENG	AL
W-015 X	CHECKERBOARD - SINGLE ARROW	120 x 120	B, Y	ENG	MD PLY
W-016	CHECKERBOARD - DOUBLE ARROW	75 x 75	B, Y	ENG	AL
W-016 X	CHECKERBOARD - DOUBLE ARROW	120 x 120	B, Y	ENG	MD PLY
W-017 U	ROUND-A-BOUT	60 x 60	B, Y	ENG	AL
W-017	ROUND-A-BOUT	75 x 75	B, Y	ENG	AL
W-017 X	ROUND-A-BOUT	90 x 90	B, Y	ENG	AL

WARNING SIGNS



W-018



W-019



W-020



W-021



W-022



W-023



W-024



W-025



W-026



W-028



W-029



W-029 T



W-030



W-030 T

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
W-018	LOW CLEARANCE AHEAD (<i>State height</i>)	75 x 75	B, Y	ENG	AL
W-019	LOW CLEARANCE (<i>State height</i>)	90 x 60	B, Y	ENG	AL
W-020	TWO WAY TRAFFIC AHEAD	75 x 75	B, Y	ENG	AL
W-021	SLOW AHEAD	60 x 60	B, Y	ENG	AL
W-022	ADVISORY SPEED TAB - <u> </u> 0 km/h (<i>State speed</i>)	45 x 45	B, Y	ENG	AL
W-022 X	ADVISORY SPEED TAB - <u> </u> 0 km/h (<i>State speed</i>)	60 x 60	B, Y	ENG	AL
W-023	SUNBURST ADVISORY SPEED (<i>State speed</i>)	75 x 75	B, Y, W	ENG	AL
W-023 X	SUNBURST ADVISORY SPEED (<i>State speed</i>)	122.0 x 122.0	B, Y, W	ENG	MD PLY
W-024	ADVISORY DISTANCE TAB (<i>State distance</i>)	45 x 45	B, Y	ENG	AL
W-024 X	ADVISORY DISTANCE TAB (<i>State distance</i>)	60 x 60	B, Y	ENG	AL
W-025	ADVISORY EXIT SPEED - <u> </u> 0 km/h (<i>State speed</i>)	90 x 120	B, Y	ENG	AL
W-026	ROAD NARROWS AHEAD	75 x 75	B, Y	ENG	AL
W-026 X	ROAD NARROWS AHEAD	122.0 x 122.0	B, Y	ENG	MD PLY
W-028	SPEED LIMIT SIGN AHEAD	75 x 75	B, Y, W	ENG	AL
W-029	STEEP HILL AHEAD (<i>State percent grade</i>)	75 x 75	B, Y	ENG	AL
W-029 X	STEEP HILL AHEAD (<i>State percent grade</i>)	122.0 x 122.0	B, Y	ENG	MD PLY
W-029 T	TRUCKS GEAR DOWN TAB	60 x 30	B, Y	ENG	AL
W-029 TX	TRUCKS GEAR DOWN TAB	90 x 45	B, Y	ENG	AL
W-030	TUNNEL AHEAD	60 x 60	B, Y	ENG	AL
W-030T	REMOVE SUNGLASSES	60 x 30	B, Y	ENG	AL

WARNING SIGNS



W-032



W-033



W-035 L



W-035 R



W-037 L



W-037 R



W-038



W-041



W-041 TA



W-041 TB



W-041 TC



W-041 TD

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
W-032	SLIDE AREA AHEAD	60 x 60	B, Y	ENG	AL
W-033	END SLIDE AREA	60 x 60	B, Y	ENG	AL
W-035 L	ADDED LANE LEFT AHEAD	75 x 75	B, Y	ENG	AL
W-035 R	ADDED LANE RIGHT AHEAD	75 x 75	B, Y	ENG	AL
W-037 L	MERGING TRAFFIC LEFT AHEAD	75 x 75	B, Y	ENG	AL
W-037 R	MERGING TRAFFIC RIGHT AHEAD	75 x 75	B, Y	ENG	AL
W-038	MERGE AHEAD	75 x 75	B, Y	ENG	AL
W-041	SLIPPERY AHEAD	75 x 75	B, Y	ENG	AL
W-041 TA	BRIDGE ICES TAB	60 x 30	B, Y	ENG	AL
W-041 TB	SLIPPERY WHEN WET TAB	60 x 30	B, Y	ENG	AL
W-041 TC	ROAD ICES TAB	60 x 30	B, Y	ENG	AL
W-041 TD	SLIPPERY WHEN FROSTY TAB	60 x 30	B, Y	ENG	AL

WARNING SIGNS



W-042



W-044



W-045



W-046



W-048



W-049



W-050



W-051



W-051 T



W-052



W-054 D



W-054 L



W-054 R

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
W-042	WATCH FOR ROCK ON ROAD AHEAD	75 x 75	B, Y	ENG	AL
W-044	WATCH FOR LIVESTOCK AHEAD	60 x 60	B, Y	ENG	AL
W-045	CATTLE CROSSING AHEAD	75 x 75	B, Y	ENG	AL
W-046	CATTLEGUARD AHEAD	60 x 60	B, Y	ENG	AL
W-048	DIVIDED HIGHWAY ENDS AHEAD	75 x 75	B, Y	ENG	AL
W-049	PAVEMENT ENDS AHEAD	75 x 75	B, Y	ENG	AL
W-050	NO CENTRELINE AHEAD	75 x 75	B, Y	ENG	AL
W-051	NARROW STRUCTURE AHEAD	75 x 75	B, Y	ENG	AL
W-051 T	ONE LANE TAB	60 x 30	B, Y	ENG	AL
W-052	ROUND-A-BOUT DELINEATOR	90 x 30	B, Y	ENG	AL
W-054 D	HAZARD MARKERS DOUBLE	30 x 90	B, Y	ENG	AL
W-054 L	HAZARD MARKER LEFT	30 x 90	B, Y	ENG	AL
W-054 R	HAZARD MARKER RIGHT	30 x 90	B, Y	ENG	AL

WARNING SIGNS



W-055 W



W-055 Y



W-061 L



W-061 R



W-061 T



W-062

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
W-055 W	DELINEATOR - WHITE (<i>For wood post use</i>)	15 x 15	W	DIA	AL
W-055 Y	DELINEATOR - YELLOW (<i>For wood post use</i>)	15 x 15	Y	DIA	AL
W-061 L	LEFT LANE ENDS AHEAD	75 x 75	B, Y	ENG	AL
W-061 LX	LEFT LANE ENDS AHEAD	122.0 x 122.0	B, Y	ENG	MD PLY
W-061 R	RIGHT LANE ENDS AHEAD	75 x 75	B, Y	ENG	AL
W-061 RX	RIGHT LANE ENDS AHEAD	122.0 x 122.0	B, Y	ENG	MD PLY
W-061 T	___ M TAB (<i>State distance</i>)	60 x 30	B, Y	ENG	AL
W-061 TX	___ M TAB (<i>State distance</i>)	90 x 45	B, Y	ENG	AL
W-062	CHEVRON ALIGNMENT MARKER	60 x 75	B, Y	ENG	AL
W-062 X	CHEVRON ALIGNMENT MARKER	75 x 90	B, Y	ENG	AL

WARNING SIGNS



W-063



W-064



W-106



W-107



W-108



W-114




W-115



W-115 T



W-116



W-116 R

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
W-063	WATCH FOR MOOSE AHEAD	75 x 75	B, Y	ENG	AL
W-063 X	WATCH FOR MOOSE AHEAD	120 x 120	B, Y	ENG	MD PLY
W-064	WATCH FOR DEER AHEAD	75 x 75	B, Y	ENG	AL
W-064 X	WATCH FOR DEER AHEAD	120 x 120	B, Y	ENG	MD PLY
W-106	END AVALANCHE AREA	75 x 75	B, Y	ENG	AL
W-107	DIP AHEAD	60 x 60	B, Y	ENG	AL
W-108	BUMP/ ROUGH ROADWAY AHEAD	75 x 75	B, Y	ENG	AL
W-114	LOW FLYING AIRCRAFT AHEAD	60 x 60	B, Y	ENG	AL
W-115	METAL BRIDGE DECK AHEAD	60 x 60	B, Y	ENG	AL
W-115 T	METAL BRIDGE DECK TAB	60 x 45	B, Y	ENG	AL
W-116	PREPARE TO STOP - SIGNAL AHEAD	244.0 x 122.0	B, Y	ENG	EXT AL
W-116 R	PREPARE TO STOP - RAILROAD CROSSING AHEAD (Specify a W-010 series)	244.0 x 122.0	B, Y	ENG	EXT AL

WARNING SIGNS



W-121



W-122



W-123



W-125



W-126



W-128



W-128 T



W-129



W-130



W-130 T



W-131



W-132



W-133

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
W-121	ROAD SUBJECT TO FLOODING AHEAD	75 x 75	B, Y	ENG	AL
W-121 X	ROAD SUBJECT TO FLOODING AHEAD	122.0 x 122.0	B, Y	ENG	MD PLY
W-122	STRONG CROSS WIND AREA AHEAD	75 x 75	B, Y	ENG	AL
W-123	SWING BRIDGE AHEAD	75 x 75	B, Y	ENG	AL
W-125	VISION LIMITED AHEAD	60 x 60	B, Y	ENG	AL
W-126	HORSE AND RIDER AHEAD	60 x 60	B, Y	ENG	AL
W-128	DIVIDED HIGHWAY CROSSING AHEAD	75 x 75	B, Y	ENG	AL
W-128 T	DIVIDED HIGHWAY TAB	60 x 30	B, Y	ENG	AL
W-129	CYCLIST CROSSING AHEAD	75 x 75	B, Y	ENG	AL
W-130	CYCLISTS ON ROADWAY	75 x 75	B, Y	ENG	AL
W-130 T	SHARE THE ROAD	30 x 15	B, Y	ENG	AL
W-131	CYCLIST WARNING	45 x 45	B, Y	ENG	AL
W-132	CYCLIST WARNING TAB - SLIPPERY WHEN WET	40 x 20	B, Y	ENG	AL

WARNING SIGNS



W-134



W-135



W-136



W-140



W-140 T



W-145



W-145 a



W-314



W-316 L



W-316 R



W-317 L



W-317 R



W-318 L



W-318 R

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
W-134	CYCLIST WARNING TAB - GROOVED BRIDGE DECK	40 x 20	B, Y	ENG	AL
W-135	CYCLIST WARNING TAB - CYCLISTS USE CAUTION	40 x 20	B, Y	ENG	AL
W-136	CYCLIST WARNING TAB - UNEVEN ROAD	40 x 20	B, Y	ENG	AL
W-140	RESERVED LANE SIGN AHEAD	75 x 75	B, W, Y	ENG	AL
W-140 T	SPECIFY DAYS AND TIMES OF RESTRICTION	60 x 30	B, Y	ENG	AL
W-145	NO EXIT AHEAD	45 x 45	B, Y	ENG	AL
W-145 A	NO TURN-AROUND AHEAD	45 x 30	B, Y	ENG	AL
W-314	FARM VEHICLES MAY BE PRESENT ON ROAD AHEAD	75 x 75	B, Y	ENG	AL
W-316 L	LOGGING TRUCKS CROSSING OR ON ROADS - ENTRANCE LEFT AHEAD	75 x 75	B, Y	ENG	AL
W-316 R	LOGGING TRUCKS CROSSING OR ON ROADS - ENTRANCE RIGHT AHEAD	75 x 75	B, Y	ENG	AL
W-317 L	TRUCK CROSSING - ENTRANCE LEFT AHEAD	75 x 75	B, Y	ENG	AL
W-317 LX	TRUCK CROSSING - ENTRANCE LEFT AHEAD	122.0 x 122.0	B, Y	ENG	MD PLY
W-317 R	TRUCK CROSSING - ENTRANCE RIGHT AHEAD	75 x 75	B, Y	ENG	AL
W-317 RX	TRUCK CROSSING - ENTRANCE RIGHT AHEAD	122.0 x 122.0	B, Y	ENG	MD PLY
W-318 L	FIRE TRUCK ENTRANCE LEFT AHEAD	75 x 75	B, R, Y	ENG	AL
W-318 R	FIRE TRUCK ENTRANCE RIGHT AHEAD	75 x 75	B, R, Y	ENG	AL

WARNING SIGNS



W-318 T



W-320



W-321



W-322 L



W-322 R



W-323 R



W-323 L



W-324 R



W-324 L

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
W-318 T	FIRE TRUCK ENTRANCE TAB - WORDED	60 x 30	B, Y	ENG	AL
W-320	ROAD SUBJECT TO DENSE FOG AHEAD	75 x 75	B, Y	ENG	AL
W-320 X	ROAD SUBJECT TO DENSE FOG AHEAD	122.0 x 122.0	B, Y	ENG	MD PLY
W-321	RESERVED LANE CROSSING AHEAD- H.O.V.	75 x 75	B, Y	ENG	AL
W-322 L	RUNAWAY LANE _m - LEFT AHEAD (State distance. Also available with no distance panel)	152.5 x 122.0	B, Y	ENG	MD PLY
W-322 R	RUNAWAY LANE _m - RIGHT AHEAD (State distance. Also available with no distance panel)	152.5 x 122.0	B, Y	ENG	MD PLY
W-323 R	RUNAWAY LANE ENTRANCE - RIGHT	244.0 x 122.0	B, Y	ENG	MD PLY or EXT AL
W-323 L	RUNAWAY LANE ENTRANCE - LEFT	244.0 x 122.0	B, Y	ENG	MD PLY or EXT AL
W-324 R	TRUCK ROLLOVER WARNING (USE RIGHT FOR LEFT CURVE)STE APPROVAL REQ'D	75 x 75	B, Y	ENG	AL
W-324 L	TRUCK ROLLOVER WARNING (USE LEFT FOR RIGHT CURVE)STE APPROVAL REQ'D	75 x 75	B, Y	ENG	AL

WARNING SIGNS



W-325



W-326



W-326 T



W-327



W-327 T



W-329

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
W-325	SLOW TRUCKS USE 4 WAY FLASHERS	91.5 x 122.0	B, Y	ENG	MD PLY
W-326	TRUCK ADVISORY SPEED (<i>State speed</i>)	90 x 120	B, Y	ENG	AL
W-326 T	TRUCK ADVISORY TAB - STEEP GRADES	90 x 30	B, Y	ENG	AL
W-327	RUNAWAY TRUCK CROSSING SIGN. (<i>S.T.E. APPROVAL REQUIRED</i>)	90 x 90	B, Y	ENG	AL
W-327 T	_m TAB (<i>State Distance</i>)	60 x 30	B, Y	ENG	AL
W-329	NEW TAB	90 x 45	B, FL Y/G, W	DI / ENG	AL

Guide Signs

4.0

CUSTOM GUIDE SIGNS



G-001U-A1



G-001U-A2



G-001U-A3



G-001U-A4



G-001U-B1



G-001U-B2



G-001U-B3



G-001U-B4



G-001U-C1



G-001U-C2



G-001U-C3



G-001U-C4

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
* G-001U-A1	ONE DESTINATION	91.50 x 30.5	W, G	HI / ENG	MD PLY
* G-001U-A2		122.0 x 30.5	W, G	HI / ENG	MD PLY
* G-001U-A3		152.5 x 30.5	W, G	HI / ENG	MD PLY
* G-001U-A4		183.0 x 30.5	W, G	HI / ENG	MD PLY
* G-001U-B1	TWO DESTINATIONS	91.50 x 61.0	W, G	HI / ENG	MD PLY
* G-001U-B2		122.0 x 61.0	W, G	HI / ENG	MD PLY
* G-001U-B3		152.5 x 61.0	W, G	HI / ENG	MD PLY
* G-001U-B4		183.0 x 61.0	W, G	HI / ENG	MD PLY
* G-001U-C1	THREE DESTINATIONS	91.50 x 91.5	W, G	HI / ENG	MD PLY
* G-001U-C2		122.0 x 91.5	W, G	HI / ENG	MD PLY
* G-001U-C3		152.5 x 91.5	W, G	HI / ENG	MD PLY
* G-001U-C4		183.0 x 91.5	W, G	HI / ENG	MD PLY

G-001U's :

Max 50 km/h, but may be used on low volume rural roads where speed limit is >50km/h.

* CUSTOM SIGNS REQUIRING SIGN RECORD - SEE CHAPTER 10.0

CUSTOM GUIDE SIGNS



G-001-A1



G-001-A2



G-001-A3



G-001-A4



G-001-A5



G-001-B1



G-001-B2



G-001-B3



G-001-B4



G-001-B5



G-001-C1



G-001-C2



G-001-C3



G-001-C4



G-001-C5

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
* G-001-A1	ONE MAJOR DESTINATION OR CONTROL CITY	122.0 x 40.5	W, G	HI / ENG	MD PLY
* G-001-A2		152.5 x 40.5	W, G	HI / ENG	MD PLY
* G-001-A3		183.0 x 40.5	W, G	HI / ENG	MD PLY
* G-001-A4		213.5 x 40.5	W, G	HI / ENG	MD PLY
* G-001-A5		244.0 x 40.5	W, G	HI / ENG	MD PLY
* G-001-B1	TWO MAJOR DESTINATIONS OR CONTROL CITIES	122.0 x 81.0	W, G	HI / ENG	MD PLY
* G-001-B2		152.5 x 81.0	W, G	HI / ENG	MD PLY
* G-001-B3		183.0 x 81.0	W, G	HI / ENG	MD PLY
* G-001-B4		213.5 x 81.0	W, G	HI / ENG	MD PLY
* G-001-B5		244.0 x 81.0	W, G	HI / ENG	MD PLY
* G-001-C1	THREE MAJOR DESTINATIONS OR CONTROL CITIES	122.0 x 122.0	W, G	HI / ENG	MD PLY
* G-001-C2		152.5 x 122.0	W, G	HI / ENG	MD PLY
* G-001-C3		183.0 x 122.0	W, G	HI / ENG	MD PLY
* G-001-C4		213.5 x 122.0	W, G	HI / ENG	MD PLY
* G-001-C5		244.0 x 122.0	W, G	HI / ENG	MD PLY

G-001's :
Up to 70 km/h, but may be used on rural 2 lane hways up to 100km/h.

* CUSTOM SIGNS REQUIRING SIGN RECORD - SEE CHAPTER 10.0

CUSTOM GUIDE SIGNS



G-001X-A1



G-001X-A2



G-001X-A3



G-001X-A4



G-001X-B1



G-001X-B2



G-001X-B3



G-001X-B4



G-001X-C1



G-001X-C2



G-001X-C3



G-001X-C4

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
* G-001X-A1	ONE MAJOR DESTINATION OR CONTROL CITY	244.0 x 61.0	W, G	HI / ENG	MD PLY or EXT AL
* G-001X-A2		305.0 x 61.0	W, G	HI / ENG	MD PLY
* G-001X-A3		366.0 x 61.0	W, G	HI / ENG	MD PLY or EXT AL
* G-001X-A4		427.5 x 61.0	W, G	HI / ENG	MD PLY
* G-001X-B1	TWO MAJOR DESTINATIONS OR CONTROL CITIES	244.0 x 122.0	W, G	HI / ENG	MD PLY or EXT AL
* G-001X-B2		305.0 x 122.0	W, G	HI / ENG	MD PLY
* G-001X-B3		366.0 x 122.0	W, G	HI / ENG	MD PLY or EXT AL
* G-001X-B4		427.0 x 122.0	W, G	HI / ENG	MD PLY
* G-001X-C1	THREE MAJOR DESTINATIONS OR CONTROL CITIES	244.0 x 183.0	W, G	HI / ENG	MD PLY or EXT AL
* G-001X-C2		305.0 x 183.0	W, G	HI / ENG	MD PLY
* G-001X-C3		366.0 x 183.0	W, G	HI / ENG	MD PLY or EXT AL
* G-001X-C4		427.0 x 183.0	W, G	HI / ENG	MD PLY

G-001X's :
Usually required only on multi-lane high volume routes.

* CUSTOM SIGNS REQUIRING SIGN RECORD - SEE CHAPTER 10.0



(Example of sign in field)



G-003-A



G-003-B

G-003

Refer to Chapter 10.0 for all Custom Guide Signs requiring a sign record

G-005

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
G-002	signs are currently referred to as G-001U signs, Chapter 4.1 this catalogue				
* G-003-A	DIRECTIONAL, LOW VOLUME, MINOR INTERSECTIONS	99.06 x 15.2	W, G	ENG / ENG	MD PLY
* G-003-B	DIRECTIONAL, LOW VOLUME, MINOR INTERSECTIONS, LEFT & RIGHT	187.9 x 15.2	W, G	ENG / ENG	MD PLY
G-004	signs are currently referred to as G-001X signs, Chapter 4.1 this catalogue	244.0 x 61.0	W, G	HI / ENG	MD PLY or EXTAL
* G-005	See Above	274.5 x 61.0	W, G	HI / ENG	MD PLY

CUSTOM GUIDE SIGNS



G-006U-A1



G-006U-A2



G-006U-A3



G-006U-A4



G-006U-B1



G-006U-B2



G-006U-B3




G-006U-B4



G-006U-C1



G-006U-C2



G-006U-C3



G-006U-C4

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
* G-006U-A1	ONE DESTINATION	91.50 x 30.5	W, G	HI / ENG	MD PLY
* G-006U-A2		122.0 x 30.5	W, G	HI / ENG	MD PLY
* G-006U-A3		152.5 x 30.5	W, G	HI / ENG	MD PLY
* G-006U-A4		183.0 x 30.5	W, G	HI / ENG	MD PLY
* G-006U-B1	TWO DESTINATIONS	91.50 x 61.0	W, G	HI / ENG	MD PLY
* G-006U-B2		122.0 x 61.0	W, G	HI / ENG	MD PLY
* G-006U-B3		152.5 x 61.0	W, G	HI / ENG	MD PLY
* G-006U-B4		183.0 x 61.0	W, G	HI / ENG	MD PLY
* G-006U-C1	THREE DESTINATIONS	91.50 x 91.5	W, G	HI / ENG	MD PLY
* G-006U-C2		122.0 x 91.5	W, G	HI / ENG	MD PLY
* G-006U-C3		152.5 x 91.5	W, G	HI / ENG	MD PLY
* G-006U-C4		183.0 x 91.5	W, G	HI / ENG	MD PLY

G-006U's :

Max 50 km/h, but may be used on low volume rural roads where speed limit is >50km/h.

* CUSTOM SIGNS REQUIRING SIGN RECORD - SEE CHAPTER 10.0

CUSTOM GUIDE SIGNS



G-006-A1



G-006-A2



G-006-A3



G-006-A4



G-006-A5



G-006-B1



G-006-B2



G-006-B3



G-006-B4



G-006-B5




G-006-C1



G-006-C2



G-006-C3



G-006-C4



G-006-C5

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
* G-006-A1	ONE MAJOR DESTINATION OR CONTROL CITY	183.0 x 40.5	W, G	HI / ENG	MD PLY
* G-006-A2		213.5 x 40.5	W, G	HI / ENG	MD PLY
* G-006-A3		244.0 x 40.5	W, G	HI / ENG	MD PLY
* G-006-A4		274.5 x 40.5	W, G	HI / ENG	MD PLY
* G-006-A5		305.0 x 40.5	W, G	HI / ENG	MD PLY
* G-006-B1	TWO MAJOR DESTINATIONS OR CONTROL CITIES	183.0 x 81.0	W, G	HI / ENG	MD PLY
* G-006-B2		213.5 x 81.0	W, G	HI / ENG	MD PLY
* G-006-B3		244.0 x 81.0	W, G	HI / ENG	MD PLY
* G-006-B4		274.5 x 81.0	W, G	HI / ENG	MD PLY
* G-006-B5		305.0 x 81.0	W, G	HI / ENG	MD PLY
* G-006-C1	THREE MAJOR DESTINATIONS OR CONTROL CITIES	183.0 x 122.0	W, G	HI / ENG	MD PLY
* G-006-C2		213.5 x 122.0	W, G	HI / ENG	MD PLY
* G-006-C3		244.0 x 122.0	W, G	HI / ENG	MD PLY
* G-006-C4		274.5 x 122.0	W, G	HI / ENG	MD PLY
* G-006-C5		305.0 x 122.0	W, G	HI / ENG	MD PLY

G-006's :
Up to 70 km/h, but may be used on rural 2 lane hways up to 100km/h.

* CUSTOM SIGNS REQUIRING SIGN RECORD - SEE CHAPTER 10.0

CUSTOM GUIDE SIGNS



G-006X-A1



G-006X-A2



G-006X-A3



G-006X-A4



G-006X-B1



G-006X-B2



G-006X-B3



G-006X-B4




G-006X-C1



G-006X-C2



G-006X-C3



G-006X-C4

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
* G-006X-A1	ONE MAJOR DESTINATION OR CONTROL CITY	244.0 x 61.0	W, G	HI / ENG	MD PLY or EXT AL
* G-006X-A2		305.0 x 61.0	W, G	HI / ENG	MD PLY or EXT AL
* G-006X-A3		366.0 x 61.0	W, G	HI / ENG	MD PLY or EXT AL
* G-006X-A4		427.0 x 61.0	W, G	HI / ENG	MD PLY or EXT AL
* G-006X-B1	TWO MAJOR DESTINATIONS OR CONTROL CITIES	244.0 x 122.0	W, G	HI / ENG	MD PLY or EXT AL
* G-006X-B2		305.0 x 122.0	W, G	HI / ENG	MD PLY or EXT AL
* G-006X-B3		366.0 x 122.0	W, G	HI / ENG	MD PLY or EXT AL
* G-006X-B4		427.0 x 122.0	W, G	HI / ENG	MD PLY or EXT AL
* G-006X-C1	THREE MAJOR DESTINATIONS OR CONTROL CITIES	244.0 x 152.5	W, G	HI / ENG	MD PLY or EXT AL
* G-006X-C2		305.0 x 152.5	W, G	HI / ENG	MD PLY or EXT AL
* G-006X-C3		366.0 x 152.5	W, G	HI / ENG	MD PLY or EXT AL
* G-006X-C4		427.0 x 152.5	W, G	HI / ENG	MD PLY or EXT AL

G-006X's :
Usually required only on multi-lane high volume routes.

* CUSTOM SIGNS REQUIRING SIGN RECORD - SEE CHAPTER 10.0

CUSTOM GUIDE SIGNS

Oyama Rd

G-007-A

Chu Chua Rd

G-007-B

Summerland Rd

G-007-C

Roberts Creek Rd

G-007-D

Delta Rd

G-007X-A

Kispiox Rd

G-007X-B

Vancouver Rd

G-007X-C

Bedwell Sound Rd

G-007X-D

Bonanza Pl

G-007O-A

Coldstream Rd

G-007O-B

Miracle Beach Dr

G-007O-C

Takla River Landing St

G-007O-D

Atlin Hwy

G-007OX-A

Creston Hwy

G-007OX-B

Kimberley Hwy

G-007OX-C

Maple Ridge Hwy

G-007OX-D

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
** G-007-A	STREET NAME. HG C 75 (Specify (D/S) Double-sided available upon request.)	45.50 x 15	W, G	ENG / ENG	AL
** G-007-B	'Posted at all Junctions of Roads & Hwy's under Ministry Jurisdiction.'	61.00 x 15	W, G	ENG / ENG	AL
** G-007-C		76.00 x 15	W, G	ENG / ENG	AL
** G-007-D		91.50 x 15	W, G	ENG / ENG	AL
** G-007X-A	STREET NAME. HG C 125 (Specify (D/S) Double-sided available upon request.)	61.00 x 22.8	W, G	ENG / ENG	AL
** G-007X-B	'70 km/hr or Greater for use on arterials, Post Mount.'	76.00 x 22.8	W, G	ENG / ENG	AL
** G-007X-C		91.50 x 22.8	W, G	ENG / ENG	AL
** G-007X-D		122.0 x 22.8	W, G	ENG / ENG	AL
** G-007O-A	STREET NAME. HG C 150	90 x 30	W, G	HI / ENG	AL
** G-007O-B	'0-60 km/hr, Mounted on traffic signal arms at intersections.'	120 x 30	W, G	HI / ENG	AL
** G-007O-C		150 x 30	W, G	HI / ENG	AL
** G-007O-D		180 x 30	W, G	HI / ENG	AL
** G-007OX-A	STREET NAME. HG C 230	120 x 40	W, G	HI / ENG	AL
** G-007OX-B	'70 km/hr or Greater, Mounted on traffic signal arms at intersections.'	150 x 40	W, G	HI / ENG	AL
** G-007OX-C		180 x 40	W, G	HI / ENG	AL
** G-007OX-D		210 x 40	W, G	HI / ENG	AL

** CUSTOM SIGNS (4 WEEK DELIVERY) NO RECORDS REQUIRED

This page was revised Jan / 2001



G-008-A



G-008-B



G-008-C



G-008-D



G-008D-A



G-008D-B



G-008D-C



G-008D-D



G-008DX-A



G-008DX-B



G-008DX-C



G-008DX-D



G-008DX-E

* ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
** G-008-A	STREET NAME, Road Ahead,	61.00 x 40.5	W, G	ENG / ENG	MD PLY
** G-008-B		76.00 x 40.5	W, G	ENG / ENG	MD PLY
** G-008-C		91.50 x 40.5	W, G	ENG / ENG	MD PLY
** G-008-D		122.0 x 40.5	W, G	ENG / ENG	MD PLY
** G-008X-A	STREET NAME, Road Ahead,	91.50 x 61.0	W, G	ENG / ENG	MD PLY
** G-008X-B		122.0 x 61.0	W, G	ENG / ENG	MD PLY
** G-008X-C		152.5 x 61.0	W, G	ENG / ENG	MD PLY
** G-008X-D		183.0 x 61.0	W, G	ENG / ENG	MD PLY
** G-008D-A	STREET NAME, Use on Conventional Highways Signal Arm, HG C 110	90 x 40	W, G	HI / ENG	AL
** G-008D-B	From 50 km/h	120 x 40	W, G	HI / ENG	AL
** G-008D-C		150 x 40	W, G	HI / ENG	AL
** G-008D-D	To 70 km/hr	180 x 40	W, G	HI / ENG	AL
** G-008DX-A	STREET NAME Use on Expressway. Signal Arm, HG C 180	122.0 x 61.0	W, G	HI / ENG	MD PLY or EXT AL
** G-008DX-B	From 80 km/h	152.5 x 61.0	W, G	HI / ENG	MD PLY
** G-008DX-C		183.0 x 61.0	W, G	HI / ENG	MD PLY or EXT AL
** G-008DX-D		213.5 x 61.0	W, G	HI / ENG	MD PLY
** G-008DX-E	To 90 km/h	244.0 x 61.0	W, G	HI / ENG	MD PLY or EXT AL

** CUSTOM SIGNS (4 WEEK DELIVERY) NO RECORDS REQUIRED

This page was revised Jan / 2001



G-009-A



G-009-B



G-009-C



G-009-D



G-010



G-011



G-011 C



G-011 Y



G-012

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
** G-009-A-PLY	GEOGRAPHICAL FEATURES	91.50 x 40.5	W, G	ENG / ENG	MD PLY
** G-009-B-PLY	'For use on Freeway's and Expressways only.'	122.0 x 40.5	W, G	ENG / ENG	MD PLY
** G-009-B-EXT		122.0 x 61.0	W, G	ENG / ENG	EXT AL
** G-009-C-PLY	'For use on Freeway's and Expressways only.'	152.5 x 40.5	W, G	ENG / ENG	MD PLY
** G-009-D-PLY	'For use on Freeway's and Expressways only.'	183.0 x 40.5	W, G	ENG / ENG	MD PLY
** G-009-D-EXT		183.0 x 61.0	W, G	ENG / ENG	EXT AL
** G-010	ROUTE MARKER - T.C.H. ('1' OR '16' Only. State Number)	45 x 60	W, G	ENG	AL
G-010 X	ROUTE MARKER - T.C.H. ('1' OR '16' Only. State Number)	60 x 75	W, G	ENG	AL
G-011	ROUTE MARKER - B.C. (State Number)	51 x 60	Various	ENG	AL
G-011 X	ROUTE MARKER - B.C. (State Number)	78 x 90	Various	ENG	AL
G-011 C	ROUTE MARKER - CROWSNEST ('3' Only)	51 x 60	B, W	ENG	AL
G-011 CX	ROUTE MARKER - CROWSNEST ('3' Only)	78 x 90	B, W	ENG	AL
G-011 Y	ROUTE MARKER - YELLOWHEAD ('5', or no numeral for Hwy 16)	51 x 60	Various	ENG	AL
G-011 YX	ROUTE MARKER - YELLOWHEAD ('5', or no numeral for Hwy 16)	78 x 90	Various	ENG	AL
G-012	HOSPITAL	60 x 60	W, G	ENG	AL

** CUSTOM SIGNS (4 WEEK DELIVERY) NO RECORDS REQUIRED

This page was revised Jan / 2001

GUIDE SIGNS



G-013 L



G-013 R



G-014 L



G-014 R



G-015



G-016



G-017 L



G-017 R



G-018



G-019



G-020 E



G-020 N



G-020 S



G-020 W



G-021




G-022




G-023

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
G-013 L	DIRECTIONAL TAB - AHEAD LEFT	45 x 30	B, W	ENG	AL
G-013 R	DIRECTIONAL TAB - AHEAD RIGHT	45 x 30	B, W	ENG	AL
G-014 L	DIRECTIONAL TAB - AHEAD ANGLED LEFT	45 x 30	B, W	ENG	AL
G-014 R	DIRECTIONAL TAB - AHEAD ANGLED RIGHT	45 x 30	B, W	ENG	AL
G-015	DIRECTIONAL TAB - LEFT or RIGHT	45 x 30	B, W	ENG	AL
G-015 X	DIRECTIONAL TAB - LEFT or RIGHT	60 x 30	B, W	ENG	AL
G-016	DIRECTIONAL TAB - AHEAD	45 x 30	B, W	ENG	AL
G-016 X	DIRECTIONAL TAB - AHEAD	60 x 30	B, W	ENG	AL
G-017 L	DIRECTIONAL TAB - ANGLED LEFT	45 x 30	B, W	ENG	AL
G-017 LX	DIRECTIONAL TAB - ANGLED LEFT	60 x 30	B, W	ENG	AL
G-017 R	DIRECTIONAL TAB - ANGLED RIGHT	45 x 30	B, W	ENG	AL
G-017 RX	DIRECTIONAL TAB - ANGLED RIGHT	60 x 30	B, W	ENG	AL
G-018	JCT TAB	45 x 30	B, W	ENG	AL
G-019	JUNCTION TAB	90 x 30	B, W	ENG	AL
G-020 E	CARDINAL DIRECTION TAB - EAST	45 x 30	B, W	ENG	AL
G-020 N	CARDINAL DIRECTION TAB - NORTH	45 x 30	B, W	ENG	AL
G-020 S	CARDINAL DIRECTION TAB - SOUTH	45 x 30	B, W	ENG	AL
G-020 W	CARDINAL DIRECTION TAB - WEST	45 x 30	B, W	ENG	AL
G-021	BY-PASS TAB	45 x 30	B, W	ENG	AL
G-022	BUSINESS TAB	45 x 30	B, W	ENG	AL
G-023	ENDS TAB	45 x 30	B, W	ENG	AL

GUIDE SIGNS




G-025 G-026 Sample G-027 Sample G-028 Sample G-029 G-030 G-030X



G-040 G-100 G-100 P G-100 F G-100 H G-101 G-102 G-103 G-103 S

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
G-025	TO TAB	45 x 30	B, W	ENG	AL
G-026	ROUTE MARKER BRACKET	50 x 50	N/A	N/R	GALV
G-027	ROUTE MARKER BRACKET (For single marker with tab)	50 x 90	N/A	N/R	GALV
G-028	ROUTE MARKER BRACKET (For single marker with 2 tabs)	50 x 120	N/A	N/R	GALV
G-029	POLICE	60 x 30	W, G	ENG	AL
G-030	__ km DISTANCE TAB (State distance)	45 x 30	B, W	ENG	AL
G-030 X	(G-030x is oversized to oversized to accommodate metres only)	60 x 30	B, W	ENG	AL
G-040	JUNCTION	244.0 x 183.0	W, G	HI/ENG	MD PLY or EXT AL
G-100	JET SERVICE AIRPORT	60 x 60	W, G	ENG	AL
G-100 P	PROP. SERVICE AIRPORT	60 x 60	W, G	ENG	AL
G-100 F	FLOAT PLANE SERVICE	60 x 60	W, G	ENG	AL
G-100 H	HELICOPTER SERVICE	60 x 60	W, G	ENG	AL
G-101	FERRY SERVICE	60 x 60	W, G	ENG	AL
G-102	TRAIN SERVICE	60 x 60	W, G	ENG	AL
G-103	EXIT - 30° RIGHT ARROW	183.0 x 122.0	W, G	HI / ENG	MD PLY or EXT AL
G-103 S	EXIT _ - 45° RIGHT ARROW (STATE EXIT NUMBER)	183.0 x 122.0	W, G	HI / ENG	MD PLY or EXT AL

GUIDE SIGNS



ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
G-104 A,B,C	km REFERENCE MARKER (State distance. A-x, B-xx, C-xxx)	20 x 40,60,75	W, G	ENG	AL
G-110	ROUTE MARKER - GOLD RUSH TRAIL	75 x 75	W, BI	ENG	AL
G-111U	PARKING	45 x 45	W, G	ENG	AL
G-111	PARKING	60 x 60	W, G	ENG	AL
G-111X	PARKING	75 x 75	W, G	ENG	AL
G-112	PARKAND RIDE	60 x 90	W, G	ENG	AL
G-112 X	PARKAND RIDE	75 x 120	W, G	ENG	AL
G-113	PARKAND POOL	60 x 90	W, G	ENG	AL
G-113 X	PARKAND POOL	75 x 120	W, G	ENG	AL
G-114	ARROW TAB Left or Right (State "L" Left or "R" Right)	60 x 30	W, G	ENG	AL
G-115	ARROW AHEAD	60 x 45	W, G	ENG	AL
G-118A	U-TURN ROUTE - POINTS AHEAD	75 x 75	W, G	ENG	AL
G-118 B	FOLLOW U-TURN ROUTE	75 x 75	W, G	ENG	AL
G-118 L	U-TURN ROUTE - POINTS LEFT	75 x 75	W, G	ENG	AL
G-118 R	U-TURN ROUTE - POINTS RIGHT	75 x 75	W, G	ENG	AL
G-121	MEDICAL CLINIC	60 x 60	W, G	ENG	AL



G-123



G-123 T



G-124



G-125



G-125 B



G-125 T



G-126



G-127

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
G-123	NO THRU ROAD	60 x 60	W, G	ENG	AL
G-123 T	DEAD END TAB	60 x 30	W, G	ENG	AL
G-124	BIKE LANE ENDS	45 x 45	W, G	ENG	AL
G-125	BIKE LANE BEGINS	45 x 45	W, G	ENG	AL
G-125 B	BIKE ROUTE	60 x 45	W, G	ENG	AL
G-125 T	CROSS HERE WHEN SAFE	45 x 30	B, W	ENG	AL
G-126	BIKE LANE - TWO DIRECTION <i>(State Route Numbers.)</i>	60 x 90	W, G	ENG	AL
G-127	BIKE LANE - ONE DIRECTION <i>(State Route Number)</i>	60 x 90	W, G	ENG	AL




G-128 U



G-129 U



G-128



G-129



G-128 X



G-129 X

Advance Signs

Confirmatory Signs

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
G-128 U	BRAKE CHECK_00m (State Distance. Also available without distance panel)	183.0 x 91.50	W, G	HI / ENG	MD PLY
G-128	BRAKE CHECK_00m (State Distance. Also available without distance panel)	244.0 x 122.0	W, G	HI / ENG	MD PLY or EXT AL
G-128 X	BRAKE CHECK_00m (State Distance. Also available without distance panel)	366.0 x 183.0	W, G	HI / ENG	MD PLY or EXT AL
G-129 U	BRAKE CHECK	183.0 x 91.50	W, G	HI / ENG	MD PLY
G-129	BRAKE CHECK	244.0 x 152.5	W, G	HI / ENG	MD PLY or EXT AL
G-129 X	BRAKE CHECK	366.0 x 183.0	W, G	HI / ENG	MD PLY or EXT AL



G-130 U




G-131 U




G-130



G-131



G-131EL



G-130 X



G-131 X



G-132

Advance Signs

Confirmatory Signs

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
G-130 U	SCALE _00m (State Distance. Also available without distance panel)	122.0 x 81.00	W, G	Hi / ENG	MD PLY
G-130	SCALE _00m (State Distance. Also available without distance panel)	183.0 x 122.0	W, G	Hi / ENG	MD PLY or EXT AL
G-130 X	SCALE _00m (State Distance. Also available without distance panel)	244.0 x 183.0	W, G	Hi / ENG	MD PLY or EXT AL
G-131 U	SCALE	122.0 x 81.00	W, G	Hi / ENG	MD PLY
G-131	SCALE	244.0 x 152.5	W, G	Hi / ENG	MD PLY or EXT AL
G-131 X	SCALE	305.0 x 183.0	W, G	Hi / ENG	MD PLY or EXT AL
G-131 EL	SCALE	244.0 x 152.5	B, W	B / ENG	MD PLY or EXT AL
G-131 ELU	SCALE	244.0 x 122.0	B, W	B / ENG	MD PLY or EXT AL
G-131 ELX	SCALE	305.0 x 183.0	B, W	B / ENG	MD PLY or EXT AL
G-132	SCALE CLOSED (Hinge) Use on G-130	244.0 x 152.5	W, G	Hi / ENG	ALUM. HINGED
G-132 U	SCALE CLOSED (Hinge) Use on G-130 U and G-131 U	91.00 x 30.50	W, G	Hi / ENG	ALUM. HINGED
G-132	SCALE CLOSED (Hinge) Use on G-130 X	305.0 x 183.0	W, G	Hi / ENG	ALUM. HINGED



G-140 U



G-141 U



G-140



G-141



G-140 X



G-141 X

Advance Signs

Confirmatory Signs

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
G-140 U	CHAIN UP AREA	152.5 x 122.0	W, G	HI / ENG	MD PLY
G-140	CHAIN UP AREA	244.0 x 183.0	W, G	HI / ENG	MD PLY or EXT AL
G-140 X	CHAIN UP AREA	366.0 x 244.0	W, G	HI / ENG	MD PLY or EXT AL
G-141 U	CHAIN UP AREA (<i>State Distance. Also available without distance panel</i>)	152.5 x 122.0	W, G	HI / ENG	MD PLY
G-141	CHAIN UP AREA (<i>State Distance. Also available without distance panel</i>)	244.0 x 183.0	W, G	HI / ENG	MD PLY or EXT AL
G-141 X	CHAIN UP AREA (<i>State Distance. Also available without distance panel</i>)	366.0 x 244.0	W, G	HI / ENG	MD PLY or EXT AL

Back of Previous

School & Pedestrian
5.0

SCHOOL & PEDESTRIAN SIGNS



SP-001



SP-002



SP-003



SP-004 L




SP-004 R



SP-005 L



SP-005 R



SP-007



SP-007 B



SP-008



SP-009 L



SP-009 R

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
SP-001	SCHOOL AREA AHEAD	60 x 60	B, Y	FL	AL
SP-001 X	SCHOOL AREA AHEAD - (R.T.E. Approval)	75 x 75	B, Y	FL	AL
SP-002	PEDESTRIAN CROSSWALK AHEAD	60 x 60	B, Y	ENG	AL
SP-003	PLAYGROUND AREA AHEAD	60 x 60	B, Y	ENG	AL
SP-004 L	SCHOOL CROSSWALK -	60 x 75	B, W	ENG	AL
SP-004 LX	SCHOOL CROSSWALK - (R.T.E. Approval)	90 x 120	B, W	ENG	AL
SP-004 R	SCHOOL CROSSWALK -	60 x 75	B, W	ENG	AL
SP-004 RX	SCHOOL CROSSWALK - (R.T.E. Approval)	90 x 120	B, W	ENG	AL
SP-005 L	PEDESTRIAN CROSSWALK -	60 x 75	B, W	ENG	AL
SP-005 LX	PEDESTRIAN CROSSWALK - (R.T.E. Approval)	90 x 120	B, W	ENG	AL
SP-005 R	PEDESTRIAN CROSSWALK -	60 x 75	B, W	ENG	AL
SP-005 RX	PEDESTRIAN CROSSWALK - (R.T.E. Approval)	90 x 120	B, W	ENG	AL
SP-007	30 km/h - 8 AM - 5 PM SCHOOL DAYS Must be implemented by 2004	45 x 60	B, W	ENG	AL
SP-007 X	30 km/h - 8 AM - 5 PM SCHOOL DAYS	60 x 75	B, W	ENG	AL
SP-007 B	30 km/h - TAB Must be implemented by 2004	45 x 45	B, W	ENG	AL
SP-008	50 km/h WHEN CHILDREN ON HWY - TAB (any other speeds require S.T.E. approval)	60 x 60	B, W	ENG	AL
SP-009 L	PEDESTRIANS PROHIBITED	60 x 60	B, R, W	ENG	AL
SP-009 R	PEDESTRIANS PROHIBITED	60 x 60	B, R, W	ENG	AL

SCHOOL & PEDESTRIAN SIGNS



SP-010 D



SP-010 L



SP-010 R



SP-011



SP-012



SP-013



SP-016



SP-017



SP-018 D



SP-018 L



SP-018 R



SP-019



SP-020

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
SP-010 D	PUSH BUTTON FOR WALK SIGNAL - DOUBLE ARROW	13 x 20	B, W	ENG	AL
SP-010 L	PUSH BUTTON FOR WALK SIGNAL - LEFT ARROW	13 x 20	B, W	ENG	AL
SP-010 R	PUSH BUTTON FOR WALK SIGNAL - RIGHT ARROW	13 x 20	B, W	ENG	AL
SP-011	DO NOT PASS WHEN LIGHTS FLASHING	90 x 120	R, Y, B, W	ENG	AL
SP-012	NO FISHING OR LOITERING ON BRIDGE	30 x 45	B, W	ENG	AL
SP-013	WALK ON LEFT FACING TRAFFIC	45 x 60	B, W	ENG	AL
SP-016	SCHOOL CROSSWALK AHEAD	60 x 60	B, Y	FL	AL
SP-017	NO PASSING - TAB	60 x 30	B, W	ENG	AL
SP-018 D	PEDESTRIANS USE SIGNAL - DOUBLE	30 x 45	B, W	ENG	AL
SP-018 L	PEDESTRIANS USE SIGNAL - LEFT	30 x 45	B, W	ENG	AL
SP-018 R	PEDESTRIANS USE SIGNAL - RIGHT	30 x 75	B, Y	ENG	AL
SP-019	SCHOOL BUS TURN AHEAD	75 x 75	B, Y	ENG	AL
SP-020	SCHOOL BUS STOP AHEAD	75 x 75	B, R, Y	ENG	AL

Information Signs

6.0

INFORMATION SIGNS



I-003



I-006



I-007



I-008



I-009



I-010 L



I-010 R



I-011 L



I-011 R



I-017



I-018



I-019



I-020



I-020 T




I-026



I-027

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
I-003	RIVER, LAKE, OR CREEK NAME (DS for Double Sided)	75 x 30	W, G	ENG	AL
I-006	HISTORIC SITE AHEAD	80 x 60	W, Br	ENG	AL
I-007	STOP OF INTEREST AHEAD	80 x 60	W, G	ENG	AL
I-008	VIEWPOINT AHEAD	80 x 60	W, G	ENG	AL
I-009	VIEWPOINT ENTRANCE	90 x 45	W, G	ENG	AL
I-010 L	REST AREA - LEFT	90 x 90	W, BI	ENG	AL
I-010 R	REST AREA - RIGHT	90 x 90	W, BI	ENG	AL
I-011 L	REST AREA/400m/LEFT ARROW/NEXT ONE _km (State distance)	90 x 120	W, BI	ENG	AL
I-011 R	REST AREA/400m/RIGHT ARROW/NEXT ONE _km (State distance)	90 x 120	W, BI	ENG	AL
I-017	ENTERING ___ DISTRICT MUNICIPALITY	90 x 45	B, W	ENG	AL
I-018	ENTERING ___ (State name of city, town, or village)	90 x 45	B, W	ENG	AL
I-019	___ UNINCORPORATED (State name of community)	90 x 45	B, W	ENG	AL
I-020	ENTERING ___ REGIONAL DISTRICT (State name of regional district)	90 x 45	B, W	ENG	AL
I-020 T	9 1 1 TAB	60 x 30	BI, W	ENG	AL
I-026	SUMMIT ELEVATION __M (State name)	122.0 x 61.0	W, G	ENG	MD PLY or EXT AL
I-026 X	SUMMIT ELEVATION __M (State name)	244.0 x 122.0	W, G	ENG	MD PLY or EXT AL
I-027	LOOK-OUT ELEVATION __M (State name)	122.0 x 61.0	W, G	ENG	MD PLY or EXT AL

INFORMATION SIGNS



ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
I-028 L	DIRECTIONAL TAB - AHEAD LEFT	30 x 20	W, G	ENG	AL
I-028 AL	DIRECTIONAL TAB - AHEAD LEFT	30 x 20	Br, W	ENG	AL
I-028 R	DIRECTIONAL TAB - AHEAD RIGHT	30 x 20	W, G	ENG	AL
I-028 AR	DIRECTIONAL TAB - AHEAD RIGHT	30 x 20	Br, W	ENG	AL
I-029	DIRECTIONAL TAB - LEFT OR RIGHT	30 x 20	W, G	ENG	AL
I-029 A	DIRECTIONAL TAB - LEFT OR RIGHT	30 x 20	Br, W	ENG	AL
I-030 L	FRONTAGE ROAD - LEFT	122.0 x 61.0	W, G	ENG	MD PLY
I-030 R	FRONTAGE ROAD - RIGHT	122.0 x 61.0	W, G	ENG	MD PLY
I-031 L	BUSINESS FRONTAGE ROAD - LEFT	122.0 x 61.0	W, G	ENG	MD PLY
I-031 R	BUSINESS FRONTAGE ROAD - RIGHT	122.0 x 61.0	W, G	ENG	MD PLY
I-032	LITTER BARREL AHEAD	45 x 60	W, G	ENG	AL
I-033	BUSINESS CENTRE AHEAD	75 x 60	W, G	ENG	AL
I-033 L	BUSINESS CENTRE LEFT	75 x 60	W, G	ENG	AL
I-033 R	BUSINESS CENTRE RIGHT	75 x 60	W, G	ENG	AL
I-035 LKI	LKI REFERENCE NUMBER (State Number)	30 x 30	W, BI	ENG	AL
I-035 RFI	RFI REFERENCE NUMBER (State Number)	30 x 30	W, BI	ENG	AL
I-043	SLOWER VEHICLES IMPEDING OTHERS USE PULLOUT 500m	122.0 x 61.0	B, W	ENG	MD PLY or EXT AL
I-045	PULLOUT	75 x 60	B, W	ENG	AL
I-063	PASSING LANE 2 km AHEAD	60 x 75	B, W	ENG	AL
I-064	FRUIT STAND	60 x 60	W, BI	ENG	AL
I-064 S	FRUIT STANDS	60 x 60	W, BI	ENG	AL

INFORMATION SIGNS



I-065



I-065 X



I-067



I-101



I-103



I-108



I-110



I-113



I-113 C



I-113T



I-136



I-136 AL



I-136 AR



I-136 L



I-136 R

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
I-065	PLEASE AVOID USE OF ENGINE BRAKES IN URBAN AREAS	90 x 90	B, W	ENG	AL
I-065 X	PLEASE AVOID USE OF ENGINE BRAKES IN URBAN AREAS	120 x 120	B, W	ENG	MD PLY
* I-065 A	PLEASE AVOID USE OF ENGINE BRAKES FOR NEXT ___km (State distance)	90 x 90	B, W	ENG	AL
I-065 AX	PLEASE AVOID USE OF ENGINE BRAKES FOR NEXT ___km (State distance)	120 x 120	B, W	ENG	MD PLY
I-067	CHECK YOUR FUEL NEXT SERVICE ___km (State distance, Min. 75km)	183.0 x 91.5	W, BI	ENG	MD PLY or EXT AL
I-101	HIKING	60 x 60	W, BI	ENG	AL
* I-103	LITTER BARREL FOR TOURIST USE ONLY etc.	60 x 45	B, W	ENG	AL
* I-108	REST AREA, HELP US KEEP IT CLEAN etc.	122.0 x 61.0	W, BI	ENG	MD PLY
I-108A	REST AREA, HELP US KEEP IT CLEAN etc.	91.5 x 61.0	W, BI	ENG	MD PLY
I-110	SHORE ACCESS	60 x 60	W, BI	ENG	AL
+ I-113	DOWNHILL SKI AREA	60 x 60	W, BI	ENG	AL
I-113 C	CROSS-COUNTRY SKI AREA	60 x 60	W, BI	ENG	AL
+ I-136	VISITOR INFO - AHEAD. NO ARROWS (State distance 1 - 2 km)	75 x 75	Various	ENG	AL
I-136 X	VISITOR INFO - AHEAD. NO ARROWS (State distance 1 - 2 km)	120 x 120	Various	ENG	MD PLY
+ I-136 AL	VISITOR INFO - LEFT	75 x 75	Various	ENG	AL
I-136 ALX	VISITOR INFO - LEFT	120 x 120	Various	ENG	MD PLY
+ I-136 AR	VISITOR INFO - RIGHT	75 x 75	Various	ENG	AL
I-136 ARX	VISITOR INFO - RIGHT	120 x 120	Various	ENG	MD PLY
I-136 L	VISITOR INFO - LEFT (State distance < 1 km)	75 x 75	Various	ENG	AL
I-136 LX	VISITOR INFO - LEFT (State distance < 1 km)	120 x 120	Various	ENG	MD PLY
I-136 R	VISITOR INFO - RIGHT (State distance < 1 km)	75 x 75	Various	ENG	AL

* USE ARROW TABS FROM CHAPTER 9.17, SA-100 thru SA-120.A "GEOGRAPHICAL" IDENTIFIER USING SA-130 MAY BE USED, (NOT FOR BUSINESS NAMES)

+ SIGN ORDERS REQUIRE AN APPROVAL LETTER ATTACHED. SEE PAGE 6.4 FOR CONTACT INFORMATION.

INFORMATION SIGNS



I-137 A



I-137 C



I-137 R



I-137 TA



I-137 TC



I-137 TR



I-138 R



I-138 L



I-140



I-151

B.C. Tourism Contact Information

Program Administrator, Visitor Services & Sales
 Box 9830, Stn. Prov. Govt.,
 300 - 1803 Douglas Street, Victoria,
 British Columbia, Canada V8W 9W5
 Phone: (250) 387-1643/ Fax: (250) 356-8246

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
+ I-137 A	AREA INFORMATION (State Area name)	75 x 75	W, BI	ENG	AL
+ I-137 C	COMMUNITY INFORMATION (State Community name)	75 x 75	W, BI	ENG	AL
+ I-137 R	REGIONAL INFORMATION (State Regional name)	75 x 75	W, BI	ENG	AL
+ I-137 TA	VISITOR INFO - AREA INFORMATION (State Area name)	75 x 120	Various	ENG	AL
+ I-137 TC	VISITOR INFO - COMMUNITY INFORMATION (State Community name)	75 x 120	Various	ENG	AL
+ I-137 TR	VISITOR INFO - REGIONAL INFORMATION (State Regional name)	75 x 120	Various	ENG	AL
I-138 L	DISTANCE TAB LEFT	75 x 30	BI, W	ENG	AL
I-138 R	DISTANCE TAB RIGHT	75 x 30	BI, W	ENG	AL
I-140	VISITOR INFO (LEVEL 3 INFORMATION BOOTHS)	75 x 75	W, BI	ENG	AL
I-140 X	VISITOR INFO	120 x 120	W, BI	ENG	MD PLY
* I-151	SNOWMOBILE AREA	60 x 60	W, BI	ENG	AL


* USE ARROW TABS FROM CHAPTER 9.17, SA-100 thru SA-120. A "GEOGRAPHICAL" IDENTIFIER USING SA-130 MAY BE USED, (NOT FOR BUSINESS NAMES)

+ SIGN ORDERS REQUIRE AN APPROVAL LETTER ATTACHED. SEE ABOVE FOR CONTACT INFORMATION.


INFORMATION SIGNS




I-157 E



I-157 L



I-167 L



I-167 R



I-169



I-169 T



I-170



I-170 S



I-171



I-174

BRAKE CHECK ADVISORY

AIR BRAKE SYSTEM

1. Compressor Maintains Full Reservoir Pressure
2. Push Rod Travel Within Limitations On All Chambers
3. No Audible Air Leaks
4. Glad Hands And Lines Are Secure
5. Drums, Bearings And Tires Are Not Overheating
6. Trailer Supply Valve Operates Properly

HYDRAULIC BRAKE SYSTEM

1. Pedal Pressure
2. Vacuum Booster Is Operating
3. Drums For Overheating
4. Hydraulic Fluid Leaks

TRAILER BRAKE SYSTEMS (ELECTRIC, SURGE, VACUUM, AIR ACTIVATED HYDRAULIC)

1. Disconnect Brake System From Tow Vehicle For Electric and Vacuum Brake Systems
2. Activate Break-Away Devices And Lock Trailer Brakes "ON"
 -electric brakes: set break-away switch
 -surge brakes: pull and lock mechanical lever
 -vacuum and air activated hydraulic brakes: disconnect both (2) hoses to trailer
3. Perform "Tug" Test By Attempting To Pull Trailer
 Trailer Wheels Should Now Be Locked And Not Move Or Skid
4. Reconnect Break-Away Devices

I-175



I-177



I-177 T



I-178

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
I-157 E	ENTERING SPEED ZONE AREA NUMBER (State Number - Contact RTE for Area Num.)	60 x 45	B, W	ENG	AL
I-157 L	LEAVING SPEED ZONE AREA NUMBER (State Number - Contact RTE for Area Num.)	60 x 45	B, W	ENG	AL
I-167 L	FIRE SIGNAL - LEFT (Cutout for signal heads)	75 x 120	B, W, Y	ENG	AL
I-167 R	FIRE SIGNAL - RIGHT (Cutout for signal heads)	75 x 120	B, W, Y	ENG	AL
* I-169	WILDLIFE VIEWING	60 x 60	W, BI	ENG	AL
I-169 T	WILDLIFE VIEWING TAB	60 x 30	W, BI	ENG	AL
I-170	PRODUCE STAND	60 x 60	W, BI	ENG	AL
I-170 S	PRODUCE STANDS	60 x 60	W, BI	ENG	AL
I-171	PLEASE LET BUSES ENTER	60 x 75	B, W	ENG	AL
I-174	WINE ROUTE	45 x 60	W, BI	ENG	AL
I-175	BRAKE CHECK ADVISORY etc.	244.0 x 183.0	B, Y, BI	ENG	MD PLY
I-177	BC GROWN SIGN	60 x 60	Various	ENG	AL
I-177 T	FARM MARKET TAB (State number of farms)	60 x 30	BI, W	ENG	AL
I-178 DS	DIRECTIONAL TAB - LEFT OR RIGHT. CLOSED ON REVERSE.	60 x 30	BI, W	ENG	AL

* USE ARROW TABS FROM PAGE 9.17, SA-100 thru SA-120. A "GEOGRAPHICAL" IDENTIFIER USING SA-130 MAY BE USED, (NOT FOR BUSINESS NAMES)

INFORMATION SIGNS



I-180




I-180X



I-181



I-182



I-183

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
I-180	SUPER NATURAL BC WELCOMES YOU	244.0 x 244.0	Various	ENG	MD PLY or EXT AL
I-180 X	SUPER NATURAL BC WELCOMES YOU	488.0 x 183.0	Various	ENG	MD PLY or EXT AL
I-181	SEATBELTS COMPULSORY IN BC	120.0 x 60.0	B, W	ENG	MD PLY
I-181 X	SEATBELTS COMPULSORY IN BC	244.0 x 122.0	B, W	ENG	MD PLY or EXT AL
I-182	THINKMETRIC	244.0 x 122.0	W, Y, Br	ENG	MD PLY
I-183	3 VEHICLE UNITS UNDER 11000 kg GVW PROHIBITED IN BC	244.0 x 122.0	B, W	ENG	MD PLY or EXT AL

Construction Signs

7.0

CONSTRUCTION & MAINTENANCE SIGNS



C-001



C-002



C-003(x2)



C-003 L



C-003 R



C-004



C-005




C-005 L&R



C-005 TL&TR



C-006



C-006 L&R



C-007



C-008



C-009



C-010



C-011

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
C-001	CREW WORKING - MAXIMUM 30/50 km/h (Alum. '3' tab on back)	45 x 90	B, Or, W	ENG	AL
C-002	SURVEY CREW - MAXIMUM 30/50 km/h (Alum. '3' tab on back)	45 x 90	B, Or, W	HI	AL
C-003	OBSOLETE				
C-003 L	OBSOLETE				
C-003 R	OBSOLETE				
C-004	CREW WORKING AHEAD	75 x 75	B, Or	HI	AL
C-004 X	CREW WORKING AHEAD	122.0 x 122.0	B, Or	HI	MD PLY
C-005	DETOUR MARKER THRU	60 x 45	B, Or	ENG	AL
C-005 DSL&R	DETOUR MARKER LEFT / RIGHT	60 x 45	B, Or	ENG	AL
C-005 DSTL&TR	DETOUR MARKER LEFT / RIGHT AHEAD	60 x 45	B, Or	ENG	AL
C-006	DETOUR AHEAD	75 x 75	B, Or	HI	AL
C-006 X	DETOUR AHEAD	122.0 x 122.0	B, Or	HI	MD PLY
C-006L or RDS	DETOUR LEFT / RIGHT AHEAD	75 x 75	B, Or	HI	AL
C-006LX or RXDS	DETOUR LEFT / RIGHT AHEAD	122.0 x 122.0	B, Or	HI	MD PLY
C-007	WORKERS BELOW AHEAD	60 x 60	B, R, W	ENG	AL
C-008	GRADER WORKING AHEAD	75 x 75	B, Or	HI	AL
C-009	BLASTING ZONE - SHUT OFF YOUR RADIO TRANSMITTER	60 x 75	B, R, W	HI	AL
C-010	BLASTING ZONE ENDS	60 x 60	B, W	ENG	AL
C-011	WASHOUT AHEAD	75 x 75	B, Or	ENG	AL

CONSTRUCTION & MAINTENANCE SIGNS



C-012



C-0013 L&R



C-014



C-015



C-016



C-017



C-018



C-019



C-020



C-021



C-020/21 T



C-022

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
C-012	SOFT SHOULDER AHEAD	75 x 75	B, Or	ENG	AL
C-013 L or R	LOW SHOULDER ON LEFT / RIGHT AHEAD	75 x 75 D/S	B, Or	ENG	AL
C-013 LX or RX	LOW SHOULDER ON LEFT / RIGHT AHEAD	122.0 X 122.0 DS	B, Or	ENG	MD PLY
C-014	FRESH OIL AHEAD	75 x 75	B, Or	ENG	AL
C-015	TEMPORARY SLOW MARKER	30 x 30	R, W	HI	CORR
C-016	TEMPORARY HAZARD MARKER	30 x 30	R, W	HI	CORR
C-017	BRIDGE REPAIR AHEAD	75 x 75	B, Or	ENG	AL
C-018	CONSTRUCTION AHEAD	75 x 75	B, Or	HI	AL
C-018 X	CONSTRUCTION AHEAD	122.0 x 122.0	B, Or	HI	MD PLY
C-019	CONSTRUCTION AHEAD __ km (Available as 1 km)	122.0 x 122.0	B, Or	HI	MD PLY
C-020	PAVING NEXT __ km - PLEASE OBEY SIGNS	122.0 x 91.5	B, W, Or	ENG	MD PLY
C-021	SEALCOATING - LOOSE GRAVEL NEXT __ km	122.0 x 91.5	B, W, Or	ENG	MD PLY
C-021 X	SEALCOATING - LOOSE GRAVEL NEXT __ km	244.0 x 122.0	B, W, Or	ENG	MD PLY
C-020 T / 21 T	DISTANCE TAB (State distance)	20 x 20	B, Or	ENG	AL
C-021 TX	DISTANCE TAB (State distance)	30 x 30	B, Or	ENG	AL
C-022	CONSTRUCTION SPEED ZONE TAB	60 x 30	B, W	ENG	AL

CONSTRUCTION & MAINTENANCE SIGNS



C-023



C-024



C-025



C-026



C-027



C-028



C-029



C-030



C-031



C-032




C-033 L&R



C-034

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
C-023	THANK YOU - RESUME SPEED	45 x 90	B, W	ENG	AL
C-024	SINGLE LANE TRAFFIC AHEAD	75 x 75	B, Or	ENG	AL
C-024 X	SINGLE LANE TRAFFIC AHEAD	122.0 x 122..0	B, Or	ENG	MD PLY
C-025	BUMP OR ROUGH ROADWAY AHEAD	75 x 75	B, Or	ENG	AL
C-026	BROKEN PAVEMENT AHEAD	75 x 75	B, Or	ENG	AL
C-027 DS	TRAFFIC CONTROL PADDLE	40 x 40	R, W, B, Y	DIA	AL
C-027 HDS	TRAFFIC CONTROL PADDLE (With handle)	40 x 40	R, W, B, Y	DIA	AL
C-028	TRAFFIC CONTROL PERSON AHEAD	75 x 75	B, Or	HI	AL
C-028 X	TRAFFIC CONTROL PERSON AHEAD	122.0 x 122.0	B, Or	HI	MD PLY
C-029	PREPARE TO STOP AHEAD	75 x75	B, Or	ENG	AL
C-029 X	PREPARE TO STOP AHEAD	122.0 x 122..0	B, Or	ENG	MD PLY
C-030	CENTRE LANE CLOSED AHEAD	75 x75	B, Or	HI	AL
C-030 X	CENTRE LANE CLOSED AHEAD	122.0 x 122..0	B, Or	HI	MD PLY
C-031	REDUCE SPEED	122.0 x 122..0	B, Or	HI	MD PLY
C-032	MOWER WORKING	75 x75	B, Or	ENG	AL
C-033 L&R	UNEVEN PAVEMENT ON LEFT / RIGHT AHEAD	75 x75 D/S	B, Or	ENG	AL
C-033 LX&RX	UNEVEN PAVEMENT ON LEFT / RIGHT AHEAD	122.0 x 122..0 DS	B, Or	ENG	MD PLY
C-034	UNEVEN PAVEMENT ENDS	60 x60	B, W	ENG	AL

CONSTRUCTION & MAINTENANCE SIGNS



C-035 INFA
(Three Lines of Text)



C-035 SHIP
(One Line of Text)



C-035 T

PARTNERSHIP SIGNS



C-035 C



C-035 CT



C-035
(One Line of Text)
REVISED

PROVINCIAL CONSTRUCTION SIGNS

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
C-035 SHIP	STRATEGIC HIGHWAY IMPROVEMENT PROJECT (<i>State project name</i>)	244.0 x 163.0	Various	N/A	MD PLY
C-035 SHIP X		305.0 x 152.5	Various	N/A	MD PLY
C-035 INFA	INFRASTRUCTURE WORKS (<i>State project and school name</i>)	244.0 x 163.0	Various	N/A	MD PLY
C-035 INFA X		305.0 x 152.5	Various	N/A	MD PLY
C-035 T	TAB - (<i>State project name, and school name if necessary</i>)	244.0 x 40.50	Various	N/A	MD PLY
C-035 T X		305.0 x 61.00	Various	N/A	MD PLY
C-035u	TAB - (<i>State project name</i>) Use below C-035 C and or C-035 CT	183.0 x 30.50	B, Y	ENG	MD PLY
C-035		244.0 x 40.50	B, Y	ENG	MD PLY
C-035 X		305.0 x 61.00	B, Y	ENG	MD PLY
C-035 Cu	TAB - (<i>State Prime Contractor</i>)	183.0 x 40.50	B, W	ENG	MD PLY
C-035 C		244.0 x 61.00	B, W	ENG	MD PLY
C-035 CX		305.0 x 91.50	B, W	ENG	MD PLY
C-035 CTu	TAB - Parent Sign (<i>State Prime Contractor Phone Number and Area Code</i>)	183.0 x 30.50	B, W	ENG	MD PLY
C-035 CT		244.0 x 30.50	B, W	ENG	MD PLY
C-035 CTX		305.0 x 40.50	B, W	ENG	MD PLY

The C-035CT Construction Tab is intended to be placed below the prime contractors sign displayed within the scope of the assigned project area.
SIZE MAY BE ADJUSTED TO SUIT.

CONSTRUCTION & MAINTENANCE SIGNS



C-036



C-037




C-038




C-039



C-040 D



C-041



C-042



C-042 SL



C-042 SR

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
C-036	SURVEY CREW AHEAD	75 x 75	B, Or	HI	AL
C-037	SWEEPER WORKING AHEAD	75 x 75	B, Or	ENG	AL
C-038	TRUCK STOPPED ON ROAD NEXT __ km (State distance, Max. 2 km)	122.0 x 122.0	B, Or	ENG	MD PLY
C-039	CAUTION - THIS TRUCK STOPS FREQUENTLY	75 x 30	B, R, W	ENG	AL
C-040 DS	PREPARE TO STOP	244.0 x 91.5	B, Or	ENG	MD PLY
C-041 DS	ROAD MARKING IN PROGRESS NEXT __ km (Blackboard distance panel) /	122.0 x 122.0	B, Or	ENG	MD PLY
C-041	CONE MEANS WET PAINT NEXT __ km (Blackboard distance panel)				
C-042 DS	PASS THIS SIDE LEFT/ PASS THIS SIDE RIGHT	90 x 60	B, R, W	HI	AL
C-042 SL&SR	TRAFFIC CONTROL PERSON / PASS THIS SIDE RIGHT OR LEFT	90 x 60 DS	B, Or, R, W	HI, ENG	AL
C-043	CAUTION PAINT SPRAY TRUCK AHEAD	122.0 x 91.5	B, R, W	ENG	MD PLY
C-044	SLOW VEHICLE - NEXT __ km (Blackboard panel)	122.0 x 122.0	B, Or	ENG	MD PLY

CONSTRUCTION & MAINTENANCE SIGNS



C-043



C-044




C-045



C-045 X



C-046



C-047



C-048



C-049



C-052 L



C-052 R

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
C-045	SLOW VEHICLE AHEAD	75 x 75	B, Or	ENG	AL
C-045 X	SLOW VEHICLES AHEAD (For centreline crew use only)	122.0 x 122.0	B, Or	ENG	MD PLY
C-046	FOLLOW PILOT CAR AHEAD	75 x 75	B, Or	ENG	AL
C-047 DS	PILOT CAR (Front) PILOT CAR - DO NOT PASS (Back)	90 x 120	B, W	ENG	AL
C-048	GROOVED PAVEMENT AHEAD	75 x 75	B, Or	ENG	AL
C-048 X	GROOVED PAVEMENT AHEAD	122.0 x 122.0	B, Or	ENG	MD PLY
C-049	USE HEADLIGHTS - EXTREME DUST AHEAD	75 x 75	B, Or	ENG	AL
C-049 X	USE HEADLIGHTS - EXTREME DUST AHEAD	122.0 x 122.0	B, Or	ENG	MD PLY
C-052 L	DIVERSION ON LEFT AHEAD	75 x 75	B, Or	HI	AL
C-052 LX	DIVERSION ON LEFT AHEAD	122.0 x 122.0	B, Or	HI	MD PLY
C-052 R	DIVERSION ON RIGHT AHEAD	75 x 75	B, Or	HI	AL
C-052 RX	DIVERSION ON RIGHT AHEAD	122.0 x 122.0	B, Or	HI	MD PLY
C-053	LANE CLOSURE ARROW	75 x 75	B, Or	HI	AL
C-053 X	LANE CLOSURE ARROW	122.0 x 122.0	B, Or	HI	MD PLY

CONSTRUCTION & MAINTENANCE SIGNS



C-053



C-054



C-055



C-056



C-057



C-058



C-059



C-060



C-063



C-064



C-066

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
C-054	WORK ZONE ENDS	60 x 60	B, W	ENG	AL
C-055	NO ROAD LINES AHEAD	75 x 75	B, Or	ENG	AL
C-056	TEMPORARY ROAD LINES AHEAD	75 x 75	B, Or	ENG	AL
C-057	AVALANCHE CONTROL AHEAD	75 x 75	B, Or	HI	AL
C-058	ACCIDENT SCENE AHEAD	75 x 75	B, Or	HI	AL
C-059	ROAD FLOODED AHEAD	75 x 75	B, Or	ENG	AL
C-060	SNOW BLOWER AHEAD	75 x 75	B, Or	ENG	AL
C-063	TRAFFIC PATTERN CHANGED AHEAD	75 x 75	B, Or	ENG	AL
C-063 X	TRAFFIC PATTERN CHANGED AHEAD	122.0 X 122.0	B, Or	ENG	MD PLY
C-064	SIGNAL OPERATION CHANGED AHEAD	75 x 75	B, Or	ENG	AL
C-066	SIGNAL OUT OF ORDER AHEAD	75 x 75	B, Or	ENG	AL
C-066 X	SIGNAL OUT OF ORDER AHEAD	122.0 X 122.0	B, Or	ENG	MD PLY

Temporary Warning Signs

8.0


TEMPORARY WARNING SIGNS



TW-011



TW-012



TW-014



TW-015



TW-016



TW-020



TW-022



TW-024



TW-026



TW-027



TW-036 L



TW-036 R



TW-037 L



TW-037 R



TW-038



TW-041



TW-049

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
TW-011	STOP AHEAD	75 x 75	B, R, Or	ENG	AL
TW-012	SIGNAL AHEAD	75 x 75	B, R, G, Or	ENG	AL
TW-014	CHECKERBOARD - PLAIN	75 x 75	B, Or	ENG	AL
TW-015	CHECKERBOARD - SINGLE ARROW	75 x 75	B, Or	ENG	AL
TW-015 X	CHECKERBOARD - SINGLE ARROW	122.0 x 122.0	B, Or	ENG	MD PLY
TW-016	CHECKERBOARD - DOUBLE ARROW	75 x 75	B, Or	ENG	AL
TW-016 X	CHECKERBOARD - DOUBLE ARROW	122.0 x 122.0	B, Or	ENG	MD PLY
TW-020	TWO- WAY TRAFFIC AHEAD	75 x 75	B, Or	ENG	AL
TW-020 X	TWO- WAY TRAFFIC AHEAD	122.0 x 122.0	B, Or	ENG	MD PLY
TW-022	ADVISORY SPEED TAB - <i>_0 km/h (State speed)</i>	45 x 45	B, Or	ENG	AL
TW-024	ADVISORY DISTANCE TAB (<i>State distance</i>)	45 x 45	B, Or	ENG	AL
TW-026	ROAD NARROWS AHEAD	75 x 75	B, Or	ENG	AL
TW-027	LOOSE GRAVEL AHEAD	75 x 75	B, Or	ENG	AL
TW-036 L	TRUCK CROSSING ENTRANCE LEFT AHEAD	75 x 75	B, Or	ENG	AL
TW-036 R	TRUCK CROSSING ENTRANCE RIGHT AHEAD	75 x 75	B, Or	ENG	AL
TW-037 L	MERGING TRAFFIC LEFT AHEAD	75 x 75	B, Or	ENG	AL
TW-037 R	MERGING TRAFFIC LEFT AHEAD	75 x 75	B, Or	ENG	AL
TW-038	MERGE AHEAD	75 x 75	B, Or	ENG	AL
TW-041	SLIPPERY AHEAD WHEN WET	75 x 75	B, Or	ENG	AL
TW-049	PAVEMENT ENDS AHEAD	75 x 75	B, Or	ENG	AL

TEMPORARY WARNING SIGNS



TW-051



TW-051 T



TW-054 D




TW-054 L



TW-054 R



TW-059



TW-061 R

TW-061 L



TW-061 T



TW-062



TW-137 L



TW-137 R



TW-316



TW-317

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
TW-051	NARROW STRUCTURE AHEAD	75 x 75	B, Or	ENG	AL
TW-051 T	ONE LANE TAB	60 x 30	B, Or	ENG	AL
TW-054 D	HAZARD MARKERS DOUBLE	30 x 90	B, Or	ENG	AL
TW-054 L	HAZARD MARKER LEFT	30 x 90	B, Or	ENG	AL
TW-054 R	HAZARD MARKER RIGHT	30 x 90	B, Or	ENG	AL
TW-059	SLOW MOVING VEHICLE MARKER	35 x 35	Or (Day Glow), R	ENG	AL
TW-061 L&R	LEFT/ RIGHT LANE CLOSED AHEAD	75 x 75	B, Or	HI	AL
TW-061 LX&RX	LEFT/ RIGHT LANE CLOSED AHEAD	122.0 x 122.0	B, Or	HI	MD PLY
TW-061 T	__m TAB (State distance)	60 x 30	B, Or	ENG	AL
TW-062	CHEVRON ALIGNMENT MARKER	60 x 75	B, Or	ENG	AL
TW-137 L	LOGGING TRUCK CROSSING AHEAD	75 X75	B, Or	ENG	AL
TW-137 R	LOGGING TRUCK CROSSING AHEAD	75 X75	B, Or	ENG	AL
TW-316	CATTLE DRIVE	75 x 75	B, Or	ENG	AL
TW-317	CATTLE DRIVE IN PROGRESS	120 x 60	B, Or	ENG	MD PLY

Service & Attraction Signs
9.0

Service & Attraction Program, Highway District Use ONLY

The Service and Attraction portion of this catalogue does not supercede the policy outlined in the manual for Service & Attraction Signing January 24, 1995.

Service & Attraction Program?

The Service & Attraction Sign Program formed in 1989 is meant for selected types of:

- Tourist-oriented services
- Attraction businesses
- Tourist amenities

Eligibility, approval & records must be provided by the Highways District office in your area.

Who determines eligibility

In 1989 a committee was formed to set out the Service and Attraction program policy. Only the committee may modify or amend this policy.

An eligibility questionnaire must be completed and submitted to the Highway's District office. The District office will then apply the policy to determine applicant eligibility.

Eligibility is approved

A Service and Attraction record must be produced by the Highway's District office and approved by the District Highways Manager (or designate).

BNP Logo Reproduction

The Sign Shop will develop new logos at the request of the business owner. Please refer to page 9.3 and supply the form to inquiring business owners.

BNP's

Business Name Panel
Maximum 2 Lines
12 Character per line

Record Number Assignment

Districts control S&A record numbers. The system to assign numbers is current and unchanged

SA - 21 - 1 - 120

Program Identifier Old District Number The numbered route "U" for un-numbered Next Available Consecutive Number

Area Description

District: District Name
Highways: Route number or road name
Km/hr: Posted speed at sign
Location: Location of sign in written format

Sign Specifications

Type: Item number from catalogue
Size: Indicated in Catalogue
Substrate: Indicated in Catalogue
Colours: Indicated in Catalogue
Mount: Specify

The Sign Template

The District sign liaison will have access to all the pre-designed templates

The Sketch


Each record requires a sketch to assist any ministry personnel to locate the sign

Ministry of Transportation and Highways
S&A SIGN RECORD


District: Thompson
Highways: Route 1
Km/hr: 100 Km/h
Location: For W/B traffic on Route 1 in advance of Lafarge Rd. As Per Sketch Below.

Sign Number
SA-21-1-120

SPECIFICATIONS
Type: SA-H10
Size: 122.0 m x 122.0cm
Substrate: MD Plywood
Colours: Eng Wht / Eng Blu
Mount: Wood Post Mount



SKETCH
Showing Location of Sign, Roads, and Directions



DATE	REMARKS
Jan 01	New Sign & Record ms

FABRICATION APPROVAL
District Highway's Manager _____ Date _____

Record Template supplied by CD

Restricted Logos

The list below represents the only sites approved for the use of the BC Heritage Branch Logo within the Service and Attraction Signing Program under the Ministry of Transportation & Highways



Barkerville Historic Town
Cottonwood House (Hwy 26)
Craigflower Manor & Schoolhouse (Victoria)
Emily Carr House (Victoria)
Fort Steele Heritage Town
The Grist Mill & Gardens (Keremeos)
Haig-Brown House (Campbell River, Hwy 28)
Helmcken House (Victoria)

Historic Hat Creek Ranch (Cache Creek)
Kilby Store & Farm (Harrison Mills)
Point Ellice House (Victoria)
Xa:ytem Longhouse Interpretive Centre (Mission)
Historic Yale
Tod House
BC Forest Museum

A number of small BC Heritage properties may eventually be signed when they become more accessible for visitors and offer Heritage Attraction basic services.

This Logo must be approved by the Federal Government for use within the Service and Attraction Signing Program.



Note: Very few sites in BC operate under the Federal Government as an attraction.



Ministry of Transportation and Highways

Provincial Sign Shop
945 McMaster Way
Kamloops B.C. V2C 6K2
Telephone: (250) 377-4474
Facsimile: (250) 377-4477



Obtain District sign record containing your Business Name Panel (BNP)

S&A SIGN STANDARD TEMPLATES

Refer to "A Directional Signing Program for Tourist Services, Facilities and Attractions, 1995" District Use Only

E SERIES

Approved Symbols



Size 60 X60



Size 60 X 30



SA-E20




SA-E21



SA-E30



SA-E31



SA-E40



SA-E41



SA-E60



SA-E61

F SERIES

Approved Symbols




Size 90 X90



SA-F20



SA-F30



SA-F40



SA-F60

NOTE: District Approved Sign Record Must Be Provided for Fabrication

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
SA-E20	2 Generic Sym 60x60, L or R Arrow	183.0 x 122.0	W / BI	ENG	MD PLY or EXT AL
SA-E21	2 Generic Sym 60x60, L and or R Arrow tabs., with Dist's 60X30	183.0 x 122.0	W / BI	ENG	MD PLY or EXT AL
SA-E30	3 Generic Sym 60x60, L or R Arrow	244.0 x 122.0	W / BI	ENG	MD PLY or EXT AL
SA-E31	3 Generic Sym 60x60, L and or R Arrow tabs., with Dist's 60X30	244.0 x 122.0	W / BI	ENG	MD PLY or EXT AL
SA-E40	4 Generic Sym 60x60, L or R Arrow	183.0 x 213.5	W / BI	ENG	MD PLY or EXT AL
SA-E41	4 Generic Sym 60x60, L and or R Arrow tabs., with Dist's 60X30	183.0 x 244.0	W / BI	ENG	MD PLY or EXT AL
SA-E60	6 Generic Sym 60x60, L or R Arrow	244.0 x 213.5	W / BI	ENG	MD PLY or EXT AL
SA-E61	6 Generic Sym 60x60, L and or R Arrow tabs, with Dist's 60X30	244.0 x 244.0	W / BI	ENG	MD PLY or EXT AL
SA-F20	2 Generic Sym, NEXT EXIT	244.0 x 183.0	W / BI	ENG	MD PLY or EXT AL
SA-F30	3 Generic Sym, NEXT EXIT	366.0 x 183.0	W / BI	ENG	MD PLY or EXT AL
SA-F40	4 Generic Sym, NEXT EXIT	244.0 x 305.0	W / BI	ENG	MD PLY or EXT AL
SA-F60	6 Generic Sym, NEXT EXIT	366.0 x 305.0	W / BI	ENG	MD PLY or EXT AL

G SERIES

Approved Panels



Size 150 X 90

SA-144



Size 120 X 90


SA-146




SA-G10



SA-G20



SA-G40



SA-G60, 120 x 90 Panels Only

H SERIES

Approved Panels



SA-141L



SA-141R

Size 80 X 30




SA-H10




SA-H20




SA-H21



SA-H40



SA-H41



SA-H60



SA-H61

NOTE: District Approved Sign Record Must Be Provided for Fabrication

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
SA-G10	1 BNP 150X90 (ref. SA-144), NEXT EXIT	244.0 x 244.0	W / BI	ENG	MD PLY or EXT AL
SA-G20	2 BNP 150X90, (ref. SA-144), NEXT EXIT	366.0 x 244.0	W / BI	ENG	MD PLY or EXT AL
SA-G40	4 BNP 150X90, (ref. SA-144), NEXT EXIT	366.0 x 366.0	W / BI	ENG	MD PLY or EXT AL
SA-G60	6 BNP 120X90, (ref. SA-146), NEXT EXIT	488.0 x 366.0	W / BI	ENG	MD PLY or EXT AL
SA-H10	1 BNP 80X30 (ref. SA-140, 142),	122.0 x 122.0	W / BI	ENG	MD PLY or EXT AL
SA-H20	2 BNP 80X30 (ref. SA-140, 142),	244.0 x 122.0	W / BI	ENG	MD PLY or EXT AL
SA-H21	2 BNP 80X30 (ref. SA-140, 142),	244.0 x 122.0	W / BI	ENG	MD PLY or EXT AL
SA-H40	4 BNP 80X30 (ref. SA-140, 142),	244.0 x 152.5	W / BI	ENG	MD PLY or EXT AL
SA-H41	4 BNP 80X30 (ref. SA-140, 142),	244.0 x 152.5	W / BI	ENG	MD PLY or EXT AL
SA-H60	6 BNP 80X30 (ref. SA-140, 142),	366.0 x 152.5	W / BI	ENG	MD PLY or EXT AL
SA-H61	6 BNP 80X30 (ref. SA-140, 142),	366.0 x 152.5	W / BI	ENG	MD PLY or EXT AL

J SERIES

Approved Symbols & Panels



SA-J10



SA-J11



SA-J20



SA-J21



SA-J40



SA-J41

K SERIES

Approved Symbols & Panels



SA-K10



SA-K11



SA-K20



SA-K21



SA-K40



SA-K41


NOTE: District Approved Sign Record Must Be Provided for Fabrication

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
SA-J10	1 BNP (When only one approved Tourist Attraction available) (SA-150) R or L Arrow	244.0 x 152.5	W / BI	ENG	MD PLY or EXT AL
SA-J11	1 BNP (When only one approved Heritage Attraction available) (SA-150) R or L Arrow	244.0 x 152.5	W / BI	ENG	MD PLY or EXT AL
SA-J20	2 BNP Tourist Attraction (SA-150) R or L Arrow	244.0 x 152.5	W / BI	ENG	MD PLY or EXT AL
SA-J21	2 BNP Heritage Attraction (SA-150) R or L Arrow	244.0 x 152.5	W / BI	ENG	MD PLY or EXT AL
SA-J40	4 BNP Tourist Attraction (SA-150) R or L Arrow	244.0 x 244.0	W / BI	ENG	MD PLY or EXT AL
SA-J41	4 BNP Heritage Attraction (SA-150) R or L Arrow	244.0 x 244.0	W / BI	ENG	MD PLY or EXT AL
SA-K10	1 BNP (When only one approved Tourist Attraction available) (SA-148) R or L Arrow	366.0 x 244.0	W / BI	ENG	MD PLY or EXT AL
SA-K11	1 BNP (When only one approved Heritage Attraction available) (SA-148) R or L Arrow	366.0 x 244.0	W / BI	ENG	MD PLY or EXT AL
SA-K20	2 BNP Tourist Attraction (SA-144) R or L Arrow	366.0 x 244.0	W / BI	ENG	MD PLY or EXT AL
SA-K21	2 BNP Heritage Attraction (SA-144) R or L Arrow	366.0 x 244.0	W / BI	ENG	MD PLY or EXT AL
SA-K40	4 BNP Tourist Attraction (SA-144) R or L Arrow	366.0 x 366.0	W / BI	ENG	MD PLY or EXT AL
SA-K41	4 BNP Heritage Attraction (SA-144) R or L Arrow	366.0 x 366.0	W / BI	ENG	MD PLY or EXT AL

M & O SERIES

 SA-90
  SA-92
  SA-94
  SA-96
 Size 80 X 20
  SA-98
 Size 188 X 20

Approved Symbols & Panels



N SERIES

 SA-002
  SA-004
  SA-006
  SA-008
  SA-020
  SA-022
  SA-024
  SA-025
  SA-026
  SA-028
  SA-030
  SA-032
  SA-034
  SA-036
  SA-038
  SA-040
  SA-042
  SA-044
  SA-046
  SA-048
  SA-050

Approved Symbols
Size 45 x 45



NOTE: District Approved Sign Record Must Be Provided for Fabrication

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
SA-M20	2 Generic 80X20, 1 Community and Dist	244.0 x 91.50	W / BI	ENG	MD PLY or EXT AL
SA-M40	2 Generic 80X20 & 1 188X20, 1 Community and, Dist	244.0 x 122.0	W / BI	ENG	MD PLY or EXT AL
SA-M50	4 Generic 80X20 & 1 188X20, 1 Community and, Dist	244.0 x 152.5	W / BI	ENG	MD PLY or EXT AL
SA-N20	2 Generic 45X45, Distance Standard 1 km to Turnoff	122.0 x 122.0	W / BI	ENG	MD PLY or EXT AL
SA-N40	4 Generic 45X45, Distance Standard 1 km to Turnoff	122.0 x 152.5	W / BI	ENG	MD PLY or EXT AL
SA-N41	4 Generic 45X45, 1 Community and Dist	244.0 x 122.0	W / BI	ENG	MD PLY or EXT AL
SA-N60	6 Generic 45X45, Dist, Standard 1 km to Turnoff	183.0 x 152.5	W / BI	ENG	MD PLY or EXT AL
SA-N80	8 Generic 45X45, Dist, Standard 1 km to Turnoff	244.0 x 152.5	W / BI	ENG	MD PLY or EXT AL
SA-N81	8 Generic 45X45, 1 Community and Dist	244.0 x 183.0	W / BI	ENG	MD PLY or EXT AL
SA-O20	2 Generic 80X20, Resort Name, Resort Area, Right or Left Arrow	244.0 x 152.5	W / BI	ENG	MD PLY or EXT AL
SA-O40	2 Generic 80X20, 1 188X20, Resort Name, Resort Area, Right or Left Arrow	244.0 x 183.0	W / BI	ENG	MD PLY or EXT AL
SA-O50	4 Generic 80X20, 1 188X20, Resort Name, Resort Area, Right or Left Arrow	244.0 x 213.5	W / BI	ENG	MD PLY or EXT AL

R SERIES

Approved Panels




Size 90 X 45



SA-R10




SA-R11




SA-R20




SA-R21




SA-R22




SA-R40




SA-R41




SA-R42



SA-R43



SA-R44



SA-R45

NOTE: District Approved Sign Record Must Be Provided for Fabrication


ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
SA-R10	1 BNP (SA-132),	122.0 x 122.0	W / BI	ENG	MD PLY or EXT AL
SA-R11	1 BNP (SA-132), 2 Business type Combinations	122.0 x 152.5	W / BI	ENG	MD PLY or EXT AL
SA-R20	2 BNP (SA-132),	244.0 x 122.0	W / BI	ENG	MD PLY or EXT AL
SA-R21	2 BNP (SA-132), 2 Business type Combinations	244.0 x 122.0	W / BI	ENG	MD PLY or EXT AL
SA-R22	2 BNP (SA-132), 2 Business type Combinations	244.0 x 152.5	W / BI	ENG	MD PLY or EXT AL
SA-R40	4 BNP (SA-132),	244.0 x 213.5	W / BI	ENG	MD PLY or EXT AL
SA-R41	4 BNP (SA-132), 2 Business type Combinations	244.0 x 213.5	W / BI	ENG	MD PLY or EXT AL
SA-R42	4 BNP (SA-132), 2 Business type Combinations	244.0 x 244.0	W / BI	ENG	MD PLY or EXT AL
SA-R43	2 BNP (SA-132), NEXT LEFT and 2 BNP (SA-132), SECOND LEFT, Combinations	244.0 x 244.0	W / BI	ENG	MD PLY or EXT AL
SA-R44	2 BNP (SA-132), NEXT LEFT and 2 BNP (SA-132), SECOND LEFT, Combinations	244.0 x 244.0	W / BI	ENG	MD PLY or EXT AL
SA-R45	2 BNP (SA-132), NEXT LEFT and 2 BNP (SA-132), SECOND LEFT, Combinations	244.0 x 274.5	W / BI	ENG	MD PLY or EXT AL

Refer to "A Directional Signing Program for Tourist Services, Facilities and Attractions, 1995" District Use Only

S&A SIGN STANDARD TEMPLATES

S SERIES


Approved Symbols & Panels



SA-S10



SA-S20



SA-S21



SA-S30



SA-S31



SA-S32



SA-S40



SA-S41

T SERIES

Approved Symbols & Panels



SA-T10



SA-T20



SA-T21




SA-T22




SA-T23



SA-T30



SA-T40



SA-T41



SA-T42




SA-T43

NOTE: District Approved Sign Record Must Be Provided for Fabrication

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
SA-S10	1 (60X60) GENERIC CONFIRMATORY, 1 (60X30, SA-100-SA-118 Arrow)	60 x 90	W / BI	ENG	AL
SA-S20	2 (60X60) GENERIC CONFIRMATORY, 1 (60X30, SA-100-SA-118 Arrow)	60 x 150	W / BI	ENG	AL
SA-S21	2 (60X60) GENERIC CONFIRMATORY, 2 (60X30, SA-100-SA-118 Arrows)	120 x 90	W / BI	ENG	AL
SA-S30	3 (60X60) GENERIC CONFIRMATORY, 1 (60X30, SA-100-SA-118 Arrow)	120 x 150	W / BI	ENG	AL
SA-S31	3 (60X60) GENERIC CONFIRMATORY, 2 (60X30, SA-100-SA-118 Arrows)	120 x 150	W / BI	ENG	AL
SA-S32	3 (60X60) GENERIC CONFIRMATORY, 2 (60X30, SA-100-SA-118 Arrows)	120 x 150	W / BI	ENG	AL
SA-S40	4 (60X60) GENERIC CONFIRMATORY, 1 (60X30, SA-100-SA-118 Arrow)	120 x 150	W / BI	ENG	AL
SA-S41	4 (60X60) GENERIC CONFIRMATORY, 2 (60X30, SA-100-SA-118 Arrows)	120 x 150	W / BI	ENG	AL
SA-T10	1 GENERIC CONFIRMATORY, 1 BNP (SA-130), 1 (60X30, SA-100-SA-118 Arrows)	60 x 135	W / BI	ENG	AL
SA-T20	1 GENERIC CONFIRMATORY, 2 BNP (SA-130), 1 (60X30, SA-100-SA-118 Arrows)	60 x 180	W / BI	ENG	AL
SA-T21	1 GENERIC CONFIRMATORY, 2 BNP (SA-130), 2 (60X30, SA-100-SA-118 Arrows)	120 x 135	W / BI	ENG	AL
SA-T22	2 GENERIC CONFIRMATORY, 2 BNP (SA-130), 1 (60X30, SA-100-SA-118 Arrows)	120 x 135	W / BI	ENG	AL
SA-T23	2 GENERIC CONFIRMATORY, 2 BNP (SA-130), 2 (60X30, SA-100-SA-118 Arrows)	120 x 135	W / BI	ENG	AL
SA-T30	2 GENERIC CONFIRMATORY, 3 BNP (SA-130), 2 (60X30, SA-100-SA-118 Arrows)	120 x 180	W / BI	ENG	AL
SA-T40	1 GENERIC CONFIRMATORY, 4 BNP (SA-130), 1 (60X30, SA-100-SA-118 Arrows)	120 x 180	W / BI	ENG	AL
SA-T41	1 GENERIC CONFIRMATORY, 4 BNP (SA-130), 2 (60X30, SA-100-SA-118 Arrows)	120 x 180	W / BI	ENG	AL
SA-T42	2 GENERIC CONFIRMATORY, 4 BNP (SA-130), 1 (60X30, SA-100-SA-118 Arrows)	120 x 180	W / BI	ENG	AL
SA-T43	2 GENERIC CONFIRMATORY, 4 BNP (SA-130), 2 (60X30, SA-100-SA-118 Arrows)	120 x 180	W / BI	ENG	AL


U SERIES

Approved Panels



V SERIES

Approved Panels




NOTE: District Approved Sign Record Must Be Provided for Fabrication

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
SA-U10	1 (60X45) GENERIC SYMBOLS, 1 (60X30, SA-100-SA-118 Arrows)	60 x 75	W / BI	ENG	AL
SA-U20	2 (60X45) GENERIC SYMBOLS, 1 (60X30, SA-100-SA-118 Arrows)	60 x 120	W / BI	ENG	AL
SA-U21	2 (60X45) GENERIC SYMBOLS, 2 (60X30, SA-100-SA-118 Arrows)	120 x 75	W / BI	ENG	AL
SA-U30	3 (60X45) GENERIC SYMBOLS, 1 (60X30, SA-100-SA-118 Arrows)	120 x 120	W / BI	ENG	AL
SA-U31	3 (60X45) GENERIC SYMBOLS, 2 (60X30, SA-100-SA-118 Arrows)	120 x 120	W / BI	ENG	AL
SA-U32	3 (60X45) GENERIC SYMBOLS, 2 (60X30, SA-100-SA-118 Arrows)	120 x 120	W / BI	ENG	AL
SA-U40	4 (60X45) GENERIC SYMBOLS, 1 (60X30, SA-100-SA-118 Arrows)	120 x 120	W / BI	ENG	AL
SA-U41	4 (60X45) GENERIC SYMBOLS, 2 (60X30, SA-100-SA-118 Arrows)	120 x 120	W / BI	ENG	AL
SA-V20	2 BNP 120X45 (ref. SA-134, 136)	152.5 x 183.0	W / BI	ENG	MD PLY
SA-V21	2 BNP 120X45 (ref. SA-134, 136)	152.5 x 213.5	W / BI	ENG	MD PLY
SA-V22	2 BNP 120X45 (ref. SA-134, 136)	305.0 x 122.0	W / BI	ENG	MD PLY or EXT AL
SA-V40	4 BNP 120X45 (ref. SA-134, 136)	305.0 x 183.0	W / BI	ENG	MD PLY or EXT AL
SA-V41	4 BNP 120X45 (ref. SA-134, 136)	305.0 x 213.5	W / BI	ENG	MD PLY or EXT AL
SA-V42	4 BNP 120X45 (ref. SA-134, 136)	305.0 x 183.0	W / BI	ENG	MD PLY or EXT AL

W SERIES

Approved Panels



SA-W10



SA-W20



SA-W21



SA-W30



SA-W40



SA-W41

NOTE: District Approved Sign Record Must Be Provided for Fabrication

ITEM #	DESCRIPTION (DETAILS)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
SA-W10	1 SA-066, 1 SA-066Tab & 1 (60X30, SA-100-SA-118 Arrows)	60 x 120	W / BI	ENG	AL
SA-W20	1 SA-066, 2 SA-066Tab & 1 (60X30, SA-100-SA-118 Arrows)	60 x 150	W / BI	ENG	AL
SA-W21	1 SA-066, 2 SA-066Tab & 2 (60X30, SA-100-SA-118 Arrows)	120 x 120	W / BI	ENG	AL
SA-W30	1 SA-066, 3 SA-066Tab & 1 (60X30, SA-100-SA-118 Arrows)	60 x 180	W / BI	ENG	AL
SA-W40	1 SA-066, 4 SA-066Tab & 1 (60X30, SA-100-SA-118 Arrows)	120 x 150	W / BI	ENG	AL
SA-W41	1 SA-066, 4 SA-066Tab & 2 (60X30, SA-100-SA-118 Arrows)	120 x 150	W / BI	ENG	AL



SA-002
I-046 **



SA-004
I-047**



SA-006
I-048**



SA-008
I-049**




SA-010
I-160**



SA-012
I-161**



SA-014
I-162 **



SA-016
I-052**



SA-018
I-053 **

ITEM #	DESCRIPTION (DETAILS)	REF (Series Use)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
SA-002	GAS	E	60 x 60	W / BI	ENG	AL or AL O/L
SA-002 u	GAS	N	45 x 45	W / BI	ENG	AL or AL O/L
SA-002 xx	GAS	F	90 x 90	W / BI	ENG	AL or AL O/L
SA-004	FOOD	E	60 x 60	W / BI	ENG	AL or AL O/L
SA-004 u	FOOD	N	45 x 45	W / BI	ENG	AL or AL O/L
SA-004 xx	FOOD	F	90 x 90	W / BI	ENG	AL or AL O/L
SA-006	LODGING	E	60 x 60	W / BI	ENG	AL or AL O/L
SA-006 u	LODGING	N	45 x 45	W / BI	ENG	AL or AL O/L
SA-006 xx	LODGING	F	90 x 90	W / BI	ENG	AL or AL O/L
SA-008	CAMP/TENT	E, S	60 x 60	W / BI	ENG	AL or AL O/L
SA-008 u	CAMP/TENT	N	45 x 45	W / BI	ENG	AL or AL O/L
SA-008 xx	CAMP/TENT	F	90 x 90	W / BI	ENG	AL or AL O/L
SA-010	MUSEUM	E, S & T	60 x 60	W / BI	ENG	AL or AL O/L
SA-012	GALLERY	E, S & T	60 x 60	W / BI	ENG	AL or AL O/L
SA-014	MUSEUM/GALLERY	E, S & T	60 x 60	W / BI	ENG	AL or AL O/L
SA-016	SANIDUMP	S	60 x 60	W / BI	ENG	AL or AL O/L
SA-016 u	SANIDUMP	N	45 x 45	W / BI	ENG	AL or AL O/L
SA-016 xx	SANIDUMP	F	90 x 90	W / BI	ENG	AL or AL O/L
SA-018	PICNIC	S	60 x 60	W / BI	ENG	AL or AL O/L
SA-018 u	PICNIC	N	45 x 45	W / BI	ENG	AL or AL O/L
SA-018 xx	PICNIC	F	90 x 90	W / BI	ENG	AL or AL O/L

** Removed from Standard Catalogue and transferred to new Item number this catalogue



SA-020
I-054**



SA-022
I-055**



SA-022T



SA-024
I-165T**



SA-025
I-065H**



SA-026
RESTRICTED



SA-028
RESTRICTED



SA-030
I-050**



SA-032
I-051**



SA-034
Z-066***



SA-036
Z-067***



SA-038
Z-068***



SA-040
Z-069***

ITEM #	DESCRIPTION (DETAILS)	REF (Series Use)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
SA-020	MARINA	S	60 x 60	W / BI	ENG	AL or AL O/L
SA-020 u	MARINA	N	45 x 45	W / BI	ENG	AL or AL O/L
SA-020 xx	MARINA	F	90 x 90	W / BI	ENG	AL or AL O/L
SA-022	BOATLAUNCH	S	60 x 60	W / BI	ENG	AL or AL O/L
SA-022 u	BOATLAUNCH	N	45 x 45	W / BI	ENG	AL or AL O/L
SA-022T	MAXIMUM HORPOWER (Pursuant to Canada Shipping Act)	S	60 x 60	W / BI	ENG	AL or AL O/L
SA-022T u	MAXIMUM HORPOWER (Pursuant to Canada Shipping Act)	N	45 x 45	W / BI	ENG	AL or AL O/L
SA-024	TOURIST ATTRACTION	K,T	60 x 60	Various	ENG	AL or AL O/L
SA-024 u	TOURIST ATTRACTION	N	45 x 45	Various	ENG	AL or AL O/L
SA-024 m	TOURIST ATTRACTION	J	50 x 50	Various	ENG	AL or AL O/L
SA-025	HERITAGE ATTRACTION	K,T	60 x 60	Various	ENG	AL or AL O/L
SA-025 u	HERITAGE ATTRACTION	N	45 x 45	Various	ENG	AL or AL O/L
SA-025 m	HERITAGE ATTRACTION	J	50 x 50	Various	ENG	AL or AL O/L
SA-026	BC HERITAGE - RESTRICTED	K,T	60 x 60	Various	ENG	AL or AL O/L
SA-026 u	BC HERITAGE - RESTRICTED	N	45 x 45	Various	ENG	AL or AL O/L
SA-026 m	BC HERITAGE - RESTRICTED	J	50 x 50	Various	ENG	AL or AL O/L
SA-028	FEDERAL ATTRACTION - RESTRICTED	K	60 x 60	Br / Y	ENG	AL or AL O/L
SA-028 m	FEDERAL ATTRACTION - RESTRICTED	J	50 x 50	Br / Y	ENG	AL or AL O/L
SA-030	CAMPING	N	45 x 45	W / BI	ENG	AL or AL O/L
SA-032	TENTING	N	45 x 45	W / BI	ENG	AL or AL O/L
SA-034	DIESEL	N (Remote Hwys Only)	45 x 45	W / BI	ENG	AL or AL O/L
SA-036	PROPANE	N (Remote Hwys Only)	45 x 45	W / BI	ENG	AL or AL O/L
SA-038	REPAIR	N (Remote Hwys Only)	45 x 45	W / BI	ENG	AL or AL O/L
SA-040	TIRE REPAIR	N (Remote Hwys Only)	45 x 45	W / BI	ENG	AL or AL O/L

** Removed from Standard Catalogue and transferred to new Item number this catalogue

*** Developed as Z-record for use as indicated within this catalogue



SA-042
Z-070***




SA-044
Z-071***



SA-046
***Z-072



SA-048
Z-073***



SA-050
Z-074***



SA-052
I-173**



SA-052T




SA-054
I-100**




SA-056
Z-249***



SA-058
Z-250***



SA-059
I-110



SA-060
Z-276a***



SA-062
Z-276c***



SA-064
Z-276b***

ITEM #	DESCRIPTION (DETAILS)	REF (Series Use)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
SA-042	GROCERY	N (Remote Hwys Only)	45 x 45	W / BI	ENG	AL or AL O/L
SA-044	PHONE	N (Remote Hwys Only)	45 x 45	W / BI	ENG	AL or AL O/L
SA-046	WELDER	N (Remote Hwys Only)	45 x 45	W / BI	ENG	AL or AL O/L
SA-048	TOWING	N (Remote Hwys Only)	45 x 45	W / BI	ENG	AL or AL O/L
SA-050	LAUNDRY	N (Remote Hwys Only)	45 x 45	W / BI	ENG	AL or AL O/L
SA-052	BED & BREAKFAST	S	60 x 60	BI / W	ENG	AL or AL O/L
SA-052T	X FACILITIES (State the Number of facilities)	S	60 x 30	W / BI	ENG	AL or AL O/L
SA-054	GOLF	T	60 x 60	W / BI	ENG	AL or AL O/L
SA-056	TOURS	T	60 x 60	W / BI	ENG	AL or AL O/L
SA-058	TRAIL RIDES	T	60 x 60	W / BI	ENG	AL or AL O/L
SA-060	WHALE WATCHING	T	60 x 60	W / BI	ENG	AL or AL O/L
SA-062	ROWING	T	60 x 60	W / BI	ENG	AL or AL O/L
SA-064	KAYAKING	T	60 x 60	W / BI	ENG	AL or AL O/L

* Current Under Standard Catalogue 2001 as Information Item

** Removed from Standard Catalogue and transferred to new Item number this catalogue

*** Developed as Z-record for use as indicated within this catalogue



SA-066
I-172*



SA-066a
I-172t*



SA-066b
I-172t*



SA-066c
I-172t*



SA-066d
I-172t*



SA-066e
I-172t*



SA-066f
I-172t*



SA-066g
I-172t*



SA-066h
I-172t*



SA-066i
I-172t*



SA-066j
I-172t*



SA-066k
I-172t*



SA-066l
I-172t*



SA-066m
I-172t*



SA-066n
I-172t*



SA-066o
I-172t*



SA-066p




SA-066q



SA-066r

ITEM #	DESCRIPTION (DETAILS)	REF (Series Use)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
SA-066	ARTISAN	W	60 x 60	W / BI	ENG	AL
SA-066a	ARTIST	W	60 x 30	BI / W	ENG	AL
SA-066b	CARVER	W	60 x 30	BI / W	ENG	AL
SA-066c	ENAMELLER	W	60 x 30	BI / W	ENG	AL
SA-066d	GLASSBLOWER	W	60 x 30	BI / W	ENG	AL
SA-066e	JEWELLER	W	60 x 30	BI / W	ENG	AL
SA-066f	JEWELLERY	W	60 x 30	BI / W	ENG	AL
SA-066g	NATIVE ARTISTS	W	60 x 30	BI / W	ENG	AL
SA-066h	POTTER	W	60 x 30	BI / W	ENG	AL
SA-066i	STAINED GLASS	W	60 x 30	BI / W	ENG	AL
SA-066j	WEAVER	W	60 x 30	BI / W	ENG	AL
SA-066k	WOOD TURNER	W	60 x 30	BI / W	ENG	AL
SA-066l	WOOD WORKER	W	60 x 30	BI / W	ENG	AL
SA-066m	GLASS ART	W	60 x 30	BI / W	ENG	AL
SA-066n	QUILTER	W	60 x 30	BI / W	ENG	AL
SA-066o	DOLLMAKER	W	60 x 30	BI / W	ENG	AL
SA-066p	GLASSMAKER	W	60 x 30	BI / W	ENG	AL
SA-066q	PORCELAIN	W	60 x 30	BI / W	ENG	AL
SA-066r	PAINTER	W	60 x 30	BI / W	ENG	AL

* Current Under Standard Catalogue 2001 as Information Item



SA-070

SKIING

SA-072

X-COUNTRY SKIING

SA-074

SNOWMOBILING

SA-076

SKATING

SA-078

BIKING

SA-080

HIKING

SA-082

SCENIC CHAIRLIFT

SA-084

SCENIC GONDULA

SA-085

GOLF COURSE

SA-086

GAS

SA-90

FOOD

SA-92

LODGING

SA-94

CAMPING

SA-96

TOURIST ATTRACTION

SA-98

ITEM #	DESCRIPTION (DETAILS)	REF (Series Use)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
SA-70	OPEN TAB (Generic Text)	M & O	60 x 60	BI / W	ENG	AL or AL O/L
SA-72	SKIING (Generic Text)	M & O	80 x 20	BI / W	ENG	AL or AL O/L
SA-74	X-COUNTRY SKIING (Generic Text)	M & O	80 x 20	BI / W	ENG	AL or AL O/L
SA-76	SNOWMOBILING (Generic Text)	M & O	80 x 20	BI / W	ENG	AL or AL O/L
SA-78	SKATING (Generic Text)	M & O	80 x 20	BI / W	ENG	AL or AL O/L
SA-80	BIKING (Generic Text)	M & O	80 x 20	BI / W	ENG	AL or AL O/L
SA-82	HIKING (Generic Text)	M & O	80 x 20	BI / W	ENG	AL or AL O/L
SA-84	SCENIC CHAIRLIFT (Generic Text)	M & O	80 x 20	BI / W	ENG	AL or AL O/L
SA-85 NEW	DCENIC GONDULA (Generic Text)	M & O	80 x 20	BI / W	ENG	AL or AL O/L
SA-86	GOLF COURSE (Generic Text)	M & O	80 x 20	BI / W	ENG	AL or AL O/L
SA-90	GAS (Generic Text)	M & O	80 x 20	BI / W	ENG	AL or AL O/L
SA-92	FOOD (Generic Text)	M & O	80 x 20	BI / W	ENG	AL or AL O/L
SA-94	LODGING (Generic Text)	M & O	80 x 20	BI / W	ENG	AL or AL O/L
SA-96	CAMPING (Generic Text)	M & O	80 x 20	BI / W	ENG	AL or AL O/L
SA-98	TOURIST ATTRACTION (Generic Text)	M & O	188 x 20	BI / W	ENG	AL or AL O/L



SA-100
I-060**



SA-102
I-060D**



SA-104
I-061L**



SA-105
I-060R**



SA-106
I-062**



SA-110



SA-112



SA-114



SA-116



SA-118



SA-120
I-138*

ITEM #	DESCRIPTION (DETAILS)	REF (Series Use)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
SA-100	LEFT or RIGHT ARROW	S, T, U & W	60 x 30	BI / W	ENG	AL
SA-102	DOUBLE HEADED ARROW	S, T, U & W	60 x 30	BI / W	ENG	AL
SA-104	LEFT ANGLE UP ARROW	S, T, U & W	60 x 30	BI / W	ENG	AL
SA-105	RIGHT ANGLE UP ARROW	S, T, U & W	60 x 30	BI / W	ENG	AL
SA-106	THRU ARROW	S, T, U & W	60 x 30	BI / W	ENG	AL
SA-110	RIGHT ANGLE UP & DISTANCE (1 DIGIT)	S, T, U & W	60 x 30	BI / W	ENG	AL
SA-112	RIGHT ANGLE UP & DISTANCE (2 DIGITS)	S, T, U & W	60 x 30	BI / W	ENG	AL
SA-114	RIGHT ARROW & DISTANCE (1 DIGIT)	S, T, U & W	60 x 30	BI / W	ENG	AL
SA-116	THRU ARROW & DISTANCE (1 DIGIT)	S, T, U & W	60 x 30	BI / W	ENG	AL
SA-118	RIGHT ARROW & DISTANCE (2 DIGITS)	S, T, U & W	60 x 30	BI / W	ENG	AL
SA-120	DISTANCE TAB (Specify distance from 100m - 600m)	S, T, U & W	60 x 30	BI / W	ENG	AL

* Current Under Standard Catalogue 2001 as Information Item

** Removed from Standard Catalogue and transferred to new Item number this catalogue



SA-130



SA-132



SA-134L



SA-134R



SA-135L



SA-135R



SA-135R



SA-136L



SA-136R



SA-140L



SA-140R



SA-141L



SA-141R



SA-142L



SA-142R

ITEM #	DESCRIPTION (DETAILS)	REF (Series Use)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
SA-130	Free Standing Business Name Panel	U	60 x 45	BI / W	ENG	AL
SA-132	Business Name Panel	J & R	90 x 45	BI / W	ENG	AL or AL O/L
SA-134L	Business Name Panel (Distance) Left Arrow	V	30 x 45	BI / W	ENG	AL or AL O/L
SA-134R	Business Name Panel (Business Name) Mounted Right	V	90 x 45	BI / W	ENG	AL or AL O/L
SA-135L	Business Name Panel (Business Name) Mounted Left	V	90 x 45	BI / W	ENG	AL or AL O/L
SA-135R	Business Name Panel (Business Name) Mounted Right	V	120 x 45	BI / W	ENG	AL or AL O/L
SA-136L	Business Name Panel (Business Name) Mounted Left	V	120 x 45	BI / W	ENG	AL or AL O/L
SA-136R	Business Name Panel (Distance) Right Arrow	V	30 x 45	BI / W	ENG	AL or AL O/L
SA-140L	Business Name Panel (Distance) Left Arrow	H	20 x 30	BI / W	ENG	AL or AL O/L
SA-140R	Business Name Panel (Business Name) Mounted Right	H	60 x 30	BI / W	ENG	AL or AL O/L
SA-141L	Business Name Panel (Business Name) Mounted Left	H	80 x 30	BI / W	ENG	AL or AL O/L
SA-141R	Business Name Panel (Business Name) Mounted Right	H	80 x 30	BI / W	ENG	AL or AL O/L
SA-142L	Business Name Panel (Business Name) Mounted Left	H	60 x 30	BI / W	ENG	AL or AL O/L
SA-142R	Business Name Panel (Distance) Right Arrow	H	20 x 30	BI / W	ENG	AL or AL O/L



SA-144



SA-146



SA-148



SA-150



SA-152



SA-152X



SA-154



SA-154X



SA-156



SA-156X

ITEM #	DESCRIPTION (DETAILS)	REF (Series Use)	SIZE (cm)	COLOURS	REFLECT	SUBSTRATE
SA-144	Type F Business Name Panel	K & G	150 x 90	BI / W	ENG	AL or AL O/L
SA-146	Type FG Business Name Panel	G60 (only)	120 x 90	BI / W	ENG	AL or AL O/L
SA-148	Type FW Business Name Panel	K series Only	325 x 90	BI / W	ENG	AL or AL O/L
SA-150	Type HW Business Name Panel	J Series Only	210 x 45	BI / W	ENG	AL or AL O/L
SA-152	CLOSED Tab Seasonal Only for (90 X 45 BNP)	BNP Overlay Temporary	100 x 20	W / BI	ENG	AL or HD PLY
SA-152x	CLOSED Tab Seasonal Only for (150 X 90 BNP)	BNP Overlay Temporary	180 x 30	W / BI	ENG	AL or HD PLY
SA-154	OPENING Tab (Specify Month Only) for (90 X 45 BNP)	BNP Overlay Temporary	100 x 20	W / BI	ENG	AL or HD PLY
SA-154X	OPENING Tab (Specify Month Only) for (150 X 90 BNP)	BNP Overlay Temporary	180 x 30	W / BI	ENG	AL or HD PLY
SA-156	NO VACANCY for (90 X 45 BNP)	BNP Overlay Temporary	100 x 20	W / BI	ENG	AL or HD PLY
SA-156X	NO VACANCY for (150 X 90 BNP)	BNP Overlay Temporary	180 x 30	W / BI	ENG	AL or HD PLY

Custom Signs
10.0

Custom Sign Concept & Design

This Chapter has been provided to guide you through the process involved in obtaining custom designed signs.

Designs and services available

Professionally designed signs such as:

- Traffic Signs on Provincial Highways
- Identity Programs
- Forestry Recreational Sites
- Parks, Campgrounds and Trails
- Forestry Roads & Programs
- Building Identification
- Fleet Markings

Our goal is to provide and achieve:

- A highly organized data base
- Cataloguing and number assignment
- Secure safe data storage and backups
- Email to your PC all proposed designs
- Email to your PC quotes
- Fast and efficient service
- Cost effective design and fabrication
- Your satisfaction

Commonly used Custom Signs on Ministry Maintained Roadways

G-001 Directional, site specific
G-003 Directional, site specific

G-005 Guide Signs, site specific:
All other Hwy Signs not specified in
current policies and programs

G-006 Distance, site specific

LR Local Radio site specific
PB Parks Branch Site specific
FR Forestry Recreation, site Specific
SSP Supplemental Signing Policy

Custom Sign Designs commonly required for other Governing Bodies

Special Instruction
Forestry Roads
Parks Campgrounds
Heritage Sites

Hospitals
BC Ferry Corp
Airport Authority
Special Programs

Special Event
Special Project
International Projects
Demonstration Projects

BCBC
Federal Parks
Federal projects

Obtaining Custom Highway Sign Records

Legend	
S.T.E.	Senior Traffic Engineer
R.T.E.	Regional Traffic Engineer
S.D.T.	Sign Design Tech
D.S.L.	District Sign Liaison

I received a Notice of Review

This indicates the order sent to the Sign Shop by the District or under annual plan

- Does not meet current standards
- Requires review & re-design to meet standards
- Has become obsolete

The District office, R.T.E. and or the S.T.E. will be contacted by the S.D.T to review

A Where do I send initial request

	S.T.E.	R.T.E.	S.D.T.
NEW signing	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Replacement Signs	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Projects	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

How long will the Review require

This is dependent on one or more of the following

- District Sign Liaison
- Regional Traffic Engineer
- Senior Traffic Engineer

The Sign Design Section will respond within a two week period & will follow up every two weeks

B What do I have to provide

- Proposed Record Sheet Page 10.3
- Fill in all Information for each field
- Sketch of sign message and arrows
- Sketch Location of sign
- Supply any relevant G-005 sign records.

I require an urgent replacement

Custom signs that require urgent replacement are:

- Motor Vehicle Accident (sign not erect)
- Damaged and no longer readable
- Vandalized and the message is incorrect

Please notify the Sign Design Tech and the District Liaison immediately.

C How do I obtain the approved record

The Sign Design Tech will Email request to:

	S.T.E.	R.T.E.	D.S.L.
NEW sign records	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Replacement sign records	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Projects Sign Records	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Sign Design Tech Contact

Phone: (250) 377-4476
 Fax: (250) 377-4477
 Email: Murray.Smith@gems6.gov.bc.ca

D Who will approve the final record

All approvals for any custom sign require a minimum of Regional Traffic Engineer Approval.

The S.T.E. will be consulted in all situations that are not currently allowed under policy or other unforeseen requirements

E Sending in an Order

Refer to page 1.2 for ordering information

Ministry of Transportation
SIGN RECORD

Temp Sign Number

District: _____
Highway: _____
Km/h: _____
Location: _____

SPECIFICATIONS
Type: _____
Size: _____
Substrate: _____
Colours: _____
Mount: _____
Font: _____

MODIFIED RECORD FORMATS WILL NOT BE ACCEPTED!

SKETCH

Showing Location of Sign, Roads, and Directions



History Custom Sign Use

DESIGN APPROVAL

Regional Traffic Engineer _____

Date _____

Other Ministries & Organizations Concept and Sign Design

Will this sign be used provincially

To increase cost effectiveness, please check with your head office to determine if this sign is useful province-wide. The Sign Services Section will then consult with your head office to develop a uniform design. By utilizing a uniform design, your fabrication costs can be minimized by pooling your orders to increase volumes ordered and reduce costs.

A Where do I send initial request

You may send your initial request to the Sign Design Tech. Specify if the sign request is to be a custom, new standards or revised standard Reference page 10.4

B What do I have to provide

- Proposed sketch or Spec. Sheet
- Specify all colors
- Is night time reflect required?
- Standard or Custom Signs
- Your Email Address

Sign Design Tech Contact

Phone: (250) 377-4476
Fax: (250) 377-4477
Email: Murray.Smith@gems6.gov.bc.ca

Assistance in Ordering Signs

Please contact the Sign Services Section if you require assistance. We are happy to help.

C How will I receive the proposed design

The Sign Design Tech will correspond with you directly via Email, fax or by mail, whichever might be your preference. Email of a PDF file is the most preferred platform for graphic delivery.

E Sending in an Order

Refer to page 1.2 for ordering information

D I have the design I need, what Now?

Notify the Sign Design Tech. You will receive a final fabrication ready document identified by a unique number. This number is the item number and must be referenced on the sign order form. Please fax in record with sign order.

DESCRIPTION: _____

Temporary File No: _____

CONTACT

Organization: _____ **Address:** _____
Contact Name _____

Phone: _____ **Billing Information:** _____
Fax: _____

Email: _____

SPECIFICATIONS **MISCELLANEOUS INFORMATION**

Type of Sign: _____
Size Preferred: _____
Substrate (Body of Sign): _____
Colours: Preferred _____
Number of Colors _____
Font Preference: _____



Ministry of
Transportation

Sign Services Section
Phone: (250) 377 - 4476
Fax: (250) 377 - 4479
Email: Murray.Smith@gems6.gov.bc.ca

Approval to Design _____

Date _____