# Forage FACTSHEET



## 2002 CENTRAL BC FORAGE RECOMMENDATIONS

#### **CULTIVATED PASTURE MIXTURES**

Crop-Variety		Seeding Rate lb/ac	Remarks			
1. Orchardgrass	- AC Nordic, Arctic, Kay, or Okay	5	Clay soil mixture or good			
Bromegrass Timothy	<ul><li>Bravo, Manchar, Paddock or Rebound</li><li>Climax, Tiller, Timpro, Titan, Tuukka,</li></ul>		moisture conditions.			
·	or Richmond	2				
Alsike Clover	- Aurora, Dawn, or Tetra	2				
2. Orchardgrass	- AC Nordic, Arctic, Kay, or Okay	5	Dryland or light soil conditions.			
Bromegrass Alfalfa	<ul> <li>Bravo, Manchar, Paddock or Rebound</li> <li>AC Grazeland, Peace, Pickseed 3006,</li> </ul>	4	AC Grazeland was developed with <u>reduced</u> bloating parameter			
7 Milana	Rangelander, or Runner,	2	and seeding rates may be increased to 4lbs/acre to enhance feed quality.			
FALL PASTURE MIXTURES						
3. Orchardgrass	- AC Nordic, Arctic, Kay, or Okay	4	Substitute red clover for alfalfa			
Tall Fescue	- Courtenay	8	on soils with pH lower than 5.9			
Alfalfa	- AC Grazeland, Peace, Pickseed 3006,		-			
	Rangelander, or Runner	2	See note above.			
	Rangelander, of Runner		See note above.			

#### ANNUAL FALL PASTURE

4. In areas with good moisture conditions in August-September, annual ryegrass can provide nutritious fall pasture. Underseed barley silage or oat hay with 15 - 20 lbs/acre of Aubade or Max annual ryegrass in early spring and harvest the cereal at the soft dough stage. A split application of nitrogen is recommended to enhance fall pasture growth.

### **SWATH GRAZING**

5. Plant 100 lbs. of oats/acre by mid-June and swath the crop in mid-October to provide dry cow feed in December. (There is some risk that deep early snow will prevent grazing!)

#### HAY AND/OR SILAGE

<ul> <li>Red Clover         <ul> <li>Alsike Clover</li> <li>Timothy</li> <li>Alma, Climax, Tiller, Timpro, Titan, or Tuukka</li> </ul> </li> <li>Bromegrass</li> <li>Bravo, Carlton, Magna, Rebound, or Signal</li> </ul>	3 3 4	Standard mixture for clay soils. Red clover is difficult to cure for hay. Alsike clover should not be used for horse mixtures. Refer to alsike clover factsheet for control recommendations
---	-------------	---

Cr	op-Variety		d	Seeding Rate	Remarks
7.	Alfalfa	-	Abby, Algonquin, Nemesis, Peace, Pickseed 2065 MF, Pickseed 8925 MF,		
	Alsike Clover Timothy	-	or Rangelander Aurora, Dawn, or Tetra Alma, Climax, Tiller, Timpro, Titan,	6 2	Alfalfa is recommended only for well-drained sites or soils with $pH \ge 5.9$
	Bromegrass	-	or Tuukka Bravo, Carlton, Magna, Rebound, or Sig	2 gnal 3	
8.	Alfalfa	-	Abby, Algonquin, Nemesis, Peace, Pickseed 2065 MF, or Pickseed 8925 MF	F 8	Better regrowth than previous two mixtures.
	Orchardgrass Timothy	-	AC Nordic, Alma, Arctic, Climax, Kay, Okay, Richmond, Tiller, Timpro, Titan, or Tuukka	5	two mixtures.
9.	Alfalfa	-	Abby, Algonquin, Nemesis, Peace, Pickseed 2065 MF, or Pickseed 8925 MF	7 10	Peace and Rangelander are preferred for winter hardiness.
NO			esis or Pickseed 8925 MF if verticillium wilt is s/shorter lived stands with zero-tillage use Abb		seed 2065 MF or Pickseed 8925 MF
10.	Alfalfa	-	Abby, Blazer XL, Nemesis, Peace, Pickseed 2065 MF, or Pickseed 8925 MF	7 8	Short-lived (3-4 years) high quality feed. Better protein content than
	Intermediate	-	Chief or Clarke	5	timothy or orchardgrass mixtures.
	or Pubescent Wheatgrass	-	Greenleaf		
11.	Reedcanarygrass	-	Bellevue, Palaton, or Rival	6	For bog or poorly drained areas.
	Alsike Clover	-	Aurora, Dawn, or Tetra	4	
Eo	rly Maturing		SILAGE MIXT	URES	
	Alsike Clover Timothy	-	Aurora, Dawn, or Tetra Richmond, Tiller, Timpro, Titan,	4	Use for early maturing mixture to spread harvest season.
	•	_	or Tuukka	1	spicat harvest season.
	Bromegrass	-	Bravo, Carlton, Manchar, Paddock, Rebound, or Signal	4	
	Orchardgrass	-	AC Nordic, Arctic, Kay, or Okay	4	
	te Maturing				
13.	Red Clover	-	Altaswede	6	High protein but shortlived legume in mixture; best suited to
	Timothy	-	Alma, Climax, Comtrol, Drummond, Timpro, Titan, or Tuukka	4	acid clay soils.
NO			ace or Rangelander alfalfa for red clover on wel quate for alfalfa growth.	ll-drained sites w	ith pH≥5.9. Ensure that boron
14.	Red Clover	-	Altaswede or Norlac	6	For heavy textured or wet soils.
	Reedcanarygrass	-	Bellevue, Palaton, or Rival	6	Cut when clover is in the bud stage.
15.	Barley	-	AC Lacombe, Brier, Kasota,	60	
	Oats	-	Mahigan, or Virden AC Morgan, Calibre, Cascade, or Waldre		

For further information, contact:

Jim Tingle, Senior Agrologist

Jim Tingle, Senior Agrologist BCMAFF, Prince George, BC (250) 963-2507 or 1-800-334-3011