

Average Mortality Rate (2006 - First Quarter)					
DFO SubZone	Species	Life stages	# Fish Group	# Site	Rate
All Zones	Atlantic salmon	"Early"	25	17	2.70%
2-3	Atlantic salmon	"Later"	15	11	0.43%
2-4	Atlantic salmon	"Later"	8	8	0.31%
3-1 + 3-2	Atlantic salmon	"Later"	17	16	0.37%
3-3	Atlantic salmon	"Later"	22	18	6.14%
3-4 + 3-5	Atlantic salmon	"Later"	15	12	0.34%
All Zones ⁴	Atlantic salmon	"Later"	81	66	2.90%
All Zones	Pacific salmon	"Early"	76	13	1.40%
All Zones	Pacific salmon	"Later"	29	16	1.49%

Notes

1 Rate figures are aggregate weighted averages (agreed to with BC MAFF April 25, 2003)

2 Definitions for lifestages:

"Early"	Eyed Egg -->	Alevin / Larvae / Fry -->	Pre-smolt (= parr)
"Later"	Smolt -->	Grow-out / Harvest (= immature adult) Broodstock -->	Spent/Post-Spawn (public facilities) -->

3: The following participants' data are in the system for this quarter	Companies/ participants not yet on the system	Data in the system for this quarter but may be incomplete
Creative Salmon Grieg Seafoods Heritage Salmon Marine Harvest Canada/ Stolt Seafarms Mainstream (Pacific National Aquaculture) Panfish Canada (Omega Salmon Group) Target Marine Products West Coast Fish Culture	AgriMarine Industries Omega Pacific Saltstream Engineering Totem Oysters Yellow Island Aquaculture Freshwater Fisheries Society of BC (some data in the system)	Fisheries and Oceans Canada

4 This field has been added to encompass a small number of later lifestage Atlantic salmon (e.g., broodstock) raised in areas other than the subzones shown above.