

CANADIAN SPECIES AT RISK

MAY 2004



Aussi disponible en français

COSEWIC
COMMITTEE ON THE STATUS OF
ENDANGERED WILDLIFE
IN CANADA



COSEPAC
COMITÉ SUR LA SITUATION DES
ESPÈCES EN PÉRIL
AU CANADA

For additional copies contact:

COSEWIC Secretariat
c/o Canadian Wildlife Service
Environment Canada
Ottawa, ON
K1A 0H3

Tel.: (819) 997-4991 / (819) 953-3215

Fax: (819) 994-3684

E-mail: COSEWIC/COSEPAC@ec.gc.ca

Web site: <http://www.cosewic.gc.ca>

Courier address:

4th Floor,
Place Vincent Massey,
351 St. Joseph Blvd.,
Gatineau, QC.
J8Y 3Z5

Cover Illustration: Peary Caribou, Tuktuk, *Rangifer tarandus pearyi*, designated Endangered by COSEWIC in May 2004. Drawing by Shelly O'Gorman, Iqaluit, Nunavut.

This publication can be cited as follows: COSEWIC. 2004. Canadian Species at Risk, May 2004. Committee on the Status of Endangered Wildlife in Canada. 49 pp.

COSEWIC Status Reports are available from the *Species at Risk Act* Public Registry
<http://www.sararegistry.gc.ca>

TABLE OF CONTENTS

| | |
|---|----|
| ABOUT COSEWIC | 1 |
| COSEWIC Mandate | 1 |
| COSEWIC Membership | 1 |
| Definitions..... | 1 |
| SUMMARY TABLES | 2 |
| Species designated in the "risk" and the Extinct categories, and the Not at Risk and Data Deficient categories (Tables 1-3)..... | 2 |
| Results from the May 2004 COSEWIC meeting (Tables 4-5) | 3 |
| Explanation of status change symbols for reassessed species | 3 |
| COSEWIC ASSESSMENT RESULTS | 4 |
| Table 6. Species assessed and designated Extinct..... | 5 |
| Extinct Category..... | 5 |
| Table 7. Species assessed and designated in a "risk category"..... | 6 |
| Extirpated Category | 6 |
| Endangered Category | 8 |
| Threatened Category | 13 |
| Special Concern Category | 16 |
| Table 8. Species assessed and found to be in the Not at Risk category | 20 |
| Not at Risk Category | 20 |
| Table 9. Species considered and placed in the Data Deficient category..... | 25 |
| Data Deficient Category..... | 25 |
| RECORD OF STATUS REASSESSMENTS | 27 |
| RECORD OF NAME CHANGES..... | 45 |

ABOUT COSEWIC

COSEWIC MANDATE

The Committee on the Status of Endangered Wildlife in Canada (COSEWIC) assesses the national status of wild species, subspecies, varieties, or other designatable units that are considered to be at risk in Canada. Designations are made on native species including the following taxonomic groups: mammals, birds, reptiles, amphibians, fishes, arthropods, molluscs, vascular plants, mosses, and lichens.

COSEWIC MEMBERSHIP

COSEWIC comprises members from each provincial and territorial government wildlife agency, four federal agencies (Canadian Wildlife Service, Parks Canada Agency, Department of Fisheries and Oceans, and the Federal Biodiversity Information Partnership, chaired by the Canadian Museum of Nature), three non-government members and the co-chairs of the species specialist and the Aboriginal Traditional Knowledge subcommittees. The Committee meets to consider status reports on candidate species.

DEFINITIONS

The following definitions were reviewed by COSEWIC in May 2004:

| | |
|------------------------|---|
| Wildlife species | a species, subspecies, variety, or geographically or genetically distinct population of animal, plant or other organism, other than a bacterium or virus, that is wild by nature and it is either native to Canada or has extended its range into Canada without human intervention and has been present in Canada for at least 50 years. |
| Extinct (X) | A wildlife species that no longer exists. |
| Extirpated (XT) | A wildlife species no longer existing in the wild in Canada, but occurring elsewhere. |
| Endangered (E) | A wildlife species facing imminent extirpation or extinction. |
| Threatened (T) | A wildlife species likely to become endangered if limiting factors are not reversed. |
| Special Concern (SC)* | A wildlife species that may become a threatened or an endangered species because of a combination of biological characteristics and identified threats. |
| Not at Risk (NAR)** | A species that has been evaluated and found to be not at risk of extinction given the current circumstances. |
| Data Deficient (DD)*** | A wildlife species for which there is inadequate information to make a direct, or indirect, assessment of its risk of extinction. |

* Formerly described as "Vulnerable" from 1990 to 1999, or "Rare" prior to 1990.

** Formerly described as "Not In Any Category", or "No Designation Required."

*** Formerly described as "Indeterminate" from 1994 to 1999 or "ISIBD" (insufficient scientific information on which to base a designation) prior to 1994.

SUMMARY TABLES

Species designated in the "risk" and the Extinct categories, and the Not at Risk and Data Deficient categories

Table 1. Summary of COSEWIC's assessment results for the "risk" categories (Extirpated, Endangered, Threatened and Special Concern) (444 species) and for the Extinct category (12 species). The results include the May 2004 meeting.

| TAXON | EXTINCT | EXTIRPATED | ENDANGERED | THREATENED | SPECIAL CONCERN | TOTALS |
|-----------------|-----------|------------|------------|------------|-----------------|------------|
| Mammals | 2 | 4 | 20 | 14 | 26 | 66 |
| Birds | 3 | 2 | 23 | 10 | 22 | 60 |
| Reptiles | 0 | 4 | 7 | 12 | 9 | 32 |
| Amphibians | 0 | 1 | 6 | 5 | 7 | 19 |
| Fishes | 5 | 2 | 21 | 22 | 29 | 79 |
| Arthropods | 0 | 3 | 6 | 5 | 2 | 16 |
| Molluscs | 1 | 2 | 12 | 2 | 4 | 21 |
| Vascular Plants | 0 | 2 | 67 | 41 | 35 | 145 |
| Mosses | 1 | 1 | 5 | 2 | 2 | 11 |
| Lichens | 0 | 0 | 2 | 1 | 4 | 7 |
| Totals | 12 | 21 | 169 | 114 | 140 | 456 |

Table 2. Summary of COSEWIC's assessment results for the Not at Risk category. The results include the May 2004 meeting.

| TAXON | NOT AT RISK |
|-----------------|-------------|
| Mammals | 44 |
| Birds | 35 |
| Reptiles | 5 |
| Amphibians | 14 |
| Fishes | 35 |
| Arthropods | 0 |
| Molluscs | 2 |
| Vascular Plants | 16 |
| Mosses | 0 |
| Lichens | 0 |
| Totals | 151 |

Table 3. Summary of COSEWIC's assessment results for the Data Deficient category. The results include the May 2004 meeting.

| TAXON | DATA DEFICIENT |
|-----------------|----------------|
| Mammals | 10 |
| Birds | 2 |
| Reptiles | 2 |
| Amphibians | 0 |
| Fishes | 9 |
| Arthropods | 0 |
| Molluscs | 4 |
| Vascular Plants | 4 |
| Mosses | 0 |
| Lichens | 2 |
| Totals | 33 |

Results from the May 2004 COSEWIC meeting

Table 4. May 2004 results by category and taxon.

| TAXON | EXTINCT | EXTIRPATED | ENDANGERED | THREATENED | SPECIAL CONCERN | NOT AT RISK | DATA DEFICIENT | TOTALS |
|-----------------|----------|------------|------------|------------|-----------------|-------------|----------------|-----------|
| Mammals | | | 3 | 3 | 5 | 1 | 1 | 13 |
| Birds | | | 1 | 2 | | | | 3 |
| Reptiles | | | 2 | 1 | | | | 3 |
| Amphibians | | | 1 | | | | | 1 |
| Fishes | | | 1 | | | | | 1 |
| Arthropods | | | | | | | | 0 |
| Molluscs | | | 1 | | 1 | | | 2 |
| Vascular Plants | | | 5 | 2 | 3 | | | 10 |
| Mosses | | | | | 2 | | | 2 |
| Lichens | | | | 1 | | | | 1 |
| Totals | 0 | 0 | 14 | 9 | 11 | 1 | 1 | 36 |

Table 5. May 2004 results by category and type of change.

| TYPE OF CHANGE | EXTINCT | EXTIRPATED | ENDANGERED | THREATENED | SPECIAL CONCERN | NOT AT RISK | DATA DEFICIENT | TOTALS |
|-----------------------------|----------|------------|------------|------------|-----------------|-------------|----------------|-----------|
| New | | | 8 | 4 | 3 | | | 15 |
| In a higher risk category ↑ | | | 4 | 2 | 1 | | | 7 |
| In a lower risk category ↓ | | | | 1 | | | | 1 |
| No Change ↔ | | | 1 | 1 | 5 | 1 | | 8 |
| Changed ⚙ | | | | | | | 1 | 1 |
| Reassigned ↻ | | | 1 | 1 | 2 | | | 4 |
| No longer at risk √ | | | | | | | | 0 |
| Totals | 0 | 0 | 14 | 9 | 11 | 1 | 1 | 36 |

Explanation of status change symbols for reassessed species

- ↑ Species placed in a higher risk category after reassessment on the date shown.
- ↓ Species placed in a lower risk category after reassessment on the date shown.
- ↔ Species stays in the same category after reassessment on the date shown.
- ⚙ Species moved to the Data Deficient category from a risk category, or to a risk category from the Data Deficient category on the date shown.
- ↻ Species that has been assigned to a different designatable unit than previously on the date shown.
- √ Species moved to the Not at Risk category from a risk category on the date shown.
- (no symbol) New species examined on the date shown.

COSEWIC ASSESSMENT RESULTS

The tables that follow (Tables 6-9) are organized by status category and then by taxonomic group. For each species, the information provided includes the common name, scientific name, population name, and range of occurrence in Canada (by province, territory or ocean). For birds, range of occurrence includes the Canadian breeding and wintering distribution. The most recent date of assessment by COSEWIC is shown. The symbols on the left provide information on the type of status report used as the basis for reassessment for species evaluated against quantitative criteria (see below), and the symbols on the right provide information on the outcome of status reassessments (see explanation of symbols on page three).

The first COSEWIC "Endangered Species List" was issued in 1978. In 1990, it was decided that all species considered by COSEWIC should be included in this document even if the species were in the Not at Risk or Data Deficient categories. Therefore, this document is divided into four sections. The first section (Table 6) includes species assessed and designated as Extinct. The second section (Table 7) includes species assessed and designated as Extirpated, Endangered, Threatened or Special Concern. The third section (Table 8) includes species assessed and found to be in the Not at Risk category. The fourth section (Table 9) includes species considered by COSEWIC and placed in the Data Deficient category because of insufficient scientific information.

Evaluation with COSEWIC's quantitative criteria

COSEWIC has been using quantitative criteria to assess species' risk of extinction since October 1999. These criteria were adapted from the criteria used by the World Conservation Union (IUCN).

Explanation of type of status report symbols for species evaluated using quantitative criteria

Δ or Δ^+ Assessment based on a new status report or an update status report. A plus sign (+) indicates the report has an addendum or that the report has been modified.

\triangleleft or \triangleleft^+ Species re-assessed using an existing status report. A plus sign (+) indicates the report has an addendum or that the report has been modified.

Geographical occurrence abbreviations

| | | | | | |
|----|------------------------------|----|-----------------------|----|-----------------|
| AB | Alberta | NS | Nova Scotia | QC | Québec |
| BC | British Columbia | NT | Northwest Territories | SK | Saskatchewan |
| MB | Manitoba | NU | Nunavut | YT | Yukon Territory |
| NB | New Brunswick | ON | Ontario | | |
| NL | Newfoundland and Labrador | PE | Prince Edward Island | | |

Table 6. Species assessed and designated Extinct, with range of occurrence (by province, territory or ocean) and date of last assessment. The historical range of occurrence and the approximate date of disappearance are shown (12 species).

EXTINCT CATEGORY (12)

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Historical Range of Occurrence | Extinction Date | Assessment Date |
|---------------------------------|--------------------------------------|--|--------------------|--------------------------------------|-------------------------------|--------------------|
| Mammals (2) | | | | | | |
| △ ↔ | Caribou <i>dawsoni</i> subspecies | <i>Rangifer tarandus dawsoni</i> | | BC | 1920s | May 2000 |
| △ ↔ | Mink, Sea | <i>Mustela macrodon</i> | | NB NS Atlantic Ocean | 1894 | May 2000 |
| Birds (3) | | | | | | |
| △ ↔ | Auk, Great | <i>Pinguinus impennis</i> | | QC NB NS NL | 1844 | May 2000 |
| △ ↔ | Duck, Labrador | <i>Camptorhynchus labradorius</i> | | QC NB NS NL | 1875 | May 2000 |
| △ ↔ | Pigeon, Passenger | <i>Ectopistes migratorius</i> | | SK MB ON QC NB NS PE | 1914 | May 2000 |
| Reptiles (0) | | | | | | |
| Amphibians (0) | | | | | | |
| Fishes (5) | | | | | | |
| △ ↔ | Cisco, Deepwater | <i>Coregonus johannae</i> | | ON | 1952 | May 2000 |
| △ ↔ | Dace, Banff Longnose | <i>Rhinichthys cataractae smithi</i> | | AB | 1986 | May 2000 |
| △ ↔ | Stickleback, Benthic Hadley Lake | <i>Gasterosteus</i> sp. | | BC | 1999 | May 2000 |
| △ ↔ | Stickleback, Limnetic Hadley Lake | <i>Gasterosteus</i> sp. | | BC | 1999 | May 2000 |
| △ ↔ | Walleye, Blue | <i>Stizostedion vitreum glaucum</i> | | ON | 1965 | May 2000 |
| Arthropods (0) | | | | | | |
| Molluscs (1) | | | | | | |
| △ ↔ | Limpet, Eelgrass | <i>Lottia alveus alveus</i> | | QC NS NL | 1929 | May 2000 |
| Vascular Plants (0) | | | | | | |
| Mosses (1) | | | | | | |
| △ | Moss, Macoun's Shining | <i>Neomacounia nitida</i> | | ON | not observed since 1864 | Nov 2002 |
| Lichens (0) | | | | | | |

Table 7. Species assessed and designated in a "risk category" (Extirpated, Endangered, Threatened or Special Concern), with range of occurrence (by province, territory or ocean) and date of assessment. For Extirpated species, the historical range of occurrence and the approximate date of disappearance from Canada are shown (444 species).

EXTIRPATED CATEGORY (21)

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Historical Range of Occurrence | Extinction Date | Assessment Date |
|---------------------------------|--|---|-------------------------------------|--------------------------------------|---|--------------------|
| Mammals (4) | | | | | | |
| △ ↔ | Bear, Grizzly | <i>Ursus arctos</i> | Prairie population | AB SK MB | 1880s | May 2002 |
| △ ↔ | Ferret, Black-footed | <i>Mustela nigripes</i> | | AB SK MB | 1974 | May 2000 |
| △ ↔ | Walrus, Atlantic | <i>Odobenus rosmarus rosmarus</i> | Northwest Atlantic population | Atlantic Ocean | mid 19th century | May 2000 |
| △ ↔ | Whale, Grey | <i>Eschrichtius robustus</i> | Atlantic population | Atlantic Ocean | before end of 1800s | May 2000 |
| Birds (2) | | | | | | |
| △ ↔ | Prairie-Chicken, Greater | <i>Tympanuchus cupido</i> | | AB SK MB ON | last reported in 1987 in Saskatchewan | May 2000 |
| △ ↔ | Sage-Grouse <i>phaios</i> subspecies, Greater | <i>Centrocercus urophasianus phaios</i> | | BC | not observed since 1960s | May 2000 |
| Reptiles (4) | | | | | | |
| △ | Gophersnake, Pacific | <i>Pituophis catenifer catenifer</i> | | BC | not observed since 1957 | May 2002 |
| △ ↔ | Lizard, Pigmy Short- horned | <i>Phrynosoma douglasii</i> | British Columbia population | BC | last reported in 1898, near Osoyoos, BC | May 2000 |
| △ | Rattlesnake, Timber | <i>Crotalus horridus</i> | | ON | 1941 | May 2001 |
| △ | Turtle, Pacific Pond | <i>Actinemys marmorata</i> | | BC | not observed since 1959 | May 2002 |
| Amphibians (1) | | | | | | |
| △ | Salamander, Tiger | <i>Ambystoma tigrinum</i> | Great Lakes population | ON | 1915 | Nov 2001 |
| Fishes (2) | | | | | | |
| △ ↔ | Chub, Gravel | <i>Erimystax x-punctatus</i> | | ON | last reported in 1958, Thames River drainage | May 2000 |
| △ ↔ | Paddlefish | <i>Polyodon spathula</i> | | ON | 1917 | May 2000 |
| Arthropods (3) | | | | | | |
| △ ↔ | Blue, Karner | <i>Lycaeides melissa samuelis</i> | | ON | 1991 | May 2000 |
| △ ↔ | Elfin, Frosted | <i>Callophrys [Incisalia] irus</i> | | ON | 1988 | May 2000 |
| △ ↔ | Marble, Island | <i>Euchloe ausonides</i> | | BC | before 1910 | May 2000 |
| Molluscs (2) | | | | | | |
| △ | Snail, Puget Oregonian | <i>Cryptomastix devia</i> | | BC | not observed since 1905 | Nov 2002 |
| △ ↔ | Wedgemussel, Dwarf | <i>Alasmidonta heterodon</i> | | NB | 1968 | May 2000 |

EXTIRPATED CATEGORY (21) *continued*

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Historical Range of Occurrence | Extinction Date | Assessment Date |
|---------------------------------|-------------------------|-----------------------------------|--------------------|--------------------------------------|----------------------------|--------------------|
| Vascular Plants (2) | | | | | | |
| △ ↔ | Spring Blue-eyed Mary | <i>Collinsia verna</i> | | ON | not observed since 1954 | May 2000 |
| △ ↔ | Tick-trefoil, Illinois | <i>Desmodium illinoense</i> | | ON | not observed since 1888 | May 2000 |
| Mosses (1) | | | | | | |
| △ | Moss, Incurved Grizzled | <i>Ptychomitrium incurvum</i> | | ON | 1828 | Nov 2002 |
| Lichens (0) | | | | | | |

ENDANGERED CATEGORY (169)

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|---------------------------------|--|---|---|--|--------------------|
| Mammals (20) | | | | | |
| △ ∪ | Badger <i>jacksoni</i> subspecies, American | <i>Taxidea taxus jacksoni</i> | | ON | May 2000 |
| △ ∪ | Badger <i>jeffersonii</i> subspecies, American | <i>Taxidea taxus jeffersonii</i> | | BC | May 2000 |
| △ ∪ | Caribou, Peary | <i>Rangifer tarandus pearyi</i> | | NT NU | May 2004 |
| △ ↔ | Caribou, Woodland | <i>Rangifer tarandus caribou</i> | Atlantic-Gaspésie population | QC | May 2002 |
| △ ↔ | Fox, Swift | <i>Vulpes velox</i> | | AB SK | May 2000 |
| △+ ↔ | Marmot, Vancouver Island | <i>Marmota vancouverensis</i> | | BC | May 2000 |
| △ ↔ | Marten, Newfoundland | <i>Martes americana atrata</i> | | NL | May 2000 |
| △ ↑ | Mole, Townsend's | <i>Scapanus townsendii</i> | | BC | May 2003 |
| △ ↑ | Whale, Beluga | <i>Delphinapterus leucas</i> | Eastern Hudson Bay population | NU QC Arctic Ocean Atlantic Ocean | May 2004 |
| △ ↔ | Whale, Beluga | <i>Delphinapterus leucas</i> | Ungava Bay population | QC Arctic Ocean Atlantic Ocean | May 2004 |
| △ ∪ | Whale, Blue | <i>Balaenoptera musculus</i> | Atlantic population | Atlantic Ocean | May 2002 |
| △ ∪ | Whale, Blue | <i>Balaenoptera musculus</i> | Pacific population | Pacific Ocean | May 2002 |
| | Whale, Bowhead | <i>Balaena mysticetus</i> | Eastern Arctic population | NU Arctic Ocean | Apr 1980 |
| | Whale, Bowhead | <i>Balaena mysticetus</i> | Western Arctic population | YT NT NU Arctic Ocean | Apr 1986 |
| △+ ∪ | Whale, Killer | <i>Orcinus orca</i> | Northeast Pacific southern resident population | Pacific Ocean | Nov 2001 |
| △ ∪ | Whale, North Atlantic Right | <i>Eubalaena glacialis</i> | | Atlantic Ocean | May 2003 |
| | ↔ Whale, North Pacific Right | <i>Eubalaena japonica</i> | | Pacific Ocean | Apr 1990 |
| △+ ↑ | Whale, Northern Bottlenose | <i>Hyperoodon ampullatus</i> | Scotian Shelf population | Atlantic Ocean | Nov 2002 |
| △ | Whale, Sei | <i>Balaenoptera borealis</i> | Pacific population | Pacific Ocean | May 2003 |
| △ ↔ | Wolverine | <i>Gulo gulo</i> | Eastern population | QC NL | May 2003 |
| Birds (23) | | | | | |
| △+ ↔ | Bobwhite, Northern | <i>Colinus virginianus</i> | | ON | Nov 2003 |
| △ ↑ | Chat <i>auricollis</i> subspecies, Yellow-breasted | <i>Icteria virens auricollis</i> | British Columbia population | BC | Nov 2000 |
| △ ↔ | Crane, Whooping | <i>Grus americana</i> | | NT AB | Nov 2000 |
| △ | Crossbill <i>percna</i> subspecies, Red | <i>Loxia curvirostra percna</i> | | NL | May 2004 |
| △ ↔ | Curlew, Eskimo | <i>Numenius borealis</i> | | YT NT NU BC AB SK MB ON QC NB NS PE NL | May 2000 |
| △ ↔ | Flycatcher, Acadian | <i>Empidonax virescens</i> | | ON | Nov 2000 |
| △ | Lark <i>strigata</i> subspecies, Horned | <i>Eremophila alpestris strigata</i> | | BC | Nov 2003 |
| △ ↔ | Owl <i>caurina</i> subspecies, Spotted | <i>Strix occidentalis caurina</i> | | BC | May 2000 |
| △ ↔ | Owl, Barn | <i>Tyto alba</i> | Eastern population | ON QC | May 2000 |
| △ ↔ | Owl, Burrowing | <i>Athene cunicularia</i> | | BC AB SK MB | May 2000 |
| △ ∪ | Plover <i>circumcinctus</i> subspecies, Piping | <i>Charadrius melodus circumcinctus</i> | | AB SK MB ON | May 2001 |
| △ ∪ | Plover <i>melodus</i> subspecies, Piping | <i>Charadrius melodus melodus</i> | | QC NB NS PE NL | May 2001 |
| △ ↔ | Plover, Mountain | <i>Charadrius montanus</i> | | AB SK | Nov 2000 |
| △ ↔ | Rail, King | <i>Rallus elegans</i> | | ON | Nov 2000 |
| △ ↔ | Sage-Grouse <i>urophasianus</i> subspecies, Greater | <i>Centrocercus urophasianus urophasianus</i> | | AB SK | May 2000 |

ENDANGERED CATEGORY (169) *continued*

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|--------------------------------------|---|--|---|---------------------------------|--------------------|
| Birds (23) (<i>continued</i>) | | | | | |
| △ ◡ | Screech-Owl <i>macfarlanei</i> subspecies, Western | <i>Megascops kennicottii</i> <i>macfarlanei</i> | | BC | May 2002 |
| △ ↔ | Shrike <i>migrans</i> subspecies, Loggerhead | <i>Lanius ludovicianus migrans</i> | | MB ON QC | Nov 2000 |
| △ ↔ | Sparrow, Henslow's | <i>Ammodramus henslowii</i> | | ON | Nov 2000 |
| △ ↔ | Tern, Roseate | <i>Sterna dougallii</i> | | QC NB NS | Oct 1999 |
| △ ↔ | Thrasher, Sage | <i>Oreoscoptes montanus</i> | | BC AB SK | Nov 2000 |
| △ ↔ | Warbler, Kirtland's | <i>Dendroica kirtlandii</i> | | ON | May 2000 |
| △ ↔ | Warbler, Prothonotary | <i>Protonotaria citrea</i> | | ON | May 2000 |
| △ ↑ | Woodpecker, White-headed | <i>Picoides albolarvatus</i> | | BC | Nov 2000 |
| Reptiles (7) | | | | | |
| △ | Nightsnake | <i>Hypsiglena torquata</i> | | BC | May 2001 |
| △ ↔ | Racer, Blue | <i>Coluber constrictor foxii</i> | | ON | May 2002 |
| △ ↔ | Seaturtle, Leatherback | <i>Dermochelys coriacea</i> | | Pacific Ocean Atlantic Ocean | May 2001 |
| △ ↑ | Skink, Prairie | <i>Eumeces septentrionalis</i> | | MB | May 2004 |
| △ ↔ | Snake, Sharp-tailed | <i>Contia tenuis</i> | | BC | Oct 1999 |
| △ ↑ | Turtle, Spotted | <i>Clemmys guttata</i> | | ON QC | May 2004 |
| | Watersnake, Lake Erie | <i>Nerodia sipedon insularum</i> | | ON | Apr 1991 |
| Amphibians (6) | | | | | |
| △ ↔ | Frog, Northern Cricket | <i>Acris crepitans</i> | | ON | May 2001 |
| △ ↔ | Frog, Northern Leopard | <i>Rana pipiens</i> | Southern Mountain population | BC | May 2000 |
| △ ↔ | Frog, Oregon Spotted | <i>Rana pretiosa</i> | | BC | May 2000 |
| △ | Frog, Rocky Mountain Tailed | <i>Ascaphus montanus</i> | | BC | May 2000 |
| △ ↑ | Salamander, Small-mouthed | <i>Ambystoma texanum</i> | | ON | May 2004 |
| △ | Salamander, Tiger | <i>Ambystoma tigrinum</i> | Southern Mountain population | BC | Nov 2001 |
| Fishes (21) | | | | | |
| △ ◡ | Cod, Atlantic | <i>Gadus morhua</i> | Newfoundland and Labrador population | Atlantic Ocean | May 2003 |
| △ ↔ | Dace, Nooksack | <i>Rhinichthys</i> sp. | | BC | May 2000 |
| △ ↑ | Dace, Speckled | <i>Rhinichthys osculus</i> | | BC | Nov 2002 |
| △ ↑ | Lamprey, Morrison Creek | <i>Lampetra richardsoni</i> | | BC | May 2000 |
| △ ↑ | Madtom, Northern | <i>Noturus stigmosus</i> | | ON | Nov 2002 |
| △ | Salmon, Atlantic | <i>Salmo salar</i> | Inner Bay of Fundy populations | NB NS Atlantic Ocean | May 2001 |
| △ | Salmon, Coho | <i>Oncorhynchus kisutch</i> | Interior Fraser population | BC Pacific Ocean | May 2002 |
| △ ↔ | Salmon, Sockeye | <i>Oncorhynchus nerka</i> | Cultus population | BC Pacific Ocean | May 2003 |
| △ ↔ | Salmon, Sockeye | <i>Oncorhynchus nerka</i> | Sakinaw population | BC Pacific Ocean | May 2003 |
| △ | Shark, Porbeagle | <i>Lamna nasus</i> | | Atlantic Ocean | May 2004 |
| △ ↑ | Shiner, Pugnose | <i>Notropis anogenus</i> | | ON | Nov 2002 |
| △ ◡ | Stickleback, Benthic Enos Lake | <i>Gasterosteus</i> sp. | | BC | Nov 2002 |
| △ ↑ | Stickleback, Benthic Paxton Lake | <i>Gasterosteus</i> sp. | | BC | May 2000 |
| △ ↑ | Stickleback, Benthic Vananda Creek | <i>Gasterosteus</i> sp. | | BC | May 2000 |
| △ ◡ | Stickleback, Limnetic Enos Lake | <i>Gasterosteus</i> sp. | | BC | Nov 2002 |

ENDANGERED CATEGORY (169) *continued*

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|---------------------------------------|-------------------------------------|---|------------------------------|------------------------|--------------------|
| Fishes (21) <i>(continued)</i> | | | | | |
| △ ↑ | Stickleback, Limnetic Paxton Lake | <i>Gasterosteus</i> sp. | | BC | May 2000 |
| △ ↑ | Stickleback, Limnetic Vananda Creek | <i>Gasterosteus</i> sp. | | BC | May 2000 |
| △ ↑ | Sturgeon, White | <i>Acipenser transmontanus</i> | | BC | Nov 2003 |
| △ ↔ | Sucker, Salish | <i>Catostomus</i> sp. | | BC | Nov 2002 |
| △ ↔ | Trout, Aurora | <i>Salvelinus fontinalis timagamiensis</i> | | ON | May 2000 |
| △ ↔ | Whitefish, Atlantic | <i>Coregonus huntsmani</i> | | NS | Nov 2000 |
| Arthropods (6) | | | | | |
| △ | Blue, Island | <i>Plebejus saepiolus insulanus</i> | | BC | Nov 2000 |
| △ | Checkerspot, Taylor's | <i>Euphydryas editha taylori</i> | | BC | Nov 2000 |
| △ | Metalmark, Mormon | <i>Apodemia mormo</i> | Southern Mountain population | BC | May 2003 |
| △ | Moth, Sand-verbena | <i>Copablepharon fuscum</i> | | BC | Nov 2003 |
| △ | Moth, Yucca | <i>Tegeticula yuccasella</i> | | AB | May 2002 |
| △ ↔ | Ringlet, Maritime | <i>Coenonympha tullia nipisiquit</i> | | QC NB | May 2000 |
| Molluscs (12) | | | | | |
| △ ↔ | Bean, Rayed | <i>Villosa fabalis</i> | | ON | May 2000 |
| △ | Forestsnaail, Oregon | <i>Allogona townsendiana</i> | | BC | Nov 2002 |
| △ | Hickorynut, Round | <i>Obovaria subrotunda</i> | | ON | May 2003 |
| △ | Kidneyshell | <i>Ptychobranchnus fasciolaris</i> | | ON | May 2003 |
| △ ↔ | Lampmussel, Wavy-rayed | <i>Lampsilis fasciola</i> | | ON | Oct 1999 |
| △ | Mussel, Mudpuppy | <i>Simpsonaias ambigua</i> | | ON | May 2001 |
| △ ↔ | Physa, Hotwater | <i>Physella wrighti</i> | | BC | May 2000 |
| △ | Pigtoe, Round | <i>Pleurobema sintoxia</i> | | ON | May 2004 |
| △ ⁺ ↔ | Riffleshell, Northern | <i>Epioblasma torulosa rangiana</i> | | ON | May 2000 |
| △ ↑ | Snail, Banff Springs | <i>Physella johnsoni</i> | | AB | May 2000 |
| △ | Snail, Lake Winnipeg Physa | <i>Physa</i> sp. | | MB | Nov 2002 |
| △ | Snuffbox | <i>Epioblasma triquetra</i> | | ON | May 2001 |
| Vascular Plants (67) | | | | | |
| △ ⁺ ↔ | Agalinis, Gattinger's | <i>Agalinis gattingeri</i> | | ON | May 2001 |
| △ ↔ | Agalinis, Skinner's | <i>Agalinis skinneriana</i> | | ON | May 2000 |
| △ ↔ | Ammannia, Scarlet | <i>Ammannia robusta</i> | | BC ON | May 2001 |
| △ ↔ | Avens, Eastern Mountain | <i>Geum peckii</i> | | NS | May 2000 |
| △ ↔ | Balsamroot, Deltoid | <i>Balsamorhiza deltoidea</i> | | BC | May 2000 |
| △ ↔ | Bluehearts | <i>Buchnera americana</i> | | ON | May 2000 |
| △ ⁺ ↔ | Braya, Long's | <i>Braya longii</i> | | NL | May 2000 |
| △ | Bugbane, Tall | <i>Actaea elata</i> | | BC | May 2001 |
| △ ↑ | Bulrush, Bashful | <i>Trichophorum planifolium</i> | | ON | May 2000 |
| △ ↔ | Bush-clover, Slender | <i>Lespedeza virginica</i> | | ON | May 2000 |
| △ ↔ | Buttercup, Water-plantain | <i>Ranunculus alismaefolius</i> var. <i>alismaefolius</i> | | BC | May 2000 |
| △ | Butternut | <i>Juglans cinerea</i> | | NB ON QC | Nov 2003 |
| △ ↔ | Cactus, Eastern Prickly Pear | <i>Opuntia humifusa</i> | | ON | May 2000 |
| △ | Catchfly, Coastal Scouler's | <i>Silene scouleri</i> ssp. <i>grandis</i> | | BC | May 2003 |
| △ | Collomia, Slender | <i>Collomia tenella</i> | | BC | Nov 2003 |

ENDANGERED CATEGORY (169) *continued*

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|---|------------------------------------|---|-----------------|------------------------|--------------------|
| Vascular Plants (67) (continued) | | | | | |
| △ ↔ | Coreopsis, Pink | <i>Coreopsis rosea</i> | | NS | May 2000 |
| △ ↔ | Cryptanthe, Tiny | <i>Cryptantha minima</i> | | AB SK | May 2000 |
| △ ↔ | Fern, Southern Maidenhair | <i>Adiantum capillus-veneris</i> | | BC | May 2000 |
| △ ↑ | Fringed-orchid, Eastern Prairie | <i>Platanthera leucophaea</i> | | ON | May 2003 |
| △ ↔ | Fringed-orchid, Western Prairie | <i>Platanthera praeclara</i> | | MB | May 2000 |
| △ ↔ | Gentian, White Prairie | <i>Gentiana alba</i> | | ON | May 2001 |
| △ ↔ | Ginseng, American | <i>Panax quinquefolius</i> | | ON QC | May 2000 |
| △* ↑ | Goat's-rue, Virginia | <i>Tephrosia virginiana</i> | | ON | May 2000 |
| △ ↔ | Goldenrod, Showy | <i>Solidago speciosa</i> | | ON | May 2000 |
| △ | Grass, Forked Three-awned | <i>Aristida basiramea</i> | | ON QC | Nov 2002 |
| △ ↔ | Lady's-slipper, Small White | <i>Cypripedium candidum</i> | | MB ON | May 2000 |
| △ ↑ | Lipocarpha, Small-flowered | <i>Lipocarpha micrantha</i> | | BC ON | Nov 2002 |
| △ ↔ | Lotus, Seaside Birds-foot | <i>Lotus formosissimus</i> | | BC | May 2000 |
| △ ↔ | Lousewort, Furbish's | <i>Pedicularis furbishiae</i> | | NB | May 2000 |
| △ ↔ | Lupine, Prairie | <i>Lupinus lepidus</i> var. <i>lepidus</i> | | BC | May 2000 |
| △ | Lupine, Streambank | <i>Lupinus rivularis</i> | | BC | Nov 2002 |
| △ ↔ | Milkwort, Pink | <i>Polygala incarnata</i> | | ON | May 2000 |
| △ ↔ | Mountain-mint, Hoary | <i>Pycnanthemum incanum</i> | | ON | May 2000 |
| △ ↔ | Mulberry, Red | <i>Morus rubra</i> | | ON | May 2000 |
| △ ↔ | Owl-clover, Bearded | <i>Triphysaria versicolor</i> ssp. <i>versicolor</i> | | BC | May 2000 |
| △ | Owl-clover, Rosy | <i>Orthocarpus bracteosus</i> | | BC | May 2004 |
| △* ↑ | Paintbrush, Golden | <i>Castilleja levisecta</i> | | BC | May 2000 |
| △ ↔ | Plantain, Heart-leaved | <i>Plantago cordata</i> | | ON | May 2000 |
| △ ↔ | Pogonia, Large Whorled | <i>Isotria verticillata</i> | | ON | May 2000 |
| △ ↔ | Pogonia, Nodding | <i>Triphora trianthophora</i> | | ON | May 2000 |
| △ ↔ | Pogonia, Small Whorled | <i>Isotria medeoloides</i> | | ON | May 2000 |
| △ | Pussytoes, Stoloniferous | <i>Antennaria flagellaris</i> | | BC | May 2004 |
| △ ↔ | Quillwort, Engelmann's | <i>Isoetes engelmannii</i> | | ON | May 2001 |
| △ | Rush, Kellogg's | <i>Juncus kelloggii</i> | | BC | May 2003 |
| △ | Sand-verbena, Pink | <i>Abronia umbellata</i> | | BC | May 2004 |
| △ ↑ | Sand-verbena, Small- flowered | <i>Tripterocalyx micranthus</i> | | AB SK | Nov 2002 |
| △ | Sandwort, Dwarf | <i>Minuartia pusilla</i> | | BC | May 2004 |
| △ | Sanicle, Bear's-foot | <i>Sanicula arctopoides</i> | | BC | May 2001 |
| △ ↑ | Sedge, False Hop | <i>Carex lupuliformis</i> | | ON QC | May 2000 |
| △ ↔ | Sedge, Juniper | <i>Carex juniperorum</i> | | ON | May 2000 |
| △ | Spike-rush, Horsetail | <i>Eleocharis equisetoides</i> | | ON | Nov 2000 |
| △ ↔ | Sundew, Thread-leaved | <i>Drosera filiformis</i> | | NS | May 2001 |
| △ ↔ | Thistle, Pitcher's | <i>Cirsium pitcheri</i> | | ON | May 2000 |
| △ | Tonella, Small-flowered | <i>Tonella tenella</i> | | BC | Nov 2003 |
| △ ↔ | Toothcup | <i>Rotala ramosior</i> | | BC ON | May 2000 |
| △ ↔ | Tree, Cucumber | <i>Magnolia acuminata</i> | | ON | May 2000 |
| △ | Trefoil, Bog Bird's-foot | <i>Lotus pinnatus</i> | | BC | May 2004 |
| △ ↔ | Trillium, Drooping | <i>Trillium flexipes</i> | | ON | May 2000 |
| △ | Triteleia, Howell's | <i>Triteleia howellii</i> | | BC | May 2003 |
| △* ↔ | Twayblade, Purple | <i>Liparis liliifolia</i> | | ON | May 2001 |

ENDANGERED CATEGORY (169) *continued*

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|--|---------------------------|---------------------------------|---------------------|------------------------|--------------------|
| Vascular Plants (67) (<i>continued</i>) | | | | | |
| △ ↑ | Violet, Bird's-foot | <i>Viola pedata</i> | | ON | May 2002 |
| △ | Willow, Barrens | <i>Salix jejuna</i> | | NL | May 2001 |
| △ ↔ | Wintergreen, Spotted | <i>Chimaphila maculata</i> | | ON QC | May 2000 |
| △ ⁺ ↔ | Wood-poppy | <i>Stylophorum diphyllum</i> | | ON | May 2000 |
| △ ↑ | Woodsia, Blunt-lobed | <i>Woodsia obtusa</i> | | ON QC | May 2000 |
| △ | Woolly-heads, Dwarf | <i>Psilocarphus brevissimus</i> | | BC | Nov 2003 |
| △ | Woolly-heads, Tall | <i>Psilocarphus elatior</i> | Pacific population | BC | May 2001 |
| Mosses (5) | | | | | |
| △ | Moss, Margined Streamside | <i>Scouleria marginata</i> | | BC | Nov 2002 |
| △ | Moss, Poor Pocket | <i>Fissidens pauperculus</i> | | BC | Nov 2001 |
| △ ⁺ ↑ | Moss, Rigid Apple | <i>Bartramia stricta</i> | | BC | May 2000 |
| △ | Moss, Silver Hair | <i>Fabronia pusilla</i> | | BC | Nov 2002 |
| △ | Moss, Spoon-leaved | <i>Bryoandersonia illecebra</i> | | ON | May 2003 |
| Lichens (2) | | | | | |
| △ | Lichen, Boreal Felt | <i>Erioderma pedicellatum</i> | Atlantic population | NB NS | May 2002 |
| △ ↔ | Seaside Centipede | <i>Heterodermia sitchensis</i> | | BC | May 2000 |

THREATENED CATEGORY (114)

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|---------------------------------|---|--|---|--|--------------------|
| Mammals (14) | | | | | |
| △ ↑ | Bat, Pallid | <i>Antrozous pallidus</i> | | BC | May 2000 |
| △ | Bison, Plains | <i>Bison bison bison</i> | | BC AB SK MB | May 2004 |
| △ ↔ | Bison, Wood | <i>Bison bison athabasca</i> | | YT NT BC AB | May 2000 |
| △ ↔ | Caribou, Woodland | <i>Rangifer tarandus caribou</i> | Boreal population | NT BC AB SK MB ON QC NL | May 2002 |
| △ ↔ | Caribou, Woodland | <i>Rangifer tarandus caribou</i> | Southern Mountain population | BC AB | May 2002 |
| △ ↑ | Ermine <i>haidarum</i> subspecies | <i>Mustela erminea haidarum</i> | | BC | May 2001 |
| △ ↑ | Fox, Grey | <i>Urocyon cinereoargenteus</i> | | MB ON | May 2002 |
| △ ↔ | Otter, Sea | <i>Enhydra lutris</i> | | BC Pacific Ocean | May 2000 |
| △+ ↔ | Shrew, Pacific Water | <i>Sorex bendirii</i> | | BC | May 2000 |
| △ ☺ | Whale, Beluga | <i>Delphinapterus leucas</i> | Cumberland Sound population | NU Arctic Ocean | May 2004 |
| △ ↓ | Whale, Beluga | <i>Delphinapterus leucas</i> | St. Lawrence Estuary population | QC Atlantic Ocean | May 2004 |
| △ ↔ | Whale, Humpback | <i>Megaptera novaeangliae</i> | North Pacific population | Pacific Ocean | May 2003 |
| △+ ☺ | Whale, Killer | <i>Orcinus orca</i> | Northeast Pacific northern resident population | Pacific Ocean | Nov 2001 |
| △+ ↑ | Whale, Killer | <i>Orcinus orca</i> | Northeast Pacific transient population | Pacific Ocean | Nov 2001 |
| Birds (10) | | | | | |
| △ | Albatross, Short-tailed | <i>Phoebastria albatrus</i> | | BC | Nov 2003 |
| △ ↑ | Bittern, Least | <i>Ixobrychus exilis</i> | | MB ON QC NB | Nov 2001 |
| △ ↔ | Falcon <i>anatum</i> subspecies, Peregrine | <i>Falco peregrinus anatum</i> | | YT NT NU BC AB SK MB ON QC NB NS NL | May 2000 |
| △ ↑ | Goshawk <i>laingi</i> subspecies, Northern | <i>Accipiter gentilis laingi</i> | | BC | Nov 2000 |
| △ ↑ | Gull, Ross's | <i>Rhodostethia rosea</i> | | NT NU MB | Nov 2001 |
| △ ↔ | Murrelet, Marbled | <i>Brachyramphus marmoratus</i> | | BC | Nov 2000 |
| △ ↔ | Pipit, Sprague's | <i>Anthus spragueii</i> | | AB SK MB | May 2000 |
| △ | Shearwater, Pink-footed | <i>Puffinus creatopus</i> | | BC | May 2004 |
| △ ↔ | Shrike <i>excubitorides</i> subspecies, Loggerhead | <i>Lanius ludovicianus excubitorides</i> | | AB SK MB | May 2004 |
| △ ↔ | Warbler, Hooded | <i>Wilsonia citrina</i> | | ON | Nov 2000 |
| Reptiles (12) | | | | | |
| △ ↔ | Foxsnake, Eastern | <i>Elaphe gloydi</i> | | ON | May 2000 |
| △ ↑ | Gartersnake, Butler's | <i>Thamnophis butleri</i> | | ON | Nov 2001 |
| △ | Gophersnake, Great Basin | <i>Pituophis catenifer deserticola</i> | | BC | May 2002 |
| △ ↔ | Massasauga | <i>Sistrurus catenatus</i> | | ON | Nov 2002 |
| △ ↔ | Ratsnake, Eastern | <i>Elaphe obsoleta</i> | | ON | May 2000 |
| △ | Rattlesnake, Western | <i>Crotalus oreganus</i> | | BC | May 2004 |
| △ | Ribbonsnake, Eastern | <i>Thamnophis sauritus</i> | Atlantic population | NS | May 2002 |
| △ ↑ | Snake, Eastern Hog-nosed | <i>Heterodon platirhinos</i> | | ON | Nov 2001 |
| △ ↔ | Snake, Queen | <i>Regina septemvittata</i> | | ON | May 2000 |
| △ ↔ | Softshell, Spiny | <i>Apalone spinifera</i> | | ON QC | May 2002 |
| △ | Stinkpot | <i>Sternotherus odoratus</i> | | ON QC | May 2002 |
| △ | Turtle, Blanding's | <i>Emydoidea blandingii</i> | Nova Scotia population | NS | Apr 1993 |

THREATENED CATEGORY (114) *continued*

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|---------------------------------|--------------------------------------|-------------------------------------|-----------------------------|--------------------------------|--------------------|
| Amphibians (5) | | | | | |
| △ ⁺ ↑ | Salamander, Allegheny Mountain Dusky | <i>Desmognathus ochrophaeus</i> | | QC | Nov 2001 |
| △ ↑ | Salamander, Coastal Giant | <i>Dicamptodon tenebrosus</i> | | BC | Nov 2000 |
| △ | Salamander, Jefferson | <i>Ambystoma jeffersonianum</i> | | ON | Nov 2000 |
| △ ↑ | Spadefoot, Great Basin | <i>Spea intermontana</i> | | BC | Nov 2001 |
| △ ⁺ ↔ | Toad, Fowler's | <i>Bufo fowleri</i> | | ON | Nov 2000 |
| Fishes (22) | | | | | |
| △ | Bocaccio | <i>Sebastes paucispinis</i> | | Pacific Ocean | Nov 2002 |
| △ ⁺ ↑ | Chubsucker, Lake | <i>Erimyzon sucetta</i> | | ON | Nov 2001 |
| | Cisco, Blackfin | <i>Coregonus nigripinnis</i> | | ON | Apr 1988 |
| △ ↔ | Cisco, Shortjaw | <i>Coregonus zenithicus</i> | | NT AB SK MB ON | May 2003 |
| | Cisco, Shortnose | <i>Coregonus reighardi</i> | | ON | Apr 1987 |
| △ ∪ | Cod, Atlantic | <i>Gadus morhua</i> | Laurentian North population | Atlantic Ocean | May 2003 |
| △ | Cusk | <i>Brosme brosme</i> | | Atlantic Ocean | May 2003 |
| △ ↔ | Darter, Channel | <i>Percina copelandi</i> | | ON QC | May 2002 |
| △ ⁺ ↔ | Darter, Eastern Sand | <i>Ammocrypta pellucida</i> | | ON QC | Nov 2000 |
| △ ↑ | Gar, Spotted | <i>Lepisosteus oculatus</i> | | ON | Nov 2000 |
| △ ↑ | Lamprey, Cowichan Lake | <i>Lampetra macrostoma</i> | | BC | Nov 2000 |
| △ ⁺ ↑ | Minnow, Western Silvery | <i>Hybognathus argyritis</i> | | AB | Nov 2001 |
| | Redhorse, Black | <i>Moxostoma duquesnei</i> | | ON | Apr 1988 |
| | Redhorse, Copper | <i>Moxostoma hubbsi</i> | | QC | Apr 1987 |
| △ ↑ | Sculpin, Cultus Pygmy | <i>Cottus sp.</i> | | BC | Nov 2000 |
| | Sculpin, Deepwater | <i>Myoxocephalus thompsoni</i> | Great Lakes populations | ON | Apr 1987 |
| △ ↔ | Sculpin, Shorthead | <i>Cottus confusus</i> | | BC | May 2001 |
| △ ↑ | Shiner, Carmine | <i>Notropis percobromus</i> | | MB | Nov 2001 |
| △ ↔ | Smelt, Lake Utopia Dwarf | <i>Osmerus sp.</i> | | NB | May 2000 |
| | Whitefish, Lake | <i>Coregonus clupeaformis</i> | Lake Simcoe population | ON | Apr 1987 |
| △ | Wolfish, Northern | <i>Anarhichas denticulatus</i> | | Arctic Ocean Atlantic Ocean | May 2001 |
| △ | Wolfish, Spotted | <i>Anarhichas minor</i> | | Arctic Ocean Atlantic Ocean | May 2001 |
| Arthropods (5) | | | | | |
| △ | Hairstreak, Behr's (Columbia) | <i>Satyrium behrii columbia</i> | | BC | Nov 2000 |
| △ | Metalmark, Mormon | <i>Apodemia mormo</i> | Prairie population | SK | May 2003 |
| △ | Skipper, Dakota | <i>Hesperia dacotae</i> | | MB SK | Nov 2003 |
| △ | Skipper, Dun | <i>Euphyes vestris</i> | Western population | BC | Nov 2000 |
| △ | Skipperling, Poweshiek | <i>Oarisma poweshiek</i> | | MB | Nov 2003 |
| Molluscs (2) | | | | | |
| △ ↔ | Abalone, Northern | <i>Haliotis kamtschatkana</i> | | Pacific Ocean | May 2000 |
| △ | Jumping-slug, Dromedary | <i>Hemphillia dromedarius</i> | | BC | May 2003 |
| Vascular Plants (41) | | | | | |
| △ ↔ | Aster, Anticosti | <i>Symphyotrichum anticostense</i> | | QC NB | May 2000 |
| △ ↑ | Aster, Crooked-stem | <i>Symphyotrichum prenanthoides</i> | | ON | May 2002 |
| △ ↑ | Aster, Gulf of St. Lawrence | <i>Symphyotrichum laurentianum</i> | | QC NB PE | May 2004 |
| △ ↑ | Aster, Western Silvery | <i>Symphyotrichum sericeum</i> | | MB ON | May 2000 |

THREATENED CATEGORY (114) *continued*

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|---|-----------------------------|--|----------------------------------|------------------------|--------------------|
| Vascular Plants (41) (continued) | | | | | |
| △ ↔ | Aster, White Wood | <i>Eurybia divaricata</i> | | ON QC | Nov 2002 |
| △ ⁺ ↔ | Aster, White-top | <i>Sericocarpus rigidus</i> | | BC | May 2000 |
| △ ↑ | Aster, Willowleaf | <i>Symphotrichum praealtum</i> | | ON | May 2003 |
| △ ↑ | Bartonia, Branched | <i>Bartonia paniculata</i> ssp. <i>paniculata</i> | | ON | Nov 2003 |
| △ ↑ | Blazing Star, Dense | <i>Liatris spicata</i> | | ON | May 2001 |
| △ ↔ | Blue-flag, Western | <i>Iris missouriensis</i> | | AB | May 2000 |
| △ ↔ | Braya, Fernald's | <i>Braya fernaldii</i> | | NL | May 2000 |
| △ ↑ | Buffalograss | <i>Buchloë dactyloides</i> | | SK MB | Nov 2001 |
| | Chestnut, American | <i>Castanea dentata</i> | | ON | Apr 1987 |
| △ ↔ | Coffee-tree, Kentucky | <i>Gymnocladus dioica</i> | | ON | Nov 2000 |
| △ ↔ | Colicroot | <i>Aletris farinosa</i> | | ON | Nov 2000 |
| △ | Corydalis, Scouler's | <i>Corydalis scouleri</i> | | BC | May 2001 |
| △ | Daisy, Lakeside | <i>Hymenoxys herbacea</i> | | ON | May 2002 |
| △ ↔ | Deerberry | <i>Vaccinium stamineum</i> | | ON | Nov 2000 |
| △ | Fern, Lemmon's Holly | <i>Polystichum lemmonii</i> | | BC | May 2003 |
| △ ↔ | Gentian, Plymouth | <i>Sabatia kennedyana</i> | | NS | May 2000 |
| △ ↑ | Gentian, Victorin's | <i>Gentianopsis procera</i> spp. <i>macounii</i> var. <i>victorinii</i> | | QC | May 2004 |
| △ ↔ | Golden Crest | <i>Lophiola aurea</i> | | NS | May 2000 |
| △ ↔ | Goldenseal | <i>Hydrastis canadensis</i> | | ON | May 2000 |
| △ ⁺ ↔ | Greenbrier, Round-leaved | <i>Smilax rotundifolia</i> | Great Lakes Plains population | ON | May 2001 |
| △ ↑ | Hackberry, Dwarf | <i>Celtis tenuifolia</i> | | ON | Nov 2003 |
| △ ↑ | Hoptree, Common | <i>Ptelea trifoliata</i> | | ON | Nov 2002 |
| △ ↑ | Hyacinth, Wild | <i>Camassia scilloides</i> | | ON | May 2002 |
| △ ↔ | Jacob's-ladder, Van Brunt's | <i>Polemonium vanbruntiae</i> | | QC | Nov 2002 |
| △ | Lily, Lyall's Mariposa | <i>Calochortus lyallii</i> | | BC | May 2001 |
| △ ↔ | Mosquito-fern, Mexican | <i>Azolla mexicana</i> | | BC | May 2000 |
| △ ⁺ ↓ | Mouse-ear-cress, Slender | <i>Halimolobos virgata</i> | | AB SK | May 2000 |
| △ ↑ | Orchid, Phantom | <i>Cephalanthera austiniiae</i> | | BC | May 2000 |
| △ ⁺ ↔ | Prairie-clover, Hairy | <i>Dalea villosa</i> var. <i>villosa</i> | | SK MB | May 2000 |
| △ ↔ | Redroot | <i>Lachnanthes caroliana</i> | | NS | May 2000 |
| △ | Sanicle, Purple | <i>Sanicula bipinnatifida</i> | | BC | May 2001 |
| △ ↑ | Soapweed | <i>Yucca glauca</i> | | AB | May 2000 |
| △ ↔ | Spiderwort, Western | <i>Tradescantia occidentalis</i> | | AB SK MB | Nov 2002 |
| △ | Spike-rush, Tubercled | <i>Eleocharis tuberculosa</i> | | NS | May 2000 |
| △ ↔ | Violet, Yellow Montane | <i>Viola praemorsa</i> ssp. <i>praemorsa</i> | | BC | May 2000 |
| △ ↔ | Water-pennywort | <i>Hydrocotyle umbellata</i> | | NS | May 2000 |
| △ ↔ | Water-willow, American | <i>Justicia americana</i> | | ON QC | May 2000 |
| Mosses (2) | | | | | |
| △ | Bryum, Porsild's | <i>Mielichhoferia macrocarpa</i> | | AB BC NL NU | Nov 2003 |
| △ | Moss, Haller's Apple | <i>Bartramia halleriana</i> | | BC AB | Nov 2001 |
| Lichens (1) | | | | | |
| △ | Jellyskin, Flooded | <i>Leptogium rivulare</i> | | MB ON | May 2004 |

SPECIAL CONCERN CATEGORY (140)

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|---------------------------------|---|--|--|--|--------------------|
| Mammals (26) | | | | | |
| △ ↔ | Bat, Spotted | <i>Euderma maculatum</i> | | BC | May 2004 |
| △ ↔ | Bear, Grizzly | <i>Ursus arctos</i> | Northwestern population | YT NT NU BC AB | May 2002 |
| △ ⁺ ↔ | Bear, Polar | <i>Ursus maritimus</i> | | YT NT NU MB ON QC NL | Nov 2002 |
| △ ↔ | Beaver, Mountain | <i>Aplodontia rufa</i> | | BC | Nov 2001 |
| △ ∪ | Caribou, Barren-ground | <i>Rangifer tarandus groenlandicus</i> | Dolphin and Union population | NT NU | May 2004 |
| △ ↑ | Caribou, Woodland | <i>Rangifer tarandus caribou</i> | Northern Mountain population | YT NT BC | May 2002 |
| | Cottontail <i>nuttallii</i> subspecies, Nuttall's | <i>Sylvilagus nuttallii nuttallii</i> | | BC | Apr 1994 |
| | Kangaroo Rat, Ord's | <i>Dipodomys ordii</i> | | AB SK | Apr 1995 |
| △ ↔ | Mole, Eastern | <i>Scalopus aquaticus</i> | | ON | Nov 2000 |
| | Mouse <i>megalotis</i> subspecies, Western Harvest | <i>Reithrodontomys megalotis megalotis</i> | | BC | Apr 1994 |
| △ ↓ | Porpoise, Harbour | <i>Phocoena phocoena</i> | Northwest Atlantic population | Atlantic Ocean | May 2003 |
| △ ⚙ | Porpoise, Harbour | <i>Phocoena phocoena</i> | Pacific Ocean population | Pacific Ocean | Nov 2003 |
| △ ↔ | Prairie Dog, Black-tailed | <i>Cynomys ludovicianus</i> | | SK | Nov 2000 |
| △ ↑ | Sea Lion, Steller | <i>Eumetopias jubatus</i> | | BC Pacific Ocean | Nov 2003 |
| | Seal Lacs des Loups Marins subspecies, Harbour | <i>Phoca vitulina mellonae</i> | | QC | Apr 1996 |
| | Shrew, Gaspé | <i>Sorex gaspensis</i> | | QC NB NS | Apr 1988 |
| | Squirrel, Southern Flying | <i>Glaucomys volans</i> | | ON QC NS | Apr 1988 |
| △ ↔ | Vole, Woodland | <i>Microtus pinetorum</i> | | ON QC | Nov 2001 |
| △ ↔ | Whale, Beluga | <i>Delphinapterus leucas</i> | Eastern High Arctic - Baffin Bay population | NU Arctic Ocean | May 2004 |
| △ ∪ | Whale, Beluga | <i>Delphinapterus leucas</i> | Western Hudson Bay population | MB NU ON Arctic Ocean Atlantic Ocean | May 2004 |
| | Whale, Fin | <i>Balaenoptera physalus</i> | | Atlantic Ocean Pacific Ocean | Apr 1987 |
| △ ↑ | Whale, Grey | <i>Eschrichtius robustus</i> | Eastern North Pacific population | Pacific Ocean Arctic Ocean | May 2004 |
| △ ⁺ | Whale, Killer | <i>Orcinus orca</i> | Northeast Pacific offshore population | Pacific Ocean | Nov 2001 |
| | Whale, Sowerby's Beaked | <i>Mesoplodon bidens</i> | | Atlantic Ocean | Apr 1989 |
| △ ⚙ | Wolf, Eastern | <i>Canis lupus lycaon</i> | | ON QC | May 2001 |
| △ ↔ | Wolverine | <i>Gulo gulo</i> | Western population | YT NT NU BC AB SK MB ON | May 2003 |
| Birds (22) | | | | | |
| △ ↔ | Chat <i>virens</i> subspecies, Yellow-breasted | <i>Icteria virens virens</i> | | ON | Nov 2000 |
| △ ↔ | Curlew, Long-billed | <i>Numenius americanus</i> | | BC AB SK | Nov 2002 |
| △ ↓ | Duck, Harlequin | <i>Histrionicus histrionicus</i> | Eastern population | NU QC NB NS NL | May 2001 |
| △ ↔ | Falcon <i>pealei</i> subspecies, Peregrine | <i>Falco peregrinus pealei</i> | | BC | Nov 2001 |
| | Falcon <i>tundrius</i> subspecies, Peregrine | <i>Falco peregrinus tundrius</i> | | YT NT NU QC NL | Apr 1992 |
| △ | Goldeneye, Barrow's | <i>Bucephala islandica</i> | Eastern population | QC NB NS PE NL | Nov 2000 |
| △ ↔ | Gull, Ivory | <i>Pagophila eburnea</i> | | YT NT NU NL | Nov 2001 |
| | Hawk, Ferruginous | <i>Buteo regalis</i> | | AB SK MB | Apr 1995 |

SPECIAL CONCERN CATEGORY (140) *continued*

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|---------------------------------|---|---|---------------------------------------|--|--------------------|
| Birds (22) (continued) | | | | | |
| ↔ | Hawk, Red-shouldered | <i>Buteo lineatus</i> | | ON QC NB | Apr 1996 |
| | Heron <i>fannini</i> subspecies, Great Blue | <i>Ardea herodias fannini</i> | | BC | Apr 1997 |
| | Murrelet, Ancient | <i>Synthliboramphus antiquus</i> | | BC | Apr 1993 |
| △ ↔ | Owl, Barn | <i>Tyto alba</i> | Western population | BC | Nov 2001 |
| △ ↔ | Owl, Flammulated | <i>Otus flammeolus</i> | | BC | Nov 2001 |
| | Owl, Short-eared | <i>Asio flammeus</i> | | YT NT NU BC AB SK MB ON QC NB NS PE NL | Apr 1994 |
| △ ↔ | Rail, Yellow | <i>Coturnicops noveboracensis</i> | | NT BC AB SK MB ON QC NB | Nov 2001 |
| △ ∪ | Screech-Owl <i>kennicottii</i> subspecies, Western | <i>Megascops kennicottii kennicottii</i> | | BC | May 2002 |
| △ ↔ | Sparrow <i>princeps</i> subspecies, Savannah | <i>Passerculus sandwichensis princeps</i> | | NS | May 2000 |
| | Thrush, Bicknell's | <i>Catharus bicknelli</i> | | QC NB NS | Apr 1999 |
| △ ↔ | Warbler, Cerulean | <i>Dendroica cerulea</i> | | ON QC | May 2003 |
| | Waterthrush, Louisiana | <i>Seiurus motacilla</i> | | ON QC | Apr 1996 |
| △ ↔ | Woodpecker, Lewis's | <i>Melanerpes lewis</i> | | BC | Nov 2001 |
| | Woodpecker, Red-headed | <i>Melanerpes erythrocephalus</i> | | SK MB ON QC | Apr 1996 |
| Reptiles (9) | | | | | |
| △ | Boa, Rubber | <i>Charina bottae</i> | | BC | May 2003 |
| | Lizard, Greater Short-horned | <i>Phrynosoma hernandesi</i> | | AB SK | Apr 1992 |
| △ | Milksnake | <i>Lampropeltis triangulum</i> | | ON QC | May 2002 |
| | Racer, Eastern Yellow-bellied | <i>Coluber constrictor flaviventris</i> | | SK | Apr 1991 |
| △ | Ribbonsnake, Eastern | <i>Thamnophis sauritus</i> | Great Lakes population | ON | May 2002 |
| | Skink, Five-lined | <i>Eumeces fasciatus</i> | | ON | Apr 1998 |
| △ | Skink, Western | <i>Eumeces skiltonianus</i> | | BC | May 2002 |
| △ | Turtle, Northern Map | <i>Graptemys geographica</i> | | ON QC | May 2002 |
| | Turtle, Wood | <i>Glyptemys insculpta</i> | | ON QC NB NS | Apr 1996 |
| Amphibians (7) | | | | | |
| △ | Frog, Coast Tailed | <i>Ascaphus truei</i> | | BC | May 2000 |
| △ ↔ | Frog, Northern Leopard | <i>Rana pipiens</i> | Western Boreal/Prairie populations | NT AB SK MB | Nov 2002 |
| △ ↔ | Frog, Red-legged | <i>Rana aurora</i> | | BC | May 2002 |
| △ ⁺ ↔ | Salamander, Coeur d'Alene | <i>Plethodon idahoensis</i> | | BC | Nov 2001 |
| △ ↔ | Salamander, Spring | <i>Gyrinophilus porphyriticus</i> | | ON QC | May 2002 |
| △ ↔ | Toad, Great Plains | <i>Bufo cognatus</i> | | AB SK MB | May 2002 |
| △ | Toad, Western | <i>Bufo boreas</i> | | YT NT BC AB | Nov 2002 |
| Fishes (29) | | | | | |
| | Buffalo, Bigmouth | <i>Ictiobus cyprinellus</i> | | SK MB ON | Apr 1989 |
| | Buffalo, Black | <i>Ictiobus niger</i> | | ON | Apr 1989 |
| △ ↔ | Chub, Silver | <i>Macrhybopsis storeriana</i> | | MB ON | May 2001 |
| | Cisco, Spring | <i>Coregonus sp.</i> | | QC | Apr 1992 |
| △ ∪ | Cod, Atlantic | <i>Gadus morhua</i> | Arctic population | Arctic Ocean | May 2003 |
| △ ∪ | Cod, Atlantic | <i>Gadus morhua</i> | Maritimes population | Atlantic Ocean | May 2003 |
| | Dace, Redside | <i>Clinostomus elongatus</i> | | ON | Apr 1987 |
| | Dace, Umatilla | <i>Rhinichthys umatilla</i> | | BC | Apr 1988 |
| | Darter, Greenside | <i>Etheostoma blennioides</i> | | ON | Apr 1990 |
| △ ↔ | Killifish, Banded | <i>Fundulus diaphanus</i> | Newfoundland population | NL | May 2003 |

SPECIAL CONCERN CATEGORY (140) *continued*

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|---------------------------------|-----------------------------------|--|---------------------|-------------------------------|--------------------|
| Fishes (29) (continued) | | | | | |
| | Kiyi | <i>Coregonus kiyi</i> | | ON | Apr 1988 |
| | Lamprey, Chestnut | <i>Ichthyomyzon castaneus</i> | | SK MB | Apr 1991 |
| | Lamprey, Northern Brook | <i>Ichthyomyzon fossor</i> | | MB ON QC | Apr 1991 |
| △ ↔ | Minnow, Pugnose | <i>Opsopoeodus emiliae</i> | | ON | May 2000 |
| | Redhorse, River | <i>Moxostoma carinatum</i> | | ON QC | Apr 1987 |
| △ | Sculpin, Columbia Mottled | <i>Cottus bairdi hubbsi</i> | | BC | May 2000 |
| △+ ↔ | Shiner, Bridle | <i>Notropis bifrenatus</i> | | ON QC | Nov 2001 |
| | Shiner, Silver | <i>Notropis photogenis</i> | | ON | Apr 1987 |
| | Stickleback, Charlotte Unarmoured | <i>Gasterosteus</i> sp. | | BC | Apr 1983 |
| | Stickleback, Giant | <i>Gasterosteus</i> sp. | | BC | Apr 1980 |
| | Sturgeon, Green | <i>Acipenser medirostris</i> | | BC | Apr 1987 |
| | Sturgeon, Shortnose | <i>Acipenser brevirostrum</i> | | NB | Apr 1980 |
| △+ ↔ | Sucker, Spotted | <i>Minytrema melanops</i> | | ON | Nov 2001 |
| | Sunfish, Orangespotted | <i>Lepomis humilis</i> | | ON | Apr 1989 |
| | Sunfish, Redbreast | <i>Lepomis auritus</i> | | NB | Apr 1989 |
| △ ↔ | Topminnow, Blackstripe | <i>Fundulus notatus</i> | | ON | May 2001 |
| △+ ↔ | Warmouth | <i>Lepomis gulosus</i> | | ON | Nov 2001 |
| | Whitefish, Squanga | <i>Coregonus</i> sp. | | YT | Apr 1987 |
| △ | Wolffish, Atlantic | <i>Anarhichas lupus</i> | | Atlantic Ocean | Nov 2000 |
| Arthropods (2) | | | | | |
| △ ↔ | Monarch | <i>Danaus plexippus</i> | | BC AB SK MB ON QC NB NS PE | Nov 2001 |
| △ | Weidemeyer's Admiral | <i>Limnitis weidemeyerii</i> | | AB | May 2000 |
| Molluscs (4) | | | | | |
| △ | Jumping-slug, Warty | <i>Hemphillia glandulosa</i> | | BC | May 2003 |
| △ | Lampmussel, Yellow | <i>Lampsilis cariosa</i> | | NB NS | May 2004 |
| △ | Mussel, Rocky Mountain Ridged | <i>Gonidea angulata</i> | | BC | Nov 2003 |
| △ | Oyster, Olympia | <i>Ostrea conchaphila</i> | | BC | Nov 2000 |
| Vascular Plants (35) | | | | | |
| △ ↓ | Ash, Blue | <i>Fraxinus quadrangulata</i> | | ON | Nov 2000 |
| | Aster, Bathurst | <i>Symphotrichum subulatum</i> | Bathurst population | NB | Apr 1992 |
| △ | Beggarticks, Vancouver Island | <i>Bidens amplissima</i> | | BC | Nov 2001 |
| | Bulrush, Long's | <i>Scirpus longii</i> | | NS | Apr 1994 |
| | Columbo, American | <i>Frasera caroliniensis</i> | | ON | Apr 1993 |
| △ | Fern, American Hart's-tongue | <i>Asplenium scolopendrium</i> | | ON | Nov 2000 |
| | Fern, Broad Beech | <i>Phegopteris hexagonoptera</i> | | ON QC | Apr 1983 |
| △ ↔ | Fern, Coastal Wood | <i>Dryopteris arguta</i> | | BC | Nov 2001 |
| | Fleabane, Provancher's | <i>Erigeron philadelphicus</i> var. <i>provancheri</i> | | QC | Apr 1992 |
| △ | Goldenrod, Riddell's | <i>Solidago riddellii</i> | | MB ON | Nov 2000 |
| | Goosefoot, Smooth | <i>Chenopodium subglabrum</i> | | AB SK MB | Apr 1992 |
| | Green Dragon | <i>Arisaema dracontium</i> | | ON QC | Apr 1984 |
| △ ↔ | Hairgrass, Mackenzie | <i>Deschampsia mackenzieana</i> | | SK | Nov 2001 |
| | Helleborine, Giant | <i>Epipactis gigantea</i> | | BC | Apr 1998 |
| △+ ↔ | Indian-plantain, Tuberous | <i>Arnoglossum plantagineum</i> | | ON | May 2002 |
| △ ↔ | Lilaeopsis, Eastern | <i>Lilaeopsis chinensis</i> | | NS | May 2004 |
| | Locoweed, Hare-footed | <i>Oxytropis lagopus</i> | | AB | Apr 1995 |

SPECIAL CONCERN CATEGORY (140) *continued*

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|--|----------------------------------|---|--------------------|------------------------|--------------------|
| Vascular Plants (35) (<i>continued</i>) | | | | | |
| △ ↔ | Meadowfoam, Macoun's | <i>Limnanthes macounii</i> | | BC | Apr 1988 |
| △ ↔ | Milk-vetch, Fernald's | <i>Astragalus robbinsii</i> var. <i>fernaldii</i> | | QC NL | Nov 2001 |
| △ ↔ | Oak, Shumard | <i>Quercus shumardii</i> | | ON | Apr 1999 |
| △ ⁺ ↓ | Pepperbush, Sweet | <i>Clethra alnifolia</i> | | NS | May 2001 |
| △ ⁺ ↓ | Pondweed, Hill's | <i>Potamogeton hillii</i> | | ON | Apr 1986 |
| △ ⁺ ↓ | Quillwort, Bolander's | <i>Isoetes bolanderi</i> | | AB | Apr 1995 |
| △ ⁺ ↓ | Rose, Climbing Prairie | <i>Rosa setigera</i> | | ON | May 2003 |
| △ ↔ | Rose-mallow, Swamp | <i>Hibiscus moscheutos</i> | | ON | Apr 1987 |
| △ ↔ | Rue-anemone, False | <i>Enemion biternatum</i> | | ON | Apr 1990 |
| △ ↔ | Rush, New Jersey | <i>Juncus caesariensis</i> | | NS | May 2004 |
| △ | Tansy, Floccose | <i>Tanacetum huronense</i> var. <i>floccosum</i> | | SK | May 2000 |
| △ ↔ | Thrift, Athabasca | <i>Armeria maritima</i> ssp. <i>interior</i> | | SK | May 2002 |
| △ ↔ | Water-hemlock, Victorin's | <i>Cicuta maculata</i> var. <i>victorinii</i> | | QC | May 2004 |
| △ | Willow, Felt-leaf | <i>Salix silicicola</i> | | NU SK | May 2000 |
| △ | Willow, Sand-dune Short-capsuled | <i>Salix brachycarpa</i> var. <i>psammophila</i> | | SK | May 2000 |
| △ | Willow, Turnor's | <i>Salix turnorii</i> | | SK | May 2000 |
| △ | Woolly-heads, Tall | <i>Psilocarphus elatior</i> | Prairie population | AB SK | May 2001 |
| △ | Yarrow, Large-headed Woolly | <i>Achillea millefolium</i> var. <i>megacephalum</i> | | SK | May 2000 |
| Mosses (2) | | | | | |
| △ | Moss, Columbian Carpet | <i>Bryoerythrophyllum columbianum</i> | | BC | May 2004 |
| △ | Moss, Twisted Oak | <i>Syntrichia laevipila</i> | | BC | May 2004 |
| Lichens (4) | | | | | |
| △ | Cryptic Paw | <i>Nephroma occultum</i> | | BC | Apr 1995 |
| △ | Lichen, Boreal Felt | <i>Erioderma pedicellatum</i> | Boreal population | NL | May 2002 |
| | Oldgrowth Specklebelly | <i>Pseudocyphellaria rainierensis</i> | | BC | Apr 1996 |
| | Seaside Bone | <i>Hypogymnia heterophylla</i> | | BC | Apr 1996 |

Table 8. Species assessed and found to be in the Not at Risk category, with geographical occurrence (by province, territory or ocean) and date of last assessment (151 species).

NOT AT RISK CATEGORY (151)

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|---------------------------------|--|-------------------------------------|------------------------------------|---|--------------------|
| Mammals (44) | | | | | |
| △ ∪ | Badger <i>taxus</i> subspecies, American | <i>Taxidea taxus taxus</i> | | AB SK MB | May 2000 |
| | ↔ Bear, American Black | <i>Ursus americanus</i> | | YT NT NU BC AB SK MB ON QC NB NS NL | Apr 1999 |
| △ ↔ | Caribou, Woodland | <i>Rangifer tarandus caribou</i> | Newfoundland population | NL | May 2002 |
| | ↔ Cottontail <i>pinetis</i> subspecies, Nuttall's | <i>Sylvilagus nuttallii pinetis</i> | | AB SK | Apr 1994 |
| | Dolphin, Atlantic White-sided | <i>Lagenorhynchus acutus</i> | | Atlantic Ocean | Apr 1991 |
| | Dolphin, Bottlenose | <i>Tursiops truncatus</i> | | Atlantic Ocean | Apr 1993 |
| | Dolphin, Common | <i>Delphinus delphis</i> | | Atlantic Ocean Pacific Ocean | Apr 1991 |
| | Dolphin, Northern Right Whale | <i>Lissodelphis borealis</i> | | Pacific Ocean | Apr 1990 |
| | Dolphin, Pacific White-sided | <i>Lagenorhynchus obliquidens</i> | | Pacific Ocean | Apr 1990 |
| | Dolphin, Risso's | <i>Grampus griseus</i> | | Atlantic Ocean Pacific Ocean | Apr 1990 |
| | Dolphin, Striped | <i>Stenella coeruleoalba</i> | | Atlantic Ocean Pacific Ocean | Apr 1993 |
| | Dolphin, White-beaked | <i>Lagenorhynchus albirostris</i> | | Atlantic Ocean | Apr 1998 |
| ✓ | Gopher, Plains Pocket | <i>Geomys bursarius</i> | | MB | Apr 1998 |
| △ ↔ | Lynx, Canada | <i>Lynx canadensis</i> | | YT NT NU BC AB SK MB ON QC NB NS NL | May 2001 |
| | ↔ Narwhal | <i>Monodon monceros</i> | | Arctic Ocean | Apr 1987 |
| | Porpoise, Dall's | <i>Phocoenoides dalli</i> | | Pacific Ocean | Apr 1989 |
| | Sea Lion, California | <i>Zalophus californianus</i> | | BC Pacific Ocean | Apr 1987 |
| | Seal Pacific subspecies, Harbour | <i>Phoca vitulina richardsi</i> | | BC Pacific Ocean | Apr 1999 |
| | Seal, Bearded | <i>Erignathus barbatus</i> | | NL NU NT YT Atlantic Ocean Arctic Ocean | Apr 1994 |
| | Seal, Grey | <i>Halichoerus grypus</i> | | NB NL NS PE QC Atlantic Ocean | Apr 1999 |
| | Seal, Hooded | <i>Cystophora cristata</i> | | NL NU QC Atlantic Ocean | Apr 1986 |
| | Seal, Northern Elephant | <i>Mirounga angustirostris</i> | | BC Pacific Ocean | Apr 1986 |
| | Seal, Northern Fur | <i>Callorhinus ursinus</i> | | BC Pacific Ocean | Apr 1996 |
| | Seal, Ringed | <i>Phoca hispida</i> | | NL NU NT YT Atlantic Ocean Arctic Ocean | Apr 1989 |
| | Squirrel, Cascade Mantled Ground | <i>Spermophilus saturatus</i> | | BC | Apr 1992 |
| | Squirrel, Fox | <i>Sciurus niger</i> | | MB ON | Apr 1979 |
| | Walrus, Atlantic | <i>Odobenus rosmarus rosmarus</i> | Eastern Arctic population | Arctic Ocean | Apr 1987 |
| ✓ | Weasel, Prairie Long-tailed | <i>Mustela frenata longicauda</i> | | AB SK MB | Apr 1993 |
| | Whale, Baird's Beaked | <i>Berardius bairdii</i> | | Pacific Ocean | Apr 1992 |
| △ ↔ | Whale, Beluga | <i>Delphinapterus leucas</i> | Eastern Beaufort Sea population | NT Arctic Ocean | May 2004 |
| | Whale, Blainville's Beaked | <i>Mesoplodon densirostris</i> | | Atlantic Ocean | Apr 1989 |

NOT AT RISK CATEGORY (151) *continued*

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|---------------------------------|---|--|--------------------------------------|--|--------------------|
| Mammals (44) (continued) | | | | | |
| | Whale, Cuvier's Beaked | <i>Ziphius cavirostris</i> | | Atlantic Ocean Pacific Ocean | Apr 1990 |
| | Whale, False Killer | <i>Pseudorca crassidens</i> | | Pacific Ocean | Apr 1990 |
| | Whale, Hubbs' Beaked | <i>Mesoplodon carlhubbsi</i> | | Pacific Ocean | Apr 1989 |
| △ ✓ | Whale, Humpback | <i>Megaptera novaeangliae</i> | Western North Atlantic population | Atlantic Ocean | May 2003 |
| | Whale, Long-finned Pilot | <i>Globicephala melas</i> | | Atlantic Ocean | Apr 1994 |
| | Whale, Northern Bottlenose | <i>Hyperoodon ampullatus</i> | Davis Strait population | Atlantic Ocean | Apr 1993 |
| | Whale, Pygmy Sperm | <i>Kogia breviceps</i> | | Atlantic Ocean Pacific Ocean | Apr 1994 |
| | Whale, Short-finned Pilot | <i>Globicephala macrorhynchus</i> | | Pacific Ocean | Apr 1993 |
| | Whale, Sperm | <i>Physeter macrocephalus</i> | | Atlantic Ocean Pacific Ocean | Apr 1996 |
| | Whale, Stejneger's Beaked | <i>Mesoplodon stejnerei</i> | | Pacific Ocean | Apr 1989 |
| | Whale, True's Beaked | <i>Mesoplodon mirus</i> | | Atlantic Ocean | Apr 1989 |
| | Wolf, Northern Grey | <i>Canis lupus occidentalis</i> | | YT NT NU BC AB SK MB ON QC NL | Apr 1999 |
| | Wolf, Southern Grey | <i>Canis lupus nubilus</i> | | BC | Apr 1999 |
| Birds (35) | | | | | |
| ✓ | Bluebird, Eastern | <i>Sialia sialis</i> | | AB SK MB ON QC NB NS PE | Apr 1996 |
| △ ↔ | Chat <i>auricollis</i> subspecies, Yellow-breasted | <i>Icteria virens auricollis</i> | Prairie population | AB SK | Nov 2000 |
| | Coot, American | <i>Fulica americana</i> | | YT NT NU BC AB SK MB ON QC NB NS | Apr 1991 |
| | Cormorant, Double-crested | <i>Phalacrocorax auritus</i> | | YT NT BC AB SK MB ON QC NB NS PE NL | Apr 1978 |
| | Crane <i>tabida</i> subspecies, Sandhill | <i>Grus canadensis tabida</i> | | BC MB ON | Apr 1979 |
| | Eagle, Bald | <i>Haliaeetus leucocephalus</i> | | YT NT NU BC AB SK MB ON QC NB NS PE NL | Apr 1984 |
| ↔ | Eagle, Golden | <i>Aquila chrysaetos</i> | | YT NT NU BC AB SK MB ON QC NL | Apr 1996 |
| ↔ | Falcon, Prairie | <i>Falco mexicanus</i> | | BC AB SK | Apr 1996 |
| | Flycatcher, Grey | <i>Empidonax wrightii</i> | | BC | Apr 1992 |
| | Goshawk <i>atricapillus</i> subspecies, Northern | <i>Accipiter gentilis atricapillus</i> | | YT NT NU BC AB SK MB ON QC NB NS PE NL | Apr 1995 |
| | Grebe, Red-necked | <i>Podiceps grisegena</i> | | YT NT NU BC AB SK MB ON QC NS NL | Apr 1982 |
| ↔ | Gyr Falcon | <i>Falco rusticolus</i> | | YT NT NU BC AB SK ON QC NS PE NL | Apr 1987 |
| | Harrier, Northern | <i>Circus cyaneus</i> | | YT NT NU BC AB SK MB ON QC NB NS PE NL | Apr 1993 |
| ✓ | Hawk, Cooper's | <i>Accipiter cooperii</i> | | BC AB SK MB ON QC NB NS | Apr 1996 |
| | Hawk, Red-tailed | <i>Buteo jamaicensis</i> | | YT NT NU BC AB SK MB ON QC NB NS PE NL | Apr 1995 |

NOT AT RISK CATEGORY (151) *continued*

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|---------------------------------|--------------------------------|-----------------------------------|--------------------|--|--------------------|
| Birds (35) (continued) | | | | | |
| | Hawk, Rough-legged | <i>Buteo lagopus</i> | | YT NT NU BC MB ON QC NL | Apr 1995 |
| ↔ | Hawk, Sharp-shinned | <i>Accipiter striatus</i> | | YT NT NU BC AB SK MB ON QC NB NS PE NL | Apr 1997 |
| | Loon, Common | <i>Gavia immer</i> | | YT NT NU BC AB SK MB ON QC NB NS PE NL | Apr 1997 |
| | Loon, Yellow-billed | <i>Gavia adamsii</i> | | YT NT NU BC AB MB QC | Apr 1997 |
| | Merlin | <i>Falco columbarius</i> | | YT NT NU BC AB SK MB ON QC NB NS PE NL | Apr 1985 |
| | Owl, Boreal | <i>Aegolius funereus</i> | | YT NT NU BC AB SK MB ON QC NB NS PE NL | Apr 1995 |
| ✓ | Owl, Great Grey | <i>Strix nebulosa</i> | | YT NT BC AB SK MB ON QC | Apr 1996 |
| | Owl, Northern Hawk | <i>Surnia ulula</i> | | YT NT BC AB SK MB ON QC NB NL | Apr 1992 |
| | Owl, Snowy | <i>Bubo scandiaca</i> | | YT NT NU MB QC NL | Apr 1995 |
| ✓ | Pelican, American White | <i>Pelecanus erythrorhynchos</i> | | BC AB SK MB ON | Apr 1987 |
| | Screech-Owl, Eastern | <i>Megascops asio</i> | | SK MB ON QC NB | Apr 1986 |
| ✓ | Sparrow, Baird's | <i>Ammodramus bairdii</i> | | AB SK MB | Apr 1996 |
| ✓ | Sparrow, Nelson's Sharp-tailed | <i>Ammodramus nelsoni</i> | | BC AB SK MB ON QC NB NS PE | Apr 1998 |
| ✓ | Swan, Trumpeter | <i>Cygnus buccinator</i> | | YT NT BC AB SK ON | Apr 1996 |
| ↔ | Tern, Black | <i>Chlidonias niger</i> | | NT BC AB SK MB ON QC NB NS | Apr 1996 |
| ✓ | Tern, Caspian | <i>Sterna caspia</i> | | NT BC AB SK MB ON QC NL | Apr 1999 |
| | Tern, Common | <i>Sterna hirundo</i> | | NT AB SK MB ON QC NB NS PE NL | Apr 1998 |
| ✓ | Warbler, Prairie | <i>Dendroica discolor</i> | | ON | Apr 1999 |
| | Wren, Canyon | <i>Catherpes mexicanus</i> | | BC | Apr 1992 |
| | Wren, Sedge | <i>Cistothorus platensis</i> | | AB SK MB ON QC NB | Apr 1993 |
| Reptiles (5) | | | | | |
| △ | Brownsnake, DeKay's | <i>Storeria dekayi</i> | | ON QC | May 2002 |
| △ | Gartersnake, Northwestern | <i>Thamnophis ordinoides</i> | | BC | May 2003 |
| △ | Lizard, Northern Alligator | <i>Elgaria coerulea</i> | | BC | May 2002 |
| | Racer, Western Yellow-bellied | <i>Coluber constrictor mormon</i> | | BC | Apr 1991 |
| △ | Watersnake, Northern | <i>Nerodia sipedon sipedon</i> | | ON QC | May 2002 |
| Amphibians (14) | | | | | |
| | Ensatina | <i>Ensatina eschscholtzii</i> | | BC | Apr 1999 |
| △ | Frog, Columbia Spotted | <i>Rana luteiventris</i> | | YT BC AB | May 2000 |
| | Frog, Northern Leopard | <i>Rana pipiens</i> | Eastern population | ON QC NB NS NL | Apr 1999 |
| | Frog, Pickerel | <i>Rana palustris</i> | | ON QC NB NS | Apr 1999 |
| △ | Frog, Western Chorus | <i>Pseudacris triseriata</i> | | ON QC | May 2001 |
| △ | Mudpuppy | <i>Necturus maculosus</i> | | MB ON QC | May 2000 |
| | Salamander, Four-toed | <i>Hemidactylium scutatum</i> | | ON QC NB NS | Apr 1999 |

NOT AT RISK CATEGORY (151) *continued*

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|---|-----------------------------------|-----------------------------------|--------------------------------|---|--------------------|
| Amphibians (14) (<i>continued</i>) | | | | | |
| | Salamander, Northern Dusky | <i>Desmognathus fuscus</i> | | ON QC NB | Apr 1999 |
| | Salamander, Northwestern | <i>Ambystoma gracile</i> | | BC | Apr 1999 |
| △ | Salamander, Tiger | <i>Ambystoma tigrinum</i> | Prairie / Boreal population | AB SK MB | Nov 2001 |
| △ | Salamander, Western Red-backed | <i>Plethodon vehiculum</i> | | BC | Nov 2001 |
| △ | Spadefoot, Plains | <i>Spea bombifrons</i> | | AB SK MB | May 2003 |
| △ | Toad, Canadian | <i>Bufo hemiophrys</i> | | NT AB SK MB | May 2003 |
| | Treefrog, Cope's Grey | <i>Hyla chrysoscelis</i> | | MB | Apr 1999 |
| Fishes (35) | | | | | |
| | Bloater | <i>Coregonus hoyi</i> | | ON | Apr 1988 |
| △ | ⊙ Chiselmouth | <i>Acrocheilus alutaceus</i> | | BC | May 2003 |
| | Chub, Hornyhead | <i>Nocomis biguttatus</i> | | MB ON | Apr 1988 |
| | Chub, River | <i>Nocomis micropogon</i> | | ON | Apr 1988 |
| | Dace, Leopard | <i>Rhinichthys falcatus</i> | | BC | Apr 1990 |
| | Darter, Least | <i>Etheostoma microperca</i> | | ON | Apr 1989 |
| | Darter, River | <i>Percina shumardi</i> | | MB ON | Apr 1989 |
| | Darter, Tessellated | <i>Etheostoma olmstedi</i> | | ON QC | Apr 1993 |
| | Herring, Blueback | <i>Alosa aestivalis</i> | | NB NS | Apr 1980 |
| | Killifish, Banded | <i>Fundulus diaphanus</i> | Mainland population | MB ON QC NB NS PE NL | Apr 1989 |
| △ | ✓ Madtom, Brindled | <i>Noturus miurus</i> | | ON | May 2001 |
| | Minnow, Bluntnose | <i>Pimephales notatus</i> | | MB ON QC | Apr 1998 |
| | Minnow, Cutlips | <i>Exoglossum maxillingua</i> | | ON QC | Apr 1994 |
| | Minnow, Eastern Silvery | <i>Hybognathus regius</i> | | ON QC | Apr 1997 |
| | Pickereel, Chain | <i>Esox niger</i> | | QC NB NS | Apr 1997 |
| | Pickereel, Redfin | <i>Esox americanus americanus</i> | | QC | Apr 1998 |
| | Redhorse, Golden | <i>Moxostoma erythrurum</i> | | MB ON | Apr 1989 |
| △ | ✓ Sardine, Pacific | <i>Sardinops sagax</i> | | Pacific Ocean | May 2002 |
| | Sculpin, Fourhorn | <i>Myoxocephalus quadricornis</i> | Salt water form | Arctic Ocean Atlantic Ocean Pacific Ocean | Apr 1989 |
| | Sculpin, Spoonhead | <i>Cottus ricei</i> | | YT NT BC AB SK MB ON QC | Apr 1989 |
| △ | ✓ Shiner, Bigmouth | <i>Notropis dorsalis</i> | | MB | Nov 2003 |
| | Shiner, Blackchin | <i>Notropis heterodon</i> | | MB ON QC | Apr 1994 |
| | Shiner, Ghost | <i>Notropis buchanani</i> | | ON | Apr 1993 |
| | Shiner, Redfin | <i>Lythrurus umbratilis</i> | | ON | Apr 1988 |
| | Shiner, Rosyface | <i>Notropis rubellus</i> | | ON QC | Apr 1994 |
| | Shiner, Striped | <i>Luxilus chrysocephalus</i> | | ON | Apr 1993 |
| | Shiner, Weed | <i>Notropis texanus</i> | | MB | Apr 1999 |
| | Silverside, Brook | <i>Labidesthes sicculus</i> | | ON QC | Apr 1989 |
| | ✓ Stoneroller, Central | <i>Camptostoma anomalum</i> | | ON | Apr 1998 |
| | Sturgeon, Lake | <i>Acipenser fulvescens</i> | | AB SK MB ON QC | Apr 1986 |
| | Sucker, Mountain | <i>Catostomus platyrhynchus</i> | | BC AB SK | Apr 1991 |
| | Sunfish, Green | <i>Lepomis cyanellus</i> | | ON | Apr 1987 |
| | Sunfish, Longear | <i>Lepomis megalotis</i> | | ON QC | Apr 1987 |
| △ | Wolf-eel | <i>Anarrhichthys ocellatus</i> | | Pacific Ocean | May 2003 |
| | Y-Prickleback | <i>Allolumpenus hypochromus</i> | | BC | Apr 1991 |

NOT AT RISK CATEGORY (151) *continued*

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|---------------------------------|----------------------------|--|--------------------|------------------------|--------------------|
| Arthropods (0) | | | | | |
| Molluscs (2) | | | | | |
| △ | Capshell, Rocky Mountain | <i>Acroloxus coloradensis</i> | Western population | BC AB | Nov 2001 |
| △ | Crater, Spike-lip | <i>Appalachina sayana</i> | | NB NS ON QC | Nov 2003 |
| Vascular Plants (16) | | | | | |
| | Aster, Short's | <i>Symphyotrichum shortii</i> | | ON | Apr 1999 |
| | Aster, Yukon | <i>Symphyotrichum yukonense</i> | | YT NT | Apr 1996 |
| | Brickellia, Large-flowered | <i>Brickellia grandiflora</i> | | BC AB | Apr 1996 |
| | Fameflower | <i>Talinum sediforme</i> | | BC | Apr 1990 |
| | Fleabane, Dwarf | <i>Erigeron radicans</i> | | AB SK | Apr 1996 |
| | Goldenweed, Northern Mock | <i>Stenotus borealis</i> | | YT | Apr 1997 |
| | Mermaid, False | <i>Floerkea proserpinacoides</i> | | ON QC NS | Apr 1984 |
| | Phlox, Blue | <i>Phlox alyssifolia</i> | | AB SK | Apr 1996 |
| | Pink, Rush | <i>Stephanomeria runcinata</i> | | AB SK | Apr 1996 |
| | Rhododendron, Pacific | <i>Rhododendron macrophyllum</i> | | BC | Apr 1997 |
| | Sagebrush, Wood's | <i>Artemisia rupestris</i> ssp. <i>woodii</i> | | YT | Apr 1997 |
| | Sedge, Nebraska | <i>Carex nebrascensis</i> | | AB | Apr 1995 |
| | Stitchwort, Sand | <i>Stellaria arenicola</i> | | AB SK | Apr 1992 |
| | Wallflower, Narrow-leaved | <i>Erysimum angustatum</i> | | YT | Apr 1993 |
| ✓ | Willow, Tyrrell's | <i>Salix tyrrellii</i> | | NT SK | Apr 1999 |
| | Woolly-heads, Slender | <i>Psilocarphus tenellus</i> var. <i>tenellus</i> | | BC | Apr 1996 |
| Mosses (0) | | | | | |
| Lichens (0) | | | | | |

Table 9. Species considered and placed in the Data Deficient category because of insufficient scientific information, with geographical occurrence (by province, territory or ocean) and date of last assessment (33 species).

DATA DEFICIENT CATEGORY (33)

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|---------------------------------|--|---|---|--|--------------------|
| Mammals (10) | | | | | |
| △ ⊙ | Bat, Fringed | <i>Myotis thysanodes</i> | | BC | May 2004 |
| △ ⊙ | Bat, Keen's Long-eared | <i>Myotis keenii</i> | | BC | Nov 2003 |
| ⊙ | Cougar | <i>Puma concolor cougar</i> | Eastern population | ON QC NB NS | Apr 1998 |
| | Mouse <i>dychei</i> subspecies, Western Harvest | <i>Reithrodontomys megalotis dychei</i> | | AB | Apr 1994 |
| | Seal Atlantic subspecies, Harbour | <i>Phoca vitulina concolor</i> | | MB NB NL NS NU ON PE Atlantic Ocean Arctic Ocean | Apr 1999 |
| | Vole, Sagebrush | <i>Lemmyscus curtatus</i> | | AB SK | Apr 1996 |
| | Whale, Dwarf Sperm | <i>Kogia simus</i> | | Pacific Ocean | Apr 1997 |
| △+ ↔ | Whale, Killer | <i>Orcinus orca</i> | Northwest Atlantic / Eastern Arctic populations | Arctic Ocean Atlantic Ocean | Nov 2001 |
| △ | Whale, Sei | <i>Balaenoptera borealis</i> | Atlantic population | Atlantic Ocean | May 2003 |
| | Wolf, Arctic Grey | <i>Canis lupus arctos</i> | | NT NU | Apr 1999 |
| Birds (2) | | | | | |
| | Poorwill, Common | <i>Phalaenoptilus nuttallii</i> | | BC AB SK | Apr 1993 |
| | Tern, Forster's | <i>Sterna forsteri</i> | | BC AB SK MB ON | Apr 1996 |
| Reptiles (2) | | | | | |
| △ | Bullsnake | <i>Pituophis catenifer sayi</i> | | AB SK | May 2002 |
| △ | Turtle, Eastern Box | <i>Terrapene carolina carolina</i> | | ON | May 2002 |
| Amphibians (0) | | | | | |
| Fishes (9) | | | | | |
| | Catfish, Flathead | <i>Pylodictis olivaris</i> | | ON | Apr 1993 |
| | Cisco, Bering | <i>Coregonus laurettae</i> | | YT | Apr 1990 |
| | Lamprey, Darktail | <i>Lethenteron alaskense</i> | | NT | Apr 1990 |
| △ ⊙ | Madtom, Margined | <i>Noturus insignis</i> | | ON QC | May 2002 |
| △ ⊙ | Prickleback, Pighead | <i>Acantholumpenus mackayi</i> | | Arctic Ocean | May 2003 |
| △ ⊙ | Sculpin, Fourhorn | <i>Myoxocephalus quadricornis</i> | Freshwater form | NL NT NU | Nov 2003 |
| | Sculpin, Spinynose | <i>Asemichthys taylori</i> | | Pacific Ocean | Apr 1997 |
| △ ↔ | Whitefish, Lake | <i>Coregonus clupeaformis</i> | Mira River population | NS | Nov 2000 |
| △ ⊙ | Wolfish, Bering | <i>Anarhichas orientalis</i> | | Arctic Ocean | Nov 2002 |
| Arthropods (0) | | | | | |
| Molluscs (4) | | | | | |
| △ | Capshell, Rocky Mountain | <i>Acroloxus coloradensis</i> | Eastern population | ON QC | Nov 2001 |
| △ | Duskysnail, Squat | <i>Lyogyrus granum</i> | | NB NS | Nov 2003 |
| △ | Fieldslug, Evening | <i>Deroceras hesperium</i> | | BC | Nov 2003 |
| | Snail, Gatineau Tadpole | <i>Physella parkeri latchfordi</i> | | QC | Apr 1997 |
| Vascular Plants (4) | | | | | |
| | Barley, Little | <i>Hordeum pusillum</i> | | AB | Apr 1993 |
| | Goldenweed, Rabbit-brush | <i>Ericameria bloomeri</i> | | BC | Apr 1997 |
| | Pinweed, Impoverished | <i>Lechea intermedia</i> var. <i>depauperata</i> | | SK | Apr 1997 |
| | Whitlow-grass, Kananaskis | <i>Draba kananaskis</i> | | AB | Apr 1992 |
| Mosses (0) | | | | | |

DATA DEFICIENT CATEGORY (33) *continued*

| Taxon/ Assessment Details | Common Name | Scientific Name | Population Name | Range of Occurrence | Assessment Date |
|---------------------------------|--------------------------|---------------------------------------|-----------------|------------------------|--------------------|
| Lichens (2) | | | | | |
| △ | Stubble, Flexuous Golden | <i>Chaenotheca servitii</i> | | NS | Nov 2002 |
| △ | Stubble, Red Oak | <i>Phaeocalicium minutissimum</i> | | QC NB | Nov 2002 |

RECORD OF STATUS REASSESSMENTS

A short history is provided for each species that has been reassessed by COSEWIC, including date(s) of assessment and the status assigned. In October 1999 COSEWIC began using quantitative criteria to augment the earlier method of using status definitions to assign status. For species assessed since October 1999, the type of status report used as the basis for reassessment is indicated. Update reports focus on changes in the biological and threat information that has become available since the last time a report was prepared. For some species, COSEWIC deemed the existing report suitable for reassessment.

Acadian Flycatcher

Designated Endangered in April 1994. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Allegheny Mountain Dusky Salamander

Designated Special Concern in April 1998. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report with an addendum.

American Badger

Designated Not at Risk in April 1979. The original Canada-wide designation was de-activated in May 2000 when the American Badger was split according to subspecies.

American Badger *jacksoni* subspecies

The species was considered a single unit and designated Not at Risk in 1979. Each subspecies was given a separate designation in May 2000. The *jacksoni* subspecies was designated Endangered. Last assessment based on an update status report.

American Badger *jeffersonii* subspecies

The species was considered a single unit and designated Not at Risk in 1979. Each subspecies was given a separate designation in May 2000. The *jeffersonii* subspecies was designated Endangered. Last assessment based on an update status report.

American Badger *taxus* subspecies

Entire Canadian range was designated as Not at Risk in 1979. Each subspecies was given a separate designation in May 2000. The *taxus* subspecies was designated Not at Risk. Last assessment based on an update status report.

American Black Bear

Designated Not at Risk in April 1998 and in April 1999.

American Ginseng

Designated Threatened in April 1988. Status re-examined and designated Endangered in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

American Water-willow

Designated Threatened in April 1984. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

American White Pelican

Designated Threatened in April 1978. Status re-examined and designated Not at Risk in April 1987.

Anticosti Aster

Designated Threatened in April 1990. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

Athabasca Thrift

Designated Threatened in April 1981. Status re-examined and designated Special Concern in April 1999. Status re-examined and confirmed in May 2002. Last assessment based on an existing status report.

Atlantic Cod

Designated Special Concern in April 1998. Split into four populations in May 2003. The original designation was de-activated. Last assessment based on an update status report.

Atlantic Cod (Arctic population)

The species was considered a single unit and designated Special Concern in April 1998. When the species was split into separate populations in May 2003, the Arctic population was designated Special Concern. Last assessment based on an update status report.

Atlantic Cod (Laurentian North population)

The species was considered a single unit and designated Special Concern in April 1998. When the species was split into separate populations in May 2003, the Laurentian North population was designated Threatened. Last assessment based on an update status report.

Atlantic Cod (Maritimes population)

The species was considered a single unit and designated Special Concern in April 1998. When the species was split into separate populations in May 2003, the Maritimes population was designated Special Concern. Last assessment based on an update status report.

Atlantic Cod (Newfoundland and Labrador population)

The species was considered a single unit and designated Special Concern in April 1998. When the species was split into separate populations in May 2003, the Newfoundland and Labrador population was designated Endangered. Last assessment based on an update status report.

Atlantic Walrus (Northwest Atlantic population)

Extirpated around 1850. Designated Extirpated in April 1987. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Atlantic Whitefish

Designated Endangered in April 1984. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Aurora Trout

Designated Endangered in April 1987. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

Baird's Sparrow

Designated Threatened in April 1989. Status re-examined and designated Not at Risk in April 1996.

Banded Killifish (Newfoundland population)

Designated Special Concern in April 1989. Status re-examined and confirmed in May 2003. Last assessment based on an update status report.

Banff Longnose Dace

Extinct since 1986. Designated Extinct in April 1987. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Banff Springs Snail

Designated Threatened in April 1997. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report.

Barn Owl

The species was considered a single unit and designated Special Concern in April 1984. In April 1999, the Western and Eastern populations were assessed separately. The original designation for the Canadian range of the Barn Owl was de-activated.

Barn Owl (Eastern population)

The species was considered a single unit and designated Special Concern in April 1984. In April 1999, the Western and Eastern populations were assessed separately. The Eastern population was designated Endangered. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Barn Owl (Western population)

The species was considered a single unit and designated Special Concern in April 1984. In April 1999, the Western and Eastern populations were assessed separately. The Western population was designated Special Concern. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report.

Barren-ground Caribou (Dolphin and Union population)

The original designation considered a single unit that included Peary Caribou, *Rangifer tarandus pearyi*, and what is now known as the Dolphin and Union population of the Barren-ground Caribou, *Rangifer tarandus groenlandicus*. It was assigned a status of Threatened in April 1979. Split to allow designation of three separate populations in 1991: Banks Island (Endangered), High Arctic (Endangered) and Low Arctic (Threatened) populations. In May 2004, all three population designations were de-activated, and the Peary Caribou, *Rangifer tarandus pearyi*, was assessed separately from the Barren-ground Caribou (Dolphin and Union population), *Rangifer tarandus groenlandicus*. The Dolphin and Union population is comprised of a portion of the former "Low Arctic population", and it was designated Special Concern in May 2004. Last assessment based on an update status report.

Bashful Bulrush

Designated Special Concern in April 1986. Status re-examined and designated Endangered in May 2000. Last assessment based on an update status report.

Bearded Owl-clover

Designated Endangered in April 1998. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Beluga Whale (Cumberland Sound population)

The Southeast Baffin Island-Cumberland Sound population was designated Endangered in April 1990. In May 2004, the structure of the population was redefined and named "Cumberland Sound population", and the Southeast Baffin Island animals were included as part of the Western Hudson Bay population. Status re-examined and designated Threatened in May 2004. Last assessment based on an update status report.

Beluga Whale (Eastern Beaufort Sea population)

Designated Not at Risk in April 1985 and in May 2004. Last assessment based on an update status report.

Beluga Whale (Eastern High Arctic - Baffin Bay population)

Designated Special Concern in April 1992. Status re-examined and confirmed in May 2004. Last assessment based on an update status report.

Beluga Whale (Eastern Hudson Bay population)
Designated Threatened in April 1988. Status re-examined and designated Endangered in May 2004. Last assessment based on an update status report.

Beluga Whale (St. Lawrence Estuary population)
Designated Endangered in April 1983. Status re-examined and confirmed in April 1997. Status re-examined and designated Threatened in May 2004. Last assessment based on an update status report.

Beluga Whale (Ungava Bay population)
Designated Endangered in April 1988. Status re-examined and confirmed in May 2004. Last assessment based on an update status report.

Beluga Whale (Western Hudson Bay population)
Designated Not at Risk in April 1993. The population was redefined in May 2004 to include those Southeast Baffin Island animals outside Cumberland Sound, previously considered part of the "Southeast Baffin Island-Cumberland Sound population" which is now called "Cumberland Sound population". Status re-examined and designated Special Concern in May 2004. Last assessment based on an update status report.

Benthic Enos Lake Stickleback
Original designation (including both Benthic and Limnetic species) was Threatened in April 1988. Split into two species when re-examined in November 2002 and the Benthic Enos Lake Stickleback was designated Endangered. Last assessment based on an update status report.

Benthic Hadley Lake Stickleback
Extinct in 1999. Designated Extinct in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Benthic Paxton Lake Stickleback
Designated Threatened in April 1998. Status re-examined and confirmed in April 1999. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report.

Benthic Vananda Creek Stickleback
Designated Threatened in April 1999. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report.

Bering Wolffish
Designated Special Concern in April 1989. Species considered in November 2002 and placed in the Data Deficient category. Last assessment based on an update status report.

Bigmouth Shiner
Designated Special Concern in April 1985. Status re-examined and designated Not at Risk in November 2003. Last assessment based on an update status report.

Bird's-foot Violet
Designated Threatened in April 1990. Status re-examined and designated Endangered in May 2002. Last assessment based on an update status report.

Black Tern
Designated Not at Risk in April 1988 and in April 1996.

Black-footed Ferret
Extirpated by 1974. Designated Extirpated in April 1978. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Blackstripe Topminnow
Designated Special Concern in April 1985. Status re-examined and confirmed in May 2001. Last assessment based on an update status report.

Black-tailed Prairie Dog
Designated Special Concern in April 1978. Status re-examined and confirmed in April 1988, April 1999 and November 2000. Last assessment based on an existing status report.

Blue Ash
Designated Threatened in April 1983. Status re-examined and designated Special Concern in November 2000. Last assessment based on an update status report.

Blue Racer
Designated Endangered in April 1991. Status re-examined and confirmed in May 2002. Last assessment based on an update status report.

Blue Walleye
Extinct since 1965. Designated Extinct in April 1985. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Blue Whale
The species was considered a single unit and designated Special Concern in April 1983. In May 2002, the species was split into two populations: Blue Whale (Atlantic population) and Blue Whale (Pacific population). The Atlantic population and the Pacific populations were both designated Endangered in May 2002. The original designation for Blue Whale was de-activated.

Blue Whale (Atlantic population)
The species was considered a single unit and designated Special Concern in April 1983. Split into two populations in May 2002. The Atlantic population was designated Endangered in May 2002. Last assessment based on an update status report.

Blue Whale (Pacific population)
The species was considered a single unit and designated Special Concern in April 1983. Split into two populations in May 2002. The Pacific population was designated Endangered in May 2002. Last assessment based on an update status report.

Bluehearts

Designated Threatened in April 1985. Status re-examined and designated Endangered in April 1998. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Blunt-lobed Woodisia

Designated Threatened in April 1994. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report.

Bowhead Whale (Eastern and Western Arctic Populations)

Designated Endangered in April 1980. Split into two populations (Eastern Arctic and Western Arctic) to allow a separate designation for the Western Arctic population in April 1986. The original designation was de-activated.

Branched Bartonia

Designated Special Concern in April 1992. Status re-examined and designated Threatened in November 2003. Last assessment based on an update status report.

Bridle Shiner

Designated Special Concern in April 1999. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report with an addendum.

Brindled Madtom

Designated Special Concern in April 1985. Status re-examined and designated Not at Risk in May 2001. Last assessment based on an update status report.

Buffalograss

Designated Special Concern in April 1998. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report.

Burrowing Owl

Designated Threatened in April 1979. Status re-examined and confirmed in April 1991. Status re-examined and designated Endangered in April 1995. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Butler's Gartersnake

Designated Special Concern in April 1999. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report.

Canada Lynx

Designated Not at Risk in April 1989 and in May 2001. Last assessment based on an update status report.

Caribou *dawsoni* subspecies

Extinct by the 1920's. Designated Extinct in April 1984. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

Carmine Shiner

Designated Special Concern in April 1994. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report.

Caspian Tern

Designated Special Concern in April 1978. Status re-examined and designated Not at Risk in April 1999.

Central Stoneroller

Designated Special Concern in 1985. Status re-examined and designated Not at Risk in 1998.

Cerulean Warbler

Designated Special Concern in April 1993. Status re-examined and confirmed in May 2003. Last assessment based on an update status report.

Channel Darter

Designated Threatened in April 1993. Status re-examined and confirmed in May 2002. Last assessment based on an update status report.

Chiselmouth

Species considered in April 1997 and placed in the Data Deficient category. Re-examined in May 2003 and designated Not at Risk. Last assessment based on an update status report.

Climbing Prairie Rose

Designated Special Concern in April 1986. Status re-examined and designated Threatened in May 2002. Status re-examined and designated Special Concern in May 2003. Last assessment based on an existing status report with an addendum.

Coastal Giant Salamander

Designated Special Concern in April 1989. Status re-examined and designated Threatened in November 2000. Last assessment based on an update status report.

Coastal Wood Fern

Designated Special Concern in April 1998. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report.

Coeur d'Alene Salamander

Designated Special Concern in April 1998. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report with an addendum.

Collicroot

Designated Threatened in April 1988. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Common Hoptree
Designated Special Concern in April 1984. Status re-examined and designated Threatened in November 2002. Last assessment based on an update status report.

Cooper's Hawk
Designated Special Concern in April 1983. Status re-examined and designated Not at Risk in April 1996.

Cougar (Eastern population)
Designated Endangered in April 1978. Species considered in April 1998 and placed in the Data Deficient category.

Cowichan Lake Lamprey
Designated Special Concern in April 1986. Status re-examined and confirmed in April 1998. Status re-examined and designated Threatened in November 2000. Last assessment based on an existing status report.

Crooked-stem Aster
Designated Special Concern in April 1999. Status re-examined and designated Threatened in May 2002. Last assessment based on an existing status report.

Cucumber Tree
Designated Endangered in April 1984. Status re-examined and confirmed Endangered in April 1999 and in May 2000. Last assessment based on an existing status report.

Cultus Pygmy Sculpin
Designated Special Concern in April 1997. Status re-examined and designated Threatened in November 2000. Last assessment based on an existing status report.

Deepwater Cisco
Extinct since 1952. Designated Extinct in April 1988. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Deerberry
Designated Threatened in April 1994. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Deltoid Balsamroot
Designated in April 1996 as Endangered. Status re-examined and confirmed Endangered in May 2000. Last assessment based on an existing status report.

Dense Blazing Star
Designated Special Concern in April 1988. Status re-examined and designated Threatened in May 2001. Last assessment based on an update status report.

Drooping Trillium
Designated Endangered in April 1996. Status re-assessed and confirmed in May 2000. Last assessment based on an existing status report.

Dwarf Hackberry
Designated Special Concern in April 1985. Status re-examined and designated Threatened in November 2003. Last assessment based on an update status report.

Dwarf Wedgemussel
Extirpated by 1968. Designated Extirpated in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Eastern Bluebird
Designated Special Concern in April 1984. Status re-examined and designated Not at Risk in April 1996.

Eastern Foxsnake
Designated Threatened in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Eastern Hog-nosed Snake
Designated Special Concern in April 1997. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report.

Eastern Lilaeopsis
Designated Special Concern in April 1987 and in May 2004. Last assessment based on an update status report.

Eastern Mole
Designated Special Concern in April 1980. Status re-examined and confirmed in April 1998 and in November 2000. Last assessment based on an existing status report.

Eastern Mountain Avens
Designated Endangered in April 1986. Status re-examined and confirmed Endangered in April 1999 and May 2000. Last assessment based on an existing status report.

Eastern Prairie Fringed-orchid
Designated Special Concern in April 1986. Status re-examined and designated Endangered in May 2003. Last assessment based on an update status report.

Eastern Prickly Pear Cactus
Designated Endangered in April 1985. Status re-examined and confirmed Endangered in April 1998 and in May 2000. Last assessment based on an existing status report.

Eastern Ratsnake
Designated Threatened in April 1998. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Eastern Sand Darter
Designated Threatened in April 1994. Status re-examined and confirmed in November 2000. Last assessment based on an existing status report with an addendum.

Eastern Wolf
Species considered in April 1999 and placed in the Data Deficient category. Re-examined in May 2001 and designated Special Concern. Last assessment based on an update status report.

Eelgrass Limpet
Extinct since 1929. Designated Extinct in April 1996. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Engelmann's Quillwort
Designated Endangered in April 1992. Status re-examined and confirmed in May 2001. Last assessment based on an update status report.

Enos Lake Sticklebacks
Designated Threatened in April 1988. Split into two species when re-examined in November 2002: Benthic Enos Lake Stickleback and Limnetic Enos Lake Stickleback. The original designation was de-activated. Last assessment based on an update status report.

Ermine *haidarum* subspecies
Designated Special Concern in April 1984. Status re-examined and designated Threatened in May 2001. Last assessment based on an update status report.

Eskimo Curlew
Designated Endangered in April 1978. Status re-examined and confirmed Endangered in May 2000. Last assessment based on an update status report.

False Hop Sedge
Designated Threatened in April 1997. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report.

Fernald's Braya
Designated Threatened in April 1997. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Fernald's Milk-vetch
Designated Special Concern in April 1997. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report.

Ferruginous Hawk
Designated Threatened in April 1980. Status re-examined and designated Special Concern in April 1995.

Flammulated Owl
Designated Special Concern in April 1988. Status re-examined and confirmed Special Concern in April 1999 and in November 2001. Last assessment based on an existing status report.

Fourhorn Sculpin (Freshwater form)
Designated Special Concern in April 1989. Species considered in November 2003 and placed in the Data Deficient category. Last assessment based on an update status report.

Fowler's Toad
Designated Special Concern in April 1986. Status re-examined and designated Threatened in April 1999. Status re-examined and confirmed in November 2000. Last assessment based on an existing status report with an addendum.

Fringed Bat
Designated Special Concern in April 1988. Species considered in May 2004 and placed in the Data Deficient category. Last assessment based on an update status report.

Frosted Elfyn
Extirpated by 1988. Designated Extirpated in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Furbish's Lousewort
Designated Endangered in April 1980. Status re-examined and confirmed Endangered in April 1998 and in May 2000. Last assessment based on an existing status report.

Gattinger's Agalinis
Designated Endangered in April 1988. Status re-examined and confirmed in April 1999 and in May 2001. Last assessment based on an existing status report that was modified.

Giant Helleborine
Designated Threatened in April 1984. Status re-examined and designated Special Concern in April 1998.

Golden Crest
Designated Threatened in April 1987. Status re-examined and confirmed in April 1999 and in May 2000. Last assessment based on an existing status report.

Golden Eagle
Designated Not at Risk in April 1987 and in April 1996.

Golden Paintbrush
Designated Threatened in April 1995. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report with an addendum.

Goldenseal
Designated Threatened in April 1991. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

Gravel Chub

Last recorded in Thames River drainage, Ontario in 1958. Designated Endangered in April 1985. Status re-examined and designated Extirpated in April 1987. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Great Auk

Believed to be Extinct since 1844. Designated in April 1985 based on historic records only. Status report prepared and approved by COSEWIC in 1994. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Great Basin Spadefoot

Designated Special Concern in April 1998. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report.

Great Grey Owl

Designated Special Concern in April 1979. Status re-examined and confirmed in April 1990. Status re-examined and designated Not at Risk in April 1996.

Great Plains Toad

Designated Special Concern in April 1999. Status re-examined and confirmed in May 2002. Last assessment based on an existing status report.

Greater Prairie-Chicken

Last reported in 1987. Designated Endangered in April 1978. Status re-examined and designated Extirpated in April 1990. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Greater Sage-Grouse *phaios* subspecies

Has not been reported since the 1960s. Designated Extirpated in April 1997. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Greater Sage-Grouse *urophasianus* subspecies

Given conditional designation of Threatened in April 1997. Status re-examined and designated Endangered in April 1998 based on a revised status report. Status re-examined confirmed in May 2000. Last assessment based on an existing status report.

Grey Fox

Designated Special Concern in April 1979. Status re-examined and designated Threatened in May 2002. Last assessment based on an update status report.

Grey Whale (Atlantic population)

Extirpated before the end of the 1800s. Designated Extirpated in April 1987. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Grey Whale (Eastern North Pacific population)

Designated Not at Risk in April 1987. Status re-examined and designated Special Concern in May 2004. Last assessment based on an update status report.

Grizzly Bear

The species was considered a single unit and designated Not at Risk in April 1979. Split into two populations in April 1991 (Prairie population and Northwestern population). The original designation for "Grizzly Bear" across was Canada de-activated.

Grizzly Bear (Northwestern population)

The species was considered a single unit and designated Not at Risk in April 1979. Split into two populations in April 1991 (Prairie population and Northwestern population). The Northwestern population was designated Special Concern in April 1991. Status was re-examined and confirmed in May 2002. Last assessment based on an update status report.

Grizzly Bear (Prairie population)

The species was considered a single unit and designated Not at Risk in April 1979. Split into two populations in April 1991 (Prairie population and Northwestern population). The Prairie population was designated Extirpated in April 1991. Status re-examined and confirmed in May 2000 and in May 2002. Last assessment based on an update status report.

Gulf of St. Lawrence Aster

Designated Special Concern in April 1989. Status re-examined and designated Threatened in May 2004. Last assessment based on an update status report.

Gyr Falcon

Designated Not at Risk in April 1978 and in April 1987.

Hairy Prairie-clover

Designated Threatened in April 1998. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report with an addendum.

Harbour Porpoise (Northwest Atlantic population)

Designated Threatened in April 1990. Status re-examined and confirmed in April 1991. Status re-examined and designated Special Concern in May 2003. Last assessment based on an update status report.

Harbour Porpoise (Pacific Ocean population)

Species considered in April 1991 and placed in the Data Deficient category. Re-examined in November 2003 and designated Special Concern. Last assessment based on an update status report.

Harlequin Duck (Eastern population)

The Eastern population was designated Endangered in April 1990. Status re-examined and designated Special Concern in May 2001. Last assessment based on an update status report.

Heart-leaved Plantain

Designated Endangered in April 1985. Status re-examined and confirmed Endangered in April 1998 and in May 2000. Last assessment based on an existing status report.

Henslow's Sparrow

Designated Threatened in April 1984. Status re-examined and designated Endangered in April 1993. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Hoary Mountain-mint

Designated Endangered in April 1986. Status re-examined and confirmed Endangered in April 1998 and in May 2000. Last assessment based on an existing status report.

Hooded Warbler

Designated Threatened in April 1994. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Hotwater Physa

Designated Endangered in April 1998. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Humpback Whale (North Pacific population)

The "Western North Atlantic and North Pacific populations" were given a single designation of Threatened in April 1982. Split into two populations in April 1985 (Western North Atlantic population and North Pacific population). The North Pacific population designated Threatened in 1985. Status re-examined and confirmed in May 2003. Last assessment based on an update status report.

Humpback Whale (Western North Atlantic and North Pacific populations)

The "Western North Atlantic and North Pacific populations" were given a single designation of Threatened in April 1982. Split into two populations in April 1985 (Western North Atlantic population and North Pacific population). The original designation was de-activated.

Humpback Whale (Western North Atlantic population)

The "Western North Atlantic and North Pacific populations" were given a single designation of Threatened in April 1982. Split into two populations in April 1985 (Western North Atlantic population and North Pacific population). Western North Atlantic population designated Special Concern in April 1985. Status re-examined and designated Not at Risk in May 2003. Last assessment based on an update status report.

Illinois Tick-trefoil

No site records since 1888. Designated Extirpated in April 1991. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Island Marble

Extirpated by 1910. Designated Extirpated in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Ivory Gull

Designated Special Concern in April 1979. Status re-examined and confirmed in April 1996 and in November 2001. Last assessment based on an existing status report.

Juniper Sedge

Designated Endangered in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Karner Blue

Has not been observed since 1991. Designated Extirpated in April 1997. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Keen's Long-eared Bat

Designated Special Concern in April 1988. Species considered in November 2003 and placed in the Data Deficient category. Last assessment based on an update status report.

Kentucky Coffee-tree

Designated Threatened in April 1983. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Killer Whale (North Pacific resident populations)

Designated Threatened in April 1999. The designation of the Killer Whale (North Pacific resident populations) was de-activated in November 2001 when it was split into two populations: Killer Whale (Northeast Pacific northern resident population) and Killer Whale (Northeast Pacific southern resident population). Last assessment based on an existing status report with an addendum.

Killer Whale (Northeast Pacific northern resident population)

North Pacific resident populations designated Threatened in April 1999. Split into two populations in November 2001. The Northeast Pacific northern resident population was designated Threatened in November 2001. Last assessment based on an existing status report with an addendum.

Killer Whale (Northeast Pacific southern resident population)

North Pacific resident populations designated Threatened in April 1999. Split into two populations in November 2001. The Northeast Pacific southern resident population was designated Endangered in November 2001. Last assessment based on an existing status report with an addendum.

Killer Whale (Northeast Pacific transient population)

Designated Special Concern in April 1999. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report with an addendum.

Killer Whale (Northwest Atlantic / Eastern Arctic populations)

Species considered in April 1999 and in November 2001, and placed in the Data Deficient category. Last assessment based on an existing status report with an addendum.

King Rail

Designated Special Concern in April 1985. Status re-examined and designated Endangered in April 1994. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Kirtland's Warbler

Designated Endangered in April 1979. Status re-examined and confirmed in April 1999 and in May 2000. Last assessment based on an existing status report.

Labrador Duck

Believed to be Extinct since 1875. Designated in April 1985 based on historic records only. Status report prepared and approved by COSEWIC in 1994. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Lake Chubsucker

Designated Special Concern in April 1994. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report with an addendum.

Lake Utopia Dwarf Smelt

Designated Threatened in April 1998. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Lake Whitefish (Mira River population)

Species considered in April 1999 and in November 2000, and placed in the Data Deficient category. Last assessment based on an existing status report.

Large Whorled Pogonia

Designated Endangered in April 1986. Status re-examined and confirmed Endangered in April 1998 and in May 2000. Last assessment based on an existing status report.

Least Bittern

Designated Special Concern in April 1988. Status re-examined and confirmed in April 1999. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report.

Leatherback Seaurtle

Designated Endangered in April 1981. Status re-examined and confirmed in May 2001. Last assessment based on an update status report.

Lewis's Woodpecker

Designated Special Concern in April 1999. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report.

Limnetic Enos Lake Stickleback

Original designation (including both Benthic and Limnetic species) was Threatened in April 1988. Split into two species when re-examined in November 2002 and the Limnetic Enos Lake Stickleback was designated Endangered. Last assessment based on an update status report.

Limnetic Hadley Lake Stickleback

Extinct in 1999. Designated Extinct in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Limnetic Paxton Lake Stickleback

Designated Threatened in April 1998. Status re-examined and confirmed in April 1999. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report.

Limnetic Vananda Creek Stickleback

Designated Threatened in April 1999. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report.

Loggerhead Shrike

The species was considered a single unit and designated Threatened in April 1986. The *excubitorides* and the *migrans* subspecies were designated separately in April 1991, and the original designation was de-activated.

Loggerhead Shrike *excubitorides* subspecies

The species was considered a single unit and designated Threatened in April 1986. Split according to subspecies in April 1991. The *excubitorides* subspecies retained the original Threatened designation from April 1986. Status re-examined and confirmed in May 2004. Last assessment based on an update status report.

Loggerhead Shrike *migrans* subspecies

The species was considered a single unit and designated Threatened in April 1986. Split according to subspecies in April 1991. The *migrans* subspecies was designated Endangered in April 1991. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Long-billed Curlew

Designated Special Concern in April 1992. Status re-examined and confirmed in November 2002. Last assessment based on an update status report.

Longjaw Cisco

Extinct since 1975. Designated Extinct in April 1985. Status re-examined and confirmed in May 2000. Designation de-activated in May 2002 because it was concluded that this species is a synonym of the Shortjaw Cisco, *Coregonus zenithicus*, which was designated Threatened in 1987. Last assessment based on an update status report.

Long's Braya
Designated Endangered in April 1997. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report with an addendum.

Louisiana Waterthrush
Designated Special Concern in April 1991. Status re-examined and confirmed in April 1996.

Mackenzie Hairgrass
Designated Special Concern in April 1999. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report.

Marbled Murrelet
Designated Threatened in April 1990. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Margined Madtom
Designated Threatened in April 1989. Species considered in May 2002 and placed in the Data Deficient category. Last assessment based on an update status report.

Maritime Ringlet
Designated Endangered in April 1997. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Massasauga
Designated Threatened in April 1991. Status re-examined and confirmed in November 2002. Last assessment based on an update status report.

Mexican Mosquito-fern
Designated Threatened in April 1984. Status re-examined and confirmed in April 1998 and in May 2000. Last assessment based on an existing status report.

Monarch
Designated Special Concern in April 1997. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report.

Morrison Creek Lamprey
Designated Threatened in April 1999. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report.

Mountain Beaver
Designated Not at Risk in April 1984. Status re-examined and designated Special Concern in April 1999. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report.

Mountain Plover
Designated Endangered in April 1987. Status re-examined and confirmed November 2000. Last assessment based on an update status report.

Narwhal
Designated Not at Risk in April 1986 and in April 1987.

New Jersey Rush
Designated Special Concern in April 1992. Status re-examined and confirmed in May 2004. Last assessment based on an update status report.

Newfoundland Marten
Designated Not at Risk in April 1979. Status re-examined and designated Threatened in April 1986. Status re-examined and designated Endangered in April 1996. Status re-examined and confirmed Endangered in May 2000. Last assessment based on an existing status report.

Nodding Pogonia
Designated Threatened in April 1988. Status re-examined and designated Endangered in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Nooksack Dace
Designated Endangered in April 1996. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

North Atlantic Right Whale
The Right Whale was considered a single species and designated Endangered in 1980. Status re-examined and confirmed in April 1985 and in April 1990. Split into two species in May 2003 to allow a separate designation of the North Atlantic Right Whale. North Atlantic Right Whale was designated Endangered in May 2003. Last assessment based on an update status report.

North Pacific Right Whale
The Right Whale was considered a single species and designated Endangered in 1980. Status re-examined and confirmed in April 1985 and in April 1990. Split into two species in May 2003. North Pacific Right Whale was not re-evaluated, but retains the Endangered status of the original Right Whale. Last assessment based on an update status report.

Northern Abalone
Designated Threatened in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Northern Bobwhite
Designated Endangered in April 1994. Status re-examined and confirmed in November 2003. Last assessment based on an update status report.

Northern Bottlenose Whale
The Northern Bottlenose Whale was given a single designation of Not at Risk in April 1993. Split into two populations in April 1996 to allow a separate designation of the Northern Bottlenose Whale (Scotian Shelf population). Northern Bottlenose (Davis Strait population) was not re-evaluated, but retains the Not at Risk designation of the original Northern Bottlenose Whale, and the latter was de-activated.

Northern Bottlenose Whale (Scotian Shelf population)

The Northern Bottlenose Whale was given a single designation of Not at Risk in April 1993. Split into two populations in April 1996 to allow a separate designation of the Northern Bottlenose Whale (Scotian Shelf population). Scotian Shelf population designated Special Concern in April 1996. Status re-examined and designated Endangered in November 2002. Last assessment based on an existing status report with an addendum.

Northern Cricket Frog

Designated Endangered in April 1990. Status re-examined and confirmed in May 2001. Last assessment based on an update status report.

Northern Goshawk (*laingi* subspecies)

Designated Special Concern in April 1995. Status re-examined and designated Threatened in November 2000. Last assessment based on an update status report.

Northern Leopard Frog (Southern Mountain population)

Designated Endangered in April 1998. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Northern Leopard Frog (Western Boreal/Prairie populations)

Designated Special Concern in April 1998. Status re-examined and confirmed in November 2002. Last assessment based on an existing status report.

Northern Madtom

Species considered in April 1993 and placed in the Data Deficient category. Re-examined in April 1998 and designated Special Concern. Status re-examined and designated Endangered in November 2002. Last assessment based on an existing status report with an addendum.

Northern Riffleshell

Designated Endangered in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report with an addendum.

Nuttall's Cottontail *pinetris* subspecies

Designated Not at Risk in 1991 and in April 1994.

Oregon Spotted Frog

Designated Endangered in an emergency assessment in November 1999. Status re-examined and confirmed in May 2000. Assessment based on a new status report.

Pacific Sardine

Designated Special Concern in April 1987. Status re-examined and designated Not at Risk in May 2002. Last assessment based on an update status report.

Pacific Water Shrew

Designated Threatened in April 1994. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report with an addendum.

Paddlefish

Disappeared from Canada in approximately 1917. Designated Extirpated in April 1987. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Pallid Bat

Designated Special Concern in April 1988. Status re-examined and designated Threatened in May 2000. Last assessment based on an update status report.

Passenger Pigeon

Believed to be Extinct since 1914. Designated in April 1985 based on historic records only. Status report prepared and approved by COSEWIC in 1994. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Peary Caribou

The original designation considered a single unit that included Peary Caribou, *Rangifer tarandus pearyi*, and what is now known as the Dolphin and Union population of the Barren-ground Caribou, *Rangifer tarandus groenlandicus*. It was assigned a status of Threatened in April 1979. Split to allow designation of three separate populations in 1991: Banks Island (Endangered), High Arctic (Endangered) and Low Arctic (Threatened) populations. In May 2004 all three population designations were de-activated, and the Peary Caribou, *Rangifer tarandus pearyi*, was assessed separately from the Barren-ground Caribou (Dolphin and Union population), *Rangifer tarandus groenlandicus*. The subspecies pearyi is comprised of a portion of the former "Low Arctic population", and all of the former "High Arctic" and "Banks Island" populations, and it was designated Endangered in May 2004. Last assessment based on an update status report.

Peary Caribou [original designation]

The original designation considered a single unit that included Peary Caribou, *Rangifer tarandus pearyi*, and what is now known as the Dolphin and Union population of the Barren-ground Caribou, *Rangifer tarandus groenlandicus*. It was assigned a status of Threatened in April 1979. Split into three separate populations in April 1991: Banks Island, High Arctic and Low Arctic populations. The original designation was de-activated. In May 2004, all three population designations were de-activated, and the Peary Caribou, *Rangifer tarandus pearyi*, was assessed separately from the Barren-ground Caribou (Dolphin and Union population), *Rangifer tarandus groenlandicus*.

Peary Caribou (Banks Island population)

The original designation considered a single unit that included Peary Caribou, *Rangifer tarandus pearyi*, and what is now known as the Dolphin and Union population of the Barren-ground Caribou, *Rangifer tarandus groenlandicus*. It was assigned a status of Threatened in April 1979. Split to allow designation of three separate populations in 1991: Banks Island, High Arctic and Low Arctic populations. The Banks Island population was designated Endangered in April 1991. In May 2004, all three population designations were de-activated, and the Peary Caribou, *Rangifer tarandus pearyi*, was assessed separately from the Barren-ground Caribou (Dolphin and Union population), *Rangifer tarandus groenlandicus*. The former Banks Island population is contained within the subspecies *pearyi*.

Peary Caribou (High Arctic population)

The original designation considered a single unit that included Peary Caribou, *Rangifer tarandus pearyi*, and what is now known as the Dolphin and Union population of the Barren-ground Caribou, *Rangifer tarandus groenlandicus*. It was assigned a status of Threatened in April 1979. Split to allow designation of three separate populations in 1991: Banks Island, High Arctic and Low Arctic populations. The High Arctic population of the Peary Caribou was designated Endangered in April 1991. In May 2004, all three population designations were de-activated, and the Peary Caribou, *Rangifer tarandus pearyi*, was assessed separately from the Barren-ground Caribou (Dolphin and Union population), *Rangifer tarandus groenlandicus*. The former High Arctic population is contained within the subspecies *pearyi*.

Peary Caribou (Low Arctic population)

The original designation considered a single unit that included Peary Caribou, *Rangifer tarandus pearyi*, and what is now known as the Dolphin and Union population of the Barren-ground Caribou, *Rangifer tarandus groenlandicus*. It was assigned a status of Threatened in April 1979. Split to allow designation of three separate populations in 1991: Banks Island, High Arctic and Low Arctic populations. The Low Arctic population was designated Threatened in April 1991. In May 2004, all three population designations were de-activated, and the Peary Caribou, *Rangifer tarandus pearyi*, was assessed separately from the Barren-ground Caribou (Dolphin and Union population), *Rangifer tarandus groenlandicus*. The former Low Arctic population is contained partly within the subspecies *pearyi* and partly within the Barren-ground Caribou (Dolphin and Union population).

Peregrine Falcon *anatum* subspecies

Designated Endangered in April 1978. Status re-examined and designated Threatened in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Peregrine Falcon *pealei* subspecies

Designated Special Concern in April 1978. Status re-examined and confirmed in April 1999 and in November 2001. Last assessment based on an existing status report.

Peregrine Falcon *tundrius* subspecies

Designated Threatened in April 1978. Status re-examined and designated Special Concern in April 1992.

Phantom Orchid

Designated Special Concern in April 1992. Status re-examined and designated Threatened in May 2000. Last assessment based on an update status report.

Pighead Prickleback

Designated Special Concern in April 1989. Species considered in May 2003 and placed in the Data Deficient category. Last assessment based on an update status report.

Pigmy Short-horned Lizard (British Columbia population)

Last reported in 1998. Designated Extirpated in April 1992. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Pink Coreopsis

Designated Endangered in April 1984. Status re-examined and confirmed Endangered in April 1999 and in May 2000. Last assessment based on an existing status report.

Pink Milkwort

Designated Endangered in April 1984. Status re-examined and confirmed Endangered in April 1998 and in May 2000. Last assessment based on an existing status report.

Piping Plover

The species was considered a single unit and designated Threatened in April 1978. Status re-examined and designated Endangered in April 1985. In May 2001, the species was re-examined and split into two groups according to subspecies. The *melodus* subspecies and *circumcinctus* subspecies were each designated Endangered in May 2001. The original designation was de-activated.

Piping Plover *circumcinctus* subspecies

The species was considered a single unit and designated Threatened in April 1978. Status re-examined and designated Endangered in April 1985. In May 2001, the species was re-examined and split into two groups according to subspecies. The *circumcinctus* subspecies was designated Endangered in May 2001. Last assessment based on an update status report.

Piping Plover *melodus* subspecies

The species was considered a single unit and designated Threatened in April 1978. Status re-examined and designated Endangered in April 1985. In May 2001, the species was re-examined and split into two groups according to subspecies. The *melodus* subspecies was designated Endangered in May 2001. Last assessment based on an update status report.

Pitcher's Thistle

Designated Threatened in April 1988. Status re-examined and designated Endangered in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Pixie Poacher

Species considered in April 1991 and placed in the Data Deficient category. Re-examined and designation de-activated in November 2001. Last assessment based on an update status report.

Plains Pocket Gopher

Designated Special Concern in April 1979. Status re-examined and designated Not at Risk in April 1998.

Plymouth Gentian
Designated Threatened in April 1984. Status re-examined and confirmed in April 1999 and in May 2000. Last assessment based on an existing status report.

Polar Bear
Designated Not at Risk in April 1986. Status re-examined and designated Special Concern in April 1991. Status re-examined and confirmed in April 1999 and in November 2002. Last assessment based on an existing status report with an addendum.

Prairie Falcon
Designated Not at Risk in April 1978, April 1982 and April 1996.

Prairie Long-tailed Weasel
Designated Threatened in April 1982. Status re-examined and designated Not at Risk in April 1993.

Prairie Lupine
Designated Endangered in April 1996. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Prairie Skink
Designated Special Concern in April 1989. Status re-examined and designated Endangered in May 2004. Last assessment based on an update status report.

Prairie Warbler
Designated Special Concern in April 1985. Status re-examined and designated Not at Risk in April 1999.

Prothonotary Warbler
Designated Special Concern in April 1984. Status re-examined and designated Endangered in April 1996. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Pugnose Minnow
Designated Special Concern in April 1985. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

Pugnose Shiner
Designated Special Concern in April 1985. Status re-examined and designated Endangered in November 2002. Last assessment based on an update status report.

Purple Twayblade
Designated Threatened in April 1989. Status re-examined and designated Endangered in April 1999. Status re-examined and confirmed in May 2001. Last assessment based on an existing status report that was modified.

Queen Snake
Designated Threatened in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Rayed Bean
Designated Endangered in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Red Mulberry
Designated Threatened in April 1987. Status re-examined and designated Endangered in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Red-legged Frog
Designated Special Concern in April 1999. Status re-examined and confirmed in May 2002. Last assessment based on an existing status report.

Redroot
Designated Threatened in April 1994. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Red-shouldered Hawk
Designated Special Concern in April 1983. Status re-examined and confirmed in April 1996.

Right Whale
The Right Whale was considered a single species and designated Endangered in 1980. Status re-examined and confirmed in April 1985 and in April 1990. Split into two species in May 2003 to allow a separate designation of the North Atlantic Right Whale. North Pacific Right Whale was not re-evaluated, but retains the Endangered status of the original Right Whale. The original designation was de-activated. Last assessment based on an update status report.

Rigid Apple Moss
Designated Threatened in April 1997. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report with an addendum.

River Redhorse
Designated Special Concern in April 1983. Status re-examined and confirmed in April 1987.

Roseate Tern
Designated Threatened in April 1986. Status re-examined and designated Endangered in April 1999. Endangered status re-examined and confirmed in October 1999. Last assessment based on an existing status report.

Ross's Gull

Designated Special Concern in April 1981. Status re-examined and confirmed in April 1996. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report with an addendum.

Round-leaved Greenbrier (Great Lakes Plains population)

Designated Threatened in April 1994. Status re-examined and confirmed in May 2001. Last assessment based on an existing status report with an addendum.

Sage Thrasher

Designated Endangered in April 1992. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Salish Sucker

Designated Endangered in April 1986. Status re-examined and confirmed in November 2002. Last assessment based on an update status report.

Savannah Sparrow *princeps* subspecies

Designated Special Concern in April 1979. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

Scarlet Ammannia

Designated Endangered in April 1999. Status re-examined and confirmed in May 2001. Last assessment based on an existing status report.

Sea Mink

Believed Extinct since 1894. Designated Extinct in April 1986. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Sea Otter

Designated Endangered in April 1978. Status re-examined and confirmed Endangered in April 1986. Status re-examined and designated Threatened in April 1996. Status re-examined and confirmed Threatened in May 2000. Last assessment based on an existing status report.

Seaside Birds-foot Lotus

Designated Endangered in April 1996. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Seaside Centipede

Designated Endangered in April 1996. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Sharp-shinned Hawk

Designated Not at Risk in April 1986 and in April 1997.

Sharp-tailed Snake

Designated Endangered in April 1999. Status re-examined and confirmed in October 1999. Last assessment based on an existing status report.

Shorthead Sculpin

Designated Threatened in April 1984. Status re-examined and confirmed Threatened in May 2001. Last assessment based on an update status report.

Shortjaw Cisco

Designated Threatened in April 1987. Status re-examined and confirmed in May 2003. Last assessment based on an update status report.

Showy Goldenrod

Designated Endangered in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Shumard Oak

Designated Special Concern in April 1984. Status re-examined and confirmed in April 1999.

Silver Chub

Designated Special Concern in April 1985. Status re-examined and confirmed in May 2001. Last assessment based on an update status report.

Silver Shiner

Designated Special Concern in April 1983. Status re-examined and confirmed in April 1987.

Skinner's Agalinis

Designated Endangered in April 1988. Status re-examined and confirmed Endangered in April 1999 and in May 2000. Last assessment based on an existing status report.

Slender Bush-clover

Designated Endangered in April 1986. Status re-examined and confirmed Endangered in April 1999 and in May 2000. Last assessment based on an existing status report.

Slender Mouse-ear-cress

Designated Endangered in April 1992. Status re-examined and designated Threatened in May 2000. Last assessment based on an update status report with an addendum.

Small White Lady's-slipper

Designated Endangered in April 1981. Status re-examined and confirmed in April 1999 and in May 2000. Last assessment based on an existing status report.

Small Whorled Pogonia

Designated Endangered in April 1982. Status re-examined and confirmed in April 1998 and in May 2000. Last assessment based on an existing status report.

- Small-flowered Lipocarpha**
Designated Threatened in April 1992. Status re-examined and designated Endangered in November 2002. Last assessment based on an update status report.
- Small-flowered Sand-verbena**
Designated Threatened in April 1992. Re-examined and designated Endangered in November 2002. Last assessment based on an update status report.
- Small-mouthed Salamander**
Designated Special Concern in April 1991. Status re-examined and designated Endangered in May 2004. Last assessment based on an update status report.
- Soapweed**
Designated Special Concern in April 1985. Status re-examined and designated Threatened in May 2000. Last assessment based on an update status report.
- Sockeye Salmon (Cultus population)**
Designated Endangered in an emergency assessment in October 2002. Status re-examined and confirmed in May 2003. Assessment based on a new status report.
- Sockeye Salmon (Sakinaw population)**
Designated Endangered in an emergency assessment in October 2002. Status re-examined and confirmed in May 2003. Assessment based on a new status report.
- Southern Maidenhair Fern**
Designated Endangered in April 1984. Status re-examined and confirmed in April 1998 and in May 2000. Last assessment based on an existing status report.
- Speckled Dace**
Designated Special Concern in April 1980. Status re-examined and designated Endangered in November 2002. Last assessment based on an update status report.
- Spiny Softshell**
Designated Threatened in April 1991. Status re-examined and confirmed in May 2002. Last assessment based on an update status report.
- Spotted Bat**
Designated Special Concern in April 1988. Status re-examined and confirmed in May 2004. Last assessment based on an update status report.
- Spotted Gar**
Designated Special Concern in April 1983. Status re-examined and confirmed in April 1994. Status re-examined and designated Threatened in November 2000. Last assessment based on an existing status report.
- Spotted Owl *caurina* subspecies**
Designated Endangered in April 1986. Status re-examined and confirmed in April 1999 and in May 2000. Last assessment based on an existing status report.
- Spotted Sucker**
Designated Special Concern in April 1983. Status re-examined and confirmed in April 1994 and in November 2001. Last assessment based on an existing status report with an addendum.
- Spotted Turtle**
Designated Special Concern in April 1991. Status re-examined and designated Endangered in May 2004. Last assessment based on an update status report.
- Spotted Wintergreen**
Designated Endangered in April 1987. Status re-examined and confirmed Endangered in April 1998 and in May 2000. Last assessment based on an existing status report.
- Sprague's Pipit**
Designated Threatened in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.
- Spring Blue-eyed Mary**
No site records since 1954. Designated Extirpated in April 1987. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.
- Spring Salamander**
Designated Special Concern in April 1999. Status re-examined and confirmed in May 2002. Last assessment based on an existing status report.
- Steller Sea Lion**
Designated Not at Risk in April 1987. Status re-examined and designated Special Concern in November 2003. Last assessment based on an update status report.
- Sweet Pepperbush**
Designated Threatened in April 1986. Status re-examined and confirmed in April 1998. Status re-examined and designated Special Concern in May 2001. Last assessment based on an existing status report that was modified.
- Swift Fox**
Last seen in Saskatchewan in 1928. Designated Extirpated in April 1978. Status re-examined and designated Endangered in April 1998 after successful re-introductions. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.
- Thread-leaved Sundew**
Designated Endangered in April 1991. Status re-examined and confirmed in May 2001. Last assessment based on an update status report.
- Tiny Cryptanthus**
Designated Endangered in April 1998. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Toothcup
Designated Endangered in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Townsend's Mole
Designated Threatened in April 1996. Status re-examined and designated Endangered in May 2003. Last assessment based on an update status report.

Trumpeter Swan
Designated Special Concern in April 1978. Status re-examined and designated Not at Risk in April 1996.

Tuberous Indian-plantain
Designated Special Concern in April 1988. Status re-examined and confirmed in April 1999 and in May 2002. Last assessment based on an update status report that was modified.

Tyrell's Willow
Designated Threatened in April 1981. Status re-examined and designated Not at Risk in April 1999.

Van Brunt's Jacob's-ladder
Designated Threatened in April 1994. Status re-examined and confirmed in November 2002. Last assessment based on an update status report.

Vancouver Island Marmot
Designated Endangered in April 1978. Status re-examined and confirmed Endangered in April 1997 and in May 2000. Last assessment based on an existing status report with an addendum.

Victorin's Gentian
Designated Special Concern in April 1987. Status re-examined and designated Threatened in May 2004. Last assessment based on an update status report.

Victorin's Water-hemlock
Designated Special Concern in April 1987. Status re-examined and confirmed in May 2004. Last assessment based on an update status report.

Virginia Goat's-rue
Designated Threatened in April 1996. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report with an addendum.

Warmouth
Designated Special Concern in April 1994. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report with an addendum.

Water-pennywort
Designated Endangered in April 1985. Status re-examined and designated Threatened in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Water-plantain Buttercup
Designated Endangered in April 1996. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Wavy-rayed Lampmussel
Designated Endangered in April 1999. Status re-examined and confirmed in October 1999. Last assessment based on an existing status report.

Western Blue-flag
Designated Threatened in April 1990. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

Western Prairie Fringed-orchid
Designated Endangered in April 1993. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

Western Screech-Owl
The species was considered a single unit and placed in the Data Deficient category in April 1995. Re-examined in May 2002 and split into two groups according to subspecies. The *kennicottii* subspecies was designated Special Concern and the *macfarlanei* subspecies was designated Threatened in May 2002. The original designation was de-activated. Last assessment based on an update status report.

Western Screech-Owl *kennicottii* subspecies
Species considered in April 1995 and placed in the Data Deficient category. It was split according to subspecies in May 2002. The *kennicottii* subspecies was designated Special Concern in May 2002. Last assessment based on an update status report.

Western Screech-Owl *macfarlanei* subspecies
Species considered in April 1995 and placed in the Data Deficient category. It was split according to subspecies in May 2002. The *macfarlanei* subspecies was designated Endangered in May 2002. Last assessment based on an update status report.

Western Silvery Aster
Designated Special Concern in 1988. Status re-examined and designated Threatened in May 2000. Last assessment based on an update status report.

Western Silvery Minnow
Designated Special Concern in April 1997. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report with an addendum.

Western Spiderwort

Designated Threatened in April 1992. Status re-examined and confirmed in November 2002. Last assessment based on an update status report.

White Prairie Gentian

Designated Endangered in April 1991. Status re-examined and confirmed in May 2001. Last assessment based on an update status report.

White Sturgeon

Designated Special Concern in April 1990. Status re-examined and designated Endangered in November 2003. Last assessment based on an update status report.

White Wood Aster

Designated Threatened in April 1995. Status re-examined and confirmed in November 2002. Last assessment based on an update status report.

White-headed Woodpecker

Designated Threatened in April 1992. Status re-examined and designated Endangered in November 2000. Last assessment based on an update status report.

White-top Aster

Designated Threatened in April 1996. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report with an addendum.

Whooping Crane

Designated Endangered in April 1978. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Wild Hyacinth

Designated Special Concern in April 1990. Re-examined and designated Threatened in May 2002. Last assessment based on an update status report.

Willowleaf Aster

Designated Special Concern in April 1999. Status re-examined and designated Threatened in May 2003. Last assessment based on an existing status report.

Wolverine

The species was considered a single unit and designated Special Concern in April 1982. Split into two populations in April 1989 (Western and Eastern populations). The original designation was de-activated.

Wolverine (Eastern population)

The species was considered a single unit and designated Special Concern in April 1982. Split into two populations in April 1989 (Western population and Eastern population). The Eastern population was designated Endangered in April 1989. Status re-examined and confirmed in May 2003. Last assessment based on an update status report.

Wolverine (Western population)

The species was considered a single unit and designated Special Concern in April 1982. Split into two populations in April 1989 (Western and Eastern populations). The Western population was designated Special Concern in April 1989. Status re-examined and confirmed in May 2003. Last assessment based on an update status report.

Wood Bison

Designated Endangered in April 1978. Status re-examined and designated Threatened in April 1988. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

Woodland Caribou (Atlantic-Gaspésie population)

Atlantic-Gaspésie population designated Threatened in April 1984. Status re-examined and designated Endangered in May 2000. Status re-examined and confirmed in May 2002. Last assessment based on an update status report.

Woodland Caribou (Boreal population)

The Boreal population was designated Threatened in May 2000. This newly-defined population is comprised of a portion of the de-activated "Western population" and all of the de-activated "Labrador-Ungava population". Status re-examined and confirmed in May 2002. Last assessment based on an update status report.

Woodland Caribou (Labrador-Ungava population)

Labrador-Ungava population was designated Not at Risk in April 1984. The designation of the Labrador-Ungava population was de-activated in May 2000. The former Labrador-Ungava population is contained within the Boreal population.

Woodland Caribou (Newfoundland population)

Newfoundland population was designated Not at Risk in April 1984. Status re-examined and confirmed in May 2000 and in May 2002. Last assessment based on an update status report.

Woodland Caribou (Northern Mountain population)

The Northern Mountain population was designated Not at Risk in May 2000. This population was formerly designated as part of the "Western population" (now de-activated). Status re-examined and designated Special Concern in May 2002. Last assessment based on an update status report.

Woodland Caribou (Southern Mountain population)

The Southern Mountain population was designated Threatened in May 2000. This population was formerly designated as part of the "Western population" (now de-activated). Status re-examined and confirmed in May 2002. Last assessment based on an update status report.

Woodland Caribou (Western population)

The Western population was designated Special Concern in April 1984. The designation of the Western population was de-activated in May 2000. The former Western population is contained within the following newly designated populations: Northern Mountain, Southern Mountain and Boreal.

Woodland Vole

Designated Special Concern in April 1998. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report.

Wood-poppy

Designated Endangered in April 1993. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report with an addendum.

Yellow Montane Violet

Designated Threatened in April 1995. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Yellow Rail

Designated Special Concern in April 1999. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report.

Yellow-breasted Chat *auricollis* subspecies (British Columbia population)

The British Columbia population of the *auricollis* subspecies was designated Threatened in April 1994. Status re-examined and designated Endangered in November 2000. Last assessment based on an update status report.

Yellow-breasted Chat *auricollis* subspecies (Prairie population)

The Prairie population of the *auricollis* subspecies was designated Not at Risk in April 1994 and in November 2000. Last assessment based on an update status report.

Yellow-breasted Chat *virens* subspecies

Designated Special Concern in April 1994. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

RECORD OF NAME CHANGES

Common and scientific names (including population names, where applicable) previously used by COSEWIC, and other synonyms.

| Previous Name(s) or Synonym | Current Common Name or Scientific Name (population) |
|---|--|
| <i>Abronia micrantha</i> | <i>Tripterocalyx micranthus</i> |
| Acadian Whitefish | Atlantic Whitefish |
| <i>Acris crepitans blanchardi</i> | <i>Acris crepitans</i> |
| American Marten (Newfoundland population) | Newfoundland Marten |
| Anatum Peregrine Falcon | Peregrine Falcon <i>anatum</i> subspecies |
| Apple Moss | Rigid Apple Moss |
| <i>Ascaphus truei</i> (Pacific Coast population) | <i>Ascaphus truei</i> |
| <i>Ascaphus truei</i> (Southern Mountain population) | <i>Ascaphus montanus</i> |
| <i>Asplenium scolopendrium</i> var. <i>americanum</i> | <i>Asplenium scolopendrium</i> |
| <i>Aster anticostensis</i> | <i>Symphotrichum anticostense</i> |
| <i>Aster curtus</i> | <i>Sericocarpus rigidus</i> |
| <i>Aster divaricatus</i> | <i>Eurybia divaricata</i> |
| <i>Aster laurentianus</i> | <i>Symphotrichum laurentianum</i> |
| <i>Aster praealtus</i> | <i>Symphotrichum praealtum</i> |
| <i>Aster prenanthoides</i> | <i>Symphotrichum prenanthoides</i> |
| <i>Aster shortii</i> | <i>Symphotrichum shortii</i> |
| <i>Aster subulatus</i> var. <i>obtusifolius</i> | <i>Symphotrichum subulatum</i> (Bathurst population) |
| <i>Aster yukonensis</i> | <i>Symphotrichum yukonense</i> |
| Bathurst Aster | Bathurst Aster (Bathurst population) |
| Beluga Whale (Beaufort Sea / Arctic Ocean population) | Beluga Whale (Eastern Beaufort Sea population) |
| Beluga Whale (Southeast Baffin Island-Cumberland Sound population) | Beluga Whale (Cumberland Sound population) |
| Beluga Whale (St. Lawrence River population) | Beluga Whale (St. Lawrence Estuary population) |
| Benthic Texada Island Stickleback | Benthic Paxton Lake Stickleback |
| Black Rat Snake | Eastern Ratsnake |
| Black Ratsnake | Eastern Ratsnake |
| Blackline Prickleback | Pighead Prickleback |
| Blanchard's Cricket Frog | Northern Cricket Frog |
| Blue-eyed Mary | Spring Blue-eyed Mary |
| Bowl Limpet | Eelgrass Limpet |
| <i>Bufo woodhousii fowleri</i> | <i>Bufo fowleri</i> |
| Butler's Garter Snake | Butler's Gartersnake |
| <i>Cacalia plantaginea</i> | <i>Arnoglossum plantagineum</i> |
| <i>Centrocercus urophasianus phaios</i> (British Columbia population) | <i>Centrocercus urophasianus phaios</i> |
| <i>Centrocercus urophasianus urophasianus</i> (Prairie population) | <i>Centrocercus urophasianus urophasianus</i> |
| Charlotte Unarmoured Sticklebacks | Charlotte Unarmoured Stickleback |
| <i>Cimicifuga elata</i> | <i>Actaea elata</i> |
| <i>Clemmys insculpta</i> | <i>Glyptemys insculpta</i> |
| <i>Clemmys marmorata</i> | <i>Actinemys marmorata</i> |
| Coeur d'Alène Salamander | Coeur d'Alene Salamander |

RECORD OF NAME CHANGES *continued*

| Previous Name(s) or Synonym | Current Common Name or Scientific Name (population) |
|--|---|
| Common Hop-tree | Common Hoptree |
| Common Watersnake | Northern Watersnake |
| <i>Coregonus canadensis</i> | <i>Coregonus huntsmani</i> |
| <i>Delphinapterus leucas</i> (Beaufort Sea / Arctic Ocean population) | <i>Delphinapterus leucas</i> (Eastern Beaufort Sea population) |
| <i>Delphinapterus leucas</i> (Southeast Baffin Island-Cumberland Sound population) | <i>Delphinapterus leucas</i> (Cumberland Sound population) |
| <i>Delphinapterus leucas</i> (St. Lawrence River population) | <i>Delphinapterus leucas</i> (St. Lawrence Estuary population) |
| Eastern Fox Snake | Eastern Foxsnake |
| Eastern Grey Wolf | Eastern Wolf |
| Eastern Hognosed Snake | Eastern Hog-nosed Snake |
| Eastern Loggerhead Shrike | Loggerhead Shrike <i>migrans</i> subspecies |
| Eastern Massasauga | Massasauga |
| Eastern Massasauga Rattlesnake | Massasauga |
| Eastern Milksnake | Milksnake |
| Eastern Prairie Fringed Orchid | Eastern Prairie Fringed-orchid |
| Eastern Short-horned Lizard | Greater Short-horned Lizard |
| Eastern Spiny Softshell Turtle | Spiny Softshell |
| Eastern Yellow-breasted Chat | Yellow-breasted Chat <i>virens</i> subspecies |
| <i>Elaphe obsoleta obsoleta</i> | <i>Elaphe obsoleta</i> |
| <i>Elaphe vulpina gloydi</i> | <i>Elaphe gloydi</i> |
| <i>Elgaria coerulea principis</i> | <i>Elgaria coerulea</i> |
| <i>Emydoidea blandingi</i> | <i>Emydoidea blandingii</i> (Nova Scotia population) |
| <i>Erigeron philadelphicus</i> ssp. <i>provancheri</i> | <i>Erigeron philadelphicus</i> var. <i>provancheri</i> |
| Ermine (Queen Charlotte Islands population) | Ermine <i>haidarum</i> subspecies |
| <i>Eschrichtius robustus</i> (Northeast Pacific population) | <i>Eschrichtius robustus</i> (Eastern North Pacific population) |
| <i>Eumeces septentrionalis septentrionalis</i> | <i>Eumeces septentrionalis</i> |
| Few-flowered Club-rush | Bashful Bulrush |
| <i>Gasterosteus aculeatus</i> | <i>Gasterosteus</i> sp. |
| <i>Gentiana victorinii</i> | <i>Gentianopsis procera</i> ssp. <i>macounii</i> var. <i>victorinii</i> |
| <i>Gentianopsis victorinii</i> | <i>Gentianopsis procera</i> ssp. <i>macounii</i> var. <i>victorinii</i> |
| Goat's-rue | Virginia Goat's-rue |
| Great Basin Gopher Snake | Great Basin Gophersnake |
| Great Basin Spadefoot Toad | Great Basin Spadefoot |
| Greater Sandhill Crane | Sandhill Crane <i>tabida</i> subspecies |
| Grey Whale (Northeast Pacific population) | Grey Whale (Eastern North Pacific population) |
| Grey Wolf | Arctic Grey Wolf |
| Grey Wolf | Southern Grey Wolf |
| Grey Wolf | Eastern Wolf |
| Grey Wolf | Northern Grey Wolf |
| Grizzly Bear [no population name] | Grizzly Bear (Northwestern population) |
| <i>Gymnocladus dioica</i> | <i>Gymnocladus dioicus</i> |
| <i>Haplopappus macleanii</i> | <i>Stenotus borealis</i> |
| Harbour Seal | Harbour Seal Atlantic subspecies |
| Harbour Seal | Harbour Seal Pacific subspecies |

RECORD OF NAME CHANGES *continued*

| Previous Name(s) or Synonym | Current Common Name or Scientific Name (population) |
|--|--|
| Harbour Seal (Lac des Loups Marins landlocked population) | Harbour Seal Lacs des Loups Marins subspecies |
| Hubb's Beaked Whale | Hubbs' Beaked Whale |
| <i>Hyperoodon ampullatus</i> (Gully population) | <i>Hyperoodon ampullatus</i> (Scotian Shelf population) |
| <i>Icteria virens virens</i> (Eastern population) | <i>Icteria virens virens</i> |
| <i>Incisalia irus</i> | <i>Callophrys [Incisalia] irus</i> |
| "Ipswich" Savannah Sparrow | Savannah Sparrow <i>princeps</i> subspecies |
| <i>Isopyrum biternatum</i> | <i>Enemion biternatum</i> |
| Killer Whale (North Pacific "resident" populations) | Killer Whale (North Pacific resident populations) |
| Lake Erie Water Snake | Lake Erie Watersnake |
| Lake Lamprey | Cowichan Lake Lamprey |
| Lake Simcoe Whitefish | Lake Whitefish (Lake Simcoe population) |
| <i>Lanius ludovicianus excubitorides</i> (Prairie population) | <i>Lanius ludovicianus excubitorides</i> |
| <i>Lanius ludovicianus migrans</i> (Eastern population) | <i>Lanius ludovicianus migrans</i> |
| Leatherback Turtle | Leatherback Seaturtle |
| Lilaeopsis | Eastern Lilaeopsis |
| Limnetic Texada Island Stickleback | Limnetic Paxton Lake Stickleback |
| Loggerhead Shrike (Eastern population) | Loggerhead Shrike <i>migrans</i> subspecies |
| Loggerhead Shrike (Prairie population) | Loggerhead Shrike <i>excubitorides</i> subspecies |
| Long-tailed Weasel (Prairie population) | Prairie Long-tailed Weasel |
| <i>Lottia alveus</i> | <i>Lottia alveus alveus</i> |
| Lynx | Canada Lynx |
| MacLean's Goldenweed | Northern Mock Goldenweed |
| <i>Martes americana atrata</i> (Newfoundland population) | <i>Martes americana atrata</i> |
| Mexican Mosquito Fern | Mexican Mosquito-fern |
| Mira River Whitefish | Lake Whitefish (Mira River population) |
| Mountain Dusky Salamander | Allegheny Mountain Dusky Salamander |
| <i>Mustela erminea haidarum</i> (Queen Charlotte Islands population) | <i>Mustela erminea haidarum</i> |
| <i>Mustela frenata longicauda</i> (Prairie population) | <i>Mustela frenata longicauda</i> |
| Night Snake | Nightsnake |
| North Sea Beaked Whale | Sowerby's Beaked Whale |
| Northern Bottlenose Whale | Northern Bottlenose Whale (Davis Strait population) |
| Northern Bottlenose Whale (Gully population) | Northern Bottlenose Whale (Scotian Shelf population) |
| Northern Goshawk | Northern Goshawk <i>atricapillus</i> subspecies |
| Northern Leopard Frog (Prairie population) | Northern Leopard Frog (Western Boreal/Prairie populations) |
| Northern Prairie Skink | Prairie Skink |
| Northern Red-legged Frog | Red-legged Frog |
| Northern Ribbonsnake (Atlantic population) | Eastern Ribbonsnake (Atlantic population) |
| Northern Ribbonsnake (Great Lakes population) | Eastern Ribbonsnake (Great Lakes population) |
| Northern Spotted Owl | Spotted Owl <i>caurina</i> subspecies |
| Northwestern Alligator Lizard | Northern Alligator Lizard |
| <i>Notropis rubellus</i> (Eastern population) | <i>Notropis rubellus</i> |

RECORD OF NAME CHANGES *continued*

| Previous Name(s) or Synonym | Current Common Name or Scientific Name (population) |
|---|---|
| <i>Notropis rubellus</i> (Manitoba population) | <i>Notropis percobromus</i> |
| Nuttall's Cottontail (British Columbia population) | Nuttall's Cottontail <i>nuttallii</i> subspecies |
| Nuttall's Cottontail (Prairie population) | Nuttall's Cottontail <i>pinetis</i> subspecies |
| <i>Nyctea scandiaca</i> | <i>Bubo scandiaca</i> |
| <i>Oncorhynchus nerka</i> (Cultus Lake population) | <i>Oncorhynchus nerka</i> (Cultus population) |
| <i>Oncorhynchus nerka</i> (Sakinaw Lake population) | <i>Oncorhynchus nerka</i> (Sakinaw population) |
| <i>Orcinus orca</i> (North Pacific "resident" populations) | <i>Orcinus orca</i> (North Pacific resident populations) |
| <i>Otus asio</i> | <i>Megascops asio</i> |
| <i>Otus kennicottii</i> | <i>Megascops kennicottii</i> |
| <i>Otus kennicottii kennicottii</i> | <i>Megascops kennicottii kennicottii</i> |
| <i>Otus kennicottii macfarlanei</i> | <i>Megascops kennicottii macfarlanei</i> |
| Pacific Giant Salamander | Coastal Giant Salamander |
| Pacific Gopher Snake | Pacific Gophersnake |
| Pacific Great Blue Heron | Great Blue Heron <i>fannini</i> subspecies |
| <i>Panax quinquefolium</i> | <i>Panax quinquefolium</i> |
| Peale's Peregrine Falcon | Peregrine Falcon <i>pealei</i> subspecies |
| <i>Phoca vitulina mellonae</i> (Lac des Loups Marins landlocked population) | <i>Phoca vitulina mellonae</i> |
| <i>Phrynosoma douglassii brevirostre</i> | <i>Phrynosoma hernandesi</i> |
| <i>Phrynosoma douglassii douglassii</i> (British Columbia population) | <i>Phrynosoma douglasii</i> (British Columbia population) |
| Pink Rush | Rush Pink |
| Plains Spadefoot Toad | Plains Spadefoot |
| <i>Polemonium van-bruntiae</i> | <i>Polemonium vanbruntiae</i> |
| Prairie Loggerhead Shrike | Loggerhead Shrike <i>excubitorides</i> subspecies |
| Pygmy Short-horned Lizard (British Columbia population) | Pygmy Short-horned Lizard (British Columbia population) |
| Queen Charlotte Goshawk | Northern Goshawk <i>laingi</i> subspecies |
| <i>Rana pipiens</i> (Prairie population) | <i>Rana pipiens</i> (Western Boreal/Prairie populations) |
| <i>Rangifer tarandus dawsoni</i> (Queen Charlotte Islands population) | <i>Rangifer tarandus dawsoni</i> |
| <i>Reithrodontomys megalotis dychei</i> (Prairie population) | <i>Reithrodontomys megalotis dychei</i> |
| <i>Reithrodontomys megalotis megalotis</i> (British Columbia population) | <i>Reithrodontomys megalotis megalotis</i> |
| Ross' Gull | Ross's Gull |
| Rosyface Shiner (Eastern population) | Rosyface Shiner |
| Rosyface Shiner (Manitoba population) | Carmine Shiner |
| Sage Grouse (British Columbia population) | Greater Sage-Grouse <i>phaios</i> subspecies |
| Sage Grouse (Prairie population) | Greater Sage-Grouse <i>urophasianus</i> subspecies |
| Salamander Mussel | Mudpuppy Mussel |
| Sand Verbena | Small-flowered Sand-verbena |
| Sand Verbena Moth | Sand-verbena Moth |
| <i>Scirpus verecundus</i> | <i>Trichophorum planifolium</i> |
| <i>Simpsonais ambigua</i> | <i>Simpsonaias ambigua</i> |
| <i>Sistrurus catenatus catenatus</i> | <i>Sistrurus catenatus</i> |
| Slender Woolly-heads | Slender Woolly-heads |

RECORD OF NAME CHANGES *continued*

| Previous Name(s) or Synonym | Current Common Name or Scientific Name (population) |
|---|---|
| Smallmouth Salamander | Small-mouthed Salamander |
| Sockeye Salmon (Cultus Lake population) | Sockeye Salmon (Cultus population) |
| Sockeye Salmon (Sakinaw Lake population) | Sockeye Salmon (Sakinaw population) |
| <i>Solidago speciosa</i> var. <i>rigidiuscula</i> | <i>Solidago speciosa</i> |
| <i>Speotyto cunicularia</i> | <i>Athene cunicularia</i> |
| Spiny Softshell Turtle | Spiny Softshell |
| Spotted Owl | Spotted Owl <i>caurina</i> subspecies |
| Streaked Horned Lark | Horned Lark <i>strigata</i> subspecies |
| <i>Strix occidentalis</i> | <i>Strix occidentalis caurina</i> |
| <i>Sylvilagus nuttallii nuttallii</i> (British Columbia population) | <i>Sylvilagus nuttallii nuttallii</i> |
| <i>Sylvilagus nuttallii pinetis</i> (Prairie population) | <i>Sylvilagus nuttallii pinetis</i> |
| Tailed Frog (Pacific Coast population) | Coast Tailed Frog |
| Tailed Frog (Southern Mountain population) | Rocky Mountain Tailed Frog |
| <i>Tortula laevipila</i> | <i>Syntrichia laevipila</i> |
| Tundra Peregrine Falcon | Peregrine Falcon <i>tundrius</i> subspecies |
| Van Brunt's Jacob's Ladder | Van Brunt's Jacob's-ladder |
| <i>Virgulus sericeus</i> | <i>Symphyotrichum sericeum</i> |
| Western Harvest Mouse (British Columbia population) | Western Harvest Mouse <i>megalotis</i> subspecies |
| Western Harvest Mouse (Prairie population) | Western Harvest Mouse <i>dychei</i> subspecies |
| Western Prairie Fringed Orchid | Western Prairie Fringed-orchid |
| Western Silver-leaved Aster | Western Silvery Aster |
| Western Yellow-breasted Chat (Prairie population) | Yellow-breasted Chat <i>auricollis</i> subspecies (Prairie population) |
| Willow Aster | Willowleaf Aster |
| Woodland Caribou (Queen Charlotte Islands population) | Caribou <i>dawsoni</i> subspecies |
| Woodland Caribou Dawson's subspecies | Caribou <i>dawsoni</i> subspecies |
| Yellow-breasted Chat (British Columbia population) | Yellow-breasted Chat <i>auricollis</i> subspecies (British Columbia population) |
| Yellow-breasted Chat (Eastern population) | Yellow-breasted Chat <i>virens</i> subspecies |
| Yellow-breasted Chat (Prairie population) | Yellow-breasted Chat <i>auricollis</i> subspecies (Prairie population) |

COSEWIC

Chair, COSEWIC

Dr. Marco Festa-Bianchet
Département de biologie
Université de Sherbrooke
Sherbrooke, QC J1K 2R1

SUBCOMMITTEES (2004)

Aboriginal Traditional Knowledge

Mr. Larry Carpenter
Co-Chair

Wildlife Management Advisory Council
- Northwest Territories
P.O. Box 2120
Inuvik, NT X0E 0T0

Mr. Henry Lickers
Co-Chair

Mohawk Council of Akwesasne
Department of the Environment
P.O. Box 579
Cornwall, ON K6H 5T3

Species Specialist

Amphibians and Reptiles

Dr. David M. Green
Co-Chair

Redpath Museum
McGill University
859 Sherbrooke Street West
Montréal, QC H3A 2K6

Dr. Ronald J. Brooks
Co-Chair

Department of Zoology
College of Biological Science
University of Guelph
Guelph, ON N1G 2W1

Arthropods

Dr. B. Theresa Fowler
Co-Chair

Species at Risk Branch
Canadian Wildlife Service
Environment Canada
Ottawa, ON K1A 0H3

Vacant
Co-Chair

Birds

Richard Cannings
Co-Chair

1330 East Debeck Road
R.R. 1, Site 11 - Comp. 96
Naramata, BC V0H 1N0

Dr. Marty L. Leonard
Co-Chair

Department of Biology
Dalhousie University
1355 Oxford Street
Halifax, NS B3H 4J1

Freshwater Fishes

Dr. Robert Campbell
Co-Chair

983 Route 800 E
R.R. #1
St. Albert, ON K0A 3C0

Dr. Claude Renaud
Co-Chair

Canadian Museum of Nature
P.O. Box 3443 - Station D
Ottawa, ON K1P 6P4

Marine Fishes

Dr. Richard L. Haedrich
Co-Chair

Department of Biology
Memorial University of Newfoundland
4 Clark Place
St. John's, NL A1B 5S7

Dr. Mart R. Gross
Co-Chair

Department of Zoology
University of Toronto
25 Harbord Street
Toronto, ON M5S 3G5

Marine Mammals

Dr. Hal Whitehead
Co-Chair

Department of Biology
Dalhousie University
1355 Oxford Street
Halifax, NS B3H 4J1

Dr. Andrew Trites
Co-Chair

Marine Mammal Research Unit
University of British Columbia
Room 18, Hut B-3
6248 Biological Sciences Road
Vancouver, BC V6T 1Z4

Molluscs

Dr. Gerald L. Mackie
Co-Chair

Department of Zoology
College of Biological Science
University of Guelph
Guelph, ON N1G 2W1

Vacant
Co-Chair

Plants and Lichens

Dr. Erich Haber
Co-Chair (Vascular Plants)

c/o National Botanical Services
604 Wavell Avenue
Ottawa, ON K2A 3A8

Dr. René Belland


Co-Chair (Mosses and Lichens)
Devonian Botanic Garden
University of Alberta
Edmonton, AB T6G 2E1

Terrestrial Mammals

Dr. Marco Festa-Bianchet
Département de biologie
Université de Sherbrooke
Sherbrooke, QC J1K 2R1

Dr. M. Brock Fenton
Co-Chair

Department of Biology
University of Western Ontario
London, ON N6A 5B7



COSEWIC
Committee on the
Status of Endangered
Wildlife in Canada

COSEPAC
Comité sur la
situation des espèces
en péril au Canada

The Committee on the Status of Endangered Wildlife
in Canada (COSEWIC)
was created in 1977 as a result of a
recommendation at the Federal-Provincial Wildlife
Conference held in 1976.

It arose from the need for a single, official,
scientifically sound, national classification
of wildlife species at risk.

In 1978, COSEWIC designated its first species and
produced its first list of
Canadian species at risk.

In 2002, COSEWIC celebrated 25 years of
science-based assessment of the status of species
at risk in Canada.

On June 5th 2003, the *Species at Risk Act* (SARA)
was proclaimed. SARA establishes COSEWIC as an
advisory body, ensuring that species will continue to
be assessed under a rigorous and independent
scientific process.



Environment
Canada
Canadian Wildlife
Service

Environnement
Canada
Service canadien
de la faune

Canada

The Canadian Wildlife Service, Environment Canada, provides full administrative and financial support to the COSEWIC Secretariat.

