



By Police Information Technology Centre

TECHNICAL REPORT

November 1989

NOTE: Further information about this report can be obtained by calling the CPRC information number (613) 998-6343

ŝ			
			ŕ
		-	

Section of the section of

Selection of Section 1971

Ashering the state of the state

General Company of the Company of th

Reinstein Schand

SUMMARY

Data Element Standards For Police Information Systems

The Data Element Standards for Police Information Systems have been developed by Digi-Plus Inc. for the Solicitor General, Canada, Police Information Technology Centre.

The purpose of this work was to develop a comprehensive framework for the standard data elements; to develop proposed data element standards for the approval of the police community based on a survey of Canadian police system data elements, and to develop a computerized database containing the proposed data element standards.

The objective of the final product is to allow for the automated exchange of information between different police agencies.

This document contains the data element standards approved by the Canadian Association of Chiefs of Police Data Processing Committee at the Hamilton, Ontario meeting on September 10, 1989. The standards were adopted by the Board of Directors of the Canadian Association of Chiefs of Police on September 14, 1989 with the following motion:

"The CACP Executive Committee adopts the data element standards for police information systems as a means of facilitating information exchange through the development of compatible automated information systems at municipal, provincial and federal levels of policing throughout Canada..."

The Advisory Committee of the Canadian Police Information Centre endorsed the Data Element Standard as CPIC policy on November 23, 1989.

· · · · · · · · · · · · · · · · · · ·	
	# 0.1 1.1 1.2 1.2 2.2 2.2 2.2 2.2 2.2 2.2 2
	4.73
	and the second s
	The contracting of the contracti
	The Control of the Co

POLICE INFORMATION TECHNOLOGY CENTRE MINISTRY OF THE SOLICITOR GENERAL OF CANADA

CANADIAN ASSOCIATION OF CHIEFS OF POLICE DATA ELEMENTS FOR POLICE INFORMATION SYSTEMS

Release 1.0 November, 1989

+		* a	
			Control of the Contro
			And the second s
* *			
			The state of the s
			Ed
			Application of the control of the co
			Account for the country of the count

TABLE OF CONTENTS

I.	Executive Summary	1
II.	Source Reference Systems	2
iii.	Methodology	3
IV.	Adopted Standards	5

4		, ALCON
		No.
		. 1
		The second second
		The second section of
		Programme servery
		. 7
and the state of t		
		A Commonweal

I EXECUTIVE SUMMARY

The Data Element Standards for Police Information Systems have been developed by Digi-Plus Inc. for the Solicitor General, Canada, Police Information Technology Centre under SSC contract 0D160-7-0942/01-ST.

PURPOSE

The purpose of the contract is to develop a comprehensive framework for the standard data elements; to develop proposed data element standards for the approval of the police community based on a survey of Canadian police system data elements, and to develop a computerized database containing the proposed data element standards.

OBJECTIVE

The objective of the final product is to allow for the automated exchange of information between different police agencies.

SCOPE OF THE STANDARD

The data element standard will address the data elements normally contained in an occurrence report to describe the complaint, the persons, vehicles and property related to the complaint, and the result of the investigation of the complaint. The standard will also include the elements required to enter a record on the Canadian Police Information Centre and to comply with the statistical reporting requirements of the Canadian Centre for Justice Statistics Uniform Crime Reporting program. The principle criteria for selection/rejection of a data element will be whether of not the data element will contribute to the value of the data being exchanged with another police force.

STATUS OF DOCUMENT

This document contains the data element standards approved by the Canadian Association of Chiefs of Police Data Processing Committee at the Hamilton, Ontario meeting on September 10, 1989. The standards were adopted by the Board of Directors of the Canadian Association of Chiefs of Police on September 14, 1989 with the following motion:

"The CACP Executive Committee adopts the data element standards for police information systems as a means of facilitating information exchange through the development of compatible automated information systems at municipal, provincial and federal levels of policing throughout Canada"

The Advisory Committee of the Canadian Police Information Centre endorsed the Data Element Standard as CPIC policy on November 23, 1989.

II SOURCE REFERENCE SYSTEMS

The following systems are used as primary reference systems for the identification of data elements, their description and coding rules:

Canadian Centre for Justice Statistics Uniform Crime Reporting system (UCR);

Canadian Police Information Centre Persons, Vehicles and Property systems (CPIC);

Royal Canadian Mounted Police, Police Information Retrieval System (PIRS);

Solicitor General Ontario, Ontario Municipal and Provincial Police Automation Cooperative (OMPPAC)

Surete Quebec General Index (GI);

Halton Regional Police Force PRC system (HRPF); and

Fredericton Police Department PORS System (PORS).

SECONDARY REFERENCE SYSTEMS

Documentation from the following police departments were used as secondary reference systems to ensure coverage of data and to provide additional reference material related to the use of specific data elements:

Winnipeg police Department

Halifax Police Department

Vancouver Police Department

Edmonton Police Department

Metropolitan Toronto Police Force

Montreal Urban Community Police Department

Gatineau Police Department

The study team wishes to acknowledge the assistance of the members of the police forces who have contributed information for this study.

III METHODOLOGY

- 1. All data elements, except for application system created internal pointers and codes were entered, using the input or external descriptions, into a data base defined in the Phase 1 general design report. Where both English and French terminology was available, (UCR, CPIC, and PIRS) both versions were entered into the data base.
- 2. The raw data was then sorted, analyzed, and classified according to use. A representative example of each term having relevance to the scope of the data element standard project was extracted into a second data base for further analysis.

The data element standards selected by the study team were presented, in draft form, to the CACP Data Processing Committee in April 1989.

The draft standards were subject to detailed review by a number of the member departments resulting in the recommendation for change to several of the definitions.

The data element standards, as revised based on the above recommendations, were presented as a recommended standard and adopted without change by the Data Processing Committee at the Hamilton meeting of 89/09/10.

- 3. Precedence for selection of an element definition is based on the general size of the user population interacting with the source system. The source systems are grouped as follows:
 - a) National Usage, centralized systems to which it is required by law, or it is mutually beneficial that all jurisdictions to contribute data (UCR and CPIC);
 - b) Extensive usage, centralized systems where specific Provincial, Municipal and/or Federal jurisdictions contribute data (PIRS, OMPPAC and GI);
 - c) Multiple usage, individual systems sharing a common software base used by more than one jurisdiction (PRC and PORS);
- 4. Multiple occurrences of a basic data element under different combinations of qualifiers were reduced to one occurrence in the data base. These elements are identifiable by a "GENERIC" category and sub-category definition. Examples are; date, time, phone number, and agency identifier. These terms are used in concert with another qualifier, eg: date of arrest, date of clearance, time of offence etc.

5. In cases where more than one element used the same mnemonic, eg. type, make, model, the mnemonic was modified by adding a descriptive prefix to uniquely identify the category the mnemonic is used with.

The UCR system has a number of data elements which are similar in nature to elements found in the police systems, but which require information which cannot be derived logically from the police data. We have therefore included terms which may appear redundant.

- 6. In those cases where a number of systems use a selected data element, but have a variance in the defined field length, we have opted to use the largest field length in our definition. The majority of cases are those definitions which require either structured or free-form text input.
- 7. Except for the national systems, terms which are unique within one system are not included in the standard unless the term was believed to have a potential wider application of use within the police community.
- 8. the terms are broken down into the following categories and subcategories:
 - Address terms which define where a building or place is located, subcategories are; Generic and Location.
 - Business terms which define a commercial or public activity, subcategories are Description, Identification.
 - Generic Terms which have broad use under many qualifiers, subcategory is Generic.
 - Incident Terms which define an event coming to the attention of the police, subcategories are Description, Exhibit, Identification, Vehicle.
 - Offence Terms which define a breach of a statute or bylaw, subcategories are; Charge, Description, Sentence, and Warrant.
 - Person Terms which define a human being, subcategories are; Description, and Identification.
 - Property Terms which define an item of either tangible or intangible value, subcategories are; Article, Boat, Boat motor, Exhibit, Generic, Jewelry, Securities, Vehicle, and Weapon.

IV

DATA ELEMENT STANDARDS

FOR

POLICE INFORMATION SYSTEMS

NUMBER	ELEMENT NAME
749	ACCOUNT NUMBER
	ACCUSED IDENTIFIER
	ACCUSED STATUS
	ADDITIONAL REMARKS
	ADDRESS TYPE
302	AGENCY IDENTIFIER
417	ALCOHOL DETECTION METHOD
418	ALCOHOL TEST RESULT
401	ALCOHOL/DRUG INVOLVEMENT
518	AMOUNT OF FINE
102	APARTMENT NUMBER
601	APPARENT AGE
	APPROVED CHARGE
	ARREST CHARGE
	ARTICLE CONDITION
	ARTICLE MAKE
	ARTICLE MODEL
	ARTICLE TYPE
	ATTEMPTED/COMPLETED VIOLATION
	BLOOD TYPE
· -	BOAT CLASS
	BOAT LENGTH
	BOAT LICENCE
	BOAT MAKE
	BOAT MODEL
	BOAT NAME
	BOAT REGISTRATION BOAT STATUS
	BOAT TYPE
	BODY LOCATION
	BOOKING NUMBER
	BROKER OR AGENT
	BUILD
202	BUSINESS BRANCH
203	BUSINESS INVOLVEMENT STATUS
204	BUSINESS NAME
206	BUSINESS REGISTRATION NUMBER
205	BUSINESS TYPE
763	CALIBRE
727	CAPACITY OR SIZE
402	CAUSE OF DEATH
605	CAUTION
503	CHARGE NUMBER
504	CHARGES LAID OR RECOMMENDED
606	CIRCUMCISION
607	CITIZENSHIP
303	COLOUR
608	COMPLEXION
519	CONDITIONS
505	COUNTER - FRAUDS AND MOTOR VEHICLES

NUMBER	ELEMENT NAME
103	COUNTRY
510	COURT NAME
511	COURT TYPE
728	CREDIT CARD NUMBER
729	CREDIT CARD TYPE
647	CRIMINAL IDENTIFICATION NUMBER
304	DATE
609	DEFORMITY TYPE
750	DENOMINATION
610	DENTAL TYPE
611	DISABILITY DEPENDENCE
515	DISPOSITION OF CHARGES
648	DRIVER'S LICENCE
722	EXHIBIT ITEM NUMBER
723	EXHIBIT NUMBER
752	EXTERIOR FEATURES
612	EYE COLOUR
613	EYE DEFECTS
614	EYE LENS TYPE
615	FACIAL HAIR COLOUR
616	FACIAL HAIR TYPE
649	FINGERPRINT PATTERN
650	FOOTPRINTS/FINGERPRINTS AVAILABLE
651	FPS NUMBER
403	FRAUD TYPE
617	GIVEN1
618	GIVEN2
619	GIVEN3
620	GIVEN4
621	GIVEN5
764	GUN MAKE
765	GUN TYPE
622	HAIR COLOUR
623	HAIR DESCRIPTION
721	HORSEPOWER/OR THRUST LB.
715	HULL
716	HULL IDENTIFICATION NUMBER
420	INCIDENT FILE NUMBER
404	INCIDENT/CLEARANCE STATUS
516	INSTITUTION
730	INSURANCE COMPANY
753	INTERIOR FEATURES
704	ITEM
624	ITEM OF CLOTHING
625	LANGUAGE
405	LEVEL OF INJURY
109	LOCATION
406	LOCATION OF INCIDENT
739	MAIN JEWEL WEIGHT
740	MAIN STONE

MIMBED	ELEMENT NAME
NOMBER	ELEMENI NAME
	•
741	MAN OR WOMEN'S ITEM
	MARKS DESCRIPTION
627	MASS
628	MATERIAL
742	METAL KARAT
506	METHOD OF TRIAL
766	METRIC BARREL
629	METRIC HEIGHT
630	MISSING PERSON PROFILE
407	MODUS OPERANDI OF SELECTED VIOLATIONS
408	MOST SERIOUS WEAPON PRESENT
718	MOTOR MAKE
719	MOTOR MODEL NUMBER
720	MOTOR TYPE
110	MUNICIPAL CODE
	MUNICIPALITY NAME
	NUMBER OF COUNTS
731	
743	
744	
409	
508	
	PART NUMBER
	PASSPORT NUMBER
410	
631	
305	
632	
	PHOTO NUMBER
	PLACE OF BIRTH
	POLICY NUMBER
634	PORT OF ENTRY/EXIT POSITION
	POSTAL CODE
724	PROPERTY DISPOSITION
733	PROPERTY INVOLVEMENT STATUS
734	PROPERTY STOLEN
411	PROPERTY VALUE
717	PROPULSION
105	PROVINCE
514	PROVINCIAL OFFENCE NUMBER
735	QUANTITY
635	RACE
520	RADIUS OF RETURN
636	RELATIONSHIP OF ACCUSED TO THE VICTIM
306	REMARKS
113	RESPONDENT CODE
637	RIGHT- OR LEFT-HANDED
736	SECONDARY SERIAL NUMBER
751	SECURITY TYPE

NUMBER	ELEMENT NAME
517	SENTENCE DESCRIPTION
737	SERIAL NUMBER
638	SEX
	SHOULDER STONE
	SOCIAL INSURANCE NUMBER
	SPECIAL DENTAL TREATMENT
705	
106	STREET DIRECTION
107	STREET NAME
108	STREET NUMBER
	SURNAME
725	
412	TARGET OF VIOLATION
	TEETH ABSENT
	TEETH DESCRIPTION CODE
	TEETH TREATED
307	
	TOWN/COUNTY ROAD
	TYPE OF DRUGS
	TYPE OF METAL
	TYPE/CLASS OF JEWELRY
421	UCR VEHICLE TYPE
738	
413	
755	
756	VEHICLE IDENTIFICATION NUMBER
757	VEHICLE INVOLVEMENT STATUS
758	VEHICLE LICENCE NUMBER
759	VEHICLE MAKE
760	VEHICLE MODEL
761	VEHICLE STYLE
762	VEHICLE TYPE
414	VIOLATION AGAINST THE VICTIM
415	VIOLATIONS
521	WARRANT NUMBER
522	WARRANT TYPE
416	WEAPON CAUSING INJURY
748	WEIGHT OF SHOULDER STONES
644	X-RAYS AVAILABLE
308	YEAR
509	YOUNG OFFENDER

Section of the second

Data Elements Standard

89.08.01 for Police Information Systems Element No: 101

Source

Number: 6153 Language: ENGLISH UCR Term: NO

Element

Name:

ADDRESS TYPE

Mnemonic:

ADDR-TYP

Field

Type:

N

Length: 1

Occurs:

1

Category:

ADDRESS

Sub-

Category:

GENERIC

Descr:

The type of building at the specified address.

Coding

Rules:

Valid entries are one digit codes (1 - 3) as per the following table:

1 - Residential,

2 -Business,

3 - Other.

Date

Issued:

Element No: 102

Source

Number:

6004

Language:

ENGLISH

UCR Term:

NO

Element

Name:

APARTMENT NUMBER

Mnemonic:

APT-NO

Field

Type:

AN

Length:

5

Occurs:

1

Category:

ADDRESS

Sub-

Category:

GENERIC

Descr:

The appartment, suite, or room number identifying the

specific location in a multi-unit building having a common

street address.

Coding

Rules:

Valid entries are sequencies of numeric digits and upper

case letters one to five characters long without intervening

spaces and separator symbols.

Examples: 1, 2A, 3214B, 9999Z, etc.

Date

Issued:

Element No: 103

Source

Number:

89.08.01

1033

Language:

ENGLISH

UCR Term:

NO

Element

Name:

COUNTRY

Mnemonic:

COUNTRY

Field

Type:

AN

Length: 15

Occurs:

1

Category:

ADDRESS

Sub-

Category:

GENERIC

Descr:

The name of a country.

Coding

Rules:

Acceptable entries are full or commonly used abbreviated

names of countries in uppercase letters.

Valid characters are:

Alphabetic uppercase letters A - Z; Hyphen (-), period (.) and space.

Examples: CANADA or CAN, UNITED STATES or USA, etc.

Date

4

Issued:

Element No: 104

Source

Number:

1034

Language:

ENGLISH

UCR Term:

NO

Element

Name:

POSTAL CODE

Mnemonic:

PC

Field

Type:

AN

Length: 6 Occurs:

Category:

ADDRESS

Sub-

Category:

GENERIC

Descr:

Contains the postal code of an address.

Coding

Rules:

Valid entries are full and accurate Canadian Postal Codes in the format ANANAN, and U.S. ZIP codes in the format NNNNN, where:

upper case letter A - Z; digit 0 - 9.

Examples: A1B2C3, 12345.

Date

Issued:

Data Elements Standard 89.08.01

for Police Information Systems Element No: 105

Source

Number: 151 Language: ENGLISH UCR Term: NO

Element

PROVINCE Name:

Mnemonic: PROV

Field

Type: AN Length: 4 Occurs: 1

Category: ADDRESS

Sub-

GENERIC Category:

Used to record the name of a province or state related to Descr:

a vehicle licence plate, or an address or location.

Coding

Issued:

890731

Rules: Valid entries are province or state abbreviations consisting

of two to four uppercase letters from the following table

- PEI

(continued on next page).

PRINCE EDWARD ISLAND

ALBERTA - ALTA or ALB

BRITISH COLUMBIA - BC - MAN MANITOBA NEW BRUNSWICK - NB NEWFOUNDLAND - NFLD NOVA SCOTIA - NS - ONT ONTARIO

QUEBEC - QUE or PQ

- SASK SASKATCHEWAN YUKON TERRITORY - YT NORTHWEST TERRITORIES - NWT GOVERNMENT (Canadian) - GOVT - FRN FOREIGN COUNTRY (Not USA)

OTHERS - YY (Use for Aircraft)

Date

USA STATE CODES

•			
ALABAMA	\mathtt{AL}	MONTANA	MT
ALASKA	AK	NEBRASKA	NA
ARIZONA	AZ	NEVADA	NV
ARKANSAS	AR	NEW HAMPSHIRE	NH
CALIFORNIA	CA	NEW JERSEY	NJ
COLORADO	co	NEW MEXICO	NM
CONNECTICUT	CT	NEW YORK	NY
DELAWARE	DE	NORTH CAROLINA	NC
DISTRICT OF COLUMBIA	DC	NORTH DAKOTA	ND
FLORIDA	${ t FL}$	OHIO	OH
GEORGIA	GA	OKLAHOMA	OK
HAWAII	HI	OREGON	OR
IDAHO	ID	PENNSYLVANIA	PA
ILLINOIS	${\tt IL}$	RHODE ISLAND	RI
INDIANA	IN	SOUTH CAROLINA	SC
IOWA	IA	SOUTH DAKOTA	SD
KANSAS	KS	TENNESSEE	TS
KENTUCKY	KY	TEXAS	TX
LOUISIANA	LA	UTAH	UT
MAINE	ME	VERMONT	VT
MARYLAND	MD	VIRGINIA	VA
MASSACHUSETTS	MA	WASHINGTON	WA
MICHIGAN	MI	WEST VIRGINIA	WV
MINNESOTA	MN	WISCONSIN	WI
MISSISSIPPI	MS	WYOMING	WY
MISSOURI	MO	GOVT (UNITED STATES)	US

Element No: 106

Source

Number:

6003

Language:

ENGLISH

UCR Term:

: NO

Element

Name:

STREET DIRECTION

Mnemonic:

DIRECTION

Field

Type:

AN

Length: 2

Occurs:

1

Category:

ADDRESS

Sub-

Category:

GENERIC

Descr:

Indicates the direction of a street or road.

Coding

Rules:

Valid entries are one, or a combination of two, uppercase letters from the following table:

N - North,
S - South,
E - East,
W - West.

Date

Issued:

Data Elements Standard 89.08.01

Element No: 107 for Police Information Systems

Source

Number: 6001 Language: ENGLISH UCR Term: NO

Element

Name: STREET NAME

Mnemonic: ST-NAME

Field

Type: AN Length: 1 20 Occurs:

Category: ADDRESS

Sub-

Category: GENERIC

The street name of an address. Descr:

Coding

Valid entries are street names up to 20 characters long. Rules:

Valid characters are:

Alphabetic upper case A - Z; Numeric

Hyphen (-), apostrophe (') and space.

Date

Issued: 890731

89.08.01

Source

Number: 6000 Language: ENGLISH UCR Term: NO

Element No: 108

Element

Name:

STREET NUMBER

Mnemonic:

ST-NUM

Field

Type:

AN

6 Length:

Occurs:

1

Category:

ADDRESS

Sub-

Category:

GENERIC

Descr:

The street number of an address.

Coding

Rules:

Valid entries are sequences of numeric digits and uppercase

letters one to six characters long without intervening

spaces and separator symbols.

Examples: 1, 2A, 1234, 99999Z

Date

Issued:

Element No: 109

Source

Number: 1009 Language: ENGLISH UCR Term: NO

Element

Name: LOCATION

Mnemonic: LOC

Field

Type: AN Length: 60 Occurs: 1

Category: ADDRESS

Sub-

Category: LOCATION

Descr: To identify the site of an occurence, if a specific unique

address is not known.

Coding

Rules: Valid entries define a location in terms of common names of

places, highways, etc. up to 60 characters long.

Valid characters are:

Alphabetic uppercase A - Z;

Numeric 0 - 9;

Period (.), comma (,), apostrophe ('), hyphen (-), slash (/)

and space.

Date

Issued: 890731

89.08.01

olice Information Systems Element No: 110

Source

Number:

2066

Language:

FRENCH

UCR Term:

NO

Element

Name:

MUNICIPAL CODE

Mnemonic:

MUN-CD

Field

Type:

N

Length:

5 .

Occurs:

1

Category:

ADDRESS

Sub-

Category:

LOCATION

Descr:

The municipal code of a municipality, town or city.

Coding

Rules:

The acceptable entries are five digit numeric municipal

codes.

Example: 12345

Date

Issued:

Data Elements Standard

for Police Information Systems Element No: 111 89.08.01

Source

UCR Term: Number: 2067 Language: FRENCH NO

Element

Name: MUNICIPALITY NAME

Mnemonic: MUN-NME

Field

Type: Length: 30 Α Occurs: 1

Category: ADDRESS

Sub-

Category: LOCATION

Descr: The name of a municipality, town, or city.

Coding

Rules: The acceptable entries are the official or commonly used

names of municipalities in upper case letters.

Valid characters are:

Upper case letters A - Z;

Hyphen (-), apostrophe ('), period (.) and space.

Date

Issued: 890731

89.08.01 for Police Information Systems Element No: 112

Source

Number:

1100

Language:

ENGLISH

UCR Term:

NO

Element

Name:

PORT OF ENTRY/EXIT

Mnemonic:

POE

Field

Type:

AN

Length: 15

Occurs:

1

Category:

ADDRESS

Sub-

Category:

LOCATION

Descr:

The name or codified identification for a Canadian Customs

or Immigration port.

Coding

Rules:

Valid entries are 5 digit codes without intervening spaces, or names of Canadian Customs or Immigration ports of entry

in upper case letters up to 15 characters long.

Valid characters are:

Alphabetic upper case A - Z;

Numeric

0 - 9;

Hyphen (-), apostrophe (') and space.

NOTE: PITC to identify the names and codes of the customs/

immigration ports in the PIRS Manual Table VII-9-1,

or approve change to using the first fifteen

characters of the name only.

Date

Issued:

89.08.01

Source

Number: 5015 Language:

ENGLISH

UCR Term:

Element No: 113

YES

Element

Name:

RESPONDENT CODE

Mnemonic:

RESP-CD

Field

Type:

N

Length: 6

Occurs:

1

Category:

ADDRESS

Sub-

Category:

LOCATION

Descr:

This coded field is used to indicate the source of police information. It consists of the province, the geographic location, and the jurisdiction codes of the respondent.

Coding

Rules:

Valid entries consist of a six digit code, composed of three numeric zones as per the following three tables:

two digit Provincial Code;

Zone II: three digit Police Force Location Code;

Zone III: one digit Jurisdiction Code.

Zone I - Provincial Code

10 - Newfoundland and Labrador 46 - Manitoba

11 - Prince Edward Island

47 - Saskatchewan

12 - Nova Scotia

48 - Alberta

13 - New Brunswick

59 - British Columbia

24 - Quebec

60 - Yukon Territories

35 - Ontario

61 - Northwest

Territories

Continued on next page.

Date

Issued:

Zone II - Police Force Location Code

(As per current 3 character UCR Code).

Zone III - Jurisdiction Code

- 1 own jurisdiction;
- 2 Royal Canadian Mounted Police;
- 3 Ontario Provincial Police;
- 4 Quebec Provincial Police;
- 5 New Brunswick Highway Patrol;
- 6 Newfoundland Constabulary.

Data Elements Standard

89.08.01 for Police Information Systems Element No: 114

Source

Number: UCR Term: 6008 Language: ENGLISH NO

Element

Name: TOWN/COUNTY ROAD

Mnemonic: TC-RD

Field

Length: Type: AN 15 Occurs: 1

Category: **ADDRESS**

Sub-

Category: LOCATION

Descr: The name or number of a town or county road, used with a

location when a discrete address is not known.

Coding

Rules: Valid entries consist of town/country road names and/or

numbers up to 15 characters long.

Valid characters are:

Alphabetic upper case A - Z;

Numeric 0 - 9;

Hyphen (-), apostrophe ('), slash (/) and space.

Date

Issued: 890731 Data Elements Standard

89.08.01 for Police Information Systems

Source

Number:

6203

Language:

ENGLISH

UCR Term:

Element No: 201

NO

Element

Name:

BROKER OR AGENT

Mnemonic:

BROKER-AGENT

Field

Type:

AN

Length: 25

Occurs:

1

Category:

BUSINESS

Sub-

Category:

DESCRIPTION

Descr:

The name of the broker or agent who issued an insurance

policy.

Coding

Rules:

Valid entries are the full or abbreviated names (business

or personal) of the broker of an insurance company.

Valid characters are:

Alphabetic upper case A - Z;

Numeric 0 - 9;

Hyphen (-), apostrophe ('), period (.), and space.

Date

Issued:

89.08.01

Source

Number:

3192

Language:

ENGLISH

UCR Term:

Element No: 202

NO

Element

Name:

BUSINESS BRANCH

Mnemonic:

BRANCH

Field

Type: A

Length: 30

Occurs:

1

Category:

BUSINESS

Sub-

Category:

DESCRIPTION

Descr:

The name of a branch or division of a business.

Coding

Rules:

Valid entries are the official or commonly used names and/

or locations of a branch or division of a business.

Valid characters are:

Alphabetic upper case A - Z;

Numeric 0 - 9;

Period (.), comma (,), hyphen (-), apostrophe ('),

slash (/) and space.

Date

Issued:

89.08.01 for Police Information Systems Element No: 203

Source

Number: 1066 Language: ENGLISH UCR Term: NO

Element

Name: BUSINESS INVOLVEMENT STATUS

Mnemonic: BUS-STATUS

Field

Type: AN Length: 3 Occurs: 1

Category: BUSINESS

Sub-

Category: DESCRIPTION

Describes the involvement of a business in the occurence.

Coding

Rules: Valid entries consist of three upper case letter abbrevi-

ations as per the following table:

ACT - ACTIVE,

CHA - CHARGED,
COM - COMPLAINANT,

COU - COURIER,

RO - REGISTERED OWNER,

OTHER.

REP - REPORTEE, STR - STREET, SUS - SUSPECT, VIC - VICTIM, WIT - WITNESS,

OTH -

Date

89.08.01

Source

1067

Language:

ENGLISH

UCR Term:

Element No: 204

NO

Element

Number:

Name:

BUSINESS NAME

Mnemonic:

BUS-NAME

Field

Type:

AN

Length: 44

Occurs:

1

Category:

BUSINESS

Sub-

Category:

DESCRIPTION

Descr:

Used to record the name of a business.

Coding

Rules:

Valid entries are legal or commonly used names of a business

entity in uppercase letters.

Valid characters are:

Alphabetic uppercase A - Z;

Numeric 0 - 9;

Period (.), comma (,), hyphen (-), parenthesis (),

apostrophe ('), slash (/), and space.

Date

Issued:

89.08.01

Element No: 205

Source

Number:

6082

Language:

ENGLISH

UCR Term:

: NO

Element

Name:

BUSINESS TYPE

Mnemonic:

BUS-TYP

Field

Type:

AN

Length: 20

Occurs:

1

Category:

BUSINESS

Sub-

Category:

DESCRIPTION

Descr:

The main type of business conducted by a business entity.

Coding

Rules:

Valid entries consist of concise official or commonly used terms describing the main type of business conducted by a business entity.

Valid characters are:

Alphabetic upper case A - Z;

Numeric

Period (.), comma (.) hyphen (-), slash (/) and space.

0 - 9;

Date

Issued:

89.08.01

ems Element No: 206

Source

Number: 2077

Language:

FRENCH

UCR Term:

NO

Element

Name:

BUSINESS REGISTRATION NUMBER

Mnemonic:

BRN

Field

Type:

AN

Length:

Occurs:

1

Category:

BUSINESS

Sub-

Category:

IDENTIFICATION

Descr:

The business registration number of a company from the

9

Central Business Registry licencing a company.

Coding

Rules:

The valid entries are five digit numeric codes from the

Central Busisness Registry.

Valid characters are numeric digits 0 - 9.

Date

Issued:

Element No: 301

Source

Number:

89.08.01

30

Language:

ENGLISH

UCR Term: NO

Element

Name:

ADDITIONAL REMARKS

Mnemonic:

AREM

Field

Type:

AN

Length: 60

Occurs:

1

Category:

GENERIC

Sub-

Category:

GENERIC

Descr:

Used for additional or miscellaneous pertinent information

not provided for in other fields.

Coding

Rules:

Free format text.

The acceptable characters are:

Alphabetic upper case A - Z; Numeric

Special and punctuation characters.

Date

Issued:

89.08.01

Element No: 302

Source

Number:

99

Language:

ENGLISH

UCR Term: NO

Element

Name:

AGENCY IDENTIFIER

Mnemonic:

ORI

Field

Type:

AN

Length: 7

Occurs:

1

Category:

GENERIC

Sub-

Category:

GENERIC

Descr:

This number is assigned by the Canadian Police Information

Centre (CPIC) to identify a law enforcement agency.

Coding

Rules:

A valid seven character agency identifying number consisting

of upper case letters and digits.

Example: ON10230

Date

Issued:

89.08.01 for Police Information Systems Element No: 303

Source

Number:

156

Language:

ENGLISH

UCR Term:

NO

Element

Name:

COLOUR

Mnemonic:

COLOUR

Field

Type:

Α

Length: 3

Occurs:

2

Category:

GENERIC

Sub-

Category:

GENERIC

Descr:

Used to indicate an obvious colour scheme of any item of

property.

Coding

Rules:

Valid entries are one or two codes consisting of three uppercase letters indicating the prevailing colour(s) of an object with no intervening spaces or separator symbols, as per the following table.

BGE	_	BEIGE	BLK ·	-	BLACK
BLU	-	BLUE	DBL ·	-	BLUE, DARK
LBL	-	BLUE, LIGHT	BRZ ·	-	BRONZE
BRN	-	BROWN	CPR ·	-	COPPER
CRM	-	CREAM, IVORY	GLD ·	-	GOLD
GRN	_	GREEN	DGR ·	-	GREEN, DARK

LGR - GREEN, LIGHT GRY - GREY
MRN - MAROON ONG - ORANGE

PNK - PINK PLE - PURPLE, LAVENDER, MAUVE RED - RED SIL - SILVER, ALUMINUM,

TAN - TAN STAINLESS STEEL
TRQ - TURQUOISE WHI - WHITE

YEL - YELLOW OTH OT OT - OTHER

Date

Issued:

Element No: 304

Source

Number:

5026

Language:

ENGLISH

UCR Term:

YES

Element

Name:

DATE

Mnemonic:

DATE

Field

Type:

AN

Length: 8

Occurs:

1

Category:

GENERIC

Sub-

Category:

GENERIC

Descr:

Generic calendar date in the year, month and day format.

Coding

Rules:

Valid entries are eight digit dates in the Statistics Canada standard YYYYMMDD format. The field is left blank

if the date is not applicable or unknown.

Example: 19890308

Date

Issued:

89.08.01 for Police Information Systems Element No: 305

Source

Number: 1040 Language: ENGLISH UCR Term: NO

Element

Name: PHONE NUMBER

Mnemonic: PHONE

Field

Type: N Length: 10 Occurs: 1

Category: GENERIC

Sub-

Category: GENERIC

Descr: The telephone number of a person or business.

Coding

Valid entries are telephone numbers consisting of three Rules:

digits for the area code, and 7 digits for the local telephone number without intervening spaces or separator

symbols.

Valid characters are numeric 0 - 9.

Date

Element No: 306

Source

Number: 29 Language: ENGLISH UCR Term: NO

Element

Name: REMARKS

Mnemonic: REM

Field

Type: AN Length: 60 Occurs: 1

Category: GENERIC

Sub-

Category: GENERIC

Descr: Generic field used for entry of useful descriptive infor-

mation not provided for in related specific fields, or to

expand on information contained in a specific field.

Coding

Rules: Brief narrative text and/or other information.

The acceptable characters are:

Alphabetic upper case A - Z;

Numeric 0 - 9

Punctuation characters.

Date

89.08.01 for Police Information Systems Element No: 307

Source

Number: 6021 Language: ENGLISH UCR Term: NO

Element

Name: TIME

Mnemonic: TIME

Field

Length: 6 Occurs: 1 Type: N

Category: GENERIC

Sub-

Category: GENERIC

Used to indicate the time of day. Descr:

Coding

Valid entries consist of time of day on the 24 hour clock Rules:

in the format HHMMSS, where:

HH - hours in the format 00 - 24;

00 - 60;MM - minutes

SS - seconds 00 - 60 (optional).

Date

Element No: 308

Source

Number:

152

Language:

ENGLISH

UCR Term:

NO

Element

Name:

YEAR

Mnemonic:

YEAR

Field

Type:

N

Length:

Occurs:

1

Category:

GENERIC

Sub-

Category:

GENERIC

Descr:

Used to indicate the year when the complete date is not

relevant.

Coding

Rules:

Valid entries are positive integers of four digits (e.g.

1989).

Date

Issued:

89.08.01 for Police Information Systems Element No: 401

Source

Number: 5023 Language:

ENGLISH

UCR Term:

YES

Element

Name:

ALCOHOL/DRUG INVOLVEMENT

Mnemonic:

ALC-DRUGS

Field

Type: AN Length:

1

Occurs:

1

Category:

INCIDENT

Sub-

Category:

DESCRIPTION

Descr:

This element captures only the ingestion of alcohol and/or drugs, and is not meant to be an indication of a "cause and

effect" relationship.

Coding

Rules:

Valid entries are one digit codes as per the following table:

blank - not applicable;

unknown;

1 consumption of alcohol only; consumption of drugs only;

consumption of both alcohol and drugs.

Date

Issued:

Element No: 402

Source

Number:

6078

Language:

ENGLISH

UCR Term:

ИО

Element

Name:

CAUSE OF DEATH

Mnemonic:

CAUSE-DEATH

Field

Type:

AN

Length: 60

Occurs:

1

Category:

INCIDENT

Sub-

Category:

DESCRIPTION

Descr:

The cause of death identified by a coroner or medical

doctor.

Coding

Rules:

Valid entries consist of a brief statement of the cause

of death established by a coroner or qualified medical

practitioner.

Valid characters are:

Alphabetic upper case A - Z;

Numeric 0 -

Punctuation characters.

Date

Issued:

89.08.01

Element No: 403

Source

Number:

5017

Language:

ENGLISH

UCR Term:

YES

Element

Name:

FRAUD TYPE

Mnemonic:

FRAUD-TYP

Field

Type:

AN

Length:

1

Occurs:

1

Category:

INCIDENT

Sub-

Category:

DESCRIPTION

Descr:

To record the method to fraudulently obtain goods, services

or financial gain without legitimate rights.

Coding

Rules:

Valid entries are one digit numeric codes as per the

following table:

blank - not applicable,

1 - cheque,

2 - credit card,

3 - other fraud.

Date

Issued:

89.08.01

Element No: 404

Source

Number:

5002

Language:

ENGLISH

UCR Term:

YES

Element

Name:

INCIDENT/CLEARANCE STATUS

Mnemonic:

CLR-STATUS

Field

Type:

Α

Length: 1

Occurs:

1

Category:

INCIDENT

Sub-

Category:

DESCRIPTION

Descr:

This data element describes the incident in terms of status as an incident - unfounded or actual - and if an actual offence, its clearance status as not cleared, cleared by charge or cleared otherwise.

Coding

Rules:

Valid entries are uppercase letter codes as per the following table:

- A unfounded (no violation of the law took place);
- B not cleared (an accused has not been identified in connection with this incident);
- C cleared by charge (at least one accused has been identified and there is a charge pending).
- D suicide of the accused prior to the department laying charges;
- E death of the accused other than by suicide prior to the department laying charges;

Continued on next page.

Date

Issued:

Continued from previous page . . .

- F death of complainant or essential wittness through any circumstance prior to the department laying charges;
- G reason beyond control of the department, (e.g. policy), where the government decides not to have charges laid for the reason of policy or stated procedure;
- H diplomatic immunity (where the accused is a diplomat of a Member State of the United Nations and is covered under the Priveleges and Immunities Act, 1977 and U.N. Conventions contained therein which exempts the accused from charges for specific offences committed in Canada;
- I accused is less than twelve years old (under the age provisions of the Young Offenders Act, 1984, children under twelve years old cannot be prosecuted for criminal activities);
- J committal of the accused to a mental institution without hope for an early release, so that the accused would not be available for prosecution;
- K accused is in a foreign country and cannot be returned to Canada to face charges, either because Canada does not have an extradition treaty with the country in question, or the government decides not to proceed with the extradition, and therefore no charges are laid;
- L complainant declines to lay charges against the accused;
- M accused is involved in other incidents for which charges have been laid, and it is decided not to lay charges against him for this particular incident;
- N accused is already serving a sentence in a correctional facility and no useful purpose would be served by laying charges in connection with this particular incident;
- O departmental discretion (for reasons not already outlined above, the department's administration decides not to lay a charge against the accused.

89.08.01

Element No: 405

Source

Number:

5029

Language:

ENGLISH

UCR Term:

YES

Element

Name:

LEVEL OF INJURY

Mnemonic:

INJUR

Field

Type:

AN

Length: 1

Occurs:

1

Category:

INCIDENT

Sub-

Category:

DESCRIPTION

Descr:

Used to describe on the victim's record the extent of injury

resulting from the incident.

Coding

Rules:

Valid entries are one digit codes as per the following

table:

blank - not applicable;

0 - unknown;

1 - no injuries;

2 - minor physical injury;

3 - major physical injury;

4 - death.

Date

Issued:

89.08.01

Source

Number:

5010

Language:

ENGLISH

UCR Term:

Element No: 406

YES

Element

Name:

LOCATION OF INCIDENT

Mnemonic:

LOC-INC

Field

Type:

N

Length: 2

Occurs:

2

Category:

INCIDENT

Sub-

Category:

DESCRIPTION

Descr:

Type of location where the incident took place. The first field describes private or public locations. The second, used only for private locations and violent violations, indicates whether they were occupied by victim or accused.

Coding

Rules:

Valid entries are two digit codes in the range 00 - 07 as

per the following two tables:

Field I - Private or Public Locations:

00 - unknown,

01 - single home or house,

02 - dwelling unit,

03 - commercial dwelling unit,
 04 - commercial/corporate places,
 05 - parking lots, public or private,

06 - schools, public or private,

07 - public institutions,
08 - public transportation,
09 - streets, roads, highways,

10 - open areas (parks, playgrounds, etc.).

Continued on next page.

Date

Field II - Occupancy of Private or Commercial Residence:

- 01 joint occupancy by both the victim and accused;
- 02 occupied by the victim;
- 03 occupied by the accused;
- 04 accused not known and is occupied by the victim;
- 05 accused not known and not occupied by the victim;
- 06 neither the victim nor the accused are occupants.

89.08.01 for Police Information Systems

Source

Number:

21

Language: ENGLISH

UCR Term:

Element No: 508

NO

Element

Name:

OFFENCE DESCRIPTION

Mnemonic:

OFF-DESC

Field

Type:

AN

Length: 60

Occurs:

1

Category:

OFFENCE

Sub-

Category:

CHARGE

Descr:

Description of the offence reported or committed.

Coding

Rules:

Valid entries are descriptions of offences/charges, starting with the most severe offence/charge, consisting of:

- A brief descriptive term (e.g. ROBBERY);
- The applicable Statutes and Sections of the Code (e.g. SEC. 302 C.C.C.).

Valid characters are:

Alphabetic uppercase A - Z; Numeric 0 - 9;

Period (.), comma (,), hyphen (-), slash (/), and space.

Date

Issued:

Data Elements Standard for Police Information Systems Element No: 509

89.08.01

Source

Number:

6177

Language: ENGLISH

UCR Term:

ИО

Element

Name:

YOUNG OFFENDER

Mnemonic:

YO-IND

Field

Type:

N

Length: 1

Occurs:

1

Category: OFFENCE

Sub-

Category:

CHARGE

Descr:

Used to identify the method of trial used for a young

offender.

Coding

Rules:

Valid entries are one digit codes as per the following

table:

1 - Adult,

2 - Young Offender Charged as Adult,

3 - Young Offender.

Date

89.08.01

Element No: 510

Source

Number: 3348

Language: I

ENGLISH

UCR Term: NO

Element

Name:

COURT NAME

Mnemonic:

COURT

Field

Type:

Α

Length: 30

Occurs:

1

Category:

OFFENCE

Sub-

Category:

COURT

Descr:

The name of the court processing the charge.

Coding

Rules:

Valid entries are official or commonly used names and, optionally, locations of the court processing a charge.

Valid caracters are:

Alphabetic upper case A - Z;

Period (.), comma (,), hyphen (-), slash (/) and space.

Date

Issued:

89.08.01

Source

Number: 6180

Language:

ENGLISH

UCR Term:

Element No: 511

МО

Element

Name:

COURT TYPE

Mnemonic:

CRT-TYP

Field

Type:

N

Length: 2

Occurs:

1

Category:

OFFENCE

Sub-

Category:

COURT

Descr:

The type of court processing the charge.

Coding

Rules:

Valid entries are one digit codes (1 - 9) as per the

following table:

1 - Appeal,

2 - Bail Hearing,

3 - County,
4 - Family,

5 - First Appearance,

6 - Provincial,

7 - Supreme,

8 - Traffic,

9 - Young Offender.

Date

Issued:

Element No: 512

Source

Number:

5022

Language:

ENGLISH

UCR Term:

YES

Element

Name:

ACCUSED STATUS

Mnemonic:

ACCUS-STAT

Field

Type:

N

Length: 1

Occurs:

1

Category:

OFFENCE

Sub-

Category:

DESCRIPTION

Descr:

Each accused record will contain the UCR status of the accused which indicates in which manner the accused has been dealt with by the police.

Coding

Rules:

Valid entries consist of one digit numeric codes as per the following table:

1 - charged or charges recommended;

2 - processed by other means (cleared otherwise).

Date

Issued:

Element No: 513 89.08.01 for Police Information Systems

Source

Number:

5000

Language:

ENGLISH

UCR Term:

YES

Element

Name:

ATTEMPTED/COMPLETED VIOLATION

Mnemonic:

ATMPT-COMPL

Field

Type:

Α

Length:

1

Occurs:

1

Category:

OFFENCE

Sub-

Category:

DESCRIPTION

Descr:

This data element describes the nature of the violation indicating whether the act or omission was carried out, or whether there was only the intent to carry out the act

or omission.

Coding

Rules:

Valid entries are the following uppercase letter codes:

A - Attempted, C - Completed.

Date

Issued:

89.08.01 for Police Information Systems Element No: 514

Source

Number: 3305 Language: ENGLISH UCR Term: NO

Element

Name: PROVINCIAL OFFENCE NUMBER

Mnemonic: PON

Field

Type: N Length: 10 Occurs: 1

Category: OFFENCE

Sub-

Category: DESCRIPTION

Descr: The number on a ticket issued for a provincial or municipal

offence.

Coding

Rules: Valid entries are full and accurate Provincial Offence

Numbers consisting of up to ten digits without intervening

spaces or separator symbols.

Example: 0123456789

Date

for Police Information Systems Element No: 517 89.08.01

Source

UCR Term: Number: 6219 Language: ENGLISH NO

Element

Name: SENTENCE DESCRIPTION

Mnemonic: SENT-DESC

Field

Length: 1 Type: AN 60 Occurs:

Category: OFFENCE

Sub-

Category: DISPOSITION

Descr: Used to describe the final result of a court case.

Coding

Rules: A brief description of a court sentence of up to 60

characters.

Valid characters are:

Alphabetic upper case A - Z;

Numeric 0 - 9; and

Punctuation characters.

Date

89.08.01 for Police Information Systems Element No: 518

Source

Number: 4004 Language: UCR Term: ENGLISH NO

Element

Name: AMOUNT OF FINE

Mnemonic: FINE-AMT

Field

Type: N Length: 6 Occurs: 1

Category: OFFENCE

Sub-

Category: SENTENCE

Descr: Represents the amount of fine.

Coding

Rules: Valid entries are numbers from 0 - 999999 representing

the amount of fine(s) in Canadian dollars. The fractional dollar values are rounded to the nearest dollar. For ease

of reading large numbers, properly spaced commas are optional on paper forms, input screens and reports.

Date

89.08.01

Element No: 519

Source

Number:

27

Language:

ENGLISH

UCR Term:

ИО

Element

Name:

CONDITIONS

Mnemonic:

COND

Field

Type:

AN

Length: 60

Occurs:

1

Category:

OFFENCE

Sub-

Category:

SENTENCE

Descr:

Used to describe the terms or conditions applying to a

subject as a result of an offence.

Coding Rules:

A brief narrative description of terms or conditions applying to a subject, such as:

- Parolee's terms of parole;
- Prohibited person's terms of prohibition (with respect to Firearms, Liquor, Driving, Boat Operation, Hunting, etc.);
- Probationer's conditions, including all conditions which could be used when a hit is made (e.g. CURFEW 22:00 -05:00 hrs, etc.)
- Subject refused a Firearms Acquisition Certificate;
- Charged person's radius of travel restriction when on bail/conditional release.

Valid characters are uppercase letters, numeric digits and punctuation characters.

Date

Issued:

89.08.01 for Police Information Systems Element No: 520

Source

Number: 23 Language: ENGLISH UCR Term: NO

Element

Name: RADIUS OF RETURN

Mnemonic: RADIUS

Field

Type: Length: 50 AN 1 Occurs:

Category: OFFENCE

Sub-

Category: WARRANT

Descr: Indicates the area of return specified by holders of a

warrant for a wanted person.

Coding

Rules: Valid entries are concise descriptions of the radius of

return for wanted persons. In the interest of speed and accuracy, only words and abbreviations that are easy to

understand should be used.

Valid characters are:

Alphabetic uppercase A - Z;

Numeric

Punctuation symbols.

Example: ONLY PROVINCE OF NEWFOUNDLAND.

Date

Element No: 521

Source

Number:

31

Language:

ENGLISH

UCR Term:

NO

Element

Name:

WARRANT NUMBER

Mnemonic:

WNO

Field

Type:

AN

Length: 16

Occurs:

1

Category:

OFFENCE

Sub-

Category:

WARRANT

Descr:

The number assigned to a warrant.

Coding

Rules:

A single warrant number must be entered literally.

The acceptable characters are:

- Alphabetic upper case A - Z;

- Numeric

0 - 9.

Date

Issued:

89.08.01 for Police Information Systems Element No: 522

Source

Number: 6161 Language: ENGLISH UCR Term: NO

Element

Name: WARRANT TYPE

Mnemonic: WAR-TYP

Field

Length: 1 Type: N Occurs: 1

Category: OFFENCE

Sub-

Category: WARRANT

Descr: The type of warrant issued by a court for a person.

Coding

Rules: Valid entries are one digit codes (1 - 5) as per the

following table:

1 - Bench Warrant,

2 - Committal,

3 - Distress,

- Family Court,

- Warrant-In-The-First-Instance.

Date

89.08.01 for Police Information Systems Element No: 601

Source

Number: 5024 Language: ENGLISH UCR Term: YES

Element

Name: APPARENT AGE

Mnemonic: AGE

Field

Type: N Length: 3 Occurs: 1

Category: PERSON

Sub-

Category: DESCRIPTION

Descr: The apparent age of a person, as estimated by an officer

when the person's actual date of birth is not available.

Coding

Rules: Valid entries are three digit numbers giving the subject's

apparent age as per the following table:

blank - known but not applicable;

000 - unknown;

001 - 999 apparent age of a subject in years.

Date

Element No: 602

Source

Number: 55 Language: ENGLISH UCR Term: NO

Element

BLOOD TYPE Name:

Mnemonic: BLT

Field

Length: 1 Occurs: 1 Type:

Category: PERSON

Sub-

Category: DESCRIPTION

Descr: Used to indicate a person's blood type (blood group).

Coding

Valid entries are one of the uppercase letter codes from Rules:

the following table:

Α A positive, O positive, G В A negative, н -O negative,

С A unknown, I 0 unknown, D

- B positive, J -AB positive, - B negative, K -AB negative,

E F B unknown, L -AB unknown.

Date

Element No: 604

Source

Number:

57

Language:

ENGLISH

UCR Term:

NO

Element

Name:

BUILD

Mnemonic:

BUILD

Field

Type:

Α

Length:

1

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to describe a person's physical build (in the BODY

category).

Coding

Rules:

One uppercase letter from the following table:

A - SLENDER/THIN,

B - MEDIUM, C - HEAVY, D - OTHER.

Date

Issued:

89.08.01 for Police Information Systems Element No: 605

Source

Number: 44 Language: ENGLISH UCR Term: NO

Element

Name: CAUTION

Mnemonic: CAUTION

Field

Type: Length: 6 Occurs: 1 Α

Category: PERSON

Sub-

Category: DESCRIPTION

To indicate whether the record subject is considered Descr:

dangerous.

Coding

Rules: Valid entries are up to six single uppercase letter codes

as per the following table.

A - Armed and dangerous,

- Violence,

M - Mental instability,

E - Escape risk,

S - Suicidal tendencies,

C - Contagious disease.

Date

Element No: 606

Source

Number:

59

Language:

ENGLISH

UCR Term:

NO

Element

Name:

CIRCUMCISION

Mnemonic:

CIRC

Field

Type:

Length: 1

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to indicate if the subject has been circumcised.

Coding

Rules:

One uppercase letter as follows:

circumsized,

not circumsized.

Date

Issued:

89.08.01

Source

Number:

1056

Language:

ENGLISH

UCR Term: NO

Element No: 607

Element

Name:

CITIZENSHIP

Mnemonic:

CIT

Field

Type:

AN

Length: 15

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to record the name of the country of which the subject

is a legal resident.

Coding

Rules:

Valid entries are full names or commonly used abbreviations

of countries in uppercase letters.

Valid characters are:

Alphabetic uppercase A - Z;

Hyphen (-), period (.) and space.

Examples: CANADA or CAN, UNITED STATES or USA, etc.

Date

Element No: 608

Source

Number:

54

Language:

ENGLISH

UCR Term:

NO

Element

Name:

COMPLEXION

Mnemonic:

COMP

Field

Type:

Α

Length: 1

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to describe the subject's complexion.

Coding

Rules:

Valid entries are one of the following uppercase letter

codes:

A - dark,

B - light/fair,

C - sallow,

D - ruddy,

E - freckled,

F - moles,

G - pimples/pockmarked,

H - other.

Date

Issued:

Element No: 609

Source

Number:

1059

Language:

ENGLISH

UCR Term:

NO

Element

Name:

DEFORMITY TYPE

Mnemonic:

DEF-TYPE

Field

Type:

AN

Length: 10

Occurs:

3

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to record the type of body deformity or mark on a

subject.

Coding

Rules:

Valid entries consist of keywords of up to ten uppercase letters, or one or two digit codes as per the following

table:

01 - AMPUTATION,

02 - SCAR,

03 - TATTOO,

04 - BIRTHMARK,

05 - MOLE,

06 - OTHER.

Date

Issued:

Element No: 610

Source

Number:

79

Language:

ENGLISH

UCR Term:

NO

Element

Name:

DENTAL TYPE

Mnemonic:

DENT-TYPE

Field

Type:

Α

Length:

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to record the type of dental characteristics recorded.

Coding

Rules:

Valid entries are one of the following two uppercase letter codes:

AM - ante-mortem, PM - post mortem.

Date

Issued:

89.08.01 for Police Information Systems Element No: 611

Source

Number: 6046 Language: UCR Term: NO ENGLISH

Element

Name: DISABILITY DEPENDENCE

Mnemonic: DIS-DEP

Field

Type: N Length: 1 Occurs: 3

Category: PERSON

Sub-

Category: DESCRIPTION

This data element is used to record the medical disabilities Descr:

or substance dependences of a person.

Coding

Rules: Valid entries consist of one to three numeric digit codes

afrom the following table:

Physical Disability,

2 - Mental Disability,

3 - Medical Dependency, 4

- Possibly Suicidal, 5 - Alcohol/Drug Addict,

None Known.

Date

89.08.01 for Police Information Systems Element No: 612

Source

Number:

15

Language:

ENGLISH

UCR Term:

NO

Element

Name:

EYE COLOUR

Mnemonic:

EYE-COL

Field

Type:

Α

Length:

3

Occurs:

2

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

To indicate a subject's eye colouration.

Coding

Rules:

Valid entries are one or two abbreviations of a person's eye colour(s) consisting of three uppercase letters as per the following table:

BLACK - BLK, BLUE - BLU, BROWN - BRN, GRAY - GRY, GREEN - GRN, HAZEL - HAZ, MAROON - MRN.

NOTE: For a combination of colours, two colour combinations, or a single resulting combination colour, may be used (e.g. BLU-GRN or HAZ).

If a person's eye colour is unknown, the fields is left blank.

Date

Issued:

89.08.01 for Police Information Systems Element No: 613

Source

Number: 3357 Language: ENGLISH UCR Term: NO

Element

Name: EYE DEFECTS

Mnemonic: EYE-DEF

Field

Type: Α Length: 2 2 Occurs:

Category: PERSON

Sub-

Category: DESCRIPTION

Descr: This field is used to record codified information about a

person's noticeable eye defects.

Coding

Rules: Valid entries are one or two codes, each consisting of two

characters, as per the following table of eye defects:

NOTE: PITC to follow-up with PRC Winnipeg for codes.

Date

Data Elements Standard 89.08.01

for Police Information Systems Element No: 614

Source

UCR Term: NO ENGLISH Number: 6150 Language:

Element

Name: EYE LENS TYPE

Mnemonic: LENS-TYP

Field

Length: 1 Occurs: 1 Type: N

Category: PERSON

Sub-

Category: DESCRIPTION

Descr: This data element is used to record the type of corrective

eye lenses used by a person.

Coding

Valid entries are one digit codes (1 - 3) as per the Rules:

following table:

Eye Glasses,

Contact Lenses,

Other.

Date

Element No: 615

Source

Number:

6147

Language:

ENGLISH

UCR Term:

NO

Element

Name:

FACIAL HAIR COLOUR

Mnemonic: FAC-HAIR-COL

Field

Type:

Length: 3 Occurs:

2

Category:

PERSON

Α

Sub-

Category:

DESCRIPTION

Descr:

This data element is used to indicate a subject's facial

hair coloration.

Coding

Rules:

Valid entries are one or two abbreviation(s) of facial hair

colour consisting of three uppercase letters as per the

following table:

BROWN - BRN,

- BLK, BLACK

BLONDE - BLO, GRAY

- GRY, RED - RED,

SILVER - SIL,

WHITE - WHI.

If the person's hair colour is unknown, the fields is left

blank.

Date

Issued:

Element No: 616

Source

Number:

6148

Language:

ENGLISH

UCR Term:

NO

Element

Name:

FACIAL HAIR TYPE

Mnemonic:

FAC-HAIR

Field

Type:

N

Length: 1

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Describes the existence and type of facial hair.

Coding

Rules:

Valid entries are one digit codes (1 - 3) as per the following table.

1 - Moustache,

2 - Beard,

3 - Other.

Date

Issued:

89.08.01 for Police Information Systems Element No: 617

Source

Number: 3 Language: ENGLISH UCR Term: NO

Element

Name: **GIVEN1**

Mnemonic: G1

Field

Type: Length: Α 10 Occurs: 1

Category: PERSON

Sub-

Category: DESCRIPTION

Descr: A person's first given name.

Coding

Rules: A full name or an initial is acceptable.

> The acceptable characters are alphabetic A - Z, apostrophe ('), hyphen (-), period (.) and space.

The first character must be a letter A - Z.

Date

Element No: 618

Source

Number:

4

Language:

ENGLISH

UCR Term: NO

Element

Name:

GIVEN2

Mnemonic:

G2

Α

Field

Type:

Length: 10

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

A person's second given name.

Coding

Rules:

A full name or initial is acceptable.

The acceptable characters are alphabetic A - Z, apostrophe ('), hyphen (-), period (.) and space.

The first character must be a letter A - Z.

Date

Issued:

89.08.01 for Police Information Systems Element No: 619

Source

Number: 5 Language: ENGLISH UCR Term: NO

Element

Name: GIVEN3

Mnemonic: G3

Field

Type: A Length: 10 Occurs: 1

Category: PERSON

Sub-

Category: DESCRIPTION

Descr: A person's third given name.

Coding

Rules: A full name or initial is acceptable.

The acceptable characters are alphabetic A - Z,

apostrophe ('), and hyphen (-), period (.) and space.

The first character must be a letter A - Z.

Date

Data Elements Standard for Police Information Systems 89.08.01

Element No: 620

Source

Number: UCR Term: NO 6 Language: ENGLISH

Element.

Name: GIVEN4

Mnemonic: G4

Field

Length: Occurs: 1 10 Type: Α

Category: PERSON

Sub-

DESCRIPTION Category:

Descr: A person's fourth given name.

Coding

Rules: A full name or initial is acceptable.

> The acceptable characters are alphabetic A - Z, apostrophe ('), hyphen (-), period (.) and space.

The first character must be a letter A - Z.

Date

Element No: 621

Source

Number:

7

Language:

ENGLISH

UCR Term:

NO

Element

Name:

GIVEN5

Mnemonic:

G5

Field

Type:

Α

Length: 10

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

A person's fifth given name.

Coding

Rules:

A full name or initial is acceptable.

The acceptable characters are alphabetic A - Z, apostrophe ('), hyphen (-), period (.) and space.

Date

Issued:

Element No: 622

Source

Number:

14

Language:

ENGLISH

UCR Term:

m: NO

Element

Name:

HAIR COLOUR

Mnemonic:

HAIR-COL

Field

Type:

Α

Length:

3

Occurs:

2

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

To indicate a subject's hair coloration or condition.

Coding

Rules:

Valid entries are one or two abbreviations of hair colour or condition, consisting of three uppercase letters as per the following table:

BROWN - BRN, BLACK - BLK, BLONDE - BLO, GRAY - GRY, RED - RED, SILVER - SIL, WHITE - WHI, BALD - BLD.

If the person's hair colour is unknown, the fields are left

blank.

Date

Issued:

Element No: 407

Source

Number:

5016

Language:

ENGLISH

UCR Term:

YES

Element

Name:

MODUS OPERANDI OF SELECTED VIOLATIONS

Mnemonic:

MO

Field

Type:

AN

Length: 2

Occurs:

1

Category:

INCIDENT

Sub-

Category:

DESCRIPTION

Descr:

The method by which specific types of violations are either committed or initiated. This field reports information on the criminal violations of ROBBERY, BREAK AND ENTER, and

THEFT.

Coding

Rules:

Valid entries are two digit numeric codes as per the

following table:

blank - not applicable,

01 - shoplifting,

02 - purse snatching,
03 - pick-pocketing,

04 - forced entry,
05 - unforced entry.

Date

Issued:

Element No: 408

Source

Number: 5011 Language: ENGLISH UCR Term: YES

Element

Name: MOST SERIOUS WEAPON PRESENT

Mnemonic: MSWP

Field

Type: AN Length: 2 Occurs: 2

Category: INCIDENT

Sub-

Category: DESCRIPTION

Descr: The most serious weapon present during the commission of a

criminal incident involving a violent crime. It is not the use of the weapon that is indicated by this element, but

the presence of the most serious type of weapon.

Coding

Rules: Valid entries consist of the following two codes of one

digit each:

First Field:

blank - field not applicable; 12 - other weapon;

00 - unknown; 13 - threat;

01 - fully automatic firearm; 14 - no weapon.

02 - sawed-off rifle/shotgun;

03 - handgun;

04 - rifle or shotgun;

05 - other firearm-like weapons;

06 - knife;

07 - other piercing/cutting instrument;

08 - club or other blunt object;

09 - explosives;

08 - club or other blunt object;

11 - physical force (body strength or action;

Continued on next page.

Date

Second Field:

blank field not applicable;
unknown;

00

01 real;

02 facsimile (replicas).

Element No: 409

Source

Number:

1008

Language:

ENGLISH

UCR Term: NO

Element

Name:

OCCURRENCE DETAILS

Mnemonic:

OCR-DTL

Field

Type:

AN

Length: 60

Occurs:

4

Category:

INCIDENT

Sub-

Category:

DESCRIPTION

Descr:

Contains a detailed description of the circumstances of an

occurrence.

Coding

Rules:

A concise narrative summary of the pertinent details of an

occurrence of up to 4 lines of 60 characters.

Valid characters are:

Alphabetic lower and uppercase a - z, A - Z;

Numeric

0 - 9;

Special and punctuation characters.

Date

Issued:

89.08.01

Source

Number:

5030

Language:

ENGLISH

UCR Term:

Element No: 410

YES

Element

Name:

PEACE - PUBLIC OFFICER STATUS

Mnemonic:

PO-STATUS

Field

Type:

AN

Length: 1

Occurs:

1

Category:

INCIDENT

Sub-

Category:

DESCRIPTION

Descr:

A peace or public officer is any individual who has been given specified powers and authority by an act of parliament or provincial legislation to enforce legislative statutes, including municipal by-laws.

Coding

Rules:

Vailid entries are one digit codes as per the following

table:

blank - not applicable;

1 - police;

2 - correctional officer;

3 - sheriff/bailiff;

4 - customs/excise officer;5 - fisheries/games officer;

6 - other federally appointed peace-public officer;

7 - other provincially appointed officer;

8 - other peace-public officer.

Date

Issued:

89.08.01

Element No: 411

Source

Number: 5005

Language: ENGLISH

UCR Term: YES

Element

Name:

PROPERTY VALUE

Mnemonic:

PROP-VALUE

Field

Type:

N

Length: 9

Occurs:

1

Category:

INCIDENT

Sub-

Category:

DESCRIPTION

Descr:

A generic term for recording the value of any property involved in an incident, or the value of damage to the

property.

Coding

Rules:

Valid entries are:

- Numeric positive dollar values in the range 1 999,999,999 CDN;
- Blank field indicating that the field is not applicable;
- O (zero) indicating there was property damage but the value of damage is unknown.

Date

Issued:

89.08.01 for Police Information Systems Element No: 412

Source

Number: 5013 Language: ENGLISH UCR Term: YES

Element

Name: TARGET OF VIOLATION

Mnemonic: TARG-VIOL

Field

Type: AN Length: 2 Occurs: 2

Category: INCIDENT

Sub-

Category: DESCRIPTION

Descr: To identify specific targets which have been victimized.

The first field applies only to violent incidents. second field applies to robbery, extortion and property

violations.

Coding

Rules: Valid entries are two codes of two digits as per following

two tables:

Field I - Applies to Violent Crimes

blank - not applicable;

01 - person(s).

Field II - Please refer to the next page.

Date

7.3

Field II - Applies to Crimes Against Property

blank - not applicable; 01 residence; 02 private property structures (auxilliary buildings on residential property); 03 motor vehicles; 04 armoured vehicles; 05 car dealership; 06 bank and other financial istitutions; 07 convenience stores;

98 - other commercial/corporate establishments;

99 - non-commercial enterprises.

gas stations;

08 -

Element No: 413

Source

Number:

5003

Language:

ENGLISH

UCR Term:

YES

Element

Name:

UPDATE STATUS

Mnemonic:

UPDT-STAT

Field

Type:

Length: 1 Occurs:

1

Category:

INCIDENT

Sub-

Category:

DESCRIPTION

Descr:

To indicate to the UCR system the update status of each

record which is sent in by a respondent.

Coding

Rules:

Valid entries are numeric codes 1 - 3 indicating the status

(or action) for each record sent by a respondent:

Add record,

2 - Change record,

3 - Delete record.

Date

Data Elements Standard for Police Information Systems 89.08.01

Element No: 414

Source

UCR Term: YES ENGLISH Number: 5034 Language:

Element

Name: VIOLATION AGAINST THE VICTIM

Mnemonic: VIOL-VICT

Field

Occurs: Type: AN Length: 1

Category: INCIDENT

Sub-

Category: DESCRIPTION

Descr: Identifies on the victim record the most serious violation

committed against this individual. Examples: Murder 2nd

degree - violation code 1120C; Shopkeeper robbed with

firearm - violation code 1610C.

Coding

Rules: Valid entries are four digit codes as per the Hierarchical

Crime Classification System table in Appendix A of the UCR

Survey.

The following table provides only the major series of

violations:

1000 series - Crime aganst the person;

2000 series - Crimes against property;

3000 series - Other criminal code violations;

4000 series - Narcotic Control Act violations;

5000 series - Food and Drug Act violations;

6000 series - Other Federal Statute violations;

7000 series - Provincial Statute violations;

8000 series - Municipal By-law violations;

9000 series - Traffic Violations.

For details of UCR Hierarchical Crime Codes, please refer

to Appendix A of the UCR Incident - Based Survey.

Date

89.08.01

Source

Number:

5020

Language:

ENGLISH

UCR Term:

Element No: 415

YES

Element

Name:

VIOLATIONS

Mnemonic:

VIOL

Field

Type:

AN

Length:

Occurs:

4

Category:

INCIDENT

Sub-

Category:

DESCRIPTION

Descr:

A hierarchical coding structure used to identify the four

most serious violations in an incident.

Coding

Rules:

Valid entries are up to four Hierarchical Crime Codes in the decreasing order of importance (the most serious violation

first, then the next most serious, etc.).

The following table provides only the major series of

violations:

1000 series - Crime against the person;

2000 series - Crimes against property;

3000 series - Other criminal code violations; 4000 series - Narcotic Control Act violations;

5000 series - Food and Drug Act violations;

6000 series - Other Federal Statute violations;

7000 series - Provincial Statute violations;

8000 series - Municipal By-law violations;

9000 series - Traffic Violations.

For details of the UCR Hierarchical Crime Codes, please

refer to APPENDIX A of the UCR Incident - Based Survey.

Date

Issued:

89.08.01 for Police Information Systems Element No: 416

Source

Number: 5035 Language: ENGLISH UCR Term: YES

Element

Name: WEAPON CAUSING INJURY

Mnemonic: WPN-INJUR

Field

Type: AN Length: 2 Occurs: 1

Category: INCIDENT

Sub-

Category: DESCRIPTION

Descr: Used to record the type of weapon that actually caused the

most physical injury to the victim on the person's record for each victim. Applicable only to victims of violent

crimes.

Coding

Rules: Valid entries are two digit codes as per following table

of Weapon Codes:

blank - not applicable;

00 - unknown;

01 - fully automatic firearm;

02 - sawed-off rifle/shotgun;

03 - handgun;

04 - rifle or shotgun;

05 - other firearm-like weapons;

06 - knife;

07 - other piercing/cutting instrument;

08 - club or other blunt instrument;

09 - explosives;

10 - fire;

11 - physical force (body strength or action);

12 - other weapon.

Date

Element No: 417

Source

Number:

2082

Language:

FRENCH

UCR Term:

NO

Element

Name:

ALCOHOL DETECTION METHOD

Mnemonic:

ADM

Field

Type:

N

Length: 1

Occurs:

2

Category:

INCIDENT

Sub-

Category:

EXHIBIT

Descr:

The method(s) used to detect the level of alcohol con-

sumption.

Coding

Rules:

Valid entries are one digit numeric codes as per the

following table:

1 - Alert,

2 - Blood test,

3 - Alert and blood test,

4 - Breathalizer.

Date

Issued:

89.08.01

Element No: 418

Source

Number:

2100

Language: FRENCH

UCR Term:

Occurs:

NO

Element

Name:

ALCOHOL TEST RESULT

Mnemonic: ALC-RES

Field

Type:

N

Length: 3

Category:

INCIDENT

Sub-

Category:

EXHIBIT

Descr:

The result(s) of the alcohol consumption test(s).

Coding

Rules:

Valid entries are decimal numbers representing the blood alcohol content in milligrams per standard unit of blood.

Examples: 0.00, 0.08, etc.

Date

Element No: 419

Source

Number:

2058

Language:

FRENCH

UCR Term:

NO

Element

Name:

TYPE OF DRUGS

Mnemonic:

TYP-DRUG

Field

Type:

AN

Length: 2

Occurs:

1

Category:

INCIDENT

Sub-

Category:

EXHIBIT

Descr:

This field is used to record the type of drugs in relation

to an exhibit item.

Coding

Rules:

The acceptable entries are codes consisting of two upper

case letters as per the following table:

otoOther prohibited drugs,

AM -Amphetamine,

BABarbiturates,

Cocaine 76 - 100 % purity,Cocaine 51 - 75 % purity, C1

C2

C3 - Cocaine 26 - 50 % purity,

C4 Cocaine 0 - 25 % purity,

CO - Codeine,

 Magic Mushrooms, MM

- Demerol, DE

Dilaulid, DI

OP Other Prescription Drugs,

Continued on next page.

Date

Issued:

89.08.01

Element No: 504

Source

Number:

5025

Language: ENGLISH

UCR Term:

YES

Element

Name:

CHARGES LAID OR RECOMMENDED

Mnemonic:

CHG-LAID-RECMD

Field

Type:

AN

Length: 16 Occurs:

Category:

OFFENCE

Sub-

Category:

CHARGE

Descr:

The charges or informations which have been laid or recommended by the police department against an accused in connection with the violation(s) which took place within an incident.

Coding

Rules:

Valid entries consist of:

- a two (2) character Statute Code (as per table of Statute Codes on next page),
- six (6) character Section,
- three (3) character Sub-section, and
- five (5) character Paragraph of the statute.

Please refer to the Type of Violations Table on the next page.

Date

Issued:

Table of Statute Codes: Criminal Code; cc -CT -Criminal Code (Traffic only); FD -Food and Drug Act; FN -Narcotics Control Act; FU Customs Act; FΧ Excise Act; Immigration Act; FM FTIncome Tax Act; FH -Public Health Act; FI Competition Act; FΡ Canada Shipping Act; FB Bankruptcy Act; FS Federal Statute (other than those listed above); PL -Liquor Act; PCSecurities Act; PS -Provincial Statute (other than those listed above); PT -Provincial Statute (Traffic only); MB -Municipal By-Law.

Element No: 505 89.08.01

Source

UCR Term: YES Number: 5018 Language: ENGLISH

Element

COUNTER - FRAUDS AND MOTOR VEHICLES Name:

Mnemonic: COUNTER

Field

Length: 3 Occurs: 1 AN Type:

Category: OFFENCE

Sub-

Category: CHARGE

This data element is used for violations related to frauds Descr:

and car dealerships to indicate the number of times a

violation took place.

Coding

Valid entries are three digit numbers in the range 000 - 999 Rules:

as per the following table:

blank not applicable,

not known, 000

001 - 999 - number of events.

Date

Element No: 506

Source

Number:

6213

Language:

ENGLISH

UCR Term:

NO

Element

Name:

METHOD OF TRIAL

Mnemonic: METH-TRIAL

Field

Type:

Α

Length: 1

Occurs:

1

Category: OFFENCE

Sub-

Category:

CHARGE

Descr:

Used to record the type of offence (summary or indictable)

in coded format.

Coding

Rules:

Valid entries are one uppercase letter codes as follows:

Summary, I - Indictable.

Date

Element No: 507 89.08.01 for Police Information Systems

Source

Language: ENGLISH UCR Term: NO Number: 1071

Element

Name: NUMBER OF COUNTS

Mnemonic: NO-COUNTS

Field

Type: N Length: 2 Occurs: 1

Category: OFFENCE

Sub-

CHARGE Category:

Descr: Used to describe the number of counts of each type of

offence committed.

Coding

Rules: Valid entries are numbers from 1 - 99. Leading zeroes are

optional.

Valid characters are digits 0 - 9.

Date

89.08.01 for Police Information Systems

Source

Number:

21

Language:

ENGLISH

UCR Term:

Element No: 508

NO

Element

Name:

OFFENCE DESCRIPTION

Mnemonic:

OFF-DESC

Field

Type:

AN

Length: 60

Occurs:

1

Category:

OFFENCE

Sub-

Category:

CHARGE

Descr:

Description of the offence reported or committed.

Coding

Rules:

Valid entries are descriptions of offences/charges, starting with the most severe offence/charge, consisting of:

- A brief descriptive term (e.g. ROBBERY);
- The applicable Statutes and Sections of the Code (e.g. SEC. 302 C.C.C.).

Valid characters are:

Alphabetic uppercase A - Z; Numeric 0 - 9;

Period (.), comma (,), hyphen (-), slash (/), and space.

Date

Issued:

Element No: 509

Source

Number: 6177 Language:

ENGLISH

UCR Term:

NO

Element

Name:

YOUNG OFFENDER

Mnemonic:

YO-IND

Field

Type:

N

Length: 1

Occurs:

1

Category:

OFFENCE

Sub-

Category:

CHARGE

Descr:

Used to identify the method of trial used for a young

offender.

Coding

Rules:

Valid entries are one digit codes as per the following

table:

1 - Adult,

2 - Young Offender Charged as Adult,

3 - Young Offender.

Date

Issued:

89.08.01

Element No: 510

Source

Number: 3348

Language: ENGLISH

UCR Term: NO

Element

Name:

COURT NAME

Mnemonic:

COURT

Field

Type:

Α

Length: 30

Occurs:

1

Category:

OFFENCE

Sub-

Category:

COURT

Descr:

The name of the court processing the charge.

Coding

Rules:

Valid entries are official or commonly used names and, optionally, locations of the court processing a charge.

Valid caracters are:

Alphabetic upper case A - Z;

Period (.), comma (,), hyphen (-), slash (/) and space.

Date

Issued:

89.08.01

Element No: 511

Source

Number:

6180

Language:

ENGLISH

UCR Term:

NO

Element

Name:

COURT TYPE

Mnemonic:

CRT-TYP

Field

Type:

N

Length:

2

Occurs:

1

Category:

OFFENCE

Sub-

Category:

COURT

Descr:

The type of court processing the charge.

Coding

Rules:

Valid entries are one digit codes (1 - 9) as per the following table:

1 Appeal,

2 Bail Hearing,

3 County, Family, 4

5 - First Appearance,

6 - Provincial, 7

Supreme, 8 Traffic,

Young Offender.

Date

Issued:

89.08.01

ce

Element No: 512

Source

Number: 5022 Language: ENGLISH UCR Term: YES

Element

Name: ACCUSED STATUS

Mnemonic: ACCUS-STAT

Field

Type: N Length: 1 Occurs: 1

Category: OFFENCE

Sub-

Category: DESCRIPTION

Descr: Each accused record will contain the UCR status of the

accused which indicates in which manner the accused has

been dealt with by the police.

Coding

Rules: Valid entries consist of one digit numeric codes as per

the following table:

1 - charged or charges recommended;

2 - processed by other means (cleared otherwise).

Date

Element No: 513

Source

Number:

5000

Language:

ENGLISH

UCR Term:

YES

Element

Name:

ATTEMPTED/COMPLETED VIOLATION

Mnemonic:

ATMPT-COMPL

Field

Type:

Α

Length: 1

Occurs:

1

Category:

OFFENCE

Sub-

Category:

DESCRIPTION

Descr:

This data element describes the nature of the violation indicating whether the act or omission was carried out, or whether there was only the intent to carry out the act

or omission.

Coding

Rules:

Valid entries are the following uppercase letter codes:

A - Attempted, C - Completed.

Date

Issued:

89.08.01

Source

Number: 3305

Language:

ENGLISH

UCR Term:

Element No: 514

NO

Element

Name:

PROVINCIAL OFFENCE NUMBER

Mnemonic:

PON

N

Field

Type:

Length: 10

Occurs:

1

Category:

OFFENCE

Sub-

Category:

DESCRIPTION

Descr:

The number on a ticket issued for a provincial or municipal

offence.

Coding

Rules:

Valid entries are full and accurate Provincial Offence

Numbers consisting of up to ten digits without intervening

spaces or separator symbols.

Example: 0123456789

Date

Issued:

89.08.01 for Police Information Systems Element No: 515

Source

Number: 1072 Language: ENGLISH UCR Term: NO

Element

Name: DISPOSITION OF CHARGES

Mnemonic: DISP-CHG

Field

Type: N Length: 15 1 Occurs:

Category: OFFENCE

Sub-

Category: DISPOSITION

Used to describe the disposition of the charge(s). Descr:

Coding

Rules: Valid entries consist of one or two keywords in uppercase letters up to 15 characters long, or two digit numeric codes

as per the following table:

01 OTH or OTHER PENDING 11 02 ABSOLUTE DISCHARGE PROBATION 12

03 ADJOURNED 13 PROHIBIT DRIVING 04 APPEARANCE NOTICE PROHIBIT FIREARMS 14 05 BAIL PROHIBIT LIQUOR 15

06 DISMISSED 16 SUMMONS

07 DIVERSION SUSPENDED SENTENCE 17

80 FINE 18 WARRANT 09 JAIL TERM 19 -WITHDRAWN

10 PAROLED

Date

Element No: 516

Source

Number:

28

Language:

ENGLISH

UCR Term:

ИО

Element

Name:

INSTITUTION

Mnemonic:

INST

Field

Type:

AN

Length: 50

Occurs:

1

Category:

OFFENCE

Sub-

Category:

DISPOSITION

Descr:

To identify the institution or establishment where a person has been placed in custody under any form of judicial order.

Coding

Rules:

The name of the institution, establishment or jurisdiction

in uppercase letters:

Example: BROCKVILLE PSYCHIATRIC HOSPITAL

Date

Issued:

89.08.01

ce Information Systems Element No: 521

Source

Number:

31

Language:

ENGLISH

UCR Term:

NO

Element

Name:

WARRANT NUMBER

Mnemonic:

WNO

Field

Type:

AN

Length: 16

Occurs:

1

Category:

OFFENCE

Sub-

Category:

WARRANT

Descr:

The number assigned to a warrant.

Coding

Rules:

A single warrant number must be entered literally.

The acceptable characters are:

- Alphabetic upper case A - Z;

- Numeric

0 - 9

Date

Issued:

89.08.01

Source

Number: 6161

Language:

ENGLISH

UCR Term: NO

Element No: 522

Element

Name:

WARRANT TYPE

Mnemonic:

WAR-TYP

Field

Type:

N

Length: 1

Occurs:

1

Category:

OFFENCE

Sub-

Category:

WARRANT

Descr:

The type of warrant issued by a court for a person.

Coding

Rules:

Valid entries are one digit codes (1 - 5) as per the

following table:

1 - Bench Warrant,

2 - Committal,
3 - Distress,

4 - Family Court,

5 - Warrant-In-The-First-Instance.

Date

Issued:

89.08.01 for Police Information Systems Element No: 601

Source

Number: 5024 Language: ENGLISH UCR Term: YES

Element

Name: APPARENT AGE

Mnemonic: AGE

Field

Type: N Length: 3 Occurs: 1

Category: PERSON

Sub-

Category: DESCRIPTION

The apparent age of a person, as estimated by an officer when the person's actual date of birth is not available. Descr:

Coding

Rules: Valid entries are three digit numbers giving the subject's

apparent age as per the following table:

blank - known but not applicable;

000 - unknown;

001 - 999 apparent age of a subject in years.

Date

Element No: 602

Source

Number:

55

Language:

ENGLISH

.UCR Term:

i: NO

Element

Name:

BLOOD TYPE

Mnemonic:

BLT

Field

Type:

Α

Length: 1

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to indicate a person's blood type (blood group).

Coding

Rules:

Valid entries are one of the uppercase letter codes from the following table:

Α A positive, O positive, G A negative, H O negative, С - A unknown, I 0 unknown, D -J B positive, AB positive, B negative, K AB negative, B unknown, AB unknown.

Date

Issued:

for Police Information Systems Element No: 603 89.08.01

Source

Number: 75 Language: ENGLISH UCR Term: NO

Element

Name: BODY LOCATION

Mnemonic: BODY-LOC

Field

Type: N Length: 3 1 Occurs:

PERSON Category:

Sub-

Category: DESCRIPTION

Descr: Used to identify the body location of a particular mark,

scar, tattoo, deformity, amputation or other distinguishing

mark or feature of a person.

Coding

Rules: The acceptable entries are three digit numeric codes from

the following table of body location codes:

100 - HEAD (GENERAL) 200 - RIGHT ARM (GENERAL)

110 - Forehead 211 - Upper Arm 120 - Eyes 213 - Elbow 130 - Ears 215 - Forearm 140 - Nose 220 - Wrist 150 - Mouth 230 - Hand 160 - Cheek 241 - Thumb

170 - Chin 242 - Index finger 175 - Jaw 243 - Middle finger 180 - Neck 244 - Ring finger 245 - Little finger

Continued on next page.

Date

BODY LOCATION MAP (Cont'd)	
300 - LEFT ARM (GENERAL) 311 - Upper arm 313 - Elbow 315 - Forearm 320 - Wrist 330 - Hand 341 - Thumb 342 - Index finger 343 - Middle finger 344 - Ring finger 345 - Little finger	400 - UPPER TORSO - FRONT 410 - Shoulders 420 - Chest 430 - Abdomen 440 - Waist 450 - Hips 460 - Pelvis 461 - Genitals
500 - LEFT LEG (GENERAL) 511 - Thigh 513 - Knee 515 - Calf 520 - Ankle 530 - Foot 541 - Large Toe 542 - Toe 543 - Toe 544 - Toe 545 - Small Toe	600 - RIGHT LEG (GENERAL) 611 - Thigh 613 - Knee 615 - Calf 620 - Ankle 630 - Foot 641 - Large Toe 642 - Toe 643 - Toe 644 - Toe 645 - Small Toe
700 - UPPER TORSO - BACK 720 - Upper back 730 - Middle back 740 - Lower back 760 - Buttocks 761 - Rectal	

89.08.01

Element No: 604

Source

Number:

57

Language:

ENGLISH

UCR Term:

NO

Element

Name:

BUILD

Mnemonic:

BUILD

Field

Type:

Α

Length: 1

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to describe a person's physical build (in the BODY

category).

Coding

Rules:

One uppercase letter from the following table:

A - SLENDER/THIN,

B - MEDIUM, C - HEAVY,

D - OTHER.

Date

Issued:

Element No: 605

Source

Number:

44

Language:

ENGLISH

UCR Term: NO

Element

Name:

CAUTION

Mnemonic:

CAUTION

Field

Type:

Α

Length:

6

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

To indicate whether the record subject is considered

dangerous.

Coding

Rules:

Valid entries are up to six single uppercase letter codes

as per the following table.

A - Armed and dangerous,

V - Violence,

M - Mental instability,

E - Escape risk,

S - Suicidal tendencies,

C - Contagious disease.

Date

Issued:

Element No: 606

Source

Number:

59

Language:

ENGLISH

UCR Term:

NO

Element

Name:

CIRCUMCISION

Mnemonic:

CIRC

Field

Type:

A

Length: 1

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to indicate if the subject has been circumcised.

Coding

Rules:

One uppercase letter as follows:

Y - circumsized,

N - not circumsized.

Date

Issued:

Element No: 607

Source

Number:

1056

Language:

ENGLISH

UCR Term: NO

Element

Name:

CITIZENSHIP

Mnemonic:

CIT

Field

Type:

AN

Length: 15

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to record the name of the country of which the subject.

is a legal resident.

Coding

Rules:

Valid entries are full names or commonly used abbreviations

of countries in uppercase letters.

Valid characters are:

Alphabetic uppercase A - Z;

Hyphen (-), period (.) and space.

Examples: CANADA or CAN, UNITED STATES or USA, etc.

Date

Issued:

Element No: 608

Source

Number:

54

Language:

ENGLISH

UCR Term: NO

Element

Name:

COMPLEXION

Mnemonic:

COMP

Field

Type:

A

Length: 1 Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to describe the subject's complexion.

Coding

Rules:

Valid entries are one of the following uppercase letter codes:

Α dark,

light/fair, В

C sallow,

D ruddy,

E freckled,

F moles,

G pimples/pockmarked,

other.

Date

Issued:

89.08.01

Source

Number:

1059

Language:

ENGLISH

UCR Term:

Element No: 609

NO

Element

Name:

DEFORMITY TYPE

Mnemonic:

DEF-TYPE

Field

Type:

AN

Length: 10

Occurs:

3

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to record the type of body deformity or mark on a

subject.

Coding

Rules:

Valid entries consist of keywords of up to ten uppercase letters, or one or two digit codes as per the following

table:

01 - AMPUTATION,

02 - SCAR,

03 - TATTOO,

04 - BIRTHMARK,

05 - MOLE,

06 - OTHER.

Date

Issued:

89.08.01

Element No: 610

Source

Number:

79

Language:

ENGLISH

UCR Term:

NO

Element

Name:

DENTAL TYPE

Mnemonic:

DENT-TYPE

Field

Type:

Α

Length: 2

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to record the type of dental characteristics recorded.

Coding

Rules:

Valid entries are one of the following two uppercase letter

codes:

AM - ante-mortem, PM - post mortem.

Date

Issued:

Element No: 611

Source

Number:

6046

Language:

ENGLISH

UCR Term:

Element

Name:

DISABILITY DEPENDENCE

Mnemonic:

DIS-DEP

Field

Type:

N

Length: 1

Occurs:

3

NO

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

This data element is used to record the medical disabilities

or substance dependences of a person.

Coding

Rules:

Valid entries consist of one to three numeric digit codes

afrom the following table:

1 - Physical Disability,

2 - Mental Disability,

3 - Medical Dependency,

4 - Possibly Suicidal,

5 - Alcohol/Drug Addict,

7 - None Known.

Date

Issued:

Element No: 612 for Police Information Systems 89.08.01

Source

Number: 15 Language: ENGLISH UCR Term: NO

Element

Name: EYE COLOUR

Mnemonic: EYE-COL

Field

Length: 2 Type: Α 3 Occurs:

PERSON Category:

Sub-

Category: DESCRIPTION

Descr: To indicate a subject's eye colouration.

Coding

Rules: Valid entries are one or two abbreviations of a person's

eye colour(s) consisting of three uppercase letters as per

the following table:

BLACK - BLK, BLUE - BLU, BROWN - BRN, GRAY - GRY, GREEN - GRN,

HAZEL - HAZ, MAROON - MRN.

NOTE: For a combination of colours, two colour combinations,

or a single resulting combination colour, may be used

(e.g. BLU-GRN or HAZ).

If a person's eye colour is unknown, the fields is

left blank.

Date

Element No: 613

Source

Number:

3357

Language:

ENGLISH

UCR Term:

NO

Element

Name:

EYE DEFECTS

Mnemonic:

EYE-DEF

Field

Type:

Α

Length:

Occurs:

2

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

This field is used to record codified information about a

2

person's noticeable eye defects.

Coding

Rules:

Valid entries are one or two codes, each consisting of two

characters, as per the following table of eye defects:

NOTE: PITC to follow-up with PRC Winnipeg for codes.

Date

Issued:

89.08.01

Element No: 614

Source

Number:

6150

Language:

ENGLISH

UCR Term: NO

Element

Name:

EYE LENS TYPE

Mnemonic:

LENS-TYP

Field

Type:

N

Length: 1

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

This data element is used to record the type of corrective

eye lenses used by a person.

Coding

Rules:

Valid entries are one digit codes (1 - 3) as per the

following table:

1 - Eye Glasses,

2 - Contact Lenses,

3 - Other.

Date

Issued:

for Police Information Systems 89.08.01

Source

Number: 6147 Language:

ENGLISH

UCR Term: NO

Element No: 615

Element

Name:

FACIAL HAIR COLOUR

Mnemonic:

FAC-HAIR-COL

Field

Type:

Α

Length: 3

Occurs:

2

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

This data element is used to indicate a subject's facial

hair coloration.

Coding

Rules:

Valid entries are one or two abbreviation(s) of facial hair

colour consisting of three uppercase letters as per the

following table:

BROWN

- BRN,

BLACK BLONDE

- BLK, - BLO,

GRAY

- GRY,

RED

- RED,

SILVER

- SIL,

WHITE

- WHI.

If the person's hair colour is unknown, the fields is left

blank.

Date

Issued:

89.08.01

Source

Number: 6148

Language:

ENGLISH

UCR Term:

Element No: 616

NO

Element

Name:

FACIAL HAIR TYPE

Mnemonic:

FAC-HAIR

Field

Type:

N

Length: 1

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Describes the existence and type of facial hair.

Coding

Rules:

Valid entries are one digit codes (1 - 3) as per the

following table.

1 - Moustache,

2 - Beard,

3 - Other.

Date

Issued:

89.08.01 Element No: 617 for Police Information Systems

Source

UCR Term: Number: 3 Language: ENGLISH NO

Element

Name: **GIVEN1**

Mnemonic: G1

Field

Type: Α Length: 10 Occurs: 1

Category: PERSON

Sub-

DESCRIPTION Category:

Descr: A person's first given name.

Coding

Rules: A full name or an initial is acceptable.

> The acceptable characters are alphabetic A - Z, apostrophe ('), hyphen (-), period (.) and space.

The first character must be a letter A - Z.

Date

Element No: 618

Source

Number:

4

Language:

ENGLISH

UCR Term:

NO

Element

Name:

GIVEN2

Mnemonic:

G2

Field

Type:

Α

Length: 10

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

A person's second given name.

Coding

Rules:

A full name or initial is acceptable.

The acceptable characters are alphabetic A - Z, apostrophe ('), hyphen (-), period (.) and space.

The first character must be a letter A - Z.

Date

Issued:

Element No: 619

Source

Number:

5

Language:

ENGLISH

UCR Term:

: NO

Element

Name:

GIVEN3

Mnemonic:

G3

Field

Type:

Α

Length: 10

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

A person's third given name.

Coding

Rules:

A full name or initial is acceptable.

The acceptable characters are alphabetic A - Z,

apostrophe ('), and hyphen (-), period (.) and space.

The first character must be a letter A - Z.

Date

Issued:

89.08.01

Element No: 620

Source

Number:

6

Language:

ENGLISH

UCR Term:

NO

Element

Name:

GIVEN4

Mnemonic:

G4

Field

Type:

Α

Length: 10

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

A person's fourth given name.

Coding

Rules:

A full name or initial is acceptable.

The acceptable characters are alphabetic A - Z, apostrophe ('), hyphen (-), period (.) and space.

The first character must be a letter A - Z.

Date

Issued:

89.08.01

Element No: 621

Source

Number:

7

Language:

ENGLISH

UCR Term:

NO

Element

Name:

GIVEN5

Mnemonic:

G5

Field

Type:

Α

Length: 10 Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

A person's fifth given name.

Coding

Rules:

A full name or initial is acceptable.

The acceptable characters are alphabetic A - Z, apostrophe ('), hyphen (-), period (.) and space.

Date

Issued:

Element No: 622

Source

Number: 14 Language: ENGLISH

UCR Term: NO

Element

Name: HAIR COLOUR

Mnemonic: HAIR-COL

Field

Type: A Length: 3 Occurs: 2

Category: PERSON

Sub-

Category: DESCRIPTION

Descr: To indicate a subject's hair coloration or condition.

Coding

Rules: Valid entries are one or two abbreviations of hair colour or condition, consisting of three uppercase letters as per

the following table:

BROWN - BRN, BLACK - BLK, BLONDE - BLO, GRAY - GRY, RED - RED, SILVER - SIL, WHITE - WHI, BALD - BLD.

If the person's hair colour is unknown, the fields are left

blank.

Date

Element No: 623

Source

Number:

52

Language:

ENGLISH

UCR Term: NO

Element

Name:

HAIR DESCRIPTION

Mnemonic:

HAIR-DESC

Field

Type:

Α

Length: 1

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to describe the person's hair style or type.

Coding

Rules:

One alphabetic uppercase letter code from the following table:

A curly,

В - wavy,

С short,

D long,

E - dyed,

F ponytail,

G brush cut,

H - toupee, wig,

I other.

Date

Issued:

Element No: 624

Source

89.08.01

Number:

73

Language: ENGLISH

UCR Term:

NO

Element

Name:

ITEM OF CLOTHING

Mnemonic:

ITEM-CLOTH

Field

Type:

Α

Length: 10 Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to describe an item of clothing or personal possession

carried on or with a person.

Coding

Rules:

Valid entries are the first ten uppercase letters from the

following table of clothing items and personal possessions:

SHIRT PANTS BOOTS SWEATER GLOVES DRESS COAT HAT PURSE SHOES BELT SCARF JEWELRY GLASSES WALLET SOCKS

SKIRT VEST TIE MONEY **BLOUSE**

SHORTS

JACKET

UNDERWEAR

BATHING SUIT LUGGAGE

Date

Issued:

Data Elements Standard

89.08.01 for Police Information Systems Element No: 625

Source

Number: 2089 Language: FRENCH UCR Term: NO

Element

LANGUAGE Name:

Mnemonic: LANG

Field

Length: 3 Type: Α Occurs: 1

Category: **PERSON**

Sub-

Category: DESCRIPTION

Descr: The maternal or commonly used language of a person.

Coding

Valid entries are abbreviations consisting of three upper-Rules:

case letters as per the following examples:

CHI -Chinese,

ENG - English,

FRE - French,

GER - German,

SPA -Spanish,

etc.

Date

Element No: 626

Source

Number:

17

Language:

ENGLISH

UCR Term:

NO

Element

Name:

MARKS DESCRIPTION

Mnemonic:

MARKS

Field

Type:

AN

Length: 60

Occurs:

2

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to describe any visible identifying marks, deformities,

or amputations of a person.

Coding

Rules:

Valid entries are descriptions of marks, deformities or

amputations in uppercase letters.

Valid characters are:

Alphabetic uppercase A - Z;

Numeric

0 - 9:

Punctuation characters.

Date

Issued:

89.08.01 for Police Information Systems Element No: 627

Source

Number: 13 Language: ENGLISH UCR Term: NO

Element

Name: MASS

Mnemonic: MASS

Field

Type: N Length: 3 Occurs: 1

Category: PERSON

Sub-

Category: DESCRIPTION

Descr: To record a person's mass (or metric weight).

Coding

Rules: Valid entries are integers representing a person's mass in

kilograms. Decimal fractions are rounded to the nearest

integer (e.g. 90.5 is entered as 91).

NOTE: For the purpose of data validation, the maximum

allowable mass of 202 kilograms is recommended.

Date

Element No: 628

Source

Number:

72

Language:

ENGLISH

UCR Term:

NO

Element

Name:

MATERIAL

Mnemonic:

MATL

Field

Type:

A

Length: 10

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to indicate the material that an item of clothing is

made of.

Coding

Rules:

Valid entries are keywords of up to ten uppercase letters

indicating the material as per the following table:

WOOL
DEMIN
LEATHER
RUBBER
OILSKIN

SILVER SATIN CANVAS SYNTHETIC

OILSKIN
GOLD
PLASTIC
NYLON
COTTON

METAL CLOTH SILK STRAW

FUR

Date

Issued:

Element No: 629

Source

Number:

12

Language:

ENGLISH

UCR Term:

NO

Element

Name:

METRIC HEIGHT

Mnemonic:

MHT

Field

Type:

N

Length:

3

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

This is to record a person's height in centimetres.

Coding

Rules:

Valid entries are integers of up to three digits repre-

senting a person's height in centimetres.

Acceptable characters are numeric 0 - 9.

NOTE: For the purpose of data validation, the maximum

allowable height of 244 cm is recommended.

Date

Issued:

Element No: 630

Source

Number:

50

Language:

ENGLISH

UCR Term:

Element

Name:

MISSING PERSON PROFILE

Mnemonic:

PROFILE

Field

Type:

Α

Length: 6

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to provide background information on the person or

body.

Coding

Rules:

Valid entries consist of six uppercase letter codes, one

from each of the following six tables:

First Character Second Character (AGE GROUP)

A = 0 -1 years,

B = 2 - 3 yrs, C = 4 - 5 yrs,

D = 6 - 8 yrs,

E = 9 - 11 yrs,

F = 12 - 13 yrs,

G = 14 - 15 yrs,

H = 16 - 17 yrs,I = 18 - 21 yrs.

J = 22 - 29 yrs,

K = 30 - 49 yrs,

L = 50 - 65 yrs,

M = Over 65 yrs.

(PROBABLE CAUSE)

A - Abduction by stranger,

B - Accident (boat, work, etc.)

C - Wandered OFF, Lost (woods),

D - Parental Abduction/Custody,

E - Parental Abduction/No Cust. F - Runaway (fear, depression),

G - Unknown,

H - Other-Clarify in Remarks.

Continued on next page.

Date

Issued:

Third Character (HISTORY) A - No previous history, B = Repeat, C = Habitual or chronic.	Fourth Character (MISSING FROM) A - Family residence, B - School, C - Other institution, D - A vacation (travel, etc.) E - Shopping plaza/mall, F - Work or work related, G - Disaster (plane, etc.), H - Child care services, I - Foster home, J - Detention Centre, K - Youth centre, L - Other-clarify in remarks,
Fifth Character	Sixth Character
(DENTAL CHART)	(DISABILITY OR DEPENDENCY)
A - Available and entered, B - Available & not entered, C - Requested but not entered, D - Unavailable.	A - Physical disability, B - Mental disability or senile, C - Medical dependency, D - Possibly suicidal, E - Alcohol/drug addict, F - Combination of above, G - None known, H - Other.

Element No: 631

Source

Number:

1035

Language:

ENGLISH

UCR Term:

Element

Name:

PERSON INVOLVEMENT STATUS

Mnemonic:

PERS-STATUS

Field

Type:

AN

Length: 3

Occurs:

2

NO

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Describes the involvement status of a person in the occur-

rence.

Coding

Rules:

Valid entries consist of one or two codes consisting of two or three uppercase letters, as per the following table:

ACT - ACTIVE,

CHA - CHARGED,

COM - COMPLAINANT,

DER - DERANGED PERSON,

DRI - DRIVER,
PAS - PASSENGER,
PED - PEDESTRIAN,

REP - REPORTEE (UNDER PAROLE),

RO - REGISTERED OWNER,

STR - STREET CHECK,

SUS - SUSPECT, VIC - VICTIM,

VIO - VIOLENT PERSON,

WIT - WITNESS, COU - COURIER, OTH - OTHER.

Date

Issued:

89.08.01

Element No: 632

Source

Number:

53

Language:

ENGLISH

UCR Term:

NO

Element

Name:

PHOTO AVAILABLE

Mnemonic:

PHOTO

Field

Type:

Α

Length: 1

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to indicate if a photo of the missing person is

available.

Coding

Rules:

Valid entries are one of the following uppercase

letters:

Y - available,

N - not available.

Date

Issued:

Element No: 633

Source

Number:

10

Language:

ENGLISH

UCR Term:

ИО

Element

Name:

PLACE OF BIRTH

Mnemonic:

POB

Field

Type:

Α

4

Occurs:

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to record the place of birth.

Coding

Rules:

The following uppercase letter abbreviations for geographical locations must be used:

ALTA - ALBERTA

BC - BRITISH COLUMBIA

MAN - MANITOBA

NB - NEW BRUNSWICK NFLD - NEWFOUNDLAND NS - NOVA SCOTIA

ONT - ONTARIO

PEI - PRINCE EDWARD ISLAND

QUE - QUEBEC (or PQ) SASK - SASKATCHEWAN

NWT - NORTHWEST TERRITORIES
YT - YUKON TERRITORY (or YKN)

CAN - CANADA

UK - UNITED KINGDOM

USA - UNITED STATES OF AMERICA (or US)

EUR - EUROPE

OTH - OTHER AREAS

Date

Issued:

89.08.01

Source

Number: 1065

Language:

ENGLISH

UCR Term:

Element No: 634

NO

Element

Name:

POSITION

Mnemonic:

POS

Field

Type:

Α

Length: 15

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to identify the specific nature of a person's

employment.

Coding

Rules:

Valid entries consist of English/French terms describing the specific nature or position of a person's employment,

up to 15 characters long.

Valid characters are:

Alphabetic upper case A - Z;

Hyphen (-), apostrophe (') and space.

Date

Issued:

Data Elements Standard

Element No: 635 89.08.01 for Police Information Systems

Source

Number: UCR Term: YES 5031 Language: ENGLISH

Element

Name: RACE

Mnemonic: RACE

Field

Type: Length: Occurs: Α 1 1

Category: **PERSON**

Sub-

DESCRIPTION Category:

Descr: Race is defined as both, a group of persons of common

> descent, and as a group of persons with common features. Racial origin does not refer to citizenship, nationality,

or cultural identity.

Coding

Rules: Valid entries are one uppercase letter codes as per the

following table:

blank - not applicable;

A unknown;

В European (white);

C South Asian;

D Negroid (black);

E East/South East Asian (yellow);

F Aboriginal Peoples of Canada (Inuit/Eskimo, Metis);

G Central and South American Origin (including

Aboriginal Peoples of Central/South America);

Z Other.

Date

Element No: 636

Source

Number:

5032

Language:

ENGLISH

UCR Term: YES

Element

Name:

RELATIONSHIP OF ACCUSED TO THE VICTIM

Mnemonic: REL-ACC-VICT

Field

Type: N Length: 2

Occurs:

2

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

The first field of this data element is used to establish the nature of the relationship between the accused and the victim. The second field defines whether the victim and the accused were living together at the time of the incident.

Coding

Rules:

Valid entries are two numeric codes of two digits, one each from the following two tables:

First Field (IDENTITY OF THE ACCUSED)

Second Field (LIVING TOGETHER ?)

yes;

no.

unknown;

00 -

01 -

02 -

00 - unknown;

01 - spouse;

02 - ex-spouse; 03 parent;

04 child;

05 other immediate family;

06 extended family; 07 - close friend;

08 - business relationship; 09 - casual acquaintance;

10 - stranger.

Date

Element No: 637

Source

Number:

60

Language:

ENGLISH

UCR Term:

m: NO

Element

Name:

RIGHT- OR LEFT-HANDED

Mnemonic:

ROL-HAND

Field

Type:

Α

Length: 1

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to indicate whether the subject is right- or left-

handed.

Coding

Rules:

One uppercase letter code as follows:

R - Right handed; L - Left handed.

Date

Issued:

Element No: 638

Source

Number:

5028

Language:

ENGLISH

UCR Term: YES

Element

Name:

SEX

Mnemonic:

SEX

Field

Type:

Α

Length: 1 Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Indicates the sex of a person.

Coding

Rules:

Valid entries are one uppercase letter codes as per the following table:

unknown; F female;

M - male;

- other.

Date

Issued:

Element No: 639

Source

Number:

82

Language:

ENGLISH

UCR Term:

NO

Element

Name:

SPECIAL DENTAL TREATMENT

Mnemonic:

SPLT

Field

Type:

Α

Length:

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to indicate special dental treatments.

Coding

Rules:

Valid entries are up to four uppercase letter codes from

the following table:

Gold fillings present;

tooth Replacement (dentures or fixtures);
Endodontics (root canal work); R -

E

Abnormalities (dental).

Date

Issued:

89.08.01

Element No: 640

Source

Number:

2

Language:

ENGLISH

UCR Term:

NO

Element

Name:

SURNAME

Mnemonic:

SNME

Field

Type:

Α

Length: 24

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

This is a person's surname, family name or nickname.

Coding

Rules:

A person's surname must be spelled in full.

The acceptable characters are alphabetic A - Z,

apostrophe ('), hyphen (-) and space.

The first character must be a letter A - Z.

Date

Issued:

89.08.01

Element No: 641

Source

Number:

81

Language:

ENGLISH

UCR Term: NO

Element

Name:

TEETH ABSENT

Mnemonic:

TAB

Field

Type:

AN

Length: 95 Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to indicate the teeth missing.

Coding

Rules:

Information on absent teeth must be entered exactly as

provided by qualified dental or medical personnel:

Example: TAB:16,27,28,38,48/

The acceptable characters are:

Alphabetic uppercase letters TAB; Numeric 0 - 9;

Comma (,), colon (:), and slash (/).

Date

Issued:

Element No: 642

Source

Number:

61

Language:

ENGLISH

UCR Term: NO

Element

Name:

TEETH DESCRIPTION CODE

Mnemonic:

TEETH

Field

Type:

Α

Length: 1

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to describe the appearance of the subject's teeth.

Coding

Rules:

One uppercase letter from the following teeth description

table:

A - protruding uppers,

G - false, H - good,

B - protruding lowers, C - visible missing,

D - visible decay,

I - crooked, J - braces,

E - gold visible,

K - other.

F - stained,

Date

Issued:

89.08.01

Element No: 643

Source

Number:

80

Language:

ENGLISH

UCR Term:

NO

Element

Name:

TEETH TREATED

Mnemonic:

TTR

Field

Type:

AN

Length: 95

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to indicate the teeth treated.

Coding

Rules:

Information on teeth treated must be entered exactly as provided by qualified dental or medical practitioners.

Example: TTR:17,27,37,48/

The acceptable characters are:

Alphabetical upper case letters TTR; Numeric 0 - 9; Comma (,) colon (:), and slash (/).

Date

Issued:

Element No: 644

Source

Number:

56

Language:

ENGLISH

UCR Term:

NO

Element

Name:

X-RAYS AVAILABLE

Mnemonic:

BXR

Field

Type:

Α

Length: 1

Occurs:

1

Category:

PERSON

Sub-

Category:

DESCRIPTION

Descr:

Used to indicate if body X-Rays are available for a person.

Coding

Rules:

Valid entries are one of the following uppercase letter

codes:

A - FULL,

B - PARTIAL,

C - NONE.

Date

Issued:

89.08.01 for Police Information Systems Element No: 645

Source

Number: 5021 Language: ENGLISH UCR Term: YES

Element

Name: ACCUSED IDENTIFIER

Mnemonic: ACCUS-IDENT

Field

Type: AN Length: 4 Occurs: 1

Category: PERSON

Sub-

Category: IDENTIFICATION

Descr: An algorithm provided by the Law Enforcement Program to

police respondents which encodes the name of the accused

in such a way as to ensure confidentiality.

Coding

Rules: Valid entries are 4 character codes consisting of an upper

case letter and three digits, generated by the "SOUNDEX"

computer algorithm provided to police respondents by

Statistics Canada.

Example: B652 for Bronson or Brunsen.

Date

Data Elements Standard

89.08.01 for Police Information Systems Element No: 646

Source

Number: 1055 Language: ENGLISH UCR Term: NO

Element

Name: BOOKING NUMBER

Mnemonic: BOOK-NO

Field

Type: N Length: 5 Occurs: 1

Category: PERSON

Sub-

Category: IDENTIFICATION

Used to record the booking number of an arrested subject. Descr:

Coding

Rules: Valid entries are sequential numbers up to 5 digits long.

Leading zeroes are optional.

Valid characters are numeric digits 0 - 9.

Date

Data Elements Standard 89.08.01

Element No: 647 for Police Information Systems

Source

Number: 3030 Language: ENGLISH UCR Term: NO

Element

Name: CRIMINAL IDENTIFICATION NUMBER

Mnemonic: CRNO

Field

Type: AN Length: Occurs: 1

Category: PERSON

Sub-

Category: IDENTIFICATION

The Criminal Identification Number assigned to a dossier Descr:

holding a person's fingerprints, photographs and criminal

history documents.

Coding

Rules: Valid entries are full and accurate dossier numbers of up to

nine (9) characters without intervening spaces or separator

symbols.

Valid characters are:

Alphabetic upper case A - Z;

Numeric 0 - 9;

Trailing spaces.

Date

Element No: 648

Source

Number:

19

Language:

ENGLISH

UCR Term:

NO

Element

Name:

DRIVER'S LICENCE

Mnemonic:

DL

Field

Type:

AN

Length: 20

Occurs:

1

Category:

PERSON

Sub-

Category:

IDENTIFICATION

Descr:

The identification number on a persons drivers licence.

Coding

Rules:

Valid entries are driver's licence serial numbers entered

in full.

Valid characters are:

Alphabetic upper case A - Z,

Numeric

0 - 9,

Special hyphen (-) and slash (/).

If the driver's licence is unknown, the field must be left

blank.

Date

Issued:

89.08.01

Element No: 649

Source

Number:

Language:

ENGLISH

UCR Term:

NO

Element

Name:

FINGERPRINT PATTERN

Mnemonic:

FPC

Α

24

Field

Type:

Length:

Occurs:

1

Category:

PERSON

Sub-

Category:

IDENTIFICATION

Descr:

To record a person's fingerprint pattern code.

Coding

Rules:

The person's fingerprint pattern code consisting of the

10

recognized Fingerprint Pattern Codes.

Example: ARTUWCDX=\$&

where:

means any possible pattern,

\$ means scars,

& means amputated.

Date

Issued:

Element No: 650

Source

Number:

58

Language:

ENGLISH

UCR Term:

NO

Element

Name:

FOOTPRINTS/FINGERPRINTS AVAILABLE

Mnemonic:

FPA

Field

Type:

Α

Length: 1

Occurs:

1

Category:

PERSON

Sub-

Category:

IDENTIFICATION

Descr:

To indicate if footprints and/or fingerprints are available.

Coding

Rules:

One of the following uppercase letters:

Y - available

N - not available

NOTE: Use of a related remarks field is recommended to

indicate what is available.

Date

Issued:

89.08.01

Element No: 651

Source

Number:

25

Language:

ENGLISH

UCR Term: NO

Element

Name:

FPS NUMBER

Mnemonic:

FPS

Field

Type:

AN

Length: 7

Occurs:

1

Category:

PERSON

∴ub-

Category:

IDENTIFICATION

Descr:

Used to record an individual's RCMP Fingerprint Section

file number.

Coding

Rules:

A seven character Fingerprint Section Code consisting of:

- six numeric digits 0 - 9,

- one letter A - Z.

Example: 603384A

Date

Issued:

89.08.01 Element No: 652

Source

3

Number: 1057 Language: ENGLISH UCR Term: NO

Element

PASSPORT NUMBER Name:

Mnemonic: PASP-NO

Field

Type: AN Length: 15 Occurs: 1

Category: PERSON

Sub-

Category: IDENTIFICATION

Descr: Used to record the country of issue and the passport number.

Coding

Valid entries consist of: Rules:

> - a 5 digit numeric code of the country of issue as per the following table, followed by

the passport number consisting of up to 10 uppercase letters and digits.

10000 - Canada

30000 - United States of America

CARIBBEAN AND CENTRAL AMERICA

40200 - Antigua 40300 - Bahamas 40400 - Belize 40400 - Barbados

40600 - Bermuda 40700 - Cayman Islands

40800 - Costa Rica 40900 - Cuba

41000 - Dominica 41100 - Dominican Republic

41200 - El Salvador 41300 - Grenada 41400 - Guadelupe 41500 - Guatemala 41600 - Haiti 41700 - Honduras

Date

	CENTRAL AMERICA	(Cont'd)
42000 - 42300 - 42600 - 42800 - 43000 - 43200 -	St Kitts Nevis	41900 - Martinique 42200 - Nicaragua 42500 - Puerto Rico 42700 - St Lucia 42900 - Trinidad and Tobago 43100 - US Virgin Islands 43300 - Aruba 43500 - Monserrat Island
	SOUTH AMERICA	
50300 - 50500 - 50800 - 51000 - 51200 -	Argentina Brazil Colombia French Guiana Paraguay Surinam Venezuela	50200 - Bolivia 50400 - Chile 50600 - Ecuador 50900 - Guyana 51100 - Peru 51300 - Uruguay
	EUROPE	
60300 - 60500 - 60700 - 60900 - 61100 - 61400 - 61800 - 62200 - 62200 - 62400 - 62600 - 62800 - 63300 - 63500 - 63700 -	Netherlands Poland Romania Sweden	60200 - Andora 60400 - Belgium 60600 - Cyprus 60800 - Denmark 61000 - Faroe Islands 61200 - France 61500 - Greenland 61700 - Iceland 61900 - Italy 62100 - Luxembourg 62300 - Monaco 62500 - Norway 62700 - Portugal 62900 - San Marino 63200 - Switzerland 63400 - USSR 63600 - West Germany 63800 - Spain
	ASIA	
70300 - 70500 - 70700 - 70900 -	Kampuchea Hong Kong Indonesia Iraq Japan	70200 - Bahrain 70400 - Bhutan 70600 - Burma 70800 - China 71000 - India 71200 - Iran 71400 - Israel 71600 - Jordan 71800 - Laos

71900 - Lebanon 72000 - Macau
72100 - Malaysia 72200 - Maldives
72300 - Mongolia 72400 - Nepal
72500 - North Korea 72600 - Oman
72700 - Pakistan 72800 - Philippines
72900 - Qatar 73000 - Saudi Arabia
73100 - Singapore 73200 - South Korea
73300 - South Yemen 73400 - Sri Lanka
73500 - Syria 73600 - Taiwan
73700 - Thailand 73800 - United Arab Emirate
73900 - Vietnam 74000 - Yemen

AFRICA

AUSTRALIA AND OCEANIA

90300 - Australia 91500 - New Zealand 91700 - Papua New Guinea 92100 - Tonga

89.08.01

Element No: 653

Source

Number:

6130

Language:

ENGLISH

UCR Term:

Element

Name:

PHOTO NUMBER

Mnemonic:

PHOTO-NO

Field

Type:

AN

Length: 15

Occurs:

1

NO

Category:

PERSON

Sub-

Category:

IDENTIFICATION

Descr:

The identification number on a police photograph of a

subject.

Coding

Rules:

Valid entries are full identification numbers from the identification photograph consisting of uppercase letters and digits, without intervening spaces or separator symbols.

Valid characters are:

Alphabetic upper case A - Z; Numeric 0 - 9.

Date

Issued:

Element No: 654

Source

Number:

3032

Language:

ENGLISH

UCR Term: NO

Element

Name:

SOCIAL INSURANCE NUMBER

Mnemonic:

SIN

Field

Type:

Length: 9

Occurs:

- 1

Category:

PERSON

Sub-

Category:

IDENTIFICATION

Descr: Canadian Social Insurance Number.

Coding

Rules:

Valid entries are full and accurate Social Insurance Numbers consisting of nine digits. The number entered must meet the social insurance number check-digit edit.

Date

Issued:

89.08.01

Element No: 701

Source

Number: 91 Language: ENGLISH UCR Term: NO

Element

Name: ARTICLE MAKE

Mnemonic: ART-MAKE

Field

Type: AN Length: 9 Occurs: 1

Category: PROPERTY

Sub-

Category: ARTICLE

Descr: This indicates a manufacturer's name or trade name for an

item of property.

Coding

Rules: The full or abbreviated name or trade name of the manu-

facturer of the article. If the name or trade name is

unknown, ZZZ is entered.

Acceptable characters are:

Alphabetic upper case A - Z;

Hyphen (-) and spaces.

Date

89.08.01 for Police Information Systems Element No: 702

Source

Number:

102

Language:

ENGLISH

UCR Term:

NO

Element

Name:

ARTICLE MODEL

Mnemonic:

ART-MODEL

Field

Type:

AN

Length: 12

Occurs:

1

Category:

PROPERTY

Sub-

Category:

ARTICLE

Descr:

Used to record the manufacturer's model designation for an

article.

Coding

Rules:

Valid entries are manufacturer's model designations

consisting of up to twelve uppercase letters and digits.

Date

Issued:

ation Systems Element No: 703

Source

Number:

84

Language:

ENGLISH

UCR Term:

Element

Name:

ARTICLE TYPE

Mnemonic:

ART-TYPE

Field

Type:

Α

Length: 2

Occurs:

1

NO

Category:

PROPERTY

Sub-

Category:

ARTICLE

Descr:

Used to indicate the various sub-categories of property

within the article category.

Coding

Rules:

Valid entries are two upper case letter codes from the

following table:

AA - All domestic appliances

(e.g. stoves, washers, etc);

PA - Personal accessories

(e.g. hearing aids, luggage, etc.);

SC - Scientific, optical and measuring devices

(e.g. binoculars, etc.);

HH - Household property

(e.g. rugs, furniture, etc.);

JE - Jewellery

(e.g. watches, rings, etc.);

Continued on next page.

Date

Issued:

ARTICLE TYPE (Cont'd) MI - Musical instruments (e.g. pianos, brass instruments, etc.); OM - Office machines and equipment (e.g. typewriters, calculators, etc.); PE - Photographic equipment (e.g. cameras, enlargers, etc.); RA - Radio, TV, sound-reproducing equipment (e.g. record players, television sets, video recorders and related equipment, including video cameras, etc.); SP - Sporting goods and hobby equipment (e.g. skis, model aircraft, scuba tow-motors, etc.); MT - Machinery and tools (e.g. electrical motors, lawn movers (non-riding), etc.); OT - Others (e.g. animals, vending machines, precious metals such as gold bars, uniquely identifiable gun barrels, etc.);

(except motorized, e.g. tandems, tricycles, etc.).

BI - All bicycles

Element No: 704

Source

Number:

90

Language:

ENGLISH

UCR Term:

NO

Element

Name:

ITEM

Mnemonic:

ITEM

Field

Type:

A

Length: 12

Occurs:

1

Category:

PROPERTY

Sub-

Category:

ARTICLE

Descr:

This data element indicates the usual common name of an

article.

Coding

Rules:

A single keyword representing the usual common name for an

article. Valid characters are:

Alphabetic upper case A - Z;

Hyphen (-) and spaces.

Date

Issued:

89.08.01

Element No: 705

Source

Number:

94

Language:

ENGLISH

UCR Term: NO

Element

Name:

SPEED

Mnemonic:

SPEED

Field

Type:

N

Length:

Occurs:

1

Category:

PROPERTY

Sub-

Category:

ARTICLE

Descr:

This indicates a bicycle's speed configuration.

·Coding

Rules:

Valid entries are one or two digit numbers representing the

2

bicycle speed configuration.

Examples: 3, 5, 10, 15, etc.

Date

Issued:

89.08.01

Element No: 706

Source

Number: 181

Language: ENGLISH

UCR Term: NO

Element

Name:

BOAT CLASS

Mnemonic:

BOAT-CLASS

Field

Type:

Length: 6

Occurs:

1

Category:

PROPERTY

Sub-

Category:

BOAT

A

Descr:

This field is used to indicate the configuration or function

of a boat (e.g. pleasure, commercial, etc.).

Coding

Rules:

Valid entries are uppercase letter keywords of up to six

haracters from the following table:

P

C

LEASU - PLEASURE

- Any type of boat used for pleasure;

COMMER - COMMERCIAL

- Boats used in industry and commerce

e.g. fishing, etc.

SPORTS - SPORTS

- Any type of boat used for sporting

events, e.g. speed-boat, etc.

ACV - AIR

CUSHIONED VEHICLE

- Hovercraft, etc.

OTHER - OTHER

- All other boats not covered by the

above categories.

Date

Issued:

89.08.01 Element No: 707 for Police Information Systems

Source

Number: 174 Language: ENGLISH UCR Term: NO

Element

Name: BOAT LENGTH

Mnemonic: BOAT-LENGTH

Field

3 Length: Type: Occurs: 1 N

Category: PROPERTY

Sub-

Category: BOAT

Descr: This field is used to enter the overall length of the boat

in metres.

Coding

Rules: Valid entries are integers uf up to three digits. Decimal

fractions are rounded to the nearest integer (e.g 12.5

metres is codedas 13).

Date

89.08.01

Element No: 708

Source

Number:

170

Language:

ENGLISH

UCR Term:

NO

Element

Name:

BOAT LICENCE

Mnemonic:

BOAT-LIC

Field

Type:

AN

Length: 10 Occurs:

1

Category:

PROPERTY

Sub-

Category:

BOAT

Descr:

This field applies to any boat having a motor with 10 horsepower or over, which are required by law to be licenced. The licence number is affixed, painted or

engraved on the bow of the boat.

Coding

Rules:

Valid entries are full and accurate boat licence numbers consisting of uppercase letters and digits with no intervening spaces or separator symbols (hyphens, slashes, etc.).

Date

Issued:

Element No: 709

Source

Number:

176

Language:

ENGLISH

UCR Term:

NO

Element

Name:

BOAT MAKE

Mnemonic:

BOAT-MAKE

Field

Type:

AN

Length:

Occurs:

1

Category:

PROPERTY

Sub-

Category:

BOAT

Descr:

This field is used to record the name or trade name of the

8

manufacturer of the boat or the boat motor.

Coding

Rules:

Valid entries are up to eight first characters of a

manufacturer's name or trade name consisting of upper case letters and digits without intervening spaces or separator

symbols.

Valid characters are:

Alphabetic upper case A - Z;

Numeric

0 - 9.

Date

Issued:

89.08.01

Element No: 710

Source

Number:

177

Language:

ENGLISH

UCR Term:

Element

Name:

BOAT MODEL

Mnemonic:

BOAT-MODEL

Field

Type:

AN

Length:

Occurs:

1

NO

Category:

PROPERTY

Sub-

Category:

BOAT

Descr:

This field is used to enter the manufacturer's model

designation of a boat.

Coding

Rules:

Valid entries are sequencies of up to first nine upper

case letters and/or digits of the manufacturer's model

designation.

Valid Characters are:

Alphanumeric upper case A - Z;

Numeric

0 - 0

Date

Issued:

89.08.01

Element No: 711

Source

Number: 171

Language:

ENGLISH

UCR Term: 1

NO

Element

Name:

BOAT NAME

Mnemonic:

BOAT-NAME

Field

Type:

AN

Length: 13

Occurs:

- 1

Category:

PROPERTY

Sub-

Category:

BOAT

Descr:

This field provides for entry of the name shown on the hull

or stern of a boat.

Coding

Rules:

Valid entries are up to first thirteen (13) characters of

the boat name, with no intervening spaces or separator

symbols.

Example: Mary Ann is entered as MARYANN

NOTE: If the name of the boat exceeds 13 characters, the

appropriate remarks field should be used to enter

the full name.

Date

Issued:

89.08.01

Element No: 712

Source

Number: 172

Language:

ENGLISH

UCR Term:

NO

Element

Name:

BOAT REGISTRATION

Mnemonic:

BOAT-REG

Field

Type:

AN

Length:

7

Occurs:

1

Category:

PROPERTY

Sub-

Category:

BOAT

Descr:

This field is used to enter the registration number of commercial vessels over 15 tons, and of pleasure craft of 20 tons and over, which are not required to be licensed, but must be registered with the Registrar of Shipping.

Coding

Rules:

Valid entries are boat Registration Numbers usually obtained from the captain of the vessel consisting of up to seven upper case letters and digits without intervening spaces or separator symbols.

Date

Issued:

89.08.01

Element No: 713

Source

Number:

182

Language:

ENGLISH

UCR Term:

NO

Element

Name:

BOAT STATUS

Mnemonic:

BOAT-STATUS

Field

Type:

A

Length:

1

Occurs:

1

Category:

PROPERTY

Sub-

Category:

BOAT

Descr:

This field is used to identify the status of a boat entry.

Coding

Rules:

Valid entries are the following uppercase letter codes:

L - Lost or missing;

S - Stolen;

R - Recovered.

Date

Issued:

89.08.01 for Police Information Systems Element No: 714

Source

UCR Term: NO Number: 169 Language: ENGLISH

Element

Name: BOAT TYPE

Mnemonic: BOAT-TYPE

Field

Type: Length: 5 Occurs: 1 Α

Category: PROPERTY

Sub-

Category: BOAT

Descr: This data element is used to record the type of boat or

craft involved.

Coding

Valid entries are keywords of up to five uppercase letters Rules:

without intervening spaces as per the following table:

RUN RUNABOUT, POWER POWERBOAT, HOUSE -HOUSEBOAT, SAIL SAILBOAT, OTHER - ALL OTHER.

Date

89.08.01

Element No: 715

Source

Number:

179

Language:

ENGLISH

UCR Term:

NO

Element

Name:

HULL

Mnemonic:

HULL

Field

Type:

Α

Length: 7

Occurs:

1

Category:

PROPERTY

Sub-

Category:

BOAT

Descr:

This data element is used to indicate the material used in

construction of the hull of a boat.

Coding .

Rules:

Valid entries are one of the following keywords or

abbreviations in uppercase letters.

METAL,

FIBER (Glass),

WOOD,

CONCRET (Concrete),

OTHER or OT.

NOTE: When OTHER (or OT) is used, an appropriate remarks

field should be used to provide full information.

Date

Issued:

Element No: 716

Source

Number:

173

Language:

ENGLISH

UCR Term:

NO

Element

Name:

HULL IDENTIFICATION NUMBER

Mnemonic:

HIN

Field

Type: AN

Length:

Occurs:

1

Category:

PROPERTY

Sub-

Category:

BOAT

Descr:

The number which Canadian and USA boat manufacturers must,

12

by law, affix to each completed hull.

Coding

Rules:

Valid entries are full Hull Identification Numbers (HIN), consisting of up to 12 uppercase letters and/or digits with

no intervening spaces or separator symbols.

Valid characters are:

Alphabetic upper case A - Z;

Numeric

0 - 9

NOTE: If the identification number exceeds 12 characters,

an appropriate remarks field should be used to

record the complete number.

Date

Issued:

89.08.01

Element No: 717

Source

Number:

175

Language:

ENGLISH

UCR Term:

NO

Element

Name:

PROPULSION

Mnemonic:

PROP

Field

Type:

Α

Length:

8

Occurs:

1

Category:

PROPERTY

Sub-

Category:

BOAT

Descr:

This field is used to indicate the type of boat propulsion.

Coding

Rules:

Valid entries are upper case letter keywords or abbreviations as per the following table:

OUTB - OUTBOARD outboard motor(s);

INB - INBOARD inboard motor(s);

INOUT - INBOARD/ motor(s) with main engine components OUTBOARD inboard with an external drive train.

SAIL boat equipped with sails (could also - SAIL

have motors).

otorigon- OTHER - boat propelled by oars, paddles, etc.

If OTHER is used, an appropriate remarks field should NOTE:

be used to describe the method of propulsion.

Date

Issued:

89.08.01

Element No: 718

Source

Number:

185

Language:

ENGLISH

UCR Term:

NO

Element

Name:

MOTOR MAKE

Mnemonic:

MOTOR-MAKE

Field

Type:

Α

Length: 4 Occurs:

1

Category:

PROPERTY

Sub-

Category:

BOAT MOTOR

Descr:

The name of the manufacturer of the boat motor (e.g.

EVINRUDE, MERCURY, etc.).

Coding

Rules:

Valid entries consist of the first four characters of the

manufacturer's name in uppercase letters without intervening

spaces or separator symbols.

Valid characters are alphabetic uppercase A - Z.

Date

Issued:

Element No: 719

Source

Number:

188

Language:

ENGLISH

UCR Term: NO

Element

Name:

MOTOR MODEL NUMBER

Mnemonic:

MODEL-NO

Field

Type:

AN

Length:

Occurs:

1

Category:

PROPERTY

Sub-

Category:

BOAT MOTOR

Descr:

This field is used to enter the model number (not serial

number) of the boat motor.

Coding

Rules:

Valid entries are manufacturer's model numbers consisting

of up to 9 uppercase letters and/or digits.

Date

Issued:

89.08.01

Element No: 720

Source

Number: 183

Language: ENGLISH

UCR Term: NO

Element

Name:

MOTOR TYPE

Mnemonic:

MOTOR-TYPE

Field

Type:

A

Length: 5

Occurs:

1

Category:

PROPERTY

Sub-

Category:

BOAT MOTOR

Descr:

This field is used to identify the type of boat motor i.e.

inboard, outboard, etc.

Coding

Rules:

Valid entries are the following abbreviations in uppercase

letter:

INB - INBOARD - A motor housed within the boat framework;

OUTB - OUTBOARD - A motor attached to the boat externally -

usually portable;

INOUT - INBOARD/ - A motor having the main components housed

OUTBOARD within the boat, with an exterior drive;

OTHER - OTHER - A motor not covered by the above types.

NOTE: When OTHER is used, aditional information should

be provided in a remarks field.

Date

Issued:

89.08.01

Element No: 721

Source

Number:

186

Language:

ENGLISH

UCR Term:

m: NO

Element

Name:

HORSEPOWER/OR THRUST LB.

Mnemonic:

HP

Field

Type:

N

Length: 5

Occurs:

1

Category:

PROPERTY

Sub-

Category:

BOAT/MOTOR

Descr:

This field is used to record the horsepower rating or thrust

in pounds of a boat motor.

Coding

Rules:

Valid entries are positive integers or decimal numbers with maximum of one digit to the right of the decimal point, representing the horsepower of the motor or the thrust in pounds.

NOTE: The unit of measure must be resolved by the use of a corresponding unit of measure field, or by remarks in an appropriate remarks field.

Date

Issued:

Element No: 722

Source

Number: 1112 Language:

ENGLISH

UCR Term:

NO

Element

Name:

EXHIBIT ITEM NUMBER

Mnemonic:

EXH-ITM

Field

Type:

N

Length: 4

Occurs:

1

Category:

PROPERTY

Sub-

Category:

EXHIBIT

Descr:

Contains the sequential item number from the exhibit form.

Coding

Rules:

Valid entries are ascending sequential numbers from 1 -

9999. Leading zeroes are optional.

Valid characters are numeric 0 - 9.

Date

Issued:

89.08.01

Element No: 723

Source

Number:

1110

Language:

ENGLISH

UCR Term:

NO

Element

Name:

EXHIBIT NUMBER

Mnemonic:

EXH-NO

Field

Type:

N

Length: 9

Occurs:

1

Category:

PROPERTY

Sub-

Category:

EXHIBIT

Descr:

Contains the control reference number of an exhibit.

Coding

Rules:

Valid entries are nine character exhibit numbers in the

format YYNNNNNN where:

two digit year;

NNNNNNN - 7 digit exhibit number.

Example: 890000001

Date

89.08.01

Element No: 724

Source

Number: 1127

Language:

ENGLISH

UCR Term:

NO

Element

Name:

PROPERTY DISPOSITION

Mnemonic:

PROP-DISP

Field

Type:

AN

Length: 25

Occurs:

1

Category:

PROPERTY

Sub-

Category:

EXHIBIT

Descr:

Used to describe the final disposition of property or

exhibit.

Coding

Rules:

Valid entries are descriptive keywords of up to 25 upper case letters, or numeric codes from 1 - 7 with an optional leading zero, as per the following table:

- 1 OTHER
- 2 DESTROYED
- 3 RETURNED TO OWNER 4 - RELEASED TO COURT 5 - RELEASED TO AGENT
- 6 RECOVERED BY OWNER

7 - SOLD AT PUBLIC AUCTION

Date

Issued:

89.08.01

Source Number:

6240

Language:

ENGLISH

UCR Term: NO

Element No: 725

Element

Name:

TAG NUMBER

Mnemonic:

TAG-NO

Field

Type:

AN

Length:

Occurs:

1

Category:

PROPERTY

Sub-

Category:

EXHIBIT

Descr:

A unique number printed on the tag attached to an exhibit.

Coding

Rules:

Valid entries are full exhibit tag numbers consisting of upper case letters and/or digits up to seven characters long without intervening spaces and separator symbols.

Valid characters are:

Alphabetic upper case A - Z; Numeric 0 - 9.

Date

for Police Information Systems Element No: 726 89.08.01

Source

Number: 4026 Language: ENGLISH UCR Term: NO

Element

Name: ARTICLE CONDITION

Mnemonic: ART-COND

Field

AN Length: 20 Type: Occurs: 1

Category: **PROPERTY**

Sub-

Category: GENERIC

Descr: Description of the general condition of an item of property.

Coding

Rules: Valid entries are brief descriptive terms related to the

condition of an article of up to 20 characters.

Valid characters are:

Alphabetic upper case A - Z;

Numeric 0 - 9:

Period (.), comma (,), hyphen (-), slash (/) and space.

Date

89.08.01

Source

Number:

4014

Language:

ENGLISH

UCR Term:

Element No: 727

ИО

Element

Name:

CAPACITY OR SIZE

Mnemonic:

CAP

N

Field

Type:

Length:

6

Occurs:

1

Category:

PROPERTY

Sub-

Category:

GENERIC

Descr:

Used to record the capacity or size of a property item.

Coding

Rules:

Valid entries are numbers 1 - 999999 without leading zeroes, representing the capacity or size of an item of property in terms of a corresponding unit-of-measure.

Valid characters are numeric 0 - 9.

Fractional values are rounded to the nearest integer.

Date

Issued:

89.08.01 for Police Information Systems

Source

Number: 6103

3 Language:

ENGLISH

UCR Term: NO

Element No: 728

Element

Name:

CREDIT CARD NUMBER

Mnemonic:

CR-CRD-NO

Field

Type:

AN

Length: 16

Occurs:

1

Category:

PROPERTY

Sub-

Category:

GENERIC

Descr:

This data element is used to record the number of a credit

card.

Coding

Rules:

Valid entries are full credit card numbers consisting of

uppercase letters and digits, without intervening spaces

or separator symbols.

Valid characters are:

Alphabetic upper case A - Z;

Numeric

0 - 9

Date

Issued:

89.08.01 for Police Information Systems

Source

Language: ENGLISH UCR Term: NO Number: 6102

Element No: 729

Element

Name: CREDIT CARD TYPE

Mnemonic: CR-CRD-TYP

Field

Type: AN Length: 2 Occurs: 1

Category: PROPERTY

Sub-

Category: **GENERIC**

Descr: This field is used to record the type, or the name of the

issuer, of a credit card.

Coding

Rules: Valid entries consist of two digit numeric codes as per

the following table:

01 - American Express, 11 - Petro Canada,

02 - Automatic Bank Card, 12 - Sears, 03 - Canadian Tire, 13 - Shell, 04 - Diners Club, 14 - Simpsons,

05 - Eatons, 15 - Sunoco, 06 - En Route, 16 - Texaco,

07 - Esso, 17 - Visa, 18 - Zellers, 19 - Other. 09 - Imperial Oil,

10 - Master Card,

Date

Element No: 730 89.08.01 for Police Information Systems

Source

Number:

6202

Language:

ENGLISH

UCR Term:

NO

Element

Name:

INSURANCE COMPANY

Mnemonic:

INSURER

Field

Type:

AN

Length: 25 Occurs:

1

Category:

PROPERTY

Sub-

Category:

GENERIC

Descr:

The name of the insurance company that issued a policy on

any specific property.

Coding

Rules:

Valid entries are full or abbreviated names of an insurance

company up to 25 characters long.

Valid characters are:

Alphabetic upper case A - Z;

Numeric

0 - 9;

Hyphen (-), apostrophe ('), period (.), and space.

Date

Issued:

89.08.01

Element No: 731

Source

Number:

2063

Language:

FRENCH

UCR Term: NO

Element

Name:

NUMBER OF ITEMS

Mnemonic:

NO-ITEMS

Field

Type:

N

Length: 3

Occurs:

1

Category:

PROPERTY

Sub-

Category:

GENERIC

Descr:

Indicates the number of items involved.

Coding

Rules:

The acceptable entries are integers between 1 and 999

without leading zeros.

Date

Element No: 732 89.08.01 for Police Information Systems

Source

Number: Language: ENGLISH UCR Term: NO 6204

Element

Name: POLICY NUMBER

Mnemonic: POL-NO

Field

Type: AN Length: 10 Occurs: 1

Category: PROPERTY

Sub-

GENERIC Category:

The insurance policy number for an item of insured property. Descr:

Coding

Rules: Valid entries are full and accurate insurance policy

numbers of up to 10 characters without intervening spaces

or separator symbols.

Valid characters are:

Alphabetic upper case A - Z;

Numeric 0 - 9.

Date Issued: 890731

89.08.01 for Police Information Systems

Source

Number: 1108 UCR Term: Language: NO ENGLISH

Element No: 733

Element

Name: PROPERTY INVOLVEMENT STATUS

Mnemonic: PROP-STATUS

Field

Type: AN Length: Occurs: 3

Category: **PROPERTY**

Sub-

Category: GENERIC

Descr: Used to describe the involvement status of an item of

property in the occurence.

Coding

Rules: Valid entries are up to three abbreviations consisting of

three uppercase letters as per the following table:

OTH OTHER,

LOS LOST,

PAW PAWNED,

REC RECOVERED,

SEI SEIZED,

STO STOLEN,

ANT ANTIQUE,

PER - PERSONAL,

COM - COMMERCIAL,

PRO PROHIBITED,

CON COUNTERFEIT,

HEL HELD.

Date

Source

Number:

5012

Language:

ENGLISH

UCR Term:

YES

Element

Name:

PROPERTY STOLEN

Mnemonic:

PROP-TYPE

Field

Type:

AN

Length: 2

Occurs:

5

Category:

PROPERTY

Sub-

Category:

GENERIC

Descr:

The type of property involved in both attempted and completed criminal violations of theft, capturing a maximum of 5 different property types. Property types are groups of

similiar items.

Coding

Rules:

Valid entries are two character numeric or alphabetic codes as per the following table:

blank - not applicable;

00 - unknown;

VA - automobile;

VT - truck, van, bus, recreational vehicle;

VL - tractor trailer, semi-trailer;

VM - motorcycle;

VO - other motorized land vehicle (not requiring licence)

VC - construction/farm equipment;

BT - boat, vessel and other watercraft;

AI - aircraft (excluding hang-gliders);

BI - bicycle;

AA - home appliance;

SC - scientific-optical and measuring devices;

HH - household articles;

JE - jewellery;

Continued on next page.

Date

Issued:

```
MI -
      musical instruments;
PE -
      photographic equipment;
OM -
      office equipment;
      radio, TV, record players;
RA -
SP -
      sporting goods;
MT
      machinery and tools;
AC
      vehicle accessories;
CG
      consumer goods (food, alcohol, cigarettes, etc.).
Gun Type Codes:
RW
      restricted weapons (require registration);
RI
      rifles;
      shotguns;
SG
       all other firearms.
OT
Security Type Codes:
ST
      stocks;
SB -
       federal, provincial and municipal bonds and debentures;
BD -
       corporate bonds and debentures;
MO
      money orders and travelers cheques;
CC
      Canadian currency;
CU -
       foreign currency;
PP -
      passports;
ID -
      identifications;
os -
      other security;
OP -
      other property.
```

Element No: 735 for Police Information Systems 89.08.01

Source

UCR Term: Number: 1115 Language: ENGLISH NO

Element

Name: QUANTITY

Mnemonic: QTY

Field

N Length: 4 Occurs: 1 Type:

Category: PROPERTY

Sub-

Category: **GENERIC**

Used to record the number of items or the quantity of a Descr:

substance.

Coding

Rules: Valid entries are integers in the range of 1 - 9999 without

leading zeroes or separator symbols.

Date

89.08.01

Element No: 736

Source

Number:

3093

Language:

ENGLISH

UCR Term:

NO

Element

Name:

SECONDARY SERIAL NUMBER

Mnemonic:

SEC-SER

Field

Type:

AN

Length: 24

Occurs:

1

Category:

PROPERTY

Sub-

Category:

GENERIC

Descr:

A secondary serial number used to identify an object,

usually applied by the owner.

Coding

Rules:

Valid entries are full and accurate serial numbers of up to twenty four (24) uppercase letters and/or digits without

intervening spaces or separator symbols.

Date

Issued:

89.08.01

Element No: 737

Source

Number:

85

Language:

ENGLISH

UCR Term:

NO

Element

Name:

SERIAL NUMBER

Mnemonic:

SER

Field

Type:

AN

Length: 24

Occurs:

1

Category:

PROPERTY

Sub-

Category:

GENERIC

Descr:

A manufacturer applied unique identifying number on an item

of property, excluding a vehicle VIN or a boat HIN.

Coding

Rules:

Valid entries are full and accurate manufacturer's serial

numbers consisting of uppercase letters and digits without

intervening spaces or separator symbols.

Date

Issued:

89.08.01

Source

Number:

3101

Language:

ENGLISH

UCR Term:

NO

Element No: 740

Element

Name:

MAIN STONE

Mnemonic:

MAIN-STONE

Field

Type:

Α

Length: 12 Occurs:

1

Category:

PROPERTY

Sub-

Category:

JEWELRY

Descr:

The name of the main gem stone in an item of jewelry.

Coding

Rules:

Valid entries are the names of the main gem stone in upper-

case letters.

Valid characters are:

Alphabetic upper case A - Z;

Hyphen (-) and space.

Examples: DIAMOND, OPAL, etc.

Date

Issued:

Element No: 741 for Police Information Systems 89.08.01

Source

UCR Term: NO Number: 3094 Language: ENGLISH

Element

Name: MAN OR WOMEN'S ITEM

Mnemonic: JWL-SEX

Field

Length: 1 Type: 1 Occurs: Α

PROPERTY Category:

Sub-

Category: **JEWELRY**

This data element is used to describe an item of jewelry as Descr:

men's or women's.

Coding

Rules: Valid entries are one upper case letter codes as follows:

> Men's, M Women's.

Date

Element No: 738

Source

Number: 7000 Language: UCR Term: NO ENGLISH

Element

UNIT OF MEASURE Name:

Mnemonic: UOM

Field

Length: Occurs: Type: AN 1

Category: PROPERTY

Sub-

Category: GENERIC

Descr: Unit of measure related to a quantity of any item or

property.

Coding

Use standard CSA abbreviations in upper case letters, Rules:

including the following:

Meter; M

CM Centimeter;

KM Kilometer;

MI Mile;

YD - Yard;

G Gram;

MG -Milligram;

KG Kilogram;

Metric Tonnne; T

LB - Pound;

L Liter;

PT Pint;

 ${ t GL}$ Gallon;

QTQuart; etc.

Date

89.08.01

.

Source Number:

3099

Language:

ENGLISH

UCR Term:

Element No: 739

NO

Element

Name:

MAIN JEWEL WEIGHT

Mnemonic:

MAIN-KARAT

Field

Type:

N

Length:

4

Occurs:

1

Category:

PROPERTY

Sub-

Category:

JEWELRY

Descr:

The weight in karats of the main jewel in an item of

jewelry.

Coding

Rules:

Valid entries are integers in the range of 0 - 9999 representing the weight of the jewel in karats without leading

zeroes.

Valid characters are numeric 0 - 9.

Date

Issued:

Element No: 742 89.08.01 for Police Information Systems

Source

ENGLISH UCR Term: NO Number: 3096 Language:

Element

Name: METAL KARAT

Mnemonic: KARAT

Field

Type: A Length: 2 Occurs: 1

PROPERTY Category:

Sub-

JEWELRY Category:

Descr: The karat of metal in an item of jewelry.

Coding

Rules: Valid entries are integer numbers in the range of 0 - 24

indicating the karat of precious metal used in an item of

jewelry.

Valid characters are numeric 0 - 9.

Date

for Police Information Systems 89.08.01

Source

Number:

3103

Language:

ENGLISH

UCR Term:

Element No: 743

NO

Element

Name:

NUMBER OF SHOULDER STONES

Mnemonic:

SHOUL-STONES

Field

Type:

N

Length: 3 Occurs:

1

Category:

PROPERTY

Sub-

Category:

JEWELRY

Descr:

The number of gem stones on the shoulder of an item of

jewelry.

Coding

Rules:

Valid entries are integers 0 - 999 without leading zeroes.

Valid characters are numeric 0 - 9.

Date

Issued:

Element No: 744

Source

Number:

3100

Language:

ENGLISH

UCR Term: NO

Element

Name:

NUMBER OF STONES IN MAIN

Mnemonic:

MAIN-STONES

Field

Type:

N

Length: 3

Occurs:

1

Category:

PROPERTY

Sub-

Category:

JEWELRY

Descr:

Number of gem stones in the main part of an item of jewelry.

Coding

Rules:

Valid entries are integers 1 - 999 indicating the number

of gem stones, without leading zeroes.

Valid characters are numeric 0 - 9.

Date

Issued:

89.08.01 for Police Information Systems

Source

Number:

3104

Language:

ENGLISH

UCR Term:

Element No: 745

NO

Element

Name:

SHOULDER STONE

Mnemonic:

SHOUL-STONE

Field

Type:

AN

Length: 12 Occurs:

1

Category:

PROPERTY

Sub-

Category:

JEWELRY

Descr:

The name of the gem of the shoulder stones in an item of

jewelry.

Coding

Rules:

Valid entries are keywords representing the name of the gem

of the shoulder stones.

Valid characters are:

Alphabetic upper case A - Z;

Numeric

0 - 9;

Hyphen (-) and space.

Examples: DIAMOND, OPAL, etc.

Date

Issued:

89.08.01 for Police Information Systems Element No: 746

Source

Number: 3095 Language: ENGLISH UCR Term: NO

Element

Name: TYPE OF METAL

Mnemonic: METAL

Field

Type: A Length: 3 Occurs: 1

Category: PROPERTY

Sub-

Category: JEWELRY

Descr: The name of the metal used in an item of jewelry.

Coding

Rules: Valid entries are three upper case letter abbreviations

of the name of the metal, as per the following table.

GLD - Gold, SIL - Silver, OTH - Other.

Date

89.08.01 for Police Information Systems Element No: 747

Source

Number: 3097 Language: ENGLISH UCR Term: NO

Element

Name: TYPE/CLASS OF JEWELRY

Mnemonic: JWL-CLAS

Field

Type: A Length: 12 Occurs: 1

Category: PROPERTY

Sub-

Category: JEWELRY

Descr: The type or class of jewelry.

Coding

Rules: Valid entries are descriptive keywords of the commonly used

names of jewelry of up to twelve upper case letters.

Valid characters are:

Alphabetic upper case A - Z;

Period (.), comma (,), hyphen (-) and space.

Examples: RING, NECKLACE, etc.

Date

89.08.01 for Police Information Systems Element No: 748

Source

Number: 3102 Language: UCR Term: ENGLISH NO

Element

Name: WEIGHT OF SHOULDER STONES

Mnemonic: SHOUL-CARAT

Field

Length: 4 Type: Occurs: 1

Category: **PROPERTY**

Sub-

Category: **JEWELRY**

Weight in karats of shoulder stones in an item of jewelry. Descr:

Coding

Valid entries are integers in the range 0 - 9999 repre-Rules: senting the weight of shoulder stones in karats, without

leading zeroes. Fractional weights are rounded to the

nearest integer.

Date

for Police Information Systems 89.08.01

Source

Number:

103

Language:

ENGLISH

UCR Term:

NO

Element No: 751

Element

Name:

SECURITY TYPE

Mnemonic:

SEC-TYPE

Field

Type:

Length:

Occurs:

. 1

Category:

PROPERTY

Sub-

Category:

SECURITY

Descr:

Used to identify the type of securities involved in an

occurrence.

Coding

Rules:

The acceptable entries are two uppercase letter codes as

per the following table:

ST STOCKS;

SB FEDERAL, PROVINCIAL AND MUNICIPAL BONDS AND

DEBENTURES;

BD CORPORATE BONDS AND DEBENTURES;

- ALL MONEY ORDERS AND TRAVEVLER'S CHEQUES; MO

CC - ALL CANADIAN ISSUED CURRENCY;

CU ALL FOREIGN CURRENCY;

PP - ALL TRAVEL PASSPORTS;

ID - STOLEN, LOST OR FRAUDULENT IDENTIFICATION

DOCUMENTS;

TOALL OTHER TYPES OF SECURITIES NOT PROVIDED FOR IN

ABOVE.

Date

Issued:

Element No: 752

Source

<u>.</u>

Number:

1104

Language:

ENGLISH

UCR Term: NO

Element

Name:

EXTERIOR FEATURES

Mnemonic:

EXT

Field

Type:

AN

Length: 10

Occurs:

3

Category:

PROPERTY

Sub-

Category:

VEHICLE

Descr:

Used to describe the exterior features of a vehicle.

Coding

Rules:

Valid entries are one to three keywords consisting of up to 10 uppercase letters, or numeric codes 0 - 8 with an optional leading zero, as per the following table.

- 1 OTHER,
- 2 DAMAGED,
- 3 MAG WHEELS,
- 4 MODIFIED,
- 5 PICTURE,
- 6 RUST,
- 7 SIGN,
- 8 VINYL TOP.

Date

Issued:

89.08.01

Element No: 753

Source

Number:

1103

Language:

ENGLISH

UCR Term:

NO

Element

Name:

INTERIOR FEATURES

Mnemonic:

INT

Field

Type:

AN

Length: 13 Occurs:

3

Category:

PROPERTY

Sub-

Category:

VEHICLE

Descr:

Used to describe the interior features of a vehicle.

Coding

Rules:

Valid entries consist of one or two keywords of up to 15 uppercase letters, or numeric codes 0 - 7 with an optional leading zero, as per the following table.

- 1 OTHER,
- BUCKET SEATS, 2
- 3 CARPET,
- 4 CB RADIO,
- 5 MODIFIED,
- STICK SHIFT,
- SEAT COVERS.

Date

89.08.01 for Police Information Systems Element No: 754

Source

Number: 141 Language: ENGLISH UCR Term: NO

Element

Name: PART NUMBER

Mnemonic: PARTNO

Field

Type: AN Length: 20 Occurs: 1

Category: PROPERTY

Sub-

Category: VEHICLE

Descr: A unique identification number applied to a vehicle part by

its manufacturer.

Coding

Rules: Valid entries are full and accurate manufacturer's part

numbers or serial numbers which uniquely identify a part of vehicle, without intervening spaces or punctuation marks.

Valid characters are:

Alphabetic uppercase A - Z;

Numeric 0 - 9.

Date

89.08.01

Source

Number:

147

Language:

ENGLISH

UCR Term:

Element No: 755

ИО

Element

Name:

VALIDATION TAG

Mnemonic:

VAL-TAG

Field

Type:

AN

Length: 12

Occurs:

1

Category:

PROPERTY

Sub-

Category:

VEHICLE

Descr:

The unique identification number found on a motor vehicle

licence validation tag.

Coding

Rules:

Valid entries are unique Licence Validation Tag numbers

from the vehicle licence plate and/or Vehicle Registration

document.

The entries must be sequencies of upper case letters and digits without intervening spaces or separator symbols.

Date

Issued:

Element No: 758

Source

89.08.01

Number:

142

Language:

ENGLISH

UCR Term:

NO

Element

Name:

VEHICLE LICENCE NUMBER

Mnemonic:

VEH-LIC

Field

Type: AN

Length:

Occurs:

1

Category:

PROPERTY

Sub-

Category:

VEHICLE

Descr:

The vehicle licence number issued by the registrar of a

10

motor vehicle.

Coding

Rules:

Valid entries are full and accurate vehicle Licence Numbers consisting of upper case letters and digits without inter-

vening spaces or separator symbols.

Date

Issued:

Data Elements Standard for Police Information Systems Element No: 759

89.08.01

Source

Number:

153

Language: ENGLISH UCR Term: NO

Element

Name:

VEHICLE MAKE

Mnemonic: VEH-MAKE

Field

Type:

Length: 4

Occurs:

1

Category: PROPERTY

Sub-

Category: VEHICLE

Descr: Refers specifically to the manufacturer's "brand" name.

Coding

Rules:

Valid entries are the first four letters of the manufacturer's brand name (e.g. CHEV rolet) as per the following table.

AMER ican AUDI BMW BUIC k CHEV rolet CHRY sler

DELO rean DODG e FORD HOND a

JAGU ar
MAZD a MERC ury
NISS an (DATS un) OLDS mobile JAGU ar LADA PONT iac

PLYM outh RENA ult

SAAB TOYO ta VOLK swagen VOLV o

AVAN ti CADI llac

DATS un (NISS an)

FIAT

HYUN dai LINC oln MERZ (Mercedes)

PEUG ot PORS che

SUBA ru

Continued on next page

Date

89.08.01

Element No: 756

Source

Number:

140

Language:

ENGLISH

UCR Term:

NO

Element

Name:

VEHICLE IDENTIFICATION NUMBER

Mnemonic:

VIN

Field

Type:

AN

Length: 20

Occurs:

1

Category:

PROPERTY

Sub-

Category:

VEHICLE

Descr:

Used to record the unique Vehicle Identification Number

(VIN).

Coding

Rules:

VIN must be entered exactly as obtained from a vehicle or a valid record of a vehicle, without intervening spaces or separator symbols.

Valid entries are sequencies of upper case letters and digits that meet the following edits:

- (1) Vehicle Year, if provided, must agree with VIN year code.
- (2) Post-1980 VINs must contain numerics within the 17 character structure.
- (3) Post-1980 VINs must meet a mathematical check digit test.

Date

Issued:

FLT FXEF FXS TLE	FXB FXR FXWG XLA	FXE FXRS LTLE XLS
TRUCK Model		
BLAZ er B250 B550 B850 B220 0 CJ5 CJ8 D250 D550 D850 E150 F100 F350 J20 SUBU rban	BRON CO B350 B650 B950 CARA van CJ6 COUR ier D350 D650 D950 E250 F150 JIMM y RANG er VANA gan	B150 B450 B750 B200 0 CHER okee CJ7 D150 D450 D750 E100 E350 F250 J10 SUBU rban VOYA geur

MOTORCYCLE MAKE	(Cont'd)	
BMW KAWA saki YAMA ha	HARL ey SUZU ki	HOND a TRIU mph
TRUCKS		
CHEV rolet FORD	DATS sun FREI ghtliner	DODG e GMC
INTE rnational	JEEP	KENW orth
MACK	MAZD a	PETE rbilt
PLYM outh	VOLK swagen	

Source

Language: ENGLISH Number: 154 UCR Term: NO

Element

Name: VEHICLE MODEL

Mnemonic: VEH-MODEL

Field

Type: AN Length: 4 1 Occurs:

Category: PROPERTY

Sub-

Category: VEHICLE

Descr: Refers to the manufacturer's model designation for a

vehicle.

Coding

Rules: Valid entries are up to first four characters of the manufacturer's model name or number, consisting of uppercase

letters and/or digits as per the following table:

ACAD ian ACCO rd ALLI ance ARIE s ASPE n BELA ir BRAV a
CAMR y
CARA velle
CELE brity
CHAL lenger
CHEV ette BONN eville CABR iolet CAMA ro CAPR i CAPR ice CATA lina CAVA lier CELI ca CENT ury CHAM p CIMA rron CHAR ger CIVI c CONC ord CONT inental CORO na CITA tion COLT COLT CONQ uest CONQ uest CORD oba CORO lla CORV ette . COUN try squire COUG ar CRES sida CUST om cruiser CUTL ass DAYT ona DAYT ona DELI a DEVI lle DIPL omat DLEAGL e

Date

89.08.01 for Police Information Systems Element No: 761

Source

Number: 155 Language: ENGLISH

UCR Term: NO

Element

Name: VEHICLE STYLE

Mnemonic: VEH-STYLE

Field

Type: AN Length: 6 Occurs: 1

Category: PROPERTY

Sub-

Category: VEHICLE

Descr: Used to describe the external construction or design

features of a vehicle.

Coding

Rules: Valid entries are abbreviations consisting of upper case

letters and/or digits as per following table of vehicle

styles.

STYLE CODE AUTOMOBILES: 2-DOOR SEDAN 2DR 4-DOOR SEDAN 4DR CONVERTIBLE CONVER STATION WAGON STWGN

TRACT TRUCKS: TRACTOR

PICKUP PICKUP STAKE STAKE DUMP DUMP TANKER TANK VAN (Panel & Sport) VAN

CAMPER (Motorized Homes) CAMP CARRY-ALL (Trail/Pleasure) CARRY OTHER (Ambulances/Buses) OTHER

Date

Vehicle Style Table	(Cont'd)	
MOTORCYCLES:	STYLE	CODE
	MINIBIKE	MBIKE
	MINICYCLE	MCYCLE
	MOPED	MOPED
	MOTORBIKE	MOTBIK
	MOTORCYCLE	MOTCYC
	MOTORSCOOTER	MSCOOT

89.08.01 Element No: 762

Source

Number: 139 Language: ENGLISH UCR Term: NO

Element

Name: VEHICLE TYPE

Mnemonic: VEH-TYPE

Field

Length: 6 Type: Occurs: 1 Α

Category: PROPERTY

Sub-

Category: VEHICLE

Descr: Used to identify the different types of vehicles.

Coding

Rules: Valid entries are the abbreviations in uppercase letters as

per the following table:

AIRC - AIRCRAFT (INCLUDING PILOTED BALLOONS);

ATV - ALL TERRAIN VEHICLE;

AUTO - AUTOMOBILE;

BOAT (OR VESSEL); BOAT

MOTORCYCLES (INCL SIDECAR AND MOTORIZED BICYCLES) MOTO

MHOME - MOTORHOMES; - SNOWMOBILES; SNOW TRLR TRAILERS;

- TRUCKS (INCLUDING SEMI-TRACTORS); TRUCK

- ALL OTHER TYPES. OTHER

Date

89.08.01

Element No: 763

Source

Number: 129

Language: ENGLISH

UCR Term:

NO

Element

Name:

CALIBRE

Mnemonic:

CAL

Field

Type:

N

Length:

Occurs:

1

Category:

PROPERTY

Sub-

Category:

WEAPON

Descr:

Indicates the internal diameter of a gun barrel.

Coding

Rules:

Valid entries are 1 to 4 numeric digits indicating the diameter of a gun barrel as per the following examples based on the various bullet, cartridge and shell

designators:

DESIGNATOR	VALID ENTRY
30-30	3030
30/60	3060
8x57 mm	857
9 mm	9
6.5 mm	65
22 (case length)	22
10 gauge	10
12 gauge	12
410 gauge	410
Not Known	ZZZZ

Date

Issued:

89.08.01

Element No: 764

Source

Number:

127

Language:

ENGLISH

UCR Term:

NO

Element

Name:

GUN MAKE

Mnemonic:

GUN-MAKE

Field

Type:

Α

Length: 3

Occurs:

1

Category:

PROPERTY

Sub-

Category:

WEAPON

Descr:

Indicates the gun manufacturer.

Coding

Rules:

Valid entries are two to three uppercase letter codes of

the gun manufacturer found in Appendix D of the CPIC

Reference Manual.

Example: CLT - Colt, USA.

Date

Issued:

•