Substance Profile for The Challenge

Benzenesulfonamide, N-(4-amino-9,10-dihydro-3-methoxy-9,10-dioxo-1-anthracenyl)-4-methyl-Disperse Red 86 CAS RN 81-68-5

Environment Canada Health Canada

August 2007

Introduction

The Canadian Environmental Protection Act, 1999 [CEPA 1999] (Canada 1999) required the Minister of Health and Minister of the Environment to categorize the approximately 23 000 substances on the Domestic Substances List (DSL). Categorization involved identifying those substances on the DSL that are a) considered to be persistent (P) and/or bioaccumulative (B), based on criteria set out in the Persistence and Bioaccumulation Regulations (Government of Canada, 2000), and "inherently toxic" (iT) to humans or other organisms, or b) that present, to individuals in Canada, the greatest potential for exposure (GPE).

Further to this activity, the Act requires the Minister of the Environment and the Minister of Health to conduct screening assessments of substances that meet the categorization criteria. A screening assessment involves a scientific evaluation of available information for a substance to determine whether the substance meets the criteria set out in section 64 of CEPA 1999. Based on the results of a screening assessment, the Ministers can propose taking no further action with respect to the substance, adding the substance to the Priority Substances List (PSL) for further assessment or recommending the addition of the substance to the List of Toxic Substances in Schedule 1 of CEPA 1999 and, where applicable, the implementation of virtual elimination of releases to the environment.

A number of substances have been identified by the Ministers as high priorities for action based on the information obtained through the categorization process. This includes substances:

- that were found to meet all of the ecological categorization criteria, including
 persistence, bioaccumulation potential and inherent toxicity to aquatic organisms
 (PBiT), and that are known to be in commerce or of commercial interest in Canada,
 and/or
- that were found either to meet the categorization criteria for GPE or to present an intermediate potential for exposure (IPE), and were identified as posing a high hazard to human health based on available evidence on carcinogenicity, genotoxicity, developmental toxicity or reproductive toxicity.

Based on a consideration of the ecological and/or human health concerns associated with these substances, and the requirement under section 76.1 of CEPA 1999 for the Ministers to apply a weight of evidence approach and the precautionary principle when conducting and interpreting the results of an assessment, sufficient data are currently available to consider these substances as meeting the criteria under Section 64 of CEPA 1999.

As such, the Ministers have issued a Challenge to industry and other interested stakeholders through publication in Canada Gazette Part I December 9, 2006 (Environment Canada and Health Canada 2006) to submit, within the timelines stated in the Challenge section of this document, specific information that may be used to inform risk assessment and to develop and benchmark best practices for risk management and product stewardship.

The substance Benzenesulfonamide, *N*-(4-amino-9,10-dihydro-3-methoxy-9,10-dioxo-1-anthracenyl)-4-methyl- was identified as a high priority for action as it was found to be persistent, bioaccumulative and inherently toxic to aquatic organisms and to be of commercial interest in Canada. The technical human health and ecological information, that formed the basis for concern associated with this substance, is presented in this document.

The Challenge

Respecting direction under section 76.1 of CEPA 1999, and in the absence of additional relevant information as a result of this Challenge, the Ministers are predisposed to conclude, based on a screening assessment, that this substance satisfies the definition of toxic under section 64 of CEPA 1999. As such, the Ministers are prepared to then recommend to the Governor in Council that this substance be added to the List of Toxic Substances in Schedule 1 of CEPA 1999, with the intent of initiating the development of risk management measures taking into account socio-economic considerations.

If it is determined that the substance meets the virtual elimination criteria in subsection 77(4) of CEPA 1999, then subsequent risk management activities will be based on the objective of eliminating the release of any measurable quantity of the substance to the environment. In the absence of further information on existing management practices for a substance, actions will be proposed based on the assumption of worst-case practices. The management actions being considered for such substances at this time include prohibition through regulations, of the manufacture, use, sale, offer for sale and import of this substance, except for those activities controlled under the *Pest Control Products Act* (Canada 2002) and/or the *Food and Drugs Act* (Canada 1985).

Exceptionally, should no information be identified to indicate that this substance is in commerce in Canada, the Ministers will conclude, based on a screening assessment, that this substance does not satisfy the definition of toxic under section 64 of CEPA 1999. However, given the properties of this substance, there is concern that new activities for the substance that have not been identified or assessed under CEPA 1999 could lead to the substance meeting the criteria set out in section 64 of the Act. Therefore it would be recommended that this substance be subject to the Significant New Activity provisions specified under subsection 81(3) of the Act, to ensure that any new manufacture, import or use of this substance in quantities greater than 100 kg/year is notified, and that ecological and human health risk assessments are conducted as specified in section 83 of the Act prior to the substance being introduced into Canada.

Section 71 Notice

Under the Challenge, information deemed necessary for improved decision making may be gathered by the Minister of Environment using section 71 of CEPA 1999. This information may be used for the purpose of assessing whether a substance is toxic or is capable of becoming toxic as defined under section 64 of CEPA 1999, or for the purpose of assessing whether to control, or the manner in which to control a substance.

The information mandated through the notices may relate to, among other things; quantity of the substance imported, manufactured, used, or released, concentrations, suppliers, customers, as well as types of uses of the substance.

Copies of the section 71 notice and guidance on how to comply with it are available from the Government of Canada Chemicals website (www.chemicalsubstanceschimiques.gc.ca), or from the contact provided below.

Opportunity to Submit Additional Information to Inform Screening Assessment

The Ministers of Health and Environment are inviting the submission of additional information for consideration during screening assessment of this substance. Data of the types described in the following paragraphs are considered most relevant, although other submitted information will be considered

Data on the persistence, bioaccumulation, and potential for toxicity of the substance to organisms in different environmental media – Through the categorization exercise, available experimental data were collected up to December 2005. Where acceptable experimental data were not available, Quantitative Structure Activity Relationships (QSARs) or read-across data were used to fill the data gaps. Since experimental data are preferred, interested parties have an opportunity to provide new or additional relevant experimental study information on the persistence, bioaccumulation, and potential for toxicity of this substance to organisms in different environmental media (air, water, sediment, soil), or on the physical/chemical properties values that were used as input to the QSAR models. Efforts should focus on providing data for the endpoints for which good quality experimental data do not already exist, as demonstrated by the information summarized in the "Ecological Information" or "Physical/Chemical Properties" sections of this document. As submitted data will be evaluated for completeness and robustness, it is recommended that stakeholders follow the guidance for test protocols and alternative approaches for test data, as described in Section 8 of the "Guidelines for the Notification and Testing of New Substances: Chemicals & Polymers" (Government of Canada 2006).

Data on the toxicity of the substance to human health - Through the categorization exercise, the high health priorities for action were those substances identified by a Simple Hazard tool, which identified a potential high health hazard on the basis of classifications for cancer, genotoxicity, reproductive toxicity or developmental toxicity. The hazard classifications used were those developed by national or international agencies in which large numbers of substances have been classified for endpoint-specific hazard based on original review and critical evaluation of data, assessments of weight of evidence and extensive peer review. Interested parties have an opportunity to provide new or additional relevant experimental study information on the toxicity of the substance to human health which could inform the screening assessment.

Information submitted in response to the section 71 Notice or as additional information on current uses and existing control measures (see following section) will also be considered when characterizing exposure potential.

Responses to this part of the Challenge for this substance should be received at the address provided below by the date indicated on the Government of Canada Chemicals website (www.chemicalsubstanceschimiques.gc.ca).

Opportunity to Submit Additional Information on Current Uses and Existing Control Measures to Inform the Risk Management Approach for this Substance

The Ministers of Health and Environment are inviting the submission of additional information that is deemed beneficial by interested stakeholders, relating to the extent and nature of the management/stewardship of substances listed under the Challenge.

Organizations that may be interested in submitting additional information in response to this invitation include those that manufacture, import, export or use this substance whether alone, in a mixture, in a product or in a manufactured item.

Additional information is being invited in the following areas:

- Import, manufacture and use quantities
- Substance and product use details
- Releases to the environment and spill management
- Current and potential risk management and product stewardship actions
- Existing legislative or regulatory programs controlling/managing the substance
- Information to support the development of a regulatory impact assessment.

A questionnaire is available which provides a detailed template as an example for the submission of this information. Guidance on how to respond to the Challenge questionnaire is also available. Interested stakeholders are invited to provide available additional information, recognizing that not all questions in the questionnaire may be relevant to a particular substance, use, or industrial sector.

Copies of the questionnaire and associated guidance are available from the Government of Canada Chemicals website (www.chemicalsubstanceschimiques.gc.ca), or from the contact provided below.

Responses to this part of the Challenge for this substance should be received at the address provided below by the date indicated on the Government of Canada Chemicals website (www.chemicalsubstanceschimiques.gc.ca).

Request for Documents and Submission of Information

Documents and instructions may be requested from the following contact. Information in response to the above Challenge must be submitted to this address:

DSL Surveys Coordinator Place Vincent Massey, 20th Floor 351 Saint Joseph Boulevard Gatineau QC K1A 0H3

Tel: 1-888-228-0530/819-956-9313 Fax: 1-800-410-4314 / 819-953-4936 Email: DSL.surveyco@ec.gc.ca

Substance Identity

For the purposes of this document, this substance will be referred to as Disperse Red 86 .

Chemical Abstracts Service Registry Number (CAS RN)	81-68-5		
Inventory names	Benzenesulfonamide, N-(4-amino-9,10-dihydro-3-methoxy-9,10-dioxo-1-anthracenyl)-4-methyl- N-(4-amino-9,10-dihydro-3-méthoxy-9,10-dioxo-1-anthryl)-4- méthylbenzenesulphonamide Disperse Red 86		
Other names	C.I. DISPERSE RED 86 I-Amino-2-methoxy-4-p-tolylsulfonamidoanthraquinone Disperse Brilliant Pink FRL Eastman Polyester Pink R-LSH Eastman Polyester Pink RL Esterophile Light Pink R 3L Foron Brilliant Red SE 5GL N-(4-Amino-3-methoxy-1-anthraquinonyl)-p-toluenesulfonamide NSC 164933 p-Toluenesulfonamide, N-(4-amino-3-methoxy-1-anthraquinonyl)- Serilene Pink G-LS Terasil Brilliant Pink 2GL Terasil Brilliant Red 2GLA Terasil Pink 2GLA Terasil Pink 2GLA Viosperse Brilliant Pink 2GL-FS Viosperse Red 2G-LFS		
Chemical group	Discrete organics		
Chemical sub-group	Anthracenediones		
Chemical formula Chemical structure	$C_{22}H_{18}N_2O_5S$		
SMILES	O=C(c(c(C(=O)c1c(N)c(OC)cc2NS(=O)(=O)c(ccc(c3)C)c3)ccc4)c4)c 12		

Molecular mass	422.46 g/mol

Physical and Chemical Properties

Table 1 contains modelled physical-chemical properties of Disperse Red 86 which are relevant to its environmental fate. No experimental values have been identified.

Table 1. Physical and chemical properties for Disperse Red 86

Property	Type	Value	Temperature	Reference
			(°C)	
Melting point	Modelled	273.07		MPBPWIN
(°C)	Modeffed	2/3.07		v.1.41
Boiling point	Modelled	629.4		MPBPWIN
(°C)	Wiodelied	027.4		v.1.41
Vapour pressure (Pa)	Modelled	3.08×10^{-12}	25	MPBPWIN v.1.41
Henry's Law constant (Pa·m³/mol)	Modelled	3.21×10^{-13} $(3.17 \times 10^{-18}$ $atm \cdot m^3/mol)$	25	HenryWin v.1.90
Log Kow (Octanol-water partition coefficient) (dimensionless)	Modelled	4.79	25	KOWWIN v.1.67
Log Koc (Organic carbon partition coefficient) (dimensionless)	Modelled	3.38	25	PCKOCWIN v.1.66
Water solubility (mg/L)	Modelled	0.01386	25	WSKOWWIN v.1.41
Log Koa (octanol-air partition coefficient (dimensionless)	Modelled	20.7	25	OctanAir v.1.00

Sources and Uses

Information from DSL Nomination (1984-1986)

Quantity in Commerce

The quantity reported to be manufactured, imported or in commerce in Canada during the calendar year 1986 was 0 kg. However, the substance met DSL eligibility criteria during 1984-1985

Number of Notifiers

The number of notifiers for the calendar years 1984-86 was fewer than 4.

Use Codes and Description

The following DSL use codes have been identified for the substance:

13- Colourant- pigment/stain/dye/ink

Recent Manufacture and Importation Information

Recent information was collected through an industry survey conducted for the year 2005 under a Canada Gazette Notice issued pursuant to section 71 of CEPA 1999 (Environment Canada 2006a). This Notice requested data on the Canadian manufacture and import of the substance.

No reports of manufacture in or import into Canada of this substance at or above the reporting threshold of 100 kg were received in response to this Notice. However, the Declaration of Non-Engagement and/or Stakeholder Interest form associated with this Notice (found at the Government of Canada's Chemicals website: www.chemicalsubstanceschimiques.gc.ca) further invited any companies to identify themselves as stakeholders if they had an interest in a listed substance. Two stakeholders identified themselves as having an interest in this substance.

In the U.S., between 10,000 and 500,000 pounds (4.54 to 22.7 tonnes) of Disperse Red 86 was manufactured and/or imported in 1998 and 2002. In 2002, it was manufactured/imported by Ciba Specialty Chemicals Corp. (US EPA 2007). No company information was available for the year 1998 (US EPA 2007). In Europe, Disperse Red 86 is a low production volume chemical (10 to 1000 tonnes produced or imported) which is manufactured and/or imported by Ciba Specialty Chemicals in the U.K. and by Ciba-Geigy in Germany (ESIS 2007).

Potential Uses in Canada

The additional information below on potential uses of Disperse red 86 was identified through searches of the available scientific and technical literature.

This substance is used as a pigment/dyestuff in textiles (ChemIndustry.com 2007, NIOSH 2007).

Human Health Information

Under the *Canadian Environmental Protection Act, 1999* (CEPA 1999), Health Canada undertook to categorize all substances on the Domestic Substances List (DSL) to identify those representing the greatest potential for human exposure (GPE) and those among a subset of substances considered persistent (P) and/or bioaccumulative (B) that are also considered to be "inherently toxic" to humans.

In order to efficiently identify substances that represent the highest priorities for screening assessment from a human health perspective, Health Canada developed and applied a Simple Exposure Tool (SimET) to the DSL to identify those substances that meet the criteria for GPE, Intermediate Potential for Exposure (IPE) or Lowest Potential for Exposure (LPE), and a Simple Hazard Tool (SimHaz) to identify those substances that pose a high or low hazard.

Exposure Information from Health Related Components of DSL Categorization

SimET was developed and used to identify substances on the DSL considered to represent GPE. This approach was based on three lines of evidence: 1) the quantity in commerce in Canada, 2) the number of companies involved in commercial activities in Canada (i.e., number of notifiers), and 3) the consideration by experts of the potential for human exposure based on various use codes. The proposed approach was released for public comment in November 2003 and also enabled designation of substances as presenting an IPE or LPE, based on criteria for quantity and nature of use (Health Canada 2003).

Results of the Application of SimET

Disperse Red 86 has been determined to be LPE based on a consideration of the DSL nomination information listed in the section on Sources and Uses.

Hazard Information from Health Related Components of DSL Categorization

Simple Hazard Tool (SimHaz)

SimHaz is a tool that has been used to identify, among all of the approximately 23 000 substances on the DSL, those considered to present either high or low hazard to human health based on formalized weight of evidence criteria and/or peer review/consensus of experts. This tool has been developed through extensive compilation of hazard classifications of Health Canada and other agencies and consideration of their robustness based on availability of transparent documentation of both process and criteria. Those substances identified as a potential high health hazard were based on hazard classifications for cancer, genotoxicity, reproductive toxicity or developmental toxicity (Health Canada 2005).

Results of the Application of SimHaz

Disperse Red 86 has not been classified for hazard by any of the agencies considered under the SimHaz tool and therefore does not meet the criteria for high hazard under SimHaz.

Uncertainties

SimET and SimHaz have been developed as robust tools for effectively identifying substances from the DSL that are considered to be human health priorities for further consideration. It is recognized that they do not include a number of elements normally considered in a human health risk assessment such as a comprehensive characterization of exposure and hazard, a comparison of exposure metrics to hazard metrics and a detailed analysis of uncertainties.

Ecological Information

Data relevant to an ecological screening assessment were identified in original literature, review documents, and commercial and government databases prior to December 2005. Properties and characteristics may also have been estimated using Quantitative Structure Activity Relationship (QSAR) models.

Releases, Fate and Presence in the Environment

Releases

Disperse Red 86 is not naturally produced in the environment. Since there were no reports of import or manufacture at or above the reporting threshold of 100 kg in 2005 in response to a s.71 Notice (Environment Canada 2006a), releases of this substance to the Canadian environment are presumed to be very low.

Fate

The moderate log Kow and log Koc values (Table 1) indicate that this substance will likely partition to soil and sediments. Indeed, the results of the Level III Fugacity modelling indicates that if the chemical is released equally to the three major environmental compartments (air, water, and soil), it will mainly partition to soil and sediments (Table 2). If it is released only to water, the substance is expected to partition to sediments and to a lesser extent, to water.

Table 2: Results of the Level III fugacity modelling (EPIWIN V3.12)

	Fraction of Substance Partitioning to Each Medium (%)				
Substance Released to:	Air	Water	Soil	Sediment	
- Air (100%)	0.00	1.60	95.3	3.07	
- Water (100%)	0.00	34.3	0.00	65.7	
- Soil (100%)	0.00	0.03	99.9	0.06	
- Air, water, soil (33% each)	0.00	6.9	79.9	13.2	

Disperse Red 86 is not predicted to partition to air, even when released entirely to air (see Table 2). An estimated vapour pressure of 3×10^{-12} Pa and Henry's Law constant of 3.21×10^{-13} Pa·m³/mol indicates that Disperse Red 86 is essentially non-volatile.

If released to soil, Disperse Red 86 is expected to have high adsorptivity to soil (i.e. expected to be immobile) based upon an estimated Log K_{oc} of 3.38. Volatilization from moist soil surfaces seems to be an unimportant fate process based upon an estimated Henry's Law constant of 3×10^{-18} atm·m³/mol. This chemical is not expected to volatilize from dry soil surfaces based upon the very low estimated vapour pressure of 3×10^{-12} Pa.

If released into water, 66% of Disperse Red 86 is expected to adsorb to suspended solids and sediment. Volatilization from water surfaces is expected to be an unimportant fate process based upon this compound's estimated Henry's Law constant.

Presence in the Environment

No environmental monitoring data relating to the presence of this substance in the Canadian environment (air, water, soil, sediment) have been identified.

Evaluation of P, B and iT Properties

Environmental Persistence

No experimental persistence data were available for this substance.

The Level III Fugacity model indicates negligible partitioning of the substance into air (Table 2). Accordingly, the long-range transport potential (LRTP) of Disperse Red 86 from its point of release in air is estimated to be low according to the model prediction presented in Table 3a. The Transport and Persistence Level III Model (TaPL3) (CEMC, 2000) was used to estimate Characteristic Travel Distance (CTD), defined as the maximum distance traveled by 63% of the substance; or in other words, the distance that 37% of the substance may travel beyond. Beyer et al (2000) have proposed CTD of >2000 km as representing high LRTP, 700-2000 km as moderate LRTP, and <700 km as low LRTP. Based on its low LRTP, Disperse Red 86 is expected to remain primarily in the areas close to its emission sources.

Table 3a. – Model Predicted Characteristic Travel Distance (CTD) for Disperse Red 86

Characteristic Travel Distance	Model (Reference)
270 km	TaPL3 (CEMC, 2000)

Once released into the environment, Disperse Red 86 appears to be persistent in water, soil and sediments. Since no experimental data on biological degradation of Disperse Red 86 are available, a QSAR-based weight-of-evidence approach (Environment Canada 2007) was applied using the biodegradation models shown in Table 3b. Based on these results, the estimated timeframe and probability for biodegradation indicates that Disperse Red 86 can be considered as persistent in water.

Table 3b. Modelled data for persistence

Medium	Fate Process	Degradation Value	Endpoint/Units	Reference
Water	Biodegradation	60	Half-life, days	BIOWIN v4.02, Ultimate survey
Water	Biodegradation	0	Probability	BIOWIN v4.02, MITI Linear
Water	Biodegradation	0.0015	Probability	BIOWIN v4.02, MITI Non-Linear
Water	Biodegradation	0	Probability	TOPKAT v.6.2

To extrapolate half-life in water to half-lives in soils and sediments, Boethling's extrapolation factors $t_{1/2 \text{ water}}$: $t_{1/2 \text{ soil}}$: $t_{1/2 \text{ sediment}} = 1$: 1: 4 (Boethling *et al.*, 1995) can be used. Using these factors and the biodegradation model results, it may be concluded that Disperse Red 86 is

expected to be persistent in soil and sediments. Therefore, based on the above data, Disperse Red 86 is considered to be persistent in water, soil and sediment (half-lives in soil and water \geq 182 days; half-life in sediment \geq 365 days) as defined in the *Persistence and Bioaccumulation Regulations* (Government of Canada, 2000).

Potential for Bioaccumulation

There are no experimental bioaccumulation data for Disperse Red 86. The modelled log Kow value of 4.79 for this substance (Table 1) indicates that it has the potential to bioaccumulate in the organisms (Table 4).

The Modified Gobas bioaccumulation factor (BAF) middle trophic level model produced a BAF of 24 547 L/kg, indicating that Disperse Red 86 has the potential to bioaccumulate in the aquatic organisms and biomagnify in the food chains. Two of the other bioconcentration factor (BCF) models (Gobas BCF and OASIS) provide a weight-of-evidence that supports the high bioconcentration and bioaccumulation potential of this substance.

Table 4. Modelled data for bioaccumulation and bioconcentration

Test Organism	Endpoint	Value wet wt	Reference
Fish	BAF	24 547 L/kg	GOBAS BAF T2MTL
			(Arnot & Gobas, 2003)
Fish	BCF	13 182 L/Kg	Gobas BCF T2LTL
			(Arnot & Gobas, 2003)
Fish	BCF	11 561 L/kg	OASIS Forecast v1.20
Fish	BCF	142 L/kg	BCFWIN v2.15

The modelled bioaccumulation values do not take into account the metabolic potential of the substance. However, the experimental BCF value is high enough to indicate that this is not likely significant.

The weight of evidence indicates that the substance meets the bioaccumulation criterion (BCF, BAF \geq 5000) as set out in the *Persistence and Bioaccumulation Regulations* (Government of Canada 2000).

Ecological Effects

A - In the Aquatic Compartment

There is modelled and experimental evidence that the substance causes harm to aquatic organisms at relatively low concentrations (e.g., $LC50 \le 1 \text{ mg/L}$) Table 5].

No experimental toxicity data for Disperse Red 86 were found. A range of aquatic toxicity predictions were obtained from the various QSAR models considered (refer to Environment Canada 2003). Table 5 includes those predictions that were considered reliable and were used

in the QSAR weight-of-evidence approach for aquatic toxicity (Environment Canada 2007). These toxicity predictions are higher than the predicted water solubility of this substance (Table 1). Nevertheless, these predictions are still considered to be acceptable since they are within two orders of magnitude of the predicted water solubility (Environment Canada 2007). The predicted acute LC50 value of 0.08 mg/L indicates that the substance is highly hazardous to aquatic organisms (i.e. acute LC/EC50 \leq 1.0 mg/L).

Table 5. Modelled data for aquatic toxicity

Test Organism	Type of Test	Endpoint	Value (mg/L)	Reference
Fish	Acute (14 d)	LC_{50}	0.082*	ECOSAR v.0.99h
	Acute (96 h)	LC ₅₀	1.101	

^{*}Pivotal iT value used for categorization

LC₅₀ – Lethal concentration affecting 50% of the test population

B - In Other Media

No effects studies for non-aquatic non-human organisms were found for this compound.

Potential to Cause Ecological Harm

Evidence that a substance is highly persistent and bioaccumulative as defined in the Persistence and Bioaccumulation Regulations of CEPA 1999 (Government of Canada 2000), when taken together with potential for environmental release or formation and potential for toxicity to organisms, provides a significant indication that it may be entering the environment under conditions that may have harmful long-term ecological effects (Environment Canada 2006b). Substances that are persistent remain in the environment for a long time after being released, increasing the potential magnitude and duration of exposure. Substances that have long half-lives in mobile media (air and water) and partition into these media in significant proportions have the potential to cause widespread contamination. Releases of small amounts of bioaccumulative substances may lead to high internal concentrations in exposed organisms. Highly bioaccumulative and persistent substances are of special concern, since they may biomagnify in food webs, resulting in very high internal exposures, especially for top predators. Evidence that a substance is both highly persistent and bioaccumulative, when taken together with other information such as evidence of toxicity at relatively low concentrations, and evidence of uses and releases may, therefore, be sufficient to indicate that the substance has the potential to cause ecological harm.

The information collected to date suggests that Disperse Red 86 has the potential to cause ecological harm if it were to be released in the Canadian environment. Once released into the environment, because of its resistance to degradation, it could remain in water, sediment, and/or soil for a long time. As it persists in the environment, and because of its lipophilic character, it could bioaccumulate and possibly be biomagnified in trophic food chains. It has also demonstrated relatively high toxicity to aquatic organisms. However, the lack of importation or manufacture of Disperse Red 86 in Canada at significant volumes suggests very low releases of this chemical into the Canadian environment.

Uncertainties

Information on concentrations of Disperse Red 86 in the Canadian environment is lacking. It was not imported or manufactured in Canada in the year 2005, so is not expected to be widely dispersed in the Canadian environment. However, it is in commerce as a low production volume chemical in the U.S. and Europe, and appears to be used as a pigment/dyestuff in textile products, and so may be entering into Canada in manufactured items.

Experimental data for ecotoxicity, degradation and bioaccumulation were not identified during categorization activities, and QSARs were used to estimate them. There are uncertainties associated with the use of QSAR models to estimate these characteristics. Additionally, physical/chemical properties, which are used as input to the QSAR models, have also had to be estimated.

The predicted concentrations associated with inherent toxicity for aquatic organisms have an additional source of uncertainty since these concentrations exceed the predicted water solubility of Disperse Red 86. However, these predicted toxicity concentrations are still considered acceptable since they are within two orders of magnitude of the predicted water solubility.

Regarding toxicity, the significance of sediments or soil as significant media of exposure based on the predicted partitioning behaviour of this chemical is not well addressed by the effects data available. Indeed, the only effects data identified apply to pelagic aquatic exposures, although the water column is not the only medium of concern based on partitioning estimates.

There is also uncertainty associated with basing the overall conclusion that Disperse Red 86 may be causing ecological harm, solely on information relating to its persistence, bioaccumulation, relative toxicity and use pattern. Typically quantitative risk estimates (i.e., risk quotients or probabilistic analyses) are important lines of evidence when evaluating a substance's potential to cause environmental harm. However when risks for persistent and bioaccumulative substances such as Disperse Red 86 are estimated using such quantitative methods, they are highly uncertain and are likely to be underestimated (Environment Canada 2006b). Given that long term risks associated with persistent and bioaccumulative substances cannot at present be reliably predicted, quantitative risk estimates have limited relevance. Furthermore since accumulations of such substances may be widespread and are difficult to reverse, a conservative response to uncertainty (that avoids underestimation of risks) is justified.

References

Arnot, J.A. and Gobas, F.A.P.C. 2003. A Generic QSAR for Assessing the Bioaccumulation Potential of Organic Chemicals in Aquatic Food Webs. *QSAR Comb. Sci.* 22(3): 337-345.

BCFWIN. 2000. Version 2.15. U.S. Environmental Protection Agency. http://www.epa.gov/oppt/exposure/pubs/episuite.htm

Beyer, A., Mackay, D., Matthies, M., Wania. F, and Webster, E. 2000. Assessing Long-Range Transport Potential of Persistent Organic Pollutants. *Environ. Sci. Technol.* 34 (4): 699-703.

BIOWIN. 2000. Version 4.02. U.S. Environmental Protection Agency. http://www.epa.gov/oppt/exposure/pubs/episuite.htm

Boethling, R.S., Howard, P.H., Beauman, J.A., and Larosche, M.E. 1995. Factors for intermedia extrapolations in biodegradability assessment. *Chemosphere*. 30(4):741-752.

Canada. 1985. Food and Drugs Act, 1985 = Loi sur les aliments et drogues, 1985. Statutes of Canada = Statuts du Canada. Ottawa: Queen's Printer. Ch. F-27.

Canada. 1999. Canadian Environmental Protection Act, 1999 = Loi canadienne sur la protection de l'environnement, 1999. Statutes of Canada = Statuts du Canada. Ottawa: Queen's Printer. Ch. 33. Available at Canada Gazette(Pt III) 22(3):ch. 33 http://canadagazette.gc.ca/partIII/1999/g3-02203.pdf

Canada. 2002. *Pest Control Products Act, 2002 = Loi sur les produits antiparasitaires, 2002*. Statutes of Canada = Statuts du Canada. Ottawa: Queen's Printer. Ch. 28. Available at Canada Gazette(Pt III) 25(3):ch. 28 http://canadagazette.gc.ca/partIII/2003/g3-02503.pdf

CEMC (Canadian Environmental Modelling Centre) 2000. TaPL3 v.2.10 model. Released June 2000. Trent University, Peterborough, Ontario. www.trentu.ca/academic/aminss/envmodel

ChemIndustry.com. 2007. Information for CAS No. 81-68-5, C.I. Disperse Red 86. Website accessed Feb. 28, 2007. http://www.chemindustry.com/apps/chemicals

ECOSAR. 2004. Version 0.99h. U.S. Environmental Protection Agency. http://www.epa.gov/oppt/exposure/pubs/episuite.htm

Environment Canada. 2003. Guidance Manual for the Categorization of Organic and Inorganic Substances on Canada's Domestic Substances List: Determining Persistence, Bioaccumulation Potential, and Inherent Toxicity to Non-Human Organisms. In: Existing Substances Program [CD-ROM], released 2004 April, Existing Substances Division, Environment Canada, Gatineau (QC). 124 p. Available on request.

Environment Canada. 2006a. Department of the Environment, *Canadian Environmental Protection Act, 1999*: Notice with Respect to Selected Substances Identified as Priority for Action. *Canada Gazette (Part I)* 140(9): 435-459.

http://canadagazette.gc.ca/partI/2006/20060304/pdf/g1-14009.pdf

Environment Canada. 2006b. Issue paper: Approach to Ecological Screening Assessments for Existing Substances that are both Persistence and Bioaccumulative. In: CEPA DSL Categorization: Overview and Results [CD-ROM], released 2006 Sept. Existing Substances Division, Environment Canada, Gatineau (QC). Available on request.

Environment Canada. 2007. QSARs: Reviewed Draft Working Document, Science Resource Technical Series, Guidance for Conducting Ecological Assessments under CEPA 1999. Existing Substances Division, Environment Canada, Gatineau (QC). Internal draft document available on request.

Environment Canada and Health Canada. 2006. Department of the Environment, Department of Health, *Canadian Environmental Protection Act*, 1999: Notice of intent to develop and implement measures to assess and manage the risks posed by certain substances to the health of Canadians and their environment. *Canada Gazette* (*Part I*) 140(49): 4109-4117.

http://canadagazette.gc.ca/partI/2006/20061209/pdf/g1-14049.pdf

EPIWIN. 2004. Version 3.12 U.S. Environmental Protection Agency. http://www.epa.gov/oppt/exposure/pubs/episuite.htm

ESIS (European Chemical Substances Information System). 2007. Version 4.60. CAS No. 81-68-5. Accessed Feb. 28, 2007.

http://ecb.jrc.it/esis/

Government of Canada. 2000. Persistence and Bioaccumulation Regulations = Règlement sur la persistence et la bioaccumulation. Canada Gazette (Pt II) 134(7): 607-612 (March 29, 2000). English and French text in parallel columns. Available at http://www.ec.gc.ca/ceparegistry/regulations/g2-13407 r7.pdf

Government of Canada. 2006. Guidelines for the Notification and Testing of New Substances: Chemicals & Polymers, Pursuant to Section 69 of the *Canadian Environmental Protection Act* (version 2005). Environment Canada and Health Canada, Queen's Printer. 218 p.

http://www.ec.gc.ca/substances/nsb/eng/cp_guidance_e.shtml

Health Canada 2003. Proposal for Priority Setting for Existing Substances on the Domestic Substances List under the Canadian Environmental Protection Act, 1999: Greatest Potential for Human Exposure. http://www.hc-sc.gc.ca/ewh-semt/alt formats/hecs-

 $sesc/pdf/pubs/contaminants/existsub/exposure/greatest_potential_human_exposure-risque_exposition_humaine_e.pdf$

Health Canada 2005. Proposed Integrated Framework for the Health-Related Components of Categorization of the Domestic Substances List under CEPA 1999. http://www.hc-sc.gc.ca/ewh-semt/alt_formats/hecs-sesc/pdf/contaminants/existsub/framework-int-cadre e.pdf

HENRYWIN. 2000. Version 1.90. U.S. Environmental Protection Agency. http://www.epa.gov/oppt/exposure/pubs/episuite.htm

KOWWIN. 2000. Version 1.67. U.S. Environmental Protection Agency. http://www.epa.gov/oppt/exposure/pubs/episuite.htm

MPBPWIN. 2000. Version 1.41. U.S. Environmental Protection Agency. Information available to http://www.epa.gov/oppt/exposure/pubs/episuite.htm

NIOSH (National Institute for Occupational Safety and Health). 1983. National Occupational Exposure Survey (1981-1983). Information for "C.I. Disperse Red". Website accessed Feb. 28, 2007. http://www.cdc.gov/noes/noes2/occs667.html.

Oasis Forecast. 2005. Version 1.20. Laboratory of Mathematical Chemistry. Bourgas, Bulgaria. www.oasis-lmc.org

OctanAir. 2004. Version 1.00. U.S. Environmental Protection Agency. Information available to http://www.epa.gov/oppt/exposure/pubs/episuite.htm

PCKOCWIN. 2000. Version 1.66. U.S. Environmental Protection Agency. http://www.epa.gov/oppt/exposure/pubs/episuite.htm

Topkat. 2004. Release 6.2. Accelrys Software Inc., San Diego (CA). http://www.accelrys.com/products/topkat/index.html

U.S. EPA (U.S. Environmental Protection Agency). 2007. Inventory Update Reporting information for 2002. Website accessed Feb. 28, 2007. http://www.epa.gov/oppt/iur/tools/data/index.htm

WSKOWWIN. 2000. Version 1.41. U.S. Environmental Protection Agency. http://www.epa.gov/oppt/exposure/pubs/episuite.htm