


Districts used in tables:



Alberta - 2007 Percent of seeded acres by crop reporting district



Canada Western Red Spring

Variety	% of Alberta	1	2	3	4A	4B	5	6	7
5400 IP	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
5600 HR	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0
5601 HR	0.1	0.1	0.0	0.0	0.0	0.0	0.0	1.6	0.0
5602 HR	1.6	0.0	0.0	0.8	7.5	1.7	3.1	1.7	0.3
AC Abbey	0.4	0.2	0.9	0.9	0.0	0.0	0.0	0.0	0.0
AC Barrie	3.5	0.9	0.7	2.2	11.5	2.5	1.7	13.6	3.4
AC Cadillac	1.1	0.0	0.0	0.0	6.4	0.9	0.0	0.0	0.0
AC Eatonia	8.0	35.9	6.6	0.7	0.0	0.0	0.0	0.0	0.0
AC Elsa	1.1	0.0	1.7	0.0	2.9	0.4	1.7	1.4	0.1
AC Intrepid	3.5	0.0	2.1	7.3	0.9	4.1	5.4	4.9	11.1
AC Splendor	4.6	0.7	3.1	2.7	4.9	7.0	1.7	1.9	13.7
CDC Alsask	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
CDC Bounty	0.4	0.0	0.0	0.8	1.6	0.7	0.2	0.0	0.0
CDC Go	1.2	0.9	2.2	2.6	0.3	0.5	1.2	2.8	0.0
CDC Imagine	2.2	0.9	4.0	7.9	0.8	1.4	0.2	0.9	0.2
CDC Teal	4.3	1.6	3.2	2.0	0.4	3.3	7.0	2.6	19.1
Columbus	0.5	0.0	0.4	0.0	1.3	0.6	0.0	0.4	0.0
Harvest	23.4	0.3	19.5	22.9	31.5	41.3	44.1	32.8	23.9
Infinity	1.1	0.1	1.3	0.9	0.7	2.3	1.7	0.0	0.6
Journey	1.4	0.6	1.2	6.3	2.5	0.8	0.0	1.3	0.5
Lillian	17.8	50.0	27.3	17.4	4.4	0.0	0.0	0.0	0.0
Lovitt	0.3	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0
McKenzie	1.8	0.5	1.2	3.4	1.4	3.0	2.3	1.0	3.3
Other	3.4	1.8	1.7	7.0	2.9	4.2	0.1	2.1	8.3
Prodigy	4.2	0.0	2.2	0.5	5.2	10.3	9.2	6.4	6.3
Somerset	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
Superb	14.1	5.6	20.6	13.7	10.7	14.7	19.5	24.7	9.0
% of CWRS	100.0	12.5	30.3	6.2	14.2	16.1	3.1	2.3	11.2

Alberta - 2007 Percent of seeded acres by crop reporting district



Canada Western Amber Durum

Variety	% of Alberta	1	2	3	4A	4B	5	6	7
AC Avonlea	32.5	37.6	31.1	4.4	100.0	0.0	0.0	0.0	0.0
AC Morse	4.6	7.2	4.5	0.8	0.0	0.0	0.0	0.0	0.0
AC Navigator	11.7	8.4	18.4	4.1	0.0	0.0	0.0	0.0	0.0
AC Strongfield	37.1	35.6	35.5	66.0	0.0	0.0	0.0	0.0	0.0
Kyle	10.7	10.3	9.1	24.8	0.0	0.0	0.0	0.0	0.0
Napoleon	0.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0
Other	3.0	0.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0
% of CWAD	100.0	34.9	46.0	8.4	0.6	0.0	0.0	0.0	0.0

Canada Western Hard White Spring

Variety	% of Alberta	1	2	3	4A	4B	5	6	7
Snowbird	100.0	0.0	100.0	100.0	0.0	100.0	100.0	0.0	0.0
% of CWHWS	100.0	0.0	44.1	6.9	0.0	25.2	15.9	0.0	0.0

Canada Prairie Spring Red

Variety	% of Alberta	1	2	3	4A	4B	5	6	7
5700 PR	42.2	79.7	63.4	28.3	47.8	48.2	45.6	31.7	20.0
5701 PR	8.7	0.0	14.5	54.2	1.2	4.0	8.6	10.0	21.5
AC Crystal	24.6	20.3	22.1	0.0	39.0	42.4	1.6	10.9	58.5
AC Foremost	23.6	0.0	0.0	17.5	0.0	5.3	44.2	47.4	0.0
AC Taber	0.9	0.0	0.0	0.0	12.0	0.0	0.0	0.0	0.0
% of CPSR	100.0	1.8	2.6	1.6	7.8	29.8	24.5	21.8	8.9

Alberta - 2007 Percent of seeded acres by crop reporting district



Canada Western Red Winter

Variety	% of Alberta	1	2	3	4A	4B	5	6	7
AC Bellatrix	33.0	66.3	26.4	50.6	6.6	27.4	0.0	73.2	0.0
AC Readymade	4.8	0.0	8.0	4.8	0.0	0.0	0.0	0.0	0.0
AC Tempest	3.0	0.0	6.1	0.0	0.0	0.0	0.0	0.0	0.0
CDC Buteo	0.3	0.0	0.2	0.0	5.4	0.0	0.0	0.0	0.0
CDC Clair	2.5	0.0	2.6	3.9	12.0	0.0	0.0	0.0	0.0
CDC Falcon	0.3	0.0	0.3	0.0	0.0	0.0	6.7	0.0	0.0
CDC Osprey	14.6	5.1	12.5	1.3	59.9	24.6	0.0	0.0	63.4
CDC Raptor	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3
Norstar	0.7	0.0	0.0	0.0	16.2	0.0	0.0	0.0	0.0
Radiant	40.6	28.6	44.0	39.4	0.0	48.0	93.3	26.8	33.3
% of CWRW	100.0	11.2	49.5	17.4	4.3	4.0	1.5	1.1	6.4

Malting -- Two-Row

Variety	% of Alberta	1	2	3	4A	4B	5	6	7
AC Metcalfe	59.9	79.4	56.9	75.9	62.8	53.3	51.7	56.5	70.5
Calder	0.1	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0
CDC Copeland	18.6	3.6	18.1	19.7	10.3	20.0	22.8	22.9	24.4
CDC Kendall	9.0	0.0	6.2	1.0	10.5	17.8	21.8	5.2	0.0
CDC Select	1.4	0.0	2.7	0.0	1.4	0.4	2.0	0.0	0.0
Harrington	5.5	17.0	9.7	1.8	5.5	0.5	0.0	3.9	4.3
Merit	1.1	0.0	1.7	0.0	3.0	0.7	0.0	2.7	0.0
Newdale	2.4	0.0	4.7	0.0	6.6	0.5	0.0	0.0	0.0
Other	1.4	0.0	0.0	0.0	0.0	4.3	1.8	8.9	0.0
Stein	0.6	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.8
% of Malting 2R	100.0	2.4	33.4	8.2	10.7	20.2	8.7	3.8	10.5

Alberta - 2007 Percent of seeded acres by crop reporting district



Malting -- Six-Row

Variety	% of Alberta	1	2	3	4A	4B	5	6	7
CDC Battleford	3.9	0.0	0.0	12.8	0.0	0.0	7.9	0.0	0.0
CDC Sisler	2.2	0.0	0.0	0.0	0.0	20.9	0.0	0.0	0.0
CDC Yorkton	10.4	0.0	32.8	0.0	0.0	22.7	0.0	50.0	0.0
Excel	10.1	0.0	0.0	0.0	0.0	0.0	31.3	0.0	0.0
Lacey	32.4	100.0	43.6	52.0	0.0	0.0	54.8	0.0	0.0
Legacy	23.8	0.0	17.9	35.1	0.0	0.0	3.9	0.0	93.5
Other	5.4	0.0	0.0	0.0	28.2	0.0	0.0	50.0	6.5
Robust	11.0	0.0	0.0	0.0	71.8	56.3	2.2	0.0	0.0
Tradition	0.9	0.0	5.7	0.0	0.0	0.0	0.0	0.0	0.0
% of Malting 6R	100.0	2.2	16.4	10.3	5.9	10.7	32.2	5.2	17.2

Feed Barley -- Two-Row

Variety	% of Alberta	1	2	3	4A	4B	5	6	7
Bridge	3.3	5.1	4.5	6.0	2.3	0.6	0.0	0.0	0.0
CDC Bold	3.2	3.7	5.9	0.6	0.0	2.3	4.8	4.9	0.0
CDC Dolly	8.5	10.2	6.5	11.1	11.4	11.5	4.5	1.2	4.6
CDC Helgalson	1.1	0.0	0.1	0.0	0.0	6.5	0.0	1.2	1.4
CDC Trey	0.5	2.8	0.0	1.4	0.4	0.5	0.0	0.0	0.0
Conlon	9.8	14.0	11.7	14.6	4.9	4.1	4.4	15.7	0.0
Mcleod	0.8	1.8	0.1	0.6	0.9	0.4	1.5	0.0	0.0
Other	0.5	1.1	0.1	0.0	1.1	1.1	0.7	1.4	0.8
Ponoka	8.7	0.0	10.1	4.8	5.7	5.9	4.2	14.1	54.9
Seebe	4.3	0.0	0.2	1.3	11.1	8.1	7.2	15.9	0.0
Xena	59.4	61.4	60.8	59.6	62.1	59.0	72.7	45.6	38.3
% of Feed Barley 2R	100.0	7.2	33.8	14.7	10.8	11.2	6.6	5.8	3.7

Alberta - 2007 Percent of seeded acres by crop reporting district



Feed Barley -- Six-Row

Variety	% of Alberta	1	2	3	4A	4B	5	6	7
AC Harper	11.6	19.6	12.2	54.5	10.8	5.7	0.0	0.0	0.0
AC Lacombe	10.6	0.0	1.0	2.5	12.8	8.1	1.4	24.1	34.0
AC Ranger	8.8	48.1	11.1	12.9	21.1	2.6	0.0	0.0	0.0
AC Rosser	2.4	0.0	0.0	0.0	3.5	5.1	0.0	0.0	8.7
Brier	4.4	0.0	0.0	2.5	26.4	0.0	0.0	0.0	12.8
CDC Earl	2.5	14.9	6.5	0.0	0.0	0.0	0.0	0.0	0.0
Kasota	0.5	0.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0
Leduc	0.3	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0
Other	5.4	17.5	4.1	0.0	8.8	9.2	1.1	12.4	3.3
Stander	11.1	0.0	0.0	8.8	16.5	5.2	84.0	6.6	0.0
Trochu	9.6	0.0	11.9	13.7	0.0	27.7	7.0	2.9	0.0
Vivar	32.7	0.0	53.2	0.0	0.0	34.2	6.5	53.9	41.2
% of Feed Barley 6R	100.0	3.7	30.6	10.3	7.4	13.2	9.3	7.8	17.1