



Official Grain Grading Guide

August 1, 2007

Regional offices

Pacific Region	Phone: 604-666-0488	Fax: 604-666-8703
Prairie Region	Phone: 204-983-3308	Fax: 204-983-5382
Thunder Bay Region	Phone: 807-626-1400	Fax: 807-623-8701
Bayport Region	Phone: 519-436-3190	Fax: 519-436-3195
Eastern Region	Phone: 514-283-3873	Fax: 514-283-7699

Service centers

Brandon	Phone: 204-726-7665	Fax: 204-726-7676
Calgary	Phone: 403-292-4211	Fax: 403-292-5075
Melville	Phone: 306-728-6820	Fax: 306-728-6821
Moose Jaw	Phone: 306-692-2141	Fax: 306-694-1488
Saskatoon	Phone: 306-975-5714	Fax: 306-975-4258
Weyburn	Phone: 306-848-3350	Fax: 306-848-3353
Winnipeg	Phone: 204-983-2790	Fax: 204-984-5131

Quality ● Service ● Innovation

3. Specifications for sieves

This table lists the sieves to be used to assess dockage and grading factors.

Sieves for assessing dockage and grading factors

Type	Sieve name	Hole size (millimetres)	Manufacturer's designation (inches)
Round-hole	No. 4.5	1.79	4½/64
	No. 5	1.98	5/64
	No. 5.5	2.18	5½/64
	No. 6	2.38	6/64
	No. 6.5	2.58	6½/64
	No. 7	2.78	7/64
	No. 7.5	2.98	7½/64
	No. 8	3.18	8/64
	No. 8.5	3.37	8½/64
	No. 9	3.57	9/64
	No. 10	3.97	10/64
	No. 11	4.37	11/64
	No. 12	4.76	12/64
	No. 14	5.56	14/64
	No. 15	5.95	15/64
	No. 16	6.35	16/64
	No. 17	6.75	17/64
	No. 18	7.14	18/64
	No. 20	7.94	20/64
No. 21	8.33	21/64	
No. 22	8.73	22/64	
No. 24	9.52	24/64	

Sieves for assessing dockage and grading factors

Type	Sieve name	Hole size (millimetres)	Manufacturer's designation (inches)
Slotted	No. 3	1.19 x 7.94	3/64 x 5/16
	No. 4.5	1.79 x 12.70	4½/64 x 1/2
	No. 5	1.98 x 19.05	5/64 x 3/4
	No. 6	2.38 x 19.05	6/64 x 3/4
	No. 8	3.18 x 19.05	8/64 x 3/4
	No. 9	3.57 x 19.05	9/64 x 3/4
	No. 11	4.37 x 19.05	11/64 x 3/4
	No. 12	4.76 x 19.05	3/16 x 3/4
	No. .064	1.60 x 9.53	0.064 x 3/8
	No. .028	0.71 x 11.90	0.028 x 15/32
	No. .032	0.81 x 11.90	0.032 x 15/32
	No. .035	0.89 x 11.90	0.035 x 15/32
	No. .038	0.96 x 11.90	0.038 x 15/32
	No. .040	1.02 x 11.90	0.040 x 15/32
Buckwheat	No. 5	triangle with 1.98 mm inscribed circle	triangle with 0.078 inscribed circle
	No. 6	triangle with 2.26-mm inscribed circle	triangle with 0.089-inch inscribed circle
Wire	No. 3 x 16	3 x 16 mesh per 25.4 mm	3 x 16 wire mesh per inch
	No. 4 x 14	4 x 14 mesh per 25.4 mm	4 x 14 wire mesh per inch
	No. 10 x 10	10 x 10 mesh per 25.4 mm	10 x 10 wire mesh per inch
	No. 9 x 9	9 x 9 mesh per 25.4 mm	9 x 9 wire mesh per inch