

2006 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 1

Canada Western Red Spring

Percentage of seeded acres / () = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Superb	18.3 (18.7)	13.3 (16.2)	17.7 (14.8)	22.3 (24.9)	0.0 (9.4)
AC Barrie	17.8 (21.4)	40.6 (41.0)	16.5 (23.9)	6.1 (8.5)	0.0 (0.0)
McKenzie	9.4 (8.2)	4.0 (2.1)	15.5 (13.6)	4.2 (4.6)	11.4 (5.7)
Harvest	5.6 (1.4)	4.0 (2.2)	1.7 (0.3)	11.8 (2.5)	0.0 (2.9)
AC Intrepid	5.5 (6.3)	2.8 (3.8)	5.1 (5.8)	7.3 (8.0)	40.5 (28.9)
Prodigy	4.7 (6.7)	0.1 (T)	6.6 (8.5)	5.0 (8.0)	2.3 (2.8)
AC Eatonia	4.5 (4.5)	T (0.0)	2.3 (1.7)	10.2 (10.2)	0.0 (0.0)
AC Domain	3.9 (4.6)	18.5 (21.9)	0.4 (1.1)	T (0.2)	0.0 (0.0)
CDC Teal	3.9 (5.0)	2.3 (2.6)	2.9 (3.7)	6.1 (7.7)	22.3 (15.4)
AC Splendor	3.7 (4.6)	1.0 (1.3)	3.1 (4.0)	6.0 (6.7)	21.4 (25.8)
Lillian	3.6 (0.1)	T (0.0)	3.8 (0.1)	5.4 (0.2)	0.0 (0.0)
Other	3.4 (5.8)	2.3 (2.2)	3.8 (5.4)	3.5 (8.0)	2.2 (9.1)
CDC Imagine	3.3 (1.3)	1.4 (0.3)	4.4 (1.7)	2.9 (1.4)	0.0 (0.0)
AC Cadillac	3.0 (3.2)	1.2 (1.5)	5.0 (5.4)	1.2 (1.5)	0.0 (0.0)
AC Elsa	2.3 (2.6)	0.6 (0.8)	3.9 (3.7)	1.2 (2.2)	0.0 (0.0)
AC Abbey	1.7 (1.9)	0.0 (0.0)	2.1 (2.0)	2.3 (2.7)	0.0 (0.0)
Columbus	1.4 (1.7)	T (0.1)	2.5 (2.8)	0.6 (1.1)	0.0 (0.0)
CDC Bounty	1.1 (1.2)	1.4 (1.6)	1.2 (1.2)	0.9 (1.0)	0.0 (0.0)
5602 HR	0.8 (0.0)	2.0 (0.0)	0.2 (0.0)	0.9 (0.0)	0.0 (0.0)
5601 HR	0.7 (0.2)	3.0 (1.3)	0.1 (T)	T (T)	0.0 (0.0)
Journey	0.4 (0.1)	0.3 (0.1)	0.1 (0.1)	0.9 (0.2)	0.0 (0.0)
Lovitt	0.3 (0.1)	0.7 (T)	0.2 (0.1)	0.2 (T)	0.0 (0.0)
5600 HR	0.2 (0.2)	0.1 (0.2)	0.3 (0.1)	0.2 (0.4)	0.0 (0.0)
5500 HR	0.2 (0.1)	T (0.2)	0.1 (T)	0.4 (0.2)	0.0 (0.0)
Infinity	0.2 (0.0)	0.2 (0.0)	0.2 (0.0)	0.1 (0.0)	0.0 (0.0)
CDC Go	0.1 (T)	0.0 (0.0)	0.1 (0.0)	0.2 (T)	0.0 (0.0)
Alsen	0.1 (0.1)	0.1 (0.5)	0.1 (T)	0.0 (T)	0.0 (0.0)
CDC Osler	0.1 (T)	0.0 (0.0)	0.1 (T)	T (0.0)	0.0 (0.0)
Somerset	T (0.0)	0.1 (0.0)	T (0.0)	0.0 (0.0)	0.0 (0.0)
Peace	T (0.0)	0.0 (0.0)	0.0 (0.0)	T (0.0)	0.0 (0.0)
CDC Alsask	T (0.0)	0.0 (0.0)	T (0.0)	0.0 (0.0)	0.0 (0.0)

* Trace: less than 0.05 percent

2006 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 2

Canada Western Amber Durum

Percentage of seeded acres / () = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
AC Avonlea	40.0 (45.3)	0.0 (7.0)	39.0 (44.4)	44.6 (49.1)	0.0 (0.0)
Kyle	22.6 (34.8)	63.3 (61.7)	24.3 (37.9)	15.0 (23.6)	0.0 (0.0)
Strongfield	18.5 (0.0)	0.0 (0.0)	17.1 (0.0)	24.7 (0.0)	0.0 (0.0)
AC Navigator	11.0 (9.2)	0.0 (0.0)	11.8 (9.6)	7.7 (8.0)	0.0 (0.0)
AC Morse	2.9 (5.7)	0.0 (5.9)	2.1 (3.4)	6.6 (14.0)	0.0 (0.0)
Napoleon	2.2 (1.5)	36.7 (25.5)	2.6 (1.6)	0.0 (0.6)	0.0 (0.0)
Commander	1.7 (0.0)	0.0 (0.0)	2.0 (0.0)	0.2 (0.0)	0.0 (0.0)
Other	1.1 (3.5)	0.0 (0.0)	1.1 (3.1)	1.3 (4.8)	0.0 (0.0)

* Trace: less than 0.05 percent

2006 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 3

Canada Western Hard White Spring

Percentage of seeded acres / () = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Snowbird	96.5 (97.5)	98.5 (97.6)	96.8 (96.4)	92.9 (99.5)	0.0 (100.0)
Kanata	3.5 (2.5)	1.5 (2.4)	3.2 (3.6)	7.1 (0.5)	0.0 (0.0)

* Trace: less than 0.05 percent

2006 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 4

Canada Western Extra Strong

Percentage of seeded acres / () = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Glenlea	43.3 (34.1)	100.0 (0.0)	58.2 (45.2)	0.0 (13.4)	0.0 (0.0)
CDC Rama	16.9 (12.6)	0.0 (0.0)	22.9 (19.0)	0.0 (0.0)	0.0 (0.0)
Laser	14.5 (18.1)	0.0 (0.0)	0.0 (0.0)	55.9 (59.7)	0.0 (0.0)
Bluesky	12.0 (5.6)	0.0 (0.0)	0.8 (0.0)	44.1 (18.5)	0.0 (0.0)
Amazon	6.8 (14.9)	0.0 (0.0)	9.3 (22.5)	0.0 (0.0)	0.0 (0.0)
AC Corinne	6.5 (8.8)	0.0 (0.0)	8.9 (13.2)	0.0 (0.0)	0.0 (0.0)
Burnside	0.0 (3.3)	0.0 (100.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
Wildcat	0.0 (2.5)	0.0 (0.0)	0.0 (0.0)	0.0 (8.4)	0.0 (0.0)
Walrus	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
Glenavon	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)

* Trace: less than 0.05 percent

2006 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 5

Canada Prairie Spring White

Percentage of seeded acres / () = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
AC Vista	89.0 (58.0)	100.0 (100.0)	87.9 (52.6)	0.0 (70.7)	100.0 (0.0)
AC Karma	11.0 (42.0)	0.0 (0.0)	12.1 (47.4)	0.0 (29.3)	0.0 (0.0)
Other	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)

* Trace: less than 0.05 percent

2006 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 6

Canada Prairie Spring Red

Percentage of seeded acres / () = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
5700PR	38.4 (34.3)	61.8 (54.6)	36.1 (39.1)	38.5 (32.4)	100.0 (0.0)
AC Crystal	30.9 (35.0)	0.0 (0.0)	42.2 (45.1)	25.9 (33.6)	0.0 (0.0)
AC Foremost	16.2 (12.3)	0.0 (0.0)	1.2 (3.7)	25.3 (14.9)	0.0 (0.0)
5701PR	12.6 (11.4)	8.4 (40.0)	19.2 (8.3)	9.1 (11.3)	0.0 (0.0)
AC Taber	1.9 (6.2)	29.9 (1.2)	1.3 (3.8)	1.2 (7.0)	0.0 (0.0)
Other	0.0 (0.8)	0.0 (4.2)	0.0 (0.0)	0.0 (0.8)	0.0 (0.0)

* Trace: less than 0.05 percent

2006 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 7

Canada Western Red Winter

Percentage of seeded acres / () = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
CDC Falcon	33.0 (20.0)	73.1 (68.5)	6.8 (10.3)	0.9 (2.0)	0.0 (0.0)
AC Bellatrix	16.7 (25.0)	0.0 (0.5)	11.5 (18.9)	56.0 (40.8)	0.0 (0.0)
CDC Buteo	13.2 (1.8)	8.9 (4.2)	26.2 (2.9)	0.0 (0.0)	0.0 (0.0)
CDC Clair	9.3 (19.1)	1.0 (3.9)	18.4 (33.7)	9.8 (17.7)	0.0 (0.0)
CDC Raptor	7.8 (7.6)	3.4 (11.3)	17.7 (17.0)	0.0 (0.0)	0.0 (0.0)
Radiant	6.5 (1.8)	0.0 (0.0)	3.7 (1.3)	23.0 (3.0)	0.0 (0.0)
McClintock	3.7 (1.1)	7.1 (4.2)	2.1 (0.3)	0.0 (0.0)	0.0 (0.0)
CDC Osprey	3.4 (9.1)	0.0 (0.0)	7.7 (13.7)	2.9 (10.7)	0.0 (0.0)
CDC Harrier	2.8 (1.1)	4.7 (4.0)	2.3 (0.6)	0.0 (0.0)	0.0 (0.0)
AC Tempest	1.3 (1.8)	0.0 (0.0)	0.9 (0.0)	4.2 (3.8)	0.0 (0.0)
Norstar	1.0 (1.1)	1.4 (1.2)	1.2 (0.3)	0.0 (1.6)	0.0 (0.0)
AC Readymade	0.7 (7.4)	0.0 (0.0)	0.0 (0.0)	3.1 (15.6)	0.0 (0.0)
CDC Kestrel	0.7 (1.4)	0.3 (2.2)	1.4 (0.9)	0.2 (1.4)	0.0 (0.0)
Other	0.0 (1.6)	0.0 (0.0)	0.0 (0.0)	0.0 (3.4)	0.0 (0.0)

* Trace: less than 0.05 percent

2006 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 8

Canada Western Soft White Spring

Percentage of seeded acres / () = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
AC Andrew	85.5 (70.0)	0.0 (0.0)	100.0 (100.0)	51.8 (65.0)	0.0 (0.0)
AC Meena	9.4 (14.2)	0.0 (0.0)	0.0 (0.0)	31.1 (16.6)	0.0 (0.0)
AC Nanda	2.4 (3.7)	0.0 (0.0)	0.0 (0.0)	7.9 (4.3)	0.0 (0.0)
Bhishaj	1.8 (9.5)	0.0 (0.0)	0.0 (0.0)	6.1 (11.0)	0.0 (0.0)
AC Reed	0.9 (2.6)	0.0 (0.0)	0.0 (0.0)	3.0 (3.1)	0.0 (0.0)
AC Phil	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)

* Trace: less than 0.05 percent

2006 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 9

Malting -- Two-Row

Percentage of seeded acres / () = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
AC Metcalfe	60.4 (55.1)	64.7 (59.9)	58.5 (54.3)	61.7 (55.0)	90.2 (98.0)
CDC Copeland	14.6 (12.3)	11.0 (14.3)	16.3 (14.0)	13.2 (9.1)	0.0 (0.0)
CDC Kendall	13.6 (15.2)	0.5 (3.1)	18.7 (20.3)	9.5 (9.2)	0.0 (0.0)
Harrington	4.5 (8.6)	0.0 (0.0)	3.1 (5.4)	7.4 (15.9)	9.8 (2.0)
Newdale	2.2 (1.3)	17.2 (12.7)	1.0 (0.6)	0.9 (0.4)	0.0 (0.0)
Merit	1.7 (1.9)	0.0 (0.0)	1.1 (1.8)	3.0 (2.4)	0.0 (0.0)
CDC Stratus	1.7 (1.7)	6.7 (9.4)	1.1 (1.2)	1.5 (0.9)	0.0 (0.0)
Stein	0.7 (1.8)	0.0 (0.0)	0.2 (1.5)	1.6 (2.6)	0.0 (0.0)
Other	0.4 (2.2)	0.0 (0.7)	0.1 (1.0)	0.9 (4.5)	0.0 (0.0)
CDC Select	0.1 (T)	0.0 (0.0)	T (T)	0.2 (0.0)	0.0 (0.0)
Calder	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)

* Trace: less than 0.05 percent

2006 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 10

Malting -- Six-Row

Percentage of seeded acres / () = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Legacy	43.8 (30.4)	33.4 (16.9)	53.6 (42.0)	23.3 (16.5)	0.0 (0.0)
Robust	18.0 (19.3)	30.3 (41.2)	6.4 (5.1)	43.7 (4.5)	0.0 (0.0)
Tradition	12.8 (2.7)	7.0 (2.3)	18.2 (3.3)	1.2 (0.0)	0.0 (0.0)
Excel	11.9 (30.5)	14.0 (23.1)	10.8 (36.5)	10.7 (25.9)	0.0 (0.0)
Lacey	9.0 (8.6)	11.3 (11.8)	8.5 (7.3)	2.8 (0.0)	0.0 (0.0)
Other	1.6 (3.4)	2.8 (4.3)	0.5 (1.7)	4.7 (12.1)	0.0 (0.0)
CDC Battleford	1.2 (1.9)	0.7 (0.1)	0.3 (0.8)	9.2 (21.5)	0.0 (0.0)
B1602	0.9 (2.0)	0.5 (0.0)	0.3 (1.8)	4.5 (15.3)	100.0 (0.0)
CDC Sisler	0.8 (1.1)	0.0 (0.3)	1.5 (1.4)	0.0 (3.6)	0.0 (0.0)
CDC Springside	0.0 (0.2)	0.0 (0.0)	0.0 (0.2)	0.0 (0.6)	0.0 (0.0)
CDC Clyde	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
CDC Laurence	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)

* Trace: less than 0.05 percent

2006 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 11

Two-Row and Six-Row Malting Barley

Percentage of seeded acres / () = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Malting -- Two-Row	84.2 (89.0)	55.1 (58.0)	83.6 (89.8)	95.8 (97.6)	96.2 (100.0)
Malting -- Six-Row	15.8 (11.0)	44.9 (42.0)	16.4 (10.2)	4.2 (2.4)	3.8 (0.0)

* Trace: less than 0.05 percent

2006 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 12

Hulless -- Two-Row

Percentage of seeded acres / () = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
CDC McGwire	88.8 (54.0)	96.2 (100.0)	87.7 (50.6)	100.0 (0.0)	0.0 (0.0)
Other	10.2 (2.6)	3.8 (0.0)	11.2 (3.6)	0.0 (0.0)	0.0 (0.0)
CDC Gainer	1.0 (2.0)	0.0 (0.0)	1.1 (2.8)	0.0 (0.0)	0.0 (0.0)
CDC Fibar	0.0 (27.8)	0.0 (0.0)	0.0 (23.8)	0.0 (100.0)	0.0 (0.0)
CDC Alamo	0.0 (11.5)	0.0 (0.0)	0.0 (16.2)	0.0 (0.0)	0.0 (0.0)
Condor	0.0 (2.2)	0.0 (0.0)	0.0 (3.0)	0.0 (0.0)	0.0 (0.0)

* Trace: less than 0.05 percent

2006 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 13

Hulless -- Six-Row

Percentage of seeded acres / () = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Tyto	79.2 (0.0)	0.0 (0.0)	89.0 (0.0)	66.7 (0.0)	0.0 (0.0)
AC Bacon	14.7 (24.7)	0.0 (0.0)	0.0 (14.3)	33.3 (31.3)	0.0 (0.0)
Other	6.2 (58.5)	0.0 (100.0)	11.0 (85.7)	0.0 (42.3)	0.0 (0.0)
Falcon	0.0 (16.8)	0.0 (0.0)	0.0 (0.0)	0.0 (26.4)	0.0 (0.0)

* Trace: less than 0.05 percent

2006 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 14

Feed Barley -- Two-Row

Percentage of seeded acres / () = last year

Variety	Prairie Average		Manitoba		Saskatchewan		Alberta		British Columbia	
Xena	62.1	(48.4)	3.2	(3.4)	74.2	(58.0)	68.6	(51.4)	0.0	(90.3)
Conlon	12.2	(8.9)	86.1	(92.2)	5.0	(1.3)	2.6	(0.1)	0.0	(0.0)
CDC Dolly	9.0	(21.6)	0.8	(0.5)	12.7	(33.8)	9.5	(21.1)	0.0	(9.7)
Seebe	4.9	(5.9)	0.0	(0.0)	0.9	(0.1)	6.4	(8.3)	0.0	(0.0)
Other	3.7	(9.1)	0.1	(3.3)	2.1	(6.1)	4.5	(10.7)	0.0	(0.0)
CDC Bold	2.7	(5.3)	0.0	(0.5)	0.1	(0.6)	3.7	(7.2)	0.0	(0.0)
Ponoka	2.4	(0.8)	0.0	(0.0)	0.0	(0.0)	3.2	(1.2)	100.0	(0.0)
TREY	1.5	(0.0)	7.7	(0.0)	1.6	(0.0)	0.5	(0.0)	0.0	(0.0)
CDC Helgalson	1.5	(0.0)	2.1	(0.0)	3.5	(0.0)	1.0	(0.0)	0.0	(0.0)
RIVERS	0.0	(0.0)	0.0	(0.0)	0.0	(0.0)	0.0	(0.0)	0.0	(0.0)

* Trace: less than 0.05 percent

2006 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 15

Feed Barley -- Six-Row

Percentage of seeded acres / () = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
AC RANGER	22.5 (0.0)	61.8 (0.0)	12.8 (0.0)	15.5 (0.0)	0.0 (0.0)
Stander	13.0 (0.0)	8.2 (0.0)	9.6 (0.0)	16.7 (0.0)	13.9 (0.0)
Other	11.3 (42.2)	6.4 (70.4)	11.1 (34.3)	12.9 (41.7)	18.3 (51.9)
Brier	10.8 (7.9)	0.0 (0.0)	28.7 (20.2)	4.2 (2.6)	0.0 (0.0)
AC Rosser	8.7 (9.8)	9.3 (11.6)	19.9 (18.1)	2.1 (5.2)	0.0 (0.0)
AC Lacombe	7.6 (12.9)	1.9 (2.3)	9.7 (11.6)	8.1 (15.1)	15.2 (23.0)
Vivar	7.0 (7.6)	0.0 (0.0)	0.0 (0.0)	13.7 (13.3)	0.0 (0.0)
Trochu	5.4 (3.7)	0.0 (0.0)	0.2 (0.0)	10.6 (6.4)	0.0 (0.0)
AC Albright	3.3 (2.0)	0.0 (0.0)	0.0 (0.2)	5.0 (3.2)	52.6 (7.6)
AC Harper	2.9 (6.2)	0.0 (0.0)	0.4 (3.0)	5.4 (9.2)	0.0 (0.0)
Virden	2.7 (4.9)	2.1 (0.4)	7.6 (12.7)	0.0 (1.5)	0.0 (0.0)
Bedford	1.8 (1.5)	10.3 (15.3)	0.0 (0.1)	0.0 (0.0)	0.0 (0.0)
Kasota	1.5 (1.0)	0.0 (0.0)	0.0 (0.0)	2.9 (1.2)	0.0 (17.6)
CDC Earl	1.2 (0.0)	0.0 (0.0)	0.0 (0.0)	2.4 (0.0)	0.0 (0.0)
MANNY	0.3 (0.0)	0.0 (0.0)	0.0 (0.0)	0.6 (0.0)	0.0 (0.0)
Ponoka	0.0 (0.3)	0.0 (0.0)	0.0 (0.0)	0.0 (0.6)	0.0 (0.0)

* Trace: less than 0.05 percent

2006 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 16

All Barley (Malting, Feed and Hulless)

Percentage of seeded acres / () = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Malting -- Two-Row	51.8 (61.0)	34.2 (41.0)	69.0 (76.6)	41.4 (48.6)	75.0 (61.2)
Feed -- (2 & 6 Row)	37.7 (31.2)	37.6 (29.0)	15.7 (14.3)	56.7 (50.0)	22.1 (38.8)
Malting -- Six-Row	9.7 (7.6)	27.9 (29.6)	13.6 (8.7)	1.8 (1.2)	2.9 (0.0)
Hulless -- (2 & 6 Row)	0.8 (0.3)	0.4 (0.4)	1.7 (0.4)	0.2 (0.2)	0.0 (0.0)

* Trace: less than 0.05 percent

2006 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 17

All Wheat

Percentage of seeded acres / () = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Canada Western Red Spring	69.7 (69.7)	85.4 (85.4)	61.2 (61.2)	75.3 (75.3)	94.7 (94.7)
Canada Western Amber Durum	21.1 (21.1)	0.2 (0.2)	32.2 (32.2)	13.5 (13.5)	0.0 (0.0)
Canada Western Hard White Spring	3.7 (3.7)	8.5 (8.5)	2.9 (2.9)	2.7 (2.7)	2.0 (2.0)
Canada Prairie Spring Red	2.5 (2.5)	0.4 (0.4)	1.3 (1.3)	5.4 (5.4)	2.0 (2.0)
Canada Western Red Winter	2.5 (2.5)	5.3 (5.3)	1.6 (1.6)	2.5 (2.5)	0.0 (0.0)
Canada Western Soft White Spring	0.3 (0.3)	0.0 (0.0)	0.3 (0.3)	0.4 (0.4)	0.0 (0.0)
Canada Prairie Spring White	0.2 (0.2)	0.1 (0.1)	0.3 (0.3)	T (T)	1.3 (1.3)
Canada Western Extra Strong	0.1 (0.1)	T (T)	0.1 (0.1)	0.1 (0.1)	0.0 (0.0)

* Trace: less than 0.05 percent