

**LANDINGS, GASPÉ NORTH, 1984 TO 1997**

BIC TO RIVIERE-LA-MADELEINE

(Quantity in rounded metric tones, live weight)

SPECIES	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
Cod.....	2 061	2 420	1 971	2 155	1 511	1 468	1 222	1 122	750	326	37	18	68	17
Haddock.....	8	12	45	5	°	°	°	-	-	-	°	-	-	-
Redfish.....	355	238	259	369	310	246	150	223	257	66	43	4	3	3
Atlantic Halibut.....	7	4	6	22	8	5	67	25	15	7	27	2	3	5
American Plaice.....	346	543	389	834	636	362	275	271	246	83	51	30	14	13
Graysole.....	122	306	409	449	172	46	55	53	51	37	22	6	5	4
Winter Flounder.....	4	°	197	128	57	73	32	20	8	14	2	9	33	10
Unspecified Flounders.....	11	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenland Halibut.....	1 162	1 407	4 863	7 060	4 864	3 057	1 333	931	1 804	1 454	2 052	1 468	688	1 156
White Hake.....	2	30	18	39	16	15	14	11	10	7	3	1	2	1
Catfish.....	-	1	°	°	-	-	°	°	°	°	°	°	°	°
Other groundfish.....	°	1	3	5	11	5	7	8	15	33	10	3	2	1
<b>Total groundish.....</b>	<b>4 078</b>	<b>4 961</b>	<b>8 159</b>	<b>11 066</b>	<b>7 586</b>	<b>5 277</b>	<b>3 155</b>	<b>2 664</b>	<b>3 156</b>	<b>2 028</b>	<b>2 246</b>	<b>1 544</b>	<b>819</b>	<b>1 209</b>
Herring.....	211	138	196	164	121	76	133	67	78	103	264	39	66	163
Mackerel.....	-	5	5	6	2	1	2	-	-	-	13	°	10	°
Bluefin Tuna.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eels.....	-	1	2	3	1	4	1	1	1	2	1	°	2	°
Salmon.....	1	5	2	2	1	-	-	-	-	-	-	-	-	-
Smelts.....	-	-	°	°	1	1	1	1	°	1	4	-	1	1
Capelin.....	°	-	-	-	109	273	1	1	3	4	3	°	16	45
Other pelagic and estuarian species.....	°	1	8	1	2	3	25	10	8	3	5	2	65	2
<b>Total pelagic and estuarian species.....</b>	<b>212</b>	<b>151</b>	<b>213</b>	<b>176</b>	<b>236</b>	<b>358</b>	<b>162</b>	<b>79</b>	<b>90</b>	<b>112</b>	<b>290</b>	<b>42</b>	<b>160</b>	<b>211</b>
Soft Shell Clams.....	-	-	-	-	2	-	-	5	-	-	-	-	21	2
Quahaugs Clams.....	-	-	-	-	°	-	-	-	-	-	-	-	-	-
Mussels.....	-	-	-	-	-	-	-	°	-	-	-	-	2	°
Sea Scallops.....	11	3	13	20	17	12	21	8	22	46	24	61	43	58
Winkles.....	111	28	8	59	40	25	109	93	134	159	77	98	71	99
Lobsters.....	°	°	°	1	-	-	°	-	-	-	°	°	3	1
Shrimp.....	2 357	3 009	2 515	2 099	2 819	3 605	3 861	4 611	3 716	2 585	2 621	2 853	3 143	3 038
Snow Crabs.....	496	374	336	425	389	331	322	729	495	557	667	686	763	793
Other mollusc and crustacean.....	-	-	2	°	1	5	7	11	25	°	-	-	4	15
<b>Total molluscs and crustaceans.....</b>	<b>2 975</b>	<b>3 415</b>	<b>2 873</b>	<b>2 604</b>	<b>3 269</b>	<b>3 978</b>	<b>4 320</b>	<b>5 457</b>	<b>4 393</b>	<b>3 346</b>	<b>3 390</b>	<b>3 698</b>	<b>4 051</b>	<b>4 006</b>
Other items.....	3	°	-	-	-	-	-	-	°	-	-	36	°	62
<b>Total.....</b>	<b>7 268</b>	<b>8 526</b>	<b>11 245</b>	<b>13 846</b>	<b>11 091</b>	<b>9 613</b>	<b>7 636</b>	<b>8 201</b>	<b>7 639</b>	<b>5 486</b>	<b>5 926</b>	<b>5 320</b>	<b>5 030</b>	<b>5 489</b>

Note: Total can have minor differences caused by the rounding factors.

**LANDINGS, GASPÉ NORTH, 1984 TO 1997**

BIC TO RIVIÈRE-LA-MADELAINE  
(Value in thousands of dollars)

SPECIES	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
Cod.....	818	1 066	1 154	1 859	884	828	765	872	616	295	43	26	91	22
Haddock.....	5	9	40	2	°	°	°	-	-	-	°	-	-	-
Redfish.....	87	65	97	164	92	81	52	76	93	25	18	2	2	1
Atlantic Halibut.....	25	16	18	51	25	17	196	109	78	41	129	14	16	27
American Plaice.....	145	294	255	774	422	305	208	213	191	71	48	29	15	12
Graysole.....	144	262	381	451	116	35	48	41	40	34	25	7	6	5
Winter Flounder.....	1	°	128	95	34	48	22	14	5	11	2	9	29	9
Unspecified Flounders.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenland Halibut.....	684	987	4 001	9 207	3 501	3 051	1 698	1 287	2 146	2 186	3 221	2 509	1 248	1 799
White Hake.....	°	6	4	11	3	3	3	2	2	2	1	1	°	°
Catfish.....	-	°	°	°	-	-	-	°	°	°	°	°	°	°
Other groundfish.....	°	1	6	11	12	11	13	16	9	10	5	2	1	°
<b>Total groundish.....</b>	<b>1 913</b>	<b>2 706</b>	<b>6 084</b>	<b>12 628</b>	<b>5 090</b>	<b>4 377</b>	<b>3 004</b>	<b>2 630</b>	<b>3 180</b>	<b>2 674</b>	<b>3 492</b>	<b>2 600</b>	<b>1 407</b>	<b>1 876</b>
Herring.....	56	33	70	56	111	24	44	38	25	25	79	15	24	39
Mackerel.....	-	2	2	2	°	°	1	-	-	-	4	°	5	°
Bluefin Tuna.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eels.....	-	4	9	11	6	18	4	5	4	11	3	2	18	2
Salmon.....	7	41	16	16	6	-	-	-	-	-	-	-	-	-
Smelts.....	-	-	°	°	°	1	1	1	°	1	10	°	4	°
Capelin.....	°	-	-	-	35	45	1	°	°	1	5	°	2	6
Other pelagic and estuarian species.....	°	1	6	1	2	3	13	12	3	3	5	2	33	4
<b>Total pelagic and estuarian species.....</b>	<b>63</b>	<b>81</b>	<b>103</b>	<b>86</b>	<b>162</b>	<b>91</b>	<b>63</b>	<b>56</b>	<b>33</b>	<b>40</b>	<b>107</b>	<b>19</b>	<b>85</b>	<b>51</b>
Soft Shell Clams.....	-	-	-	-	10	-	-	5	-	-	-	-	28	2
Quahaugs Clams.....	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Mussels.....	-	-	-	-	-	-	-	1	-	-	-	-	9	1
Sea Scallops.....	18	6	27	37	28	16	28	11	33	78	48	114	90	143
Winkles.....	47	24	7	43	28	23	65	61	85	123	62	65	54	73
Lobsters.....	1	3	1	8	-	-	2	-	-	-	3	5	27	8
Shrimp.....	3 118	3 930	4 386	5 114	4 928	5 236	5 205	6 683	5 290	4 012	4 038	5 209	5 957	5 549
Snow Crabs.....	663	473	680	1 446	1 599	997	922	1 957	991	1 455	2 722	4 718	3 439	2 717
Other mollusc and crustacean.....	-	-	2	1	2	10	12	4	2	°	-	-	3	7
<b>Total molluscs and crustacean.....</b>	<b>3 847</b>	<b>4 436</b>	<b>5 103</b>	<b>6 649</b>	<b>6 595</b>	<b>6 282</b>	<b>6 233</b>	<b>8 722</b>	<b>6 401</b>	<b>5 668</b>	<b>6 873</b>	<b>10 111</b>	<b>9 608</b>	<b>8 501</b>
Other items.....	1	°	-	-	-	-	-	-	1	-	-	63	1	103
<b>Total.....</b>	<b>5 824</b>	<b>7 224</b>	<b>11 289</b>	<b>19 363</b>	<b>11 846</b>	<b>10 750</b>	<b>9 300</b>	<b>11 408</b>	<b>9 614</b>	<b>8 382</b>	<b>10 472</b>	<b>12 793</b>	<b>11 102</b>	<b>10 530</b>

Note: Total can have minor differences caused by the rounding factors.

**LANDINGS, GASPÉ EAST, 1984 TO 1997**

GRANDE VALLÉE TO CAP GASPÉ

(Quantity in rounded metric tons, live weight)

SPECIES	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
Cod.....	12 214	13 238	11 725	10 784	8 353	7 674	6 329	4 735	4 238	1 174	144	141	47	295
Haddock.....	-	2	3	°	1	1	°	-	°	°	-	°	-	-
Redfish.....	778	303	381	1 145	804	2 136	1 011	1 137	927	310	94	9	15	7
Atlantic Halibut.....	28	52	60	60	62	78	126	121	69	73	93	53	89	111
American Plaice.....	753	752	1 102	1 051	813	626	441	545	336	102	38	19	21	29
Graysole.....	23	°	2	°	1	291	89	69	42	7	1	-	°	1
Winter Flounder.....	20	1	1	-	1	-	1	1	-	°	-	-	°	1
Unspecified Flounders.....	25	°	-	-	-	-	-	-	-	-	-	-	-	-
Greenland Halibut.....	149	310	454	1 514	1 025	730	426	478	529	393	441	282	576	481
White Hake.....	°	10	35	85	76	73	74	126	200	237	100	5	21	8
Catfish.....	°	1	14	45	9	36	49	27	15	8	2	1	1	3
Other groundfish.....	°	°	5	35	1	12	6	5	6	22	9	1	1	2
<b>Total groundish.....</b>	<b>13 990</b>	<b>14 669</b>	<b>13 783</b>	<b>14 719</b>	<b>11 145</b>	<b>11 657</b>	<b>8 551</b>	<b>7 244</b>	<b>6 361</b>	<b>2 326</b>	<b>922</b>	<b>511</b>	<b>772</b>	<b>939</b>
Herring.....	76	270	243	344	232	181	179	64	58	191	70	31	61	49
Mackerel.....	4	31	21	28	8	17	12	5	3	11	31	27	24	21
Bluefin Tuna.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eels.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salmon.....	-	°	-	-	-	-	-	-	-	-	-	-	-	-
Smelts.....	-	-	°	-	°	°	-	-	-	-	-	-	3	2
Capelin.....	-	-	-	-	-	-	-	-	-	-	-	3	6	3
Other pelagic and estuarian species.....	°	6	7	-	-	-	1	-	°	-	6	°	8	9
<b>Total pelagic and estuarian species.....</b>	<b>80</b>	<b>308</b>	<b>271</b>	<b>372</b>	<b>240</b>	<b>198</b>	<b>192</b>	<b>70</b>	<b>61</b>	<b>201</b>	<b>107</b>	<b>62</b>	<b>103</b>	<b>83</b>
Soft Shell Clams.....	°	-	-	-	-	-	4	-	-	-	-	-	28	1
Quahaugs Clams.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mussels.....	-	-	-	-	-	9	8	°	7	3	-	-	1	1
Sea Scallops.....	-	-	-	-	-	1	-	223	115	12	159	84	115	190
Winkles.....	5	2	3	16	12	7	1	-	5	19	1	19	24	19
Lobsters.....	27	38	18	23	33	37	37	61	38	40	49	57	45	32
Shrimp.....	1 979	2 637	3 100	3 955	4 360	4 598	4 568	4 081	3 929	6 444	7 231	6 808	7 680	9 061
Snow Crabs.....	6	2	°	4	2	1	5	1	-	°	411	431	439	516
Other mollusc and crustacean.....	-	-	-	-	-	-	-	17	38	11	-	-	4	50
<b>Total molluscs and crustaceans.....</b>	<b>2 017</b>	<b>2 679</b>	<b>3 120</b>	<b>3 998</b>	<b>4 406</b>	<b>4 654</b>	<b>4 623</b>	<b>4 383</b>	<b>4 133</b>	<b>6 528</b>	<b>7 851</b>	<b>7 399</b>	<b>8 336</b>	<b>9 871</b>
Other items.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total.....</b>	<b>16 088</b>	<b>17 656</b>	<b>17 174</b>	<b>19 089</b>	<b>15 791</b>	<b>16 509</b>	<b>13 366</b>	<b>11 696</b>	<b>10 555</b>	<b>9 056</b>	<b>8 881</b>	<b>7 972</b>	<b>9 211</b>	<b>10 893</b>

Note: Total can have minor differences caused by the rounding factors.

**LANDINGS, GASPÉ EAST, 1984 TO 1997**

GRANDE VALLÉE TO CAP GASPÉ

(Value in thousands of dollars)

SPECIES	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
Cod.....	5 273	6 108	6 153	8 001	5 052	4 781	3 936	3 973	3 602	1 123	175	207	59	378
Haddock.....	-	1	1	°	°	°	°	-	°	°	-	°	-	-
Redfish.....	230	78	125	533	215	737	304	441	351	121	47	4	9	4
Atlantic Halibut.....	64	152	156	143	139	193	470	498	308	360	512	321	503	589
American Plaice.....	248	274	576	791	514	433	258	375	243	75	35	18	21	26
Graysole.....	9	°	1	°	°	198	60	49	31	4	1	-	°	1
Winter Flounder.....	6	°	1	-	°	-	-	1	-	°	-	-	°	1
Unspecified Flounders.....	7	°	-	-	-	-	-	-	-	-	-	-	-	-
Greenland Halibut.....	89	118	266	1 851	514	621	487	631	616	556	664	479	1 059	749
White Hake.....	°	2	7	31	15	16	21	45	110	134	58	3	13	5
Catfish.....	°	°	4	18	2	10	13	7	4	2	°	°	°	1
Other groundfish.....	°	°	1	18	°	25	12	8	4	4	3	°	1	1
<b>Total groundish.....</b>	<b>5 927</b>	<b>6 734</b>	<b>7 290</b>	<b>11 386</b>	<b>6 453</b>	<b>7 014</b>	<b>5 561</b>	<b>6 026</b>	<b>5 270</b>	<b>2 380</b>	<b>1 495</b>	<b>1 033</b>	<b>1 665</b>	<b>1 753</b>
Herring.....	26	79	85	156	88	29	85	33	27	88	28	14	28	14
Mackerel.....	1	10	7	9	2	6	4	2	1	4	13	14	13	11
Bluefin Tuna.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eels.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salmon.....	-	°	-	-	-	-	-	-	-	-	-	-	-	-
Smelts.....	-	-	°	-	°	°	°	-	-	-	-	-	10	1
Capelin.....	-	-	-	-	-	-	-	-	-	-	-	°	1	1
Other pelagic and estuarian species.....	°	3	2	-	-	-	-	-	°	-	2	°	2	3
<b>Total pelagic and estuarian species.....</b>	<b>27</b>	<b>93</b>	<b>94</b>	<b>165</b>	<b>90</b>	<b>35</b>	<b>89</b>	<b>35</b>	<b>28</b>	<b>93</b>	<b>43</b>	<b>29</b>	<b>54</b>	<b>29</b>
Soft Shell Clams.....	°	-	-	-	-	-	6	-	-	-	-	-	37	2
Quahaugs Clams.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mussels.....	-	-	-	-	-	15	15	1	14	3	-	-	5	2
Sea Scallops.....	-	-	-	-	-	1	-	233	154	17	233	137	211	283
Winkles.....	3	1	3	12	7	7	1	-	4	11	1	14	19	12
Lobsters.....	131	195	113	156	225	261	201	398	278	305	416	577	489	361
Shrimp.....	2 481	3 526	5 271	9 458	7 197	5 967	4 793	5 678	5 622	9 414	9 404	11 195	14 285	15 959
Snow Crabs.....	5	2	1	11	2	3	13	1	-	°	1 960	2 914	2 094	1 935
Other mollusc and crustacean.....	-	-	-	-	-	-	-	°	1	°	-	-	2	32
<b>Total molluscs and crustaceans.....</b>	<b>2 619</b>	<b>3 725</b>	<b>5 387</b>	<b>9 637</b>	<b>7 431</b>	<b>6 254</b>	<b>5 029</b>	<b>6 311</b>	<b>6 072</b>	<b>9 751</b>	<b>12 013</b>	<b>14 836</b>	<b>17 142</b>	<b>18 586</b>
Other items.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total.....</b>	<b>8 573</b>	<b>10 552</b>	<b>12 771</b>	<b>21 188</b>	<b>13 974</b>	<b>13 303</b>	<b>10 680</b>	<b>12 371</b>	<b>11 369</b>	<b>12 223</b>	<b>13 551</b>	<b>15 897</b>	<b>18 861</b>	<b>20 368</b>

Note: Total can have minor differences caused by the rounding factors.

**LANDINGS, GASPÉ SOUTH, 1984 TO 1997**

CAP-AUX-OS TO PORT DANIEL

(Quantity in rounded metric tons, live weight)

SPECIES	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
Cod.....	10 948	15 543	11 681	9 873	10 061	9 362	8 418	7 538	6 046	1 051	59	103	113	552
Haddock.....	°	7	5	2	-	-	-	°	-	-	-	°	-	-
Redfish.....	2	26	1	29	6	113	5	22	73	90	102	1	22	8
Atlantic Halibut.....	9	24	80	21	61	52	28	30	9	4	2	2	11	18
American Plaice.....	347	539	658	913	830	613	577	608	660	205	12	6	10	50
Graysole.....	2	29	33	3	27	15	3	27	79	124	6	-	4	14
Winter Flounder.....	3	6	24	8	23	60	78	85	40	7	7	2	1	4
Unspecified Flounders.....	14	-	-	-	-	-	3	5	9	-	-	-	-	-
Greenland Halibut.....	43	28	8	172	16	95	85	52	70	352	379	123	125	104
White Hake.....	373	215	292	246	209	214	128	236	190	60	10	2	3	1
Catfish.....	26	17	42	23	30	9	11	27	6	1	°	°	°	1
Other groundfish.....	°	4	°	1	°	2	2	°	5	21	4	3	1	°
<b>Total groundish.....</b>	<b>11 766</b>	<b>16 439</b>	<b>12 825</b>	<b>11 291</b>	<b>11 263</b>	<b>10 535</b>	<b>9 339</b>	<b>8 630</b>	<b>7 187</b>	<b>1 915</b>	<b>583</b>	<b>242</b>	<b>290</b>	<b>753</b>
Herring.....	1 008	1 477	1 743	3 064	3 177	1 585	4 702	2 839	2 246	2 756	889	1 701	3 075	2 686
Mackerel.....	132	188	136	200	111	215	112	270	203	227	175	159	137	91
Bluefin Tuna.....	12	1	2	°	-	-	-	-	-	-	-	-	-	-
Eels.....	-	-	-	-	-	°	-	-	-	-	1	-	-	-
Salmon.....	-	-	1	12	-	-	-	-	-	-	-	-	-	-
Smelts.....	-	1	1	-	6	4	-	-	18	2	1	-	8	3
Capelin.....	-	17	-	-	-	-	-	-	-	108	22	-	4	2
Other pelagic and estuarian species.....	°	°	4	2	6	2	8	1	°	104	112	140	123	18
<b>Total pelagic and estuarian species.....</b>	<b>1 152</b>	<b>1 684</b>	<b>1 886</b>	<b>3 278</b>	<b>3 300</b>	<b>1 806</b>	<b>4 822</b>	<b>3 110</b>	<b>2 468</b>	<b>3 197</b>	<b>1 200</b>	<b>1 999</b>	<b>3 346</b>	<b>2 800</b>
Soft Shell Clams.....	-	-	°	-	-	12	-	1	1	1	-	314	21	6
Quahaugs Clams.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mussels.....	2	1	-	-	-	-	-	-	°	°	-	-	6	3
Sea Scallops.....	21	22	23	21	21	60	48	40	38	29	32	42	57	96
Winkles.....	°	1	-	-	°	-	-	-	11	1	3	-	1	°
Lobsters.....	474	414	402	466	464	491	576	490	655	620	725	882	925	585
Shrimp.....	-	1	-	-	-	-	192	134	1	-	-	-	-	-
Snow Crabs.....	4 603	5 940	7 461	4 039	4 490	2 763	2 093	3 062	2 646	3 733	4 876	4 544	3 628	3 341
Other mollusc and crustacean.....	2	1	1	11	-	326	33	3	-	-	1	115	35	76
<b>Total molluscs and crustaceans.....</b>	<b>5 102</b>	<b>6 380</b>	<b>7 887</b>	<b>4 537</b>	<b>4 974</b>	<b>3 652</b>	<b>2 944</b>	<b>3 729</b>	<b>3 353</b>	<b>4 386</b>	<b>5 637</b>	<b>5 898</b>	<b>4 673</b>	<b>4 108</b>
Other items.....	3	-	°	-	-	-	-	-	-	1	°	-	°	°
<b>Total.....</b>	<b>18 023</b>	<b>24 502</b>	<b>22 598</b>	<b>19 106</b>	<b>19 538</b>	<b>15 993</b>	<b>17 104</b>	<b>15 468</b>	<b>13 008</b>	<b>9 499</b>	<b>7 420</b>	<b>8 139</b>	<b>8 309</b>	<b>7 661</b>

Note: Total can have minor differences caused by the rounding factors.

**LANDINGS, GASPÉ SOUTH, 1984 TO 1997**

CAP-AUX-OS TO PORT DANIEL

(Value in thousands of dollars)

SPECIES	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
Cod.....	4 350	7 105	5 472	7 044	5 491	5 302	4 660	5 782	4 901	1 044	66	149	131	551
Haddock.....	°	4	3	1	-	-	°	°	-	-	-	°	-	-
Redfish.....	°	7	°	10	1	38	2	9	29	35	52	°	11	3
Atlantic Halibut.....	20	54	187	54	163	143	89	113	34	20	9	13	58	97
American Plaice.....	112	193	335	596	564	452	322	389	467	153	10	5	8	24
Graysole.....	1	18	32	2	24	12	3	24	69	109	5	-	3	18
Winter Flounder.....	1	2	11	6	10	32	45	51	23	4	4	2	1	3
Unspecified Flounders.....	4	-	-	-	-	-	1	3	5	-	-	-	-	-
Greenland Halibut.....	29	14	6	231	10	60	76	70	86	471	576	205	231	159
White Hake.....	103	45	63	110	54	70	51	102	101	33	6	1	2	1
Catfish.....	8	4	9	7	8	3	3	8	2	°	°	°	°	°
Other groundfish.....	°	1	°	°	°	4	1	1	3	7	2	1	°	°
<b>Total groundish.....</b>	<b>4 630</b>	<b>7 447</b>	<b>6 117</b>	<b>8 061</b>	<b>6 326</b>	<b>6 114</b>	<b>5 253</b>	<b>6 552</b>	<b>5 720</b>	<b>1 876</b>	<b>728</b>	<b>377</b>	<b>445</b>	<b>856</b>
Herring.....	215	393	449	802	700	227	905	536	446	548	208	336	1 057	385
Mackerel.....	34	46	31	50	28	53	28	68	51	63	61	71	78	53
Bluefin Tuna.....	26	2	4	1	-	-	-	-	-	-	-	-	-	-
Eels.....	-	-	-	-	-	°	-	-	-	-	5	-	-	-
Salmon.....	-	-	9	112	-	-	-	-	-	-	-	-	-	-
Smelts.....	-	°	1	-	5	6	-	-	40	5	2	-	23	1
Capelin.....	-	2	-	-	-	-	-	-	-	19	4	-	1	1
Other pelagic and estuarian species.....	°	°	1	1	3	1	2	1	°	40	50	55	78	11
<b>Total pelagic and estuarian species.....</b>	<b>275</b>	<b>442</b>	<b>496</b>	<b>966</b>	<b>737</b>	<b>287</b>	<b>935</b>	<b>605</b>	<b>537</b>	<b>676</b>	<b>330</b>	<b>462</b>	<b>1 237</b>	<b>450</b>
Soft Shell Clams.....	-	-	1	-	-	13	-	1	3	4	-	415	28	8
Quahaugs Clams.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mussels.....	1	1	-	-	-	-	-	-	°	°	-	-	26	15
Sea Scallops.....	31	31	33	37	31	84	65	54	53	43	58	86	125	154
Winkles.....	°	1	-	-	-	-	-	-	7	1	2	-	1	°
Lobsters.....	2 378	2 245	2 495	3 131	3 048	3 135	2 642	2 744	4 401	4 499	5 603	8 776	8 651	5 927
Shrimp.....	-	1	-	-	-	-	271	177	2	-	-	-	-	-
Snow Crabs.....	5 618	7 346	13 105	13 113	16 642	7 614	5 081	7 890	5 739	11 818	26 869	36 796	18 397	12 561
Other mollusc and crustacean.....	1	1	°	3	-	161	19	8	-	-	1	62	19	43
<b>Total mollusc ans crustacean.....</b>	<b>8 029</b>	<b>9 626</b>	<b>15 634</b>	<b>16 284</b>	<b>19 720</b>	<b>11 007</b>	<b>8 078</b>	<b>10 873</b>	<b>10 205</b>	<b>16 365</b>	<b>32 534</b>	<b>46 136</b>	<b>27 246</b>	<b>18 708</b>
Other items.....	2	-	°	-	-	-	-	-	-	°	°	-	°	°
<b>Total.....</b>	<b>12 936</b>	<b>17 515</b>	<b>22 247</b>	<b>25 311</b>	<b>26 782</b>	<b>17 408</b>	<b>14 266</b>	<b>18 030</b>	<b>16 462</b>	<b>18 918</b>	<b>33 592</b>	<b>46 975</b>	<b>28 929</b>	<b>20 014</b>

Note: Total can have minor differences caused by the rounding factors.

**LANDINGS, BAIES-DES-CHALEURS, 1984 TO 1997**

SHIGAWAKE TO MATAPEDIA

(Quantity in rounded metric tons, live weight)

SPECIES	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
Cod.....	617	548	266	340	354	282	240	252	120	87	20	36	8	3
Haddock.....	°	1	4	2	1	-	-	-	-	-	-	-	-	-
Redfish.....	13	°	3	27	13	159	1	5	-	°	-	-	°	-
Atlantic Halibut.....	°	1	1	6	6	1	°	°	°	°	°	°	°	°
American Plaice.....	185	230	157	246	57	273	212	181	100	42	35	25	9	17
Graysole.....	16	20	33	153	137	20	-	°	°	-	2	°	°	1
Winter Flounder.....	111	57	98	111	43	91	41	115	232	249	104	55	38	24
Unspecified Flounders.....	14	-	-	-	-	-	14	15	63	1	°	-	-	-
Greenland Halibut.....	1	°	1	15	9	4	°	-	1	13	5	2	°	1
White Hake.....	40	31	20	26	10	3	8	9	5	2	3	1	°	°
Catfish.....	-	°	°	°	-	-	°	°	°	°	°	-	-	-
Other groundfish.....	8	74	43	14	1	°	2	2	42	28	6	10	5	8
<b>Total groundish.....</b>	<b>1 006</b>	<b>963</b>	<b>625</b>	<b>940</b>	<b>631</b>	<b>833</b>	<b>520</b>	<b>580</b>	<b>563</b>	<b>422</b>	<b>176</b>	<b>129</b>	<b>62</b>	<b>53</b>
Herring.....	296	630	631	472	401	739	334	224	625	521	897	1 104	404	605
Mackerel.....	292	219	296	293	322	304	390	499	347	290	148	272	346	429
Bluefin Tuna.....	-	2	°	-	-	-	-	-	-	-	-	-	-	-
Eels.....	-	-	-	3	-	-	°	°	-	-	-	-	-	-
Salmon.....	-	°	-	-	-	-	°	-	-	-	-	-	-	-
Smelts.....	44	53	20	9	51	118	85	126	46	91	119	2	147	314
Capelin.....	-	4	1	°	-	-	-	°	-	-	-	-	-	-
Other pelagic and estuarian species.....	°	°	°	°	°	°	1	2	°	°	2	°	5	°
<b>Total pelagic and estuarian species.....</b>	<b>633</b>	<b>909</b>	<b>948</b>	<b>778</b>	<b>775</b>	<b>1 161</b>	<b>809</b>	<b>852</b>	<b>1 018</b>	<b>902</b>	<b>1 165</b>	<b>1 377</b>	<b>902</b>	<b>1 349</b>
Soft Shell Clams.....	6	21	41	163	108	134	61	97	73	7	-	-	2	5
Quahaugs Clams.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mussels.....	1	1	1	1	3	44	24	9	9	1	-	-	4	3
Sea Scallops.....	133	102	78	64	84	55	108	64	71	59	56	69	67	106
Winkles.....	-	-	°	-	-	-	-	-	-	-	-	-	-	°
Lobsters.....	127	135	137	128	115	139	210	191	215	193	170	158	171	156
Shrimp.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Snow Crabs.....	711	703	436	27	293	12	5	4	418	651	877	905	642	709
Other mollusc and crustacean.....	10	2	-	1	-	74	84	-	-	-	113	476	448	474
<b>Total molluscs and crustaceans.....</b>	<b>991</b>	<b>964</b>	<b>693</b>	<b>384</b>	<b>604</b>	<b>458</b>	<b>492</b>	<b>365</b>	<b>786</b>	<b>911</b>	<b>1 216</b>	<b>1 609</b>	<b>1 334</b>	<b>1 454</b>
Other items.....	°	°	°	°	°	°	1	°	-	1	°	°	°	1
<b>Total.....</b>	<b>2 629</b>	<b>2 836</b>	<b>2 266</b>	<b>2 102</b>	<b>2 010</b>	<b>2 452</b>	<b>1 821</b>	<b>1 797</b>	<b>2 367</b>	<b>2 236</b>	<b>2 557</b>	<b>3 115</b>	<b>2 298</b>	<b>2 856</b>

Note: Total can have minor differences caused by the rounding factors.

**LANDINGS, BAIES-DES-CHALEURS , 1984 TO 1997**

SHIGAWAKE TO MATAPEDIA


(Value in thousands of dollars)

SPECIES	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
Cod.....	243	245	147	276	175	141	140	188	96	131	26	52	11	3
Haddock.....	°	1	3	3	°	-	-	-	-	-	-	-	-	-
Redfish.....	3	°	1	13	4	33	1	3	-	°	-	-	°	-
Atlantic Halibut.....	1	2	1	15	16	2	1	1	1	1	1	°	1	1
American Plaice.....	80	114	92	233	36	203	165	145	96	34	39	24	10	15
Graysole.....	9	14	30	183	120	19	-	°	°	-	2	°	°	°
Winter Flounder.....	40	38	63	74	18	49	23	73	166	217	80	49	34	19
Unspecified Flounders.....	6	-	-	-	-	-	8	10	35	1	1	-	-	-
Greenland Halibut.....	°	°	1	13	6	3	°	-	1	19	8	3	1	1
White Hake.....	11	8	5	11	4	1	5	4	2	1	5	1	°	°
Catfish.....	-	°	°	°	-	°	°	°	°	°	°	-	-	-
Other groundfish.....	3	43	28	6	1	1	1	°	24	13	3	5	2	2
<b>Total groundish.....</b>	<b>396</b>	<b>465</b>	<b>372</b>	<b>827</b>	<b>380</b>	<b>452</b>	<b>344</b>	<b>426</b>	<b>422</b>	<b>416</b>	<b>164</b>	<b>134</b>	<b>59</b>	<b>43</b>
Herring.....	64	153	130	107	73	99	59	48	85	144	165	204	141	106
Mackerel.....	77	53	76	81	75	68	87	115	85	66	40	116	184	270
Bluefin Tuna.....	-	6	1	-	-	-	-	-	-	-	-	-	-	-
Eels.....	-	-	-	13	-	-	°	°	-	-	-	-	-	-
Salmon.....	2	-	-	°	4	-	-	-	-	-	-	-	-	-
Smelts.....	20	42	11	20	52	157	9	173	102	200	118	6	77	144
Capelin.....	-	2	1	°	-	-	-	°	-	-	-	-	-	-
Other pelagic and estuarian species.....	°	°	°	1	°	°	°	°	°	°	°	°	3	°
<b>Total pelagic and estuarian species.....</b>	<b>162</b>	<b>256</b>	<b>219</b>	<b>222</b>	<b>204</b>	<b>324</b>	<b>155</b>	<b>337</b>	<b>272</b>	<b>410</b>	<b>324</b>	<b>326</b>	<b>404</b>	<b>520</b>
Soft Shell Clams.....	2	38	89	362	193	222	132	189	159	23	-	-	3	6
Quahaugs Clams.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mussels.....	°	1	1	1	6	72	52	21	20	1	-	-	16	11
Sea Scallops.....	211	150	110	103	118	74	143	82	99	83	103	167	137	230
Winkles.....	-	-	°	-	-	-	-	-	-	-	-	-	-	°
Lobsters.....	673	717	803	853	700	899	892	1 120	1 392	1 289	1 281	1 564	1 596	1 617
Shrimp.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Snow Crabs.....	927	704	754	97	241	33	11	10	1 095	2 156	4 816	7 321	3 801	2 654
Other mollusc and crustacean.....	6	3	-	°	-	33	46	-	-	-	49	231	212	263
<b>Total molluscs and crustaceans.....</b>	<b>1 821</b>	<b>1 613</b>	<b>1 757</b>	<b>1 416</b>	<b>1 259</b>	<b>1 333</b>	<b>1 277</b>	<b>1 421</b>	<b>2 766</b>	<b>3 553</b>	<b>6 250</b>	<b>9 282</b>	<b>5 766</b>	<b>4 781</b>
Other items.....	°	°	°	°	°	°	1	°	-	°	1	°	°	1
<b>Total.....</b>	<b>2 379</b>	<b>2 335</b>	<b>2 348</b>	<b>2 465</b>	<b>1 843</b>	<b>2 109</b>	<b>1 776</b>	<b>2 184</b>	<b>3 460</b>	<b>4 380</b>	<b>6 739</b>	<b>9 742</b>	<b>6 229</b>	<b>5 346</b>


Note: Total can have minor differences caused by the rounding factors.




Quantity and value of groundfish landings from 1984 to 1997 for the Gaspé Peninsula




Quantity and value of cod landings from 1984 to 1997 for the Gaspé Peninsula




Quantity and value of redfish landings from 1984 to 1997 for the Gaspé Peninsula




### Quantity and value of greenland halibut landings from 1984 to 1997 for the Gaspé Peninsula




### Quantity and value of pelagic species landings from 1984 to 1997 for the Gaspé peninsula




Quantity and value of herring landings from 1984 to 1997 for the Gaspé Peninsula



### Quantity and value of mollusc and crustacian landings from 1984 to 1997 for the Gspé peninsula




### Quantity and value of sea scallops landings from 1984 to 1997 for the Gaspé peninsula






Quantity and value of lobster landings from 1984 to 1997 for Gaspé peninsula



### Quantity and value of shrimp landings from 1984 to 1997 for the Gaspé peninsula



Quantity and value of snow crab landings from 1984 to 1997 for the Gaspé peninsula

