

**LANDINGS, UPPER NORTH-SHORE, 1984 TO 1997**

TADOUSSAC TO GALLIX

(Quantity in rounded metric tons, live weight)

SPECIES	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
Cod.....	610	379	493	291	107	92	68	79	30	15	°	-	1	1
Haddock.....	-	-	-	-	-	°	-	-	-	-	-	-	-	-
Redfish.....	1	2	5	27	5	16	24	8	1	1	°	°	4	8
Atlantic Halibut.....	4	5	7	5	5	13	13	10	5	9	10	11	2	3
American Plaice.....	5	7	22	8	9	19	16	4	2	17	3	3	2	2
Graysole.....	-	-	-	-	-	-	-	3	-	-	-	-	-	-
Winter Flounder.....	°	-	-	-	-	°	°	-	-	°	-	-	-	-
Unspecified Flounders.....	-	°	-	-	-	-	-	-	-	-	-	-	-	-
Greenland Halibut.....	58	83	287	562	499	427	161	55	160	140	185	146	126	203
White Hake.....	3	-	3	4	2	10	3	2	°	°	°	-	°	°
Catfish.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other groundfish.....	°	1	°	3	1	1	3	°	°	°	°	-	°	-
<b>Total groundish.....</b>	<b>681</b>	<b>476</b>	<b>816</b>	<b>900</b>	<b>627</b>	<b>577</b>	<b>288</b>	<b>161</b>	<b>199</b>	<b>183</b>	<b>198</b>	<b>160</b>	<b>134</b>	<b>217</b>
Herring.....	199	187	222	238	174	169	189	106	151	130	177	238	127	174
Mackerel.....	6	5	6	-	°	4	6	1	-	-	-	-	1	1
Bluefin Tuna.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eels.....	-	-	-	°	°	-	-	-	-	-	-	-	-	-
Salmon.....	11	19	15	14	11	10	9	-	3	-	-	-	-	-
Smelts.....	-	-	-	-	-	-	-	7	-	-	-	-	-	-
Capelin.....	-	7	°	-	27	11	24	106	1	°	°	10	50	56
Other pelagic and estuarian species.....	-	°	°	1	-	°	-	-	°	-	-	°	2	-
<b>Total pelagic and estuarian species.....</b>	<b>215</b>	<b>218</b>	<b>243</b>	<b>253</b>	<b>212</b>	<b>193</b>	<b>228</b>	<b>220</b>	<b>155</b>	<b>130</b>	<b>177</b>	<b>248</b>	<b>180</b>	<b>231</b>
Soft Shell Clams.....	265	691	757	280	418	363	462	355	333	291	459	705	441	836
Quahaugs Clams.....	°	-	-	-	-	-	-	-	-	-	-	-	°	°
Mussels.....	-	°	°	°	-	-	34	13	-	-	°	-	5	6
Sea Scallops.....	103	132	93	88	52	10	85	140	112	69	63	9	5	9
Winkles.....	54	85	163	197	128	76	129	92	90	93	87	150	249	232
Lobsters.....	1	1	2	°	°	1	5	1	1	2	3	°	1	4
Shrimp.....	15	8	26	9	6	18	31	5	3	10	54	78	81	67
Snow Crabs.....	1 030	810	541	739	818	575	793	1 102	1 033	1 069	1 647	1 577	1 132	616
Other mollusc and crustacean.....	278	278	3	3	°	1	6	-	-	-	°	2	38	22
<b>Total molluscs and crustaceans.....</b>	<b>1 746</b>	<b>2 006</b>	<b>1 585</b>	<b>1 316</b>	<b>1 423</b>	<b>1 044</b>	<b>1 545</b>	<b>1 708</b>	<b>1 572</b>	<b>1 534</b>	<b>2 314</b>	<b>2 523</b>	<b>1 951</b>	<b>1 793</b>
Other items.....	-	-	-	-	-	-	°	1	-	-	1	-	-	44
<b>Total.....</b>	<b>2 643</b>	<b>2 700</b>	<b>2 644</b>	<b>2 469</b>	<b>2 262</b>	<b>1 814</b>	<b>2 061</b>	<b>2 090</b>	<b>1 926</b>	<b>1 847</b>	<b>2 690</b>	<b>2 931</b>	<b>2 265</b>	<b>2 285</b>

Note: Total can have minor differences caused by the rounding factors.

**LANDINGS, UPPER NORTH-SHORE, 1984 TO 1997**

TADOUSSAC TO GALLIX  
(Value in thousands of dollars)

SPECIES	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
Cod.....	257	191	262	235	57	50	87	62	39	9	°	-	1	1
Haddock.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Redfish.....	°	1	2	12	1	5	12	4	1	°	°	°	2	5
Atlantic Halibut.....	17	18	21	20	20	79	85	56	31	54	71	94	17	21
American Plaice.....	2	3	12	6	6	14	11	4	2	18	2	4	2	2
Graysole.....	°	-	-	-	-	-	-	2	-	-	-	-	-	-
Winter Flounder.....	°	-	-	-	-	°	°	-	-	°	-	-	-	-
Unspecified Flounders.....	°	°	-	-	-	-	-	-	-	-	-	-	-	-
Greenland Halibut.....	35	55	239	798	369	414	178	68	185	169	275	251	242	326
White Hake.....	1	-	1	1	°	3	1	°	°	°	°	-	°	°
Catfish.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other groundfish.....	°	°	°	4	1	°	2	°	°	°	°	-	-	-
<b>Total groundish.....</b>	<b>312</b>	<b>268</b>	<b>537</b>	<b>1 076</b>	<b>454</b>	<b>565</b>	<b>375</b>	<b>196</b>	<b>258</b>	<b>251</b>	<b>349</b>	<b>348</b>	<b>263</b>	<b>356</b>
Herring.....	63	57	72	74	48	54	74	40	46	40	75	100	58	58
Mackerel.....	2	1	2	-	°	1	6	°	-	-	-	-	°	°
Bluefin Tuna.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eels.....	-	-	-	2	1	-	-	-	-	-	-	-	-	-
Salmon.....	87	149	147	135	103	64	59	-	15	-	-	-	-	-
Smelts.....	-	-	-	-	-	-	-	5	-	-	-	-	-	-
Capelin.....	-	3	°	-	9	4	158	47	°	°	°	1	6	7
Other pelagic and estuarian species.....	-	°	°	2	-	°	-	-	°	-	-	°	1	-
<b>Total pelagic and estuarian species.....</b>	<b>152</b>	<b>212</b>	<b>221</b>	<b>213</b>	<b>161</b>	<b>123</b>	<b>296</b>	<b>92</b>	<b>61</b>	<b>40</b>	<b>75</b>	<b>102</b>	<b>65</b>	<b>65</b>
Soft Shell Clams.....	192	403	496	194	319	242	534	299	273	243	525	1 042	542	983
Quahaugs Clams.....	°	-	-	-	-	-	-	-	-	-	-	-	°	°
Mussels.....	-	1	°	°	-	-	40	35	-	-	°	-	4	6
Sea Scallops.....	170	176	127	132	48	10	87	157	125	96	116	12	7	20
Winkles.....	13	23	55	80	57	34	102	54	40	51	48	99	190	180
Lobsters.....	8	8	9	1	2	7	31	9	11	16	24	3	5	43
Shrimp.....	33	13	50	23	16	41	90	13	7	30	143	251	240	179
Snow Crabs.....	1 423	964	929	2 126	3 242	1 568	2 080	2 923	2 214	3 094	7 156	11 121	4 665	2 073
Other mollusc and crustacean.....	147	145	2	6	1	1	4	-	-	-	°	2	25	15
<b>Total molluscs and crustaceans.....</b>	<b>1 985</b>	<b>1 734</b>	<b>1 668</b>	<b>2 562</b>	<b>3 685</b>	<b>1 903</b>	<b>2 968</b>	<b>3 489</b>	<b>2 670</b>	<b>3 529</b>	<b>8 013</b>	<b>12 529</b>	<b>5 679</b>	<b>3 499</b>
Other items.....	-	-	-	-	-	-	°	1	-	-	1	-	-	19
<b>Total.....</b>	<b>2 449</b>	<b>2 213</b>	<b>2 426</b>	<b>3 851</b>	<b>4 299</b>	<b>2 591</b>	<b>3 640</b>	<b>3 778</b>	<b>2 989</b>	<b>3 821</b>	<b>8 437</b>	<b>12 978</b>	<b>6 007</b>	<b>3 939</b>

Note: Total can have minor differences caused by the rounding factors.

**LANDINGS, MIDDLE NORTH-SHORE, 1984 TO 1997**

SEPT-ÎLES TO POINTE-PARENT, INCLUDING ANTICOSTI ISLAND

(Quantity in rounded metric tons, live weight)

SPECIES	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
Cod.....	2 939	2 748	2 278	1 835	316	914	437	300	153	92	3	4	2	3
Haddock.....	-	-	2	1	°	-	-	-	°	-	-	-	-	-
Redfish.....	50	44	108	233	52	113	36	23	21	11	1	°	°	°
Atlantic Halibut.....	8	23	30	9	10	6	5	6	6	4	5	1	8	1
American Plaice.....	33	141	200	262	39	156	106	10	33	29	9	4	1	3
Graysole.....	°	2	°	10	4	-	-	21	1	°	-	2	-	-
Winter Flounder.....	-	-	-	5	-	187	22	1	6	14	°	°	-	1
Unspecified Flounders.....	1	2	-	-	-	-	-	-	°	-	-	-	-	-
Greenland Halibut.....	97	180	616	1 159	482	364	91	70	104	75	71	65	59	72
White Hake.....	-	-	4	21	4	7	3	°	°	°	°	°	°	°
Catfish.....	°	-	-	-	-	-	-	-	°	°	°	-	-	-
Other groundfish.....	°	-	4	7	°	1	°	°	°	8	4	°	2	°
<b>Total groundish.....</b>	<b>3 129</b>	<b>3 139</b>	<b>3 242</b>	<b>3 542</b>	<b>907</b>	<b>1 748</b>	<b>701</b>	<b>431</b>	<b>325</b>	<b>233</b>	<b>93</b>	<b>78</b>	<b>72</b>	<b>81</b>
Herring.....	109	80	81	355	465	107	303	301	315	208	225	172	121	30
Mackerel.....	6	6	9	4	°	-	-	-	°	71	33	30	8	°
Bluefin Tuna.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eels.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salmon.....	33	25	30	34	29	36	31	3	21	1	°	-	1	°
Smelts.....	°	-	°	-	-	-	-	-	-	-	-	-	-	-
Capelin.....	-	-	-	°	-	-	-	1	-	-	1	-	41	38
Other pelagic and estuarian species.....	°	°	°	°	°	°	°	1	°	2	°	°	°	1
<b>Total pelagic and estuarian species.....</b>	<b>148</b>	<b>111</b>	<b>120</b>	<b>393</b>	<b>495</b>	<b>143</b>	<b>334</b>	<b>306</b>	<b>336</b>	<b>281</b>	<b>259</b>	<b>201</b>	<b>171</b>	<b>69</b>
Soft Shell Clams.....	-	°	-	-	16	-	95	58	18	1	71	3	10	162
Quahags Clams.....	-	-	-	-	°	-	-	-	-	°	°	-	-	-
Mussels.....	-	-	-	-	-	-	-	-	-	-	-	-	4	9
Sea Scallops.....	233	383	488	1 459	888	1 796	2 576	1 596	1 795	1 497	1 441	1 623	1 646	1 373
Winkles.....	135	45	466	1 023	287	27	166	660	496	454	379	548	680	649
Lobsters.....	26	48	73	113	64	65	37	47	55	88	115	107	80	97
Shrimp.....	927	883	1 049	1 649	827	1 357	984	657	562	524	245	270	309	285
Snow Crabs.....	2 133	2 087	2 097	1 764	1 587	1 505	2 919	2 110	2 307	2 241	3 004	3 115	2 679	2 994
Other mollusc and crustacean.....	-	-	°	-	°	-	-	-	19	105	221	189	130	109
<b>Total molluscs and crustaceans.....</b>	<b>3 455</b>	<b>3 446</b>	<b>4 173</b>	<b>6 008</b>	<b>3 669</b>	<b>4 750</b>	<b>6 777</b>	<b>5 128</b>	<b>5 251</b>	<b>4 910</b>	<b>5 476</b>	<b>5 855</b>	<b>5 538</b>	<b>5 679</b>
Other items.....	-	-	1	-	-	-	-	7	-	1	14	5	4	29
<b>Total.....</b>	<b>6 731</b>	<b>6 696</b>	<b>7 535</b>	<b>9 943</b>	<b>5 072</b>	<b>6 641</b>	<b>7 812</b>	<b>5 873</b>	<b>5 913</b>	<b>5 424</b>	<b>5 842</b>	<b>6 139</b>	<b>5 785</b>	<b>5 857</b>

Note: Total can have minor differences caused by the rounding factors.

**LANDINGS, MIDDLE NORTH-SHORE, 1984 TO 1997**

SEPT-ÎLES TO POINTE-PARENT, INCLUDING ANTICOSTI ISLAND

(Value in thousands of dollars)

SPECIES	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
Cod.....	1 114	1 076	1 190	1 415	150	436	279	231	142	95	4	5	2	3
Haddock.....	-	-	1	°	°	-	-	-	°	-	-	-	-	-
Redfish.....	12	10	43	115	21	34	12	6	7	3	°	°	°	°
Atlantic Halibut.....	27	79	92	36	32	23	22	29	29	23	33	8	62	8
American Plaice.....	16	75	129	199	30	117	77	8	27	29	10	5	1	3
Graysole.....	°	1	°	11	3	-	-	17	1	°	-	2	-	-
Winter Flounder.....	-	-	-	2	-	107	12	°	4	7	°	°	-	1
Unspecified Flounders.....	°	1	-	-	-	-	-	-	°	-	-	-	-	-
Greenland Halibut.....	47	97	471	1 526	330	330	98	87	116	94	105	111	111	115
White Hake.....	-	-	1	7	1	2	°	°	°	°	°	°	°	°
Catfish.....	°	-	-	-	-	°	-	-	°	-	°	-	-	-
Other groundfish.....	°	-	2	6	°	°	°	°	°	4	5	°	°	°
<b>Total groundish.....</b>	<b>1 216</b>	<b>1 338</b>	<b>1 930</b>	<b>3 317</b>	<b>566</b>	<b>1 049</b>	<b>500</b>	<b>379</b>	<b>327</b>	<b>256</b>	<b>159</b>	<b>132</b>	<b>176</b>	<b>129</b>
Herring.....	26	27	21	96	119	33	102	95	108	71	91	58	43	15
Mackerel.....	2	2	3	1	-	-	-	-	°	24	7	9	2	°
Bluefin Tuna.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eels.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salmon.....	215	269	224	285	247	242	251	23	158	3	°	-	3	2
Smelts.....	°	-	°	-	-	-	-	-	-	-	-	-	-	-
Capelin.....	-	-	-	°	-	-	-	°	-	-	°	-	5	5
Other pelagic and estuarian species.....	°	°	°	°	°	°	°	3	°	1	°	°	°	°
<b>Total pelagic and estuarian species.....</b>	<b>243</b>	<b>298</b>	<b>247</b>	<b>382</b>	<b>366</b>	<b>275</b>	<b>354</b>	<b>121</b>	<b>265</b>	<b>99</b>	<b>99</b>	<b>68</b>	<b>54</b>	<b>22</b>
Soft Shell Clams.....	-	°	-	-	12	-	75	40	15	1	58	4	12	193
Quahaugs Clams.....	-	-	-	-	°	-	-	-	-	°	-	-	-	-
Mussels.....	-	-	-	-	-	-	-	-	-	-	-	-	4	9
Sea Scallops.....	334	521	682	2 305	868	1 962	2 696	1 645	1 890	2 269	2 655	2 330	2 313	2 396
Winkles.....	30	14	129	391	99	12	94	262	215	205	183	368	527	501
Lobsters.....	155	289	460	847	466	415	225	318	405	665	953	1 148	789	1 116
Shrimp.....	1 357	1 294	1 756	3 816	1 636	1 865	1 290	1 229	1 087	1 060	503	502	639	633
Snow Crabs.....	2 474	2 327	3 866	6 017	5 319	3 665	7 238	5 547	5 121	6 697	14 066	22 088	12 591	10 668
Other mollusc and crustacean.....	-	-	°	-	°	-	-	-	17	65	98	109	74	59
<b>Total molluscs and crustaceans.....</b>	<b>4 351</b>	<b>4 444</b>	<b>6 893</b>	<b>13 376</b>	<b>8 401</b>	<b>7 919</b>	<b>11 618</b>	<b>9 041</b>	<b>8 750</b>	<b>10 963</b>	<b>18 516</b>	<b>26 550</b>	<b>16 949</b>	<b>15 575</b>
Other items.....	-	-	°	-	-	-	-	°	-	3	21	°	°	32
<b>Total.....</b>	<b>5 810</b>	<b>6 080</b>	<b>9 071</b>	<b>17 075</b>	<b>9 334</b>	<b>9 243</b>	<b>12 472</b>	<b>9 541</b>	<b>9 342</b>	<b>11 321</b>	<b>18 795</b>	<b>26 750</b>	<b>17 179</b>	<b>15 757</b>

Note: Total can have minor differences caused by the rounding factors.

**LANDINGS, LOWER NORTH-SHORE, 1984 TO 1997**

KEGASKA TO BLANC SABLON

(Quantity in rounded metric tons, live weight)

<b>SPECIES</b>	<b>1984</b>	<b>1985</b>	<b>1986</b>	<b>1987</b>	<b>1988</b>	<b>1989</b>	<b>1990</b>	<b>1991</b>	<b>1992</b>	<b>1993</b>	<b>1994</b>	<b>1995</b>	<b>1996</b>	<b>1997</b>
Cod.....	7 004	5 682	3 280	2 313	2 666	3 117	1 907	2 165	1 265	814	18	104	156	513
Haddock.....	-	-	°	-	-	-	-	-	-	-	-	-	-	-
Redfish.....	°	-	9	5	16	°	-	1	1 162	481	-	-	°	°
Atlantic Halibut.....	-	1	2	1	3	°	°	2	1	1	-	°	°	5
American Plaice.....	-	°	1	13	1	12	14	5	1	13	-	-	°	°
Graysole.....	-	-	°	1	°	°	1	2	-	°	-	-	2	1
Winter Flounder.....	-	-	5	11	43	22	60	11	11	5	8	7	46	4
Unspecified Flounders.....	-	-	-	-	4	-	-	-	-	-	-	-	-	-
Greenland Halibut.....	-	1	°	1	10	31	5	°	6	1	°	°	287	122
White Hake.....	-	-	3	1	-	-	-	-	°	-	-	-	-	-
Catfish.....	-	-	8	6	2	-	-	-	-	°	-	-	°	-
Other groundfish.....	-	-	6	15	2	°	-	2	1	°	°	-	2	3
<b>Total groundish.....</b>	<b>7 005</b>	<b>5 684</b>	<b>3 314</b>	<b>2 367</b>	<b>2 746</b>	<b>3 182</b>	<b>1 987</b>	<b>2 188</b>	<b>2 447</b>	<b>1 315</b>	<b>26</b>	<b>112</b>	<b>492</b>	<b>649</b>
Herring.....	736	335	415	854	329	318	177	121	88	54	234	147	202	30
Mackerel.....	59	59	166	97	34	49	19	22	28	4	4	-	1	°
Bluefin Tuna.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eels.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salmon.....	20	19	40	48	50	35	34	36	52	48	43	42	32	30
Smelts.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Capelin.....	-	-	-	-	124	1 078	164	7	855	1 262	208	90	440	202
Other pelagic and estuarian species.....	-	°	2	3	5	5	12	2	7	1	2	3	1	-
<b>Total pelagic and estuarian species.....</b>	<b>815</b>	<b>412</b>	<b>623</b>	<b>1 002</b>	<b>542</b>	<b>1 485</b>	<b>406</b>	<b>188</b>	<b>1 031</b>	<b>1 370</b>	<b>490</b>	<b>282</b>	<b>675</b>	<b>262</b>
Soft Shell Clams.....	-	-	-	-	-	-	-	-	-	-	3	-	-	1
Quahaugs Clams.....	-	-	-	-	-	-	-	-	-	-	-	-	°	-
Mussels.....	-	-	-	-	-	-	-	-	-	°	-	-	°	°
Sea Scallops.....	38	114	244	167	132	148	119	102	287	270	347	111	156	168
Winkles.....	-	-	1	4	129	-	13	24	132	12	23	113	86	2
Lobsters.....	25	44	56	42	48	52	53	46	52	40	37	17	30	30
Shrimp.....	-	-	-	4	160	5	-	°	-	-	206	60	716	522
Snow Crabs.....	1 466	2 539	2 392	2 345	1 053	172	421	783	703	1 440	1 727	1 848	2 478	1 275
Other mollusc and crustacean.....	-	-	-	-	-	-	-	-	-	-	-	-	°	-
<b>Total molluscs and crustaceans.....</b>	<b>1 530</b>	<b>2 698</b>	<b>2 692</b>	<b>2 562</b>	<b>1 522</b>	<b>377</b>	<b>606</b>	<b>954</b>	<b>1 174</b>	<b>1 763</b>	<b>2 344</b>	<b>2 150</b>	<b>3 467</b>	<b>1 998</b>
Other items.....	-	-	34	115	39	36	5	2	15	21	4	1	5	26
<b>Total.....</b>	<b>9 349</b>	<b>8 794</b>	<b>6 663</b>	<b>6 046</b>	<b>4 849</b>	<b>5 080</b>	<b>3 004</b>	<b>3 333</b>	<b>4 667</b>	<b>4 468</b>	<b>2 864</b>	<b>2 544</b>	<b>4 639</b>	<b>2 935</b>

Note: Total can have minor differences caused by the rounding factors.

**LANDINGS, LOWER NORTH-SHORE, 1984 TO 1997**


KEGASKA TO BLANC SABLON

(Value in thousands of dollars)


SPECIES	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
Cod.....	2 544	2 039	1 459	1 841	1 237	1 416	1 101	1 636	988	550	28	129	158	457
Haddock.....	-	-	°	-	-	-	-	-	-	-	-	-	-	-
Redfish.....	1	-	3	2	4	°	-	°	328	130	-	-	°	°
Atlantic Halibut.....	-	3	6	4	10	°	1	13	6	7	-	2	4	34
American Plaice.....	-	°	°	8	°	°	7	6	3	1	14	-	°	°
Graysole.....	-	-	°	°	°	°	°	1	-	°	-	-	1	°
Winter Flounder.....	-	-	1	7	19	7	23	4	5	1	4	4	29	2
Unspecified Flounders.....	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Greenland Halibut.....	-	°	°	1	5	25	4	°	4	1	°	°	681	281
White Hake.....	-	-	°	°	-	-	-	-	°	-	-	-	-	-
Catfish.....	-	-	1	1	°	-	-	-	-	°	-	-	°	-
Other groundfish.....	-	-	3	6	1	°	-	2	°	°	°	-	1	1
<b>Total groundish.....</b>	<b>2 545</b>	<b>2 042</b>	<b>1 475</b>	<b>1 870</b>	<b>1 278</b>	<b>1 455</b>	<b>1 136</b>	<b>1 659</b>	<b>1 332</b>	<b>704</b>	<b>32</b>	<b>136</b>	<b>874</b>	<b>775</b>
Herring.....	158	75	92	165	62	82	38	22	17	10	60	32	56	8
Mackerel.....	20	20	47	22	8	10	4	4	4	1	1	-	°	°
Bluefin Tuna.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eels.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salmon.....	100	138	191	219	226	166	153	164	229	207	204	236	183	156
Smelts.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Capelin.....	-	-	-	-	41	196	30	1	119	202	24	12	52	24
Other pelagic and estuarian species.....	-	°	6	5	9	12	8	7	3	2	4	7	2	-
<b>Total pelagic and estuarian species.....</b>	<b>277</b>	<b>232</b>	<b>337</b>	<b>411</b>	<b>346</b>	<b>466</b>	<b>233</b>	<b>197</b>	<b>371</b>	<b>422</b>	<b>293</b>	<b>287</b>	<b>293</b>	<b>189</b>
Soft Shell Clams.....	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Quahaugs Clams.....	-	-	-	-	-	-	-	-	-	-	-	-	°	-
Mussels.....	-	-	-	-	-	-	-	-	-	°	-	-	°	°
Sea Scallops.....	52	139	248	199	152	157	133	114	305	380	553	163	263	328
Winkles.....	-	-	°	1	40	-	3	7	56	6	11	78	51	2
Lobsters.....	154	257	322	272	307	299	263	237	319	257	255	150	262	271
Shrimp.....	-	-	-	8	296	8	-	2	-	-	231	90	1 168	840
Snow Crabs.....	1 168	2 235	3 752	6 641	3 127	321	877	1 687	1 116	3 332	6 177	10 083	7 758	3 359
Other mollusc and crustacean.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total mollusc ans crustacean.....</b>	<b>1 374</b>	<b>2 631</b>	<b>4 322</b>	<b>7 121</b>	<b>3 922</b>	<b>785</b>	<b>1 275</b>	<b>2 047</b>	<b>1 796</b>	<b>3 975</b>	<b>7 229</b>	<b>10 564</b>	<b>9 503</b>	<b>4 801</b>
Other items.....	-	-	41	444	60	59	6	2	40	77	16	3	28	99
<b>Total.....</b>	<b>4 195</b>	<b>4 906</b>	<b>6 176</b>	<b>9 846</b>	<b>5 607</b>	<b>2 765</b>	<b>2 650</b>	<b>3 906</b>	<b>3 539</b>	<b>5 178</b>	<b>7 570</b>	<b>10 990</b>	<b>10 697</b>	<b>5 863</b>

Note: Total can have minor differences caused by the rounding factors.

Quantity and value of groundfish landings from 1984 to 1997 for the North-Shore region




Quantity and value of cod landings from 1984 to 1997 for the North-Shore region







Quantity and value of redfish landings from 1984 to 1997 for the North-Shore region




### Quantity and value of greenland halibut landings from 1984 to 1997 for the North-Shore region




### Quantity and value of pelagic species landings from 1984 to 1997 for the North-Shore region




Quantity and value of herring landings from 1984 to 1997 for the North-Shore region




### Quantity and value of mollusc and crustacian landings from 1984 to 1997 for the North-Shore region




Quantity and value of sea scallops landings from 1984 to 1997 for the North-Shore region



Quantity and value of lobster landings from 1984 to 1997 for the North-Shore region



Quantity and value of shrimp landings from 1984 to 1997 for the whole Quebec region





Quantity and value of snow crab landings from 1984 to 1997 for the North-Shore region

